

220-1001 Dumps

CompTIA A+ Certification Exam: Core 1

<https://www.certleader.com/220-1001-dumps.html>



NEW QUESTION 1

A client needs to upgrade the hard drive on a laptop and would like one that is fast and has drop protection. Which of the following is the BEST option for the client?

- A. 5400rpm HDD
- B. 7200rpm HDD
- C. NVMe SSD
- D. Hybrid HDD/SSD

Answer: C

NEW QUESTION 2

The feature that allows users to store files in cloud-based when necessary, but can be removed when space is freed up, is known as:

- A. on-demand
- B. resource pool
- C. synchronization application
- D. shared resources

Answer: A

NEW QUESTION 3

A user sets up a cable modem at home and connects the modem to the ISP at the cable company. Which of the following network types does this connection describe?

- A. WAN
- B. LAN
- C. PAN
- D. MAN

Answer: A

NEW QUESTION 4

Joe, a user, wants his desktop RAID configured to allow the fastest speed and the most storage capacity. His desktop has three hard drives. Which of the following RAID types should a technician configure to achieve this?

- A. 1
- B. 5
- C. 10

Answer: A

NEW QUESTION 5

An office has a network that has all computers connected to two switches. The switches are connected with a fiber cable. The computers and switches are all located in the same building. Which of the following network types does this describe?

- A. WAN
- B. PAN
- C. LAN
- D. MAN

Answer: C

NEW QUESTION 6

Ann, a user, needs to attend several day-long conferences and wants to ensure her mobile device will have enough power for these events. She is concerned about wall outlet availability at the conferences and needs to continuously use her device for important updates. Which of the following should a technician recommend to BEST accommodate Ann's needs?

- A. Wireless charging pad
- B. Built-in battery case
- C. Extra charging cords
- D. Airplane mode

Answer: A

NEW QUESTION 7

A laptop is connected to a conference room projector in extended display mode. The desktop icons appear normal on the laptop, but are disproportionate and illegible on the projector screen. Which of the following should the technician check?

- A. Video resolution
- B. HDMI connection
- C. Keystone
- D. Focus

Answer:

A

NEW QUESTION 8

A user is unable to access websites and has reported connectivity issues with pop-ups on the screen. A technician removes malware, and then is able to ping the router and access the websites.

Which of the following NEXT steps should the technician perform in troubleshooting this issue? (Choose two.)

- A. Documents findings, actions, and outcomes.
- B. Reboot the device to verify the fix.
- C. Reconnect the device to the network.
- D. Verify the settings in IPConfig.
- E. Research the problem based on symptoms.
- F. Run a virus scan.

Answer: AF

NEW QUESTION 9

A customer wants to upgrade a PC's internal storage to have more room to store backups, photos, and videos. The new storage should be large enough to avoid expanding again next year.

Which of the following BEST meets these needs?

- A. 3TB HDD
- B. 50GB NAS
- C. 500TB SAN
- D. 512GB SSD

Answer: A

NEW QUESTION 10

A user reports being unable to print to a network-based all-in-one printer. The issue consistently appears after power outages Which of the following should a technician perform to resolve the issue?

- A. Run Windows Update on the user's machine.
- B. Disable the firewall on the user's machine.
- C. Set a static IP address on the printer
- D. Reinstall the printer with vendor-provided drivers

Answer: C

NEW QUESTION 10

A technician wants to set up a virtual machine in a public cloud environment. Which of the following cloud models should the technician use?

- A. IaaS
- B. SaaS
- C. PaaS
- D. DBaaS

Answer: A

NEW QUESTION 12

Which of the following has a P4 connector to provide a 12V output?

- A. Molex connector
- B. 24-pin adapter
- C. SCSI cable
- D. eSATA cable

Answer: A

NEW QUESTION 16

Which of the following connector types is used to terminate household telephone cabling?

- A. RG-6
- B. RJ-11
- C. RJ-45
- D. RG-59

Answer: B

NEW QUESTION 17

Some users are unable to access the Internet from their workstations. A technician runs the ipconfig command on one of the workstations and sees the following:

```
IPv4 address 192.168.1.27
Subnet mask 255.255.255.0
Default gateway 192.168.1.1
```

The technician pings 8.8.8.8 and gets no response. Next, the technician pings 192.168.1.1 and gets no response. The technician is able to successfully ping an adjacent workstation but cannot ping the print server on the floor below. Which of the following is the MOST likely cause of the Internet connectivity issue in the office?

- A. There is a problem with a router in the office
- B. There is a problem with a DNS server in the office
- C. The users are not getting correct IP addresses from the DHCP server
- D. The wireless access point in the area is down

Answer: A

NEW QUESTION 22

A user's laptop is shutting down unexpectedly. The technician discovers the shutdowns only happen when the laptop is moved from one room to another. The technician reseated the hard drive, memory, battery, and LCD cable, but the laptop continues to shut down. Which of the following is the MOST probable cause of the issue?

- A. Residual energy on the motherboard
- B. System overheating
- C. Distended capacitors
- D. Loose battery connection
- E. CMOS battery failure

Answer: D

NEW QUESTION 26

A customer wants to purchase a new home computer. The machine will mainly be used for internal browsing and streaming video, except on weekends when the customer's son will use it to play games with friends.

Which of the following should the technician focus on to meet these requirements?

- A. 80mm case fans
- B. Four-core processor
- C. RAID 5 array
- D. 16GB DDR2 memory
- E. Dual monitors
- F. Encrypted hard drive

Answer: BD

NEW QUESTION 30

A customer's laptop display has suddenly become very dim. The image of the display can only be seen with a bright, external light, as adjusting the brightness/contrast controls does not cause much change.

Which of the following components MOST likely needs to be replaced?

- A. LCD panel
- B. Inverter
- C. Video card
- D. Digitizer

Answer: B

NEW QUESTION 35

A technician wants the number of virtual machines hosting a web application in the public cloud environment to scale based on real-time traffic on the website. Which of the following should the technician configure?

- A. Resource pooling
- B. Rapid elasticity
- C. Measured service
- D. High availability

Answer: B

NEW QUESTION 39

A printer stops working in the billing department and cannot be repaired. A new printer has been ordered and a technician is tasked with allowing other users to print to the billing manager's printer until the new printer arrives. The manager's printer is currently used via USB connection, and there are no network jacks available for use.

Which of the following is the BEST way for the technician to allow access to the printer?

- A. Create a share on the manager's computer and give the users rights to the share.
- B. Install the printer on the users' desktops and point it to the IP address of the manager's computer.
- C. Purchase a wireless printer so the users can access the printer via network.
- D. Provide flash drives to the users so they can transfer data to the manager's computer for printing.

Answer: C

NEW QUESTION 43

A technician is troubleshooting a Windows CAD workstation that is running slow. The computer uses RAID 10 and has dual GPU cards. The user states that the same application runs faster on an identical workstation.

Which of the following should the technician perform FIRST to troubleshoot the problem?

- A. Replace the write cache battery.
- B. Check the event log any cache issues.
- C. Clear the RAID configuration file and restart the PC.
- D. Replace the RAID controller write cache module.

Answer: B

NEW QUESTION 48

A technician is upgrading a user's smartphone and wants to move all of the applications and contact information quickly to the new device. Which of the following connection types would work BEST to do this?

- A. NFC
- B. IR
- C. OTG
- D. Bluetooth

Answer: A

NEW QUESTION 53

A technician is determining the specifications for a desktop computer that will be used at trade shows all over the world. The computer will have the maximum amount of RAM. The CPU, GPU, and storage will be typical of a business workstation.

Which of the following system parameters is the MOST important for the technician to consider when choosing a power supply?

- A. input voltage
- B. Efficiency rating
- C. 12V rail amperage
- D. Number of SATA connectors

Answer: A

NEW QUESTION 56

A systems administrator wants to take advantage of the benefits of the major cloud providers while retaining some data and services in the local datacenter. Which of the following types of cloud model should the administrator consider?

- A. Public
- B. Private
- C. Hybrid
- D. Community

Answer: C

NEW QUESTION 57

A technician replaced a broken LED screen on a mobile computer. The operating system can be seen perfectly on screen, but the touch screen is non-responsive. Which of the following are the MOST probable root causes for the given failure? (Choose three.)

- A. The hardware replacement used is a non-touch-screen.
- B. The touch screen must be calibrated after a replacement.
- C. The digitizer cable is not seated properly on the motherboard.
- D. The new touch-screen drivers must be installed.
- E. The replacement part is dead-on-arrival.
- F. The LCD panel firmware must be updated.
- G. The grounding screws are not securely attached.

Answer: ACD

NEW QUESTION 58

A technician is configuring a high-performance workstation. The technician needs to choose storage for the boot drive with the highest performance possible. Which of the following drive types BEST meets this requirement?

- A. MicroSD
- B. 15K rpm
- C. NVMe
- D. USB flash

Answer: C

NEW QUESTION 63

Which of the following networking protocols would be BEST track packages through a sorting facility?

- A. RFID
- B. NFC
- C. Bluetooth
- D. Zigbee

Answer: D

NEW QUESTION 65

Which of the following ports are used for secure sessions? (Select two.)

- A. 22
- B. 23
- C. 25
- D. 80
- E. 110
- F. 443

Answer: AF

NEW QUESTION 70

Which of the following is the MOST likely cause for a network PC to have an APIPA address?

- A. DHCP failure
- B. DNS resolution
- C. Duplicate IP address
- D. Cleared ARP cache

Answer: A

NEW QUESTION 75

An end user is unable to connect to the network, and a technician has visually verified the lights on the back of the PC are active and there is no physical damage to the Ethernet jack. Which of the following tools should the technician use to continue troubleshooting the connection?

- A. Punchdown tool
- B. Tone generator and probe
- C. Cable tester
- D. Crimper

Answer: C

NEW QUESTION 79

Which of the following is the main purpose of the +5VSB output of a power supply?

- A. It allows peripherals to draw power when the machine is off
- B. It provides power to the audio and sound boards of the machine
- C. It acts as the main voltage supply to the motherboard and processor
- D. It powers all expansion cards and external device hubs

Answer: A

NEW QUESTION 82

A technician manually configured the wireless connection on the Chief Information Officer's (CIO's) new laptop so it can communicate with the network at the office. The CIO now is having trouble connecting to a guest WiFi hotspot. While the device has a gateway address and says it is connected, the CIO cannot access company email. Which of the following would BEST resolve the issue?

- A. Move the CIO's laptop closer to the access point to obtain a better RF signal
- B. Restart the wireless connection to obtain a self-assigned APIPA address
- C. Assign a different IP address to the device in conflict with the CIO's laptop
- D. Set the network connection to use DHCP instead of a static address
- E. Change the network's SSID to a mobile hotspot to access company email

Answer: D

NEW QUESTION 87

The IT department recently upgrade client computer for the graphics department. A user reports the new computer has not worked since up. It , makes unusual sound when pressing the power button.

A technician verifies the power cable works and the computer is connected properly to both data and power. The monitor powers on but display the message NO source. Which of the following BEST explains the cause of this problem?

- A. There is insufficient power to the computer
- B. There is back screen on system boot.
- C. The computer is overheating.
- D. The error beep codes on POST.

Answer: C

NEW QUESTION 91

Whenever a user's machine is turned on, a black screen appears prompting the user for an administrative password. The technician has no such password on file for this machine.

Which of the following steps should the technician take to resolve this issue?

- A. Press and hold the CPU power button for five seconds, and then power back on.
- B. Disconnect and reconnect the internal hard drive.

- C. Remove the CMOS battery and reinsert it after ten seconds.
- D. Remove the motherboard and place it back into the machine after ten minutes.

Answer: C

NEW QUESTION 96

A technician is ordering a new motherboard and processors for a company email server. When reviewing the vendor licensing agreement, the technician sees that there is a flat per-socket licensing fee.

Which of the following motherboard/processor combinations should the technician order get the BEST performance while minimizing licensing fees?

- A. A dual-processor motherboard with six hyper threaded cores each.
- B. A single-processor motherboard with hyper threaded eight cores.
- C. A dual-processor motherboard with eight overclocked cores each.
- D. A single-processor motherboard with ten overclocked cores.

Answer: D

NEW QUESTION 101

A shipping department is having problems with its thermal label printer. Two columns on the left are not appearing on all labels. Which of the following should a technician do FIRST?

- A. Verify the ribbon is correctly aligned to the label
- B. Run a label calibration
- C. Remove stuck labels from the print path
- D. Replace the print head

Answer: A

NEW QUESTION 104

A technician has been asked to fix a problem with a projector. The projector lamp turns off for brief periods during a demonstration. After the technician replaced the lamp, the problem continued with an added message that appears just before the lamp turns off. Which of the following MOST likely need to be performed? (Choose two.)

- A. Reset the lamp life counter
- B. Replace the cooling fan
- C. Adjust the brightness
- D. Update the laptop video driver
- E. Install a higher lumen lamp
- F. Change the video resolution

Answer: AB

NEW QUESTION 109

Which of the following is used to connect a headset to a laptop?

- A. eSATA
- B. BNC
- C. RG-6
- D. USB

Answer: D

NEW QUESTION 113

A user printed several documents to a shared network copier and noticed that they have very faint color density. A technician investigates the issue and verifies that the printer had a maintenance kit installed recently. Which of the following next steps will MOST likely resolve the issue? (Select two.)

- A. Replace the toner cartridges
- B. Replace the fuser module
- C. Clean the paper tray rollers
- D. Adjust the printer settings
- E. Replace the developer
- F. Empty the waste toner bottles

Answer: AC

NEW QUESTION 115

An administrator is configuring a virtualization workstation that will host several mission-critical VMs for the human resources department. The workstation will be required to support multiple users at once, and large amounts of data will be accessed daily. Which of the following components will BEST meet these requirements? (Select THREE).

- A. Quad-core CPU
- B. Solid-state drives
- C. Additional RAM
- D. Redundant PSUs
- E. RAID 0 array
- F. High-end GPU
- G. RAID 6 array

Answer: ACG

NEW QUESTION 120

An analyst asks a technician to recommend a solution for a customer in the software development industry, where the customer can test a variety of OS's running the various applications that the customer produces. The customer wants to minimize the investment in hardware. Which of the following solutions should the technician recommended to BEST meet the customer's requirement?

- A. Purchase a number of low-cost devices, installing the required Oss and applications on each on
- B. Use separate machines for each testing environment.
- C. Purchase a high-end system meeting the hardware requirements for all of the individual Oss and application
- D. Configure a VM for each testing environment.
- E. Purchase one computer and create images for each computer configuration and O
- F. Re-image the machine for each testing environment.
- G. Purchase a number of computers, installing a VM on each on
- H. Configure each VM with an OS for the testing environment.

Answer: B

NEW QUESTION 122

A technician is troubleshooting what appears to be a RAM issue on a PC. Which of the following symptoms would indicate if this is a RAM issue?

- A. POST code beeps
- B. Distended capacitors
- C. Continuous reboots
- D. Wrong BIOS time

Answer: C

NEW QUESTION 125

Joe, a user, recently purchased a new multifunction printer and attempted to install it himself. He informed a technician that the printer is on his list of printers, but he is unable to print. The technician sees that the printer is listed as a generic printer under Devices and Printers. Which of the following should the technician do NEXT?

- A. Reboot the computer into safe mode and try to print a test page
- B. Download the correct drivers from the manufacturer's website and install them
- C. Unplug the USB cable from the printer and try another USB slot on the PC
- D. Set the printer as the default within the device properties

Answer: B

NEW QUESTION 127

A user receives the following error message when powering on a computer:
Hard drive cannot be found.

A technician restarts the computer, and it boots the OS normally. Several days later, the user reports another problem, but rebooting the computer does not resolve the issue. The technician replaces the motherboard, keeping the same CPU, battery, RAM, and hard drive. The user cannot authenticate at the login screen Which of the following would BEST explain the causes of the problem? (Select TWO)

- A. POST error code beeps indicate RAM failure.
- B. The system time is not set correctly in the BIOS
- C. The voltage on the coin cell is drained completely
- D. UEFI firmware has the Secure Boot setting enabled
- E. Capacitors on the motherboard are distended
- F. Incorrect settings are booting the wrong device
- G. A BSOD error indicates the system is crashing

Answer: CE

NEW QUESTION 131

A user is connected to a docking station with an optical drive and is trying to back up personal files to removable media, but is encountering write errors. Which of the following is MOST likely cause of the errors?

- A. The disk has already been finalized
- B. The files are encrypted
- C. There is a corrupt file on the hard drive
- D. The files are not compatible with the type of disk used

Answer: A

NEW QUESTION 136

The touch-screen feature on a Windows device has stopped working. Which of the following should the technician check FIRST?

- A. Device Manager
- B. Performance Monitor
- C. System configuration
- D. Digitizer settings

Answer: D

NEW QUESTION 139

A network administrator is attempting to access the firewall while inside the datacenter. Which of the following peripherals must be connected to do so?

- A. KVM
- B. Touchpad
- C. Mouse
- D. Keyboard

Answer: A

NEW QUESTION 144

A corporation maintains an active social media presence by constantly uploading audio and video. The corporation also regularly hosts video conferences, but attendees are reporting buffering during their telecast.

Which of the following should the IT department do to improve the ability to attend video conferences without interruption?

- A. Enable QoS on network traffic, prioritizing telecast traffic over uploads.
- B. Upgrade video conference room equipment.
- C. Create a VLAN for all employees updating social media.
- D. Adjust the network intrusion device to allow video to flow without filtering.

Answer: A

NEW QUESTION 148

A technician was asked to virtualize four existing PCs before decommissioning them. The resulting VMs are imported into a new VM workstation running a hypervisor on top of an OS. Three of the VMs are running properly, but the entire system locks up when trying to start the fourth VM. Which of the following should the technician have reviewed prior to creating the VMs to prevent this from occurring? (Select TWO)

- A. Hypervisor requirements
- B. Storage requirements
- C. Resource requirements
- D. Network requirements
- E. Backup requirements
- F. Security requirements

Answer: AF

NEW QUESTION 153

Which of the following Internet connection types often terminates at a switching center and then requires the use of a different media for the last mile to the customer?

- A. ISDN
- B. DSL
- C. Fiber
- D. Cable

Answer: B

NEW QUESTION 158

The cloud model that represents a company maintaining some data in on-premise storage and some data in cloud-based storage is known as:

- A. hybrid
- B. private
- C. public
- D. community

Answer: A

NEW QUESTION 163

Which of the following IEEE 802.11 standards includes the use of MIMO technology?

- A. 802.11a
- B. 802.11b
- C. 802.11g
- D. 802.11n

Answer: D

NEW QUESTION 164

A workstation was just moved to a new work location without a surge protector. It was working the day before, but now the PC will not power on, the fans will not spin, and there are no signs of activity. Which of the following should the technician do FIRST?

- A. Check the power cable connection
- B. Check the voltage of the PSU with a tester
- C. Test for distended capacitors
- D. Check the voltage switch

Answer: A

NEW QUESTION 166

A company is using a high-speed impact printer to create invoices on multi-layer forms. The printing on the top copy looks OK, but the lower copies are almost unreadable. Which of the following parts is MOST likely causing the problem?

- A. Print head
- B. Ribbon
- C. Pickup rollers
- D. Tractor feed

Answer: A

NEW QUESTION 168

A user states the department laser printer continues to display a paper jam error message despite the jam being cleared. Which of the following should a technician do to troubleshoot this problem?

- A. Check the paper path for blocked sensors
- B. Replace the duplex assembly
- C. Run the printer's internal diagnostics
- D. Verify the pickup rollers are in working order

Answer: A

NEW QUESTION 169

A network administrator would like to increase network bandwidth to iGbps between two office buildings that are 0.5mi (805m) apart. Which of the following would be the BEST solution?

- A. Fiber
- B. Coaxial
- C. Plenum
- D. Cat 6

Answer: A

NEW QUESTION 172

A technician is setting up a WiFi-enabled thermostat for a customer, but the customer is concerned about IoT devices getting hacked. Which of the following BEST address the customer's concerns? (Choose two.)

- A. Use the latest encryption standard on the wireless network and set a strong password.
- B. Enable two-factor authentication for the IoT device's cloud account, if it is available.
- C. Separate the IoT thermostat by segregating it in a DMZ network.
- D. Disable wireless access on the thermostat to make it unshakable.
- E. Upgrade the customer's router to the latest version to improve network security.
- F. Upgrade the customer's wireless network encryption to WPA.

Answer: AC

NEW QUESTION 173

A company has very strict rules regarding proprietary information leaving the premises. All computers host proprietary information. A technician is called to repair a computer on-site at the company's corporate office. The technician identifies the troubleshooting steps to create a plan of action. The technician determines the computer needs to be taken off-site for repair.

Which of the following should the technician do NEXT?

- A. Check corporate policies for guidance.
- B. Get authorization from the manager.
- C. Delete proprietary data before leaving the building.
- D. Remove the HDD and send the device for repair.

Answer: A

NEW QUESTION 178

Multiple users report that the network printer, which is connected through the print server, is not printing. Which of the following should a technician do FIRST to remedy this situation?

- A. Replace the USB cable.
- B. Reinstall the drivers on users' PCs.
- C. have users restart their PCs.
- D. Clear the print queue.

Answer: D

NEW QUESTION 183

A technician is buying a PC that will host three VMs running at the same time with the current configuration. The technician believes there might be a need to run several additional VMs in the near future. Which of the following resources would be the MOST important to upgrade to allow for the additional VMs?

- A. CPU
- B. SSD
- C. NIC
- D. RAM

Answer: B

NEW QUESTION 184

A technician needs to call a user's cellular provider to troubleshoot a network speed issue with the user's mobile device. Which of the following technologies is the technician troubleshooting?

- A. Long-term evolution
- B. Near-field communication
- C. Radio frequency ID
- D. Z-wave

Answer: A

NEW QUESTION 187

Users report they have to select the output tray at the printer, even though the correct tray is selected in the print dialog. Which of the following should a technician perform FIRST to attempt to solve the problem?

- A. Check the user's account for the correct printing privileges.
- B. Reinstall the driver on the print server.
- C. Update the firmware on the commercial office printer.
- D. Run Windows Update on the affected computers.

Answer: B

NEW QUESTION 191

A technician is upgrading the RAM in a server-grade laptop for a company's Chief Executive Officer (CEO). The CEO cannot afford any downtime. Which of the following is the BEST type of memory module to purchase?

- A. LRSIMM
- B. DDR4
- C. Parity
- D. Dual channel

Answer: B

NEW QUESTION 194

A technician has been informed that multiple users are receiving duplicate IP address warnings on their workstations, and they are unable to browse the Internet. Which of the following server types should the technician log in to in order to resolve the problem?

- A. DNS server
- B. DHCP server.
- C. Proxy server
- D. RADIUS server

Answer: B

NEW QUESTION 198

Virtual machines hosted in the cloud that are used by developers to code applications are an example of:

- A. FaaS
- B. BaaS
- C. PaaS
- D. SaaS
- E. IaaS

Answer: C

NEW QUESTION 203

Which of the following connector types can be plugged into a device both right-side up and upside down?

- A. USB
- B. USB-C
- C. Mini-USB
- D. Micro-USB

Answer: B

NEW QUESTION 204

The corporate office has mandated that all documents must be electronically signed and encrypted with a certificate in order to be stored on the network. The IT department has been asked to ensure the proper file format is used to accomplish this task. Which of the following would satisfy the requirement?

- A. Print to PDF
- B. Print to file
- C. Print to image
- D. Print to XPS

Answer: A

NEW QUESTION 205

Joe, a user, has purchased a new mobile device that uses a different OS than his previous one. Joe wants to copy his contacts and appointments from his corporate account without entering them manually.

Which of the following would be the BEST way for a technician to assist Joe?

- A. Log into the same email provider on the new device, and restore the contacts and dates.
- B. Create a Bluetooth connection between Joe's devices, and copy his contacts and calendar.
- C. Back up the old mobile device to a PC, and import the contacts and schedule from the PC.
- D. Use NFC to transfer all compatible data from one device to the other.

Answer: A

NEW QUESTION 207

Joe, a user, reports that his new smart wearable device is not synchronizing to his mobile device. Both devices are powered on, but the mobile device fails to read the data from the wearable. Which of the following will MOST likely fix this issue?

- A. Pair the devices
- B. Set the SSID
- C. Update the smart wearable device firmware
- D. Enable NFC

Answer: A

NEW QUESTION 208

A technician is troubleshooting a flickering screen on a laptop. After reseating the video cable and replacing the whole screen, the flickering issue remains the same. Which of the following steps should the technician take to try to isolate and fix the screen flickering issue prior to replacing the screen? (Select TWO).

- A. Update all device drivers on the computer
- B. Uninstall video-related programs, even the ones not running
- C. Update chipset and video drivers
- D. Configure the laptop to work on a high-performance state
- E. Flash the GPU RAM
- F. Check the behavior on an external monitor

Answer: AD

NEW QUESTION 209

An employee's mobile device no longer charges, and the employee believes the battery is bad. A technician tests the mobile device and finds it will charge on a wireless charging pad but not when it is connected to a charging cable. Other devices charge without issue when the cable is used. Which of the following should the technician perform FIRST to resolve the issue?

- A. Clean out the charging port on the device
- B. Replace the mobile device's battery
- C. Issue a new charging cable to the employee
- D. Send the device for service and give the employee a loaner

Answer: A

NEW QUESTION 214

A user's smartphone has been slow recently. A technician sees the phone was purchased two months ago, and it is top of the line. About a month ago, a new OS update was installed. To address the issue, the technician runs a hardware diagnostic on the device, and it reports no problems. Which of the following is MOST likely the cause of the performance issue on the device?

- A. Too many applications are running updates
- B. The device is currently running in airplane mode
- C. The internal memory is failing on the device
- D. The OS update is too resource intensive for the device

Answer: A

NEW QUESTION 215

A technician is talking to end users about the specifications for an upgraded application server. The users of the application report that there cannot be any unscheduled downtime or data loss. Additionally, they would like the performance of the application to improve over the previous server in any way possible. The previous server running RAID 5.

Which of the following RAID solutions should be implemented in this scenario?

- A. RAID 0
- B. RAID 2
- C. RAID 6
- D. RAID 10

Answer: D

NEW QUESTION 219

Which of the following cloud computing concepts facilitates automated server deployment?

- A. NaaS
- B. IaaS
- C. PaaS
- D. SaaS

Answer: B

NEW QUESTION 223

Which of the following is designed to function BEST in harsh lighting conditions?

- A. Large tablet
- B. E-reader
- C. Smart watch
- D. Virtual reality headset

Answer: D

NEW QUESTION 224

A technician is troubleshooting a WiFi issue with a laptop user in a corporate office. The user can connect to web pages without trouble; however, the user cannot connect to the email server or print a locally stored document to the network printer. The technician cannot ping the mail server or the network printer. No other users are experiencing this issue. Which of the following is MOST likely causing the issue?

- A. The laptop has an APIPA address
- B. The laptop is configured to the wrong default gateway
- C. The laptop is connected to the guest WiFi
- D. The laptop is configured with a static IP

Answer: C

NEW QUESTION 229

Ann, an accountant, reports that after turning on her new laptop, she received a message stating her IP address is already in use on the system. She tried going back to her old desktop, which she now only uses for email, but received the same message. The technician checks the account and sees a comment that Ann requires a special network setup to connect to the banking software. Which of the following should the technician do to resolve the issue?

- A. Remove the static IP configuration from the desktop.
- B. Set the laptop configuration to DHCP to prevent conflicts.
- C. Replace the network card in the laptop, as it may be defective.
- D. Bridge the LAN connection between the laptop and the desktop.

Answer: B

NEW QUESTION 234

An end user has signed up to use a web-based calendar application. Which of the following solutions has the user purchased?

- A. DaaS
- B. SaaS
- C. PaaS
- D. IaaS

Answer: B

NEW QUESTION 239

A small business owner with a limited budget wants to host a company website and ERP applications in the cloud. Which of the following would be the BEST cloud model to accomplish this task?

- A. DaaS
- B. IaaS
- C. PaaS
- D. SaaS

Answer: C

NEW QUESTION 243

Which of the following wireless standards is only capable of 5GHz frequencies?

- A. 802.11a
- B. 802.11ac
- C. 802.11b
- D. 802.11g

Answer: A

NEW QUESTION 244

A technician is setting up a new SOHO router for a home user. The user has a media server to be accessible from the Internet while the user is traveling. Which of the following should the technician configure to allow access to the server from the Internet?

- A. Port forwarding
- B. NAT
- C. MAC filtering
- D. QoS

Answer: A

NEW QUESTION 245

A user calls the help desk stating a laptop is performing slowly and the hard drive activity lights are blinking continuously. A technician checks for enough hard drive space, disables antivirus and indexing services, and runs a full-system diagnostics check, which returns no failure. Which of the following should the technician do NEXT?

- A. Install a new hard drive
- B. Check for hard-drive firmware updates
- C. Replace the hard drive with a solid state drive
- D. Configure the laptop in high-performance mode
- E. Change the boot order in the system BIOS

Answer: B

NEW QUESTION 250

A technician is configuring a new web server and must have over 10TB of fault-tolerant storage, while minimizing the number of failure points. The applications on the server also require the highest performance available. Which of the following configurations would the technician MOST likely select?

- A. RAID 0 with 1500rpm 15TB drives
- B. RAID 1 with 1000rpm 8TB drives
- C. RAID 5 with 7200rpm 5TB drives
- D. RAID 10 with 5400rpm 6TB drives

Answer: D

NEW QUESTION 251

Which of the following features will save the battery life of a laptop significantly if they are disabled? (Choose two.)

- A. Touchpad
- B. Volume
- C. Screen orientation
- D. Cellular
- E. Bluetooth
- F. Fingerprint reader

Answer: DE

NEW QUESTION 256

A network administrator has discovered an amber indicator light on one of the redundant PSUs of a production server that went offline. Which of the following is the FIRST step in troubleshooting this issue?

- A. Check the connectivity of the power cable.
- B. Check the battery backup system
- C. Check the power settings of the server.
- D. Check the fans of the server

Answer: B

NEW QUESTION 257

A client brings in a smartphone with a cracked screen to be repaired. During the repair process, the technician places the screws in a small container to prevent losing them. The technician tests the replacement screen to ensure it works properly before dosing the device. Once the device is back together however it does not power on. The technician disassembles the device once again to test the screen and finds it has shorted out. Which of the following disassembly procedures should the technician have followed to prevent this from occurring?

- A. Label the locations of the screws
- B. Refer to manufacturer resources
- C. Document the orientation of the cables
- D. Use the appropriate hand tools

Answer: A

NEW QUESTION 259

A customer reports being unable to access email on desktop workstation, however, other office application are working. A technician determines the computer has

an IP address of 169.254.1.10. The technician learns from the customer that the computer recently was moved across the room. Which of the following troubleshooting steps should technician take NEXT?

- A. Check the default gateway
- B. Verify physical Ethernet connections
- C. Test web browser functional
- D. Restrict the computer
- E. Resolve the IP address conflict

Answer: E

NEW QUESTION 263

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 220-1001 Exam with Our Prep Materials Via below:

<https://www.certleader.com/220-1001-dumps.html>