



**LPI**

## **Exam Questions 303-200**

LPIC-3 Exam 303: Security, version 2.0

#### NEW QUESTION 1

Which command revokes ACL-based write access for groups and named users on the file afile?

- A. setfacl -x group: \* : rx, user:\*: rx afile
- B. setfacl -x mask: : rx afile
- C. setfacl ~m mask: : rx afile
- D. setfacl ~m group: \* : rx, user:\*: rx afile

**Answer: C**

#### NEW QUESTION 2

Which of the following authentication methods was added to NFS in version 4?

- A. Kerberos authentication
- B. SSH hostkey authentication
- C. Winbind authentication
- D. SSL certificate authentication

**Answer: A**

#### NEW QUESTION 3

Which command is used to run a new shell for a user changing the SELinux context? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

**Answer: A**

#### Explanation:

<https://www.centos.org/docs/5/html/DeploymentenLGuide-en-US/sec-sel-admincontrol.html>

#### NEW QUESTION 4

What happens when the command getfattr afile is run while the file afile has no extended attributes set?

- A. getfattr prints a warning and exits with a values of 0.
- B. getfattr prints a warning and exits with a value of 1.
- C. No output is produced and getfattr exits with a value of 0.
- D. No outputs is produced and getfattr exits with a value of 1

**Answer: C**

#### NEW QUESTION 5

Which of the following are differences between AppArmor and SELinux? (Choose TWO correct answers).

- A. AppArmor is implemented in user space onl
- B. SELinux is a Linux Kernel Module.
- C. AppArmor is less complex and easier to configure than SELinux.
- D. AppArmor neither requires nor allows any specific configuratio
- E. SELinux must always be manually configured.
- F. SELinux stores information in extended file attribute
- G. AppArmor does not maintain file specific information and states.
- H. The SELinux configuration is loaded at boot time and cannot be changed later on AppArmor provides user space tools to change its behavior.

**Answer: BD**

#### NEW QUESTION 6

Which of the following expressions are valid AIDE rules? (Choose TWO correct answers.)

- A. !/var/run/\*
- B. append: /var/log/\*
- C. /usr=all
- D. #/bin/
- E. /etc p+i+u+g

**Answer: AE**

#### NEW QUESTION 7

Which of the following types can be specified within the Linux Audit system? (Choose THREE correct answers)

- A. Control rules
- B. File system rules
- C. Network connection rules
- D. Console rules
- E. System call rules

**Answer:** ABE

#### NEW QUESTION 8

in which path is the data, which can be altered by the sysctl command, accessible?

- A. /dev/sys/
- B. /sys/
- C. /proc/sys/
- D. /sysctl/

**Answer:** C

#### NEW QUESTION 9

Which of the following commands adds users using SSSD's local service?

- A. sss\_adduser
- B. sss\_useradd
- C. sss\_add
- D. sss-addlocaluser
- E. sss\_local\_adduser

**Answer:** B

#### NEW QUESTION 10

Which of the following DNS record types can the command dnssec-signzone add to a zone? (Choose THREE correct answers.)

- A. ASIG
- B. NSEC
- C. NSEC3
- D. NSSIG
- E. RRSIG

**Answer:** BCE

#### NEW QUESTION 10

Which of the following statements are true regarding the certificate of a Root CA? (Choose TWO correct answers.)

- A. It IS a self-signed certificate.
- B. It does not include the private key of the CA
- C. It must contain a host name as the common name.
- D. It has an infinite lifetime and never expires.
- E. It must contain an X509v3 Authority extension.

**Answer:** ABE

#### NEW QUESTION 12

Which of the following parameters to openssl s\_client specifies the host name to use for TLS Server Name Indication?

- A. -tlsname
- B. -servername
- C. -sniname
- D. -vhost
- E. -host

**Answer:** B

#### NEW QUESTION 16

Which option in an Apache HTTPD configuration file enables OCSP stapling? (Specify ONLY the option name without any values or parameters.)

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

httpd-ssl.conf

#### NEW QUESTION 20

Which of the following stanzas is a valid client configuration for FreeRADIUS?

- A. client private-network-1 { ipaddr = 192 0 2.0/24 password = testing123-1 }
- B. client private-network-1 { ip= 192.0.2.0/24 password-testing123-1 }
- C. client private-network-1 { ip = 192 0 2.0/24 passwd = testing123-1 }
- D. client private-network-1 { ip = 192 0.2.0/24 secret = testing|23-1 }
- E. client private-network-1 { ipaddr = 192 0 2.0/24 secret = testing 123-1 }

**Answer:** E

**NEW QUESTION 21**

When OpenVPN sends a control packet to its peer, it expects an acknowledgement in 2 seconds by default. Which of the following options changes the timeout period to 5 seconds?

- A. -tls-timeout 5
- B. -tls- timeout 500
- C. -tls- timer 5
- D. -tls- timer 500

**Answer:** A

**NEW QUESTION 22**

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### 303-200 Practice Exam Features:

- \* 303-200 Questions and Answers Updated Frequently
- \* 303-200 Practice Questions Verified by Expert Senior Certified Staff
- \* 303-200 Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* 303-200 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The 303-200 Practice Test Here](#)**