

# LPI

## Exam Questions 201-450

LPIC-2 Exam 201 Part 1 of 2 version 4.5



#### NEW QUESTION 1

Which commands below are useful to collect data about remote filesystem connections? (Choose TWO correct answers.)

- A. pidstat
- B. nfsiostat
- C. sadsf
- D. cifsstat

**Answer:** BD

#### NEW QUESTION 2

Which command will report information on memory usage, paging and block input/output?

- A. free
- B. memshow
- C. ps
- D. top
- E. vmstat

**Answer:** E

#### NEW QUESTION 3

What mechanism does collectd use to gather monitoring information on systems?

- A. It uses a library of plugins.
- B. A master server connects to a collectd service on each machine to retrieve the information.
- C. It collects its own information on each server and sends that to a master server.
- D. It makes SNMP queries to the clients being monitored.

**Answer:** A

#### NEW QUESTION 4

When planning a web server which of the following choices will impact system sizing? (Choose THREE correct answers.)

- A. How many concurrent users are expected.
- B. Which hardware vendor has better Linux support.
- C. What type of content will be served.
- D. What scripting languages will the web server support.
- E. Will the OS install be CD, DVD or network based.

**Answer:** ACD

#### NEW QUESTION 5

What option in the collectd configuration file is required in order to define what to start monitoring?

- A. LoadModule
- B. Module
- C. Plugin
- D. LoadPlugin

**Answer:** D

#### NEW QUESTION 6

In capacity planning exercises, which tools assist in listing and identifying processes of interest? (Choose TWO correct answers.)

- A. acpid
- B. lsof
- C. pstree
- D. telinit

**Answer:** BC

#### NEW QUESTION 7

Which command is used to unload a single module currently loaded by the kernel without unloading any modules that it depends upon? (Specify the command with or without path information)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

`rmmod, /sbin/rmmod`

#### NEW QUESTION 8

How can the kernel parameter for the maximum size of the shared memory segment (shmmax) be changed to 2GB (2147483648 Bytes) on a running system? (Choose TWO correct answers.)

- A. Edit /etc/shmmax and set the parameter to 2147483648.
- B. sysctl shmmax=2147483648
- C. sysctl kernel.shmmax=2147483648
- D. echo 2147483648 > /proc/sys/kernel/shmmax
- E. export kernel.shmmax=2147483648

**Answer:** CD

#### NEW QUESTION 9

After configuring a new kernel, what file under /usr/src/linux/ contains the configuration?

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

/usr/src/linux/.config, .config

#### NEW QUESTION 10

Which archive format is used to create an initramfs image?

- A. gzip
- B. tar
- C. RAR
- D. cpio
- E. bzip2

**Answer:** D

#### NEW QUESTION 10

Which of the following command sequences can be used to extract files contained in a initramfs file (/boot/initramfs) which is used by the kernel at boot time?

- A. cp /boot/initramfs /tmp/initramfs.gz; gzip -c /tmp/initramfs.gz; mkdir /tmp/initramfs.dir ; cd/tmp/initramfs.dir ; cpio -i < /tmp/initramfs
- B. cp /boot/initramfs /tmp/initramfs.gz; gunzip /tmp/initramfs.gz; mkdir /tmp/initramfs.dir ; cd/tmp/initramfs.dir ; cpio -i < /tmp/initramfs
- C. cp /boot/initramfs /tmp/initramfs.gz; gunzip /tmp/initramfs.gz; mount /tmp/initramfs /mnt/ -o loop -t initramfs
- D. cp /boot/initramfs /tmp/initramfs.gz; gunzip /tmp/initramfs.gz; mkdir /tmp/initramfs.dir ; cd/tmp/initramfs.dir ; cpio -e /tmp/initramfs
- E. cp /boot/initramfs /tmp/initramfs.gz; gunzip /tmp/initramfs.gz; mount /tmp/initramfs /mnt/ -o loop -t initrd

**Answer:** B

#### NEW QUESTION 11

After installing a compiled kernel, it can not find any modules that are needed to be loaded. What make target was likely missed while installing the kernel?

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

make modules\_install, modules\_install

#### NEW QUESTION 16

Which of the following terms are used to describe 3.x kernel releases? (Choose TWO correct answers.)

- A. beta
- B. final
- C. longterm
- D. prerelease
- E. stable

**Answer:** CE

#### NEW QUESTION 17

Which command is used to install a new LILO boot loader?

- A. lilo
- B. lilo-config
- C. lilo-install
- D. install-lilo

**Answer:** A

#### NEW QUESTION 20

Which option to the update-rc.d command will cause the removal of all symlinks to /etc/rcX.d/\*test2 even when the script /etc/init.d/test2 still exists?

- A. -d
- B. -f
- C. -n
- D. -r

**Answer:** B

#### NEW QUESTION 22

A server requires a GRUB2 boot option which will always boot to runlevel 1. Which line of a GRUB2 configuration file starts the beginning of the settings needed to make this new choice available?

- A. initrd
- B. linux
- C. menuentry
- D. runlevel

**Answer:** B

#### NEW QUESTION 26

After changing the default runlevel in the SysV-init configuration file, the system boots in a different than intended runlevel. Where else could this different runlevel be defined?

- A. In the /etc/sysctl.conf
- B. In the boot loader configuration file
- C. In the /etc/runlevel file
- D. In the /boot/initramfs file
- E. In the /etc/rc.d/rc.local file

**Answer:** B

#### NEW QUESTION 28

What are the main network services used by the PXE protocol? (Choose TWO correct answers.)

- A. DNS
- B. DHCP
- C. HTTP
- D. TFTP
- E. NFS

**Answer:** BD

#### NEW QUESTION 33

What is the functionality that PXE provides?

- A. The ability to boot a computer using its network interface.
- B. The ability to launch an remote X11 desktop on a computer.
- C. The ability to verify a system's configuration after completing the boot process.
- D. The ability to verify a system's configuration before completing the boot process.

**Answer:** A

#### NEW QUESTION 35

What keyword is missing in the following line from /etc/fstab in order to make a USB flash device writeable by the user fred when mounted: /dev/sda1 /mnt/usbflash vfat defaults,users, \_\_\_\_\_=fred,umask=022, 0 0 (Provide the option name only without any settings)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

uid

#### NEW QUESTION 37

What component of a system does smartd monitor?

- A. CPU
- B. RAM
- C. Hard drives
- D. Ethernet traffic

**Answer:** C

**NEW QUESTION 38**

Which files are updated as devices are mounted and unmounted to provide information on the currently mounted devices and the options used? (Choose TWO correct answers.)

- A. /proc/dtab
- B. /etc/mtab
- C. /etc/fstab
- D. /proc/mounts
- E. /proc/devices

**Answer:** BD

**NEW QUESTION 40**

Which directory in /dev/disk/ can be used to determine the UUID of a connected hard disk?

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

/dev/disk/by-uuid, by-uuid, /dev/disk/by-uuid/

**NEW QUESTION 42**

What does a 0 in the last field (fsck order) of /etc/fstab indicate about the filesystem?

- A. The filesystem should be checked before filesystems with higher values.
- B. The filesystem should be checked after filesystems with higher values.
- C. The filesystem check counter is ignored.
- D. The filesystem has been disabled from being checked and mounted on the system.
- E. The filesystem does not require an fsck check when being mounted.

**Answer:** E

**NEW QUESTION 45**

Which of the following is a CD-ROM filesystem standard?

- A. OSI9660
- B. ISO9660
- C. SR0FS
- D. ISO8859
- E. ROM-EO

**Answer:** B

**NEW QUESTION 48**

Which command is used to create a ISO9660 filesystem? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

mkisofs, genisoimage

**NEW QUESTION 50**

Which file in /proc contains information on the status of local software RAID devices?

- A. /proc/raidstat
- B. /proc/mdstat
- C. /proc/raidstatus
- D. /proc/mdstatus
- E. /proc/raid/status

**Answer:** B

**NEW QUESTION 55**

What is the minimum number of disks required in a fully redundant RAID5 array?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

**Answer:** C

**NEW QUESTION 60**

Which directory in /dev/disk/ can be used to determine the UUID of a connected hard disk?

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

/dev/disk/by-uuid, by-uuid, /dev/disk/by-uuid/

**NEW QUESTION 62**

A system has one hard disk and one CD writer which are both connected to SATA controllers. Which device represents the CD writer?

- A. /dev/hdb
- B. /dev/sdd
- C. /dev/scd1
- D. /dev/sr0
- E. /dev/sr1

**Answer:** D

**NEW QUESTION 66**

Which of the following is a CD-ROM filesystem standard?

- A. OSI9660
- B. ISO9660
- C. SR0FS
- D. ISO8859
- E. ROM-EO

**Answer:** B

**NEW QUESTION 71**

What action should be performed after increasing the size of a logical volume?

- A. Run vgresize.
- B. Increase the size of the filesystem used for the logical volume.
- C. Run lvresize.
- D. Remount the logical volume.

**Answer:** B

**NEW QUESTION 76**

Which of the following commands can be used to script interactions with various TCP or UDP services?

- A. ftp
- B. nc
- C. tcpdump
- D. strings
- E. wget

**Answer:** B

**NEW QUESTION 79**

Considering the following kernel IP routing table below, which of the following commands must be used to remove the route to the network 10.10.1.0/24? (Select TWO answers)

Kernel IP routing table

Destination	Gateway	Genmask	Flags	Metric	Ref	Use	Iface
203.0.113.162	0.0.0.0	255.255.255.255	UH	0	0	0	ppp0
172.16.87.0	0.0.0.0	255.255.255.0	U	0	0	0	eth0
192.168.246.0	0.0.0.0	255.255.255.0	U	0	0	0	eth1
10.10.1.0	192.168.246.11	255.255.255.0	UG	0	0	0	eth1
127.0.0.0	0.0.0.0	255.0.0.0	U	0	0	0	lo
0.0.0.0	203.0.113.162	0.0.0.0	UG	0	0	0	ppp0

- A. ip net delete 10.10.1.0/24
- B. route del 10.10.1.0/24
- C. route del -net 10.10.1.0/24
- D. route del 10.10.1.0/24 gw 192.168.246.11
- E. ip route delete 10.10.1.0/24

**Answer:** CE

#### NEW QUESTION 84

What should be done after updating the configuration file for syslogd in order to make the changes become effective? (Choose TWO correct answers.)

- A. No action is required, syslogd will notice the updated configuration file after a few minutes.
- B. Send the HUP signal to the syslogd process.
- C. Restart the syslogd service.
- D. Run the command syslogd -u.

**Answer:** BC

#### NEW QUESTION 86

Which /etc/hosts.allow entries will permit access to sshd for users from the 192.168.1.0/24 subnet? (Choose TWO correct answers.)

- A. sshd : 192.168.1.
- B. sshd : 192.168.1
- C. sshd : 192.168.1.0 netmask 255.255.255.0
- D. sshd : 192.168.1.0/255.255.255.0
- E. sshd : 192.168.1.0

**Answer:** AD

#### NEW QUESTION 89

Which of the following commands will list the IPv4 neighbors of the current system? This includes IP and MAC addresses. (Choose TWO correct answers.)

- A. arp
- B. ifconfig -lv eth0
- C. netstat -al
- D. ip neigh show

**Answer:** AD

#### NEW QUESTION 90

Which of the following commands can be used to list IPv4 addresses and MAC addresses for IP devices that the system has seen on the local network?

- A. arp
- B. ifconfig
- C. ipadm
- D. iwlist

**Answer:** A

#### NEW QUESTION 91

Running tcpdump -nli eth1 'tcp' shows the following output:

14:41:53.694538 IP 10.1.52.145.51738 > 24.215.7.162.143: Flags [.), ack 33051, win 1002, options [nop,nop,TS val 36789130 ecr 1746004159], length 0

What is the source IP address of this packet? (Please specify the answer in digits and dots ONLY.)

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

10.1.52.145

#### NEW QUESTION 93

According to the tcpdump output below, what is the IP address of the client host?

02:12:40.511381 IP 192.168.246.11.1045 > 192.168.246.1.22: S 3838532429:3838532429(0) win 5840 <mss 1460,sackOK,timestamp 31325740,nop,wscale 2>

02:12:40.511540 IP 192.168.246.1.22 > 192.168.246.11.1045: S 1209330085:1209330085(0) ack 3838532430 win 5792 <mss 1460,sackOK,timestamp 11553457 3132574,nop,wscale 0>

02:12:40.511755 IP 192.168.246.11.1045 > 192.168.246.1.22: . ack 1 win 1460 <nop,nop,timestamp 3 132574 11553457>

02:12:40.515122 IP 192.168.246.1.22 > 192.168.246.11.1045: P 1:26(25) ack 1 win 5792 <nop,nop,timestamp 11553460 3132574>

02:12:40.515511 IP 192.168.246.11.1045 > 192.168.246.1.22: . ack 26 win 1460 <nop,nop,timestamp 3132578 11553460>

02:12:40.515952 IP 192.168.246.11.1045 > 192.168.246.1.22: P 1:23(22) ack 26 win 1460 <nop,nop,timestamp 3132578 11553460>

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

192.168.246.11

#### NEW QUESTION 96

The following is an excerpt from the output of tcpdump -nli eth1 'udp': 13:03:17.277327 IP 192.168.123.5.1065 > 192.168.5.112.53: 43653+ A? lpi.org. (25)  
13:03:17.598624 IP 192.168.5.112.53 > 192.168.123.5.1065: 43653 1/0/0 A 198.51.100.42 (41)  
Which network service or protocol was used?

- A. FTP
- B. HTTP
- C. SSH
- D. DNS
- E. DHCP

**Answer:** D

#### NEW QUESTION 100

Which of the following commands will erase the contents of the /dev/sdb3 partition?

- A. rm /dev/sdb3
- B. dd if=/dev/zero of=/dev/sdb3
- C. dd of=/dev/zero if=/dev/sdb3
- D. umount /dev/sdb3

**Answer:** B

#### NEW QUESTION 102

What does the -p3 option to the patch command do?

- A. It will strip off path information from each file mentioned in the patch file up to and including the third / character.
- B. patch continues execution as long as there are three or fewer errors.
- C. It instructs patch to look up to three lines of context before or after the declared line in the original file for a match.
- D. patch will keep three previous versions of each file in the output to prevent loss of change history.
- E. It instructs patch to conform more strictly to the POSIX standard.

**Answer:** A

#### NEW QUESTION 104

What is the device name for the first SCSI tape drive on a system when used without automatic rewinding after each write operation? (Please specify the full path to the device.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

/dev/nst0

#### NEW QUESTION 108

Which file contains the message that is displayed above the login prompt of the system console? (Specify the full name of the file, including path.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

/etc/issue

#### NEW QUESTION 110

Which sub command to cryptsetup shows information about an encrypted LUKS partition?

- A. luksDump
- B. luksInfo
- C. luksDebug
- D. luksLS
- E. luksShow

**Answer:** A

#### NEW QUESTION 111

Which of the following commands erases the contents of the /dev/sdb3 partition?

- A. rm /dev/sdb3
- B. dd if=/dev/zero of=/dev/sdb3
- C. dd of=/dev/zero if=/dev/sdb3
- D. umount /dev/sdb3



**Answer:** B

**NEW QUESTION 115**

After manually compiling and installing a new kernel, what has to be done regarding the initramfs?

- A. To initramfs is independent of the kernel and should not be modified unless the hardware configuration of the machine has changed
- B. Since the initramfs contains kernel modules, a new initramfs must be built for the new kernel
- C. During the compilation of the Linux kernel, a new initramfs is built automaticall
- D. The new initramfs only needs to be installed
- E. The system should be restarted since the initramfs reconfigures itself for the new kernel during the startup of the system

**Answer:** C

**NEW QUESTION 120**

What command is used to send messages to all users currently logged in? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

wall

**NEW QUESTION 123**

Which of the following commands displays the physical path of the kernel module named dummy?

- A. modprobe -i dummy
- B. modinfo -n dummy
- C. modpath -v dummy
- D. depmod -n dummy
- E. modshow -p dummy

**Answer:** A

**NEW QUESTION 125**

Which command is used to make an exact copy, at a single point in time, of a logical volume while still allowing the original logical volume to be updated?

- A. lvccclone
- B. lvcreate
- C. lvm2
- D. lvsnap
- E. lvsnapshot

**Answer:** B

**NEW QUESTION 130**

A Linux server running systemd booted to rescue.target for maintenance. Which commands are used to restore the server to its usual target? (Choose two.)

- A. telinit 0
- B. systemctl default
- C. sync
- D. systemctl emergency
- E. systemctl reboot

**Answer:** AB

**NEW QUESTION 134**

Which of the following init systems comes along with an own UEFI boot loader?

- A. systemd
- B. SysVinit
- C. Upstart
- D. OpenRC
- E. launchd

**Answer:** A

**NEW QUESTION 138**

Which is the main configuration file for the SystemV init process? (Specify the full name of the file, including path.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

/etc/inittab

**NEW QUESTION 143**

Which of the following commands restores only those files containing lpi in their name from the archive lpifiles.tar.gz?

- A. tar xvzf lpifiles.tar.gz --wildcards '\*lpi\*'
- B. tar xvzwf lpifiles.tar.gz '\*lpi\*'
- C. tar -xvfz lpifiles.tar.gz --deep '\*lpi\*'
- D. tar -xvzf lpifiles.tar.gz --subdirs '\*lpi\*'
- E. tar xvzf lpifiles.tar.gz --globbing '\*lpi\*'

**Answer:** A

**NEW QUESTION 146**

Which directory contains system-specific systemd unit files? (Specify the full path to the directory.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

/lib/systemd/system

**NEW QUESTION 149**

Which command is used to install a GRUB boot loader into the master boot record?

- A. grub-install
- B. grub-mkconfig
- C. grub-install-mbr
- D. grub-glue-mbr
- E. grub-mbr-setup

**Answer:** A

**NEW QUESTION 151**

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### 201-450 Practice Exam Features:

- \* 201-450 Questions and Answers Updated Frequently
- \* 201-450 Practice Questions Verified by Expert Senior Certified Staff
- \* 201-450 Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* 201-450 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The 201-450 Practice Test Here](#)**