

# Microsoft

## Exam Questions MS-100

Microsoft 365 Identity and Services



### NEW QUESTION 1

- (Exam Topic 5)

You have a Microsoft 365 subscription that contains the users shown in the following table.

Name	Group
User1	Group1
User2	Group1, Group2

You have the named locations shown in the following table.

Named location	IP range
Montreal	133.107.0.0/16
Toronto	193.77.10.0/24

You create a conditional access policy that has the following configurations:

Users and groups:

> Include: Group1

> Exclude: Group2

Cloud apps: Include all cloud apps

Conditions:

> Include: Any location

> Exclude: Montreal

Access control: Grant access, Require multi-factor authentication User1 is on the multi-factor authentication (MFA) blocked users list.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can access Microsoft Office 365 from a device that has an IP address of 133.107.10.20.	<input type="radio"/>	<input type="radio"/>
User1 can access Microsoft Office 365 from a device that has an IP address of 193.77.10.15.	<input type="radio"/>	<input type="radio"/>
User2 can access Microsoft Office 365 from a device that has an IP address of 193.77.10.20.	<input type="radio"/>	<input type="radio"/>

A. Mastered

B. Not Mastered

**Answer: A**

#### Explanation:

The Blocked User list is used to block specific users from being able to receive Multi-Factor Authentication requests. Any authentication attempts for blocked users are automatically denied. Users remain blocked for 90 days from the time that they are blocked.

Box 1: Yes

\* 133.107.10.20 is in the Montreal named location. The conditional access policy excludes Montreal so the policy does not apply. Therefore, User1 can access Microsoft Office 365.

Box 2: No

\* 193.77.10.15 is in the Toronto named location. The conditional access policy applies to Group1 which User1 is a member of and all locations except for Montreal. Therefore, the conditional access policy applies in this case. The policy requires MFA but User1 is on the MFA blocked list so he is unable to use MFA. Therefore, User1 cannot access Microsoft 365.

Box 3: Yes

User2 is in Group1 and Group2. The conditional access policy applies to Group1 but excludes Group2.

Therefore, the conditional access policy does not apply in this case so User2 can access Microsoft Office 365. Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings>

### NEW QUESTION 2

- (Exam Topic 5)

You have the Microsoft Azure Active Directory (Azure AD) users shown in the following table.

Name	Member of
User1	Group1
User2	Group2

Your company uses Microsoft Intune.

Several devices are enrolled in Intune as shown in the following table.

Name	Platform	BitLocker Drive Encryption	Member of
Device1	Windows 10	Disabled	Group3
Device2	Windows 10	Disabled	Group4

The device compliance policies in Intune are configured as shown in the following table.

Name	Require BitLocker	Assigned to
Policy1	Not configured	Group3
Policy2	Require	Group4

You create a conditional access policy that has the following settings:

➤ The Assignments settings are configured as follows:

- Users and groups: Group1
- Cloud apps: Exchange Online
- Conditions: Include All device state, exclude Device marked as compliant

➤ Access controls is set to Block access.

For each of the following statements, select yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can access Microsoft Exchange Online from Device1.	<input type="radio"/>	<input type="radio"/>
User1 can access Microsoft Exchange Online from Device2.	<input type="radio"/>	<input type="radio"/>
User2 can access Microsoft Exchange Online from Device2.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1:

Yes. User1 is in Group1. The Conditional Access Policy applies to Group1. The Conditional Access Policy blocks access unless the device is marked as compliant.

BitLocker is disabled for Device1. Device1 is in Group3 which is assigned device Policy1. The BitLocker policy in Policy1 is 'not configured' so BitLocker is not required.

Therefore, Device1 is compliant so User1 can access Exchange online from Device1. Box 2:

No. User1 is in Group1. The Conditional Access Policy applies to Group1. The Conditional Access Policy blocks access unless the device is marked as compliant. BitLocker is disabled for Device2. Device2 is in Group4 which is assigned device Policy2. The BitLocker policy in Policy2 is 'Required so BitLocker is required.

Therefore, Device2 is not compliant so User1 cannot access Exchange online from Device2. Box3:

Yes. User2 is in Group2. The Conditional Access Policy applies to Group1. The Conditional Access Policy does not apply to Group2. So even though Device2 is non-compliant, User2 can access Exchange Online using Device2 because there is no Conditional Access Policy preventing him/her from doing so.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/conditions>

**NEW QUESTION 3**

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.


To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@LODSe1211885.onmicrosoft.com Microsoft 365 Password: oL9z0=?Nq@ox

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 11098651



You recently discovered that several users in your organization have permissions on the mailbox of another user in the organization. You need to ensure that Lee Gu receives a notification when a user is granted permissions on another user's mailbox. To answer the question, sign in to the Microsoft 365 portal.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Create an activity alert

- \* 1. Go to <https://protection.office.com/managealerts>.
- \* 2. Sign in to Office 365 using your work or school account.
- \* 3. On the Activity alerts page, click + New. The flyout page to create an activity alert is displayed.

Name <sup>\*</sup>

A

Description

B

Alert type

Custom

C

Send this alert when... <sup>\*</sup>

D

Activities <sup>\*</sup>:

Choose activities for alert

Users:

Show results for all users

Send this alert to... <sup>\*</sup>

E

Recipients <sup>\*</sup>:

Show results for all users

- \* 4. Complete the following fields to create an activity alert:
- > Name - Type a name for the alert. Alert names must be unique within your organization.
  - > Description (Optional) - Describe the alert, such as the activities and users being tracked, and the users that email notifications are sent to. Descriptions provide a quick and easy way to describe the purpose of the alert to other admins.
  - > Alert type - Make sure the Custom option is selected.
  - > Send this alert when – Click Send this alert when and then configure these two fields:
    - Activities - Click the drop-down list to display the activities that you can create an alert for. This is the same activities list that's displayed when you search the Office 365 audit log. You can select one or more specific activities or you can click the activity group name to select all activities in the group. For a description of these activities, see the "Audited activities" section in Search the audit log. When a user performs any of the activities that you've added to the alert, an email notification is sent.
    - Users - Click this box and then select one or more users. If the users in this box perform the activities that you added to the Activities box, an alert will be sent. Leave the Users box blank to send an alert when any user in your organization performs the activities specified by the alert.
  - > Send this alert to – Click Send this alert, and then click in the Recipients box and type a name to add a users who will receive an email notification when a user (specified in the Users box) performs an activity (specified in the Activities box). Note that you are added to the list of recipients by default. You can remove your name from this list.
- \* 5. Click Save to create the alert.The new alert is displayed in the list on the Activity alerts page.

Activity alerts

Name	Recipients	Status ▲	Date modified
Executive mailbox alert	compliance@contoso.com	On	2016-06-08 14:42:02
SharePoint upload alert	admin@contoso.com	Off	2016-06-08 14:23:39
External sharing alert	admin@contoso.com	Off	2016-06-08 14:24:08

The status of the alert is set to On. Note that the recipients who will received an email notification when an alert is sent are also listed.

References:  
<https://docs.microsoft.com/en-us/microsoft-365/compliance/create-activity-alerts?view=o365-worldwide>

**NEW QUESTION 4**  
- (Exam Topic 5)  
Your company has 20 employees, Each employees has a mailbox hosted in Outlook.com. The company purchases a Microsoft 365 subcription. You plan to migrate all the mailboxes to Microsoft 365.  
You need to recommend which type of migration to use for the mailboxes. What should recommend?

- A. Cutover migration
- B. Staged migration
- C. IMAP migration
- D. Minimal hybrid migration



**Answer:** C

**Explanation:**

To migrate mailboxes from Outlook.com to Office 365, you need to use the IMAP migration method.  
 After you've added your users to Office 365, you can use Internet Message Access Protocol (IMAP) to migrate email for those users from their IMAP-enabled email servers.  
 In the Microsoft 365 admin center, go to Setup  
 >Data migration  
 to start migrating IMAP enabled emails.  
 The email migrations page is pre-configured for migrations from Gmail, Outlook, Hotmail and Yahoo. You can also enter your own IMAP server name and connection parameters to migrate from an email service that is not listed.  
 References:  
<https://docs.microsoft.com/en-us/exchange/mailbox-migration/migrating-imap-mailboxes/imap-migration-in-the>

**NEW QUESTION 5**

- (Exam Topic 5)  
 Your network contains an Active Directory domain and a Microsoft Azure Active Directory (Azure AD) tenant.  
 You implement directory synchronization for all 10,000 users in the organization. You automate the creation of 100 new user accounts.  
 You need to ensure that the new user accounts synchronize to Azure AD as quickly as possible Which command should you run? To answer, select the appropriate options in the answer area. NOTE: Each correct select ion is worth one point.

**Answer Area**

Start-ADSyncSyncCycle

Set-ADSyncScheduler

Invoke-ADSyncRunProfile

-PolicyType

Delta

Initial

Full

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Azure AD Connect synchronizes Active Directory to Azure Active Directory on a schedule. The minimum time between synchronizations is 30 minutes.  
 If you want to synchronize changes to Active Directory without waiting for the next sync cycle, you can initiate a sync by using the Start-AdSyncSyncCycle. The Delta option synchronizes changes to Active Directory made since the last sync. The Full option synchronizes all Active Directory objects including those that have not changed.  
 Reference:  
<https://blogs.technet.microsoft.com/rmilne/2014/10/01/how-to-run-manual-dirsync-azure-active-directory-sync>

**NEW QUESTION 6**

- (Exam Topic 5)  
 You have a Microsoft Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	Role
User1	Global administrator
User2	Billing administrator
User3	None

You enable self-service password reset for all users. You set Number of methods required to reset to 1, and you set Methods available to users to Security questions only.  
 What information must be configured for each user before the user can perform a self-service password reset? To answer, select the appropriate options in the answer area.  
 NOTE: Each correct selection is worth one point.

**Answer Area**

User1:

Email address only

Phone number only

Security questions only

Phone number and email address

User2:

Email address only

Phone number only

Security questions only

Phone number and email address

User3:

Email address only

Phone number only

Security questions only

Phone number and email address

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Microsoft enforces a strong default two-gate password reset policy for any Azure administrator role. This policy may be different from the one you have defined for your users and cannot be changed. You should always test password reset functionality as a user without any Azure administrator roles assigned.

With a two-gate policy, administrators don't have the ability to use security questions.

The two-gate policy requires two pieces of authentication data, such as an email address, authenticator app, or a phone number.

User3 is not assigned to an Administrative role so the configured method of Security questions only applies to User3.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-sspr-policy#administrator-passw>

**NEW QUESTION 7**

- (Exam Topic 5)

You have a Microsoft 365 subscription.

You suspect that several Microsoft Office 365 applications or services were recently updated. You need to identify which applications or services were recently updated.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From the Microsoft 365 admin center, review the Message center blade.
- B. From the Office 365 Admin mobile app, review the messages.
- C. From the Microsoft 365 admin center, review the Products blade.
- D. From the Microsoft 365 admin center, review the Service health blade.

**Answer:** AB

**Explanation:**

The Message center in the Microsoft 365 admin center is where you would go to view a list of the features that were recently updated in the tenant. This is where Microsoft posts official messages with information including new and changed features, planned maintenance, or other important announcements.

The messages displayed in the Message center can also be viewed by using the Office 365 Admin mobile app. Reference:

<https://docs.microsoft.com/en-us/office365/admin/manage/message-center?view=o365-worldwide>

<https://docs.microsoft.com/en-us/office365/admin/admin-overview/admin-mobile-app?view=o365-worldwide>


**NEW QUESTION 8**

- (Exam Topic 5)

You have a Microsoft 365 E5 subscription.

All users are assigned a license to Microsoft 365 Apps for enterprise.

The users report that they do not have the option to install Microsoft 365 apps on their device as shown in the following exhibit.



You need to ensure that the users can install Microsoft 365 apps from the Office 365 portal.

What should you do?

- A. From the Microsoft 365 admin center, modify the user license settings.
- B. From the Microsoft Endpoint Manager admin center, create a Microsoft 365 Apps app and assign the app to the devices.
- C. From the Microsoft Endpoint Manager admin center, create a Microsoft 365 Apps app and assign the app to the users.
- D. From the Microsoft 365 admin center, modify the Services & add-ins settings.

**Answer:** D

**NEW QUESTION 9**

- (Exam Topic 5)

Your company has 10,000 users who access all applications from an on-premises data center. You plan to create a Microsoft 365 subscription and to migrate data to the cloud.

You plan to implement directory synchronization.

User account and group accounts must sync to Microsoft Azure Directory (Azure AD) successfully. You discover that several user accounts fail to sync to Azure AD.

You need to identify which user accounts failed to sync. You must resolve the issue as quickly as possible. What should you do?

- A. From Active Directory Administrative Center, search for all the users, and then modify the properties of the user accounts.
- B. Run idfix.exe, and then click Complete.

- C. From Windows PowerShell, run the Start-AdSyncSyncCycle –PolicyType Delta command.  
D. Run idfix.exe, and then click Edit.

**Answer: D**

**Explanation:**

IdFix is used to perform discovery and remediation of identity objects and their attributes in an on-premises Active Directory environment in preparation for migration to Azure Active Directory. IdFix is intended for the Active Directory administrators responsible for directory synchronization with Azure Active Directory.

Reference:

<https://docs.microsoft.com/en-us/office365/enterprise/prepare-directory-attributes-for-synch-with-idfix> <https://www.microsoft.com/en-gb/download/details.aspx?id=36832>

**NEW QUESTION 10**

- (Exam Topic 5)

Your network contains an on-premises Active Directory domain.


You have a Microsoft 365 E5 subscription.

You plan to implement directory synchronization.

You need to identify potential synchronization issues for the domain. The solution must use the principle of least privilege.

What should you use? To answer, select the appropriate options in the answer area.

**Answer Area**



- A. Mastered  
B. Not Mastered

**Answer: A**

**Explanation:**

**Answer Area**



**NEW QUESTION 10**

- (Exam Topic 5)

Your company has a Microsoft 365 subscription and a Microsoft Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com.

An external vendor has a Microsoft account that has a username of user1@outlook.com. You plan to provide user1@outlook.com with access to several resources in the subscription.

You need to add the external user account to contoso.onmicrosoft.com. The solution must ensure that the external vendor can authenticate by using user1@outlook.com.

What should you do?

- A. From Azure Cloud Shell, run the New-AzureADUser cmdlet and specify –UserPrincipalName user1@outlook.com.  
B. From the Microsoft 365 admin center, add a contact, and then specify user1@outlook.com as the email address.  
C. From the Azure portal, add a new guest user, and then specify user1@outlook.com as the email address.  
D. From the Azure portal, add a custom domain name, and then create a new Azure AD user and use user1@outlook.com as the username.

**Answer: C**

**Explanation:**

You can invite guest users to the directory, to a group, or to an application. After you invite a user through any of these methods, the invited user's account is added to Azure Active Directory (Azure AD), with a user type of Guest. The guest user must then redeem their invitation to access resources. An invitation of a user does not expire.



The invitation will include a link to create a Microsoft account. The user can then authenticate using their Microsoft account. In this question, the external vendor already has a Microsoft account (user1@outlook.com) so he can authenticate using that.  
 Reference:  
<https://docs.microsoft.com/en-us/azure/active-directory/b2b/add-users-administrator>

**NEW QUESTION 13**

- (Exam Topic 5)  
 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.  
 After you answer a question in this section, you will NOT be able to return to it. As a result these questions will not appear in the review screen.  
 Your company has a main office and three branch offices. All the branch offices connect to the main office by using a WAN link. The main office has a high-speed Internet connection. All the branch offices connect to the Internet by using the main office connection.  
 Users use Microsoft Outlook 2016 to connect to 4 Microsoft Exchange Server mailbox hosted in the main office.  
 The users report that when the WAN link in their office becomes unavailable, they cannot access their mailbox.  
 You create a Microsoft 365 subscription, and then migrate all the user data to Microsoft 365.  
 You need to ensure that all the users can continue to use Outlook to receive email messages if a WAN link fails.  
 Solution: For each device, you configure an additional Outlook profile that uses IMAP. Does this meet the goal?

- A. Yes
- B. NO

**Answer:** B

**NEW QUESTION 17**

- (Exam Topic 5)  
 You have a hybrid deployment of Microsoft 365 that contains the users shown in the following table.

Name	Member of
User1	Group2
User2	Group1, Group2
User3	Group1

You have an on-premises web app named AppA. Group1 has permissions to access AppA. You configure an Azure Active Directory (Azure AD) Application Proxy. You add an Application Proxy entry for AppA as shown the exhibit. (Click the Exhibit tab.)  
**Add your own on-premises application**

+

Add

×

Discard

Application proxy provides single sign-on (SSO) and secure remote access for web applications hosted on-premises. [Learn more about Application Proxy](#)

Basic Settings

Name \*

AppA

✓

Internal Url \*

https://Server1.contoso.com

✓

External Url

https://

▼

appa

✓

-contoso1919.msappproxy.net/

▼

https://appa-contoso1919.msappproxy.net/

📄

Pre Authentication

Passthrough

▼

Connector Group

Default

▼

Additional Settings

Backend Application Timeout

Default

▼

Use HTTP-Only Cookie

Yes

No

Use Secure Cookie

Yes

No

Use Persistent Cookie

Yes

No

Translate URLs In

Headers

Yes

No

Application Body

Yes

No

You assign the AppA enterprise application in Azure to Group2.  
 For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
 NOTE: Each correct selection is worth one point.

Passing Certification Exams Made Easy

visit - <https://www.surepassexam.com>

Statements	Yes	No
User1 can access AppA by using the external URL.	<input type="radio"/>	<input type="radio"/>
User2 can access AppA in the My Apps portal.	<input type="radio"/>	<input type="radio"/>
User3 can access AppA by using the external URL.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: No  
 User1 is in Group2. The enterprise app is assigned to Group2. However, the authentication method is “Passthrough” so the authentication will be passed to the on-premises web app. Only Group1 has access to the web app. Therefore, User1 will not be able to access the web app.

Box 2: Yes.  
 User2 is in Group1 and Group2. The enterprise app is assigned to Group2. The authentication method is “Passthrough” so the authentication will be passed to the on-premises web app. Group1 has access to the web app. Therefore, User2 will be able to access the web app in MyApps.

Box 3: No  
 User3 is in Group1. Group1 has access to the web app so User3 could access the app on-premises. However, the enterprise app is assigned to Group2 which User3 is not a member of. Therefore, User3 will not be able to access the external URL of the web app.

**NEW QUESTION 21**

- (Exam Topic 5)  
 You have a Microsoft SharePoint Online site and an on-premises file server. The site contains the files shown in the following table.

Name	In SharePoint library	Last modified
File1.docx	Documents	1/11/2019
File2.docx	Documents	1/12/2019

The file server contains the files shown in the following table.

Name	In folder	Last modified
File1.docx	D:\Folder1	1/1/2020
File2.xlsx	D:\Folder1	1/13/2020
File2.xlsx	D:\Folder2	1/7/2020
File3.pptx	D:\Folder2	1/20/2020

You migrate D:\Folder1 and D:\Folder2 to the Documents library by using the SharePoint Migration Tool as shown in the following exhibit.



## General

☐ Off

☒ On

☒ On

100	100	100	100	100	100
-----	-----	-----	-----	-----	-----

Choose file

☒ On

☒ On

Select a date... 

Select a date...

Cancel

NOTE: Each correct selection is worth one point.

**Yes      No**

☐ ☐

100

☐ ☐

- Answer: A**

**Explanation:**  
You can't have two files with the same name and extension in a SharePoint documents library. If a file on the source server has the same name and extension as an existing file in the document library, this will cause a conflict. The options for dealing with a conflict are: Skip, Merge, or Overwrite.

Box 1: No

Box 2: No

Box 3: Yes

- (Exam Topic 5)

You need to meet the application requirement for the Office 365 ProPlus applications. You create a XML file that contains the following settings.

```
<Add SourcePath="\\Server1\OfficeSoftware"
OfficeClientEdition="32"
Channel="Targeted"
AllowCdnFallback="True">
<Product ID="O365ProPlusRetail">
<Language ID="MatchOS" Fallback="en-us" />
</Product>
</Add>
```

Use the drop-down menus to select the choice that complete each statement based on the information presented in the graphic.  
 NOTE: Each correct selection is worth one point.

Answer Area

Office 365 ProPlus feature updates will be installed [answer choice].

automatically once a year

automatically twice a year

manually

To meet the technical requirement for Office 365 ProPlus, [answer choice].

Change SourcePath to DownloadPath.

Set the value for AllowCdnFallback to False.

Add SCLCacheOverride=1 to the Product section.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Office 365 ProPlus feature updates will be installed [answer choice].

automatically once a year

automatically twice a year

manually

To meet the technical requirement for Office 365 ProPlus, [answer choice].

Change SourcePath to DownloadPath.

Set the value for AllowCdnFallback to False.

Add SCLCacheOverride=1 to the Product section.

**NEW QUESTION 25**

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.


Microsoft 365 Username: admin@LODSe1211885.onmicrosoft.com Microsoft 365 Password: oL9z0=?Nq@ox

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 11098651





You need to prevent users in your organization from receiving an email notification when they save a document that contains credit card numbers. To answer the question, sign in to the Microsoft 365 portal.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

You need to edit the Data Loss Prevention Policy to disable the email notifications.

- \* 1. Go to <https://protection.office.com> or navigate to the Security & Compliance admin center.
- \* 2. In the left navigation pane, expand Data Loss Protection and select Policy.
- \* 3. Select the Data Loss Prevention policy and click the Edit Policy button.
- \* 4. Click Policy Settings in the left navigation pane of the policy.
- \* 5. Select the policy rule and click the Edit Rule button.
- \* 6. Scroll down to the 'User notifications' section.
- \* 7. Toggle the slider labelled "Use Notifications to inform users...." to Off.
- \* 8. Click Save to save the changes to the policy rule.
- \* 9. Click Save to save the changes to the policy.

**NEW QUESTION 27**

- (Exam Topic 5)

Your network contains an on premises Active Directory domain named contoso.com. The domain contains five domain controllers.

Your company purchases Microsoft 365 and creates a Microsoft Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com.

You plan to establish federation authentication between on premises Active Directory and the Azure AD tenant by using Active Directory Federation Services (AD FS).

You need to establish the federation.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point

Action to perform before establishing the federation:	<div>▼</div> <div>From the Azure portal, add a custom domain name.</div> <div>From the Azure portal, configure an authentication method.</div> <div>From a domain controller, install a Pass-through Authentication Agent.</div> <div>From a domain controller, install Windows Identity Foundation 3.5.</div>
Tool to use to establish the federation:	<div>▼</div> <div>Active Directory Domains and Trusts</div> <div>Azure AD Connect</div> <div>The AD FS console</div> <div>The Azure portal</div>

- A. Mastered
- B. Not Mastered

**Answer:** A



**Explanation:**

The on-premises Active Directory domain is named contoso.com. Before you can configure federation authentication between on-premises Active Directory and the Azure AD tenant, you need to add the domain contoso.com to Microsoft 365. You do this by adding a custom domain name. The next step is to establish the federation. You can configure AD FS by using Azure AD Connect. Reference: <https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-install-custom#configuring-feder>

**NEW QUESTION 28**

- (Exam Topic 5)

Your network contains an on-premises Active Directory domain. The domain contains 2,000 computers that run Windows 10.

You purchase a Microsoft 365 subscription.

You implement password hash synchronization and Azure Active Directory (Azure AD) Seamless Single Sign-On (Seamless SSO).

You need to ensure that users can use Seamless SSO from the Windows 10 computers. What should you do?

- A. Create a conditional access policy in Azure AD.
- B. Deploy an Azure AD Connect staging server.
- C. Join the computers to Azure AD.
- D. Modify the Intranet zone settings by using Group Policy

**Answer: D**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sso-quick-start>

**NEW QUESTION 31**

- (Exam Topic 5)

You have a Microsoft Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2
User3	Group3

Your company uses Windows Defender Advanced Threat Protection (ATP). Windows Defender ATP contains the roles shown in the following table.

Name	Permission	Assigner user group
Windows Defender ATP administrator (default)	View data, Alerts investigation, Active remediation actions, Manage security settings	Group3
Role1	View data, Alerts investigation	Group1
Role2	View data	Group2

Windows Defender ATP contains the device groups shown in the following table.

Rank	Machine group	Machine	User access
1	ATP1	Device1	Group1
Last	Ungrouped machines (default)	Device2	Group2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

**Statements**

**Yes**

**No**

User1 can view Device1 in Windows Defender Security Center.

☐
☐

User2 can sign in to Windows Defender Security Center.

☐
☐

User3 can view Device1 in Windows Defender Security Center.

☐
☐

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Box 1:

Yes. User1 is in Group1 which is assigned to Role1. Device1 is in the device group named ATP1 which Group1 has access to. Role1 gives Group1 (and User1) View Data Permission. This is enough to view Device1 in Windows Security Center.

Box 2:

Yes. User2 is in Group2 which is assigned to Role2. Role2 gives Group2 (and User2) View Data Permission. This is enough to sign in to Windows Security Center.

Box 3:

Yes. User3 is in Group3 which is assigned the Windows ATP Administrator role. Someone with a Microsoft Defender ATP Global administrator role has unrestricted access to all machines, regardless of their machine group association and the Azure AD user groups assignments.

Reference:

<https://docs.microsoft.com/en-us/windows/security/threat-protection/microsoft-defender-atp/user-roles> <https://docs.microsoft.com/en-us/windows/security/threat-protection/microsoft-defender-atp/rbac>

### NEW QUESTION 35

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@LODSe426243.onmicrosoft.com Microsoft 365 Password: 3&YWYjse-6-d

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10887751

You plan to create 1,000 users in your Microsoft 365 subscription.

You need to ensure that all the users can use the @contoso.com suffix in their username.

Another administrator will perform the required information to your DNS zone to complete the operation.

A. Mastered

B. Not Mastered

**Answer: A**

#### Explanation:

You need to add the contoso.com domain to Microsoft 365 then set the domain as the default.

\* 1. In the Admin Center, click Setup then click Domains.

\* 2. Click the 'Add Domain' button.

\* 3. Type in the domain name (contoso.com) and click the 'Use this domain' button.

\* 4. The question states that another administrator will perform the required information to your DNS zone. Therefore, you just need to click the 'Verify' button to verify domain ownership.

\* 5. Click Finish.

\* 6. In the domains list, select the contoso.com domain.

\* 7. Select 'Set as default'. References:

<https://docs.microsoft.com/en-us/office365/admin/setup/add-domain?view=o365-worldwide>

### NEW QUESTION 38

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a hybrid deployment of Microsoft 365 that contains the objects shown in the following table.

Name	Type	Source
User1	User	Azure Active Directory (Azure AD)
User2	User	Windows Server Active Directory
Group1	Group	Cloud
Group2	Group	Windows Server Active Directory

Azure AD Connect has the following settings:

➤ Password Hash Sync: Enabled

➤ Password writeback: Enabled

➤ Group writeback: Enabled

You need to add User2 to Group 2.

Solution: You use the Azure Active Directory admin center.

Does this meet the goal?

A. Yes

B. No

**Answer: A**

### NEW QUESTION 40

- (Exam Topic 5)

You have an Azure Active Directory (Azure AD) tenant named contoso.com that contains the users shown in the following table.

Name	Member of	Multi-Factor Auth Status
User1	Group1	Disabled
User2	Group1	Required

Multi-factor authentication (MFA) is configured to use 131.107.50/24 for trusted IPs. The tenant contains the named locations shown in the following table.

Name	IP address range	Trusted location
Location 1	131.107.20.0/24	Yes
Location 2	131.107.50.0/24	Yes

You create a conditional access policy that has the following configurations:

- > Users and groups assignment: All users
- > Cloud apps assignment: App1
- > Conditions: Include all trusted locations
- > Grant access: require multi-factor authentication

For each of the following statements, select Yes if the statement is true. otherwise, select No.  
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
When User1 connects to App1 from a device that has an IP address of 131.107.50.10, User1 must use MFA.	<input type="radio"/>	<input type="radio"/>
When User2 connects to App1 from a device that has an IP address of 131.107.50.15, User2 must use MFA.	<input type="radio"/>	<input type="radio"/>
When User2 connects to App1 from a device that has an IP address of 131.107.5.5, User2 must use MFA.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Yes  
 \* 131.107.50.10 is in a Trusted Location so the conditional access policy applies. The policy requires MFA so User1 must use MFA.  
 Box 2: Yes.  
 \* 131.107.50.15 is in a Trusted Location so the conditional access policy applies. The policy requires MFA so User2 must use MFA.  
 Box 3: No.  
 \* 131.107.5.5 is not in a Trusted Location so the conditional access policy does not apply. Therefore, User2 does not need to use MFA.  
 Reference:  
<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition>

**NEW QUESTION 44**

- (Exam Topic 5)  
 Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.  
 When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.  
 Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.  
 Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.  
 Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.  
 You may now click next to proceed to the lab.  
 Lab information  
 Use the following login credentials as needed:  
 To enter your username, place your cursor in the Sign in box and click on the username below.  
 To enter your password, place your cursor in the Enter password box and click on the password below.  
 Microsoft 365 Username: admin@LODSe878763.onmicrosoft.com  
 Microsoft 365 Password: m3t^We\$Z7&xy  
 If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.  
 The following information is for technical support purposes only:  
 Lab Instance: 11440873





## Sign in

Email, phone, or Skype

No account? [Create one!](#)

[Can't access your account?](#)

[Sign-in options](#)

Next

Your organization recently purchased a projector that can be moved easily between conference rooms. You need to ensure that any user in the organization can add the projector to a Microsoft Outlook meeting request. The solution must ensure that a user named Lee Gu must approve all meeting requests. To answer, sign in to the Microsoft 365 portal.

- A. Mastered
- B. Not Mastered

**Answer: A**

### Explanation:

You need to create a resource mailbox in Exchange.

- \* 1. Go to the Exchange Admin Center.
- \* 2. In the left navigation pane, select Recipients.
- \* 3. Click the Resources link.
- \* 4. Click the plus (+) icon and select 'Equipment Mailbox'.
- \* 5. Give the mailbox a name such as 'Projector1'.
- \* 6. Enter the name projector1 in the email address field.
- \* 7. Click the Save button to create the equipment mailbox.
- \* 8. In the resource mailbox list, select the new mailbox and click the Edit icon (pencil icon).
- \* 9. Select 'Booking Delegates' in the menu list.
- \* 10. Select the option, "Select delegates who can accept or decline booking requests".
- \* 11. Click the plus (+) icon and add Lee Gu as a delegate.
- \* 12. Click the Save button to save the changes.

### NEW QUESTION 49

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription.

You discover that some external users accessed content on a Microsoft SharePoint site. You modify the SharePoint sharing policy to prevent sharing outside your organization.

You need to be notified if the SharePoint policy is modified in the future.

Solution: From the Security & Compliance admin center, you create a threat management policy. Does this meet the goal?

- A. Yes
- B. No

**Answer: A**

### Explanation:

We can create a threat management policy to alert us when the sharing policy is changed.

Create a new Alert policy > under Category select Threat Management > under 'Activity is' scroll down to the 'Site administration activities' and select 'Changed a sharing policy'.

### NEW QUESTION 52

- (Exam Topic 5)

You have three devices enrolled in Microsoft Intune as shown in the following table.

Name	Platform	BitLocker Drive Encryption (BitLocker)	Member of
Device1	Windows 10	Disabled	Group3
Device2	Windows 10	Disabled	Group2, Group3
Device3	Windows 10	Disabled	Group2

The device compliance policies in Intune are configured as shown in the following table.

Name	Platform	Require BitLocker	Assigned
Policy1	Windows 10 and later	Require	Yes
Policy2	Windows 10 and later	Not configured	Yes
Policy3	Windows 10 and later	Require	No

The device compliance policies have the assignment shown in the following table.

Name	Assigned to
Policy1	Group3
Policy2	Group2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
Device1 is compliant.	<input type="radio"/>	<input type="radio"/>
Device2 is compliant.	<input type="radio"/>	<input type="radio"/>
Device3 is compliant.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**  
 Device 1:  
 No because Device1 is in group3 which has Policy1 assigned which requires BitLocker. Device 2:  
 No because Device2 is in group3 which has Policy1 assigned which requires BitLocker. Device2 is also in Group2 which has Policy2 assigned but the BitLocker requirement is not configured in Policy2.  
 Device3:  
 Yes because Device3 is in Group2 which has Policy2 assigned but the BitLocker requirement is not configured in Policy2.  
 Reference:  
<https://blogs.technet.microsoft.com/cbernier/2017/07/11/windows-10-intune-windows-bitlocker-management-ye>

**NEW QUESTION 54**

- (Exam Topic 5)  
 You have a Microsoft 365 E5 subscription that is linked to an Azure Active Directory (Azure AD) tenant named contoso.com.  
 You purchase 100 Microsoft 365 Business Voice add-on licenses.  
 You need to ensure that the members of a group named Voice are assigned a Microsoft 365 Business Voice add-on license automatically.  
 What should you do?

- A. From the Azure Active Directory admin center, modify the settings of the Voice group.
- B. From the Microsoft 365 admin center, modify the settings of the Voice group.
- C. From the Licenses page of the Microsoft 365 admin center, assign the licenses.


**Answer:** A

**Explanation:**  
<https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/licensing-groups-assign>

**NEW QUESTION 59**

- (Exam Topic 5)  
 You have an Active Directory domain named Adatum.com that is synchronized to Azure Active Directory as shown in the exhibit.





Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
NOTE: Each correct selection is worth one point.

If you create a security group in Azure AD, the group will **[answer choice]**.

not sync to adatum.com
sync to adatum.com as a security group
sync to adatum.com as a distribution group

not sync to adatum.com
sync to the Computers container in adatum.com
sync to the LostAndFound container in adatum.com
sync to the RegisteredDevices container in adatum.com

If you join a computer to Azure AD, the object will [answer choice].

- A. Mastered  
B. Not Mastered

**Answer: A**

**Explanation:**

Group Writeback is enabled in the Azure AD Connect configuration so groups created in Azure Active Directory will be synchronized to the on-premise Active Directory. A security group created in Azure Active Directory will be synchronized to the on-premise Active Directory as a security group.

Device Writeback is enabled in the Azure AD Connect configuration so computers joined to the Azure Active Directory will be synchronized to the on-premise Active Directory. They will sync to the RegisteredDevices container in the on-premise Active Directory.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-device-writeback>

**NEW QUESTION 60**

- (Exam Topic 5)

You have a Microsoft 365 subscription.

Your company deploys an Active Directory Federation Services (AD FS) solution. You need to configure the environment to audit AD FS user authentication.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- From all the AD FS servers, run `audtpol.exe`.
- From all the domain controllers, run the `set-AdminAuditLogConfig` cmdlet and specify the `-LogiLevel` parameter.
- On a domain controller install Azure AD Connect Health for AD DS.
- From the Azure AD Connect server, run the `Register-AzureADConnectHealthSyncAgent` cmdlet.
- On an server, install Azure AD Connect Health for AD FS.

**Answer: DE**

**Explanation:**

To audit AD FS user authentication, you need to install Azure AD Connect Health for AD FS. The agent should be installed on an AD FS server. After the installation, you need to register the agent by running the Register-AzureADConnectHealthSyncAgent cmdlet.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-health-agent-install> <https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-health-adfs>

**NEW QUESTION 62**

- (Exam Topic 5)

You are developing a daemon application that reads all the emails in the Inbox of a specific Microsoft 365 mailbox. Some emails contain meeting dates and room mailbox names. The application has the following requirements:

- Move each processed email to a subfolder in the mailbox
- If an email contains meeting data, create an event in the corresponding room mailbox calendar. Which Microsoft Graph permissions should you grant for the application?

- A. Calendars.Readwrite and Mail
- B. ReadWrite delegated permissions
- C. Calendars.Readwrite.Shared and Mail
- D. Readwrite delegated permissions
- E. Calendars.Readwrite and Mail.Read application permissions
- F. Calendars .ReadWrite and Mail.Readwrite application permissions

**Answer: D**

**NEW QUESTION 63**

- (Exam Topic 5)

Your network contains an Active Directory domain named contoso.com. The domain contains five domain controllers.

You purchase Microsoft 365 and plan to implement several Microsoft 365 services.

You need to identify an authentication strategy for the planned Microsoft 365 deployment. The solution must meet the following requirements:

- Ensure that users can access Microsoft 365 by using their on-premises credentials.
- Use the existing server infrastructure only.
- Store all user passwords on-premises only.
- Be highly available.

Which authentication strategy should you identify?

- A. pass-through authentication and seamless SSO
- B. pass-through authentication and seamless SSO with password hash synchronization
- C. password hash synchronization and seamless SSO
- D. federation

**Answer: A**

**Explanation:**

Azure AD Pass-through Authentication. Provides a simple password validation for Azure AD authentication services by using a software agent that runs on one or more on-premises servers. The servers validate the users directly with your on-premises Active Directory, which ensures that the password validation doesn't happen in the cloud.

Reference:

<https://docs.microsoft.com/en-us/azure/security/fundamentals/choose-ad-authn>

**NEW QUESTION 67**

- (Exam Topic 5)

In Microsoft 365, you configure a data loss prevention (DLP) policy named Policy1. Policy1 detects the sharing of United States (US) bank account numbers in email messages and attachments.

Policy1 is configured as shown in the exhibit. (Click the Exhibit tab.)

Use actions to protect content when the conditions are met.

**Restrict access or encrypt the content**

- ☒ Block people from sharing and restrict access to shared content

By default, users are blocked from sending email messages to people. You can choose who has access to shared SharePoint and OneDrive content.

Block these people from accessing SharePoint and OneDrive content

- ☐ Everyone. Only the content owner, the lastmodifier, and the site admin will continue to have access.
- ☒ Only people outside your organization. People inside your organization will continue to have access.

- ☐ Encrypt email messages (applies only to content to Exchange)

You need to ensure that internal users can email documents that contain US bank account numbers to external users who have an email suffix of contoso.com. What should you configure?

- A. an action
- B. a group

- C. a condition
- D. an exception

**Answer:** D

**Explanation:**

You need to add an exception. In the Advanced Settings of the DLP policy, you can add a rule to configure the Conditions and Actions. There is also an 'Add Exception' button. This gives you several options that you can select as the exception. One of the options is 'except when recipient domain is'. You need to select that option and enter the domain name contoso.com.

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/data-loss-prevention-policies#how-dlp-policies>

**NEW QUESTION 68**

- (Exam Topic 5)

You are developing a single-page application (SPA) that authenticates users by using MSALjs. The SPA must meet the following requirements:

- Only allow access to the users in an organization named contoso.onmicrosoft.com.
- Support single sign-on (SSO) across tabs and user sessions.

How should you complete the code for the SPA? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

**Answer Area**

```
const config = {
  auth: {
    clientId: "c10639eb-16ca-452b-a94d-ad8c43682819",
    authority: "https://login.microsoftonline.com/consumers/",
    cacheLocation: "https://login.microsoftonline.com/organizations/",
  }
}

const myMSALObj = new UserAgentApplication(config);
```

These are the selections for Authority

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

```
const config = {
  auth: {
    clientId: "c10639eb-16ca-452b-a94d-ad8c43682819",
    authority: "https://login.microsoftonline.com/consumers/",
    cacheLocation: "https://login.microsoftonline.com/organizations/",
  }
}

const myMSALObj = new UserAgentApplication(config);
```

These are the selections for Authority

**NEW QUESTION 71**

- (Exam Topic 5)

Your network contains three Active Directory forests.

You create a Microsoft Azure Active Directory (Azure AD) tenant. You plan to sync the on premises Active Directory (Azure AD).

You need to recommend a synchronization solution. The solution must ensure that the synchronization can complete successfully and as quickly as possible if a single server fails.

What should you include in the recommendation?

- A. Three Azure AD Connect sync servers and three Azure AD Connect sync servers in staging mode
- B. One Azure AD Connect sync servers one Azure AD Connect sync servers in staging mode
- C. Three Azure AD Connect sync servers and one Azure AD Connect sync servers in staging mode
- D. six Azure AD Connect sync servers and three Azure AD Connect sync servers in staging mode

**Answer:** B

**Explanation:**

Azure AD Connect can be active on only one server. You can install Azure AD Connect on another server for redundancy but the additional installation would need



to be in Staging mode. An Azure AD connect installation in Staging mode is configured and ready to go but it needs to be manually switched to Active to perform directory synchronization.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-install-custom>

### NEW QUESTION 73

- (Exam Topic 5)

Your network contains two disconnected on-premises Active Directory forests named adatum.com and contoso.com.

You have an Azure AD tenant named nwtraders.com

You need to sync the on-premises forests to nwtraders.com. The solution must meet the following requirements:

- Provide the ability to connect to adatum.com and contoso.com.
- Provide support for Microsoft Exchange hybrid.
- Provide the ability to sync device objects.
- Minimize administrative effort.

Tools	Answer Area
Azure AD Connect	Provide the ability to sync device objects: Tool
Azure AD Connect Cloud Sync	Provide support for Microsoft Exchange hybrid: Tool
Active Directory Migration Tool	Provide the ability to connect to adatum.com and contoso.com: Tool

- A. Mastered  
 B. Not Mastered

**Answer: A**

### Explanation:

Tools	Answer Area
Azure AD Connect	Provide the ability to sync device objects: Azure AD Connect
Azure AD Connect Cloud Sync	Provide support for Microsoft Exchange hybrid: Azure AD Connect Cloud Sync
Active Directory Migration Tool	Provide the ability to connect to adatum.com and contoso.com: Active Directory Migration Tool

### NEW QUESTION 75

- (Exam Topic 5)

You have a Microsoft 365 subscription.

You recently configured a Microsoft SharePoint Online tenant in the subscription. You plan to create an alert policy.

You need to ensure that an alert is generated only when malware is detected in more than five documents stored in SharePoint Online during a period of 10 minutes.

What should you do first?

- A. Enable Microsoft Office 365 Cloud App Security.  
 B. Deploy Windows Defender Advanced Threat Protection (Windows Defender ATP).  
 C. Enable Microsoft Office 365 Analytics.

**Answer: B**

### Explanation:

An alert policy consists of a set of rules and conditions that define the user or admin activity that generates an alert, a list of users who trigger the alert if they perform the activity, and a threshold that defines how many times the activity has to occur before an alert is triggered.

In this question, we would use the “Malware detected in file” activity in the alert settings then configure the threshold (5 detections) and the time window (10 minutes).

The ability to configure alert policies based on a threshold or based on unusual activity requires Advanced Threat Protection (ATP).

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/alert-policies>

### NEW QUESTION 79

- (Exam Topic 5)

Your company has a Microsoft 365 E5 subscription. Users in the research department work with sensitive data.

You need to prevent the research department users from accessing potentially unsafe websites by using hyperlinks embedded in email messages and documents.

Users in other departments must not be restricted. What should you do from the Security & Compliance admin center?

- A. Create a data loss prevention (DLP) policy that has a Content contains condition.  
 B. Create a data loss prevention (DLP) policy that has a Content is shared condition.  
 C. Modify the default safe links policy.  
 D. Create a new safe links policy.

**Answer: D**

**Explanation:**

ATP Safe Links, a feature of Office 365 Advanced Threat Protection (ATP), can help protect your organization from malicious links used in phishing and other attacks. If you have the necessary permissions for the Office 365 Security & Compliance Center, you can set up ATP Safe Links policies to help ensure that when people click web addresses (URLs), your organization is protected. Your ATP Safe Links policies can be configured to scan URLs in email and URLs in Office documents.

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/set-up-atp-safe-links-policies#policies-that-apply>

**NEW QUESTION 82**

- (Exam Topic 5)

You have a Microsoft 365 Enterprise subscription.

You have a conditional access policy to force multi factor authentication when accessing Microsoft SharePoint from a mobile device

You need to view which users authenticated by using multi factor authentication. What should you do?

- A. From the Microsoft 365 admin center, view the Security Compliance reports.
- B. From the Azure Active Directory admin center, view the user sign-ins.
- C. From the Microsoft 365 admin center, view the Usage reports.
- D. From the Azure Active Directory admin center, view the audit logs.

**Answer: B**

**Explanation:**

With the sign-ins activity report in the Azure portal, you can get the information you need to determine how your environment is doing.

The sign-ins report can provide you with information about the usage of managed applications and user sign-in activities, which includes information about multi-factor authentication (MFA) usage. The MFA data gives you insights into how MFA is working in your organization

References:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-reporting>

**NEW QUESTION 86**

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an on-premises Active Directory forest named contoso.com. The forest contains the following domains:

- > Contoso.com
- > East.contoso.com

An Azure AD Connect server is deployed to contoso.com. Azure AD Connect syncs to an Azure Active Directory (Azure AD) tenant.

You deploy a new domain named west.contoso.com to the forest.

You need to ensure that west.contoso.com syncs to the Azure AD tenant.

Solution: You install a new Azure AD Connect server in west.contoso.com and set AD Connect to active mode.

Does this meet the goal?

- A. Yes
- B. No

**Answer: A**

**NEW QUESTION 91**

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain.

You deploy a Microsoft Azure Active Directory (Azure AD) tenant. Another administrator configures the domain to synchronize to Azure AD.

You discover that 10 user accounts in an organizational unit (OU) are NOT synchronized to Azure AD. All the other user accounts synchronized successfully.

You review Azure AD Connect Health and discover that all the user account synchronizations completed successfully.

You need to ensure that the 10 user accounts are synchronized to Azure AD.

Solution: From Azure AD Connect, you modify the Azure AD credentials. Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

The question states that "all the user account synchronizations completed successfully". Therefore, the Azure AD credentials are configured correctly in Azure AD Connect. It is likely that the 10 user accounts are being excluded from the synchronization cycle by a filtering rule.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-configure-filtering>

**NEW QUESTION 94**

- (Exam Topic 5)

Your company uses Gmail as a corporate email solution.

You purchase a Microsoft 365 subscription and plan to move all email data to Microsoft Exchange Online.

You plan to perform the migration by using the Exchange admin center.

You need to recommend which type of migration to use and which type of data to migrate. What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.



Migration type to use:

▼
Cutover migration
Staged migration
Remote move migration
IMAP migration

Data to include in the migration:

▼
Email only
Email and calendar only
Email, calendar and contacts only
Email, calendar, contacts, and tasks

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

You'll need to use the IMAP migration method. You can use the setup wizard in the Microsoft 365 admin center for an IMAP migration to migrate mailboxes from Gmail to Microsoft 365.

IMAP migration will only migrate emails, not calendar and contact information. Users can import their own email, contacts, and other mailbox information to Office 365 after the mailboxes have been migrated.

Reference:

<https://docs.microsoft.com/en-us/exchange/mailbox-migration/migrating-imap-mailboxes/migrate-g-suite-mailb>

**NEW QUESTION 97**

- (Exam Topic 5)

You plan to deploy Microsoft Teams to 2,500 users.

You need to estimate the internet bandwidth required for the deployment. What should you use?

- A. Advisor for Teams
- B. Network planner
- C. Skype for Business Server Remote Connectivity Test
- D. Microsoft Remote Connectivity Analyzer

**Answer:** B

**Explanation:**

From: <https://docs.microsoft.com/en-us/microsoftteams/network-planner>

Network Planner is a new tool that is available in the Teams admin center. It can be found by going to Planning > Network planner. In just a few steps, the Network Planner can help you determine and organize network requirements for connecting Microsoft Teams users across your organization. When you provide your network details and Teams usage, the Network Planner calculates your network requirements for deploying Teams and cloud voice across your organization's physical locations.

**NEW QUESTION 99**

- (Exam Topic 5)

Your network contains an on-premises Active Directory domain that syncs to Azure Active Directory (Azure AD).

The on-premises network contains a Microsoft SharePoint Server 2019 farm. The company purchases a Microsoft 365 subscription.

You have the users shown in the following table

Name	Source
User1	Windows Active Directory
User2	Azure Active Directory

You plan to assign User1 and User2 the required roles to run the SharePoint Hybrid Configuration Wizard. User1 will be used for on-premises credentials and User2 will be used for cloud credentials.

You need to assign the correct role to User2. The solution must use the principle of least privilege. Which role should you assign to User2?

- A. Application administrator
- B. SharePoint farm administrator
- C. Global administrator
- D. SharePoint administrator

**Answer:** C

**Explanation:**

To run the SharePoint Hybrid Configuration Wizard, you need to provide credentials of a user (in this case User2) of a Global Administrator account in Azure Active Directory.

Reference:

<https://www.c-sharpcorner.com/article/sharepoint-2019-enable-hybrid-experience/> <https://docs.microsoft.com/en-us/sharepoint/hybrid/accounts-needed-for-hybrid-configuration-and-testing>

**NEW QUESTION 101**

- (Exam Topic 5)

You have a Microsoft 365 subscription.

You view the service advisories shown in the following exhibit.

Home > Service health

Some services have posted advisories

2018-10-05 08:43(UTC) [View history](#)

All services

Incidents

Advisories

	Office 365 Portal	1 advisory
	SharePoint Online	1 advisory
	Office Subscription	Service is healthy
	Microsoft Intune	Service is healthy
	Microsoft StaffHub	Service is healthy
	Microsoft Teams	Service is healthy
	Mobile Device Management for Office 365	Service is healthy
	Azure Information Protection	Service is healthy
	Exchange Online	Service is healthy

You need to ensure that users who administer Microsoft SharePoint Online can view the advisories to investigate health issues. Which role should you assign to the users?

- A. SharePoint administrator
- B. Message Center reader
- C. Reports reader
- D. Service administrator

**Answer:** D

**Explanation:**

People who are assigned the global admin or service administrator role can view service health. To allow Exchange, SharePoint, and Skype for Business admins to view service health, they must also be assigned the Service admin role. For more information about roles that can view service health. Reference: <https://docs.microsoft.com/en-us/office365/enterprise/view-service-health>

**NEW QUESTION 106**

- (Exam Topic 5)

HOTSPOT

You company has a Microsoft 365 subscription that contains the domains shown in the following exhibit.

+ Add domain

+ Buy domain

View

All domains

Search domains

Domain name	Status
Contoso20198.onmicrosoft.com (Default)	Setup complete
Contoso.com	Setup in progress
East.Contoso20198.onmicrosoft.com	Possible service issues

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

## Answer Area

An administrator can create usernames that contain the [answer choice].

Contoso20198.onmicrosoft.com domain only

Contoso20198.onmicrosoft.com domain and all its subdomains only

Contoso20198.onmicrosoft.com and East.Contoso20198.onmicrosoft.com domains only

Contoso20198.onmicrosoft.com, East.Contoso20198.onmicrosoft.com, and Contoso.com domains

Exchange Online can receive inbound email messages sent to the [answer choice].

Contoso20198.onmicrosoft.com domain only

Contoso20198.onmicrosoft.com domain and all its subdomains only

Contoso20198.onmicrosoft.com and East.Contoso20198.onmicrosoft.com domains only

Contoso20198.onmicrosoft.com, East.Contoso20198.onmicrosoft.com, and Contoso.com domains

- A. Mastered  
 B. Not Mastered

**Answer:** A

### Explanation:

Only the Contoso20198.onmicrosoft.com domain has a status of Setup Complete. The other two statuses mean that the domain setup is not complete or has issues that need to be corrected before they can be used.

Reference:

<https://support.office.com/en-gb/article/what-do-domain-statuses-mean-in-office-365-3ecf1fef-3b31-497c-98bc>

## NEW QUESTION 107

- (Exam Topic 5)

You have a Microsoft 365 E5 subscription that contains an Azure Active Directory (Azure AD) tenant named contoso.com. The tenant contains a Microsoft SharePoint Online site named Site1 and the accounts shown in the following table.

Name	Account type
UserA	User
UserB	User
GroupA	Security group

You have an on-premises server named Server1 that contains a folder named Folder1. Folder1 contains the files shown in the following table.

Name	Permission
File1	User1: Full control
File2	User2: Modify
File3	Group1: Full control

The User1, User2, and Group1 accounts have the security identifiers (SIDs) shown in the following table.

Name	SID
User1	S-1-5-21-4534338-1127018997-2609994386-1304
User2	S-1-5-21-4534338-1127018997-2609994386-1228
Group1	S-1-5-21-4534338-1127018997-2609994386-1106

You use the SharePoint Migration Tool to migrate Folder1 to Site1. You preserve the file share permissions and use the following user mapping file.

S-1-5-21-4534338-1127018997-2609994386-1304, UserA@Contoso.com, FALSE S-1-5-21-4534338-1127018997-2609994386-1228, UserB@Contoso.com, FALSE S-1-5-21-4534338-1127018997-2609994386-1106, GroupA, TRUE

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point

Statements	Yes	No
UserA is the owner of File1 on Site1.	<input type="radio"/>	<input type="radio"/>
UserB is the owner of File2 on Site1.	<input type="radio"/>	<input type="radio"/>
GroupA is the owner of File3 on Site1.	<input type="radio"/>	<input type="radio"/>



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
UserA is the owner of File1 on Site1.	<input type="radio"/>	<input checked="" type="radio"/>
UserB is the owner of File2 on Site1.	<input type="radio"/>	<input checked="" type="radio"/>
GroupA is the owner of File3 on Site1.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 108

- (Exam Topic 5)  
Your company is based in the United Kingdom (UK).  
Users frequently handle data that contains Personally Identifiable Information (PII).  
You create a data loss prevention (DLP) policy that applies to users inside and outside the company. The policy is configured as shown in the following exhibit.

New DLP policy

Choose the information to protect

Name your policy

Choose locations

Policy settings

Review your settings

Review your settings

Template name

U.K. Personally Identifiable Information (PII) Data

Edit

Policy name

U.K. Personally Identifiable Information (PII) Data

Edit

Applies to content in these locations

Exchange email

SharePoint sites

OneDrive accounts

Edit

Policy settings

Edit

In the content contains these types of sensitive info:  
U.K. National Insurance Number (NINO),U.S. / U.K. Passport Number then notify people with a policy tip and email message.

If there are at least 10 instances of the same type of sensitive info, block access to the content and send an incident report with a high severity level but allow people to override.

Turn policy on after it's created?

Yes

Edit

Back

Create

Cancel

Use the drop-down menus to select the answer choice that completes each statement based in the information presented in the information presented in the graphic.  
NOTE: Each correct selection is worth one point.

If a user attempts to upload a document to a Microsoft SharePoint site, and the document contains one UK passport number, the document will be [answer choice].

allowed

blocked without warning

blocked, but the user can override the policy

If a user attempts to email 100 UK passport numbers to a user in the same company, the email message will be [answer choice].

allowed

blocked without warning

blocked, but the user can override the policy

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The text in the Policy Settings section of the exhibit explains what will happen.  
If a user sends between 1 and 10 instances of the sensitive info (passport number), then a notification email and will be sent to the user and a policy tip will be

displayed. The email will not be blocked though. Therefore, it will be allowed.

If a user sends more than 10 instances of the sensitive info (passport number), the email will be blocked and a high-severity alert generated. However, the user can override the block.

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/data-loss-prevention-policies>

#### NEW QUESTION 112

- (Exam Topic 5)

When creating an sppkg package for deploying a web part you use the gulp command.

Instructions: Review the underlined text. If it makes the statement correct select "No change is needed/ If the statement is incorrect select the answer choice that makes the statement correct.

- A. No change is needed.
- B. the web part must be signed
- C. you use the yeoman (or yo) PowerShell cmdtet
- D. the solution must be signed

**Answer:** C

#### NEW QUESTION 113

- (Exam Topic 5)

Your network contains an Active Directory forest. The forest contains two domains named contoso.com and adatum.com.

Your company recently purchased a Microsoft 365 subscription. You deploy a federated identity solution to the environment.

You use the following command to configure contoso.com for federation. Convert-MsolDomainToFederated –DomainName contoso.com

In the Microsoft 365 tenant, an administrator adds and verifies the adatum.com domain name. You need to configure the adatum.com Active Directory domain for federated authentication.

Which two actions should you perform before you run the Azure AD Connect wizard? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From Windows PowerShell, run the Convert-MsolDomainToFederated–DomainName contoso.com –SupportMultipleDomain command.
- B. From Windows PowerShell, run the New-MsolFederatedDomain–SupportMultipleDomain -DomainName contoso.com command.
- C. From Windows PowerShell, run the New-MsolFederatedDomain-DomainName adatum.com command.
- D. From Windows PowerShell, run the Update-MSOLFederatedDomain–DomainName contoso.com –SupportMultipleDomain command.
- E. From the federation server, remove the Microsoft Office 365 relying party trust.

**Answer:** AE

#### Explanation:

When the Convert-MsolDomainToFederated –DomainName contoso.com command was run, a relying party trust was created.

Adding a second domain (adatum.com in this case) will only work if the SupportMultipleDomain switch was used when the initial federation was configured by running the Convert-MsolDomainToFederated

–DomainName contoso.com command.

Therefore, we need to start again by removing the relying party trust then running the Convert-MsolDomainToFederated command again with the SupportMultipleDomain switch.

#### NEW QUESTION 118

- (Exam Topic 5)

You have a Microsoft 365 subscription.

You need to prevent phishing email messages from being delivered to your organization. What should you do?

- A. From the Exchange admin center, create an anti-malware policy.
- B. From Security & Compliance, create a DLP policy.
- C. From Security & Compliance, create a new threat management policy.
- D. From the Exchange admin center, create a spam filter policy.

**Answer:** C

#### Explanation:

Anti-phishing protection is part of Office 365 Advanced Threat Protection (ATP). To prevent phishing email messages from being delivered to your organization, you need to configure a threat management policy.

ATP anti-phishing is only available in Advanced Threat Protection (ATP). ATP is included in subscriptions, such as Microsoft 365 Enterprise, Microsoft 365 Business, Office 365 Enterprise E5, Office 365 Education A5, etc.

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/set-up-anti-phishing-policies>

#### NEW QUESTION 123

- (Exam Topic 5)

Your company has a Microsoft 365 subscription.

You need to identify which users performed the following privileged administration tasks:

- > Deleted a folder from the second-stage Recycle Bin if Microsoft SharePoint
- > Opened a mailbox of which the user was not the owner
- > Reset a user password

What should you use?

- A. Microsoft Azure Active Directory (Azure AD) audit logs
- B. Microsoft Azure Active Directory (Azure AD) sign-ins
- C. Security & Compliance content search
- D. Security & Compliance audit log search



**Answer:** A

**Explanation:**

References:

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/activity-logs-overview>

**NEW QUESTION 126**

- (Exam Topic 5)

Your on-premises network contains an Active Directory domain that syncs with an Azure Active Directory (Azure AD) tenant named contoso.com by using Azure AD Connect. Your company purchases another company that has an on-premises Active Directory domain named lrtwareinc.com. You need to sync lrtwareinc.com with contoso.com. What should you install in the lrtwareinc.com domain?

- A. an Azure AD Connect provisioning agent
- B. an Azure AD Connect instance in staging mode
- C. an active instance of Azure AD Connect
- D. an Azure AD application proxy connector

**Answer:** A

**NEW QUESTION 129**

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@M365x981607.onmicrosoft.com Microsoft 365 Password: \*yfLo7lr2&yIf the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10811525

You need to prevent non-administrators in your organization from registering applications.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

You need to configure the App Registrations setting in Azure Active Directory.

- \* 1. Go to the Azure Active Directory admin center.
- \* 2. Select Azure Active Directory.
- \* 3. Select 'User settings'
- \* 4. In the 'App registrations' section, toggle the 'Users can register applications' setting to No.
- \* 5. Click Save to save the changes.

**NEW QUESTION 133**

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has 3,000 users. All the users are assigned Microsoft 365 E3 licenses.

Some users are assigned licenses for all Microsoft 365 services. Other users are assigned licenses for only certain Microsoft 365 services.

You need to determine whether a user named User1 is licensed for Exchange Online only. Solution: You run the Get-MsolUser cmdlet.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

The Get-MsolUser cmdlet will tell you if a user is licensed for Microsoft 365 but it does not tell you which licenses are assigned.

Reference:

<https://docs.microsoft.com/en-us/powershell/module/msonline/get-msoluser?view=azureadps-1.0>

**NEW QUESTION 136**

- (Exam Topic 5)

Your network contains an on-premises Active Directory forest named contoso.com. The forest contains the following domains:

- > Contoso.com
- > East.contoso.com

The forest contains the users shown in the following table.

Name	UPN suffix
User1	Contoso.com
User2	East.contoso.com
User3	Fabrikam.com

The forest syncs to an Azure Active Directory (Azure AD) tenant named contoso.com as shown in the exhibit. (Click the Exhibit tab.)

PROVISION FROM ACTIVE DIRECTORY



Azure AD Connect cloud provisioning

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

Azure AD Connect sync

Sync Status	Enabled
Last Sync	Less than 1 hour ago
Password Hash Sync	Disabled

USER SIGN-IN



<a href="#">Federation</a>	Disabled	0 domains
<a href="#">Seamless single sign-on</a>	Enabled	1 domain
<a href="#">Pass-through authentication</a>	Enabled	2 agents

For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
NOTE: Each correct selection is worth one point.

Statements	Yes	NO
User1 can authenticate to Azure AD by using a username of user1@contoso.com.	<input type="radio"/>	<input type="radio"/>
User2 can authenticate to Azure AD by using a username of user2@contoso.com.	<input type="radio"/>	<input type="radio"/>
User3 can authenticate to Azure AD by using a username of user3@contoso.com	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes  
The UPN of user1 is user1@contoso.com so he can authenticate to Azure AD by using the username user1@contoso.com.  
Box 2: No  
The UPN of user2 is user2@east.contoso.com so he cannot authenticate to Azure AD by using the username user2@contoso.com.  
Box 3: No  
The UPN of user3 is user3@fabrikam.com so he cannot authenticate to Azure AD by using the username user3@contoso.com.

NEW QUESTION 140

- (Exam Topic 5)  
You are developing a SharePoint Framework (SPFx) solution.  
For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

#### Answer Area

Statements	Yes	No
Field Customizer extensions be used to change the rendering of a field.	<input type="radio"/>	<input type="radio"/>
Field Customizer extensions can use the Server-Side Object Model.	<input type="radio"/>	<input type="radio"/>
Field Customizer extensions can use client-side libraries such as AngularJS and React.	<input type="radio"/>	<input type="radio"/>

- A. Mastered  
B. Not Mastered

**Answer:** A

#### Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/sharepoint/dev/spfx/extensions/get-started/building-simple-field-customizer#en> <https://www.spguides.com/spfx-application-customizer/>

#### NEW QUESTION 141

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@M365x981607.onmicrosoft.com Microsoft 365 Password: \*yfLo7lr2&yIf the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10811525

You need to prevent the users in your organization from establishing voice calls from Microsoft Skype for Business to external Skype users.

- A. Mastered  
B. Not Mastered

**Answer:** A

#### Explanation:

You need to configure the External Communications settings in the Skype for Business admin center.

\* 1. You need to go to the Skype for Business admin center. If you see a Skype for Business admin center in the admin center list in the Microsoft portal, open it and skip to step 4.

\* 2. If you don't see a Skype for Business admin center in the admin center list in the Microsoft portal, open the Teams admin center.

\* 3. In the Teams admin center, choose Skype > Legacy Portal.

\* 4. In the Skype for Business admin center, select Organization.

\* 5. Select External communications.

\* 6. Untick the 'Let people use Skype for Business to communicate with Skype users outside your organization' checkbox.

\* 7. Click Save to save the changes.

#### NEW QUESTION 142

- (Exam Topic 5)

You create a Microsoft 365 Enterprise subscription. You assign licenses for all products to all users.

You need to ensure that all Microsoft Office 365 ProPlus installations occur from a network share. The solution must prevent the users from installing Office 365 ProPlus from the Internet.

Which three actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. From your computer, run setup.exe /download downloadconfig.xml.  
B. Create an XML download file.  
C. From the Microsoft 365 admin center, deactivate the Office 365 licenses for all the users.  
D. From each client computer, run setup.exe /configure installconfig.xml.  
E. From the Microsoft 365 admin center, configure the Software download settings.

**Answer:** BDE

#### Explanation:

You can use the Office Deployment Tool (ODT) to download the installation files for Office 365 ProPlus from a local source on your network instead of from the

Office Content Delivery Network (CDN).

The first step is to create the configuration file. You can download an XML template file and modify that. The next step to install Office 365 ProPlus is to run the ODT executable in configure mode with a reference to the configuration file you just saved. In the following example, the configuration file is named installconfig.xml. setup.exe /configure installconfig.xml

After running the command, you should see the Office installation start.

To prevent the users from installing Office 365 ProPlus from the Internet, you need to configure the Software download settings (disallow downloads) in the Microsoft 365 admin center.

Reference:

<https://docs.microsoft.com/en-us/deployoffice/overview-of-the-office-2016-deployment-tool#download-the-inst>

#### NEW QUESTION 143

- (Exam Topic 5)

Your company has a Microsoft Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com. You purchase a domain named contoso.com from a registrar and add all the required DNS records.

You create a user account named User1. User1 is configured to sign in as user1@contoso.onmicrosoft.com. You need to configure User1 to sign in as user1@contoso.com.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Run Set-MsolDomainAuthentication - TenantID contoso.com	
Modify the email address of User1.	
Modify the username of User1.	
Verify the custom domain.	
Add a contoso.com as a SAN for an X.509 certificate.	
Add a custom domain name.	

A. Mastered

B. Not Mastered

**Answer:** A

#### Explanation:

The first step is to add the contoso.com domain to Office 365. You do this by adding a custom domain. When you add a custom domain to office 365, you can use the domain as your email address or to sign in to Office 365.

The second step is to verify the custom domain. This is to prove that you own the domain. You can verify the custom domain by adding a DNS record to the domain DNS zone.

When you have added and verified the domain, you can configure the user accounts to use it. To configure User1 to sign in as user1@contoso.com, you need to change the username of User1. In Office 365, the username is composed of two parts. The first part is the actual username (User1) and the second part is the domain. You need to modify the username of User1 by selecting the contoso.com domain from the dropdown list of domains. The dropdown list of domains contains the <domain>.onmicrosoft.com domain and any custom domains that have been added.

Reference:

<https://docs.microsoft.com/en-us/office365/admin/setup/add-domain?view=o365-worldwide>

#### NEW QUESTION 144

- (Exam Topic 5)

You have a Microsoft 365 E5 subscription that contains a group named Group 1.

You need to ensure that all the members of Group1 are notified when Microsoft 365 outages occur. The solution must minimize administrative effort

What should you do?

A. From the Microsoft 365 admin center, configure a Service health email notification

B. From the Exchange admin center, create an alert policy and configure an email notification.

C. From the Microsoft 365 admin center, configure a Message center email notification.

D. From the Microsoft 365 Defender portal create an alert policy and configure an email notification.

**Answer:** C

#### NEW QUESTION 148

- (Exam Topic 5)

You have a Microsoft 365 tenant that contains Microsoft Exchange Online.

You plan to enable calendar sharing with a partner organization named adatum.com. The partner organization also has a Microsoft 365 tenant.

You need to ensure that the calendar of every user is available to the users in adatum.com immediately. What should you do?

A. From the Exchange admin center, create a sharing policy.

B. From the Exchange admin center, create a new organization relationship

C. From the Microsoft 365 admin center, modify the Organization profile settings.

D. From the Microsoft 365 admin center, configure external site sharing.

**Answer:** B



**Explanation:**

You need to set up an organization relationship to share calendar information with an external business partner. Office 365 admins can set up an organization relationship with another Office 365 organization or with an Exchange on-premises organization.

Reference:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/create-an-organization-relationshi>

**NEW QUESTION 150**

- (Exam Topic 5)

You have an on premises web application that is published by using a URL of <https://app.contoso.local>. You purchase a Microsoft 36S subscription.

Several external users must be able to connect to the web application

You need to recommend a solution for external access to the application. The solution must support multi-factor authentication.

Which two actions should you recommend? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. From an on-premises server, install a connector, and then publish the app.
- B. From the Azure Active Directory admin center, enable an Application Proxy.
- C. From the Azure Active Directory admin center, treat a conditional access policy.
- D. From an on premises server, install an Authentication Agent.
- E. Republish the web-application by using <http://app.contoso.com>

**Answer:** AB

**Explanation:**

Azure Active Directory (Azure AD) has an Application Proxy service that enables users to access on-premises applications by signing in with their Azure AD account. The application proxy enables you to take advantage of Azure AD security features like Conditional Access and Multi-Factor Authentication.

To use Application Proxy, install a connector on each Windows server you're using with the Application Proxy service. The connector is an agent that manages the outbound connection from the on-premises application servers to Application Proxy in Azure AD.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/application-proxy-add-on-premises-applic>

**NEW QUESTION 151**

- (Exam Topic 5)

You have a Microsoft 365 subscription that contains an Azure Active Directory (Azure AD) tenant named contoso.com.

Corporate policy states that user passwords must not include the word Contoso. What should you do to implement the corporate policy?

- A. From the Azure Active Directory admin center, configure the Password protection settings.
- B. From the Microsoft 365 admin center, configure the Password policy settings.
- C. From Azure AD Identity Protection, configure a sign-in risk policy.
- D. From the Azure Active Directory admin center, create a conditional access policy.

**Answer:** A

**Explanation:**

The Password protection settings allows you to specify a banned password list of phrases that users cannot use as part of their passwords.

References:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-ban-bad-on-premisesope> <https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-ban-bad-configure> <https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-password-ban-bad#custombanne>

**NEW QUESTION 155**

- (Exam Topic 5)

Your network contains two on-premises Active Directory forests named contoso.com and fabrikam.com. Fabrikam.com contains one domain and five domain controllers. Contoso.com contains the domains shown in the following table.

Name	Number of domain controllers
Contoso.com	2
East.contoso.com	3
West.contoso.com	3

You need to sync all the users from both the forests to a single Azure Active Directory (Azure AD) tenant by using Azure AD Connect.

What is the minimum number of Azure AD Connect sync servers required?

- A. 1
- B. 2
- C. 3
- D. 4

**Answer:** A

**Explanation:**

You can have only one active Azure AD Connect server synchronizing accounts to a single Azure Active Directory (Azure AD) tenant. You can have 'backup' Azure AD Connect servers, but these must be running in 'staging' mode. Staging mode means the Azure AD Connect instance is not actively synchronizing users but is ready to be brought online if the active Azure AD Connect instance goes offline.

When you have multiple forests, all forests must be reachable by a single Azure AD Connect sync server. The server must be joined to a domain. If necessary, to reach all forests, you can place the server in a perimeter network (also known as DMZ, demilitarized zone, and screened subnet).

References:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/plan-connect-topologies#multiple-forests-single->

#### NEW QUESTION 160

- (Exam Topic 5)

Your organization has an on-premises Microsoft Exchange Server 2016 organization. The organization is in the company's main office in Melbourne. The main office has a low-bandwidth connection to the Internet.

The organization contains 250 mailboxes.

You purchase a Microsoft 365 subscription and plan to migrate to Exchange Online next month. In 12 months, you plan to increase the bandwidth available for the Internet connection.

You need to recommend the best migration strategy for the organization. The solution must minimize administrative effort.

What is the best recommendation to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. network upload
- B. cutover migration
- C. hybrid migration
- D. staged migration

**Answer: C**

#### Explanation:

With a hybrid migration, you can migrate the mailboxes in small batches over a period of time which will help to avoid saturating the bandwidth. With the migration wizard, you can configure a migration batch to start outside office hours which would minimize bandwidth usage during office hours.

With a hybrid migration, you do not need to reconfigure Outlook to connect to the migrated mailbox. Outlook will automatically detect the new mailbox location. This reduces administrative effort.

Reference:

<https://docs.microsoft.com/en-us/exchange/mailbox-migration/mailbox-migration>

#### NEW QUESTION 164

- (Exam Topic 5)

You have a Microsoft 365 subscription that contains a guest user named User1. User1 is assigned the User administrator role.

You have a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com. Contoso.com is configured as shown in the following exhibit.

### External collaboration settings

Save

Discard

Guest users permissions are limited ⓘ

Yes

No

Admins and users in the guest inviter role can invite ⓘ

Yes

No

Members can invite ⓘ

Yes

No

Guests can invite ⓘ

Yes

No

### Collaboration restrictions

☒ Allow invitations to be sent to any domain (most inclusive)

☐ Deny invitations to the specified domains

☐ Allow invitations only to the specified domains (most restrictive)

User1 can [answer choice].

open the Azure portal only

open the Azure portal and view users only

open the Azure portal, view users, and create new guest users only

open the Azure portal, view users, create new users, and create new guest users

All other guest users can [answer choice].

open the Azure portal only

open the Azure portal and view users only

open the Azure portal, view users, and create new guest users only

open the Azure portal, view users, create new users, and create new guest users

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Default permissions for guests are restrictive by default. Guests can be added to administrator roles, which grant them full read and write permissions contained in the role. There is one additional restriction available, the ability for guests to invite other guests. Setting Guests can invite to No prevents guests from inviting other guests.

User1 is assigned the User Administrator role. Therefore, User1 can open the Azure portal, view users, create new users, and create new guest users.

In the exhibit, the 'Guest user permissions are limited' is set to no. This means that guest users have the same permissions as members. However, the 'Guests can invite' setting is set to No. Therefore, other guest users (all guest users except User1) can open the Azure portal and view users in the same way as member users can.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/b2b/delegate-invitations> <https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/users-default-permissions>

**NEW QUESTION 168**

- (Exam Topic 5)

Your company has a Microsoft Azure Active Directory (Azure AD) directory tenant named contoso.onmicrosoft.com.

All users have client computers that run Windows 10 Pro and are joined to Azure AD. The company purchases a Microsoft 365 E3 subscription.

You need to upgrade all the computers to Windows 10 Enterprise. The solution must minimize administrative effort.

You assign licenses from the Microsoft 365 admin center. What should you do next?

- A. Add a custom domain name to the subscription.
- B. Deploy Windows 10 Enterprise by using Windows Autopilot.
- C. Create provisioning package, and then deploy the package to all the computers.
- D. Instruct all the users to log off of their computer, and then to log in again.

**Answer:** B

**Explanation:**

With Windows Autopilot the user can set up pre-configure devices without the need consult their IT administrator.

Reference:

<https://docs.microsoft.com/en-us/windows/deployment/windows-10-deployment-scenarios> <https://docs.microsoft.com/en-us/windows/deployment/windows-autopilot/windows-autopilot>

**NEW QUESTION 172**

- (Exam Topic 5)

Your on-permission network contains the web application shown in the following table.

Name	Hosted on server
App1	Web1
App2	Web1
App3	Web2
App4	Web2

You purchase Microsoft 365, and the implement directory synchronization. You plan to publish the web applications.

You need to ensure that all the applications are accessible by using the My Apps portal. The solution must minimize administrative effort.

What should you do first?

- A. Deploy one conditional access policy.
- B. Deploy one Application Proxy connector.
- C. Create four application registrations.
- D. Create a site-to-site VPN from Microsoft Azure to the on-premises network.

**Answer:** B

**Explanation:**

The Application Proxy connector is what connects the on-premises environment to the Azure Application Proxy.

Application Proxy is a feature of Azure AD that enables users to access on-premises web applications from a remote client. Application Proxy includes both the Application Proxy service which runs in the cloud, and the Application Proxy connector which runs on an on-premises server. Azure AD, the Application Proxy service, and the Application Proxy connector work together to securely pass the user sign-on token from Azure AD to the web application.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/application-proxy>

<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/application-proxy-connectors>

**NEW QUESTION 177**

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription.

You discover that some external users accessed content on a Microsoft SharePoint site. You modify the SharePoint sharing policy to prevent sharing outside your organization.

You need to be notified if the SharePoint policy is modified in the future. Solution: From the SharePoint admin center, you modify the sharing settings. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B



**Explanation:**

You need to create a threat management policy in the Security & Compliance admin center.

**NEW QUESTION 179**

- (Exam Topic 5)

You have a Microsoft 365 subscription. You add a domain named contoso.com.

When you attempt to verify the domain, you are prompted to send a verification email to admin@contoso.com.

D18912E1457D5D1DDCBD40AB3BF70D5D

You need to change the email address used to verify the domain. What should you do?

- A. From the domain registrar, modify the contact information of the domain
- B. Add a TXT record to the DNS zone of the domain
- C. Modify the NS records for the domain
- D. From the Microsoft 365 admin center, change the global administrator of the Microsoft 365 subscription

**Answer:** A

**Explanation:**

The email address that is used to verify that you own the domain is the email address listed with the domain registrar for the registered contact for the domain.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/setup/add-domain?view=o365-worldwide>

**NEW QUESTION 180**

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an on-premises Active Directory domain named contoso.com. The domain contains the users shown in the following table.

Name	UPN suffix
User1	Contoso.com
User2	Fabrikam.com

The domain syncs to an Azure Active Directory (Azure AD) tenant named contoso.com as shown in the exhibit. (Click the Exhibit tab.)

## PROVISION FROM ACTIVE DIRECTORY



### Azure AD Connect cloud provisioning

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

### Azure AD Connect sync

Sync Status	Enabled
Last Sync	Less than 1 hour ago
Password Hash Sync	Enabled

## USER SIGN-IN



Federation	Disabled	0 domains
Seamless single sign-on	Enabled	1 domain
Pass-through authentication	Enabled	2 agents

User2 fails to authenticate to Azure AD when signing in as user2@fabrikam.com. You need to ensure that User2 can access the resources in Azure AD.

Solution: From the on-premises Active Directory domain, you set the UPN suffix for User2 to @contoso.com. You instruct User2 to sign in as user2@contoso.com.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

The on-premises Active Directory domain is named contoso.com. You can enable users to sign on using a different UPN (different domain), by adding the domain to Microsoft 365 as a custom domain. Alternatively, you can configure the user account to use the existing domain (contoso.com).



### NEW QUESTION 185

- (Exam Topic 5)

Your company has a Microsoft 365 tenant.

You plan to allow users from the engineering department to enroll their mobile device in mobile device management (MDM).

The device type restrictions are configured as shown in the following table.

Priority	Name	Allowed platform	Assigned to
1	iOS	iOS	Marketing
2	Android	Android	Engineering
Default	All users	All platforms	All users

The device limit restrictions are configured as shown in the following table.

Priority	Name	Device limit	Assigned to
1	Engineering	15	Engineering
2	West Region	5	Engineering
Default	All users	10	All users

What is the effective configuration for the members of the Engineering group? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Device limit:

▼

5

10

15

Allowed platform:

▼

Android only

iOS only

All platforms

- A. Mastered
- B. Not Mastered

**Answer: A**

#### Explanation:

When multiple policies are applied to groups that users are a member of, only the highest priority (lowest number) policy applies.

In this case, the Engineering users are assigned two device type policies (the default policy and the priority 2 policy). The priority 2 policy has a higher priority than the default policy so the Engineers' allowed platform is Android only.

The engineers have two device limit restrictions policies applied them. The priority1 policy is a higher priority than the priority2 policy so the priority1 policy device limit (15) applies.

Reference:

<https://docs.microsoft.com/en-us/intune/enrollment/enrollment-restrictions-set>

### NEW QUESTION 187

- (Exam Topic 5)

Your on-premises network contains five file servers. The file servers host shares that contain user data. You plan to migrate the user data to a Microsoft 365 subscription.

You need to recommend a solution to import the user data into Microsoft OneDrive. What should you include in the recommendation?

- A. Configure the Migrate of the OneDrive client on your Windows 10 device
- B. Configure the Sync settings in the OneDrive admin center.
- C. Run the SharePoint Hybrid Configuration Wizard.
- D. Run the SharePoint Migration Tool.

**Answer: D**

#### Explanation:

The SharePoint Migration Tool lets you migrate content to SharePoint Online and OneDrive from the following locations:

- SharePoint Server 2013
  - SharePoint Server 2010
  - Network and local file shares
- Reference:

<https://docs.microsoft.com/en-us/sharepointmigration/introducing-the-sharepoint-migration-tool>

### NEW QUESTION 191

- (Exam Topic 5)

You have a Microsoft Power Platform production environment that contains a custom model-driven Microsoft Power Apps app.

How many days will system backups be retained for the environment?

- A. 7
- B. 14
- C. 28
- D. 90

**Answer:** C

**Explanation:**

All your environments, except Trial environments (standard and subscription-based), are backed up. System backups for production environments that have been created with a database and have one or more Dynamics 365 applications installed are retained up to 28 days. System backups for production environments which do not have Dynamics 365 applications deployed in them will be retained for 7 days. System backups for sandbox environments will be retained for 7 days.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/backup-restore-environments>

**NEW QUESTION 193**

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has 3,000 users. All the users are assigned Microsoft 365 E3 licenses.

Some users are assigned licenses for all Microsoft 365 services. Other users are assigned licenses for only certain Microsoft 365 services.

You need to determine whether a user named User1 is licensed for Exchange Online only. Solution: You launch the Azure portal, and then review the Licenses blade.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

In the Licenses blade, click All Products then select the E3 License. This will display a list of all users assigned an E3 license. Select User1. You'll see how many services are assigned in the Enabled Services column. Click on the number in the Enabled Services column for User1 and you'll be taken to the licenses page for that user. Click on the number in the Enabled Services column for User1 again and a page will open which shows you exactly which services are enabled or disabled.

Alternatively, you can go into the user account properties directly then select Licenses. This will display the licenses blade for that user. You can then click on the number in the Enabled Services column for the user and a page will open which shows you exactly which services are enabled or disabled.

**NEW QUESTION 194**

- (Exam Topic 5)

You have a Microsoft 365 E5 subscription.

Users have Android or iOS devices and access Microsoft 365 resources from computers that run Windows 11 or MacOS.

You need to implement passwordless authentication. The solution must support all the devices. Which authentication method should you use?


- A. Windows Hello
- B. Microsoft Authenticator app
- C. FIDO2 compliant security keys

**Answer:** A

**NEW QUESTION 196**

- (Exam Topic 5)

From the Microsoft Azure Active Directory (Azure AD) Identity Protection dashboard, you view the risk events shown in the exhibit. (Click the Exhibit tab.)



You need to reduce the likelihood that the sign-ins are identified as risky. What should you do?

- A. From the Security & Compliance admin center, add the users to the Security Readers role group.
- B. From the Conditional access blade in the Azure Active Directory admin center, create named locations.
- C. From the Azure Active Directory admin center, configure the trusted IPs for multi-factor authentication.
- D. From the Security & Compliance admin center, create a classification label.

Answer: B

Explanation:

A named location can be configured as a trusted location. Typically, trusted locations are network areas that are controlled by your IT department. In addition to Conditional Access, trusted named locations are also used by Azure Identity Protection and Azure AD security reports to reduce false positives for risky sign-ins.  
Reference:  
<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition>

NEW QUESTION 201

- (Exam Topic 5)  
You have a Microsoft 365 Enterprise subscription.  
You create a password policy as shown in the following exhibit.

Search (Ctrl+J)

MANAGE

Password protection (Preview)

SaveDiscard

Custom smart lockout

Lockout threshold5

Lockout duration in seconds60

Custom banned passwords

Enforce custom listYesNo

Custom banned password list

Pa\$\$w0rd  
Conto\$01  
AzureAD!!

Password protection for Windows Server Active Directory

Enable password protection on Windows Server Active DirectoryYesNo

ModeEnforcedAudit

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
NOTE: Each correct selection is worth one point.

If users are locked out of their account, they have [answer choice].

five sign-in attempts each subsequent minute  
one sign-in attempt each subsequent minute  
five sign-in attempts every five minutes  
one sign-in attempt every five minutes

Users can create a password of [answer choice].

Password11  
Conto\$01Pa\$\$word  
AzureAD!!111  
pa\$\$w0rd

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

By default, smart lockout locks the account from sign-in attempts for one minute after 10 failed attempts. In this question, the lockout threshold if 5 failed attempts. The account locks again after each subsequent failed sign-in attempt, for one minute at first and longer in subsequent attempts.

Password evaluation goes through several steps including normalization and Substring matching which is used on the normalized password to check for the user's first and last name as well as the tenant name.

The next step is to identify all instances of banned passwords in the user's normalized new password. Then: ➤ Each banned password that is found in a user's password is given one point.

➤ Each remaining unique character is given one point.

➤ A password must be at least five (5) points for it to be accepted.

Conto\$01Pa\$\$word contains two banned passwords and no remaining unique characters so is given a score of 2 points. This is less than the required 5 points so will be rejected.

Pa\$\$w0rd contains a banned password and no remaining unique characters so is given a score of 1 point. This is less than the required 5 points so will be rejected.

AzureAD!!111 contains a banned password (AzureAD!!) and has three remaining characters. However, the remaining characters are all the same (they're all 1s) so that is only one unique character. So that password will be given a score of 2. One for the banned password and 1 for the unique character. This is less than the required 5 points so will be rejected.

Password11 does not contain a banned password. Password11 contains 10 characters. However, there are two 's' and two '1' so there are 8 unique characters. Therefore, the password will be given a score of 8 points. This is more than the required 5 points so the password will be accepted.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-password-ban-bad> <https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-smart-lockout>

NEW QUESTION 202


- (Exam Topic 5)

Your network contains an on-premises Active Directory domain named Contoso.com.

Your company purchases a Microsoft 365 subscription and establishes a hybrid deployment of Azure Directory (Azure AD) by using password hash synchronization.

You create a new user User10 on-premises and a new user named User20 in Azure AD. You need to identify where an administrator can reset the password of each new user. What should you identify? To answer select the appropriate option in the answer area. NOTE: Each correct selection is worth one point.




User10: 

Azure AD only

On-premises Active Directory only

On-premises Active Directory or Azure AD

User20: 

Azure AD only

On-premises Active Directory only

On-premises Active Directory or Azure AD

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

If a user account is created in the on-premise Active Directory and synchronized to Azure Active Directory, you can reset the password of the user account in the on-premise Active Directory only.

If a user account is created in Azure Active Directory, you can reset the password of the user account in the Azure Active Directory only.

**NEW QUESTION 207**

- (Exam Topic 5)

You have a Microsoft 365 subscription.

You need to be notified to your personal email address when a Microsoft Exchange Online service issue occurs.

What should you do?

- A. From the Microsoft Outlook client configure an Inbox rule.
- B. From the Exchange admin center create a contact.
- C. From the Microsoft 365 admin center, customize the Service health settings.
- D. From the Microsoft 365 admin center, update the technical contact details

**Answer:** A

**NEW QUESTION 212**

- (Exam Topic 5)

You network contains an on-premises Active Directory domain named contoso.com. The domain contains a Microsoft Exchange Server 2019 organization.

You plan to sync the domain to Azure Active Directory (Azure AD) and to enable device writeback and group writeback.

You need to identify which group types will sync from Azure AD.

Which two group types should you identify? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point. NOTE: Each correct selection is worth one point.

- A. A security groups that uses the Dynamic Device membership type.
- B. An Office 365 group that uses the assigned membership type
- C. A security group that uses the Dynamic User membership type
- D. A security group uses the Assigned membership type
- E. An Office 365 group that uses the Dynamic User membership type

**Answer:** BE

**Explanation:**

Group writeback in Azure AD Connect synchronizes Office 365 groups only from Azure Active Directory back to the on-premise Active Directory.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-preview>

**NEW QUESTION 216**

- (Exam Topic 5)

You are developing a Microsoft Teams app that will use an Azure function to send scheduled messages from a bot to users. What is required for the Teams app to send a proactive message to the users?

- A. The users must send at least one message to the bot.
- B. The bot must be approved in Azure Active Directory (Azure AD).
- C. The bot must be granted admin access to the users.
- D. The Teams app must be added for each user.

**Answer:** A

**NEW QUESTION 220**

- (Exam Topic 5)

Your company has a Microsoft 365 subscription.

You upload several archive PST files to Microsoft 365 by using the Security & Compliance admin center. A month later, you attempt to run an import job for the PST files.

You discover that the PST files were deleted from Microsoft 365.

What is the most likely cause of the files being deleted? More than one answer choice may achieve the goal. Select the BEST answer.

- A. The PST files were corrupted and deleted by Microsoft 365 security features.
- B. PST files are deleted automatically from Microsoft 365 after 30 days.
- C. The size of the PST files exceeded a storage quota and caused the files to be deleted.
- D. Another administrator deleted the PST files.

**Answer: B**

**Explanation:**

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/faqimporting-pst-files-to-office-365> You can use the Office 365 Import Service to bulk-import PST files to Office 365 mailboxes.

When you use the network upload method to import PST files, you upload them to an Azure blob container named ingestiondata. If there are no import jobs in progress on the Import page in the Security & Compliance Center), then all PST files in the ingestiondata container in Azure are deleted 30 days after the most recent import job was created in the Security & Compliance Center.

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/faqimporting-pst-files-to-office-365>

**NEW QUESTION 223**

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:

admin@M365x981607.onmicrosoft.com

Microsoft 365 Password: \*yfLo7lr2&y

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10811525

You plan to migrate data from an on-premises email system to your Microsoft 365 tenant. You need to ensure that Debra Berger can import a PST file.

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Debra will need the Mailbox Import Export and Mail Recipients roles to be able to import PST files. These roles cannot be assigned directly to a user account. The way to assign just those two roles to a user is to create a new role group, assign the roles to the role group and add the user as a member.

- \* 1. Go to the Exchange admin center.
- \* 2. Select Permissions.
- \* 3. In the Admin roles section, click the plus (+) sign to create a new role.
- \* 4. Give the role group a name such as PST Import.
- \* 5. In the roles section, click the plus (+) sign.
- \* 6. Select the Mailbox Import Export and Mail Recipients roles and click Add to add the roles.
- \* 7. In the Members section, click the plus (+) sign.
- \* 8. Select Debra Berger then click Add then Ok to add Debra as a member of the new role group.
- \* 9. Click the Save button to save the new role group.

**NEW QUESTION 228**

- (Exam Topic 5)

You are developing a server-based application that has the following requirements:

- Prompt the user to fill out a form that contains a keyword.
- Search the Microsoft OneDrive folder for files that contain the keyword and return the results to the user
- Allow the user to select one of the files from the results.
- Copy the selected file to an Azure Blob storage container

Which four actions should the application perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Perform the following REST request.

POST /me/drive/items/{item-id}/copy

Store the weburl property in a variable.

Store the file in a Blob storage container.

Perform the following REST request.

GET /me/drive/root/search(q='{keyword}')

Store the @microsoft.graph.downloadurl property in a variable.

Answer Area

>

<

- A. Mastered  
B. Not Mastered

**Answer: A**

**Explanation:**

Actions

Perform the following REST request.

POST /me/drive/items/{item-id}/copy

Store the weburl property in a variable.

Store the file in a Blob storage container.

Perform the following REST request.

GET /me/drive/root/search(q='{keyword}')

Store the @microsoft.graph.downloadurl property in a variable.

Answer Area

>

<

Perform the following REST request.

GET /me/drive/root/search(q='{keyword}')

Store the @microsoft.graph.downloadurl property in a variable.

Store the file in a Blob storage container.

Perform the following REST request.

POST /me/drive/items/{item-id}/copy

#### NEW QUESTION 232

- (Exam Topic 5)

Your on-premises network contains a Microsoft Exchange Server 2019 organization. You purchase a Microsoft 365 E5 subscription. You need to integrate the on-premises network and Exchange Online. What should you do first?

- A. implement Azure AD Connect.  
B. Add a connector in Exchange Online.  
C. Run the Hybrid Configuration wizard  
D. install an Azure Active Directory (Azure AD) Application Proxy connector.

**Answer: A**

#### NEW QUESTION 233

- (Exam Topic 5)

You have a Microsoft 365 subscription that contains a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com. The tenant includes a user named User1. You enable Azure AD Identity Protection. You need to ensure that User1 can review the list in Azure AD Identity Protection of users flagged for risk. The solution must use the principle of least privilege. To which role should you add User1?

- A. Security reader  
B. User administrator  
C. Service administrator  
D. Reports reader

**Answer: A**

**Explanation:**

Either one of the following three roles can review the list in Azure AD Identity Protection of users flagged for risk:

- > Security Administrator
- > Global Administrator
- > Security Reader

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/reports-monitoring/concept-risky-sign-ins>

#### NEW QUESTION 236

- (Exam Topic 5)

You have Windows 10 devices that are managed by using Microsoft Endpoint Manager. All the devices have Microsoft Office 365 apps installed. You need to configure the proofing tool settings for the Office 365 apps. From the Microsoft Endpoint Manager admin center, what should you create?

- A. a device compliance policy  
B. an app configuration policy  
C. an app  
D. a device configuration profile

**Answer: B**

**NEW QUESTION 239**

- (Exam Topic 5)

Your company has a Microsoft Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com that contains a user named User1.

You suspect that an imposter is signing in to Azure AD by using the credentials of User1.

You need to ensure that an administrator named Admin1 can view all the sign in details of User 1 from the past 24 hours.

To which three roles should you add Admin1? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Security administrator
- B. Password administrator
- C. User administrator
- D. Compliance administrator
- E. Reports reader
- F. Security Reader

**Answer:** AEF

**Explanation:**

Users in the Security Administrator, Security Reader, Global Reader, and Report Reader roles can view the sign in details.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/reports-monitoring/concept-sign-ins>

**NEW QUESTION 241**

.....



## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### MS-100 Practice Exam Features:

- \* MS-100 Questions and Answers Updated Frequently
- \* MS-100 Practice Questions Verified by Expert Senior Certified Staff
- \* MS-100 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* MS-100 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The MS-100 Practice Test Here](#)**