

Microsoft

Exam Questions AZ-120

Planning and Administering Microsoft Azure for SAP Workloads



NEW QUESTION 1

- (Exam Topic 1)

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area	Statements	Yes	No
	After the migration, you can use Azure Site Recovery to back up the SAP HANA databases.	<input type="radio"/>	<input type="radio"/>
	After the migration, you can use SAP HANA Cockpit to back up the SAP ECC databases.	<input type="radio"/>	<input type="radio"/>
	After the migration, you can use SAP HANA Cockpit to back up SAP BW.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

YES YES NO

NEW QUESTION 2

- (Exam Topic 1)

You need to recommend a solution to reduce the cost of the SAP non-production landscapes after the migration. What should you include in the recommendation?

- A. Deallocate virtual machines when not in use.
- B. Migrate the SQL Server databases to Azure SQL Data Warehouse.
- C. Configure scaling of Azure App Service.
- D. Deploy non-production landscapes to Azure DevTest Labs.

Answer: D

Explanation:

Relevant use cases Dev/test environments for SAP workloads on Azure.

Noncritical SAP nonproduction workloads (such as sandbox, development, test, and quality assurance). Noncritical SAP business workloads.

References:

<https://docs.microsoft.com/en-us/azure/architecture/example-scenario/apps/sap-dev-test>

NEW QUESTION 3

- (Exam Topic 1)

You are evaluating which migration method Litware can implement based on the current environment and the business goals. Which migration method will cause the least amount of downtime?

- A. Use the Database migration Option (DMO) to migrate to SAP HANA and Azure during the same maintenance window.
- B. Use Near-Zero Downtime (NZDT) to migrate to SAP HANA and Azure during the same maintenance window.
- C. Migrate SAP to Azure, and then migrate SAP ECC to SAP Business Suite on HANA.
- D. Migrate SAP ECC to SAP Business Suite on HANA and then migrate SAP to Azure.

Answer: A

Explanation:

The SAP Database Migration Option (DMO) with System Move option of SUM, used as part of the migration allows customer the options to perform the migration in a single step, from source system on-premises, or to the target system residing in Microsoft Azure, minimizing overall downtime.

References:

<https://blogs.sap.com/2017/10/05/your-sap-on-azure-part-2-dmo-with-system-move/>

NEW QUESTION 4

- (Exam Topic 1)

You need to ensure that you can receive technical support to meet the technical requirements. What should you deploy to Azure?

- A. SAP Landscape Management (LaMa)
- B. SAP Gateway
- C. SAP Web Dispatcher
- D. SAP Router

Answer: A

Explanation:

Scenario: Ensure that SAP can provide technical support for all the SAP landscapes deployed to Azure. References:

<https://blogs.sap.com/2019/07/22/sap-landscape-management-on-microsoft-azure-part-1/>

NEW QUESTION 5

- (Exam Topic 2)
You have an SAP environment on Azure.
You use Azure Recovery Services to back up an SAP application server.
You need to test the restoration process of a file on the server.
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Download and run the mount disk executable

From Azure Cloud Shell, run the `Get-AzBackupItem` cmdlet

From Azure Recovery Vault, select **File Recovery**

Recover the file and unmount the disk

From Azure Cloud Shell, run the `Get-AzBackupRecoveryPoint` cmdlet

Answer Area

⏪

⏩

⬆

⬆

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Step 1: From Azure Recover Vault, select File Recovery
To restore files or folders from the recovery point, go to the virtual machine and choose the desired recovery point.
Step 2: Download and run the mount disk executable Step 3: recover the file and unmount the disk

File Recovery

v2win2012r2

✓ Step 1: Select recovery point

7/20/2017, 1:36:40 PM [Latest] (AppCo... ▼)

→ Step 2: Download script to browse and recover files

This script will mount the disks from the selected recovery point **as local drives on the machine where it is run**. These drives will remain mounted for 12 hours.

Download Executable *

Requires password to run

→ Step 3: Unmount the disks after recovery

Unmount disks and close the connection to the recovery point.

Unmount Disks

* Run this script on the machine where you want to copy the files

* To restore files larger than 10GB, restore entire VM to an alternate location or restore disks using PowerShell

* Data transfer rate: up to 1GB/Hr

If you have trouble finding your files, [click here](#)

NEW QUESTION 6

- (Exam Topic 2)

You plan to deploy an SAP environment on Azure.

During a bandwidth assessment, you identify that connectivity between Azure and an on-premises datacenter requires up to 5 Gbps.

You need to identify which connectivity method you must implement to meet the bandwidth requirement. The solution must minimize costs.

Which connectivity method should you identify?

- A. an ExpressRoute connection
- B. an Azure site-to-site VPN that is route-based
- C. an Azure site-to-site VPN that is policy-based
- D. Global VNet peering

Answer: B

Explanation:

Azure site-to-site VPN is cheaper. References:

<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/hybrid-networking/vpn>

NEW QUESTION 7

- (Exam Topic 2)

You recently migrated an SAP HANA environment to Azure.

You plan to back up SAP HANA databases to disk on the virtual machines, and then move the backup tiles to Azure Blob storage for retention.

Which command should you run to move the backups to the Blob storage?

- A. backint
- B. robocopy
- C. azcopy
- D. scp

Answer: C

Explanation:

To store directories and files on Azure storage, one could use CLI or PowerShell. There is also a ready-to-use utility, AzCopy, for copying data to Azure storage.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/sap-hana-backup-file-level>

NEW QUESTION 8

- (Exam Topic 2)

This question requires that you evaluate the underlined BOLD text to determine if it is correct.

You have an Azure resource group that contains the virtual machines for an SAP environment.

You must be assigned the Contributor role to grant permissions to the resource group.

Instructions: Review the underlined text. If it makes the statement correct, select “No change is needed”. If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed
- B. User Access Administrator
- C. Managed Identity Contributor
- D. Security Admin

Answer: B

Explanation:

Contributor - Can create and manage all types of Azure resources but can't grant access to others. User Access Administrator - Lets you manage user access to Azure resources.

References:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/overview>

NEW QUESTION 9

- (Exam Topic 2)

You have an on-premises SAP environment hosted on VMware vSphere. You plan to migrate the environment to Azure by using Azure Site Recovery. You need to prepare the environment to support Azure Site Recovery.

What should you deploy first?

- A. an on-premises data gateway to vSphere
- B. Microsoft System Center Virtual Machine Manager (VMM)
- C. an Azure Backup server
- D. a configuration server to vSphere

Answer: D

Explanation:

When you set up disaster recovery for on-premises VMware VMs, Site Recovery needs access to the vCenter Server/vSphere host so that the Site Recovery process server can automatically discover VMs, and fail them over as needed. By default the process server runs on the Site Recovery configuration server. Add an account for the configuration server to connect to the vCenter Server/vSphere host.

References:

<https://docs.microsoft.com/en-us/azure/site-recovery/vmware-azure-manage-vcenter>

NEW QUESTION 10

- (Exam Topic 2)

You plan to migrate an on-premises SAP environment to Azure.

You need to identify whether any SAP application servers host multiple SAP system identifiers (SIDs). What should you do?

- A. Run SAP HAN A sizing report.
- B. From the SAP EarlyWatch Alert report, compare the physical host names to the virtual host names.
- C. Run the SAP Report from ABAPMeter.
- D. From the SAP EarlyWatch Alert report, compare the services to the reference objects

Answer: C

NEW QUESTION 10

- (Exam Topic 2)

You have an SAP ERP Central Component (SAP ECQ) environment on Azure.

You need to add an additional SAP application server to meet the following requirements:

- Provide the highest availability.
- Provide the fastest speed between the new server and the database. What should you do?

- A. Place the new server in a different Azure Availability Zone than the database.
- B. Place the new server in the same Azure Availability Set as the database and the other application servers.
- C. Place the new server in the same Azure Availability Zone as the database and the other application servers.

Answer: A

NEW QUESTION 15

- (Exam Topic 2)

You have an Azure subscription.

Your company has an SAP environment that runs on SUSE Linux Enterprise Server (SLES) servers and SAP HANA. The environment has a primary site and a disaster recovery site. Disaster recovery is based on SAP HANA system replication. The SAP ERP environment is 4 TB and has a projected growth of 5% per month. The company has an uptime Service Level Agreement (SLA) of 99.99%, a maximum recovery time objective (RTO) of four hours, and a recovery point objective (RPO) of 10 minutes.

You plan to migrate to Azure.

You need to design an SAP landscape for the company. Which options meet the company's requirements?

- A. Azure virtual machines and SLES for SAP application serversSAP HANA on Azure (Large Instances) that uses SAP HANA system replication for high availability and disaster recovery
- B. ASCS/ERS and SLES clustering that uses the Pacemaker fence agent SAP application servers deployed to an Azure Availability ZoneSAP HANA on Azure (Large Instances) that uses SAP HANA system replication for database high availability and disaster recovery
- C. SAP application instances deployed to an Azure Availability SetSAP HANA on Azure (Large Instances) that uses SAP HANA system replication for database high availability and disaster recovery
- D. ASCS/ERS and SLES clustering that uses the Azure fence agent SAP application servers deployed to an Azure Availability SetSAP HANA on Azure (Large Instances) that uses SAP HANA system replication for database high availability and disaster recovery

Answer: B

Explanation:

With Availability Zones, Azure offers industry best 99.99% VM uptime SLA. References:
<https://docs.microsoft.com/en-us/azure/traffic-manager/traffic-manager-faqs>

NEW QUESTION 19

- (Exam Topic 2)

You plan to deploy an SAP environment on Azure. The SAP environment will have landscapes for production, development, and quality assurance. You need to minimize the costs associated with running the development and quality assurance landscapes on Azure. What should you do?

- A. Create Azure Automation runbooks to stop, deallocate, and start Azure virtual machines.
- B. Create a scheduled task that runs the stopsap command.
- C. Configure scaling for Azure App Service.
- D. Configure Azure virtual machine scales sets.

Answer: B

NEW QUESTION 24

- (Exam Topic 2)

You deploy an SAP environment on Azure.

Your company has a Service Level Agreement (SLA) of 99.99% for SAP. You implement Azure Availability Zones that have the following components:

- * Redundant SAP application servers
- * ASCS/ERS instances that use a failover cluster
- * Database high availability that has a primary instance and a secondary instance

You need to validate the load distribution to the application servers. What should you use?

- A. SAP Solution Manager
- B. Azure Monitor
- C. SAPControl
- D. SAP Web Dispatcher

Answer: D

Explanation:

Load balancers. These are used to distribute traffic to virtual machines in the application-tier subnet. For high availability, use the built-in SAP Web Dispatcher, Azure Load Balancer, or network appliances, depending on the traffic type (such as HTTP or SAPGUI) or the required network services, such as Secure Sockets Layer (SSL) termination.

Reference:

<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/sap/sap-netweaver>

NEW QUESTION 26

- (Exam Topic 2)

You have an SAP production landscape on-premises and an SAP development landscape on Azure.

You deploy a network virtual appliance to act as a firewall between the Azure subnet and the on-premises network.

Solution: You configure a user-defined route table. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 29

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a complex SAP environment that has both ABAP- and Java-based systems. The current on-premises landscapes are based on SAP NetWeaver 7.0 (Unicode and Non-Unicode) running on Windows Server and Microsoft SQL Server.

You need to migrate the SAP environment to a HANA-certified Azure environment.

Solution: You migrate SAP to Azure by using Azure Site Recovery, and then you upgrade to SAP NetWeaver 7.4.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

We need upgrade to SAP NetWeaver 7.4 before the migration. Reference:
<https://docs.microsoft.com/en-us/azure/site-recovery/vmware-azure-architecture>

NEW QUESTION 30

- (Exam Topic 2)

You deploy on SAP environment on Azure.

You need to monitor the performance of the SAP NetWeaver environment by using the Azure Enhanced Monitoring Extension for What should you do first?

- A. From Azure CLI, install the Linux Diagnostic Extension.
- B. From the Azure portal, enable the Azure Network Watcher Agent.
- C. From the Azure portal, enable the Custom Script Extension.
- D. From Azure CL
- E. run the az v aem m set command.

Answer: B

NEW QUESTION 35

- (Exam Topic 2)

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
Oracle Real Application Clusters (RAC) can be used to provide high availability of SAP databases on Azure.	<input type="radio"/>	<input type="radio"/>
You can host SAP databases on Azure by using Oracle on a virtual machine that runs Windows Server 2016.	<input type="radio"/>	<input type="radio"/>
You can host SAP databases on Azure by using Oracle on a virtual machine that runs SUSE Linux Enterprise Server 12 (SLES 12).	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

Box 2: Yes

Oracle Database 12c Release 2 (12.2) is certified on Microsoft Windows Server 2016 (Standard, Datacenter, and Essentials Editions), which includes support for the database client, server, and Oracle Real Application Clusters.

Organizations can run SAP applications with Oracle databases on the same code base on Unix, Linux, and Windows operating systems.

Box 3: Yes References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/oracle/oracle-overview> <https://docs.oracle.com/en/database/oracle/oracle-database/12.2/ntdbn/index.html#>

NEW QUESTION 40

- (Exam Topic 2)

You are planning the Azure network infrastructure for an SAP environment.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
You can segregate the SAP application layer and the DBMS layer into different virtual networks that are peered by using Global Vnet peering.	<input type="radio"/>	<input type="radio"/>
You can segregate the SAP application layer and the DBMS layer into different subnets in the same virtual network.	<input type="radio"/>	<input type="radio"/>
If you segregate the SAP application layer and the DBMS layer into different peered virtual networks, you will incur costs for the data transferred between the virtual networks.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

Box 2: No

A design that's not supported is the segregation of the SAP application layer and the DBMS layer into different Azure virtual networks that aren't peered with each other. We recommend that you segregate the SAP application layer and DBMS layer by using subnets within an Azure virtual network instead of by using different Azure virtual networks.

Box 3: Yes

Be aware that network traffic between two peered Azure virtual networks is subject to transfer costs. Huge data volume that consists of many terabytes is exchanged between the SAP application layer and the DBMS layer. You can accumulate substantial costs if the SAP application layer and DBMS layer are segregated between two peered Azure virtual networks.

References:

https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/dbms_guide_general

NEW QUESTION 43

- (Exam Topic 2)

This question requires that you evaluate the underlined text to determine if it is correct.

When deploying SAP HANA to an Azure virtual machine, you can enable Write Accelerator to reduce the latency between the SAP application servers and the database layer.

Instructions: Review the underlined text. If it makes the statement correct, select "No change is needed". If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed
- B. install the Mellanox driver
- C. start the NIPING service
- D. enable Accelerated Networking

Answer: D

Explanation:

To further reduce network latency between Azure VMs, we [Microsoft] recommend that you choose Azure Accelerated Networking. Use it when you deploy Azure VMs for an SAP workload, especially for the SAP application layer and the SAP DBMS layer.

NEW QUESTION 47

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You deploy SAP HANA on Azure (Large Instances). You need to back up the SAP HANA database to Azure.

Solution: You use a third-party tool that uses backint to back up the SAP HANA database to Azure storage. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/backup/sap-hana-db-about>

<https://docs.microsoft.com/en-us/azure/backup/backup-azure-sap-hana-database#configure-backup>

NEW QUESTION 51

- (Exam Topic 2)

Your company has a an on-premises SAP environment.

Recently, the company split into two companies named Litware, inc and Contoso.Ltd. Litware retained the SAP environment.

Litware plans to export data that is relevant only to Contoso. The export will be 1.5 TB. Contoso build a new SAP environment on Azure.

You need to recommend a solution for Litware to make the data available to Contoso in Azure. The solution

must meet the following requirements: Minimize the impact on the network. Minimize the administrative effort for Litware.

What should you include in the recommendation.

- A. Azure Migrate
- B. Azure Databox
- C. Azure Site Recovery
- D. Azure import/Export service

Answer: C

NEW QUESTION 55

- (Exam Topic 2)

You have an SAP production landscape on-premises and an SAP development landscape on Azure.

You deploy a network virtual appliance to act as a firewall between the Azure subnet and the on-premises network.

Solution: You deploy an Azure Standard Load balancer. Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 57

- (Exam Topic 2)

You migrate an SAP environment to Azure.

You need to inspect all the outbound traffic from the SAP application servers to the Internet. Which two Azure resources should you use? Each correct answer presents part of the solution. Network Performance Monitor

- A. Azure Firewall
- B. Azure Traffic Manager
- C. Azure Load Balancer NAT rules
- D. Azure user-defined routes
- E. a web application firewall (WAF) for Azure Application Gateway

Answer: BE

NEW QUESTION 60

- (Exam Topic 2)

You have an SAP production landscape on-premises and an SAP development landscape on Azure.

You deploy a network virtual appliance to act as a firewall between the Azure subnet and the on-premises network.

Solution: You configure route filters for Microsoft peering. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 63

- (Exam Topic 2)

You plan to deploy an SAP environment on Azure.

You plan to store all SAP connection strings securely in Azure Key Vault without storing credentials on the Azure virtual machines that host SAP.

What should you configure to allow the virtual machines to access the key vault?

- A. Azure Active Directory (Azure AD) Privilege Identity Manager (PIM)
- B. role-based access control (RBAC)
- C. a Managed Service Identity (MSI)
- D. the Custom Script Extension

Answer: C

Explanation:

To reference a credential stored in Azure Key Vault, you need to:

- *1. Retrieve data factory managed identity
- *2. Grant the managed identity access to your Azure Key Vault
- *3. Create a linked service pointing to your Azure Key Vault.
- *4. Create data store linked service, inside which reference the corresponding secret stored in key vault.

References:

<https://docs.microsoft.com/bs-latn-ba/azure/data-factory/store-credentials-in-key-vault>

NEW QUESTION 68

- (Exam Topic 2)

You have an SAP environment on Azure that uses multiple subscriptions.

To meet GDPR requirements, you need to ensure that virtual machines are deployed only to the West Europe and North Europe Azure regions.

Which Azure components should you use?

- A. Azure resource locks and the Compliance admin center
- B. Azure resource groups and role-based access control (RBAC)
- C. Azure management groups and Azure Policy
- D. Azure Security Center and Azure Active Directory (Azure AD) groups

Answer: C

Explanation:

Azure Policy enables you to set policies to conform to the GDPR. Azure Policy is generally available today at no additional cost to Azure customers. You can use Azure Policy to define and enforce policies that help your cloud environment become compliant with internal policies as well as external regulations.

Azure Policy is deeply integrated into Azure Resource Manager and applies across all resources in Azure. Individual policies can be grouped into initiatives to quickly implement multiple rules. You can also use Azure Policy in a wide range of compliance scenarios, such as ensuring that your data is encrypted or remains in a specific region as part of GDPR compliance. Microsoft is the only hyperscale cloud provider to offer this level of policy integration built in to the platform for no additional charge.

References:

<https://azure.microsoft.com/de-de/blog/new-capabilities-to-enable-robust-gdpr-compliance/>

NEW QUESTION 73

- (Exam Topic 2)

You plan to migrate an SAP HANA instance to Azure.

You need to gather CPU metrics from the last 24 hours from the instance.

Solution: You query views from SAP HANA Studio. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The SAP HANA cockpit provides a single point of access to a range of SAP HANA administration and monitoring tasks. It is used to monitor and ensure the overall health of the system.

The HANA Monitoring dashboard also visualizes key HANA Metrics of SAP HANA system. References:

<https://developers.sap.com/tutorials/dt-monitoring-hana-part1.html> <https://www.hanatutorials.com/p/hana-monitoring-dashboard.html>

NEW QUESTION 75

- (Exam Topic 2)

You plan to deploy a high availability SAP environment that will use a failover clustering solution.

You have an Azure Resource Manager template that you will use for the deployment. You have the following relevant portion of the template.

```
    "apiVersion": "2017-08-01",
    "type": "Microsoft.Network/loadBalancers",
    "name": "load_balancer1",
    "location": "region",
    "sku":
      { "name": "Standard" },
    "properties": {
      "frontendIPConfigurations": [
        {
          "name": "frontend1",
          "zones": [ "1" ],
          "properties": {
            "subnet": {
              "Id": "[variables('subnetRef')]"
            },
            "privateIPAddress": "10.0.0.6",
            "privateIPAllocationMethod": "Static"
          }
        }
      ],
    },
  ],
}
```

What is created by the template?

- A. a zonal frontend IP address for the internal Azure Standard Load Balancer
- B. a zone-redundant frontend IP address for the internal Azure Basic Load Balancer
- C. a zone -redundant public IP address for the internal load balancer
- D. a zone-redundant frontend IP address for the internal Azure Standard Load Balancer

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/high-availability-guide-standard-load-ba>

NEW QUESTION 79

- (Exam Topic 2)

A company named Contoso, Ltd. has users across the globe. Contoso is evaluating whether to migrate SAP to Azure.

The SAP environment runs on SUSE Linux Enterprise Server (SLES) servers and SAP HANA databases. The Suite on HANA database is 4 TB.

You need to recommend a migration solution to migrate SAP application servers and the SAP HANA databases. The solution must minimize downtime.

Which migration solutions should you recommend? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

SAP application servers:

▼

AzCopy
Azure Site Recovery
SAP HANA system replication
System Copy for SAP Systems

SAP HANA databases:

▼

AzCopy
Azure Site Recovery
SAP HANA system replication
System Copy for SAP Systems

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Azure Site Recovery
Microsoft Azure Site Recovery (ASR) now supports SUSE Linux Enterprise Server 11 SP3/SP4 and SUSE Linux Enterprise Server 12 SP1/SP2/SP3. This is great for customers that are planning to migrate systems to Microsoft Azure or customers who need to have a business continuity strategy for their Azure deployments. Azure Site Recovery enables SUSE customers to migrate their non-Azure virtual machines or physical servers to Microsoft Azure virtual machines.
Box 2: System Copy for SAP Systems
In order to migrate an existing SAP HANA system into Azure, a SAP homogeneous system copy can be performed.
Reference: https://www.suse.com/c/asr_supports_suse/ <https://www.netapp.com/us/media/tr-4746.pdf>

NEW QUESTION 84

- (Exam Topic 2)
You deploy an SAP environment on Azure by following the SAP workload on Azure planning and deployment checklist.
You need to verify whether Azure Diagnostics is enabled. Which cmdlet should you run?

- A. Get-AzureVMAvailableExtension
- B. Get-AzVmDiagnosticsExtension
- C. Test-AzDeployment
- D. Test-VMConfigForSAP

Answer: B

Explanation:

The Get-AzVMDiagnosticsExtension cmdlet gets the settings of the Azure Diagnostics extension on a virtual machine.

NEW QUESTION 87

- (Exam Topic 2)
You deploy an SAP environment on Azure.
You need to configure SAP NetWeaver to authenticate by using Azure Active Directory (Azure AD).
Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Configure SAML single sign-on (SSO).

Add SAP NetWeaver from the Azure AD application gallery.

Add SAP Cloud Platform Identity from the Azure AD application gallery.

Create and upload the service provider metadata file to Azure AD.

Upload the FederationMetadata.xml file to the SAP NetWeaver Trusted Providers.

Implement Active Directory Federation Services (AD FS).

Answer Area


➤

➤

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 89

- (Exam Topic 2)

You have an Azure subscription.

You deploy Active Directory domain controllers to Azure virtual machines. You plan to deploy Azure for SAP workloads.

You plan to segregate the domain controllers from the SAP systems by using different virtual networks. You need to recommend a solution to connect the virtual networks. The solution must minimize costs. What should you recommend?

- A. a site-to-site VPN
- B. virtual network peering
- C. user-defined routing
- D. ExpressRoute

Answer: C

Explanation:

You can create custom, or user-defined, routes in Azure to override Azure's default system routes, or to add additional routes to a subnet's route table. In Azure, you create a route table, then associate the route table to zero or more virtual network subnets.

NEW QUESTION 93

- (Exam Topic 2)


You have a large and complex SAP environment on Azure.

You are designing a training landscape that will be used 10 times a year.

You need to recommend a solution to create the training landscape. The solution must meet the following requirements:

- Minimize the effort to build the training landscape.
- Minimize costs.

In which order should you recommend the actions be performed for the first training session? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/planning-guide>

NEW QUESTION 95

- (Exam Topic 2)

You are deploying an SAP environment on Azure that will use an SAP HANA database server.

You provision an Azure virtual machine for SAP HANA by using the M64s virtual machine SKU.

You need to set the swap space by using the Microsoft Azure Linux Agent (waagent) configuration file. Which two settings should you configure? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. ResourceDisk.EnableSwapEncryption=n
- B. AutoUpdate.Enabled=n
- C. ResourceDisk.SwapSizeMB=229376
- D. ResourceDisk.EnableSwap=y

Answer: CD

Explanation:

To create a swap file in the directory that's defined by the ResourceDisk.MountPoint parameter, you can update the /etc/waagent.conf file by setting the following three parameters:

ResourceDisk.Format=y ResourceDisk.EnableSwap=y ResourceDisk.SwapSizeMB=xx References:

<https://support.microsoft.com/en-us/help/4010058/how-to-add-a-swap-file-in-linux-azure-virtual-machines>

NEW QUESTION 100

- (Exam Topic 2)

You need direct connectivity from an on-premises network to SAP HANA (Large Instances). The solution must meet the following requirements:

- Minimize administrative effort.
- Provide the highest level of resiliency. What should you use?

- A. ExpressRoute Global Reach
- B. Linux IPTables
- C. ExpressRoute
- D. NGINX as a reverse proxy

Answer: C

Explanation:

The Azure network functionality used is:

Azure virtual networks are connected to the ExpressRoute circuit that connects to your on-premises network assets.

An ExpressRoute circuit that connects on-premises to Azure should have a minimum bandwidth of 1 Gbps or higher. This minimal bandwidth allows adequate bandwidth for the transfer of data between on-premises systems and systems that run on VMs. It also allows adequate bandwidth for connection to Azure systems from on-premises users.

All SAP systems in Azure are set up in virtual networks to communicate with each other. References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/hana-network-architecture>

NEW QUESTION 104

- (Exam Topic 2)

You plan to migrate an SAP HANA instance to Azure.

You need to gather CPU metrics from the last 24 hours from the instance. Solution: You use Monitoring from the SAP HANA Cockpit.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

The SAP HANA cockpit provides a single point of access to a range of SAP HANA administration and monitoring tasks. It is used to monitor and ensure the overall health of the system.

The HANA Monitoring dashboard also visualizes key HANA Metrics of SAP HANA system. Reference:

<https://developers.sap.com/tutorials/dt-monitoring-hana-part1.html> <https://help.sap.com/viewer/afa922439b204e9caf22c78b6b69e4f2/2.10.0.0/en-US>

<https://www.hanatutorials.com/p/hana-monitoring-dashboard.html>

NEW QUESTION 105

- (Exam Topic 2)

You have an Azure Availability Set that is configured as shown in the following exhibit.

```
PS Azure:\> get-azavailabilityset | Select Sku, PlatformFaultDomainCount, PlatformUpdateDomainCount, name, type | FL

Sku                : Aligned
PlatformFaultDomainCount : 2
PlatformUpdateDomainCount : 4
Name               : SAP-Databases-AS
Type               : Microsoft.Compute/availabilitySets
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Virtual machines that share [answer choice] will be susceptible to a storage outage.

	▼
aligned SKUs	
the same fault domain	
the same update domain	

Virtual machines in the Azure Availability Set can support [answer choice].

	▼
datacenter outages	
managed disks	
regional outages	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: the same fault domain

Fault domains define the group of virtual machines that share a common power source and network switch. If a storage fault domain fails due to hardware or software failure, only the VM instance with disks on the storage fault domain fails.

Box 2: managed disks

Managed disks provide better reliability for Availability Sets by ensuring that the disks of VMs in an Availability Set are sufficiently isolated from each other to avoid single points of failure. It does this by automatically placing the disks in different storage fault domains (storage clusters) and aligning them with the VM fault domain.

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/manage-availability>

NEW QUESTION 107

- (Exam Topic 2)

Your company has an SAP environment that contains the following components:

- > Linux Enterprise Server 12 (SLES 12)
- > Multiple SAP applications

The company plans to migrate all the applications to Azure.

You need to get a comprehensive list of all the applications that are part of the SAP environment. What should you use?

- A. the SAP license information
- B. the SAP Solution Manager
- C. the data volume management report
- D. the network inventory and locations

Answer: B

Explanation:

The SAP Solution Manager is a centralized robust application management and administration solution used to implement, support, operate and monitor your SAP enterprise solutions, SAP Solution Manager is a platform providing integrated content, tools, methodologies and access to SAP systems.

NEW QUESTION 109

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a complex SAP environment that has both ABAP- and Java-based systems. The current on-premises landscapes are based on SAP NetWeaver 7.0 (Unicode and Non-Unicode) running on Windows Server and Microsoft SQL Server.

You need to migrate the SAP environment to a HANA-certified Azure environment.

Solution: You upgrade to SAP NetWeaver 7.4, and then you migrate SAP to Azure by using Azure Site Recovery.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

We need upgrade to SAP NetWeaver 7.4 before the migration. Then Azure Site Recovery is used for the migration to Azure.

Reference:

<https://docs.microsoft.com/en-us/azure/site-recovery/vmware-azure-architecture>

NEW QUESTION 110

- (Exam Topic 2)

You are validating an SAP HANA on Azure (Large Instances) deployment.

You need to ensure that sapconf is installed and the kernel parameters are set appropriately for the active profile.

How should you complete the commands? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values

sap-ase

sap-bobj

sapconf

sap-hana

sap-netweaver

saptune

tuned

Answer Area

osprompt> more /etc/sysconfig/

Value

osprompt> more /usr/lib/tuned/

Value

/tuned.conf

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: sapconf

The configuration is split into two parts:

/etc/sysconfig/sapconf

/usr/lib/tuned/tuned.conf

Box 2: tuned References:

<https://www.suse.com/c/sapconf-a-way-to-prepare-a-sles-system-for-sap-workload-part-2/>

NEW QUESTION 115

- (Exam Topic 2)

You have an SAP environment on Azure.

You use Azure Site Recovery to protect an SAP production landscape.

You need to validate whether you can recover the landscape in the event of a failure. The solution must minimize the impact on the landscape.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Validate the SAP production landscape

Create a virtual network that has the same subnets as the SAP production landscape

Create a network security group (NSG) that restricts traffic to the primary region

Shut down production virtual machines

Select **Test failover** from the Recovery Plans blade

Add a public IP address to a management server in the disaster recovery region

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Create a virtual network...

We recommended that for test failover, you choose a network that's isolated from the production recovery site network specific in the Compute and Network settings for each VM. By default, when you create an Azure virtual network, it is isolated from other networks. The test network should mimic your production network:

The test network should have same number of subnets as your production network. Subnets should have the same names.

The test network should use the same IP address range.

Step 2: Add a public IP address...

Because Site Recovery does not replicate the cloud witness, we recommend that you deploy the cloud witness in the disaster recovery region.

Step 3: Shut down production virtual machines

Make sure that the primary VM is shut down when you run the test failover. Otherwise there will be two VMs with the same identity, running in the same network at the same time. This can lead to unexpected consequences.

Step 4: Select Test failover from the Recovery Plans blade

References:

<https://docs.microsoft.com/en-us/azure/site-recovery/site-recovery-test-failover-to-azure>

NEW QUESTION 120

- (Exam Topic 2)

You are designing the backup for an SAP database.

You have an Azure Storage account that is configured as shown in the following exhibit.

The cost of your storage account depends on the usage and the options you choose below.
[Learn more](#)

Account kind
 StorageV2 (general purpose v2)

Performance ⓘ
☒ Standard ☐ Premium

* Secure transfer required ⓘ
☐ Disabled ☒ Enabled

Access tier (default) ⓘ
☒ Cool ☐ Hot

Replication ⓘ

Azure Active Directory authentication for Azure Files (Preview) ⓘ
☒ Disabled ☐ Enabled

Data Lake Storage Gen2
 Hierarchical namespace ⓘ
☒ Disabled ☐ Enabled

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Data in the storage account is stored on [answer choice].

Backups will be replicated [answer choice].

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: standard solid-state drives (SSDs)

Standard SSD Managed Disks, a low-cost SSD offering, are optimized for test and entry-level production workloads requiring consistent latency.

Box 2: to another Azure region

Geo-redundant storage (GRS) copies your data synchronously three times within a single physical location in the primary region using LRS. It then copies your data asynchronously to a single physical location in a secondary region that is hundreds of miles away from the primary region.

References:

<https://azure.microsoft.com/en-us/pricing/details/managed-disks/>

<https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy#geo-redundant-storage>

NEW QUESTION 123

- (Exam Topic 2)

You plan to deploy an SAP environment on Azure that will use Azure Availability Zones. Which load balancing solution supports the deployment?

- A. Azure Basic Load Balancer
- B. Azure Standard Load Balancer
- C. Azure Application Gateway v1 SKU

Answer: B

Explanation:

When you deploy Azure VMs across Availability Zones and establish failover solutions within the same Azure region, some restrictions apply:

- You can't use an Azure Basic Load Balancer to create failover cluster solutions based on Windows Server Failover Clustering or Linux Pacemaker. Instead, you need to use the Azure Standard Load Balancer SKU.

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/sap-ha-availability-zones>

NEW QUESTION 124

- (Exam Topic 2)

You have an on-premises SAP environment hosted on VMware VSphere that uses Microsoft SQL Server as the database platform.

You plan to migrate the environment to Azure. The database platform will remain the same. You need gather information to size the target Azure environment for the migration.

What should you use?

- A. the SAP EarlyWatch report
- B. Azure Advisor
- C. the SAP HANA sizing report
- D. Azure Monitor

Answer: B

Explanation:

Azure Advisor provides recommendations for Application Gateway, App Services, availability sets, Azure Cache, Azure Data Factory, Azure Database for MySQL, Azure Database for PostgreSQL, Azure Database for MariaDB, Azure ExpressRoute, Azure Cosmos DB, Azure public IP addresses, SQL Data Warehouse, SQL servers, storage accounts, Traffic Manager profiles, and virtual machines.

Note: Advisor is a personalized cloud consultant that helps you follow best practices to optimize your Azure deployments. It analyzes your resource configuration and usage telemetry and then recommends solutions that can help you improve the cost effectiveness, performance, high availability, and security of your Azure resources.

With Advisor, you can:

Get proactive, actionable, and personalized best practices recommendations.

Improve the performance, security, and high availability of your resources, as you identify opportunities to reduce your overall Azure spend.

Get recommendations with proposed actions inline. Reference:

<https://docs.microsoft.com/en-us/azure/advisor/advisor-overview>

NEW QUESTION 127

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AZ-120 Practice Exam Features:

- * AZ-120 Questions and Answers Updated Frequently
- * AZ-120 Practice Questions Verified by Expert Senior Certified Staff
- * AZ-120 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AZ-120 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AZ-120 Practice Test Here](#)