



**HP**

## **Exam Questions HPE2-T37**

Using HPE OneView

## About ExamBible

### *Your Partner of IT Exam*

## Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

## Our Advances

### \* 99.9% Uptime

All examinations will be up to date.

### \* 24/7 Quality Support

We will provide service round the clock.

### \* 100% Pass Rate

Our guarantee that you will pass the exam.

### \* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### NEW QUESTION 1

You Just downloaded a logical enclosure support dump, but you cannot extract files from the downloaded support dump. What is a likely cause of the issue?

- A. The support dump for Logical Enclosure can be analyzed only using special tool.
- B. The support dump is encrypted and cannot be unpacked
- C. The support dump does not have a valid HPE OneView certificate
- D. The backup user role must be used to extract the support dump

**Answer:** A

#### NEW QUESTION 2

Which parameters can be defined in a server profile template for HPE Synergy Compute Modules? (Select two.)

- A. partition layout for servers running Linux.
- B. iLO IPv4 or IPv6 address.
- C. local storage and BIOS settings.
- D. NIC teaming setup at OS level.
- E. network and storage connectivity.

**Answer:** CE

#### NEW QUESTION 3

You want to update the firmware for only two HPE Synergy Virtual Connect SE 32Gb FC Modules of a large environment. From which level must this procedure be initiated?







- A. Logical Enclosure
- B. Logical Interconnect Group
- C. Logical Interconnect
- D. Server Profile

**Answer:** A

#### NEW QUESTION 4

Refer to the exhibit.

##### Connections

ID	Name	Network	Port	Boot	
1	e1	<u>Eth-1</u> Untagged	Mezzanine 3:1-a	Not bootable	 
Type		Ethernet			
MAC address		94:40:C9:6C:24:24 (p)			
Requested virtual functions		None			
Requested bandwidth		2.5 Gb/s			
Link Aggregation group		None			
2	f1	<u>FC-A</u> Fabric Attach	Mezzanine 3:1-b	Not bootable	 
Type		Fibre Channel			
WWPN		20:00:94:40:c9:6c:24:26 (p)			
WWNN		10:00:94:40:c9:6c:24:26 (p)			
MAC address		94:40:C9:6C:24:26 (p)			
Requested bandwidth		2.5 Gb/s			
3	f2	<u>FC-B</u> Fabric Attach	Mezzanine 3:2-b	Not bootable	 
Type		Fibre Channel			
WWPN		20:00:94:40:c9:6c:24:27 (p)			
WWNN		10:00:94:40:c9:6c:24:27 (p)			
MAC address		94:40:C9:6C:24:27 (p)			
Requested bandwidth		2.5 Gb/s			

Add connection

Which statement about server connections is true?

- A. LACP on downlinks is configured for Ethernet connection
- B. All connections within the server profile are using physical IDs
- C. Ethernet connection is configured to boot from PXE
- D. Storage array is connected directly to an HPE Synergy frame

**Answer:** C

#### NEW QUESTION 5

You try to add an HPE Primera array to HPE OneView, but you get a connectivity error. However, you can connect to the array using SSMC. What should you verify before adding HPE Primera to HPE OneView?

- A. whether WSAPI service is enabled on HPE Primera array.

- B. whether the appropriate license for HPE Primera Is available in HPE OneView.
- C. whether array management using HPE OneView is enabled in SSMC.
- D. whether there are at least two Fibre Channel networks defined in HPE OneView.

**Answer:** A

#### NEW QUESTION 6

You try to add a new connection within a server profile, but an operation fails when you try to commit the changes.  
What is a possible reason?

- A. You tried to add additional connection above the limit
- B. The server is powered on
- C. The server does not have an HPE OneView license applied
- D. The server is powered off

**Answer:** B

#### NEW QUESTION 7

Your customer wants to use HPE OneView for VMware vCenter Server to simplify management of their VMware cluster running on HPE Synergy. The customer is concerned with the cost of additional licenses.

How will you explain licensing rules for this product?

- A. As long as the customer has HPE OneVtew Global Dashboard deployed, HPE OneView for VMware vCenter Server does not require any additional licenses.
- B. One HPE OneView for VMware vCenter Server license is required per HPE Synergy frame if more than 10 Compute Modules are installed in the frame.
- C. If the number of the HPE Synergy Compute Modules installed in HPE Synergy frame is less than 10, no license is required to use HPE OneView tor VMware vCenter Server.
- D. As long as the server is managed using HPE OneVie
- E. the customer can use HPE OneView for VMware vCenter Server without additional licenses.

**Answer:** B

#### NEW QUESTION 8

How can your customer implement HPE OneView so that it can be used to manage an HPE ProLiant server and HPE BladeSystem?

- A. As an application running on the server with Windows system.
- B. As a physical appliance based on HPE ProLiant 360 Gen 10.
- C. As an application running on the server with CentOS Linux system
- D. As a virtual appliance running on the supported hypervisor.

**Answer:** D

#### NEW QUESTION 9

For HPE Primera, match each task with the management tool that can be used to perform it.

HPE OneView	HPE StoreServ Management Console		<b>Answer Area</b>	<b>Tool</b>	<b>Task</b>
					Replication configuration
					Volume to host presentation
					Automated zoning with SAN Manager
					Adding new storage pool

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Graphical user interface, application Description automatically generated

#### NEW QUESTION 10


A customer has to deploy 21 HPE Synergy Compute Modules in a boot from SAN setup. How this task can be simplified while keeping the profile consistent?

- A. Boot volumes can be created on demand and defined in the server profile template.
- B. Boot volumes can be prepared in advance and later presented as shared volumes to the Compute Modules.
- C. An existing volume can be replicated automatically when creating a server profile.
- D. single SAN volume can be created and utilized by all HPE Synergy Compute Modules.

**Answer:** A

#### NEW QUESTION 10

Click the option that will allow you to disable virtual MAC addresses or generate a new pool of virtual Worldwide Names.



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**  
 Networks

#### NEW QUESTION 12

What event occurs on iLO when an HPE ProLiant server is added to HPE OneView?

- A. IPMI credentials are configured for the iLO
- B. REST API plugin is enabled for iLO
- C. Active Directory configuration is performed on iLO
- D. SSO certificate is added to the iLO

**Answer:** B

#### NEW QUESTION 13

what is required to add a remote frame to the primary management ring?

- A. UUID of the remote HPE Composer
- B. Serial number of one of the remote frames
- C. Remote frame Link Module IPv6 address
- D. Request code from the primary HPE Composer

**Answer:** D

#### NEW QUESTION 18

Which action is allowed on storage pools managed by HPE OneView?

- A. Volume provisioning
- B. Setting storage pool replication
- C. Changing storage pool RAID level
- D. Changing storage pool capacity

**Answer:** A

#### NEW QUESTION 23

Which connection type can be defined within a server profile for an HPE ProLiant DL server?

- A. iSCSI
- B. RoCE
- C. FC
- D. Ethernet

**Answer:** C

#### NEW QUESTION 27

Your customer plans to monitor HPE ProLiant DL systems and HPE BladeSystem using HPE OneView. Which license is required to accomplish this task?

- A. HPE One View Global Dashboard license
- B. HPE OneView Advanced license
- C. HPE composer 2 license
- D. HPE OneView standard license

**Answer:** D

#### NEW QUESTION 30

Your customer is considering HPE Synergy as a hardware platform for visualization workload. The customer environment is wry dynamic, and they often have to modify hypervisor networking.

Which resource provided by HPE should you discuss with this customer?

- A. HPE OneView Global Dashboard allows server profile replication and change management.
- B. PowerShell Library for HPE OneView allows scripted environment modification.
- C. HPE OneView for VMware vCenter Server will enable host profile functionality and simplify changes.
- D. HPE Image Streamer provides templates which can be updated to map the hypervisor requirements

**Answer:** C

#### NEW QUESTION 31

You want to put two FlexNICs into a single Link Aggregation Group within a server profile. What Is a prerequisite for this setup?

- A. The sFlow option must be enabled and configured.
- B. Both FlexNICs must be connected to the same network.
- C. The Compute Module profile must have exactly two connections defined.
- D. An upgrade license must be purchased and deployed.

**Answer:** B

#### NEW QUESTION 32

Your customer wants to manage their HPE Superdome Flex using HPE OneView. Which component must be added to HPE OneView to accomplish this task?

- A. Baseboard Management Controller (BMC)
- B. Rack Management Controller (RMC)
- C. all nPARs created within the complex
- D. only the base chassis from the complex

**Answer:** A

#### NEW QUESTION 37

A customer wants to estimate the cost of the licenses required to manage HPE Synergy and some external components When component includes an HPE OneView license for management?

- A. Compute Module
- B. Storage Array
- C. Master Module
- D. Logical Enclosure

**Answer:** A

#### NEW QUESTION 41

Click option that will allow you to select a FlexNIC function for the specified connection.

Add Connection

General

Name

Management

Function Type

Ethernet

Network

Eth-1

✕ 🔍

Port

Auto

✕ 🔍

Link aggregation group

None

✕ 🔍

Requested bandwidth (Gb/s)

2,5

Requested virtual functions

☒ None

☐ Custom

☐ Auto

Boot

Not bootable

☐ Use user-specified IDs

Add

Add +

Cancel

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

Graphical user interface Description automatically generated

NEW QUESTION 44

You ate implementing an HPE Synergy solution with multiple frames in one management ring. Image Streamer is not a part of this solution. How can an IPv4 address pool defined by the administrator be used In HPE OneView?

- A. to provide static IP addresses to IL0 and interconnect modules if applicable  
B. to provide static IP addresses for an operating system running on a Compute Module  
C. to provide static IP addresses for Logical Interconnects and Logical Enclosures  
D. to provide static IP addresses for storage systems managed in HPE OneView

Answer: A

NEW QUESTION 46

Click the option from the HPE OneView main menu that will allow you to define UPS or other components that will work as a placeholder in a rack system.



- A. Mastered  
B. Not Mastered



Answer: A

Explanation:



#### NEW QUESTION 47

Which HPE components can be managed using HPE Composer? (select two.)

- A. HPE Superdome Flex 280
- B. HPE Synergy Virtual Connect SE 32Gb FC Module
- C. HPE Synergy 480 Compute Modules
- D. HPE B-series SN6600B Fibre Channel Switch
- E. HPE MSA 2062 Storage Array

Answer: BD

#### NEW QUESTION 48


You have created volumes using array management tools and imported the volumes to HPE OneView. Which statement about these volumes is true?

- A. Imported volumes are treated as private volumes and can be only used as boot volumes
- B. Volumes imported to HPE OneView is managed just like a volume created using HPE OneView
- C. Volumes imported to HPE OneView cannot be removed using the HPE OneView interface
- D. A snapshot for imported volumes can be created only by using array management tools

Answer: A

#### NEW QUESTION 50

Click the option that will prevent the appliance from sending any email notifications or forwarding any SNMP traps that are related to the server hardware.





- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, application Description automatically generated

**NEW QUESTION 54**

You configured downlink aggregation for one of the HPE Synergy Compute Modules in an environment by placing two connections in the same Link Aggregation Group. After you made the changes to the server profile, its status changed to critical.


What can be done to fix this issue?

- A. The teaming or bonding driver in the server OS must be configured to enable the LACP and to form the LAG correctly.
- B. The server profile for a given HPE Synergy compute module should be reapplied, then the Compute Module should be rebooted.
- C. Link Aggregation Group functionality should be enabled in advanced properties of the Logical Interconnect.
- D. Ensure that the Link Aggregation Group time-out value matches the server set values.

**Answer:** C

**NEW QUESTION 58**

You need to make sure that server ports connected to this network cannot communicate with each other within the logical interconnect. Click the option within the network definition that will allow you to configure the required parameter.



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Tagged

**NEW QUESTION 62**

Which operation can be performed using HPE OneView for VMware vCenter Server?

- A. Remove a new node from an existing cluster
- B. Create a new VMware cluster within vCenter Server
- C. Configure VMware cluster properties for HA and DRS
- D. Create a new distributed switch for cluster connectivity

**Answer:** A

**NEW QUESTION 64**

What is required to add remote frame link topology to HPE OneView?

- A. The HPE OneView certificate from the primary site must be added to HPE OneView in the remote site.
- B. The IP address assigned to HPE Composer installed in a remote site must be registered in a primary site.
- C. Multi-site licenses must be added to HPE OneView and activate for all available HPE Synergy frames.
- D. Management ports of the remote frame link topology must be connected to the management LAN.

**Answer:** D

**NEW QUESTION 67**

For each feature, indicate whether it is available with both hpe oneview Standard and hpe oneview Advanced licenses, or only with an hpe oneview Advanced license.

Answer Area	License	Feature
both Standard and Advanced		Firmware management
only Advanced		Remote Support
		Reporting
		Smart Search, Activity View, Dashboard

- A. Mastered  
B. Not Mastered

Answer: A

**Explanation:**  
Graphical user interface, application Description automatically generated

NEW QUESTION 69  
.....

## Relate Links

**100% Pass Your HPE2-T37 Exam with Exambible Prep Materials**

<https://www.exambible.com/HPE2-T37-exam/>

## Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>