

Sharing-and-Visibility-Designer Dumps

Salesforce Certified Sharing and Visibility Designer (SP19)

<https://www.certleader.com/Sharing-and-Visibility-Designer-dumps.html>



NEW QUESTION 1

Which two access grants are stored in the Group Maintenance tables? Choose 2 answers

- A. Inherited access grants
- B. Explicit grants
- C. Group Membership grants
- D. Implicit grants

Answer: AC

NEW QUESTION 2

What is the best practice for testing sharing and visibility changes?

- A. Use Administrative and User reports to view the Active Users.
- B. Use the Login As feature for a sample user in each role and profile.
- C. Use Field Audit Trail to audit the field meta-data and visibility.
- D. Use the Sharing button to test Profile and Permission set changes.

Answer: B

NEW QUESTION 3

Universal Containers would like to restrict users' access to export reports What option supports this requirement?

- A. Remove the "Report Manager" user permission.
- B. Remove the Export button from the report page layout.
- C. Remove "Allow Export" on the report folder settings.
- D. Remove the "Export Reports" profile permission.

Answer: D

NEW QUESTION 4

The Architect at Universal Containers has created a List View to show all open Opportunities that were created in the last month, and would like to make this list view visible to certain groups of users. Which two options are available to the Architect for sharing the List View?

- A. Public Groups
- B. Profiles
- C. Roles and Subordinates
- D. Manual Sharing

Answer: AC

NEW QUESTION 5

Sales manager want their team members to help each other close Opportunities. The Opportunity and .. private. To grant Opportunity access to sales reps on the same team, ownership-based sharing rules ..
What is the side effect of this approach?

- A. Sales Reps on the same team will have Edit access to the Accounts for Opportunity owned by their.
- B. Sales reps on the same will have Read access to the Accounts for Opportunities owned by their.
- C. All sales reps will have Read access to all Accounts.
- D. All sales reps will have Read access to Accounts for all Opportunities.

Answer: C

NEW QUESTION 6

Universal Containers (UC) stores basic employee information in a custom Employee object (OWD –Public Read Only). There are a few sensitive fields that need restricted access (salary, grade level, last performance rating).
Other than field level security, what other options are available to make these fields accessible to the Human Resource team?

- A. Create a new custom object with private OWD and Lookup relationship to Employee to store new restricted information.
- B. Change OWD of Employee custom object to private and a Lookup self-relationship to store only new restricted information.
- C. Create a new custom object controlled by parent and a Master-Detail relationship to Employee to store new restricted information.
- D. There are no other option besides using field level security.

Answer: D

NEW QUESTION 7

Universal Containers has developed an AppExchange managed package for their distribution partners, which required a private key to be generated for each partner and used by the code. Universal Containers support representatives must be able to access the private key value to debug connection issues, but it must not be possible for the partner to access the value.
How can the Architect best support this requirement?

- A. Store the value in a text field on a protected custom setting in the package.
- B. Store the value in a static variable in a class included in the managed package.
- C. Store the value in the text field on a list custom setting in the managed package.
- D. Store the value in an encrypted field on a custom object in the package.

Answer: C

NEW QUESTION 8

Universal container (UC) use External Object to retrieve Invoice data from a Legacy ERP. A finance team requested to have access to the Invoice records in the account page.

In addition to objects access in the finance users profile, what other feature should a Sales Architect recommend?

- A. Create a criteria-based sharing rule to grant access to the records.
- B. Include the Invoice Related List On Account Page layout.
- C. Create an owner-based sharing rule to grant access to the records.
- D. Use APEX managed sharing to grant access to the records.

Answer: D

NEW QUESTION 9

Which three capabilities are available with Enterprise Territory Management? Choose 3 answers

- A. Create a public group with Territory
- B. Share a report or dashboard folder with a Territory
- C. Metadata API Support
- D. Integration with Collaborative Forecasting
- E. Assignment of Territory on Opportunities

Answer: CDE

NEW QUESTION 10

Susan posts a file to the Chatter feed for a record of an object.

Which two statements accurately describe who can view the file by default?

- A. Susan and users with a shared Chatter post for the file.
- B. Susan and users with the View all Data permission.
- C. Susan and users with access to the record.
- D. Susan only

Answer: BC

NEW QUESTION 10

After testing and deploying a new trigger that does creates a related order when a opportunity is closed, the .. complaints of permission error messages appearing when closing an opportunity.

How did this error occur?

- A. The trigger should be using RunAs() when creating the order.
- B. Trigger is using IsCreateable() Apex method and the user doesn't have create permission on the Oder object.
- C. The trigger handlers class does not use any sharing keywords and the user not have access to the orders related to the opportunity.
- D. The trigger handler class is using "with sharing" and the user does not have access to the orders related to the opportunity.

Answer: B

NEW QUESTION 12

Universal Containers has a global 24x7 Salesforce.com implementation that supports Sales, Services, Order Management, and various other parts of their business. They have a nested territory hierarchy, 10,000 sales users, and 20,000 support agents. Territory changes happen daily. The demand for new applications and changes to the platform is high and they follow an agile development methodology and deliver new releases every two weeks on the platform.

What Salesforce.com feature would help the system recover from a maintenance restart on Salesforce.com servers?

- A. Enable Granular Locking on the system.
- B. Enable Deferred Sharing Rule recalculation.
- C. Enable Parallel Sharing Rule recalculation.
- D. Enable Filter -Based Opportunity Territory Assignment.

Answer: B

NEW QUESTION 14

Which two options are available to share a Report or Dashboard folder with other users in the Organization? Choose 2 answers

- A. Profiles
- B. Public Groups
- C. Roles
- D. Teams

Answer: BC

NEW QUESTION 16

Sales Operations at Universal Container (UC) wants to create the opens to fiber appropriates for center. In which two ways can UC hide list that are not relevant to an individual use since there will be Choose 2 answers.

- A. Share the list views with the appropriate queue.
- B. Share the list views with the appropriate individual users.
- C. Share the list views with the appropriate public group.
- D. Share the list views with the appropriate role in the role hierarchy

Answer: C

NEW QUESTION 21

Partner users can access records belonging to users in their account at their same role or lower in the role hierarchy, for Cases, Leads, Opportunities and Custom Objects. Which of the following access has to be given?

- A. Super user permission

Answer: A

NEW QUESTION 22

Which two reasons should the Architect consider regarding the use of Apex Sharing Reasons? Choose 2 answers

- A. Ensuring the developer can more easily troubleshoot programmatic sharing.
- B. Ensuring the Share record is not deleted upon ownership change.
- C. Ensuring the Share record is deleted upon ownership change.
- D. Ensuring there is additional criteria available for Criteria-Based Sharing.

Answer: AB

NEW QUESTION 27

Universal Containers has selected a small and diverse group of users to review Inactive accounts. Given the Private sharing model, a public group was created and made available to this group of users. A sharing rule was created to make inactive Accounts visible to the public group. However some of these users are reporting they don't see any of the Accounts that were shared with the public group. what is the underlying Issue for these users?

- A. The users are In profiles that have no access to the Account object.
- B. The page layout assigned to these mart to different than the Account owner
- C. The users have a permission set that only allow Accounts in 'Active' status.
- D. The Accounts ire owned by users higher In the role hierarchy.

Answer: A

NEW QUESTION 30

What advanced tool can Salesforce enable for Large-scale role hierarchy realignments?

- A. Set external organization-wide default to public read only
- B. Skinny Table Indexing
- C. Granular locking
- D. Partitioning by Divisions

Answer: C

NEW QUESTION 35

What advanced tool can Salesforce enable for large-scale role hierarchy realignment?

- A. Granular locking
- B. Partitioning Division
- C. Set external organizational-wide default to public read only
- D. Skinny Table Indexing

Answer: A

NEW QUESTION 38

Universal Containers has a custom Job object with a private sharing model. Based on the size and location of the Job, different teams must have access to edit the specific Job record. To support this requirement, Apex Managed Sharing has been implemented to share records with the required users. Since the teams change frequently, managed sharing recalculations need to be manually run frequently. What can the Architect do to optimize this process?

- A. Change the sharing model on the Job object to Public Read/Write.
- B. Create a scheduled job to automatically run the sharing recalculations on a nightly basis.
- C. Create public groups for each team, and share the jobs with the groups instead of users.
- D. Create a custom Visualforce page to edit the jobs and specify Without Sharing on the controller.

Answer: C

NEW QUESTION 41

Universal Containers has set Partners users who will see records owned by partner users in roles below them in the hierarchy of which roles?

- A. Executive, Manager, and User

Answer: A

NEW QUESTION 42

Universal Containers (UC) provides shipment tracking for its customers on a custom Shipment object. The .. yearly by the customers should be available on the Account record to the Marketing team, but the Marketing Shipment records.

What recommend should an Architect provide to accomplish this?

- A. Public organization-wide default on Shipment, process builder, and lookup relationship to Account.
- B. Private organization-Wide default on Shipment, rollup summary, and Master-Detail relationship to Account.
- C. Controlled by Parent (Account) on Shipment, trigger, and trigger, and Master-Detail relationship to Account.
- D. Private organization-wide default on Shipment, trigger, and Lookup relationship to Account,

Answer: C

NEW QUESTION 46

Sales reps at Universal Containers (UC) complain about the manual activities they need to perform in order to grant access to supporting internal users (legal, engineering, finance, and so forth) for customer records when they need help. In general, the sales reps involved in the deals will not change.

How can a Salesforce architect help IK to Improve sales reps productivity?

- A. Create a permission set with "view all data" and assign to supporting users.
- B. Create a public group and replace the account ownership with it.
- C. Create a criteria-based sharing rule to grant access to other users.
- D. Leverage default Account team.

Answer: CD

NEW QUESTION 48

Universal containers (UC) implemented a private organization-wide default for the Container and Case objects.

How can UC give support representatives access to Container and Case records owned by Customer Community users?

- A. Create an ownership-based sharing rule that gives access to the head of support role and internal subordinates
- B. Create a criteria-based sharing rule that gives access to the head of support role and internal subordinates
- C. Support representatives nil automatically get access to these records via the role hierarchy
- D. Create a Share Group based on the sharing set created for the Customer Community User Profile.

Answer: D

NEW QUESTION 52

Universal Containers uses 75,000 distributors that have close to 1 million total users. Distributors need opportunities assigned to the distributor for delivery.

What license recommendation will meet distributor needs?

- A. Sales Cloud
- B. Customer Community Plus
- C. Partner Community
- D. Customer Community

Answer: C

NEW QUESTION 57

Universal Containers has a set of Account Management users that should only see Accounts once the Account becomes a customer. The Type field on the Account identifies whether the Account is a Prospect, Customer, Partner or Other. Which two methods could an Architect use to enable this sharing requirement, assuming a private sharing model for Accounts?

Choose 2 answers.

- A. Institute a process that calls for the Account Manager to be added to the Account Team once the Account becomes a customer.
- B. Create an Account Sharing Rule that shares all Accounts owned by Sales to be shared with Account Management roles and subordinates.
- C. Create a Public List View, where Accounts of Type Customer are included and share the List view with the Account Management public group.
- D. Create a Criteria-based Sharing rule that shares the Account to the Account Management Group when the Type is Customer.

Answer: AD

NEW QUESTION 60

Universal Containers (UC) has Affiliates who sell containers in countries' where UC does not have a local office Community to manage the sales cycle. One of their affiliates has exponentially grown in the last years and .. with the following structure:

Sales VP ..> Direct of Sales .. > Sales Manager ..> Sales Reps

UC would like to have the ability to open up access to the sales opportunities according to the above structure. What is the main problem a Salesforce Architect will face to provide a solution?

- A. Super User does not work in Partner Community.
- B. Partner Community does not support Role Hierarchy.
- C. The Channel manager Role can not be shared with Partner Community.
- D. Partner User Roles are limited to three levels.

Answer: D

NEW QUESTION 61

The Collections department at Universal Containers uses Salesforce to track its efforts. All Invoices and Invoice Line Items are stored in Salesforce. Invoice Line Item object details, such as Quantity and Extended Amount, should be summarized at the Invoice Object level, and all users who can see a given invoice should always see all invoice line items. Without leveraging Apex code, how should an Architect create the relationship between the Invoice object and the Invoice Line Item Object?

- A. The Invoice object should have a Master-Detail to the Invoice Line Item Object
- B. The Invoice Line Item Object should have a Lookup to the Invoice Object
- C. The Invoice Object should have an inner join to the Invoice Line Item Object
- D. The Invoice Line Item Object should have a Master-Detail to the Invoice Object

Answer: D

NEW QUESTION 66

The Finance team at Universal Containers usually does not need access to Account and Contract records. A user is given Opportunity access for a big deal to help with tax calculation. She can now also access Account and Contract records. Which two reasons could be causing this issue? Choose 2 answers.

- A. Contact records can be accessed due to implicit sharing from Account.
- B. Account records can be accessed due to implicit sharing from Opportunity.
- C. Contact records can be accessed due to implicit sharing from Opportunity.
- D. Account records can be accessed due to role hierarchy.

Answer: AB

NEW QUESTION 70

Universal Containers (UC) is implementing Sales Cloud. During the last quarter of the financial year, they requested a solution in Salesforce to allow them to specify an assistant agent on the opportunity. The system should automatically remove access from the previous assistant and ..

What is the optimum solution to meet the requirements?

- A. Use share group to share opportunities with the assistant agent.
- B. Use opportunity team and create an assistant field, use apex to share opportunities with the assistant
- C. Use sharing rule to share opportunities with the assistant agent.
- D. Use apex sharing to share and unicast opportunities with the assistant agent.

Answer: D

NEW QUESTION 75

Universal Containers has a strict security model enforced through object, field, and row-based security mechanisms. The Architect would like to ensure the security model is being thoroughly tested using Apex automated tests. Which three considerations should be made when using the `runAs()` method to design Apex unit tests?

- A. `runAs()` does not enforce user permissions or field-level permissions in test classes
- B. `runAs()` can be used inside of test classes to validate record-level security
- C. `runAs()` can be used inside of test classes to validate field-level permissions
- D. `runAs()` can be used outside of test classes to bypass record-level security
- E. `runAs()` counts towards total DML statements issued within transaction

Answer: ABE

NEW QUESTION 79

A Visualforce controller has a requirement to be written with "Without Sharing" at the top level; however, certain methods within the page still need to enforce the user permissions for creating records and accessing certain fields. Which two methods below would be used to enforce this requirements? Choose 2 answers.

- A. `Schema.DescribeFieldResult`
- B. `Schema.getGlobalDescribe`
- C. `UserInfo.getProfileID`
- D. `Schema.DescribeSObjectResult`

Answer: AD

NEW QUESTION 81

Universal Health is planning to store patient notes in Salesforce. Patient notes consist of long text notes taken by a user to document phone calls with a patient. A data audit has identified that these notes can contain Personally Identifiable Information (PII) and Personal Health Information (PHI). The regulatory requirements state that this data must be encrypted at rest as well as in transit. What should the Architect do in order to make sure Universal Health stays compliant?

- A. No action is required; all Salesforce data is encrypted at rest as part of Salesforce's standard trust measures.
- B. Enable Salesforce Shield Platform Data Encryption and mark the patient notes field as encrypted.
- C. Create a new Custom Field of type "Text (Encrypted)" and move the patient notes data into the new field.
- D. Use an Apex trigger and the Apex Crypto class to encrypt patient notes as soon as they are saved to Salesforce.

Answer: B

NEW QUESTION 86

Universal Containers has developed Apex code to manually create AccountShare records to grant specific users access to individual Accounts. What must the

Architect do to ensure the AccountShare records are not deleted when the owner of the Account is changed?

- A. Create the share records and set the RowCause to a custom Apex Sharing Reason
- B. Create the share records in a class with the "Without Sharing" keyword
- C. Create the share records with the Delete on Owner Change field set to false
- D. Create the share records and set the RowCause to Manual

Answer: A

NEW QUESTION 88

Universal Containers has a custom object, Employee Review, with an Organization-Wide Default security setting of Private. A user lookup on the Employee Review object is populated when a reviewer is assigned to perform a review. How can this user be granted edit access to the record if they are not the owner?

- A. The user will be granted access to the record automatically when the user lookup is populated.
- B. Create a workflow rule to share the Employee Review record with the user in the lookup field.
- C. Create an Apex trigger to insert an Employee Review Share record with an access level of Edit.
- D. Create a criteria-based sharing rule to share the record with the user in the lookup field.

Answer: D

NEW QUESTION 93

What should the Architect do to ensure Field-Level Security is enforced on a custom Visualforce page using the Standard Lead Controller?

- A. Use the "With Sharing" keyword on the Standard Lead Controller.
- B. Nothing; Field-Level Security will automatically be enforced.
- C. Use the `{!Schema.sObjectType.Lead.fields.isAccessible()}` expression
- D. Use the `Schema.SObject.Lead.isAccessible()` method.

Answer: B

Explanation:

```
<apex:outputText value="{!contactName}" rendered="{!$ObjectType.Contact.fields.Name.Accessible}" />
```

NEW QUESTION 96

A developer at Universal Container is building an integration within a managed package for their internal org that requires login to an external system. The end point requires basic authentication. The Architect would like to ensure that the username and password are managed securely. Which three options should the Architect recommend to secure the credentials?

- A. Store the credentials in a custom object using encrypted fields
- B. Store the credentials in named credentials that are used in the apex callout
- C. Store the credentials in the apex code, which will not be available to non-admins
- D. Store the credentials in protected custom metadata that are used in the apex callout
- E. Store the credentials in protected custom settings that are used in the apex callout

Answer: BDE

NEW QUESTION 101

Universal Containers has a custom object to maintain Job information with a private sharing model. The Delivery group is distributed through the Role Hierarchy based on geography. As the Delivery group often collaborates on Jobs, all users in the Delivery profile required View access to all Job records. In special case, the Delivery user who owns a job must be able to grant a Product Development user access to a Job record. Which two platform features can be used to support these requirements?

Choose 2 answers

- A. Criteria-based Sharing Rules
- B. "View All" Profile settings
- C. Owner-based Sharing Rules
- D. Manual Sharing

Answer: BD

NEW QUESTION 103

Universal Containers (UC) has implemented Customer Community with customer community license for .. any record owned by its customers should be accessible by UC users in the customer support role.

How can an Architect configure the system to support the requirements?

- A. Sharing Set
- B. Share Group
- C. Apex Sharing
- D. Sharing Rule

Answer: B

NEW QUESTION 108

Universal Containers (UC) has a custom Apex class that enforces a business process and updates opportunities. UC has noticed that fields with field level security permission of read only on certain users' profiles are being updated by this class.

How should the architect fix this problem?

- A. Add With Sharing keyword to the class,
- B. Put the code in an inner class that uses the With Sharing keyword.
- C. Use the IsUpdateable() Apex method to test each field prior to allowing update.
- D. Use the WITH SECURITY_ENFORCED keyword in the SOQL statement.

Answer: D

NEW QUESTION 112

Universal Containers (UC) has recently changed its internal policy to follow market regulations and create an internal team to manage the collection process. Only this team should have access to Invoice records. currently, invoice is a child in a Master-Detail relationship to Account. Although related lists have been removed from the page layouts, some profiles stills have access to the invoice object.

Which approach should an architect recommend to fix this problem?

- A. Create a new Profile with no access to the Invoice object and assign it to all unauthorized users.
- B. Create a Permission Set with No Access to the Invoice object and assign it to unauthorized users.
- C. Replace Account and Invoice Master Detail Relationship by a Lookup and remove Invoice Access from the unauthorized profiles,
- D. Change the Invoice organization-wide default from Controlled by Parent to Private and remove invoice access from the unauthorized

Answer: D

NEW QUESTION 116

Which two capabilities does the delegated administrator permission provide? Choose 2 answers

- A. Assign users profiles
- B. Unlock users
- C. Set OWD
- D. Create profiles

Answer: AB

NEW QUESTION 119

User A at Universal Containers is in the default account team for User B. User B owns the ACME account and changed User A's team member access to the account. What is the impact of this change?

- A. Changes affect the default Opportunity team.
- B. Changes affect only the ACME Account
- C. Changes affect the default Account team.
- D. Changes affect all child ACME Accounts.

Answer: B

NEW QUESTION 122

At Universal Containers, Accounts and Contracts are normally visible to all employees, and Proposals center owner and managers. However, some Proposals are considered confidential and are managed by a Strategic should not be visible to anyone in the Sales group other than owner and the strategic team.

How should the architect design for this requirement?

- A. Proposal Owner set to the Strategic Deals Team Queue and create an center- base sharing rule to grs
- B. Disable Grant Access Using Hierarchies and set an Owner_Based Sharing rule for Strategic Deals team
- C. Proposal Owner set to the Strategic Deals Team Queue and set the Account relationship to Master-Dvt.
- D. Disable Grant Access Using Hierarches and set a Criteria-based Sharing rule for Strategic Deals team.

Answer: D

NEW QUESTION 124

Universal Containers is planning to pilot a new application to a small set of Sales Reps.

What is the optimal way to grant inly this Sales Reps access to the new functionality, while hiding ..

- A. Clone the Sales Rep profile, adjust settings, and assign the pilot users the new profile.
- B. Revoke access to legacy function in the Sales Rep profile and create a permission set for the ..
- C. Create a permission set to grant access to the new functionality and hide the old functionality.
- D. Create new user records for the pilot user that they will use for the pilot.

Answer: A

NEW QUESTION 127

Which two options can help mitigate the risks of import failures associated with large-volume bulk data loads? Choose 2 answers.

- A. Minimize user group hierarchy.
- B. Defer Sharing Calculation.
- C. Increase batch size.
- D. Group records by ParentID within a batch.

Answer: BD

NEW QUESTION 131

Universal Containers (UC) sales managers are complaining that they cannot access their teams' Shipment records (a custom object). Initially, the admin suggested that this is happening due to misconfigured role hierarchy (Shipment OWD is Private). After investigation, they determined the role hierarchy for these users is correct.

What can be the reason why Universal Containers sales managers are not able to see Shipment records?

- A. The Grant Access Using hierarchies option on Shipment Sharing Settings was incorrectly disabled by the Salesforce admin.
- B. Role hierarchy Implicit sharing was Incorrectly disabled by the Salesforce admin.
- C. Ownership-based sharing rule for Shipment was Incorrectly disabled by the Salesforce admin.
- D. Sales managers have only the Read permission on the Shipment object and should not be able to edit their team records.

Answer: A

NEW QUESTION 133

Universal Containers has implemented a strict software architecture for their custom Apex code. One of the requirements is that all SOQL queries are contained within reusable classes. Depending on the context of the Apex transaction, the queries should be able to run either "With Sharing" or "Without Sharing". Which two ways allow the Architect to meet these requirements?

Choose 2 answers.

- A. Create a reusable SOQLQueries class; do not specify "With" or "Without Sharing" on the SOQLQueries class.
- B. Create a reusable SOQLQueries class; do not specify "With" or "Without Sharing" on the SOQLQueries class and use the runAs() method to dynamically set the context.
- C. Create a reusable SOQLQueries class; specify "With Sharing" on the methods that require user context and "Without Sharing" on the methods requiring system context.
- D. Create a SystemSOQLQueries class and a UserSOQLQueries class; set the "With Sharing" keyword on the User SOQLQueries class and "Without Sharing" on the SystemSOQLQueries class.

Answer: CD

NEW QUESTION 136

How should the Architect ensure that OBJECT-LEVEL SECURITY is enforced within a custom Visualforce application that was a standard Apex controller on the Lead object?

- A. Use the runAs() method to enforce user permissions in the Apex controller.
- B. Use the Schema.DescribeSObjectResult.isAccessible() method in the Apex controller.
- C. Use the {!\$ObjectType.lead.accessible} expression within the Visualforce page.
- D. Use the "With Sharing" keyword when defining the Visualforce page.

Answer: C

NEW QUESTION 141

Universal Containers (UC) uses a custom Visualforce page to display shipment tracking information (custom object, private OWD) to field manager and agents. The IT team wants to make sure that users have access to only the information that is allowed. Which Apex method must be used to make sure only allowed fields are shown to the users?

- A. isReadable()
- B. isShowable()
- C. isAccessible()
- D. isViewable()

Answer: C

NEW QUESTION 143

Universal Containers has two custom objects: Job and Job Interview. The Job Interview object has a lookup relationship to Job. Both objects are set to Private in sharing settings. The HR team will own all Job and Job Interview records. They have asked their Salesforce Architect to automatically share the Job Interview when the Interviewer (lookup to user record) has been populated. The interviewer can be from any department. What method should the Architect use to achieve this requirement?

- A. Build apex Managed Sharing code to share Job Interview with the Interviewer user
- B. Build a criteria-based sharing rule between the Job Interview and the Interviewer
- C. Build a standard sharing rule between Job Interview and the Interviewer
- D. Build a workflow email notification to notify the interviewer of the record assignment

Answer: A

NEW QUESTION 145

Universal Containers has successfully implemented a large Service Cloud rollout for their national call center 3 months ago. One of their largest customer accounts, United Automotive, has over 15,000 open cases. Agents are now having trouble opening new cases for United Automotive. When they try to create a case, the following Error messages appear for them: UNABLE_TO_LOCK_ROW. They notice that this only occurs for the United Automotive account. If they try to save the case again it will usually work, but the problem seems to be happening more and more often. What option should the Architect recommend?

- A. Review the Account structure to split the United Automotive account into multiple branch accounts.
- B. Review the Customer Service Profile to ensure that they have Read/Write access to the appropriate Case and Account Fields.
- C. Review all Case Sharing Rules and consolidate where appropriate to reduce the total number of sharing rules.
- D. Review all Account sharing rules to ensure that the Customer Service team has Read/Write access to the United Automotive Account.

Answer: A

NEW QUESTION 148

What feature in Salesforce is needed to restrict access to a custom object that has Public Read/Write access?

- A. Role Hierarchy
- B. Record Type
- C. Page Layout
- D. Profile

Answer: D

NEW QUESTION 149

Universal Containers (UC) wants to reduce the amount of redundant leads entered into the system. UC.. only edited/reassigned by the lead owner. What organization-wide default (OWD) approach should be recommended to help UC implement these ..

- A. Implement a Public Read Only OWD on Lead.
- B. Implement a Public Read Only/Transfer OWD on Lead
- C. Implement a private OWD on Lead.
- D. Implement a Public Read/Write OWD on Lead.

Answer: A

NEW QUESTION 153

Which two settings are available in profiles, but not permission sets? Choose 2 answers.

- A. Tab Settings
- B. Record Types
- C. Page Layout Assignments
- D. Login Hours

Answer: CD

NEW QUESTION 158

Universal Containers (UC) works with a dealer network to sell their products. There are approximately 5,000 dealers that do business with UC and UC has purchased a Partner Community to interact with each of their dealers on Opportunities. Each dealer is structured so that there are a group of managers who will oversee a larger team of agents. UC would like to set the Organization-Wide Defaults to Private for the Opportunity object, both internally and externally. Within each dealer, there are a few agents called Lead Agents who should be able to see the Opportunities for all of the other Agents at the dealer. What is the optimal solution for an Architect to recommend?

- A. Add a Sharing Set that shares Opportunities to the Lead Agent based on the Lead Agents Account.
- B. Build an Apex Managed Sharing rule that will assign specific Opportunities to Lead Agents.
- C. Grant Super User access to the Lead Agents as part of the Community user setup.
- D. Create a Sharing Rule to share opportunities to the owner's manager's role and below.

Answer: C

NEW QUESTION 161

Universal Containers' organization wide-defaults model is private for the Account object. A sales repeats to opportunity records. Which level of access will the sales rep have to the related account record?

- A. No access
- B. Read/Create/Edit access
- C. Read/Create access
- D. Read-only access

Answer: D

NEW QUESTION 163

The Corporate Identity and Access Team needs to audit User setup in the Salesforce .. What two permissions should be granted to this team so they can perform their audit? Choose 2 answers

- A. View permission on the User object
- B. View Setup and Configuration
- C. View All Users
- D. View All Data

Answer: B

NEW QUESTION 167

Universal Containers would like to create a custom team solution that can be used on a custom Loan object. The following requirements must be met: The Loan custom object should be set to Private in the Org-Wide Defaults.

Any user added to the Custom Team object should have Read Only access to the corresponding Loan record. If the Custom Team record is marked as "Primary" then the corresponding user should have Read/Edit access to the corresponding Loan record.

Which two methods will allow the Architect to meet the requirements? Choose 2 answers.

- A. Create a custom trigger on the Custom Team object that inserts or updates records in the Loan_share object.
- B. Create a criteria-based sharing rule on the Loan object that will share the Loan record with the appropriate user in the Custom Team object.
- C. Create Apex Sharing Reasons on the Loan object to identify the reason the Loan record was share.

D. Create an owner-based sharing rule on the Custom Team object that will share the Loan record to the owner of the Custom Team record.

Answer: BD

NEW QUESTION 172

Universal Containers (UC) operates worldwide with offices in more than 100 regions in 10 different countries role hierarchy to control data visibility. In the new fiscal year, UC is planned to reorganize the roles and rea..

Which two point should an Architect consider in this situation? Choose 2 answers

- A. Using a temporary parking lot account to improve performance.
- B. Changing complex role hierarchy can cause a high level of sharing recalculation.
- C. Restricting the organization-sharing configurations to private.
- D. Replacing Account records ownerships massively can cause data skew.

Answer: BD

NEW QUESTION 173

Universal Containers maintains Job information in a Custom Object that contains sensitive information. The only users who should be able to view and edit Job records are the user who owns the record and all users in the Delivery profile. Which three platform sharing tools are required to support the above requirements? Choose 3 answers.

- A. Grant access Using Hierarchy sharing setting on the Job Object set to false.
- B. "Modify All" permission for Job Object on the Delivery Profile.
- C. Criteria-Based sharing rule for the Delivery Profile on the Job Object.
- D. Organization-Wide Default sharing setting of Private on the Job Object.
- E. "View All Data" profile permission on the Delivery Profile.

Answer: ABD

NEW QUESTION 174

Universal Containers has just deployed a change to its role hierarchy. A manager is reporting that their staff can now see Accounts that they do not own and should not have access to. How should the Architect troubleshoot?

- A. While logged in as the System Administrator, use the Field Accessibility Viewer to view a matrix of who has access to Accounts.
- B. While logged in as the one of the Staff members, navigate to a sample account and use the Sharing button to determine who has access.
- C. While logged in as the one of the Staff members, navigate to their user record and inspect their profile and role membership.
- D. While logged in as the System Administrator, use the Field Accessibility Viewer to view a matrix of who has access to Accounts.

Answer: B

NEW QUESTION 178

Universal Container is creating a custom VF page to allow user to edit contact records. The developer has used an apex:outputField for the Phone field on the contact obj. What is the expected behavior if a user without FLS accesses the VF page?

- A. The user encounters an error while saving the record
- B. The field is automatically removed from the page
- C. The output field is visible to user
- D. The user is able to enter a value into the phone field

Answer: B

NEW QUESTION 180

Which three areas should the Architect review in order to increase performance of "Record Access" and "Sharing" calculations? Choose 3 answers.

- A. Custom Object data, to ensure that no Account has more than 10,000 Custom Objects that look up to it.
- B. Opportunity data, to ensure that no Account has more than 10,000 Opportunity records that are related to it.
- C. Record ownership, to ensure that no user owns more than 10,000 Object records in the system.
- D. Apex Managed Sharing triggers, to ensure that no trigger is querying more that 10,000 Object records.

Answer: ABC

NEW QUESTION 181

Universal Container has a set of Account management users that should only see accounts once the account becomes a customer. The type field on the Account identifies whether the account is a prospect, customer, partner, or other. Which two methods could an Architect use to enable this sharing requirement, assuming a private sharing model for accounts? Choose two:

- A. Create a public list view, where accounts of type customer are included and share the list view with account management public group
- B. Institute a business process that calls for the account manager to be added to the account team once the account becomes a customer
- C. Create an account sharing rule that shares all accounts owned by sales to be shared with account management roles and subordinates
- D. Create a criteria-based sharing rule that shares the account to the account management group when the type is customer

Answer: BD

NEW QUESTION 183

Universal Containers has junction object called "Job Production Facility", with 2 master-detail relationships to the Job and Production Facility custom objects. Both master records have a private sharing model.

What statement is true if a user's profile allows access (Create/Read) to the Job, but no access to the Production Facility Object?

- A. The user will be granted read access to the Production Facility record
- B. The user will see the junction object and the link to the Production Facility.
- C. The user will see the junction object but not the link to the Production Facility.
- D. The user will not be able to see the junction object records or the field values.

Answer: D

NEW QUESTION 184

Universal Containers keeps product brochures in Salesforce as files. Sarah shares a public link to a product during a meeting. She wants to ensure they do not have access to the file after the meeting.

How should Sarah accomplish this?

- A. Move the file to another folder
- B. Rename the file.
- C. Delete the file.
- D. Delete the public link.

Answer: D

NEW QUESTION 186

Which three advanced tools can Salesforce enable for large-scale role hierarchy realignments in organizations with large data volumes?

Choose 3 answers.

- A. Partitioning by Divisions
- B. Granular Locking
- C. Parallel Sharing Rule Recalculation
- D. Deferred Sharing Calculation
- E. Skinny Table Indexing

Answer: ADE

NEW QUESTION 188

After testing and deploying a new trigger that creates a related order when a opportunity is closed, the Architect begins receiving complaints of permission error messages appearing when closing an opportunity.

How did this error occur?

- A. The trigger should be using RunAs() when creating the order.
- B. Trigger is using IsCreateable() Apex method and the user doesn't have create permission on the Order object.
- C. The trigger handlers class does not use any sharing keywords and the user does not have access to the orders related to the opportunity.
- D. The trigger handler class is using "with sharing" and the user does not have access to the order related to the opportunity.

Answer: D

NEW QUESTION 191

Universal Containers has recently implemented an integration that is populating 50 custom fields on the account object. They would like these fields to be available to Managers for reporting but do not want them to clutter the page layouts. What should the Architect recommend as a solution?

- A. Add the fields to the Managers' Account Page Layout; mark the page layout section as Collapsed.
- B. Grant the Managers access to the fields using a Role-Based Sharing Rule; leave them hidden on the page layout.
- C. Add the fields to a Custom Report; grant the Managers' Role access to the report folder.
- D. Grant Managers access to the fields using Field-Level Security; do not add them to a page layout.

Answer: D

NEW QUESTION 192

When you make changes to roles and groups Salesforce locks the entire group membership table, which makes it impossible to process group changes in multiple threads to increase throughput on updates.

- A. Granular Locking

Answer: A

NEW QUESTION 195

Which two are potential vulnerabilities in the following code snippet? <apex:page> <apex:form>

<apex:outputText value="Enter Name"/> <apex:inputText value="{!name}" /> <apex:commandButton value="Query" action="{!query}" /> </apex:form>

</apex:page> public class SOQLController { public String name { get { return name;} set {name=value;} } public PageReference query() { String

qryString='SELECT Id FROM Contact WHERE '+ '(IsDeleted = false and Name like \'' + name + '\')'; queryResult = Database.query(qryString); return null; } }

Choose 2 answers

- A. FLS check
- B. SOQL Injection
- C. Data Access Control
- D. Arbitrary Redirects

Answer: BC

NEW QUESTION 196

Universal Containers created a custom object called Defect and would like to enable the Sharing button on the Defect page layout to share the records manually to other users in the organization. In which scenario will the Sharing button appear?

- A. The Sharing model is either Private or Public Read only.
- B. The Sharing button always appears.
- C. The Sharing model is Public Read/Write.
- D. The Sharing model is Public Read/Write/Transfer.

Answer: A

NEW QUESTION 200

Universal Containers would like to track defects within Salesforce. A defect need to have the following fields:

- Severity
- Type
- Status
- Description

There will be multiple Defects related to the standard Case object. Defects will be assigned to different owners which will often be different to the Case owner. Which option should the Architect choose to meet the requirement?

- A. Create a relationship between the standard defect object and the standard case object.
- B. Create a custom object for defects and relate it to cases using lookup
- C. Create all defect fields on the case object to track the defect and lookup.
- D. Create a custom object for defects and relate it to cases using master –detail

Answer: B

NEW QUESTION 204

What is the security vulnerability in the following code snippet? <apex:form>

```
<apex:commandButtonrerender="outputIt" value="Update It"/> <apex:inputText value="{!myTextField}"/>
```

```
<apex:form> <apex:outputPanel id="outputIt"> Value of my Textfield is <apex:outputText Value="{!myTextField}" escape="false"/> <apex:outputPanel>
```

- A. SOQL Injection
- B. Arbitrary Redirects
- C. Cross-Site Scripting
- D. Access Control

Answer: C

NEW QUESTION 206

Which users have access to Opportunity records owned by an external user, assuming no other changes to the sharing model have been implemented?

- A. The record owner and any user above the external user in the role hierarchy.
- B. The record owner only.
- C. The record owner and any user below the external user in the role hierarchy.
- D. The record owner and all internal users.

Answer: A

NEW QUESTION 207

Universal Container (UC) is in a legal dispute regarding several orders. UC has found out these records VP of Sales has asked to ensure this cannot happen in the future.

What approach would meet this requirement?

- A. Remove Order delete Permission from Profiles and Permission Sets
- B. Implement a Sharing Rule that changes access for order to Read.
- C. Remove the Delete button from the Order Page Layout.
- D. Change the Record Type/Page Layout assignment for orders to be Read Only.

Answer: AD

NEW QUESTION 208

Universal Containers regularly uploads large amounts of parent and child records into Salesforce to maintain integrations with other systems that update their date in scheduled batches or continuously in real time. Which two situations may pose a risk of producing locking errors? Choose 2 answers.

- A. Updates to child records that have the same parent records are being processed simultaneously in separate transactions.
- B. Updates to parent and child records are being processed in the same batch.
- C. Updates to parent records and their child records being processed simultaneously in separate threads.
- D. Updates to parent and child records are being processed synchronously in the same threads.

Answer: AC

NEW QUESTION 212

Universal Containers has the following requirements: A custom Loan object requires Org-Wide Defaults set to Private. The owner of the Loan record will be the Loan Origination Officer. The Loan record must be shared with a specific Underwriter on a loan-by-loan basis. The Underwriters should only see the Loan records for which they are assigned. What should the Architect recommend to meet these requirements?

- A. Use criteria-based sharing rules to share the Loan object with the Underwriter based upon the criteria defined in the criteria-based sharing
- B. Create a lookup relationship from the Loan object to the User object
- C. Use a trigger on the Loan object to create the corresponding record in the Loan share object
- D. Create a master-detail relationship from the Loan to the User object
- E. Loan records will be automatically shared with the Underwriter
- F. Create an Apex Sharing Reason on the Loan object that shares the Loan with the Underwriter based upon the criteria defined in the Sharing Reason

Answer: B

NEW QUESTION 217

Universal Container is a global Telco that has recently implemented enterprise territory management to better align their sales teams and sales processes. They are in Q4 of the FY and they have completely revamped their territory structure and created a plan for a new structure that would support the new FY. Their current territory model has 8k territories. Their new model would be a new set of 8,5K territories, and their org limit is 10k.

What enterprise territory management feature can US take advantage of in order to help them stay within their org limits?

- A. Territory type priority
- B. Territory Type
- C. Territory Model State
- D. Territory Hierarchy

Answer: C

NEW QUESTION 218

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your Sharing-and-Visibility-Designer Exam with Our Prep Materials Via below:

<https://www.certleader.com/Sharing-and-Visibility-Designer-dumps.html>