

Google

Exam Questions Professional-Cloud-Security-Engineer

Google Cloud Certified - Professional Cloud Security Engineer



NEW QUESTION 1

In a shared security responsibility model for IaaS, which two layers of the stack does the customer share responsibility for? (Choose two.)

- A. Hardware
- B. Network Security
- C. Storage Encryption
- D. Access Policies
- E. Boot

Answer: CD

NEW QUESTION 2

Your team sets up a Shared VPC Network where project co-vpc-prod is the host project. Your team has configured the firewall rules, subnets, and VPN gateway on the host project. They need to enable Engineering Group A to attach a Compute Engine instance to only the 10.1.1.0/24 subnet. What should your team grant to Engineering Group A to meet this requirement?

- A. Compute Network User Role at the host project level.
- B. Compute Network User Role at the subnet level.
- C. Compute Shared VPC Admin Role at the host project level.
- D. Compute Shared VPC Admin Role at the service project level.

Answer: C

NEW QUESTION 3

A customer has an analytics workload running on Compute Engine that should have limited internet access. Your team created an egress firewall rule to deny (priority 1000) all traffic to the internet.

The Compute Engine instances now need to reach out to the public repository to get security updates. What should your team do?

- A. Create an egress firewall rule to allow traffic to the CIDR range of the repository with a priority greater than 1000.
- B. Create an egress firewall rule to allow traffic to the CIDR range of the repository with a priority less than 1000.
- C. Create an egress firewall rule to allow traffic to the hostname of the repository with a priority greater than 1000.
- D. Create an egress firewall rule to allow traffic to the hostname of the repository with a priority less than 1000.

Answer: C

NEW QUESTION 4

Your team needs to configure their Google Cloud Platform (GCP) environment so they can centralize the control over networking resources like firewall rules, subnets, and routes. They also have an on-premises environment where resources need access back to the GCP resources through a private VPN connection. The networking resources will need to be controlled by the network security team.

Which type of networking design should your team use to meet these requirements?

- A. Shared VPC Network with a host project and service projects
- B. Grant Compute Admin role to the networking team for each engineering project
- C. VPC peering between all engineering projects using a hub and spoke model
- D. Cloud VPN Gateway between all engineering projects using a hub and spoke model

Answer: A

NEW QUESTION 5

Your team wants to limit users with administrative privileges at the organization level. Which two roles should your team restrict? (Choose two.)

- A. Organization Administrator
- B. Super Admin
- C. GKE Cluster Admin
- D. Compute Admin
- E. Organization Role Viewer

Answer: AB

NEW QUESTION 6

A patch for a vulnerability has been released, and a DevOps team needs to update their running containers in Google Kubernetes Engine (GKE). How should the DevOps team accomplish this?

- A. Use Puppet or Chef to push out the patch to the running container.
- B. Verify that auto upgrade is enabled; if so, Google will upgrade the nodes in a GKE cluster.
- C. Update the application code or apply a patch, build a new image, and redeploy it.
- D. Configure containers to automatically upgrade when the base image is available in Container Registry.

Answer: B

NEW QUESTION 7

When working with agents in a support center via online chat, an organization's customers often share pictures of their documents with personally identifiable information (PII). The organization that owns the support center is concerned that the PII is being stored in their databases as part of the regular chat logs they retain for review by internal or external analysts for customer service trend analysis.

Which Google Cloud solution should the organization use to help resolve this concern for the customer while still maintaining data utility?

- A. Use Cloud Key Management Service (KMS) to encrypt the PII data shared by customers before storing it for analysis.
- B. Use Object Lifecycle Management to make sure that all chat records with PII in them are discarded and not saved for analysis.
- C. Use the image inspection and redaction actions of the DLP API to redact PII from the images before storing them for analysis.
- D. Use the generalization and bucketing actions of the DLP API solution to redact PII from the texts before storing them for analysis.

Answer: D

Explanation:

Reference; <https://cloud.google.com/dlp/docs/deidentify-sensitive-data>

NEW QUESTION 8

An organization adopts Google Cloud Platform (GCP) for application hosting services and needs guidance on setting up password requirements for their Cloud Identity account. The organization has a password policy requirement that corporate employee passwords must have a minimum number of characters. Which Cloud Identity password guidelines can the organization use to inform their new requirements?

- A. Set the minimum length for passwords to be 8 characters.
- B. Set the minimum length for passwords to be 10 characters.
- C. Set the minimum length for passwords to be 12 characters.
- D. Set the minimum length for passwords to be 6 characters.

Answer: C

NEW QUESTION 9

How should a customer reliably deliver Stackdriver logs from GCP to their on-premises SIEM system?

- A. Send all logs to the SIEM system via an existing protocol such as syslog.
- B. Configure every project to export all their logs to a common BigQuery DataSet, which will be queried by the SIEM system.
- C. Configure Organizational Log Sinks to export logs to a Cloud Pub/Sub Topic, which will be sent to the SIEM via Dataflow.
- D. Build a connector for the SIEM to query for all logs in real time from the GCP RESTful JSON APIs.

Answer: C

NEW QUESTION 10

Last week, a company deployed a new App Engine application that writes logs to BigQuery. No other workloads are running in the project. You need to validate that all data written to BigQuery was done using the App Engine Default Service Account. What should you do?

- A. * 1. Use StackDriver Logging and filter on BigQuery Insert Jobs.* 2. Click on the email address in line with the App Engine Default Service Account in the authentication field.* 3. Click Hide Matching Entries
- B. * 4. Make sure the resulting list is empty.
- C. * 1. Use StackDriver Logging and filter on BigQuery Insert Jobs.* 2. Click on the email address in line with the App Engine Default Service Account in the authentication field.* 3. Click Show Matching Entries
- D. * 4. Make sure the resulting list is empty.
- E. * 1. In BigQuery, select the related dataset.* 2. Make sure the App Engine Default Service Account is the only account that can write to the dataset.
- F. * 1. Go to the IAM section on the project.* 2. Validate that the App Engine Default Service Account is the only account that has a role that can write to BigQuery.

Answer: C

NEW QUESTION 10

Your team wants to make sure Compute Engine instances running in your production project do not have public IP addresses. The frontend application Compute Engine instances will require public IPs. The product engineers have the Editor role to modify resources. Your team wants to enforce this requirement. How should your team meet these requirements?

- A. Enable Private Access on the VPC network in the production project.
- B. Remove the Editor role and grant the Compute Admin IAM role to the engineers.
- C. Set up an organization policy to only permit public IPs for the front-end Compute Engine instances.
- D. Set up a VPC network with two subnets: one with public IPs and one without public IPs.

Answer: C

NEW QUESTION 12

A company has redundant mail servers in different Google Cloud Platform regions and wants to route customers to the nearest mail server based on location. How should the company accomplish this?

- A. Configure TCP Proxy Load Balancing as a global load balancing service listening on port 995.
- B. Create a Network Load Balancer to listen on TCP port 995 with a forwarding rule to forward traffic based on location.
- C. Use Cross-Region Load Balancing with an HTTP(S) load balancer to route traffic to the nearest region.
- D. Use Cloud CDN to route the mail traffic to the closest origin mail server based on client IP address.

Answer: D

NEW QUESTION 15

An organization's typical network and security review consists of analyzing application transit routes, request handling, and firewall rules. They want to enable their developer teams to deploy new applications without the overhead of this full review. How should you advise this organization?

- A. Use Forseti with Firewall filters to catch any unwanted configurations in production.
- B. Mandate use of infrastructure as code and provide static analysis in the CI/CD pipelines to enforce policies.
- C. Route all VPC traffic through customer-managed routers to detect malicious patterns in production.
- D. All production applications will run on-premise
- E. Allow developers free rein in GCP as their dev and QA platforms.

Answer: B

NEW QUESTION 19

Your team wants to centrally manage GCP IAM permissions from their on-premises Active Directory Service. Your team wants to manage permissions by AD group membership.

What should your team do to meet these requirements?

- A. Set up Cloud Directory Sync to sync groups, and set IAM permissions on the groups.
- B. Set up SAML 2.0 Single Sign-On (SSO), and assign IAM permissions to the groups.
- C. Use the Cloud Identity and Access Management API to create groups and IAM permissions from Active Directory.
- D. Use the Admin SDK to create groups and assign IAM permissions from Active Directory.

Answer: B

NEW QUESTION 22

Your company is using Cloud Dataproc for its Spark and Hadoop jobs. You want to be able to create, rotate, and destroy symmetric encryption keys used for the persistent disks used by Cloud Dataproc. Keys can be stored in the cloud.

What should you do?

- A. Use the Cloud Key Management Service to manage the data encryption key (DEK).
- B. Use the Cloud Key Management Service to manage the key encryption key (KEK).
- C. Use customer-supplied encryption keys to manage the data encryption key (DEK).
- D. Use customer-supplied encryption keys to manage the key encryption key (KEK).

Answer: A

NEW QUESTION 27

An application running on a Compute Engine instance needs to read data from a Cloud Storage bucket. Your team does not allow Cloud Storage buckets to be globally readable and wants to ensure the principle of least privilege.

Which option meets the requirement of your team?

- A. Create a Cloud Storage ACL that allows read-only access from the Compute Engine instance's IP address and allows the application to read from the bucket without credentials.
- B. Use a service account with read-only access to the Cloud Storage bucket, and store the credentials to the service account in the config of the application on the Compute Engine instance.
- C. Use a service account with read-only access to the Cloud Storage bucket to retrieve the credentials from the instance metadata.
- D. Encrypt the data in the Cloud Storage bucket using Cloud KMS, and allow the application to decrypt the data with the KMS key.

Answer: C

NEW QUESTION 28

A retail customer allows users to upload comments and product reviews. The customer needs to make sure the text does not include sensitive data before the comments or reviews are published.

Which Google Cloud Service should be used to achieve this?

- A. Cloud Key Management Service
- B. Cloud Data Loss Prevention API
- C. BigQuery
- D. Cloud Security Scanner

Answer: D

NEW QUESTION 31

You want data on Compute Engine disks to be encrypted at rest with keys managed by Cloud Key Management Service (KMS). Cloud Identity and Access Management (IAM) permissions to these keys must be managed in a grouped way because the permissions should be the same for all keys.

What should you do?

- A. Create a single KeyRing for all persistent disks and all Keys in this KeyRing
- B. Manage the IAM permissions at the Key level.
- C. Create a single KeyRing for all persistent disks and all Keys in this KeyRing
- D. Manage the IAM permissions at the KeyRing level.
- E. Create a KeyRing per persistent disk, with each KeyRing containing a single Key
- F. Manage the IAM permissions at the Key level.
- G. Create a KeyRing per persistent disk, with each KeyRing containing a single Key
- H. Manage the IAM permissions at the KeyRing level.

Answer: C

NEW QUESTION 34

An organization is starting to move its infrastructure from its on-premises environment to Google Cloud Platform (GCP). The first step the organization wants to take is to migrate its current data backup and disaster recovery solutions to GCP for later analysis. The organization's production environment will remain on-

premises for an indefinite time. The organization wants a scalable and cost-efficient solution.
Which GCP solution should the organization use?

- A. BigQuery using a data pipeline job with continuous updates
- B. Cloud Storage using a scheduled task and gsutil
- C. Compute Engine Virtual Machines using Persistent Disk
- D. Cloud Datastore using regularly scheduled batch upload jobs

Answer: A

NEW QUESTION 36

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

Professional-Cloud-Security-Engineer Practice Exam Features:

- * Professional-Cloud-Security-Engineer Questions and Answers Updated Frequently
- * Professional-Cloud-Security-Engineer Practice Questions Verified by Expert Senior Certified Staff
- * Professional-Cloud-Security-Engineer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * Professional-Cloud-Security-Engineer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The Professional-Cloud-Security-Engineer Practice Test Here](#)