



Microsoft

Exam Questions MS-100

Microsoft 365 Identity and Services

About ExamBible

[Your Partner of IT Exam](#)

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee


If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Exam Topic 5)

You have a Microsoft Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com. An external user has a Microsoft account that uses an email address of user1@outlook.com.

An administrator named Admin1 attempts to create a user account for the external user and receives the error message shown in the following exhibit.



You need to ensure that Admin1 can add the user.

What should you do from the Azure Active Directory admin center?

- A. Add a custom domain name named outlook.com.
- B. Modify the Authentication methods.
- C. Modify the External collaboration settings.
- D. Assign Admin1 the Security administrator role.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/b2b/delegate-invitations>

NEW QUESTION 2

- (Exam Topic 5)

You have the Microsoft Azure Active Directory (Azure AD) users shown in the following table.

Name	Member of
User1	Group1
User2	Group2

Your company uses Microsoft Intune.

Several devices are enrolled in Intune as shown in the following table.

Name	Platform	BitLocker Drive Encryption	Member of
Device1	Windows 10	Disabled	Group3
Device2	Windows 10	Disabled	Group4

The device compliance policies in Intune are configured as shown in the following table.

Name	Require BitLocker	Assigned to
Policy1	Not configured	Group3
Policy2	Require	Group4

You create a conditional access policy that has the following settings:

➤ The Assignments settings are configured as follows:

- Users and groups: Group1
- Cloud apps: Exchange Online
- Conditions: Include All device state, exclude Device marked as compliant

➤ Access controls is set to Block access.

For each of the following statements, select yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can access Microsoft Exchange Online from Device1.	<input type="radio"/>	<input type="radio"/>
User1 can access Microsoft Exchange Online from Device2.	<input type="radio"/>	<input type="radio"/>
User2 can access Microsoft Exchange Online from Device2.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1:

Yes. User1 is in Group1. The Conditional Access Policy applies to Group1. The Conditional Access Policy blocks access unless the device is marked as compliant.

BitLocker is disabled for Device1. Device1 is in Group3 which is assigned device Policy1. The BitLocker policy in Policy1 is 'not configured' so BitLocker is not required.

Therefore, Device1 is compliant so User1 can access Exchange online from Device1. Box 2:

No. User1 is in Group1. The Conditional Access Policy applies to Group1. The Conditional Access Policy blocks access unless the device is marked as compliant. BitLocker is disabled for Device2. Device2 is in Group4 which is assigned device Policy2. The BitLocker policy in Policy2 is 'Required' so BitLocker is required.

Therefore, Device2 is not compliant so User1 cannot access Exchange online from Device2. Box3:

Yes. User2 is in Group2. The Conditional Access Policy applies to Group1. The Conditional Access Policy does not apply to Group2. So even though Device2 is non-compliant, User2 can access Exchange Online using Device2 because there is no Conditional Access Policy preventing him/her from doing so.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/conditions>

NEW QUESTION 3

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.


To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@LODSe1211885.onmicrosoft.com Microsoft 365 Password: oL9z0=?Nq@ox

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 11098651



You recently discovered that several users in your organization have permissions on the mailbox of another user in the organization.

You need to ensure that Lee Gu receives a notification when a user is granted permissions on another user's mailbox.

To answer the question, sign in to the Microsoft 365 portal.

A. Mastered

B. Not Mastered

Answer: A


Explanation:

Create an activity alert

* 1. Go to <https://protection.office.com/managealerts>.

* 2. Sign in to Office 365 using your work or school account.

* 3. On the Activity alerts page, click + New. The flyout page to create an activity alert is displayed.



* 4. Complete the following fields to create an activity alert:

- > Name - Type a name for the alert. Alert names must be unique within your organization.
- > Description (Optional) - Describe the alert, such as the activities and users being tracked, and the users that email notifications are sent to. Descriptions provide a quick and easy way to describe the purpose of the alert to other admins.
- > Alert type - Make sure the Custom option is selected.
- > Send this alert when – Click Send this alert when and then configure these two fields:
 - Activities - Click the drop-down list to display the activities that you can create an alert for. This is the same activities list that's displayed when you search the Office 365 audit log. You can select one or more specific activities or you can click the activity group name to select all activities in the group. For a description of these activities, see the "Audited activities" section in Search the audit log. When a user performs any of the activities that you've added to the alert, an email notification is sent.
 - Users - Click this box and then select one or more users. If the users in this box perform the activities that you added to the Activities box, an alert will be sent. Leave the Users box blank to send an alert when any user in your organization performs the activities specified by the alert.
- > Send this alert to – Click Send this alert, and then click in the Recipients box and type a name to add a users who will receive an email notification when a user (specified in the Users box) performs an activity (specified in the Activities box). Note that you are added to the list of recipients by default. You can remove your name from this list.

* 5. Click Save to create the alert. The new alert is displayed in the list on the Activity alerts page.

Activity alerts			
Name	Recipients	Status ▲	Date modified
Executive mailbox alert	compliance@contoso.com	On	2016-06-08 14:42:02
SharePoint upload alert	admin@contoso.com	Off	2016-06-08 14:23:39
External sharing alert	admin@contoso.com	Off	2016-06-08 14:24:08

The status of the alert is set to On. Note that the recipients who will received an email notification when an alert is sent are also listed.

References:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/create-activity-alerts?view=o365-worldwide>

NEW QUESTION 4

- (Exam Topic 5)

You plan to deploy two Microsoft Power Platform environments as shown in the following table.

Name	Requirement
Environment1	<ul style="list-style-type: none"> • Supports multiple makers that customize the environment • Supports copying other environments to Environment1 • Minimizes effort to reset the environment
Environment2	<ul style="list-style-type: none"> • Is a learning environment • Supports the creation of unlimited apps • Does not count against storage allocation for the tenant

Which environment type should you use for each environment? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Environment1: ▼

Developer
 Production
 Sandbox

Environment2: ▼

Developer
 Production
 Sandbox

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

NEW QUESTION 5

- (Exam Topic 5)

Your company has a Microsoft 365 subscription.

You need to identify all the users in the subscription who are licensed for Microsoft Office 365 through a group membership. The solution must include the name of the group used to assign the license.

What should you use?

- A. the Licenses blade in the Azure portal
- B. Reports in the Microsoft 365 admin center
- C. Active users in the Microsoft 365 admin center
- D. Report in Security & Compliance

Answer: A

Explanation:

In the Azure AD Admin Center, select Azure Active Directory then select Licenses to open the Licenses blade. From there you need to click on the 'Managed your purchased licenses link'. Select a license you want to view, for example Office 365 E3. This will then display a list of all users with that license. In the 'Assignment Paths' column, it will say 'Direct' for a license that has been assigned directly to a user or 'Inherited (Group Name)' for a license that has been assigned through a group.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/licensing-groups-assign>

NEW QUESTION 6

- (Exam Topic 5)

Your company has 20 employees, Each employees has a mailbox hosted in Outlook.com. The company purchases a Microsoft 365 subscription.

You plan to migrate all the mailboxes to Microsoft 365.

You need to recommend which type of migration to use for the mailboxes. What should recommend?

- A. Cutover migration
- B. Staged migration
- C. IMAP migration
- D. Minimal hybrid migration

Answer: C

Explanation:

To migrate mailboxes from Outlook.com to Office 365, you need to use the IMAP migration method.

After you've added your users to Office 365, you can use Internet Message Access Protocol (IMAP) to migrate email for those users from their IMAP-enabled email servers.

In the Microsoft 365 admin center, go to Setup

>Data migration

to start migrating IMAP enabled emails.

The email migrations page is pre-configured for migrations from Gmail, Outlook, Hotmail and Yahoo. You can also enter your own IMAP server name and connection parameters to migrate from an email service that is not listed.

References:

<https://docs.microsoft.com/en-us/exchange/mailbox-migration/migrating-imap-mailboxes/imap-migration-in-the>

NEW QUESTION 7

- (Exam Topic 5)

Your network contains an Active Directory domain and a Microsoft Azure Active Directory (Azure AD) tenant.

You implement directory synchronization for all 10,000 users in the organization. You automate the creation of 100 new user accounts.

You need to ensure that the new user accounts synchronize to Azure AD as quickly as possible. Which command should you run? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

<div>▼</div> <div>Start-ADSyncSyncCycle</div> <div>Set-ADSyncScheduler</div> <div>Invoke-ADSyncRunProfile</div>	-PolicyType	<div>▼</div> <div>Delta</div> <div>Initial</div> <div>Full</div>
---	-------------	--

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Azure AD Connect synchronizes Active Directory to Azure Active Directory on a schedule. The minimum time between synchronizations is 30 minutes.

If you want to synchronize changes to Active Directory without waiting for the next sync cycle, you can initiate a sync by using the Start-AdSyncSyncCycle. The Delta option synchronizes changes to Active Directory made since the last sync. The Full option synchronizes all Active Directory objects including those that have not changed.

Reference:

<https://blogs.technet.microsoft.com/rmilne/2014/10/01/how-to-run-manual-dirsync-azure-active-directory-sync>


NEW QUESTION 8

- (Exam Topic 5)

You have a Microsoft 365 E5 subscription.

All users are assigned a license to Microsoft 365 Apps for enterprise.

The users report that they do not have the option to install Microsoft 365 apps on their device as shown in the following exhibit.



You need to ensure that the users can install Microsoft 365 apps from the Office 365 portal.

What should you do?

- A. From the Microsoft 365 admin center, modify the user license settings.
B. From the Microsoft Endpoint Manager admin center, create a Microsoft 365 Apps app and assign the app to the devices.
C. From the Microsoft Endpoint Manager admin center, create a Microsoft 365 Apps app and assign the app to the users.
D. From the Microsoft 365 admin center, modify the Services & add-ins settings.

Answer: D

NEW QUESTION 9

- (Exam Topic 5)

Your company has 10,000 users who access all applications from an on-premises data center. You plan to create a Microsoft 365 subscription and to migrate data to the cloud.

You plan to implement directory synchronization.

User account and group accounts must sync to Microsoft Azure Directory (Azure AD) successfully. You discover that several user accounts fail to sync to Azure AD.

You need to identify which user accounts failed to sync. You must resolve the issue as quickly as possible. What should you do?

- A. From Active Directory Administrative Center, search for all the users, and then modify the properties of the user accounts.
B. Run idfix.exe, and then click Complete.

- C. From Windows PowerShell, run the Start-AdSyncSyncCycle –PolicyType Delta command.
D. Run idfix.exe, and then click Edit.

Answer: D

Explanation:

IdFix is used to perform discovery and remediation of identity objects and their attributes in an on-premises Active Directory environment in preparation for migration to Azure Active Directory. IdFix is intended for the Active Directory administrators responsible for directory synchronization with Azure Active Directory.

Reference:

<https://docs.microsoft.com/en-us/office365/enterprise/prepare-directory-attributes-for-synch-with-idfix> <https://www.microsoft.com/en-gb/download/details.aspx?id=36832>

NEW QUESTION 10

- (Exam Topic 5)

You have a Microsoft 365 subscription linked to an Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com.

In the subscription, an administrator adds two custom domains named sub1.contoso.onmicrosoft.com and sub2.contoso.onmicrosoft.com and the objects shown in the following table.

Name	Type	Attribute
Group1	Distribution group	Group email: group1@sub1.contoso.onmicrosoft.com
Group2	Mail-enabled security group	Group email: group2@sub2.contoso.onmicrosoft.com
Group3	Office 365 group	Group email: group3@contoso.onmicrosoft.com
User1	User	Username: user1@sub1.contoso.onmicrosoft.com
Contact2	Contact	Email: contact2@sub2.contoso.onmicrosoft.com

You plan to delete sub1.contoso.onmicrosoft.com and sub2.contoso.onmicrosoft.com.

Which objects must you delete or modify manually before you can delete the domains? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Sub1.contoso.onmicrosoft.com:

User1 only

Group1 only

User1 and Group1 only

User1, Group1, and Group3

No resources must be deleted or modified

Sub2.contoso.onmicrosoft.com:

Contact2 only

Group2 only

Contact2 and Group2 only

Contact2, Group2, and Group3

No resources must be deleted or modified

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Anything with an email address in the subdomain needs to be removed or moved to another domain. This includes users, mail-enabled security groups, distribution groups and contacts. Office 365 groups will also need to be removed from the subdomains (they cannot be moved to another domain). However, the only Office 365 group in this question is in the parent domain, not the subdomains.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/get-help-with-domains/remove-a-domain?view=o365-wo>

NEW QUESTION 10

- (Exam Topic 5)

What should you add to a SharePoint Framework 5PFx) solution to ensure that the solution can be used as a Microsoft Teams tab?

- A. the TeamsTab value to the supportedHosts property in the manifest file
B. a Teams manifest file to the config folder in the solution
C. the TeamsTab value to the componentType property in the manifest file
D. a webpart manifest file to the config folder in the solution

Answer: A

NEW QUESTION 13

- (Exam Topic 5)

You have a Microsoft 365 Enterprise E5 subscription.
You need to enforce multi-factor authentication on all cloud-based applications for the users in the finance department.
What should you do?

- A. Create an activity policy.
- B. Create a new app registration.
- C. Create a conditional access policy.
- D. Create a session policy.

Answer: C

Explanation:

You can configure a conditional access policy that applies to the Finance department users. The policy can be configured to 'Allow access' but with multi-factor authentication as a requirement.

The reference below explains how to create a conditional access policy that requires MFA for all users. To apply the policy to finance users only, you would select Users and Group in the Include section instead of All Users and then specify the finance department group.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/howto-conditional-access-policy-all>

NEW QUESTION 14

- (Exam Topic 5)

You plan to migrate to SharePoint Online by using the SharePoint Migration Tool. Which list can be migrated to SharePoint Online?

Name	List template
List1	PictureLibrary
List2	Report Library
List3	Agenda
List4	AdminTasks

- A. List1
- B. List2
- C. List3
- D. List4

Answer: D

NEW QUESTION 15

- (Exam Topic 5)

Your company has a Microsoft 365 subscription and a Microsoft Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com.

An external vendor has a Microsoft account that has a username of user1@outlook.com. You plan to provide user1@outlook.com with access to several resources in the subscription.

You need to add the external user account to contoso.onmicrosoft.com. The solution must ensure that the external vendor can authenticate by using user1@outlook.com.

What should you do?

- A. From Azure Cloud Shell, run the New-AzureADUser cmdlet and specify –UserPrincipalName user1@outlook.com.
- B. From the Microsoft 365 admin center, add a contact, and then specify user1@outlook.com as the email address.
- C. From the Azure portal, add a new guest user, and then specify user1@outlook.com as the email address.
- D. From the Azure portal, add a custom domain name, and then create a new Azure AD user and use user1@outlook.com as the username.

Answer: C

Explanation:

You can invite guest users to the directory, to a group, or to an application. After you invite a user through any of these methods, the invited user's account is added to Azure Active Directory (Azure AD), with a user type of Guest. The guest user must then redeem their invitation to access resources. An invitation of a user does not expire.

The invitation will include a link to create a Microsoft account. The user can then authenticate using their Microsoft account. In this question, the external vendor already has a Microsoft account (user1@outlook.com) so he can authenticate using that.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/b2b/add-users-administrator>

NEW QUESTION 17

- (Exam Topic 5)

Your network contains an Active Directory forest named contoso.local. You purchase a Microsoft 365 subscription.

You plan to move to Microsoft and to implement a hybrid deployment solution for the next 12 months. You need to prepare for the planned move to Microsoft 365.

What is the best action to perform before you implement directory synchronization? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Purchase a third-party X.509 certificate.
- B. Rename the Active Directory forest.
- C. Purchase a custom domain name.
- D. Create an external forest trust.

Answer: C

Explanation:

The first thing you need to do before you implement directory synchronization is to purchase a custom domain name. This could be the domain name that you use

in your on-premise Active Directory if it's a routable domain name, for example, contoso.com.

If you use a non-routable domain name in your Active Directory, for example contoso.local, you'll need to add the routable domain name as a UPN suffix in Active Directory.

Reference:

<https://docs.microsoft.com/en-us/office365/enterprise/set-up-directory-synchronization>

NEW QUESTION 21

- (Exam Topic 5)

Your network contains an Active Directory domain named .Ki.ituin.com that is synced to Microsoft Azure Active Directory (Azure AD).

The domain contains 100 user accounts.

The city attribute for all the users is set to the city where the user resides.

You need to modify the value of the city attribute to the three letter airport code of each city. What should you do?

- A. from Active Directory Administrative Center, select the Active Directory users, and then modify the Property settings. B From the Microsoft 365 admin center, select the users, and then use the Bulk actions option.
- B. From Azure Cloud Shell, run the Get-AzureADUsers, and then use the Bulk actions option.
- C. From Azure Cloud Shell, run the Get-AzureADUser and set-AzureADUser cmdlets.
- D. From Windows PowerShell on a domain controller, run the Get-AzureADUser and Set-AzureADUser cmdlets.

Answer: C

Explanation:

The user accounts are synced from the on-premise Active Directory to the Microsoft Azure Active Directory (Azure AD). Therefore, the city attribute must be changed in the on-premise Active Directory.

You can use Windows PowerShell on a domain controller and run the Get-ADUser cmdlet to get the required users and pipe the results into Set-ADUser cmdlet to modify the city attribute.

Reference:

<https://docs.microsoft.com/en-us/powershell/module/addsadministration/set-aduser?view=win10-ps>

NEW QUESTION 22

- (Exam Topic 5)

You need to meet the application requirement for the Office 365 ProPlus applications. You create a XML file that contains the following settings.

```
<Add SourcePath="\\Server1\OfficeSoftware"
OfficeClientEdition="32"
Channel="Targeted"
AllowCdnFallback="True">
  <Product ID="O365ProPlusRetail">
    <Language ID="MatchOS" Fallback="en-us" />
  </Product>
</Add>
```

Use the drop-down menus to select the choice that complete each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

Office 365 ProPlus feature updates will be installed [answer choice].	<div>automatically once a year</div> <div>automatically twice a year</div> <div>manually</div>
To meet the technical requirement for Office 365 ProPlus, [answer choice].	<div>Change SourcePath to DownloadPath.</div> <div>Set the value for AllowCdnFallback to False.</div> <div>Add SCLCacheOverride=1 to the Product section.</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Office 365 ProPlus feature updates will be installed [answer choice].	<div>automatically once a year</div> <div>automatically twice a year</div> <div>manually</div>
To meet the technical requirement for Office 365 ProPlus, [answer choice].	<div>Change SourcePath to DownloadPath.</div> <div>Set the value for AllowCdnFallback to False.</div> <div>Add SCLCacheOverride=1 to the Product section.</div>

NEW QUESTION 23

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided. Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@LODSe426243.onmicrosoft.com Microsoft 365 Password: 3&YWyjse-6-d

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10887751

A user named Johanna Lorenz recently left the company. A new employee named Ben Smith will handle the tasks of Johanna Lorenz.

You

need to create a user named Ben Smith. Ben Smith must be able to sign in to <http://myapps.microsoft.com> and open Microsoft Word Online.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

You need to create a user account and assign a license to the account. You then To create the user account and mailbox:

➤ In the Microsoft 365 admin center, go to User management, and select Add user.

➤ Enter the name Ben Smith in the First Name and Last Name fields.

➤ Enter Ben.Smith in the username field and click Next.

➤ Assign a Microsoft 365 license to the account.

➤ Click Next.

➤ Click Next again.

➤ Click 'Finish adding'.

NEW QUESTION 28

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain.

You deploy a Microsoft Azure Active Directory (Azure AD) tenant. Another administrator configures the domain to synchronize to Azure AD.

You discover that 10 user accounts in an organizational unit (OU) are NOT synchronized to Azure AD. All the other user accounts synchronized successfully.

You review Azure AD Connect Health and discover that all the user account synchronizations completed successfully.

You need to ensure that the 10 user accounts are synchronized to Azure AD. Solution: You run idfix.exe and report the 10 user accounts.

Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

The question states that "all the user account synchronizations completed successfully". If there were problems with the 10 accounts that needed fixing with idfix.exe, there would have been synchronization errors in Azure AD Connect Health.

It is likely that the 10 user accounts are being excluded from the synchronization cycle by a filtering rule. Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-configure-filtering>

NEW QUESTION 31

- (Exam Topic 5)

Your network contains an on premises Active Directory domain named contoso.com. The domain contains five domain controllers.

Your company purchases Microsoft 365 and creates a Microsoft Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com.

You plan to establish federation authentication between on premises Active Directory and the Azure AD tenant by using Active Directory Federation Services (AD FS).

You need to establish the federation.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point

Action to perform before establishing the federation:

From the Azure portal, add a custom domain name.
From the Azure portal, configure an authentication method.
From a domain controller, install a Pass-through Authentication Agent.
From a domain controller, install Windows Identity Foundation 3.5.

Tool to use to establish the federation:

Active Directory Domains and Trusts
Azure AD Connect
The AD FS console
The Azure portal

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

The on-premises Active Directory domain is named contoso.com. Before you can configure federation authentication between on-premises Active Directory and the Azure AD tenant, you need to add the domain contoso.com to Microsoft 365. You do this by adding a custom domain name. The next step is to establish the federation. You can configure AD FS by using Azure AD Connect. Reference: <https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-install-custom#configuring-feder>

NEW QUESTION 32

- (Exam Topic 5)

You have a Microsoft Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2
User3	Group3

Your company uses Windows Defender Advanced Threat Protection (ATP). Windows Defender ATP contains the roles shown in the following table.

Name	Permission	Assigner user group
Windows Defender ATP administrator (default)	View data, Alerts investigation, Active remediation actions, Manage security settings	Group3
Role1	View data, Alerts investigation	Group1
Role2	View data	Group2

Windows Defender ATP contains the device groups shown in the following table.

Rank	Machine group	Machine	User access
1	ATP1	Device1	Group1
Last	Ungrouped machines (default)	Device2	Group2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can view Device1 in Windows Defender Security Center.	<input type="radio"/>	<input type="radio"/>
User2 can sign in to Windows Defender Security Center.	<input type="radio"/>	<input type="radio"/>
User3 can view Device1 in Windows Defender Security Center.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1:

Yes. User1 is in Group1 which is assigned to Role1. Device1 is in the device group named ATP1 which Group1 has access to. Role1 gives Group1 (and User1) View Data Permission. This is enough to view Device1 in Windows Security Center.

Box 2:

Yes. User2 is in Group2 which is assigned to Role2. Role2 gives Group2 (and User2) View Data Permission. This is enough to sign in to Windows Security Center.

Box 3:

Yes. User3 is in Group3 which is assigned the Windows ATP Administrator role. Someone with a Microsoft Defender ATP Global administrator role has unrestricted access to all machines, regardless of their machine group association and the Azure AD user groups assignments.

Reference:

<https://docs.microsoft.com/en-us/windows/security/threat-protection/microsoft-defender-atp/user-roles> <https://docs.microsoft.com/en-us/windows/security/threat-protection/microsoft-defender-atp/rbac>

NEW QUESTION 36

- (Exam Topic 5)

Your network contains an on-premises Active Directory domain. The domain contains the users shown in the following table.

Name	Country	Organizational unit (OU)
User1	United States	OU1
User2	Canada	OU1
User3	United States	OU2

You have a Microsoft 365 subscription that is linked to an Azure Active Directory (Azure AD) tenant named contoso.com. You configure Azure AD Connect to sync the on-premises domain to contoso.com as shown in the following exhibit.

Answer Area

Statements	Yes	No
User1 syncs to Azure AD.	<input type="radio"/>	<input type="radio"/>
User2 syncs to Azure AD.	<input type="radio"/>	<input type="radio"/>
User3 syncs to Azure AD.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
User1 syncs to Azure AD.	<input checked="" type="radio"/>	<input type="radio"/>
User2 syncs to Azure AD.	<input checked="" type="radio"/>	<input type="radio"/>
User3 syncs to Azure AD.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 37

- (Exam Topic 5)

Your company recently purchased a Microsoft 365 subscription. You enable Microsft Azure Multi-Factor Authentication (MFA) for all 500 users in the Azure Active Directory (Azure tenant) You need to generate a report that lists all the users who Azure registration process. What is the best approach to achieve the goal? More than one answer choice achieve the goal. Select the Best answer.

- A. From Azure Cloud Shell, run the Get-Msoluser cmdlet.
- B. From the Azure Active Directory admin center, use the Risky sign-ins blade.
- C. From the Azure Active Directory admin center, use the Multi-factor Authentication – Server Status blade.
- D. From Azure Cloud Shell, run the Get-AzureADUser cmdlet.

Answer: A

NEW QUESTION 41

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design. Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided. Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab. You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@M365x981607.onmicrosoft.com Microsoft 365 Password: *yfLo7lr2&yIf the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10811525

You plan to invite several guest users to access the resources in your organization.
You need to ensure that only guests who have an email address that uses the @contoso.com suffix can connect to the resources in your Microsoft 365 tenant.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

You need to add contoso.com as an allowed domain in the 'External collaboration settings'.

- * 1. Go to the Azure Active Directory admin center.
- * 2. Select Users then select 'User settings'.
- * 3. Under External Users, select the 'Manage external collaboration settings'.
- * 4. Under 'Collaboration restrictions', select the 'Allow invitations only to the specified domains (most restrictive)' option.
- * 5. Under, Target Domains, type in the domain name 'contoso.com'
- * 6. Click the Save button at the top of the screen to save your changes. References:
<https://docs.microsoft.com/en-us/azure/active-directory/b2b/allow-deny-list>

NEW QUESTION 44

- (Exam Topic 5)

Your network contains an on-premises Active Directory domain named contoso.com that is synced to a Microsoft Azure Active Directory (Azure AD) tenant. The on-premises domain contains a server named Server1 that runs Windows Server 2016 and 200 client computers that run Windows 10.

Your company purchases a Microsoft 365 subscription.

On Server1, you create a file share named Share1. You extract the Microsoft Office Deployment Tool (ODT) to Share1.

You need to deploy Office 365 ProPlus, and the French language pack from Share1 to the Windows 10 computers.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create an XML configuration file.	
On Server1, run setup.exe and specify the /configure parameter.	
On every client computer, run setup.exe and specify the /configure parameter.	
On Server1, run setup.exe and specify the /package parameter.	
On every client computer, run setup.exe and specify the /download parameter.	
On Server1, run setup.exe and specify the /download parameter.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Note:

Step 1: Create an XML configuration file with the source path and download path for the installation files. Step 2: On the deployment server, run the ODT executable in download mode and with a reference to the XML configuration file.

Step 3: Create another XML configuration file with the source path to the installation files.

Step 4: On the client computer, run the ODT executable in configure mode and with a reference to the XML configuration file.

Reference:

<https://docs.microsoft.com/en-us/DeployOffice/overview-of-the-office-2016-deployment-tool>

NEW QUESTION 46

- (Exam Topic 5)

You have three devices enrolled in Microsoft Intune as shown in the following table.

Name	Platform	BitLocker Drive Encryption (BitLocker)	Member of
Device1	Windows 10	Disabled	Group3
Device2	Windows 10	Disabled	Group2, Group3
Device3	Windows 10	Disabled	Group2

The device compliance policies in Intune are configured as shown in the following table.

Name	Platform	Require BitLocker	Assigned
Policy1	Windows 10 and later	Require	Yes
Policy2	Windows 10 and later	Not configured	Yes
Policy3	Windows 10 and later	Require	No

The device compliance policies have the assignment shown in the following table.

Name	Assigned to
Policy1	Group3
Policy2	Group2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
Device1 is compliant.	<input type="radio"/>	<input type="radio"/>
Device2 is compliant.	<input type="radio"/>	<input type="radio"/>
Device3 is compliant.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Device 1:

No because Device1 is in group3 which has Policy1 assigned which requires BitLocker. Device 2:

No because Device2 is in group3 which has Policy1 assigned which requires BitLocker. Device2 is also in Group2 which has Policy2 assigned but the BitLocker requirement is not configured in Policy2.

Device3:

Yes because Device3 is in Group2 which has Policy2 assigned but the BitLocker requirement is not configured in Policy2.

Reference:

<https://blogs.technet.microsoft.com/cbernier/2017/07/11/windows-10-intune-windows-bitlocker-management-ye>

NEW QUESTION 51

- (Exam Topic 5)

You have a Microsoft 365 E5 subscription that is linked to an Azure Active Directory (Azure AD) tenant named contoso.com.

You purchase 100 Microsoft 365 Business Voice add-on licenses.

You need to ensure that the members of a group named Voice are assigned a Microsoft 365 Business Voice add-on license automatically.

What should you do?

- A. From the Azure Active Directory admin center, modify the settings of the Voice group.
- B. From the Microsoft 365 admin center, modify the settings of the Voice group.
- C. From the Licenses page of the Microsoft 365 admin center, assign the licenses.

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/licensing-groups-assign>

NEW QUESTION 53

- (Exam Topic 5)

Your company has a Microsoft 365 subscription that contains the following domains: Contoso.onmicrosoft.com

Contoso.com

You plan to add the following domains to Microsoft 365 and to use them with Exchange Online:

- > Sub1.contoso.onmicrosoft.com
- > Sub2.contoso.com
- > Fabrikam.com

You need to identify the minimum number of DNS records that must be added for Exchange Online to receive inbound email messages for the three domains.

How many DNS records should you add? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

MX records:

	▼
0	
1	
2	
3	

CNAME records:

	▼
0	
1	
2	
3	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 2

You don't need to verify Sub1.contoso.onmicrosoft.com because the onmicrosoft.com domain and DNS is managed by Microsoft. You also don't need to configure an MX record for Sub1.contoso.onmicrosoft.com because that will be done by Microsoft.

For sub2.contoso.com, you don't need to verify the domain because you have already verified its parent domain contoso.com. However, you do need an MX record to direct email for that domain to Exchange Online.

For Fabrikam.com, you will need to verify the domain. You will need an MX record to direct email for that domain to Exchange Online.

Box 2: 0

You 'should' create CNAME records for autodiscover to point your email clients to Exchange Online to connect to the mailboxes. However, you don't have to. You could configure the email client manually. Therefore, the minimum number of CNAME records required is zero.

NEW QUESTION 57

- (Exam Topic 5)

You have a Microsoft 365 subscription.

Your company deploys an Active Directory Federation Services (AD FS) solution. You need to configure the environment to audit AD FS user authentication. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. From all the AD FS servers, run audltpol.exe.
- B. From all the domain controllers, run the set-AdminAuditLogConfig cmdlet and specify the -LogiLevel parameter.
- C. On a domain controller install Azure AD Connect Health for AD DS.
- D. From the Azure AD Connect server, run the Register-AzureADConnectHealthSyncAgent cmdlet.
- E. On an server, install Azure AD Connect Health for AD FS.

Answer: DE

Explanation:

To audit AD FS user authentication, you need to install Azure AD Connect Health for AD FS. The agent should be installed on an AD FS server. After the installation, you need to register the agent by running the Register-AzureADConnectHealthSyncAgent cmdlet.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-health-agent-install> <https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-health-adfs>

NEW QUESTION 62

- (Exam Topic 5)

In Microsoft 365, you configure a data loss prevention (DLP) policy named Policy1. Policy1 detects the sharing of United States (US) bank account numbers in email messages and attachments.

Policy1 is configured as shown in the exhibit. (Click the Exhibit tab.)

Use actions to protect content when the conditions are met.

Restrict access or encrypt the content

- ☒ Block people from sharing and restrict access to shared content

By default, users are blocked from sending email messages to people. You can choose who has access to shared SharePoint and OneDrive content.

Block these people from accessing SharePoint and OneDrive content

- ☐ Everyone. Only the content owner, the lastmodifier, and the site admin will continue to have access.
- ☒ Only people outside your organization. People inside your organization will continue to have access.
- ☐ Encrypt email messages (applies only to content to Exchange)

You need to ensure that internal users can email documents that contain US bank account numbers to external users who have an email suffix of contoso.com. What should you configure?

- A. an action
- B. a group
- C. a condition
- D. an exception

Answer: D

Explanation:

You need to add an exception. In the Advanced Settings of the DLP policy, you can add a rule to configure the Conditions and Actions. There is also an 'Add Exception' button. This gives you several options that you can select as the exception. One of the options is 'except when recipient domain is'. You need to select that option and enter the domain name contoso.com.

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/data-loss-prevention-policies#how-dlp-policies>

NEW QUESTION 63

- (Exam Topic 5)

You are developing a single-page application (SPA) that authenticates users by using MSALjs. The SPA must meet the following requirements:

- Only allow access to the users in an organization named contoso.onmicrosoft.com.
- Support single sign-on (SSO) across tabs and user sessions.

How should you complete the code for the SPA? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

```
const config = {
  auth: {
    clientId: "c10639eb-16ca-452b-a94d-ad8c43682819",
    authority: "https://login.microsoftonline.com/consumers/",
    cacheLocation: "https://login.microsoftonline.com/organizations/",
  },
}

const myMSALObj = new UserAgentApplication(config);
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

```
const config = {  
  auth: {  
    clientId: "c10639eb-16ca-452b-a94d-ad8c43682819",  
    authority: "https://login.microsoftonline.com/consumers/",  
    cacheLocation: "https://login.microsoftonline.com/organizations/",  
    // "https://login.microsoftonline.com/confoso.onmicrosoft.com" |  
    // These are the selections for authority  
  }  
}  
  
const myMSALObj = new UserAgentApplication(config);
```

NEW QUESTION 66

- (Exam Topic 5)

Your company has a sales system that emails an alert to all the members of the sales department when a new sale is made.

You need to ensure that a notification is posted to a team channel when a new sale is made. The solution must minimize development effort.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Post XML to the webhook URL from the existing sales system.
- B. Set the configurationUrl property of a connector in the manifest
- C. Get an incoming webhook for the channel
- D. Post JSON to the webhook URL from the existing sales system.

Answer: AC

NEW QUESTION 67

- (Exam Topic 5)

You have a Microsoft 365 subscription.

You recently configured a Microsoft SharePoint Online tenant in the subscription. You plan to create an alert policy.

You need to ensure that an alert is generated only when malware is detected in more than five documents stored in SharePoint Online during a period of 10 minutes.

What should you do first?

- A. Enable Microsoft Office 365 Cloud App Security.
- B. Deploy Windows Defender Advanced Threat Protection (Windows Defender ATP).
- C. Enable Microsoft Office 365 Analytics.

Answer: B

Explanation:

An alert policy consists of a set of rules and conditions that define the user or admin activity that generates an alert, a list of users who trigger the alert if they perform the activity, and a threshold that defines how many times the activity has to occur before an alert is triggered.

In this question, we would use the "Malware detected in file" activity in the alert settings then configure the threshold (5 detections) and the time window (10 minutes).

The ability to configure alert policies based on a threshold or based on unusual activity requires Advanced Threat Protection (ATP).

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/alert-policies>

NEW QUESTION 72

- (Exam Topic 5)

You are securing a web API by using the Microsoft identity Platform. The web API must meet the following requirements:

- Authenticated Azure Active Directory (Azure AD) users must be able to retrieve user information from Azure AD.
- Authenticated Azure AD users must be able to manage Microsoft 365 groups.

You need to grant permissions for the web API. The solution must use the principle of least privilege. What should you grant? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Configured permissions

Applications are authorized to call APIs when they are granted permissions by users/admins as include all the permissions the application needs. [Learn more about permissions and consent](#)

+ Add a permission

Grant admin consent for nuborocks

API / Permissions name	Type	Description
Microsoft Graph (2)		
Directory.AccessAsUser.All Group.Create Group.Read Group.ReadWrite.All	Delegated	Read and write all groups
User.Read User.Read.All User.ReadBasic.All User.ReadWrite.All	Delegated	Read all users' basic profiles

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Configured permissions

Applications are authorized to call APIs when they are granted permissions by users/admins as include all the permissions the application needs. [Learn more about permissions and consent](#)

+ Add a permission

Grant admin consent for nuborocks

API / Permissions name	Type	Description
Microsoft Graph (2)		
Directory.AccessAsUser.All Group.Create Group.Read Group.ReadWrite.All	Delegated	Read and write all groups
User.Read User.Read.All User.ReadBasic.All User.ReadWrite.All	Delegated	Read all users' basic profiles

NEW QUESTION 76

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Office 365 tenant.

You suspect that several Office 365 features were recently updated.

You need to view a list of the features that were recently updated in the tenant. Solution: You review the Windows release health in the Microsoft 365 admin center. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://techcommunity.microsoft.com/t5/windows-it-pro-blog/windows-release-health-now-available-in-the-adm>

NEW QUESTION 80

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a hybrid deployment of Microsoft 365 that contains the objects shown in the following table.

Name	Type	Source
User1	User	Azure Active Directory (Azure AD)
User2	User	Windows Server Active Directory
Group1	Group	Cloud
Group2	Group	Windows Server Active Directory

Azure AD Connect has the following settings:

- Password Hash Sync: Enabled
- Password writeback: Enabled
- Group writeback: Enabled

You need to add User2 to Group 2.

Solution: You use the Security & Compliance admin center. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 82

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has 3,000 users. All the users are assigned Microsoft 365 E3 licenses.

Some users are assigned licenses for all Microsoft 365 services. Other users are assigned licenses for only certain Microsoft 365 services.

You need to determine whether a user named User1 is licensed for Exchange Online only. Solution: You run the Get-MsolAccountSku cmdlet.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The Get-MsolAccountSku cmdlet returns all the SKUs that the company owns. It does not tell you which licenses are assigned to users.

Reference:

<https://docs.microsoft.com/en-us/powershell/module/msonline/get-msolaccountsku?view=azureadps-1.0>

NEW QUESTION 84

- (Exam Topic 5)

You have a Microsoft 365 Enterprise subscription.

You have a conditional access policy to force multi factor authentication when accessing Microsoft SharePoint from a mobile device

You need to view which users authenticated by using multi factor authentication. What should you do?

- A. From the Microsoft 365 admin center, view the Security Compliance reports.
- B. From the Azure Active Directory admin center, view the user sign-ins.
- C. From the Microsoft 365 admin center, view the Usage reports.
- D. From the Azure Active Directory admin center, view the audit logs.

Answer: B

Explanation:

With the sign-ins activity report in the Azure portal, you can get the information you need to determine how your environment is doing.

The sign-ins report can provide you with information about the usage of managed applications and user sign-in activities, which includes information about multi-factor authentication (MFA) usage. The MFA data gives you insights into how MFA is working in your organization

References:


<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-reporting>

NEW QUESTION 86

- (Exam Topic 5)

Your company has a hybrid deployment of Microsoft 365.

An on-premises user named User1 is synced to Microsoft Azure Active Directory (Azure AD). Azure AD Connect is configured as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

User1 [answer choice].



If the password for User1 is changed in Active Directory, [answer choice].

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
User1 cannot change her password from any Microsoft portals because Password Writeback is disabled in the Azure AD Connect configuration.
If the password for User1 is changed in Active Directory, the password will be synchronized to Azure AD because Password Synchronization is enabled in the Azure AD Connect configuration.
Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-install-custom>

NEW QUESTION 89
- (Exam Topic 5)
Your network contains an on-premises Active Directory domain. You have a Microsoft 365 subscription. You implement a directory synchronization solution that uses pass-through authentication. You configure Microsoft Azure Active Directory (Azure AD) smart lockout as shown in the following exhibit.

 Save
  Discard

Custom smart lockout

Lockout threshold ⓘ

Lockout duration in seconds ⓘ

Custom banned passwords

Enforce custom list ⓘ Yes No

Custom banned password list ⓘ

password
 Pa\$Sw0rd
 Pa55w0rd
 Contoso

Password protection for Windows Server Active Directory

Enable password protection on Windows Server Active Directory ⓘ Yes No

Mode ⓘ Enforced Audit

You discover that Active Directory users can use the passwords in the custom banned passwords list. You need to ensure that banned passwords are effective for all users.

Which three actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. From a domain controller, install the Azure AD Password Protection Proxy.
- B. From a domain controller, install the Microsoft AAD Application Proxy connector.
- C. From Custom banned passwords, modify the Enforce custom list setting.
- D. From Password protection for Windows Server Active Directory, modify the Mode setting.
- E. From all the domain controllers, install the Azure AD Password Protection DC Agent.
- F. From Active Directory, modify the Default Domain Policy.

Answer: ACE

Explanation:

References:

Azure AD password protection is a feature that enhances password policies in an organization. On-premises deployment of password protection uses both the global and custom banned-password lists that are stored in Azure AD. It does the same checks on-premises as Azure AD does for cloud-based changes. These checks are performed during password changes and password reset scenarios.

You need to install the Azure AD Password Protection Proxy on a domain controller and install the Azure AD Password Protection DC Agent on all domain controllers. When the proxy and agent are installed and configured, Azure AD password protection will work.

In the exhibit, the password protection is configured in Audit mode. This is used for testing. To enforce the configured policy, you need to set the password protection setting to Enforced.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-ban-bad-on-premises-de> <https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-password-ban-bad-on-premises>

NEW QUESTION 94

- (Exam Topic 5)

You plan to develop a SharePoint Framework (SPfx) web part by using the ReactJS framework.

You need to ensure that all the web part fields and controls adopt the theme of the site when you deploy the web part. The solution must minimize development effort

What should you include in the solution?

- A. Material-UI
- B. FluentUI
- C. Microsoft Fluid Framework
- D. HTML5 and CSS

Answer: B

NEW QUESTION 95

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Office 365 tenant.

You suspect that several Office 365 features were recently updated.

You need to view a list of the features that were recently updated in the tenant. Solution: You use the View service requests option in the Microsoft 365 admin center. Does this meet the goal?

- A. Yes
- B. NO

Answer: B

Explanation:

A service request is a support ticket. Therefore, the View service requests option in the Microsoft 365 admin center displays a list of support tickets. It does not display a list of the features that were recently updated in the tenant so this solution does not meet the goal.

To meet the goal, you need to use Message center in the Microsoft 365 admin center.

Reference:

<https://docs.microsoft.com/en-us/office365/admin/manage/message-center?view=o365-worldwide>

NEW QUESTION 99

- (Exam Topic 5)

You have a Microsoft 365 subscription.

You need to implement Windows Defender Advanced Threat Protection (ATP) for all the supported devices enrolled devices enrolled on mobile device management (MDM).

What should you include in the device configuration profile? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Platform:

▼

Android

iOS

Windows 10 and later

Windows 8.1 and later

Settings:

▼

Offboard package

Onboard package

Windows Defender Applicaion Guard

Windows Defender Firewall

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

You can integrate Microsoft Defender Advanced Threat Protection (Microsoft Defender ATP) with Microsoft Intune as a Mobile Threat Defense solution. Integration can help you prevent security breaches and limit the impact of breaches within an organization. Microsoft Defender ATP works with devices that run Windows 10 or later.

When you establish a connection from Intune to Microsoft Defender ATP, Intune receives a Microsoft Defender ATP onboarding configuration package from Microsoft Defender ATP. This package is deployed to devices by using a device configuration profile.

Reference:

<https://docs.microsoft.com/en-us/intune/advanced-threat-protection>

NEW QUESTION 104

- (Exam Topic 5)

HOTSPOT

You company has a Microsoft 365 subscription that contains the domains shown in the following exhibit.

+ Add domain

+ Buy domain

View

All domains ▼

Search domains 🔍

Domain name	Status
Contoso20198.onmicrosoft.com (Default)	Setup complete
Contoso.com	Setup in progress
⚠ East.Contoso20198.onmicrosoft.com	Possible service issues

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

An administrator can create usernames that contain the [answer choice].

Contoso20198.onmicrosoft.com domain only
Contoso20198.onmicrosoft.com domain and all its subdomains only
Contoso20198.onmicrosoft.com and East.Contoso20198.onmicrosoft.com domains only
Contoso20198.onmicrosoft.com, East.Contoso20198.onmicrosoft.com, and Contoso.com domains

Exchange Online can receive inbound email messages sent to the [answer choice].

Contoso20198.onmicrosoft.com domain only
Contoso20198.onmicrosoft.com domain and all its subdomains only
Contoso20198.onmicrosoft.com and East.Contoso20198.onmicrosoft.com domains only
Contoso20198.onmicrosoft.com, East.Contoso20198.onmicrosoft.com, and Contoso.com domains

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Only the Contoso20198.onmicrosoft.com domain has a status of Setup Complete. The other two statuses mean that the domain setup is not complete or has issues that need to be corrected before they can be used.

Reference:

<https://support.office.com/en-gb/article/what-do-domain-statuses-mean-in-office-365-3ecf1fef-3b31-497c-98bc>

NEW QUESTION 109

- (Exam Topic 5)

You publish an enterprise application named App1 that process financial data.

You need to ensure that access to App1 is revoked for users who no longer require view the processed financial data.

What should you configure?

- A. An access review
- B. An app protection policy
- C. A conditional access policy
- D. An owner

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review>

NEW QUESTION 114

- (Exam Topic 5)

Your company has a Microsoft 365 subscription that contains the users shown in the following table.

Name	Role
User1	Global administrator
User2	Security administrator, Guest inviter
User3	None
User4	Password administrator

You need to identify which users can perform the following administrative tasks:

- Modify the password protection policy.
- Create guest user accounts.

Which users should you identify for each task? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Modify the password protection policy:

User1 only
User1 and User2 only
User1, User2, and User4 only
User1, User2, User3, and User4

Create new guest users in Microsoft Azure Active Directory (Azure AD):

User1 only
User1 and User2 only
User1, User2, and User4 only
User1, User2, User3, and User4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Only a Global Admin can modify the password protection policy.

A Global Admin or a user with the Guest Inviter role can create guest accounts. Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-ban-bad-on-premises-op>

NEW QUESTION 117

- (Exam Topic 5)

Your network contains an Active Directory forest. The forest contains two domains named contoso.com and adatum.com.

Your company recently purchased a Microsoft 365 subscription. You deploy a federated identity solution to the environment.

You use the following command to configure contoso.com for federation. Convert-MsolDomainToFederated –DomainName contoso.com

In the Microsoft 365 tenant, an administrator adds and verifies the adatum.com domain name. You need to configure the adatum.com Active Directory domain for federated authentication.

Which two actions should you perform before you run the Azure AD Connect wizard? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From Windows PowerShell, run the Convert-MsolDomainToFederated–DomainName contoso.com –SupportMultipleDomain command.
- B. From Windows PowerShell, run the New-MsolFederatedDomain–SupportMultipleDomain -DomainName contoso.com command.
- C. From Windows PowerShell, run the New-MsolFederatedDomain-DomainName adatum.com command.
- D. From Windows PowerShell, run the Update-MSOLFederatedDomain–DomainName contoso.com –SupportMultipleDomain command.
- E. From the federation server, remove the Microsoft Office 365 relying party trust.

Answer: AE

Explanation:

When the Convert-MsolDomainToFederated –DomainName contoso.com command was run, a relying party trust was created.

Adding a second domain (adatum.com in this case) will only work if the SupportMultipleDomain switch was used when the initial federation was configured by running the Convert-MsolDomainToFederated

–DomainName contoso.com command.

Therefore, we need to start again by removing the relying party trust then running the Convert-MsolDomainToFederated command again with the SupportMultipleDomain switch.

NEW QUESTION 119

- (Exam Topic 5)

You have a Microsoft 365 subscription.

You need to prevent phishing email messages from being delivered to your organization. What should you do?

- A. From the Exchange admin center, create an anti-malware policy.
- B. From Security & Compliance, create a DLP policy.
- C. From Security & Compliance, create a new threat management policy.
- D. From the Exchange admin center, create a spam filter policy.

Answer: C

Explanation:

Anti-phishing protection is part of Office 365 Advanced Threat Protection (ATP). To prevent phishing email messages from being delivered to your organization, you need to configure a threat management policy.

ATP anti-phishing is only available in Advanced Threat Protection (ATP). ATP is included in subscriptions, such as Microsoft 365 Enterprise, Microsoft 365 Business, Office 365 Enterprise E5, Office 365 Education A5, etc.

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/set-up-anti-phishing-policies>

NEW QUESTION 120

- (Exam Topic 5)

Your company has a hybrid deployment of Microsoft 365.

Users authenticate by using pass-through authentication. Several Microsoft Azure AD Connect Authentication Agents are deployed.

You need to verify whether all the Authentication Agents are used for authentication. What should you do?

- A. From the Azure portal, use the Troubleshoot option on the Pass-through authentication page.
- B. From Performance Monitor, use the #PTA authentications counter.
- C. From the Azure portal use the Diagnostics settings on the Monitor blade.
- D. From Performance Monitor, use the Kerberos authentications counter.

Answer: A

Explanation:

On the Troubleshoot page, you can view how many agents are configured. If you click on the agents link, you can view the status of each agent. Each agent will have a status of Active or Inactive.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/tshoot-connect-pass-through-authentication>

NEW QUESTION 123

- (Exam Topic 5)

You have a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com.

You have three applications App1, App2, App3. The Apps use files that have the same file extensions. Your company uses Windows Information Protection (WIP).

WIP has the following configurations:

- Windows Information Protection mode: Silent
- Protected apps: App1
- Exempt apps: App2

From App1, you create a file named File1.

What is the effect of the configurations? To answer, select the appropriate options in the answer area.

You can open File1 from:

<input type="checkbox"/>	App1 only
<input type="checkbox"/>	App1 and App2 only
<input type="checkbox"/>	App1 and App3 only
<input type="checkbox"/>	App1, App2, and App3

An action will be logged when you attempt to open File1 from:

<input type="checkbox"/>	App1 only
<input type="checkbox"/>	App3 only
<input type="checkbox"/>	App1 and App2 only
<input type="checkbox"/>	App2 and App3 only
<input type="checkbox"/>	App1, App2, and App3

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Exempt apps: These apps are exempt from this policy and can access corporate data without restrictions.

Windows Information Protection mode: Silent: WIP runs silently, logging inappropriate data sharing, without stopping anything that would've been prompted for employee interaction while in Allow overrides mode. Unallowed actions, like apps inappropriately trying to access a network resource or WIP-protected data, are still stopped.

Reference:

<https://docs.microsoft.com/en-us/intune/apps/windows-information-protection-policy-create> <https://docs.microsoft.com/en-us/windows/security/information-protection/windows-information-protection/crea>

NEW QUESTION 127

- (Exam Topic 5)

You have a Microsoft 365 tenant.

You have a line-of-business application named App1 that users access by using the My Apps portal.

After some recent security breaches, you implement a conditional access policy for App1 that uses Conditional Access App Control.

You need to be alerted by email if impossible travel is detected for a user of App1. The solution must ensure that alerts are generated for App1 only.

What should you do?

- A. From Microsoft Cloud App Security, modify the impossible travel alert policy.
B. From Microsoft Cloud App Security, create a Cloud Discovery anomaly detection policy.
C. From the Azure Active Directory admin center, modify the conditional access policy.
D. From Microsoft Cloud App Security, create an app discovery policy.

Answer: A

Explanation:

Impossible travel detection identifies two user activities (is a single or multiple sessions) originating from geographically distant locations within a time period shorter than the time it would have taken the user to travel from the first location to the second.

We need to modify the policy so that it applies to App1 only. Reference:

<https://docs.microsoft.com/en-us/cloud-app-security/anomaly-detection-policy>

NEW QUESTION 130

- (Exam Topic 5)

You have a Microsoft 365 E5 subscription.

You need to ensure that users are prompted for multi-factor authentication (MFA) when they attempt to access Microsoft SharePoint Online resources. Users must NOT be prompted for MFA when they attempt to access other Microsoft 365 services.

What should you do?

- A. From the Microsoft Endpoint Manager admin center, create an app protection policy.
B. From the multi-factor authentication page, configure the users settings.
C. From the Azure Active Directory admin center, create a conditional access policy.
D. From the Cloud App Security admin center, create an app access policy.

Answer: C

Explanation:

Multi-factor authentication (MFA) is configured through conditional access policies. Reference:

<https://docs.microsoft.com/en-us/appcenter/general/configuring-aad-conditional-access>

NEW QUESTION 133

- (Exam Topic 5)

Your network contains an on-premises Active Directory forest named contoso.com. The forest contains the following domains:

- > Contoso.com
- > East.contoso.com

The forest contains the users shown in the following table.

Name	UPN suffix
User1	Contoso.com
User2	East.contoso.com
User3	Fabrikam.com

The forest syncs to an Azure Active Directory (Azure AD) tenant named contoso.com as shown in the exhibit. (Click the Exhibit tab.)

PROVISION FROM ACTIVE DIRECTORY



Azure AD Connect cloud provisioning

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

Azure AD Connect sync

Sync Status	Enabled
Last Sync	Less than 1 hour ago
Password Hash Sync	Disabled

USER SIGN-IN



Federation	Disabled	0 domains
Seamless single sign-on	Enabled	1 domain
Pass-through authentication	Enabled	2 agents

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	NO
User1 can authenticate to Azure AD by using a username of user1@contoso.com.	<input type="radio"/>	<input type="radio"/>
User2 can authenticate to Azure AD by using a username of user2@contoso.com.	<input type="radio"/>	<input type="radio"/>
User3 can authenticate to Azure AD by using a username of user3@contoso.com	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

The UPN of user1 is user1@contoso.com so he can authenticate to Azure AD by using the username user1@contoso.com.

Box 2: No

The UPN of user2 is user2@east.contoso.com so he cannot authenticate to Azure AD by using the username user2@contoso.com.

Box 3: No

The UPN of user3 is user3@fabrikam.com so he cannot authenticate to Azure AD by using the username user3@contoso.com.

NEW QUESTION 134

- (Exam Topic 5)

You are developing a SharePoint Framework (SPFx) solution.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Field Customizer extensions be used to change the rendering of a field.	<input type="radio"/>	<input type="radio"/>
Field Customizer extensions can use the Server-Side Object Model.	<input type="radio"/>	<input type="radio"/>
Field Customizer extensions can use client-side libraries such as AngularJS and React.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/sharepoint/dev/spfx/extensions/get-started/building-simple-field-customizer#en> <https://www.spguides.com/spfx-application-customizer/>

NEW QUESTION 137

- (Exam Topic 5)

Your company has a Microsoft Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com. You purchase a domain named contoso.com from a registrar and add all the required DNS records.

You create a user account named User1. User1 is configured to sign in as user1@contoso.onmicrosoft.com. You need to configure User1 to sign in as user1@contoso.com.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Run Set-MsolDomainAuthentication - TenantID contoso.com
- Modify the email address of User1.
- Modify the username of User1.
- Verify the custom domain.
- Add a contoso.com as a SAN for an X.509 certificate.
- Add a custom domain name.

Answer Area

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

The first step is to add the contoso.com domain to Office 365. You do this by adding a custom domain. When you add a custom domain to office 365, you can use the domain as your email address or to sign in to Office 365.

The second step is to verify the custom domain. This is to prove that you own the domain. You can verify the custom domain by adding a DNS record to the domain DNS zone.

When you have added and verified the domain, you can configure the user accounts to use it. To configure User1 to sign in as user1@contoso.com, you need to change the username of User1. In Office 365, the username is composed of two parts. The first part is the actual username (User1) and the second part is the domain. You need to modify the username of User1 by selecting the contoso.com domain from the dropdown list of domains. The dropdown list of domains contains the <domain>.onmicrosoft.com domain and any custom domains that have been added.

Reference:

<https://docs.microsoft.com/en-us/office365/admin/setup/add-domain?view=o365-worldwide>

NEW QUESTION 142

- (Exam Topic 5)

You have a Microsoft 365 subscription.

You configure a data loss prevention (DLP) policy.

You discover that users are incorrectly marking content as false positive and bypassing the DLP policy. You need to prevent the users from bypassing the DLP policy.

What should you configure?

- A. actions
B. exceptions

- C. incident reports
- D. user overrides

Answer: D

Explanation:

A DLP policy can be configured to allow users to override a policy tip and report a false positive.

You can educate your users about DLP policies and help them remain compliant without blocking their work. For example, if a user tries to share a document containing sensitive information, a DLP policy can both send them an email notification and show them a policy tip in the context of the document library that allows them to override the policy if they have a business justification. The same policy tips also appear in Outlook on the web, Outlook, Excel, PowerPoint, and Word. If you find that users are incorrectly marking content as false positive and bypassing the DLP policy, you can configure the policy to not allow user overrides.

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/data-loss-prevention-policies>

NEW QUESTION 143

- (Exam Topic 5)

You have a Microsoft 365 E5 subscription that contains a group named Group 1.

You need to ensure that all the members of Group1 are notified when Microsoft 365 outages occur. The solution must minimize administrative effort

What should you do?

- A. From the Microsoft 365 admin center, configure a Service health email notification
- B. From the Exchange admin center, create an alert policy and configure an email notification.
- C. From the Microsoft 365 admin center, configure a Message center email notification.
- D. From the Microsoft 365 Defender portal create an alert policy and configure an email notification.

Answer: C

NEW QUESTION 146

- (Exam Topic 5)

You have a Microsoft 365 subscription and a hybrid Microsoft Exchange Online deployment.

You plan to deploy iOS devices that will use Outlook for iOS and Hybrid Modern Authentication (HMA). You need to ensure that HMA is configured correctly.

What should you use?

- A. Microsoft Diagnostics and Recovery Toolset (DaRT)
- B. Microsoft Remote Connectivity Analyzer
- C. Microsoft Support and Recovery Assistant
- D. Apple Configurator

Answer: D

NEW QUESTION 149

- (Exam Topic 5)

You have a Microsoft 365 tenant that contains Microsoft Exchange Online.

You plan to enable calendar sharing with a partner organization named adatum.com. The partner organization also has a Microsoft 365 tenant.

You need to ensure that the calendar of every user is available to the users in adatum.com immediately. What should you do?

- A. From the Exchange admin center, create a sharing policy.
- B. From the Exchange admin center, create a new organization relationship
- C. From the Microsoft 365 admin center, modify the Organization profile settings.
- D. From the Microsoft 365 admin center, configure external site sharing.

Answer: B

Explanation:

You need to set up an organization relationship to share calendar information with an external business partner. Office 365 admins can set up an organization relationship with another Office 365 organization or with an Exchange on-premises organization.

Reference:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/create-an-organization-relationshi>

NEW QUESTION 154

- (Exam Topic 5)

You have a pilot app named App1 deployed to a Microsoft Power Platform production environment named Prod1.

You need to reset the Prod1 environment in preparation for the production deployment of App1.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Reset the Prod1 environment

Convert the Prod1 environment to a sandbox environment.

Convert the Prod1 environment to a production environment.

Sign in to the Power Platform admin center.

Sign in to the make.powerapps.com maker portal.

Answer Area

<

>

⬆

⬇

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated
Reference:
<https://docs.microsoft.com/en-us/power-platform/admin/switch-environment> <https://docs.microsoft.com/en-us/power-platform/admin/reset-environment>
<https://www.azamba.com/2018/01/18/how-to-reset-a-production-instance-in-microsoft-dynamics-365-crm/>

NEW QUESTION 156

- (Exam Topic 5)
You have an on premises web application that is published by using a URL of https://app.contoso.local. You purchase a Microsoft 365 subscription. Several external users must be able to connect to the web application
You need to recommend a solution for external access to the application. The solution must support multi-factor authentication.
Which two actions should you recommend? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. From an on-premises server, install a connector, and then publish the app.
- B. From the Azure Active Directory admin center, enable an Application Proxy.
- C. From the Azure Active Directory admin center, treat a conditional access policy.
- D. From an on premises server, install an Authentication Agent.
- E. Republish the web-application by using http/app.contoso.com

Answer: AB

Explanation:

Azure Active Directory (Azure AD) has an Application Proxy service that enables users to access on-premises applications by signing in with their Azure AD account. The application proxy enables you to take advantage of Azure AD security features like Conditional Access and Multi-Factor Authentication. To use Application Proxy, install a connector on each Windows server you're using with the Application Proxy service. The connector is an agent that manages the outbound connection from the on-premises application servers to Application Proxy in Azure AD.
Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/application-proxy-add-on-premises-applic>

NEW QUESTION 157

- (Exam Topic 5)
You are developing a Microsoft Teams tab that will capture coordinates from mobile devices and send notifications to users. The relevant portion of the app manifest is shown in the App Manifest exhibit (Click the App Manifest tab.) The relevant portion of the JavaScript code for the tab is shown in the JavaScript exhibit (Click the JavaScript tab)
While testing the tab. a user receives the message shown in the Message exhibit (Click the Message tab.) For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE; Each correct selection is worth one point.

Answer Area

Statements	Yes	No
If the user changes mobile devices after successfully using all the functionalities in the tab, the user will receive the message again.	<input type="radio"/>	<input type="radio"/>
If the user uses two different tenants on the same mobile device, the user will receive the message again.	<input type="radio"/>	<input type="radio"/>
If two users share the same mobile device, each user will receive the message when the user first uses the tab.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
If the user changes mobile devices after successfully using all the functionalities in the tab, the user will receive the message again.	<input checked="" type="radio"/>	<input type="radio"/>
If the user uses two different tenants on the same mobile device, the user will receive the message again.	<input type="radio"/>	<input checked="" type="radio"/>
If two users share the same mobile device, each user will receive the message when the user first uses the tab.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 159

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.


Microsoft 365 Username: admin@LODSe878763.onmicrosoft.com

Microsoft 365 Password: m3t^We\$Z7&xy

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 11440873



Sign in

Email, phone, or Skype

No account? Create one!

Can't access your account?

Sign-in options

Next

You need to add Adele Vance to a group named Managers. The solution must ensure that you can grant permissions to Managers.

To answer, sign in to the Microsoft 365 portal.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

You need to create a group named Managers and add Adele Vance to the group. To ensure that you can grant permissions to the Managers group, the group needs to be a Security Group.

- * 1. Sign in to the Microsoft 365 Admin Center.
- * 2. In the left navigation pane, expand the Groups section then select Groups.
- * 3. Click the 'Add a group' link.

- NEW QUESTION 163**

NOTE: Each correct selection is worth one point.

```
{
  "$schema": "http://adaptivecards.io/schemas/adaptive-card.json",
  "type": "AdaptiveCard",
  "version": "1.0",
  ...
  "actions": [
    {
      "type": "Action.Http",
      "url": "https://actionablemessages.contoso.com/api/getupdatedcard",
      "body": ""
    }
  ]
}
```

- Answer: A**

<https://docs.microsoft.com/en-us/outlook/actionable-messages/auto-invoke>

You implement Microsoft Azure Advanced Threat Protection (Azure ATP). You have an Azure ATP sensor configured as shown in the following exhibit. Updates

Updates

Domain controller restart during updates

OFF

?

NAME	TYPE	VERSION	AUTOM...	DELAYE...	STATUS
LON-DC1	Sensor	2.48.5521	<div></div> on	<div></div> on	Up to date

Save

How long after the Azure ATP cloud service is updated will the sensor update?

- A. 1 hour
- B. 7 days
- C. 48 hours
- D. 12 hours
- E. 72 hours

Answer: E

Explanation:

References:
<https://docs.microsoft.com/en-us/azure-advanced-threat-protection/atp-whats-new> The exhibit shows that the sensor is configure for Delayed update. Given the rapid speed of ongoing Azure ATP development and release updates, you may decide to define a subset group of your sensors as a delayed update ring, allowing for a gradual sensor update process. Azure ATP enables you to choose how your sensors are updated and set each sensor as a Delayed update candidate. Sensors not selected for delayed update are updated automatically, each time the Azure ATP service is updated. Sensors set to Delayed update each service update.
Reference:
are updated on a delay of 72 hours, following the official release of
<https://docs.microsoft.com/en-us/azure-advanced-threat-protection/sensor-update>

NEW QUESTION 172

- (Exam Topic 5)
You have a Microsoft 365 subscription that contains a guest user named User1. User1 is assigned the User administrator role. You have a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com. Contoso.com is configured as shown in the following exhibit.

External collaboration settings

Save

Discard

Guest users permissions are limited

Yes

No

Admins and users in the guest inviter role can invite

Yes

No

Members can invite

Yes

No

Guests can invite

Yes

No

Collaboration restrictions

☒

Allow invitations to be sent to any domain (most inclusive)

☐

Deny invitations to the specified domains

☐

Allow invitations only to the specified domains (most restrictive)

User1 can [answer choice]

open the Azure portal only

open the Azure portal and view users only

open the Azure portal, view users, and create new guest users only

open the Azure portal, view users, create new users, and create new guest users

All other guest users can [answer choice]

open the Azure portal only

open the Azure portal and view users only

open the Azure portal, view users, and create new guest users only

open the Azure portal, view users, create new users, and create new guest users

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Default permissions for guests are restrictive by default. Guests can be added to administrator roles, which grant them full read and write permissions contained in the role. There is one additional restriction available, the ability for guests to invite other guests. Setting Guests can invite to No prevents guests from inviting other guests.

User1 is assigned the User Administrator role. Therefore, User1 can open the Azure portal, view users, create new users, and create new guest users.

In the exhibit, the 'Guest user permissions are limited' is set to no. This means that guest users have the same permissions as members. However, the 'Guests can invite' setting is set to No. Therefore, other guest users (all guest users except User1) can open the Azure portal and view users in the same way as member users can.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/b2b/delegate-invitations> <https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/users-default-permissions>

NEW QUESTION 173

- (Exam Topic 5)

Your company has a Microsoft Azure Active Directory (Azure AD) directory tenant named contoso.onmicrosoft.com.

All users have client computers that run Windows 10 Pro and are joined to Azure AD. The company purchases a Microsoft 365 E3 subscription.

You need to upgrade all the computers to Windows 10 Enterprise. The solution must minimize administrative effort.

You assign licenses from the Microsoft 365 admin center. What should you do next?

- A. Add a custom domain name to the subscription.
- B. Deploy Windows 10 Enterprise by using Windows Autopilot.
- C. Create provisioning package, and then deploy the package to all the computers.
- D. Instruct all the users to log off of their computer, and then to log in again.

Answer: B

Explanation:

With Windows Autopilot the user can set up pre-configure devices without the need consult their IT administrator.

Reference:

<https://docs.microsoft.com/en-us/windows/deployment/windows-10-deployment-scenarios> <https://docs.microsoft.com/en-us/windows/deployment/windows-autopilot/windows-autopilot>

NEW QUESTION 178

- (Exam Topic 5)

You are developing a single-page application (SPA) named App1 that will be used by the public. Many users of App1 restrict pop-up windows from opening in their browser.

You need to authenticate the users by using the Microsoft identity platform. The solution must meet the following requirements:

- Ensure that App1 can read the profile of a user.
- Minimize user interaction during authentication.
- Prevent App1 from requiring admin consent for any permissions.

How should you complete the code? To answer, select the appropriate options in the answer area.

Answer Area

```
function authCallback(error, response) {  
    }  
    userAgentApplication.handleRedirectCallback(authCallback);  
    const accessTokenRequest: AuthenticationParameters = {  
        scopes: ["user.read"]  
    };  
    use  
        scopes: ["user.read.all"]  
        scopes: ["people.read"]  
        scopes: ["people.read.all"]  
    };  
    let accessToken = acc  
    }).catch(function (error)  
        acquireTokenRedirect  
        acquireTokenSilent  
        acquireTokenPopup  
    );  
    userAgentApplication.  
    };  
    });  
    (accessTokenRequest).then(function(accessTokenResponse) {  
        (accessTokenRequest);  
        acquireTokenRedirect  
        acquireTokenSilent  
        acquireTokenPopup  
    });
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Answer Area

```
function authCallback(error, response) {
}

userAgentApplication.handleRedirectCallback(authCallback);

const accessTokenRequest: AuthenticationParameters = {
  scopes: ["user.read"],
  scopes: ["user.read.all"],
  use: ["people.read"],
  scopes: ["people.read.all"]
}

let accessToken = acc

}).catch(function (error) {
  acquireTokenRedirect
  acquireTokenSilent
  acquireTokenPopup
})

userAgentApplication.
  (accessTokenRequest);
});
```

NEW QUESTION 180

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an on-premises Active Directory forest named contoso.com. The forest contains the following domains:

- > Contoso.com
- > East.contoso.com

An Azure AD Connect server is deployed to contoso.com. Azure AD Connect syncs to an Azure Active Directory (Azure AD) tenant.

You deploy a new domain named west.contoso.com to the forest.

You need to ensure that west.contoso.com syncs to the Azure AD tenant.

Solution: You install a new Azure AD Connect server in west.contoso.com and set AD Connect to staging mode.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 182

- (Exam Topic 5)

Note: This question it part of a series of questions that present the same scenario. Cacti question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Office 365 tenant.

You suspect that several Office 365 features were recently updated.

You need to view a last of the features that were recently updated in the tenant. Solution: You use Dashboard in Security & Compliance.

Does this meet the goal?

- A. Yes
- B. NO

Answer: B

Explanation:

Depending on what your organization's Office 365 subscription includes, the Dashboard in Security & Compliance includes several widgets, such as Threat Management Summary, Threat Protection Status, Global Weekly Threat Detections, Malware, etc. It does not display a list of the features that were recently updated in the tenant so this solution does not meet the goal.

To meet the goal, you need to use Message center in the Microsoft 365 admin center.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/security-dashboard> <https://docs.microsoft.com/en-us/office365/admin/manage/message-center?view=o365-worldwide>

NEW QUESTION 187

- (Exam Topic 5)

Your Network contains an on-premises Active Directory domain named contoso.local. The domain contains five domain controllers.
Your company purchases Microsoft 365 and creates a Microsoft Active Directory (Azure AD) tenant named .contoso.onmicrosoft.com.
You plan to implement pass-through authentication.
You need to prepare the environment for the planned implementation of pass-through authentication. Which three actions should you perform? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

- A. Modify the email address attribute for each user account.
- B. From the Azure portal, add a custom domain name.
- C. From Active Directory Domains and Trusts, add a UPN suffix.
- D. Modify the User logon name for each user account.
- E. From the Azure portal, configure an authentication method.
- F. From a domain controller, install an authentication Agent.

Answer: BCF

Explanation:

To implement pass-through authentication, you need to install and configure Azure AD Connect.
The on-premise Active Directory domain is named contoso.local. Before you can configure Azure AD Connect, you need to purchase a routable domain, for example, contoso.com.
You then need to add the domain contoso.com to Microsoft as a custom domain name.
The user accounts in the Active Directory domain need to be configured to use the domain name contoso.com as a UPN suffix. You need to add contoso.com to the Active Directory first by using Active Directory Domains and Trusts to add contoso.com add a UPN suffix. You can then configure each account to use the new UPN suffix.
An Authentication Agent is required on a domain controller to perform the authentication when pass-through authentication is used. When the custom domain and user accounts are configured, you can install and configure Azure AD Connect. An Authentication Agent is installed when you select the pass-through authentication option in the Azure AD Connect configuration or you can install the Authentication Agent manually.
Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-pta-quick-start>

NEW QUESTION 188

- (Exam Topic 5)

You have a Microsoft 365 subscription.
A new corporate security policy states that you must automatically send DLP incident reports to the users in the legal department.
You need to schedule the email delivery of the reports. The solution must ensure that the reports are sent as frequently as possible.
How frequently can you share the reports?

- A. hourly
- B. monthly
- C. weekly
- D. daily

Answer: C

Explanation:

From the Dashboard in the Security and Compliance center, you can view various reports including the DLP Incidents report. From there you can configure a schedule to email the reports. In the schedule configuration, there are two choices for the frequency: Weekly or Monthly. Therefore, to ensure that the reports are sent as frequently as possible, you need to select Weekly.
Reference:
<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/create-a-schedule-for-a-report>

NEW QUESTION 190

- (Exam Topic 5)

You have a hybrid deployment of Microsoft 365 and an Azure Active Directory (Azure AD) tenant. The tenant contains the users shown in the following table.

Name	Type	Source
User1	Member	Azure AD
User2	Member	Windows Server Active Directory
User3	Guest	Microsoft account

Password protection in Azure AD is configured as shown in the following exhibit.

Custom smart lockout

Lockout threshold ⓘ ✓

Lockout duration in seconds ⓘ ✓

Custom banned passwords

Enforce custom list ⓘ ☒ Yes ☐ No

Custom banned password list ⓘ ✓

Password protection for Windows Server Active Directory

Enable password protection on Windows Server Active Directory ⓘ ☒ Yes ☐ No

Mode ⓘ ☐ Enforced ☒ Audit

Which users will be prevented from using the word “Contoso” as part of their password?

- A. User1 only
- B. User1 and User2 only
- C. User1 and User3 only
- D. User1, User2, and User3

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-password-ban-bad>

NEW QUESTION 195

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain.

You deploy a Microsoft Azure Active Directory (Azure AD) tenant. Another administrator configures the domain to synchronize to Azure AD.

You discover that 10 user accounts in an organizational unit (OU) are NOT synchronized to Azure AD. All the other user accounts synchronized successfully.

You review Azure AD Connect Health and discover that all the user account synchronizations completed successfully.

You need to ensure that the 10 user accounts are synchronized to Azure AD. Solution: From Azure AD Connect, you modify the filtering settings.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-configure-filtering>

NEW QUESTION 200

- (Exam Topic 5)

Your on-premises network contains five file servers. The file servers host shares that contain user data. You plan to migrate the user data to a Microsoft 365 subscription.

You need to recommend a solution to import the user data into Microsoft OneDrive. What should you include in the recommendation?

- A. Configure the Migrate of the OneDrive client on your Windows 10 device
- B. Configure the Sync settings in the OneDrive admin center.
- C. Run the SharePoint Hybrid Configuration Wizard.
- D. Run the SharePoint Migration Tool.

Answer: D

Explanation:

The SharePoint Migration Tool lets you migrate content to SharePoint Online and OneDrive from the following locations:

- SharePoint Server 2013
 - SharePoint Server 2010
 - Network and local file shares
- Reference:

<https://docs.microsoft.com/en-us/sharepointmigration/introducing-the-sharepoint-migration-tool>

NEW QUESTION 204

- (Exam Topic 5)

Your network contains a single Active Directory domain and two Microsoft Azure Active Directory (Azure AD) tenants. You plan to implement directory synchronization for both Azure AD tenants. Each tenant will contain some of the Active Directory users. You need to recommend a solution for the planned directory synchronization. What should you include in the recommendation?

- A. Deploy two servers that run Azure AD Connect, and then filter the users for each tenant by using organizational unit (OU)-based filtering.
- B. Deploy one server that runs Azure AD Connect, and then specify two sync groups.
- C. Deploy one server that runs Azure AD Connect, and then filter the users for each tenant by using organizational unit (OU)-based filtering.
- D. Deploy one server that runs Azure AD Connect, and then filter the users for each tenant by using domain-based filtering.

Answer: A

Explanation:

There's a 1:1 relationship between an Azure AD Connect sync server and an Azure AD tenant. For each Azure AD tenant, you need one Azure AD Connect sync server installation.

Therefore, we need to deploy two servers that run Azure AD Connect for the two Azure AD tenants.

Each user account can only be synchronized to one Azure AD tenant. Therefore, we need a way of splitting the users between the two Azure AD tenants. Azure AD Connect offers three ways to filter which users get synchronized to an Azure AD tenant. You can use domain-based filtering if you have multiple domains in a forest, attribute-based filtering or OU-based filtering.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/plan-connect-topologies#multiple-azure-ad-tenant>

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-configure-filtering>

NEW QUESTION 209

- (Exam Topic 5)

You have a Microsoft 365 E5 subscription.

Users have Android or iOS devices and access Microsoft 365 resources from computers that run Windows 11 or MacOS.

You need to implement passwordless authentication. The solution must support all the devices. Which authentication method should you use?


- A. Windows Hello
- B. Microsoft Authenticator app
- C. FIDO2 compliant security keys

Answer: A

NEW QUESTION 213

- (Exam Topic 5)

From the Microsoft Azure Active Directory (Azure AD) Identity Protection dashboard, you view the risk events shown in the exhibit. (Click the Exhibit tab.)



You need to reduce the likelihood that the sign-ins are identified as risky. What should you do?

- A. From the Security & Compliance admin center, add the users to the Security Readers role group.
- B. From the Conditional access blade in the Azure Active Directory admin center, create named locations.
- C. From the Azure Active Directory admin center, configure the trusted IPs for multi-factor authentication.
- D. From the Security & Compliance admin center, create a classification label.

Answer: B

Explanation:

A named location can be configured as a trusted location. Typically, trusted locations are network areas that are controlled by your IT department. In addition to Conditional Access, trusted named locations are also used by Azure Identity Protection and Azure AD security reports to reduce false positives for risky sign-ins.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition>

NEW QUESTION 218

- (Exam Topic 5)

Your company has a Microsoft 365 subscription.

You upload several archive PST files to Microsoft 365 by using the Security & Compliance admin center. A month later, you attempt to run an import job for the PST files.

You discover that the PST files were deleted from Microsoft 365.

What is the most likely cause of the files being deleted? More than one answer choice may achieve the goal. Select the BEST answer.

- A. The PST files were corrupted and deleted by Microsoft 365 security features.
- B. PST files are deleted automatically from Microsoft 365 after 30 days.
- C. The size of the PST files exceeded a storage quota and caused the files to be deleted.
- D. Another administrator deleted the PST files.

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/faqimporting-pst-files-to-office-365> You can use the Office 365 Import Service to bulk-import PST files to Office 365 mailboxes.

When you use the network upload method to import PST files, you upload them to an Azure blob container named ingestiondata. If there are no import jobs in progress on the Import page in the Security & Compliance Center), then all PST files in the ingestiondata container in Azure are deleted 30 days after the most recent import job was created in the Security & Compliance Center.

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/faqimporting-pst-files-to-office-365>

NEW QUESTION 223

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username:

admin@M365x981607.onmicrosoft.com

Microsoft 365 Password: *yfLo7lr2&y

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10811525

You plan to migrate data from an on-premises email system to your Microsoft 365 tenant. You need to ensure that Debra Berger can import a PST file.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Debra will need the Mailbox Import Export and Mail Recipients roles to be able to import PST files. These roles cannot be assigned directly to a user account. The way to assign just those two roles to a user is to create a new role group, assign the roles to the role group and add the user as a member.

- * 1. Go to the Exchange admin center.
- * 2. Select Permissions.
- * 3. In the Admin roles section, click the plus (+) sign to create a new role.
- * 4. Give the role group a name such as PST Import.
- * 5. In the roles section, click the plus (+) sign.
- * 6. Select the Mailbox Import Export and Mail Recipients roles and click Add to add the roles.
- * 7. In the Members section, click the plus (+) sign.
- * 8. Select Debra Berger then click Add then Ok to add Debra as a member of the new role group.
- * 9. Click the Save button to save the new role group.

NEW QUESTION 225

- (Exam Topic 5)

You have an on-premises call center and a Microsoft 365 E5 tenant.

You plan to implement Microsoft Phone System Direct Routing and Microsoft Teams. What should you include in the solution?

- Answer: D**

- (Exam Topic 5)

SupportBot provides responses to user queries in Microsoft Teams conversations. You need to create an app manifest to deploy SupportBot to Microsoft Teams. How should you complete the manifest? To answer, select the appropriate options in the answer area. NOTE Each correct selection is worth one point.

Answer Area

A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

NEW QUESTION 231

- (Exam Topic 5)

You have Windows 10 devices that are managed by using Microsoft Endpoint Manager. All the devices have Microsoft Office 365 apps installed.

You need to configure the proofing tool settings for the Office 35 apps. From the Microsoft Endpoint Manager admin center, what should you create?

- A. a device compliance policy
- B. an app configuration policy
- C. an app
- D. a device configuration profile

Answer: B

- (Exam Topic 5)

You have a Microsoft 365 E5 subscription that uses Endpoint security.

You need to create a group and assign the Endpoint Security Manager role to the group, Which type of group can you use?

- A. Microsoft 365 only
- B. distribution, mail-enabled security
- C. Microsoft 365 and security
- D. security only
- E. mail-enabled security and security only
- F. mail-enabled security, Microsoft 365. and security only

Answer: E

NEW QUESTION 237

- (Exam Topic 5)

You create a SharePoint Framework (SPFx) web part and include MSGraphClient by using the following manifest.

```
{
  "$schema": "https://developer.microsoft.com/json-schemas/spfx-build/package-solution.schema.json",
  "solution": {
    "name": "WebPart1",
    "id": "841cd609-d846-468d-a6ef-2d207b966cd8",
    "version": "1.0.0.0",
    "includeClientSideAssets": true,
    "skipFeatureDeployment": true,
    "webApiPermissionRequests": [
      {
        "resource": "Microsoft Graph",
        "scope": "Mail.Send"
      }
    ]
  },
  "paths": {
    "zippedPackage": "solution/WebPart1.sppkg"
  }
}
```

Which two actions can the web part perform? Each correct answer presents part of the solution. NOTE Each correct selection is worth one point

- A. Access the user information of all users.
- B. Send an email on behalf of the current user.
- C. Send an email on behalf of another user.
- D. Access the user information of the current user only.
- E. Create a file in the current user's Microsoft OneDrive

Answer: BD

NEW QUESTION 241

- (Exam Topic 5)

You have a Microsoft 365 Enterprise subscription.

You have a conditional access policy to force multi-factor authentication when accessing Microsoft SharePoint from a mobile device.

You need to view which users authenticated by using multi-factor authentication. What should you do?

- A. From the Microsoft 365 admin center, view the Security & Compliance reports.
- B. From the Azure Active Directory admin center, view the user sign-ins.
- C. From the Microsoft 365 admin center, view the Usage reports.
- D. From the Azure Active Directory admin center, view the audit logs.

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-reporting>

NEW QUESTION 245

- (Exam Topic 5)

You have Windows 10 devices that are managed by using Microsoft Endpoint Manager as shown in the following table.

Name	CPU	Member of	Installed apps
Device1	x86	Group1	Microsoft Office 2016
Device2	x86	Group1	None
Device3	x64	Group1	Microsoft Office 2019
Device4	x64	Group1	None

You create a Microsoft 365 Suite app as shown in the exhibit (Click the Exhibit Tab.) and assign The app to Group1. On which devices will Microsoft 365 Apps be installed?

- A. Device2 and Device4 only
- B. Device1, Device2. and Device4 only
- C. Device2 only
- D. Device 1 and Device2 only

E. Device1, Device2, Device3, and Device4

Answer: E

NEW QUESTION 247

- (Exam Topic 5)

Your company has a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com. You sign up for Microsoft Store for Business. The tenant contains the users shown in the following table.

Name	Microsoft Store for Business role	Azure AD role
User1	Purchaser	None
User2	Basic Purchaser	None
User3	None	Application administrator
User4	None	Cloud application administrator
User5	None	None

Microsoft Store for Business has the following Shopping behavior settings:

- Allow users to shop is set to On.
- Make everyone a Basic Purchaser is set to Off.

You need to identify which users can install apps from the Microsoft for Business private store. Which users should you identify?

- A. user1, User2, User3, User4, and User5
- B. User1 only
- C. User1 and User2 only
- D. User3 and User4 only
- E. User1, User2, User3, and User4 only

Answer: C

Explanation:

Allow users to shop controls the shopping experience in Microsoft Store for Education. When this setting is on, Purchasers and Basic Purchasers can purchase products and services from Microsoft Store for Education.

References:

<https://docs.microsoft.com/en-us/microsoft-store/acquire-apps-microsoft-store-for-business>

NEW QUESTION 251

- (Exam Topic 5)


You have a Microsoft 365 subscription that contains the users shown in the following table.

Name	Role
User1	Helpdesk admin
User2	Global Administrator
User3	None
User4	None
User5	None

The subscription contains the groups shown in the following table.

Name	Type	Members
Group1	Microsoft 365	User2, User3
Group2	Mail-enabled security	User1, Group3
Group3	Distribution list	User4, User5

You deploy an app as shown in the following exhibit



For each of the following statements, select Yes if the statement is true. Otherwise select No.

Statements	Yes	No
User1 can modify the app deployment.	<input type="radio"/>	<input type="radio"/>
User2 will receive the app.	<input type="radio"/>	<input type="radio"/>
User4 will receive the app.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
User1 can modify the app deployment.	<input type="radio"/>	<input checked="" type="radio"/>
User2 will receive the app.	<input checked="" type="radio"/>	<input type="radio"/>
User4 will receive the app.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 254

- (Exam Topic 5)

You have a Microsoft 365 subscription. All users have client computers that run Windows 10 and have Microsoft Office 365 ProPlus installed. Some users in the research department work for extended periods of time without an Internet connection. How many days can the research department users remain offline before they are prevented from editing Office documents?

- A. 10
- B. 30
- C. 90
- D. 120

Answer: B

Explanation:

After 30 days, Microsoft Office 365 ProPlus will go into reduced functionality mode. When this happens, users will be able to open files but they won't be able to edit them.

As part of the installation process, Office 365 ProPlus communicates with the Office Licensing Service and the Activation and Validation Service to obtain and activate a product key. Each day, or each time the user logs on to their computer, the computer connects to the Activation and Validation Service to verify the license status and extend the product key. As long as the computer can connect to the Internet at least once every 30 days, Office remains fully functional. If the computer goes offline for more than 30 days, Office enters reduced functionality mode until the next time a connection can be made.

Reference:

<https://docs.microsoft.com/en-us/deployoffice/overview-of-licensing-and-activation-in-office-365-proplus>

NEW QUESTION 258

- (Exam Topic 5)

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 tenant.

You suspect that several Office 365 features were recently updated.

You need to view a list of the features that were recently updated in the tenant Solution: You review the Product Feedback in the Microsoft 365 admin center Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 261

- (Exam Topic 5)

Your network contains an Active Directory domain named contoso.com. You have a Microsoft 365 subscription.

You have a Microsoft Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com. You implement directory synchronization.

The developers at your company plan to build an app named App1. App1 will connect to the Microsoft Graph API to provide access to several Microsoft Office 365 services.

You need to provide the URI for the authorization endpoint that App1 must use. What should you provide?

- A. <https://login.microsoftonline.com/>
- B. <https://contoso.com/contoso.onmicrosoft.com/app1>
- C. <https://login.microsoftonline.com/contoso.onmicrosoft.com/>
- D. <https://myapps.microsoft.com>

Answer: C

Explanation:

In a single tenant application, sign-in requests are sent to the tenant's sign-in endpoint. For example, for contoso.onmicrosoft.com the endpoint would be: <https://login.microsoftonline.com/contoso.onmicrosoft.com>. Requests sent to a tenant's endpoint can sign in users (or guests) in that tenant to applications in that tenant.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/develop/howto-convert-app-to-be-multi-tenant>

NEW QUESTION 265

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company plans to deploy several Microsoft Office 365 services.

You need to design an authentication strategy for the planned deployment. The solution must meet the following requirements:

- * Users must be able to authenticate during business hours only.
- * Authentication requests must be processed successfully if a single server fails.
- * When the password for an on-premises user account expires, the new password must be enforced the next time the user signs in.
- * Users who connect to Office 365 services from domain-joined devices that are connected to the internal network must be signed in automatically.

Solution: You design an authentication strategy that uses password hash synchronization and seamless SSO. The solution contains two servers that have an Authentication Agent installed.

A. Yes

B. No

Answer: B

NEW QUESTION 267

- (Exam Topic 5)

Your network contains two Active Directory forests. Each forest contains two domains. All client computers run Windows 10 and are domain-joined.

You plan to configure Hybrid Azure AD join for the computers. You create Microsoft Azure Active Directory (Azure AD) tenant.

You need to ensure that the computers can discover the Azure AD tenant. What should you create?

- A. a new computer account for each computer
- B. a new service connection point (SCP) for each domain
- C. a new trust relationship for each forest
- D. a new service connection point (SCP) for each forest

Answer: D

Explanation:

Your devices use a service connection point (SCP) object during the registration to discover Azure AD tenant information. In your on-premises Active Directory instance, the SCP object for the hybrid Azure AD joined devices must exist in the configuration naming context partition of the computer's forest. There is only one configuration naming context per forest. In a multi-forest Active Directory configuration, the service connection point must exist in all forests that contain domain-joined computers.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/devices/hybrid-azuread-join-manual>

NEW QUESTION 271

- (Exam Topic 5)

You have a Microsoft 365 subscription that uses an Azure Active Directory (Azure AD) tenant named contoso.com. The tenant contains the users shown in the following table.

Name	Device type	License
User1	Windows 10	None
User2	Windows 10	Microsoft Office 365 E5
User3	Android	Microsoft Office 365 E5

You configure the Office software download settings as shown in the exhibit. (Click the Exhibit tab.)

Office software download settings

X

Choose whether your users can install Office apps on their own devices.
 If you choose not to allow this, you can [manually deploy apps to users](#) instead.

Apps for Windows and mobile devices

☒ Office (includes Skype for Business)

How often do you want users to get feature updates for Office apps?

- ☐ Every month (Monthly channel)
☒ Every 6 months (Semi-Annual channel)

Apps for Mac

☒ Office

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements

Yes

No

User1 can use Microsoft Word Online to edit documents when he signs in to <https://www.office.com>.

☐
☐

User2 can install Office 365 apps on his device when he signs in to <https://www.office.com>.

☐
☐

User3 can install Microsoft Word on his device when he signs in to <https://www.office.com>.

☐
☐

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Box 1: No.

User1 does not have an Office 365 license so will be unable to use edit documents in Word online. Box 2: Yes.

User2 has a Windows device and an Office 365 license. Box 3: No

Although, User 3 has an Office 365 license, you cannot download Android apps from the Office 365 portal. You need to download the apps from the Android app store.

NEW QUESTION 272

- (Exam Topic 5)

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Member of	Multi-Factor Auth Status
User1	Group1	Disabled
User2	Group1, Group2	Enabled
User3	Group2	Disabled

You configure a multi-factor authentication (MFA) registration policy that has the following settings: Assignments:

- Include: Group1
- Exclude: Group2

Access controls: Require Azure MFA registration

Enforce Policy: On

You create a conditional access policy that has the following settings: Name: Policy1

Assignments:

- Include: Group2
- Exclude: Group1
- Access controls: Grant, Require multi-factor authentication
- Enable policy: On

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 will be required to use MFA on the next sign-in.	<input type="radio"/>	<input type="radio"/>
User2 will be required to use MFA on the next sign-in.	<input type="radio"/>	<input type="radio"/>
User3 will be required to use MFA on the next sign-in.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: No

The MFA policy applies to User1 so he will be prompted to register for MFA. He has 14 days to complete the registration. During this 14-day period, he can bypass registration but at the end of the period he will be required to register before he can complete the sign-in process.

The Conditional Access Policy does not apply to User1 so MFA is not required. Box 2: No

User2's MFA status is Enabled which means he has been enrolled in MFA but has not yet completed the registration.

The Conditional Access Policy does not apply to User2 because Group1 is excluded so MFA is not required. Box 3: Yes

The Conditional Access Policy does apply to User3 so MFA will be required. He will need to be enrolled for MFA first.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-configure-https://docs.microsoft.com/en-us/microsoft-365/admin/security-and-compliance/set-up-multi-factor-authenticati>

NEW QUESTION 276

- (Exam Topic 5)

You have a Microsoft 365 Enterprise E5 subscription.

You need to enforce multi-factor authentication on all cloud-based applications for the users in the finance department.

What should you do?

- A. Create on activity policy.
B. Create a Sign-in risk policy.
C. Create a session policy.
D. Create an app permission policy.

Answer: B

Explanation:

You can configure a sign-in risk policy that applies to the Finance department users. The policy can be configured to 'Allow access' but with multi-factor authentication as a requirement.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-sign-in-risk-policy>

NEW QUESTION 277

.....

Relate Links

100% Pass Your MS-100 Exam with ExamBible Prep Materials

<https://www.exambible.com/MS-100-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>