

## Exam Questions HPE2-T37

Using HPE OneView

<https://www.2passeasy.com/dumps/HPE2-T37/>



NEW QUESTION 1  
Refer to the exhibit.

OneView			SANs 3		SAN1_1 General	
					General	
					State Discovered	
					Type FC	
					Principal switch 29:00:7A:2B:21:E0:00:86	
					Primary SAN manager 172.18.15.1	
					Alternate SAN managers none	
					Associated networks none	
					Zoning Policy Edit	
					Zoned Yes	
					Automate zoning Yes	

After adding SAN Manager to HPE OneView, you noticed that all SANs are in the discovered state. How will this affect HPE OneView storage management capabilities?

- A. Snapshot functionality will be limited only to the volumes not using these SANs.
- B. Volume presentation through server profile will work with the discovered state.
- C. Auto-zoning functionality will not work until SANs are associated with networks.
- D. Volume provisioning will only work for arrays that are accessible through these SANs.

Answer: B

NEW QUESTION 2

You want to update the firmware for only two HPE Synergy Virtual Connect SE 32Gb FC Modules of a large environment. From which level must this procedure be initiated?

- A. Logical Enclosure
- B. Logical Interconnect Group
- C. Logical Interconnect
- D. Server Profile

Answer: A

NEW QUESTION 3

Refer to the exhibit.

Connections

ID	Name	Network	Port	Boot
1	e1	Eth-1 Untagged	Mezzanine 3:1-a	Not bootable
		Type	Ethernet	
		MAC address	94:40:C9:6C:24:24 (p)	
		Requested virtual functions	None	
		Requested bandwidth	2.5 Gb/s	
		Link Aggregation group	None	
2	f1	FC-A Fabric Attach	Mezzanine 3:1-b	Not bootable
		Type	Fibre Channel	
		WWPN	20:00:94:40:c9:6c:24:26 (p)	
		WWNN	10:00:94:40:c9:6c:24:26 (p)	
		MAC address	94:40:C9:6C:24:26 (p)	
		Requested bandwidth	2.5 Gb/s	
3	f2	FC-B Fabric Attach	Mezzanine 3:2-b	Not bootable
		Type	Fibre Channel	
		WWPN	20:00:94:40:c9:6c:24:27 (p)	
		WWNN	10:00:94:40:c9:6c:24:27 (p)	
		MAC address	94:40:C9:6C:24:27 (p)	
		Requested bandwidth	2.5 Gb/s	

Add connection

Which statement about server connections is true?

- A. LACP on downlinks is configured for Ethernet connection
- B. All connections within the server profile are using physical IDs
- C. Ethernet connection is configured to boot from PXE
- D. Storage array is connected directly to an HPE Synergy frame

Answer: C

#### NEW QUESTION 4

Your customer wants to use HPE OneView for VMware vCenter Server to simplify management of their VMware cluster running on HPE Synergy. The customer is concerned with the cost of additional licenses.


How will you explain licensing rules for this product?

- A. As long as the customer has HPE OneView Global Dashboard deployed, HPE OneView for VMware vCenter Server does not require any additional licenses.
- B. One HPE OneView for VMware vCenter Server license is required per HPE Synergy frame if more than 10 Compute Modules are installed in the frame.
- C. If the number of the HPE Synergy Compute Modules installed in HPE Synergy frame is less than 10, no license is required to use HPE OneView for VMware vCenter Server.
- D. As long as the server is managed using HPE OneView
- E. the customer can use HPE OneView for VMware vCenter Server without additional licenses.

**Answer: B**

#### NEW QUESTION 5

Click the option that must be configured for an HPE OneView when an HPE storage system is connected directly to an HPE Synergy frame.



- A. Mastered
- B. Not Mastered

**Answer: A**

#### Explanation:

Fabric Type

#### NEW QUESTION 6

You originally configured boot mode for HPE ProLiant Gen10 server to 'Legacy BIOS' in an HPE OneView server profile and deployed an operating system. A few weeks later, you change the boot mode to the 'UEFI optimized' to leverage some features provided by this mode. What must you do next?

- A. reset an iL0 management processor to activate the new boot mode for the server
- B. reinstall an operating system, as UEFI is using different drive format than Legacy BIOS
- C. reset BIOS settings to the defaults so UEFI settings can be applied
- D. reset BIOS settings to the defaults through the server profile after changing the boot mode

**Answer: A**

#### NEW QUESTION 7

You are creating a Logical Interconnect Group (LIG) that will be used to configure SAS connectivity. What is the maximum number of frames that can be inducted in this LIG?

- A. 2 frames
- B. 4 frames
- C. 3 frames
- D. 1 frame
- E. 5 frames

**Answer: D**

#### NEW QUESTION 8

What event occurs on iLO when an HPE ProLiant server is added to HPE OneView?

- A. IPMI credentials are configured for the iLO
- B. REST API plugin is enabled for iLO
- C. Active Directory configuration is performed on iLO
- D. SSO certificate is added to the iLO

**Answer:** B

#### NEW QUESTION 9

what is required to add a remote frame to the primary management ring?

- A. UUD of the remote HPE Composer
- B. Serial number of one of the remote frames
- C. Remote frame Link Module IPv6 address
- D. Request code from the primary HPE Composer

**Answer:** D

#### NEW QUESTION 10

Which licenses are optional to be purchased separately for HPE Synergy?

- A. Global Dashboard licenses
- B. FC Upgrade licenses
- C. HPE OneView licenses
- D. Virtual Connect licenses

**Answer:** B

#### Explanation:

Licenses were not purchased in the original order for the modules and were ordered separately.

#### NEW QUESTION 10

Which connection type can be defined within a server profile for an MPE ProLiant DL server?

- A. iSCSI
- B. RoCE
- C. FC
- D. Ethernet

**Answer:** C

#### NEW QUESTION 14

Your customer asks you if it is possible to perform HPE Synergy initial setup remotely. How should you respond?

- A. Remote HPE Synergy setup is possible if HPE Composer 2 is used and a DHCP server is available in the management network.
- B. Remote HPE Synergy Installation can be done only if an additional set of the services was purchased together with hardware platform.
- C. HPE Synergy cannot be deployed remotely, as Initial setup must be performed using a local console connection.
- D. HPE Synergy can be configured remotely through a secure connection to the FLM if this option was enabled in the factory.

**Answer:** D

#### Explanation:

HPE Synergy 4-port Frame Link Modules have SFP+ ports which enable connections to distant frames and remote subnets.

#### NEW QUESTION 17

Your customer wants to manage their HPE Superdome Flex using HPE OneView. Which component must be added to HPE OneView to accomplish this task?

- A. Baseboard Management Controller (BMC)
- B. Rack Management Controller (RMC)
- C. all nPARs created within the complex
- D. only the base chassis from the complex

**Answer:** A

#### NEW QUESTION 21

As a part of troubleshooting, you have to reinstall the same version of the firmware on an HPE Synergy Compute Module. Click the area within the Firmware section of the server profile that will allow you to install the same firmware version.

## Firmware

Firmware baseline Service Pack for Synergy version SY-2021.02.01 ▾

☐ Force installation

Installation Method

☐ Firmware and OS Drivers using Smart Update Tools

☐ Firmware only using Smart Update Tools

☒ Firmware only

For the least disruptive option, select a Smart Update option. Without Smart Update, the server hardware must be powered off. [Learn more](#)

- A. Mastered  
 B. Not Mastered

Answer: A

Explanation:  
**Firmware**

Firmware baseline Service Pack for Synergy version SY-2021.02.01 ▾

☐ Force installation

Installation Method

☐ Firmware and OS Drivers using Smart Update Tools

☐ Firmware only using Smart Update Tools

☒ Firmware only

For the least disruptive option, select a Smart Update option. Without Smart Update, the server hardware must be powered off. [Learn more](#)

### NEW QUESTION 25

Which statement about managing an HPE BioeSystem sever is true?

- A. A multi-enclosure Virtuai Connect domain can be imported to HPE OneView without disrupting servers
- B. An HPE server blade can be removed from HPE OneView by deleting the server from the Server Hardware section
- C. An HPE server blade cannot be deleted from HPE OneView It must be physically removed from the enclosure
- D. Both c3000 and C7000 HPE BladeSystems enclosures can be imported to HPE Oneview for monitoring

Answer: B

### NEW QUESTION 28

Refer to the exhibit.



Create Logical Interconnect Group

General

?

General

Name

LIG-Ethernet

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Virtual Connect SE 100Gb F32 Module for Synergy

Enclosure count

1

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Virtual Connect SE 100Gb F32 Module for Synergy

Enclosure count

1

Interconnect bay set

3

Redundancy

Redundant

Non-redundant (A-side only)

Non-redundant (B-side only)

Redundancy choice recommends/limits choices and bay locations. [Learn](#)

Downlink speed

Select Interconnects

Your customer wants to define a Logical Interconnect Group (UG) and set the redundancy of the master modules to highly available, but this option is not available. What is a possible reason?

- A. There are not sufficient frames for highly available setup.
- B. Some master modules only support a redundant setup.
- C. Firmware on the master modules is too low to support highly available setup.
- D. A dedicated license must be added to HPE OneView to enable this feature.

Answer: B

NEW QUESTION 33

Click the option from the HPE OneView main menu that will allow you to define UPS or other components that will work as a placeholder in a rack system.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



### NEW QUESTION 35

Which statement about the volume template is true?

- A. Users will be able to change sharing type and volume capacity
- B. A volume created using this template will not support deduplication
- C. A volume created using this template will not support snapshots
- D. Users will be able to select storage pool during volume creation

Answer: A

### NEW QUESTION 39

You plan to update HPE OneView to the latest version. What should you do before starting HPE OneView update?

- A. Disable HPE Remote Support at the HPE OneView appliance level
- B. Put all servers managed through HPE OneView to maintenance state
- C. Run the Update Readiness checker tool to evaluate HPE OneView health status
- D. Create a support dump for the appliance and for all managed logical interconnects

Answer: C

### NEW QUESTION 42

You need to make sure that server ports connected to this network cannot communicate with each other within the logical interconnect. Click the option within the network definition that will allow you to configure the required parameter.

Create Network ?

Name

Type

Ethernet

Fibre Channel

FCoE

RoCE

VLAN

Tagged

Untagged

Tunnel

VLAN ID

Associate with IPv6 subnet ID

none

Subnet IDs cannot be assigned until a valid VLAN ID is specified

Purpose

General

Preferred bandwidth

2.5

Gb/s

Maximum bandwidth

50

Gb/s

☒ Smart link

☐ Private network

- A. Mastered  
B. Not Mastered

Answer: A


Explanation:

Tagged

NEW QUESTION 46

Refer to the exhibit.

Logical Interconnect [Edit](#)



Which statement about the logical interconnect shown is true?

- A. For FC uplink sets, an additional uplink from second module should be added for redundancy.  
B. The maximum supported number of the internal networks for logical interconnect is configured.  
C. Additional uplink ports can be added to ETH-Uplink to increase available bandwidth.  
D. FC uplinks are not supported and will be converted to FCoE or RoCE uplinks.

Answer: C

NEW QUESTION 47

.....



## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual HPE2-T37 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the HPE2-T37 Product From:

<https://www.2passeasy.com/dumps/HPE2-T37/>

## Money Back Guarantee

### HPE2-T37 Practice Exam Features:

- \* HPE2-T37 Questions and Answers Updated Frequently
- \* HPE2-T37 Practice Questions Verified by Expert Senior Certified Staff
- \* HPE2-T37 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* HPE2-T37 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year