



Microsoft

Exam Questions MS-203

Microsoft 365 Messaging

About ExamBible

[Your Partner of IT Exam](#)

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Exam Topic 1)

You must prevent HelpDeskUser1 from repeating the same mistake.

You need to identify which management role provided HelpDeskUser1 with the necessary permissions to make the mistake identified in the problem statement.

Which two cmdlets should you run? Each correct answer presents part of the solution.

- A. Get-RoleGroup
- B. Get-ManagementRoleEntry
- C. Get-RoleGroupMember
- D. Get-ManagementRoleAssignment
- E. Get-ManagementRole

Answer: BD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/exchange/find-exchange-cmdlet-permissions?view=exchange-ps>

NEW QUESTION 2

- (Exam Topic 1)

You need to recommend a solution that meets the security requirements for protecting users. What should you recommend?

- A. From the Security & Compliance admin center, create an ATP safe attachments policy.
- B. From the Exchange admin center in Exchange Online, create a spam filter policy.
- C. From the Security & Compliance admin center, create an ATP anti-phishing policy.
- D. From the Security & Compliance admin center, create an ATP Safe Links policy.

Answer: D

Explanation:

All users must be protected from accessing unsecure websites when they click on URLs embedded in email messages.

NEW QUESTION 3

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 hybrid deployment that contains the users shown in the following table.

| Name | Mailbox location |
|-------|----------------------|
| User1 | Exchange Online |
| User2 | Exchange on-premises |

You need to provide each user with an archive mailbox that is stored in Exchange Online.

Which admin center should you use to perform the configuration for each user? To answer, drag the appropriate admin centers to the correct users. Each admin center may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Admin Centers

The Exchange admin center from an on-premises server

The Exchange admin center from Exchange Online

The Microsoft 265 admin center

The Security and Compliance admin center

Answer Area

User1: Admin Center

User2: Admin Center

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/enable-archive-mailboxes> <https://docs.microsoft.com/en-us/exchange/hybrid-deployment/create-cloud-based-archive>

NEW QUESTION 4

- (Exam Topic 3)

You have a Microsoft Exchange Online tenant.

You recently hired two new administrators named Admin5 and Admin6. You need to grant the following permissions to the new administrators:

- Admin5 must be able to assign licenses to users.

- Admin6 must be able to modify the email SPAM settings of all users.
 - Admin5 must be able to configure the email forwarding settings of all users.
 - Admin5 and Admin6 must be able to manage the mailbox permissions of all users. The solution must use the principle of least privilege.
- Which role should you assign to each user? To answer, select the appropriate options NOTE: Each correct selection is worth one point.

Admin5:

User Administrator

Global Administrator

Exchange Administrator

Admin6:

User Administrator

Global Administrator

Exchange Administrator

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Admin5:

User Administrator

Global Administrator

Exchange Administrator

Admin6:

User Administrator

Global Administrator

Exchange Administrator

NEW QUESTION 5

- (Exam Topic 3)

Your company has a Microsoft Exchange Online subscription for an email domain named contoso.com. The company works with a partner company that uses an email domain named tailspintoys.com.

You need to configure the environment only to accept email from tailspintoys.com if the email is sent from an IP address of 131.107.12.85.

How should you configure the connector from the Exchange admin center? To answer, drag the appropriate options to the correct message settings. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Options

Office 365

Your organization's email server

Partner organization

Internet

Answer Area

To:

From:

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set->

NEW QUESTION 6

- (Exam Topic 3)

You manage a hybrid deployment between Microsoft Exchange Online and on-premises Exchange Server 2019. The deployment contains a primary SMTP domain named contoso.com.

Users have email addresses that use a syntax of firstname.lastname@contoso.com.

A user named Ben Smith receives a new client computer. You configure the computer1 to access Ben Smith's mailbox. Ben Smith reports that he cannot connect to his mailbox from the new computer.

You verify that other users can connect successfully to their mailbox and that new users can discover their mailboxes by using Autodiscover.

You need to ensure that Ben Smith can connect to his mailbox from the new computer. What should you do?

- A. Modify the primarySmtpAddress property for the mailbox of Ben Smith.

- B. Modify the email address of Ben Smith to use a syntax of firstname.lastname@contoso.onmicrosoft.com
- C. Modify the RemoteRoutingAddress parameter for the mailbox of Ben Smith.
- D. Modify the email address of Ben Smith to use a syntax of lastname.firstname@contoso.com

Answer: C

NEW QUESTION 7

- (Exam Topic 3)

You have a Microsoft 365 subscription.

Several users report today that they cannot access email from their mobile device. They successfully accessed their email from the same device yesterday.

You need to identify which mobile device access rule applies to the devices. Which cmdlet should you run?

- A. Get-MsolDevice
- B. Get-DeviceTenantRule
- C. Get-MobileDevice
- D. Get-ActiveSyncMailboxPolicy

Answer: C

Explanation:

The Get-MobileDevice cmdlet returns identification, configuration, and status information for each mobile device.

Note: The Get-MobileDeviceStatistics cmdlet can also be used. Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/devices/get-mobiledevice?view=exchange-ps>

NEW QUESTION 8

- (Exam Topic 3)

You have 1,000 user accounts that are each licensed for Microsoft 365. Each user account has a Microsoft Exchange Online mailbox.

Ten of the user accounts are configured as service accounts for applications. The applications send event notifications to the mailboxes of the service accounts by using SMTP. The developers of each application have delegated access to the mailbox of their respective application.

You need to ensure that all the event notifications sent by the applications are retained in the service account mailboxes so that new developers can review older notifications. The developers must be able to view only the notifications for their respective application.

What should you do?

- A. Replace the service account mailboxes with a single user mailbox that contains a folder for each application.
- B. Replace the service account mailboxes with a single user mailbox that contains Power Automate rules.
- C. Convert the service account mailboxes into shared mailboxes.
- D. Convert the service account mailboxes into mail-enabled users.

Answer: C

NEW QUESTION 9

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 organization named contoso.com and an Exchange Online tenant.

You plan to implement a hybrid deployment.

You have the certificates shown in the following table.

| Name | Source | Subject name |
|-------|---------------------------------------|--|
| Cert1 | Self-signed | server1.contoso.com |
| Cert2 | Internal certification authority (CA) | * |
| Cert3 | Internal certification authority (CA) | contoso.com and autodiscover.contoso.com |
| Cert4 | Public certification authority (CA) | * |
| Cert5 | Public certification authority (CA) | contoso.com and autodiscover.contoso.com |

You need to identify which certificates can be assigned in the Microsoft Office 365 Exchange Hybrid Configuration wizard.

Which certificates should you identify?

- A. Cert4 and Cert5 only
- B. Cert2 and Cert3 only
- C. Cert1 only
- D. Cert3 and Cert5 only
- E. Cert2 and Cert4 only
- F. Cert2, Cert3, Cert4, and Cert5 only

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/certificate-requirements>

NEW QUESTION 10

- (Exam Topic 3)

You need to create an address list that contains all the users who have a title of Director.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

| | | |
|---|-------------------|--|
| <div><div></div><div>New-AddressList</div><div>New-AddressBookPolicy</div><div>New-DistributionList</div><div>New-GlobalAddressList</div></div> | -Name "Directors" | <div><div></div><div>-RecipientFilter</div><div>-SearchBase</div><div>-SearchScope</div><div>-Where-Object</div></div> |
|---|-------------------|--|

```
{{(RecipientType -eq 'UserMailbox') -and (Title -eq 'Director')}}}
```

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/email-addresses-and-address-books/new-address>

NEW QUESTION 10

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes.

You need to add a second email address to each mailbox. The address must have a syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You convert all the mailboxes to shared mailboxes, and then you run the Set-Mailbox cmdlet and specify the -EmailAddressPolicyEnabled \$false parameter.

Does this meet the goal?

- A. Yes
B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-add> Email address policies define the rules that create email addresses for recipients in your Exchange organization.

The basic components of an email address policy are:

Email address templates: Define the email address format for the recipients (for example

<firstname>@contoso.com or <lastname>.<firstname>@contoso.com).

Recipient filter: Specifies the recipients whose email addresses are configured by the policy.

Priority: Specifies the order to apply the email address policies (important if a recipient is identified by more than one policy).

The EmailAddressPolicyEnabled parameter specifies whether to apply email address policies to this recipient. Valid values are:

\$true: Email address policies are applied to this recipient. This is the default value.

\$false: Email address policies aren't applied to this recipient.

NEW QUESTION 13

- (Exam Topic 3)

You have a Microsoft Exchange Online subscription that uses a namespace of litwareinc.com. You create a connector in Exchange Online that is configured as shown in the following exhibit.

| | |
|-------------------------------|--------------------|
| Name | : Contoso |
| Enabled | : True |
| UseMXRecord | : True |
| ConnectorType | : Partner |
| RecipientDomains | : {Contoso.com} |
| SmartHosts | : {} |
| TlsDomain | : Contoso.com |
| TlsSettings | : DomainValidation |
| IsTransportRuleScoped | : False |
| RouteAllMessagesViaOnPremises | : False |
| CloudServiceMailEnabled | : False |
| AllAcceptedDomains | : False |

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

If an email message is sent to info@contoso.com, the message [answer choice].

will always be delivered by using TLS
 will never be delivered by using TLS
 will sometimes be delivered by using TLS

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

the message will be delivered unencrypted
 the messages will not be delivered
 the message will be delivered by using TLS

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

If an email message is sent to info@contoso.com, the message [answer choice].

will always be delivered by using TLS
 will never be delivered by using TLS
 will sometimes be delivered by using TLS

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

the message will be delivered unencrypted
 the messages will not be delivered
 the message will be delivered by using TLS

NEW QUESTION 18

- (Exam Topic 3)
 You have a Microsoft Exchange Online tenant named contoso.com.
 Several users report that email messages sent to the users at another company named fabrikam.com contain a Winmail.dat attachment.
 You need to prevent the fabrikam.com users from receiving Winmail.dat attachments. What should you do?

- A. Configure a remote domain that has the TNEFEnabled parameter set to \$False.
- B. Create an Outbound connector that has the validationRecipients parameter set to contoso.com.
- C. Create an Outbound connector that has the validationRecipients parameter set to fabrikam.com.
- D. Configure a remote domain that has the TrustedMailoutboundEnabled parameter set to \$False.

Answer: A

Explanation:

Reference:

<https://gcits.com/knowledge-base/how-to-fix-the-winmail-dat-attachment-issue/>

NEW QUESTION 19

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam. You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You enable a DKIM signature. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 22

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You run the Get-HybridConfiguration cmdlet and receive the output shown in the following exhibit.

```
ClientAccessServers      : {}
EdgeTransportServers     : {}
ReceivingtransportServers : {EX01, EX02}
SendingTransportServers  : {EX01, EX02}
OnPremisesSmartHost      : mail.litware.com
Domains                  : {litware.com}
Features                  : {FreeBusy, MoveMailbox, Moiltips, MessageTracking, SecureMail, Photos}
ExternalIPAddresses      : {}
TIsCertificateName       : <I>CN=CA, O=SSLCert Inc, C=US<S>CN=mail.litware.com, OU=IT, O=User1,
                          L=Redmond, S=Washington, C=US
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

To enable users who have on-premises mailboxes to access their archive mailbox in Exchange online, you must modify the [answer choice] property.



| |
|---------------------|
| ClientAccessServers |
| Domains |
| Features |
| ExternalIPAddresses |

Depending on where the user mailbox is located, to enable automatic Microsoft Outlook on the web redirection to either the on-premises organization or Exchange Online, you must modify the [answer choice] property.



| |
|---------------------|
| ClientAccessServers |
| Domains |
| Features |
| ExternalIPAddresses |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/federation-and-hybrid/set-hybridconfiguration?vi>

NEW QUESTION 24

- (Exam Topic 3)

You have a Microsoft Exchange Online tenant that has Office 365 Advanced Threat Protection (ATP) enabled. The tenant contains a user named Ben Smith who has a UPN of ben.smith@fabrikam.com. Ben Smith is protected by using an ATP anti-phishing policy.

Ben Smith reports that emails sent from his personal account of ben.smith@relecloud.com are not delivered to his work email account.

You need to ensure that personal emails are delivered to the ben.smith@fabrikam.com What should you do?

- A. Create a transport rule to assign the MS-Exchange-Organization-PhishThresholdLevel header a value of 2 for the message received from ben.smith@relecloud.com
- B. Add ben.smith@fabrikam.com as a trusted sender to the ATP anti-phishing policy.
- C. Add ben.smith@relecloud.com as a trusted sender to the ATP anti phishing.

D. Add relecloud.com to the ATP anti-phishing list of misted domains.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-atp-anti-phishing-policies>

NEW QUESTION 25

- (Exam Topic 3)

All the users in your company have Microsoft 365 mailboxes.

Each user connects to Microsoft Exchange Online and OneDrive for Business from a personal computer that runs Windows 10.

You need to ensure that the users can save attachments to OneDrive for Business only when they connect to their mailbox from Outlook on the web.

What should you create?

- A. an app protection policy in Microsoft Endpoint Manager
- B. a device compliance policy in Microsoft Endpoint Manager
- C. an Outlook Web App policy in Exchange Online
- D. an Exchange ActiveSync device access rule

Answer: A

NEW QUESTION 27

- (Exam Topic 3)

You have a hybrid deployment that contains a Microsoft exchange Online tenant and anon premises Exchange Server 2019 server named Server1. Alt users use an email address suffix of @contoso.com.

On Server1, you create a new mailbox that uses an email address of user1@contoso.com

Users hosted in Exchange Online report that they receive a non-delivery report (NDR) When they attempt to send email messages to user1@contoso.com. The NDR contains the following text: "User1 wasn't found at contoso.com."

You verify that the Exchange Online users can send email successfully to the other mailboxes hosted on Server1. Users hosted on Server1 can send email to user1@contoso.com successfully.

You need to identify what causes the email delivery to fail. What should you use?

- A. the Azure Active Directory admin center
- B. the Exchange admin center
- C. Azure AD Connect Health
- D. the on-premises Exchange admin center

Answer: C

Explanation:

It's likely that the new user account hasn't replicated to Azure Active Directory. Azure AD Connect is responsible for account replication between on-prem AD and Azure AD.

NEW QUESTION 30

- (Exam Topic 3)

HOTSPOT

Your company named Contoso, Ltd. has a Microsoft Exchange Online subscription that uses a domain named contoso.com.

Contoso works with a partner company named A.Datum Corporation. A.Datum has an Exchange Server 2016 organization that uses a domain named adatum.com.

You need to ensure that users at Contoso can share their free/busy information with the users at A.Datum.

What should you do for each company? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

A.Datum:

| | |
|---|---|
| | ▼ |
| Configure Microsoft Azure Active Directory Connect | |
| Create a federation trust between Exchange and Microsoft Office 365 | |
| Establish identity federation by using Active Directory Federation Services | |
| Create a sharing policy | |

Contoso:

| | |
|---|---|
| | ▼ |
| Establish identity federation by using Active Directory Federation Services | |
| Configure Microsoft Azure Active Directory Connect | |
| Create an organization relationship | |
| Create a federation trust between Exchange and Microsoft Office 365 | |

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/organization-relationships>

NEW QUESTION 31

.....

Relate Links

100% Pass Your MS-203 Exam with ExamBible Prep Materials

<https://www.exambible.com/MS-203-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>