

## Exam Questions 102-500

LPIC-1 Exam 102 - Part 2 of 2 - version 5.0

<https://www.2passeasy.com/dumps/102-500/>



#### NEW QUESTION 1

- (Exam Topic 1)

After issuing:

```
function myfunction { echo $1 $2 ; }
```

in Bash, which output does:

```
myfunction A B C
```

Produce?

- A. A B
- B. A B C
- C. A C
- D. B C
- E. C B A

**Answer:** A

#### NEW QUESTION 2

- (Exam Topic 1)

Which of the following is the best way to list all defined shell variables?

- A. env
- B. set
- C. env -a
- D. echo \$ENV

**Answer:** B

#### NEW QUESTION 3

- (Exam Topic 1)

What keyword is missing from this code sample of a shell script?

```
_____ i in *.txt; do
```

```
echo $i
```

```
done
```

- A. for
- B. loop
- C. until
- D. while

**Answer:** A

#### NEW QUESTION 4

- (Exam Topic 1)

You are looking into a new script you received from your senior administrator. In the very first line you notice a `#!/` followed by a file path. This indicates that:

- A. The file at that location was used to make the script.
- B. This script provides identical functionality as the file at that location.
- C. This script will self-extract into a file at that location.
- D. The program at that location will be used to process the script.

**Answer:** D

#### NEW QUESTION 5

- (Exam Topic 1)

Which of the following commands puts the output of the command `date` into the shell variable `mydate`?

- A. `mydate="$(date)"`
- B. `mydate="exec date"`
- C. `mydate="$((date))"`
- D. `mydate="date"`
- E. `mydate="${date}"`

**Answer:** A

#### NEW QUESTION 6

- (Exam Topic 1)

Which command makes the shell variable named `VARIABLE` visible to subshells?

- A. `export $VARIABLE`
- B. `export VARIABLE`
- C. `set $VARIABLE`
- D. `set VARIABLE`
- E. `env VARIABLE`

**Answer:** B

#### NEW QUESTION 7

- (Exam Topic 1)

What benefit does an alias in bash provide?

- A. It provides faster lookups for commands in the system directory.
- B. It creates a local copy of a file from another directory.
- C. It hides what command you are running from others.
- D. It allows a string to be substituted for the first word of a simple command.

**Answer:** D

#### NEW QUESTION 8

- (Exam Topic 1)

What is the purpose of the file /etc/profile?

- A. It contains the welcome message that is displayed after login.
- B. It contains security profiles defining which users are allowed to log in.
- C. It contains environment variables that are set when a user logs in.
- D. It contains default application profiles for users that run an application for the first time.

**Answer:** C

#### NEW QUESTION 9

- (Exam Topic 2)

What is the default name of the configuration file for the Xorg X11 server? (Specify the file name only without any path.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

xorg.conf

#### NEW QUESTION 10

- (Exam Topic 2)

How is a display manager started?

- A. It is started by a user using the command startx.
- B. It is started like any other system service by the init system.
- C. It is started by inetd when a remote hosts connects to the X11 port.
- D. It is started automatically when a X11 user logs in to the system console.

**Answer:** B

#### NEW QUESTION 10

- (Exam Topic 2)

Which of the following are tasks handled by a display manager like XDM or KDM? (Choose TWO correct answers.)

- A. Start and prepare the desktop environment for the user.
- B. Configure additional devices like new monitors or projectors when they are attached.
- C. Handle the login of a user.
- D. Lock the screen when the user was inactive for a configurable amount of time.
- E. Create an X11 configuration file for the current graphic devices and monitors.

**Answer:** AC

#### NEW QUESTION 12

- (Exam Topic 3)

A user was not given permission to use the CRON scheduling system. What file needs to be modified to provide that access? (Please specify the full path to the file)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

/etc/cron.allow

#### NEW QUESTION 16

- (Exam Topic 3)

The correct crontab entry to execute the script chklog three times per month between 3 p.m. and 5 p.m.:

- A. \* 3,4,5 1 \* \* chklog
- B. 3 3,4,5 1 \* \* chklog

- C. 3 15,16,17 \* \* \* chklog
- D. 0 15,16,17 1 \* \* chklog
- E. \* 15,16,17 1 \* \* chklog

**Answer:** D

#### NEW QUESTION 19

- (Exam Topic 3)

In case neither cron.allow nor cron.deny exist in /etc/, which of the following is true?

- A. Without additional configuration, no users may have user specific crontabs.
- B. Without additional configuration, all users may have user specific crontabs.
- C. The cron daemon will refuse to start and report missing files in the system's logfile.
- D. When a user creates a user specific crontab the system administrator must approve it explicitly.

**Answer:** A

#### NEW QUESTION 22

- (Exam Topic 3)

Of the ways listed, which is the best method to temporarily suspend a user's ability to interactively login?

- A. Use passwd -d username to give the user an empty password.
- B. Use chage to expire the user account.
- C. Change the user's password.
- D. Add the command exit to the user's .login file.

**Answer:** B

#### NEW QUESTION 25

- (Exam Topic 3)

In which file, if present, must all users be listed that are allowed to use the cron scheduling system? (Specify the full name of the file, including path.)

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

/etc/cron.allow

#### NEW QUESTION 29

- (Exam Topic 3)

Which command should be added to /etc/bash\_profile to change the language of messages from an internationalised program to Portuguese (pt)? (Select TWO correct answers)

- A. export LANGUAGE="pt"
- B. export MESSAGE="pt"
- C. export LANG="pt"
- D. export LC\_MESSAGES="pt"
- E. export ALL\_MESSAGES="pt"

**Answer:** CD

#### NEW QUESTION 33

- (Exam Topic 3)

What is the conventional purpose of Linux UIDs that are lower than 100?

- A. They are reserved for super user accounts.
- B. They are reserved for the system admin accounts.
- C. They are reserved for system accounts.
- D. They are unused, aside from 0, because they are targets of exploits.
- E. They are used to match with GIDs in grouping users.

**Answer:** C

#### NEW QUESTION 37

- (Exam Topic 3)

What is true regarding the command userdel --force --remove bob? (Choose TWO correct answers.)

- A. The user bob is removed from the system's user database.
- B. The user bob's home directory is removed.
- C. The locate database is updated to drop files owned by bob.
- D. All files owned by bob are remove from all mounted filesystems.
- E. In case bob was the last member of a group, that group is deleted.

**Answer:** AB

#### NEW QUESTION 42

- (Exam Topic 3)

Which of the following files assigns a user to its primary group?

- A. /etc/pgroup
- B. /etc/shadow
- C. /etc/group
- D. /etc/passwd
- E. /etc/gshadow

**Answer:** D

#### NEW QUESTION 43

- (Exam Topic 3)

To prevent a specific user from scheduling tasks with at, what should the administrator do?

- A. Add the specific user to /etc/at.allow file.
- B. Add the specific user to [deny] section in the /etc/atd.conf file.
- C. Add the specific user to /etc/at.deny file.
- D. Add the specific user to nojobs group.
- E. Run the following: atd --deny [user].

**Answer:** C

#### NEW QUESTION 47

- (Exam Topic 4)

After adding a new email alias to the configuration, which command must be run in order to ensure the MTA knows about it? (Specify the command without any path but including all required parameters.)

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

newaliases, sendmail -bi

#### NEW QUESTION 50

- (Exam Topic 4)

What is true regarding the command sendmail?

- A. With any MTA, the sendmail command must be run periodically by the cron daemon.
- B. All MTAs, including Postfix and Exim, provide a sendmail command.
- C. The sendmail command prints the MTAs queue history of which mails have been sent successfully.
- D. It is only available when the sendmail MTA is installed.

**Answer:** B

#### NEW QUESTION 54

- (Exam Topic 4)

What is pool.ntp.org?

- A. A deprecated feature for maintaining system time in the Linux kernel
- B. A website which provides binary and source packages for the OpenNTPD project
- C. A virtual cluster of various timeservers
- D. A community website used to discuss the localization of Linux

**Answer:** C

#### NEW QUESTION 57

- (Exam Topic 5)

Which of the following details is NOT provided in any output from the netstat utility?

- A. broadcast services
- B. interface statistics
- C. masquerading connections
- D. network connections
- E. routing tables

**Answer:** A

#### NEW QUESTION 59

- (Exam Topic 5)

Given the following routing table:

| Kernel IP routing table |               |               |       |        |     |     |       |
|-------------------------|---------------|---------------|-------|--------|-----|-----|-------|
| Destination             | Gateway       | Genmask       | Flags | Metric | Ref | Use | Iface |
| 0.0.0.0                 | 192.168.178.1 | 0.0.0.0       | UG    | 0      | 0   | 0   | wlan0 |
| 192.168.1.0             | 0.0.0.0       | 255.255.255.0 | U     | 0      | 0   | 0   | eth0  |
| 192.168.2.0             | 192.168.1.1   | 255.255.255.0 | U     | 0      | 0   | 0   | eth0  |
| 192.168.178.0           | 0.0.0.0       | 255.255.255.0 | U     | 9      | 0   | 0   | wlan0 |

How would an outgoing packet to the destination 192.168.2.150 be handled?

- A. It would be passed to the default router 192.168.178.1 on wlan0.
- B. It would be directly transmitted on the device eth0.
- C. It would be passed to the default router 255.255.255.0 on eth0.
- D. It would be directly transmitted on the device wlan0.
- E. It would be passed to the router 192.168.1.1 on eth0.

**Answer:** E

#### NEW QUESTION 61

- (Exam Topic 5)

What is the command to delete the default gateway from the system IP routing table? (Choose TWO correct answers.)

- A. route del default
- B. ifconfig unset default
- C. netstat -r default
- D. ip route del default
- E. sysctl ipv4.default\_gw=0

**Answer:** AD

#### NEW QUESTION 64

- (Exam Topic 5)

Which of the following tools used for DNS debugging, reports not only the response from the name server but also details about the query?

- A. dnsq
- B. dig
- C. hostname
- D. dnslookup
- E. zoneinfo

**Answer:** B

#### NEW QUESTION 65

- (Exam Topic 5)

Which command is used to set the hostname of the local system? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

hostname

#### NEW QUESTION 67

- (Exam Topic 5)

Which of the following keywords can be used in the file /etc/nsswitch.conf to specify a source for host name lookups? (Choose TWO correct answers.)

- A. resolv
- B. dns
- C. remote
- D. files
- E. hosts

**Answer:** BD

#### NEW QUESTION 69

- (Exam Topic 5)

Which keyword must be listed in the hosts option of the Name Service Switch configuration file in order to make host lookups consult the /etc/hosts file?

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

files

### NEW QUESTION 73

- (Exam Topic 5)

With IPv6, how many bits have been used for the interface identifier of an unicast address? (Specify the number using digits only.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

64

### NEW QUESTION 77

- (Exam Topic 6)

What argument to the -type option of find will match files that are symbolic links? (Specify only the argument and no other options or words.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

|

### NEW QUESTION 82

- (Exam Topic 6)

In an xinetd configuration file, which attribute specifies the network address that will be used to provide the service?

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

bind, interface

### NEW QUESTION 83

- (Exam Topic 6)

What is a purpose of an SSH host key?

- A. It must be sent by any SSH client in addition to a user key in order to identify the client's host.
- B. It provides the server's identity information to connecting SSH clients.
- C. It is the root key by which all user SSH keys must be signed.
- D. It authenticates any user that logs into a remote machine from the key's host.
- E. It is used by system services like cron, syslog or a backup job to automatically connect to remote hosts.

**Answer:** B

### NEW QUESTION 84

- (Exam Topic 6)

With X11 forwarding in ssh, what environment variable is automatically set in the remote host shell that is not set when X11 forwarding is not enabled? (Specify only the environment variable without any additional commands or values.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

DISPLAY, \$DISPLAY

### NEW QUESTION 85

- (Exam Topic 6)

Which of the following commands can be used to limit the amount of memory a user may use?

- A. umask
- B. usermod
- C. ulimit
- D. passwd
- E. chage

**Answer:** C

### NEW QUESTION 86

- (Exam Topic 6)

Which of the following commands connects to the remote host example.com which has OpenSSH listening on TCP port 2222? (Choose TWO correct answers.)

- A. ssh --port 2222 example.com
- B. ssh -p 2222 example.com
- C. ssh -o Port=2222 example.com
- D. ssh -o GatewayPort=2222 example.com
- E. ssh example.com:2222

**Answer:** BC

#### NEW QUESTION 90

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 102-500 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 102-500 Product From:

<https://www.2passeasy.com/dumps/102-500/>

## Money Back Guarantee

### 102-500 Practice Exam Features:

- \* 102-500 Questions and Answers Updated Frequently
- \* 102-500 Practice Questions Verified by Expert Senior Certified Staff
- \* 102-500 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* 102-500 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year