

Exam Questions VMCE2021

Veeam Certified Engineer 2021

<https://www.2passeasy.com/dumps/VMCE2021/>



NEW QUESTION 1

- (Exam Topic 1)

In Veeam Enterprise Manager, what granular restoration permission can be set for the Restore Operator role?

- A. SharePoint items
- B. File items
- C. Active Directory items
- D. OneDrive items

Answer: B

Explanation:

Restore Operator: - Access objects from the restore scope on the Machines and Files tabs - Perform restore operations as permitted by the delegation settings
https://helpcenter.veeam.com/docs/backup/em/em_about_accounts_and_roles.html?ver=120

NEW QUESTION 2

- (Exam Topic 1)

Veeam ONE _____ can detect when a potential ransomware attack is happening and be configured to take mitigating actions.

- A. Reporting
- B. Alert Management
- C. Alarm Management
- D. Data Protection View

Answer: C

Explanation:

Veeam ONE can help notify you of suspicious activity in your datacenter through the Possible Ransomware Activity alarm. This alarm can be configured to take mitigating actions such as sending an email notification, running a script or creating a support case.

NEW QUESTION 3

- (Exam Topic 1)

At 18:00, after a Windows update installation, a VM is stuck in an infinite boot loop. The VM is configured as follows.

Platform	VMware vSphere
Application	SQL Server
Disk 1 (OS)	60 GB, CBT enabled
Disk 2 (DATA)	400 GB, CBT enabled

The last backup was created at 01:00. Choose the recovery approach that provides the lowest RTO with the least data loss.

- A. Instant VM Recovery with quick rollback
- B. Instant VM Recovery
- C. VM disk recovery with quick rollback of Disk 1
- D. Virtual disk restore of Disk 1

Answer: D

Explanation:

https://helpcenter.veeam.com/archive/backup/110/vsphere/incremental_restore.html

NEW QUESTION 4

- (Exam Topic 1)

An infrastructure with 50 VMs has a power outage. After the VMware cluster has booted up again, 10 medium-sized VMs have corrupted VM disk files. Which action can be used to restore the VMs back to the production state?

- A. Use the "Restore guest files" option and restore all VM Files.
- B. Perform Restore VM Files and only restore the VM configuration files.
- C. Perform Restore VM Files and restore the VM configuration and disk files.
- D. Perform Instant VM Recovery with quick rollback.

Answer: C

NEW QUESTION 5

- (Exam Topic 1)

A company needs several VMware thick provisioned VMs restored. The physical proxies used for restoration have access to the Fibre Channel datastores used by VMware. Which transport mode will be used by default to restore these VMs?

- A. Network mode
- B. Virtual appliance
- C. Quick Migration
- D. Direct Storage Access

Answer: D

Explanation:

https://helpcenter.veeam.com/docs/backup/vsphere/direct_san_access.html?ver=120

NEW QUESTION 6

- (Exam Topic 1)

Which of the following backup types are valid for both Veeam Agent for Microsoft Windows and Veeam Agent for Linux? (Choose two.)

- A. Snapshot-level backup
- B. File-level backup
- C. Personal files backup
- D. Volume-level backup
- E. OS-level backup

Answer: BD

Explanation:

https://helpcenter.veeam.com/docs/agentforwindows/userguide/backup_job_mode.html?ver=60

NEW QUESTION 7

- (Exam Topic 1)

Veeam ONE has been installed and configured. The infrastructure contains five Veeam Backup & Replication servers.

The administrator needs to check the remaining capacity on each of the backup repository servers. Where can they see this information?

- A. Under Infrastructure View, look up the Veeam Backup & Replication servers to see the guest disk space.
- B. Under Data Protection View, look up the backup repository servers to see the remaining capacity.
- C. Under Business View, look up the backup repository servers to see the remaining capacity.
- D. Under Infrastructure View, look up the backup repository servers to see the guest disk space.

Answer: B

Explanation:

According to the Veeam ONE Reporting Guide¹, you can use the Capacity Planning for Backup

Repositories report to analyze configuration and space usage on backup repositories and to forecast how many days remain before the repository reaches its full capacity.

You can also use the Backup Repository Summary dashbo²ard or the Backup Repositories Overview dashboard³ to see details of performance, capacity and archive tiers for backup repositories.

NEW QUESTION 8

- (Exam Topic 1)

A planned failover of three VMs has just completed successfully, starting the VMs at the disaster recovery location. What next actions are available for the failover plan?

- A. Undo, Start, Copy, Delete
- B. Cancel, Start, Edit, Delete
- C. Cancel, Start, Copy, Delete
- D. Undo, Start, Edit, Delete

Answer: D

Explanation:

https://helpcenter.veeam.com/archive/backup/110/vsphere/failover_plan_undo.html

According to the Veeam Backup & Replication user guide¹, a failover plan is a set of rules that defines how VMs must be failed over to their replicas¹. You can create and run failover plans for regular replicas and CDP replicas¹.

After you run a failover plan, you can perform the following actions on it²:

- > Undo — reverts VMs in the failover plan back to their original state at the production sit²e.
- > Start — runs the failover plan again if you need to repeat the failover operation for some reaso²n.
- > Edit — modifies the settings of the failover plan, such as adding or removing VMs, changing their order or time delay¹.
- > Delete — removes the failover plan from Veeam Backup & Replication. This does not affect the VM replicas that are used by the plan¹.

NEW QUESTION 9

- (Exam Topic 1)

A Veeam administrator is concerned about keeping backups on site and has traditionally used tapes to store backups older than 30 days in order to free up space on their backup repository for longer-term storage. The company is currently using Scale-out Backup Repositories. What option would satisfy the requirement?

- A. Copy to capacity tier
- B. Move to capacity tier
- C. Backup to object storage
- D. File copy job

Answer: B

NEW QUESTION 10

- (Exam Topic 1)

An administrator has decided to set up a VM backup job covering their Microsoft SQL servers. What feature must be enabled to ensure quiescence of the SQL databases during the backup?

- A. Enable Microsoft SQL server plug-in.
- B. Enable application-aware processing.
- C. Enable Microsoft Windows OS processing.

D. Enable Microsoft SQL server agent on the VMs

Answer: B

Explanation:

According to the Veeam Agent for Microsoft Windows User Guide¹, you need to enable application-aware processing to ensure quiescence of the SQL databases during the backup. Application-aware processing allows Veeam Agent for Microsoft Windows to create transactionally consistent backups of SQL Server VMs.

NEW QUESTION 10

- (Exam Topic 1)

After performing a failover to a disaster recovery site, it is decided that the VMs need to be failed back to the original production site and that any changes made during the failover should be discarded. Which option should be used?

- A. Undo failover
- B. Undo failback
- C. Failback
- D. Commit failback

Answer: A

Explanation:

https://helpcenter.veeam.com/docs/backup/vsphere/undo_failover.html?ver=120

NEW QUESTION 15

- (Exam Topic 1)

For general data protection regulation (GDPR) compliance, Veeam can add a location tag to which component?

- A. Guest interaction proxies
- B. vCenter servers
- C. Cloud gateways
- D. WAN accelerators

Answer: B

Explanation:

https://helpcenter.veeam.com/archive/backup/110/vsphere/locations_create.html

NEW QUESTION 18

- (Exam Topic 1)

What is necessary prior to configuring replica mapping?

- A. A Veeam backup in the production site
- B. A Veeam replica in the disaster recovery site
- C. A Veeam backup in the disaster recovery site
- D. A Veeam replica in the production site

Answer: B

Explanation:

https://helpcenter.veeam.com/archive/backup/110/vsphere/replica_seeding.html

NEW QUESTION 23

- (Exam Topic 1)

A Scale-out Backup Repository with one local extent has been configured as follows.

Edit Scale-out Backup Repository [Close]

Capacity Tier
 Specify object storage to copy backups to for redundancy and DR purposes. Older backups can be moved to object storage completely to reduce long-term retention costs while preserving the ability to restore directly from offloaded backups.

Name

Performance Tier

Placement Policy

Capacity Tier

Archive Tier

Summary

Extend scale-out backup repository capacity with object storage:
 Amazon S3 [Add...]

Define time windows when uploading to capacity tier is allowed [Window...]

Copy backups to object storage as soon as they are created
 Create additional copy of your backups for added redundancy by having all backups copied to the capacity tier as soon as they are created on the performance tier.

Move backups to object storage as they age out of the operational restore window
 Reduce your long-term retention costs by moving older backups to object storage completely while preserving the ability to restore directly from offloaded backups.
 Move backup files older than **14** days (your operational restore window) [Override...]

12 VMware VMs are being backed up daily by a forward incremental backup job, which has a 31-day retention, creating synthetic fulls on Saturdays. After running for more than 31 days, which of the following would be accurate?

- A. Both the performance tier and capacity tier will contain all restore points.
- B. The performance tier will contain all restore point
- C. The capacity tier will contain zero restore points.
- D. The performance tier will contain the most recent 15 to 22 days of restore point
- E. The capacity tier will contain the oldest 14 days of restore points.
- F. The performance tier will contain the most recent 14 to 20 days of restore point
- G. The capacity tier will contain all restore points.

Answer: C

NEW QUESTION 25

- (Exam Topic 1)

In the war against ransomware, a company decided to implement tape backup for the first time. The tape library has already been added. Of the following, what must be done first?

- A. Create vaults.
- B. Create media pools.
- C. Create libraries.
- D. Create media sets.

Answer: B

NEW QUESTION 26

- (Exam Topic 1)

A file on a Windows VM hosted on vSphere is corrupted and must be restored. VMware tools are installed and up to date on the VM. For some reason, the Veeam mount server cannot connect to the VM through the network. Which of the following restore methods provides the fastest restore (RTO)?

- A. Run Veeam file restore wizard and let it restore through VIX.
- B. Start an Instant VM Recovery session and log on into the restored image to copy/paste the file to restore.
- C. It is impossible to restore the file on the VM if the mount server cannot reach it through the network.
- D. Run Veeam file restore wizard and use the "copy to" to download the file locally in a shared folder.

Answer: A

Explanation:

According to the Veeam Backup & Replication user guide¹, you can use the File Level Restore wizard to restore files and folders from VM guest OSes that run Windows². The wizard allows you to choose how to access the VM guest OS: through network or through VIX³. VIX is a VMware API that enables programmatic access to virtual machine operations³.

Therefore, if you want to restore a file on a Windows VM hosted on vSphere and the mount server cannot connect to the VM through the network, you can use VIX as an alternative method of access². This will allow you to restore the file directly to its original location without downloading it locally or starting an Instant VM Recovery session.

NEW QUESTION 30

- (Exam Topic 1)

Veeam Backup & Replication is currently configured to back up different workloads: Windows VMs on vSphere and Linux VMs on vSphere. A secondary copy of all the backups including transaction logs must be created. Which of the following backup copy job configurations is the simplest?

- A. A single "periodic copy" backup copy job
- B. A single "immediate copy" backup copy job
- C. Two "immediate copy" backup copy jobs
- D. Two "periodic copy" backup copy jobs

Answer: B

Explanation:


According to the Veeam Backup & Replication best practice guide¹, a new copy job mode was added called immediate copy. This mode immediately starts the backup copy job as soon as restore points appear in the repository. It also provides the ability to copy SQL and Oracle log backups which is not possible with traditional periodic backup copy jobs².

Therefore, if you want to create a secondary copy of all the backups including transaction logs, you should use an immediate copy backup copy job. The simplest configuration would be a single immediate copy backup copy job for all workloads (option B)

NEW QUESTION 35

- (Exam Topic 1)

Backup jobs are configured to local repositories. Backups must be sent from Site B to the repository on Site A. The connection allows direct backups to complete within the backup window. Impact on the source VMs at Site B should be minimized. Which type of job and Veeam components should be used to provide the necessary protection?



- A. A backup copy job and components 6 ? 5 ? 4 ? 3 ? 2
- B. A backup job and components 5 ? 2
- C. A backup copy job and components 6 ? 2
- D. A backup copy job and components 6 ? 4 ? 2

Answer: A

Explanation:

https://helpcenter.veeam.com/docs/backup/vsphere/backup_copy_path.html?ver=120

NEW QUESTION 36

- (Exam Topic 2)

A backup administrator is planning to install Veeam ONE. Which data collection mode collects the most data per VM?

- A. For vCenter data only
- B. Optimized for advanced scalability deployment
- C. For backup data only
- D. Optimized for typical deployment

Answer: D

Explanation:

Reference: https://helpcenter.veeam.com/docs/one/deployment/data_collection_modes.html?ver=100

NEW QUESTION 40

- (Exam Topic 2)

What is the purpose of scheduling a virtual Synthesized full backup for tape jobs?

- A. To be able to restore files and folders from tape
- B. To be able to create the synthetic full .vbk backup directly on tape
- C. To help save additional disk spate on tape
- D. To avoid copying a full .vbk file to tape from the source reverse incremental backup Job

Answer: D

NEW QUESTION 42

- (Exam Topic 2)

A company is required to have a daily backup with a retention of at least six weeks. The backups are running every eight hours during the day. From the options provided, what backup job would you advise based on their SLA and best practices?

- A. Forever forward incremental backup, with default job settings enabled
- B. Forever forward incremental backup, with a retention of 42 restore points, savings six weekly full backups
- C. Forever forward incremental backup, with a retention of 42 restore points
- D. Forward incremental backup with weekly synthetic full backups and a retention of 42 days

Answer: D

NEW QUESTION 44

- (Exam Topic 2)

You fail back a VM replica to the original location. Which of the following requirements needs to be met to be able perform quick rollback during a failback of a replica?

- A. Perform failback to VM within the same subnet
- B. The VM replica must be created with the "Use Changed Block Tracking data" option enabled
- C. Indexing must be enabled for the original VM
- D. The VM replica must have access to the repository where the full backup of the VM resides

Answer: B

Explanation:

Reference: https://helpcenter.veeam.com/docs/backup/vsphere/failback_quick_rollback.html?ver=100

NEW QUESTION 46

- (Exam Topic 2)

Which transport mode uses the VMware vSphere Hot-Add feature to attach the virtual disks of a source VM to the backup proxy VM?

- A. Network
- B. vPower
- C. Virtual Appliance
- D. Direct SAN access
- E. Direct NFS access

Answer: C

NEW QUESTION 48

- (Exam Topic 2)

A company has replicated their critical application VMs to a second data center in another region. Their key application includes two database VMs and three application VMs. For proper operation, the database VMs need to start before the application VMs. What needs to be configured in Veeam to prepare for a disaster recovery situation?

- A. Use a failover plan
- B. Use a planned failover
- C. Use Instant VM Recovery
- D. Use on-click failover

Answer: A

Explanation:

Reference: <https://www.veeam.com/virtual-machine-backup-solution-free.html>

the course guide veeam say "a presente scenario for one click failover for a group of independent vms, you can set ORDER for the vm's in the plan, and the delay intervals to make sure that some vms are already running at the moment to the dependent vms start"

NEW QUESTION 51

- (Exam Topic 2)

A backup administrator has replicated a virtual machine between two Hyper-V hosts and now would like to automatically verify the recoverability of the replica. What would they need to do?

- A. It is not supported to perform SureBackup replica testing for Hyper-V
- B. Create a virtual switch with no uplinks and start the virtual machine connected to the new switch
- C. Create a virtual lab and an application group; create a SureBackup for the replica job and run it once a day
- D. Start the virtual machine manually using the universal application item recovery wizard

Answer: A

NEW QUESTION 54

- (Exam Topic 2)

Exhibit:



Look at the diagram. This daily backup job has been running for over 30 days and no active full backups have been taken since the first run. Which of the following best describes the backup job?

- A. This is a reverse incremental backup, keeping seven restore points
- B. This is a forward incremental backup with Sunday and Wednesday synthetic full, keeping seven restore points
- C. This is a forward incremental backup with transform enabled, keeping four restore points
- D. This is forever forward incremental backup, keeping seven restore points

Answer: A

NEW QUESTION 57

- (Exam Topic 2)

What is the main advantage of using the Backup from Storage Snapshots feature?

- A. It does not create VMware snapshot(s).

- B. It saves space in the repository.
- C. It speeds up the backup process.
- D. It decreases the amount of time the VM is running on a VMware snapshot.

Answer: D

Explanation:

The backup process is going to take the same amount of time, but the commit operation of the vmware snapshot has shorter duration when working with storage snapshots

NEW QUESTION 59

- (Exam Topic 2)

Which of the following need to be performed in order to switch from the original VM to a VM Replica and then to use this replica as the original VM?

- A. Change the replication Job to reverse the replication
- B. Failback + commit failback
- C. Undo failover
- D. Permanent failover

Answer: D

NEW QUESTION 60

- (Exam Topic 2)

Select the correct description of a synthetic full backup.

- A. A synthetic full backup will generate a new VBK file by getting data from the hypervisor
- B. A synthetic full backup combines a VIB file with one or more VBK files from a repository to generate a new VBK file
- C. A synthetic full backup combines a VBK file with one or more VIB files from a repository to generate a new VBK file
- D. A synthetic full backup will update the existing VBK with data from the hypervisor and generate a new VRB file

Answer: A

Explanation:

Reference: https://helpcenter.veeam.com/docs/backup/hyperv/synthetic_full_backup.html?ver=100

NEW QUESTION 63

- (Exam Topic 2)

Which of the following is required to enable tape parallel processing?

- A. The source repository for the tape job is a scale out backup repository.
- B. The tape library has multiple drives.
- C. Two tape jobs are processed at the same time.
- D. The tape drive has multiple tapes.

Answer: B

NEW QUESTION 64

- (Exam Topic 2)

Which backup method produces a backup chain that consists of the first full backup file (VBK) and a set of incremental backup files (VIB) following it? Additionally, the backup chain contains synthetic full and/or active full backup files that divide the backup chain into shorter series.

- A. Forward incremental backup
- B. Differential incremental backup
- C. Reverse incremental backup
- D. Forever forward incremental backup

Answer: A

Explanation:

Reference: https://helpcenter.veeam.com/docs/backup/vsphere/forward_incremental_backup.html?ver=100

NEW QUESTION 68

- (Exam Topic 2)

Why is it recommended to install Veeam ONE before Veeam Backup & Replication?

- A. Veeam ONE is a prerequisite for Veeam Backup & Replication Installation.
- B. Veeam ONE can assess the Infrastructure for potential Issues prior to performing a backup.
- C. Veeam ONE verify that the server where Veeam Backup & Replication will be Installed meets all system requirements.
- D. It Is recommended to add all of the servers involved in the backup process to Veeam ONE first, and then import the configuration to Veeam Backup & Replication

Answer: B

NEW QUESTION 72

- (Exam Topic 2)

Offloading backup files to the capacity tier of a scale out repository can be done automatically by leveraging what type of job?

- A. Archive Job
- B. Offload Job
- C. Backup Copy Job
- D. Backup Job

Answer: D

NEW QUESTION 74

- (Exam Topic 2)

A virtual machine in your environment has been hit by a virus. You need to restore the virtual machine as fast as possible. At the same time, you need to make sure that any dormant virus on the backed up virtual machine is detected. What restore method should you use when recovering to a new location?

- A. Instant VM Recovery with "staged restore"
- B. Instant VM Recovery with "secure restore"
- C. SureBackup
- D. Virtual disk restore

Answer: B

Explanation:

Reference: https://helpcenter.veeam.com/docs/backup/em/em_disk_restore.html?ver=100

NEW QUESTION 78

- (Exam Topic 2)

The backup administrator configured replication for a VM from Data Center 1 to Data Center 2, which runs every day at 1 a.m. A power surge takes out Data Center 1 at 7 a.m. and the administrator fails over the replica at 8 a.m. When the power comes back on, the administrator performs the "failback" action at 2 p.m. and checks the state of the original VM. They recognize that not all data is available. What is missing?

- A. Data from 1 a.
- B. to 7 a.m.
- C. Data from 1 a.
- D. to 2 p.m.
- E. Data from 8 a.
- F. to 2 p.m.
- G. Data from 7 a.
- H. to 8 a.m.

Answer: A

Explanation:

<https://helpcenter.veeam.com/docs/backup/vsphere/failback.html?ver=100>

NEW QUESTION 83

- (Exam Topic 2)

A company has been running off replicated, business-critical VMs at their disaster recovery location since an earthquake near the primary data center occurred. Since the threat has passed, they want to stop the replicas and switch to the VMs at the primary data center without losing data. Which of the following actions is the first step they should take?

- A. Failover
- B. Permanent failover
- C. Commit failback
- D. Failback to production
- E. Planned failover
- F. Undo failover

Answer: D

NEW QUESTION 84

- (Exam Topic 2)

If the Backup Administrator has to perform a backup over a high-latency, low bandwidth network link, how can the disruptions to the backup process be avoided?

- A. By making a direct backup using WAN accelerator.
- B. By adding additional WAN accelerators to the target site.
- C. By making a backup locally and utilizing WAN accelerators for a backup copy Job.
- D. By adjusting the compression and deduplication settings for this Job.

Answer: C

NEW QUESTION 89

- (Exam Topic 2)

Veeam is used for replicating VMware VMs. The production environment is comprised of two networks: 192.168.1.0/24 and 172.16.0.0/16. A web application requires a database server (whose IP address is 172.21.1.12) to receive queries from a web client (whose IP address is 192.168.1.32). The replicas are spread over multiple hosts. A backup administrator needs to configure a virtual lab to test a web client to database server query. Which of the following virtual lab types must be configured?

- A. Advanced multi-host

- B. Advanced single-host
- C. All virtual lab configurations would support that
- D. Basic single-host

Answer: B

NEW QUESTION 92

- (Exam Topic 2)

A Veeam backup administrator, protecting all VMs in a VMware environment with backups and replicas, has been requested to run a multi-server application in an On-Demand Sandbox. The sandbox needs to stay powered on, uninterrupted, for 30 days while daily backups and replicas continue to run. How can this be done?

- A. Create an application group and leverage regular replica restore points as the source for the application group
- B. Create a (secondary) replication job for the required VMs that are not scheduled to run; create a SureBackup job and use these replicas as the source
- C. Create a (secondary) replication job for the required VMs that are not scheduled to run; make an application group and use these replicas as the source
- D. Create an application group and leverage regular backup restore points as the source for the application group

Answer: B

NEW QUESTION 93

- (Exam Topic 2)

Which of the following should be considered when estimating the amount of disk space necessary to store backups? Choose two options.

- A. Retention period for backups
- B. Type of disk (thick or thin)
- C. Hypervisor and host version
- D. RAID configuration of the Backup Repository
- E. Veeam Backup & Replication edition
- F. Total size of used data for the VMs being backed up

Answer: AF

NEW QUESTION 94

- (Exam Topic 2)

When deploying an advanced single-host virtual lab in a VMware environment, what will Veeam create?

- A. A distributed virtual switch with uplink(s)
- B. A standard virtual switch with uplink(s)
- C. A distributed virtual switch without uplink(s)
- D. A standard virtual switch without uplink(s)

Answer: B

Explanation:

Reference: https://helpcenter.veeam.com/docs/backup/vsphere/surebackup_advanced_vlab.html?ver=100

NEW QUESTION 99

- (Exam Topic 2)

A backup administrator needs to restore two data drives to a VM where the operating system remains intact. The target machine must remain powered on. What recovery option is most appropriate to perform this operation?

- A. Instant VM Recovery
- B. Instant disk recovery
- C. Restore entire VM
- D. Restore VM files

Answer: B

Explanation:

https://helpcenter.veeam.com/docs/backup/vsphere/instant_disk_recovery.html?ver=100

NEW QUESTION 101

- (Exam Topic 2)

A backup administrator is creating a SureBackup environment up using Hyper-V as the hypervisor. Which virtual labs are available for Hyper-V? (Choose two.)

- A. Advanced multi-host (automatic configuration)
- B. Advanced single-host (automatic configuration)
- C. Basic single-host (automatic configuration)
- D. Advanced multi-host (manual configuration)
- E. Advanced single-host (manual configuration)

Answer: CE

Explanation:

Reference: https://helpcenter.veeam.com/docs/backup/hyperv/surebackup_basic_vlab.html?ver=100

NEW QUESTION 106

- (Exam Topic 2)

Which of the following can help reduce the amount of traffic that is sent over the network during the second run of a replication job?

- A. Replica seeding
- B. Re-IP rules
- C. Replica mapping
- D. WAN acceleration for replicas

Answer: A

Explanation:

[https://helpcenter.veeam.com/docs/backup/vsphere/replica_seeding.html#:~:text=Replica%20seeding%20and%](https://helpcenter.veeam.com/docs/backup/vsphere/replica_seeding.html#:~:text=Replica%20seeding%20and%20)

NEW QUESTION 111

- (Exam Topic 2)

When configuring a SureBackup job, what are some of the criteria for adding servers to an application group? (Choose two.)

- A. VMs cannot be encrypted
- B. VM backups must reside on the same repository
- C. VMs cannot be added to an application group twice
- D. VMs must be running the same OS version
- E. VMs must have at least one valid restore point

Answer: CE

Explanation:

Reference: https://helpcenter.veeam.com/docs/backup/vsphere/appgroup_vms_vm.html?ver=100

NEW QUESTION 116

- (Exam Topic 2)

Which Vepdm Backup & Replication feature component is able to utilize Microsoft SQL Server transaction log backups for point-in-time restore?

- A. U-AIR Microsoft SQL Recovery wizard
- B. Instant Recovery
- C. Full VM Restore
- D. Veeam Explorer for Microsoft SQL

Answer: D

NEW QUESTION 118

- (Exam Topic 2)

Your company is using Veeam ONE to monitor VM performance in real time. An end user has called to complain about the performance of a VM and has asked you to investigate the cause of the issue. Where in Veeam ONE do you go to view real time VM metrics?

- A. In the monitor client under the infrastructure view
- B. In the reporter portal in the workspace tab, VM performance
- C. In the monitor client under the data protection view
- D. In the reporter portal in the dashboards tab, VM performance dashboard

Answer: A

Explanation:

Reference: <https://www.veeam.com/blog/monitoring-vmware-hyperv-environment.html>

NEW QUESTION 121

- (Exam Topic 2)

Which HPE SAN storage systems are supported by the Backup from Storage Snapshots feature in Veeam Backup & Replication? Choose three options.

- A. HPE StoreVirtual and StoreVirtual VSA
- B. HPE Nimble Storage AF-series and CS-series
- C. HPE StoreEasy Storage
- D. HPE 3PAR StoreServ
- E. HPE StoreOnce

Answer: ABD

NEW QUESTION 124

- (Exam Topic 2)

Which of the following statements regarding bottleneck statistics is true?

- A. The percentages displayed will always add up to 100% in total.
- B. The bottleneck statistics are only displayed when you have a problem in your backup infrastructure.
- C. Bottleneck statistics can show the following states: Source/Proxy/Network/Source WAN Accelerator/Target WAN Accelerator/Target/None
- D. Bottleneck statistics can show the following states: Source/Ptoxy/Network/Source WAN Accelerator/Target WAN Accelerator/Target

Answer: A

NEW QUESTION 127

- (Exam Topic 2)

Which of the following statements regarding the Backup from Storage Snapshots feature when backing up virtual machines from a VMware vSphere environment are true? (Choose two.)

- A. Lower impact on WAN link during off-site backups
- B. Higher transfer speed from production NFS datastores
- C. A virtual machine with one virtual drive on shared storage and another drive on local storage will be processed with Backup from Storage Snapshots transport mode
- D. A virtual machine with one virtual drive on shared storage and another drive on local storage will failover to a different transport mode
- E. Reduce the impact of consolidating VM snapshots

Answer: BE

NEW QUESTION 131

- (Exam Topic 2)

Which backup method will always produce a full backup as the most recent restore point?

- A. Forever forward incremental backup
- B. Forward incremental backup
- C. Reverse incremental backup
- D. Forward incremental with transform

Answer: C

NEW QUESTION 136

- (Exam Topic 2)

Which storage optimization option uses a block size of 512 KB?

- A. LAN target
- B. WAN target
- C. Local target (large blocks)
- D. Local target

Answer: A

Explanation:

Reference: https://helpcenter.veeam.com/docs/backup/hyperv/compression_deduplication.html?ver=100

NEW QUESTION 140

- (Exam Topic 2)

A NAS backup job has been configured within Veeam Backup & Replication, and is completing successfully, but restore operations have been failing for the last few days. What is causing the failure?

- A. The backup repository is sealed
- B. The server was added by using an IQN alias which is unable to be resolved
- C. The credentials added to the share are not allowed read-write access to the share, directories or files
- D. The cache repository assigned for this file share is unavailable for restore operations

Answer: C

Explanation:

If you must specify user credentials to access the shared folder, select the This share requires access credentials check box. From the Credentials drop-down list, select a credentials record for a user account that has Full Control permissions on the shared folder. To access the SMB share, you must use an account that meets either of the following requirements: If you only plan to back up the share, you can use an account with read-only permissions. If you plan not only to back up the share, but also to restore files to it, use an account with read/write permissions.

https://helpcenter.veeam.com/docs/backup/vsphere/file_share_backup_smb_share_path_credentials.html?ver=1

NEW QUESTION 142

- (Exam Topic 2)

Which of the following is NOT an advantage of Veeam ONE Monitor?

- A. Built in phone home function for better security
- B. Updates are signature based
- C. Automatic problem mediation
- D. Manual or scheduled log analytics

Answer: A

NEW QUESTION 143

- (Exam Topic 2)

If the deduplication setting are changed for an existing job, when will the new setting be applied?

- A. At the next run of the job
- B. If any kind of full backup is created
- C. If a new active full backup is created
- D. Only when you rescan the repository that stores the backup files

Answer: C

Explanation:

https://helpcenter.veeam.com/archive/backup/95/vsphere/compression_deduplication.html

To apply new deduplication settings in backup jobs, you must create an active full backup after you change deduplication settings. Veeam Backup & Replication will use the new block size for the active full backup and subsequent backup files in the backup chain.

NEW QUESTION 148

- (Exam Topic 2)

Veeam Explorer for Microsoft SQL Server offers which of the following capabilities? Choose Three options.

- A. Restore SQL user accounts
- B. Export an SQL database to an .sql file
- C. Send SQL tables as attachments via email
- D. Publish an SQL database without having to restore them
- E. Restore an SQL table to the original server or different server
- F. Export an SQL database to a local folder or network drive

Answer: DEF

NEW QUESTION 152

- (Exam Topic 2)

You want to deploy an On-Demand Sandbox. While creating the application group, which sources can be used to add virtual machines to the Application Group? (Choose three.)

- A. Backup Copy in Backup repository
- B. Replica on non-Cloud Connect VMware vSphere host
- C. Replica on Cloud Connect VMware vSphere host
- D. Backup in Cloud Repository
- E. Storage Snapshot
- F. Backup on Backup Repository

Answer: BEF

NEW QUESTION 155

- (Exam Topic 2)

You use datastores as the source for your backup jobs. Some VM backups are consuming too much repository disk space. They have backup files created by multiple backup jobs. What could be the reason? (Choose two.)

- A. VMware Storage DRS (Distributed Resource Scheduler) moved VMs to different datastores
- B. Jobs are configured as per VM and these particular VM's need more fulls
- C. VM retention is set to do full backups more often than others in the job
- D. The VM is in a backup chain and trapped inside a single retention file
- E. The VMs were moved to different datastores manually

Answer: BE

NEW QUESTION 159

- (Exam Topic 2)

Which of the following is the extension of a Veeam Backup & Repletion configuration backup file?

- A. The file extension is specified in the configuration backup sellings.
- B. .bco
- C. .vbm
- D. .cbo
- E. .vbk

Answer: B

NEW QUESTION 160

- (Exam Topic 2)

Which Veeam Backup & Replication job type offers the shortest recovery time objective (RTO)?

- A. Backup copy
- B. Backup to tape
- C. Replication
- D. File to tape

Answer: C

Explanation:

Reference: <https://helpcenter.veeam.com/docs/backup/vsphere/replication.html?ver=100>

NEW QUESTION 164

- (Exam Topic 2)

Which of the following scenarios properly applies the 3-2-1 rule to backup jobs?

- A. Use a backup job to back up to a Scale-out Backup Repository configured with capacity tier using AWS S3 and enable move mode
- B. Use a backup job to back up to a local repository; perform a backup copy job to a repository in another location
- C. Use backup jobs to back up directly to tape; ship the tapes off site
- D. Use a backup job to back up to a local repository; perform a backup copy job to the same repository

Answer: D

NEW QUESTION 167

- (Exam Topic 2)

An SMB customer installed Veeam Backup & Replication in a simple deployment. How can the customer comply with the 3-2-1 rule?

- A. Create a Scale-out Backup Repository with object storage in the public cloud used as the capacity tier leveraging copy mode
- B. Create a backup to tape job to a local virtual tape library
- C. Create a Scale-out Backup Repository with object storage in the public cloud used as the capacity tier leveraging move mode
- D. Copy the backups to a separate local NAS device

Answer: A

NEW QUESTION 172

- (Exam Topic 2)

A company has the following requirements:

Mission-critical VMs: hourly replication to disaster recovery site, daily backups of these VMs should be available at the disaster recovery site when required, the mission critical applications need to be available within 20 minutes.

Business-important VMs: daily backups should be stored at the disaster recovery site. When required, the business-important applications need to be available within four hours.

Define the RPO and RTO for the company's disaster recovery site.

- A. Mission-critical VMs: RPO = 60 minutes, RTO = one hour; business-important VMs: RPO = 60 minutes, RTO = four hours
- B. Mission-critical VMs: RPO = 24 hours, RTO = 20 minutes; business-important VMs: RPO = 24 hours, RTO = four hours
- C. Mission-critical VMs: RPO = 60 minutes, RTO = 20 minutes; business-important VMs: RPO = 24 hours, RTO = four hours
- D. Mission-critical VMs: RPO = 24 hours, RTO = four hours; business-important VMs: RPO = 24 hours, RTO = four hours

Answer: C

NEW QUESTION 173

- (Exam Topic 2)

A customer has a physical proxy configured for Direct Storage Access without failover to network mode. The backup fails. What could be the issue?

- A. The disks being processed are IDE and/or SATA
- B. The datastores are properly zoned and exposed to the proxy server but in read-only mode
- C. The storage is not added into the storage infrastructure, inside the backup and replication console
- D. Write access has not been enabled on the SAN
- E. One or more of the VM disk(s) are on Wols

Answer: E

Explanation:

Reference: https://helpcenter.veeam.com/docs/backup/vsphere/direct_san_access.html?ver=100

NEW QUESTION 178

- (Exam Topic 2)

A scale-out backup repository is configured with data locality policy. How is an extent selected during an active full backup? (Choose two.)

- A. Always the same extent as the previous full backup
- B. An extent determined based on load control settings and free space
- C. A different extent from the previous chain to avoid single point of failure, if possible on free space
- D. It tries the same location as the previous full if using a deduplication appliance

Answer: BD

NEW QUESTION 183

- (Exam Topic 2)

Which of these repository types CANNOT be an extent of a scale-out backup repository? Choose two options.

- A. A deduplicating storage appliance
- B. A Windows server
- C. A Cloud Connect cloud repository
- D. A shared folder (CIFS/SMB share)
- E. Another scale out repository
- F. A Linux Server

Answer: CE

NEW QUESTION 184

- (Exam Topic 2)

What transport mode does the Linux backup proxy support?

- A. Automatic
- B. Network
- C. Direct storage access
- D. Virtual appliance

Answer: D

Explanation:

Reference: https://helpcenter.veeam.com/docs/backup/vsphere/backup_proxy.html?ver=100

NEW QUESTION 185

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual VMCE2021 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the VMCE2021 Product From:

<https://www.2passeasy.com/dumps/VMCE2021/>

Money Back Guarantee

VMCE2021 Practice Exam Features:

- * VMCE2021 Questions and Answers Updated Frequently
- * VMCE2021 Practice Questions Verified by Expert Senior Certified Staff
- * VMCE2021 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * VMCE2021 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year