

Exam Questions Associate-Cloud-Engineer

Google Cloud Certified - Associate Cloud Engineer

<https://www.2passeasy.com/dumps/Associate-Cloud-Engineer/>



NEW QUESTION 1

You recently discovered that your developers are using many service account keys during their development process. While you work on a long term improvement, you need to quickly implement a process to enforce short-lived service account credentials in your company. You have the following requirements:

- All service accounts that require a key should be created in a centralized project called pj-sa.
- Service account keys should only be valid for one day.

You need a Google-recommended solution that minimizes cost. What should you do?

- A. Implement a Cloud Run job to rotate all service account keys periodically in pj-s
- B. Enforce an org policy to deny service account key creation with an exception to pj-sa.
- C. Implement a Kubernetes Cronjob to rotate all service account keys periodically
- D. Disable attachment of service accounts to resources in all projects with an exception to pj-sa.
- E. Enforce an org policy constraint allowing the lifetime of service account keys to be 24 hours
- F. Enforce an org policy constraint denying service account key creation with an exception on pj-sa.
- G. Enforce a DENY org policy constraint over the lifetime of service account keys for 24 hours
- H. Disable attachment of service accounts to resources in all projects with an exception to pj-sa.

Answer: C

Explanation:

According to the Google Cloud documentation, you can use organization policy constraints to control the creation and expiration of service account keys. The constraints are:

> constraints/iam.allowServiceAccountKeyCreation: This constraint allows you to specify which projects or folders can create service account keys. You can set the value to true or false, or use a condition to apply the constraint to specific service accounts. By setting this constraint to false for the organization and adding an exception for the pj-sa project, you can prevent developers from creating service account keys in other projects.

> constraints/iam.serviceAccountKeyMaxLifetime: This constraint allows you to specify the maximum lifetime of service account keys. You can set the value to a duration in seconds, such as 86400 for one day. By setting this constraint to 86400 for the organization, you can ensure that all service account keys expire after one day.

These constraints are recommended by Google Cloud as best practices to minimize the risk of service account key misuse or compromise. They also help you reduce the cost of managing service account keys, as you do not need to implement a custom solution to rotate or delete them.

References:

- > 1: Associate Cloud Engineer Certification Exam Guide | Learn - Google Cloud
- > 5: Create and delete service account keys - Google Cloud
- > Organization policy constraints for service accounts

NEW QUESTION 2

Your company has a single sign-on (SSO) identity provider that supports Security Assertion Markup Language (SAML) integration with service providers. Your company has users in Cloud Identity. You would like users to authenticate using your company's SSO provider. What should you do?

- A. In Cloud Identity, set up SSO with Google as an identity provider to access custom SAML apps.
- B. In Cloud Identity, set up SSO with a third-party identity provider with Google as a service provider.
- C. Obtain OAuth 2.0 credentials, configure the user consent screen, and set up OAuth 2.0 for Mobile & Desktop Apps.
- D. Obtain OAuth 2.0 credentials, configure the user consent screen, and set up OAuth 2.0 for Web Server Applications.

Answer: B

Explanation:

https://support.google.com/cloudidentity/answer/6262987?hl=en&ref_topic=7558767

NEW QUESTION 3

Your organization uses Active Directory (AD) to manage user identities. Each user uses this identity for federated access to various on-premises systems. Your security team has adopted a policy that requires users to log into Google Cloud with their AD identity instead of their own login. You want to follow the Google-recommended practices to implement this policy. What should you do?

- A. Sync Identities with Cloud Directory Sync, and then enable SAML for single sign-on
- B. Sync Identities in the Google Admin console, and then enable OAuth for single sign-on
- C. Sync identities with 3rd party LDAP sync, and then copy passwords to allow simplified login with the same credentials
- D. Sync identities with Cloud Directory Sync, and then copy passwords to allow simplified login with the same credentials.

Answer: A

NEW QUESTION 4

You need to monitor resources that are distributed over different projects in Google Cloud Platform. You want to consolidate reporting under the same Stackdriver Monitoring dashboard. What should you do?

- A. Use Shared VPC to connect all projects, and link Stackdriver to one of the projects.
- B. For each project, create a Stackdriver account
- C. In each project, create a service account for that project and grant it the role of Stackdriver Account Editor in all other projects.
- D. Configure a single Stackdriver account, and link all projects to the same account.
- E. Configure a single Stackdriver account for one of the projects
- F. In Stackdriver, create a Group and add the other project names as criteria for that Group.

Answer: C

Explanation:

When you initially click on Monitoring (Stackdriver Monitoring) it creates a workspace (a Stackdriver account) linked to the ACTIVE (CURRENT) Project from which it

was clicked.

Now if you change the project and again click onto Monitoring it would create an another workspace(a stackdriver account) linked to the changed ACTIVE(CURRENT) Project, we don't want this as this would not consolidate our result into a single dashboard(workspace/stackdriver account).

If you have accidentally created two diff workspaces merge them under Monitoring > Settings > Merge Workspaces > MERGE.

If we have only one workspace and two projects we can simply add other GCP Project under Monitoring > Settings > GCP Projects > Add GCP Projects.

<https://cloud.google.com/monitoring/settings/multiple-projects>

Nothing about groups <https://cloud.google.com/monitoring/settings?hl=en>

NEW QUESTION 5

You will have several applications running on different Compute Engine instances in the same project. You want to specify at a more granular level the service account each instance uses when calling Google Cloud APIs. What should you do?

- A. When creating the instances, specify a Service Account for each instance
- B. When creating the instances, assign the name of each Service Account as instance metadata
- C. After starting the instances, use `gcloud compute instances update` to specify a Service Account for each instance
- D. After starting the instances, use `gcloud compute instances update` to assign the name of the relevant Service Account as instance metadata

Answer: A

Explanation:

https://cloud.google.com/compute/docs/access/service-accounts#associating_a_service_account_to_an_instance

NEW QUESTION 6

Your learn wants to deploy a specific content management system (CMS) solution to Google Cloud. You need a quick and easy way to deploy and install the solution. What should you do?

- A. Search for the CMS solution in Google Cloud Marketplac
- B. Use `gcloud CLI` to deploy the solution.
- C. Search for the CMS solution in Google Cloud Marketplac
- D. Deploy the solution directly from Cloud Marketplace.
- E. Search for the CMS solution in Google Cloud Marketplac
- F. Use Terraform and the Cloud Marketplace ID to deploy the solution with the appropriate parameters.
- G. Use the installation guide of the CMS provide
- H. Perform the installation through your configuration management system.

Answer: B

NEW QUESTION 7

You have a developer laptop with the Cloud SDK installed on Ubuntu. The Cloud SDK was installed from the Google Cloud Ubuntu package repository. You want to test your application locally on your laptop with Cloud Datastore. What should you do?

- A. Export Cloud Datastore data using `gcloud datastore export`.
- B. Create a Cloud Datastore index using `gcloud datastore indexes create`.
- C. Install the `google-cloud-sdk-datastore-emulator` component using the `apt get install` command.
- D. Install the `cloud-datastore-emulator` component using the `gcloud components install` command.

Answer: D

Explanation:

➤ The Datastore emulator provides local emulation of the production Datastore environment. You can use the emulator to develop and test your application locally. Ref: <https://cloud.google.com/datastore/docs/tools/datastore-emulator>

NEW QUESTION 8

You have an on-premises data analytics set of binaries that processes data files in memory for about 45 minutes every midnight. The sizes of those data files range from 1 gigabyte to 16 gigabytes. You want to migrate this application to Google Cloud with minimal effort and cost. What should you do?

- A. Upload the code to Cloud Function
- B. Use Cloud Scheduler to start the application.
- C. Create a container for the set of binarie
- D. Use Cloud Scheduler to start a Cloud Run job for the container.
- E. Create a container for the set of binaries Deploy the container to Google Kubernetes Engine (GKE) and use the Kubernetes scheduler to start the application.
- F. Lift and shift to a VM on Compute Engin
- G. Use an instance schedule to start and stop the instance.

Answer: B

NEW QUESTION 9

Your company has a large quantity of unstructured data in different file formats. You want to perform ETL transformations on the data. You need to make the data accessible on Google Cloud so it can be processed by a Dataflow job. What should you do?

- A. Upload the data to BigQuery using the `bq` command line tool.
- B. Upload the data to Cloud Storage using the `gsutil` command line tool.
- C. Upload the data into Cloud SQL using the `import` function in the console.
- D. Upload the data into Cloud Spanner using the `import` function in the console.

Answer: B

Explanation:

"large quantity" : Cloud Storage or BigQuery "files" a file is nothing but an Object

NEW QUESTION 10

Your company has developed a new application that consists of multiple microservices. You want to deploy the application to Google Kubernetes Engine (GKE), and you want to ensure that the cluster can scale as more applications are deployed in the future. You want to avoid manual intervention when each new application is deployed. What should you do?

- A. Deploy the application on GKE, and add a HorizontalPodAutoscaler to the deployment.
- B. Deploy the application on GKE, and add a VerticalPodAutoscaler to the deployment.
- C. Create a GKE cluster with autoscaling enabled on the node pool
- D. Set a minimum and maximum for the size of the node pool.
- E. Create a separate node pool for each application, and deploy each application to its dedicated node pool.

Answer: C

Explanation:

https://cloud.google.com/kubernetes-engine/docs/how-to/cluster-autoscaler#adding_a_node_pool_with_autoscal

NEW QUESTION 10

Your company is moving its entire workload to Compute Engine. Some servers should be accessible through the Internet, and other servers should only be accessible over the internal network. All servers need to be able to talk to each other over specific ports and protocols. The current on-premises network relies on a demilitarized zone (DMZ) for the public servers and a Local Area Network (LAN) for the private servers. You need to design the networking infrastructure on Google Cloud to match these requirements. What should you do?

- A. 1. Create a single VPC with a subnet for the DMZ and a subnet for the LA
- B. 2. Set up firewall rules to open up relevant traffic between the DMZ and the LAN subnets, and another firewall rule to allow public ingress traffic for the DMZ.
- C. 1. Create a single VPC with a subnet for the DMZ and a subnet for the LA
- D. 2. Set up firewall rules to open up relevant traffic between the DMZ and the LAN subnets, and another firewall rule to allow public egress traffic for the DMZ.
- E. 1. Create a VPC with a subnet for the DMZ and another VPC with a subnet for the LA
- F. 2. Set up firewall rules to open up relevant traffic between the DMZ and the LAN subnets, and another firewall rule to allow public ingress traffic for the DMZ.
- G. 1. Create a VPC with a subnet for the DMZ and another VPC with a subnet for the LA
- H. 2. Set up firewall rules to open up relevant traffic between the DMZ and the LAN subnets, and another firewall rule to allow public egress traffic for the DMZ.

Answer: C

Explanation:

<https://cloud.google.com/vpc/docs/vpc-peering>

NEW QUESTION 13

Your organization is a financial company that needs to store audit log files for 3 years. Your organization has hundreds of Google Cloud projects. You need to implement a cost-effective approach for log file retention. What should you do?

- A. Create an export to the sink that saves logs from Cloud Audit to BigQuery.
- B. Create an export to the sink that saves logs from Cloud Audit to a Coldline Storage bucket.
- C. Write a custom script that uses logging API to copy the logs from Stackdriver logs to BigQuery.
- D. Export these logs to Cloud Pub/Sub and write a Cloud Dataflow pipeline to store logs to Cloud SQL.

Answer: B

Explanation:

Coldline Storage is the perfect service to store audit logs from all the projects and is very cost-efficient as well. Coldline Storage is a very low-cost, highly durable storage service for storing infrequently accessed data.

NEW QUESTION 16

Your organization has a dedicated person who creates and manages all service accounts for Google Cloud projects. You need to assign this person the minimum role for projects. What should you do?

- A. Add the user to roles/iam.roleAdmin role.
- B. Add the user to roles/iam.securityAdmin role.
- C. Add the user to roles/iam.serviceAccountUser role.
- D. Add the user to roles/iam.serviceAccountAdmin role.

Answer: D

NEW QUESTION 21

You want to add a new auditor to a Google Cloud Platform project. The auditor should be allowed to read, but not modify, all project items. How should you configure the auditor's permissions?

- A. Create a custom role with view-only project permission
- B. Add the user's account to the custom role.
- C. Create a custom role with view-only service permission
- D. Add the user's account to the custom role.
- E. Select the built-in IAM project Viewer rol
- F. Add the user's account to this role.
- G. Select the built-in IAM service Viewer rol
- H. Add the user's account to this role.

Answer: C

NEW QUESTION 25

You need to set a budget alert for use of Compute Engine services on one of the three Google Cloud Platform projects that you manage. All three projects are linked to a single billing account. What should you do?

- A. Verify that you are the project billing administrator
- B. Select the associated billing account and create a budget and alert for the appropriate project.
- C. Verify that you are the project billing administrator
- D. Select the associated billing account and create a budget and a custom alert.
- E. Verify that you are the project administrator
- F. Select the associated billing account and create a budget for the appropriate project.
- G. Verify that you are project administrator
- H. Select the associated billing account and create a budget and a custom alert.

Answer: A

Explanation:

<https://cloud.google.com/iam/docs/understanding-roles#billing-roles>

NEW QUESTION 28

Your finance team wants to view the billing report for your projects. You want to make sure that the finance team does not get additional permissions to the project. What should you do?

- A. Add the group for the finance team to roles/billing user role.
- B. Add the group for the finance team to roles/billing admin role.
- C. Add the group for the finance team to roles/billing viewer role.
- D. Add the group for the finance team to roles/billing project/Manager role.

Answer: C

Explanation:

"Billing Account Viewer access would usually be granted to finance teams, it provides access to spend information, but does not confer the right to link or unlink projects or otherwise manage the properties of the billing account." <https://cloud.google.com/billing/docs/how-to/billing-access>

NEW QUESTION 32

Your company wants to standardize the creation and management of multiple Google Cloud resources using Infrastructure as Code. You want to minimize the amount of repetitive code needed to manage the environment. What should you do?

- A. Create a bash script that contains all requirement steps as gcloud commands
- B. Develop templates for the environment using Cloud Deployment Manager
- C. Use curl in a terminal to send a REST request to the relevant Google API for each individual resource.
- D. Use the Cloud Console interface to provision and manage all related resources

Answer: B

Explanation:

You can use Google Cloud Deployment Manager to create a set of Google Cloud resources and manage them as a unit, called a deployment. For example, if your team's development environment needs two virtual machines (VMs) and a BigQuery database, you can define these resources in a configuration file, and use Deployment Manager to create, change, or delete these resources. You can make the configuration file part of your team's code repository, so that anyone can create the same environment with consistent results. <https://cloud.google.com/deployment-manager/docs/quickstart>

NEW QUESTION 37

You have 32 GB of data in a single file that you need to upload to a Nearline Storage bucket. The WAN connection you are using is rated at 1 Gbps, and you are the only one on the connection. You want to use as much of the rated 1 Gbps as possible to transfer the file rapidly. How should you upload the file?

- A. Use the GCP Console to transfer the file instead of gsutil.
- B. Enable parallel composite uploads using gsutil on the file transfer.
- C. Decrease the TCP window size on the machine initiating the transfer.
- D. Change the storage class of the bucket from Nearline to Multi-Regional.

Answer: B

Explanation:

<https://cloud.google.com/storage/docs/parallel-composite-uploads> <https://cloud.google.com/storage/docs/uploads-downloads#parallel-composite-uploads>

NEW QUESTION 42

You have developed an application that consists of multiple microservices, with each microservice packaged in its own Docker container image. You want to deploy the entire application on Google Kubernetes Engine so that each microservice can be scaled individually. What should you do?

- A. Create and deploy a Custom Resource Definition per microservice.
- B. Create and deploy a Docker Compose File.
- C. Create and deploy a Job per microservice.
- D. Create and deploy a Deployment per microservice.

Answer: A

NEW QUESTION 46

Your application is running on Google Cloud in a managed instance group (MIG). You see errors in Cloud Logging for one VM that one of the processes is not responsive. You want to replace this VM in the MIG quickly. What should you do?

- A. Select the MIG from the Compute Engine console and, in the menu, select Replace VMs.
- B. Use the `gcloud compute instance-groups managed recreate-instances` command to recreate the VM.
- C. Use the `gcloud compute instances update` command with a REFRESH action for the VM.
- D. Update and apply the instance template of the MIG.

Answer: A

NEW QUESTION 47

You are managing a Data Warehouse on BigQuery. An external auditor will review your company's processes, and multiple external consultants will need view access to the data. You need to provide them with view access while following Google-recommended practices. What should you do?

- A. Grant each individual external consultant the role of BigQuery Editor
- B. Grant each individual external consultant the role of BigQuery Viewer
- C. Create a Google Group that contains the consultants and grant the group the role of BigQuery Editor
- D. Create a Google Group that contains the consultants, and grant the group the role of BigQuery Viewer

Answer: D

NEW QUESTION 48

You have a virtual machine that is currently configured with 2 vCPUs and 4 GB of memory. It is running out of memory. You want to upgrade the virtual machine to have 8 GB of memory. What should you do?

- A. Rely on live migration to move the workload to a machine with more memory.
- B. Use `gcloud` to add metadata to the VM
- C. Set the key to `required-memory-size` and the value to 8 GB.
- D. Stop the VM, change the machine type to `n1-standard-8`, and start the VM.
- E. Stop the VM, increase the memory to 8 GB, and start the VM.

Answer: D

Explanation:

In Google compute engine, if predefined machine types don't meet your needs, you can create an instance with custom virtualized hardware settings. Specifically, you can create an instance with a custom number of vCPUs and custom memory, effectively using a custom machine type. Custom machine types are ideal for the following scenarios: 1. Workloads that aren't a good fit for the predefined machine types that are available you. 2. Workloads that require more processing power or more memory but don't need all of the upgrades that are provided by the next machine type level. In our scenario, we only need a memory upgrade. Moving to a bigger instance would also bump up the CPU which we don't need so we have to use a custom machine type. It is not possible to change memory while the instance is running so you need to first stop the instance, change the memory and then start it again. See below a screenshot that shows how CPU/Memory can be customized for an instance that has been stopped. Ref: <https://cloud.google.com/compute/docs/instances/creating-instance-with-custom-machine-type>

NEW QUESTION 51

You have been asked to migrate a docker application from datacenter to cloud. Your solution architect has suggested uploading docker images to GCR in one project and running an application in a GKE cluster in a separate project. You want to store images in the project `img-278322` and run the application in the project `prod-278986`. You want to tag the image as `acme_track_n_trace:v1`. You want to follow Google-recommended practices. What should you do?

- A. Run `gcloud builds submit --tag gcr.io/img-278322/acme_track_n_trace`
- B. Run `gcloud builds submit --tag gcr.io/img-278322/acme_track_n_trace:v1`
- C. Run `gcloud builds submit --tag gcr.io/prod-278986/acme_track_n_trace`
- D. Run `gcloud builds submit --tag gcr.io/prod-278986/acme_track_n_trace:v1`

Answer: B

Explanation:

➤ Run `gcloud builds submit tag gcr.io/img-278322/acme_track_n_trace:v1`. is the right answer.
This command correctly tags the image as `acme_track_n_trace:v1` and uploads the image to the `img-278322` project.
Ref: <https://cloud.google.com/sdk/gcloud/reference/builds/submit>

NEW QUESTION 55

Your web application has been running successfully on Cloud Run for Anthos. You want to evaluate an updated version of the application with a specific percentage of your production users (canary deployment). What should you do?

- A. Create a new service with the new version of the applicatio
- B. Split traffic between this version and the version that is currently running.
- C. Create a new revision with the new version of the applicatio
- D. Split traffic between this version and the version that is currently running.
- E. Create a new service with the new version of the applicatio
- F. Add an HTTP Load Balancer in front of both services.
- G. Create a new revision with the new version of the applicatio
- H. Add an HTTP Load Balancer in front of both revisions.

Answer: B

Explanation:

<https://cloud.google.com/kuberun/docs/rollouts-rollbacks-traffic-migration>

NEW QUESTION 58

You installed the Google Cloud CLI on your workstation and set the proxy configuration. However, you are worried that your proxy credentials will be recorded in the gcloud CLI logs. You want to prevent your proxy credentials from being logged. What should you do?

- A. Configure username and password by using `gcloud configure set proxy/username` and `gcloud configure set proxy/proxy/password` commands.
- B. Encode username and password in sha256 encoding, and save it to a text file.
- C. Use filename as a value in the `gcloud configure set core/custom_ca_certs_file` command.
- D. Provide values for `CLOUDSDK_USERNAME` and `CLOUDSDK_PASSWORD` in the gcloud CLI tool configure file.
- E. Set the `CLOUDSDK_PROXY_USERNAME` and `CLOUDSDK_PROXY_PASSWORD` properties by using environment variables in your command line tool.

Answer: D

NEW QUESTION 60

A colleague handed over a Google Cloud Platform project for you to maintain. As part of a security checkup, you want to review who has been granted the Project Owner role. What should you do?

- A. In the console, validate which SSH keys have been stored as project-wide keys.
- B. Navigate to Identity-Aware Proxy and check the permissions for these resources.
- C. Enable Audit Logs on the IAM & admin page for all resources, and validate the results.
- D. Use the command `gcloud projects get-iam-policy` to view the current role assignments.

Answer: D

Explanation:

A simple approach would be to use the command flags available when listing all the IAM policy for a given project. For instance, the following command: `gcloud projects get-iam-policy $PROJECT_ID --flatten="bindings[].members" --format="table(bindings.members)" --filter="bindings.role:roles/owner"` outputs all the users and service accounts associated with the role 'roles/owner' in the project in question. <https://groups.google.com/g/google-cloud-dev/c/Z6sZs7TvygQ?pli=1>

NEW QUESTION 62

You need to manage a Cloud Spanner Instance for best query performance. Your instance in production runs in a single Google Cloud region. You need to improve performance in the shortest amount of time. You want to follow Google best practices for service configuration. What should you do?

- A. Create an alert in Cloud Monitoring to alert when the percentage of high priority CPU utilization reaches 45%. If you exceed this threshold, add nodes to your instance.
- B. Create an alert in Cloud Monitoring to alert when the percentage of high priority CPU utilization reaches 45%. Use database query statistics to identify queries that result in high CPU usage, and then rewrite those queries to optimize their resource usage.
- C. Create an alert in Cloud Monitoring to alert when the percentage of high priority CPU utilization reaches 65%. If you exceed this threshold, add nodes to your instance.
- D. Create an alert in Cloud Monitoring to alert when the percentage of high priority CPU utilization reaches 65%. Use database query statistics to identify queries that result in high CPU usage, and then rewrite those queries to optimize their resource usage.

Answer: B

Explanation:

<https://cloud.google.com/spanner/docs/cpu-utilization#recommended-max>

NEW QUESTION 65

You are running multiple VPC-native Google Kubernetes Engine clusters in the same subnet. The IPs available for the nodes are exhausted, and you want to ensure that the clusters can grow in nodes when needed. What should you do?

- A. Create a new subnet in the same region as the subnet being used.
- B. Add an alias IP range to the subnet used by the GKE clusters.
- C. Create a new VPC, and set up VPC peering with the existing VPC.
- D. Expand the CIDR range of the relevant subnet for the cluster.

Answer: D

Explanation:

`gcloud compute networks subnets expand-ip-range NAME` `gcloud compute networks subnets expand-ip-range`
- expand the IP range of a Compute Engine subnetwork <https://cloud.google.com/sdk/gcloud/reference/compute/networks/subnets/expand-ip-range>

NEW QUESTION 70

Your auditor wants to view your organization's use of data in Google Cloud. The auditor is most interested in auditing who accessed data in Cloud Storage buckets. You need to help the auditor access the data they need. What should you do?

- A. Assign the appropriate permissions, and then use Cloud Monitoring to review metrics.
- B. Use the export logs API to provide the Admin Activity Audit Logs in the format they want.
- C. Turn on Data Access Logs for the buckets they want to audit, and then build a query in the log viewer that filters on Cloud Storage.
- D. Assign the appropriate permissions, and then create a Data Studio report on Admin Activity Audit Logs.

Answer: C

Explanation:

Types of audit logs Cloud Audit Logs provides the following audit logs for each Cloud project, folder, and organization: Admin Activity audit logs Data Access audit logs System Event audit logs Policy Denied audit logs ***Data Access audit logs contain API calls that read the configuration or metadata of resources, as well as user-driven API calls that create, modify, or read user-provided resource data. <https://cloud.google.com/logging/docs/audit#types>
<https://cloud.google.com/logging/docs/audit#data-access> Cloud Storage: When Cloud Storage usage logs are enabled, Cloud Storage writes usage data to the Cloud Storage bucket, which generates Data Access audit logs for the bucket. The generated Data Access audit log has its caller identity redacted.

NEW QUESTION 72

You've deployed a microservice called myapp1 to a Google Kubernetes Engine cluster using the YAML file specified below:

```
apiVersion: apps/v1
kind: Deployment
metadata:
  name: myapp1-deployment
spec:
  selector:
    matchLabels:
      app: myapp1
  replicas: 2
  template:
    metadata:
      labels:
        app: myapp1
    spec:
      containers:
      - name: main-container
        image: gcr.io/my-company-repo/myapp1:1.4
        env:
        - name: DB_PASSWORD
          value: "t0ugh2guess!"
        ports:
        - containerPort: 8080
```

You need to refactor this configuration so that the database password is not stored in plain text. You want to follow Google-recommended practices. What should you do?

- A. Store the database password inside the Docker image of the container, not in the YAML file.
- B. Store the database password inside a Secret objec
- C. Modify the YAML file to populate the DB_PASSWORD environment variable from the Secret.
- D. Store the database password inside a ConfigMap objec
- E. Modify the YAML file to populate the DB_PASSWORD environment variable from the ConfigMap.
- F. Store the database password in a file inside a Kubernetes persistent volume, and use a persistent volume claim to mount the volume to the container.

Answer: B

Explanation:

<https://cloud.google.com/config-connector/docs/how-to/secrets#gcloud>

NEW QUESTION 76

You are in charge of provisioning access for all Google Cloud users in your organization. Your company recently acquired a startup company that has their own Google Cloud organization. You need to ensure that your Site Reliability Engineers (SREs) have the same project permissions in the startup company's organization as in your own organization. What should you do?

- A. In the Google Cloud console for your organization, select Create role from selection, and choose destination as the startup company's organization
- B. In the Google Cloud console for the startup company, select Create role from selection and choose source as the startup company's Google Cloud organization.
- C. Use the gcloud iam roles copy command, and provide the Organization ID of the startup company's Google Cloud Organization as the destination.
- D. Use the gcloud iam roles copy command, and provide the project IDs of all projects in the startup company s organization as the destination.

Answer: C

Explanation:

<https://cloud.google.com/architecture/best-practices-vpc-design#shared-service> Cloud VPN is another alternative. Because Cloud VPN establishes reachability through managed IPsec tunnels, it doesn't have the aggregate limits of VPC Network Peering. Cloud VPN uses a VPN Gateway for connectivity and doesn't consider the aggregate resource use of the IPsec peer. The drawbacks of Cloud VPN include increased costs (VPN tunnels and traffic egress), management overhead required to maintain tunnels, and the performance overhead of IPsec.

NEW QUESTION 79

You have a single binary application that you want to run on Google Cloud Platform. You decided to automatically scale the application based on underlying infrastructure CPU usage. Your organizational policies require you to use virtual machines directly. You need to ensure that the application scaling is operationally efficient and completed as quickly as possible. What should you do?

- A. Create a Google Kubernetes Engine cluster, and use horizontal pod autoscaling to scale the application.
- B. Create an instance template, and use the template in a managed instance group with autoscaling configured.
- C. Create an instance template, and use the template in a managed instance group that scales up and down based on the time of day.
- D. Use a set of third-party tools to build automation around scaling the application up and down, based on Stackdriver CPU usage monitoring.

Answer: B

Explanation:

Managed instance groups offer autoscaling capabilities that let you automatically add or delete instances from a managed instance group based on increases or decreases in load (CPU Utilization in this case). Autoscaling helps your apps gracefully handle increases in traffic and reduce costs when the need for resources is lower. You define the autoscaling policy and the autoscaler performs automatic scaling based on the measured load (CPU Utilization in this case). Autoscaling works by adding more instances to your instance group when there is more load (upscaling), and deleting instances when the need for instances is lowered (downscaling). Ref: <https://cloud.google.com/compute/docs/autoscaler>

NEW QUESTION 82

You are setting up a Windows VM on Compute Engine and want to make sure you can log in to the VM via RDP. What should you do?

- A. After the VM has been created, use your Google Account credentials to log in into the VM.
- B. After the VM has been created, use `gcloud compute reset-windows-password` to retrieve the login credentials for the VM.
- C. When creating the VM, add metadata to the instance using 'windows-password' as the key and a password as the value.
- D. After the VM has been created, download the JSON private key for the default Compute Engine service account.
- E. Use the credentials in the JSON file to log in to the VM.

Answer: B

Explanation:

You can generate Windows passwords using either the Google Cloud Console or the `gcloud` command-line tool. This option uses the right syntax to reset the windows password.

```
gcloud compute reset-windows-password windows-instance
```

Ref: <https://cloud.google.com/compute/docs/instances/windows/creating-passwords-for-windows-instances#gc>

NEW QUESTION 87

You have downloaded and installed the `gcloud` command line interface (CLI) and have authenticated with your Google Account. Most of your Compute Engine instances in your project run in the `eu-west1-d` zone. You want to avoid having to specify this zone with each CLI command when managing these instances. What should you do?

- A. Set the `eu-west1-d` zone as the default zone using the `gcloud config` subcommand.
- B. In the Settings page for Compute Engine under Default location, set the zone to `eu-west1-d`.
- C. In the CLI installation directory, create a file called `default.conf` containing `zone=eu-west1-d`.
- D. Create a Metadata entry on the Compute Engine page with key `compute/zone` and value `eu-west1-d`.

Answer: A

Explanation:

Change your default zone and region in the metadata server Note: This only applies to the default configuration. You can change the default zone and region in your metadata server by making a request to the metadata server. For example: `gcloud compute project-info add-metadata --metadata google-compute-default-region=eu-west1,google-compute-default-zone=eu-west1-b` The `gcloud` command-line tool only picks up on new default zone and region changes after you rerun the `gcloud init` command. After updating your default metadata, run `gcloud init` to reinitialize your default configuration. https://cloud.google.com/compute/docs/gcloud-compute#change_your_default_zone_and_region_in_the_metad

NEW QUESTION 89

You have deployed an application on a Compute Engine instance. An external consultant needs to access the Linux-based instance. The consultant is connected to your corporate network through a VPN connection, but the consultant has no Google account. What should you do?

- A. Instruct the external consultant to use the `gcloud compute ssh` command line tool by using Identity-Aware Proxy to access the instance.
- B. Instruct the external consultant to use the `gcloud compute ssh` command line tool by using the public IP address of the instance to access it.
- C. Instruct the external consultant to generate an SSH key pair, and request the public key from the consultant. Add the public key to the instance yourself, and have the consultant access the instance through SSH with their private key.
- D. Instruct the external consultant to generate an SSH key pair, and request the private key from the consultant. Add the private key to the instance yourself, and have the consultant access the instance through SSH with their public key.

Answer: C

Explanation:

The best option is to instruct the external consultant to generate an SSH key pair, and request the public key from the consultant. Then, add the public key to the instance yourself, and have the consultant access the instance through SSH with their private key. This way, you can grant the consultant access to the instance without requiring a Google account or exposing the instance's public IP address. This option also follows the best practice of using user-managed SSH keys instead of service account keys for SSH access¹.

Option A is not feasible because the external consultant does not have a Google account, and therefore cannot use Identity-Aware Proxy (IAP) to access the instance. IAP requires the user to authenticate with a Google account and have the appropriate IAM permissions to access the instance². Option B is not secure because it exposes the instance's public IP address, which can increase the risk of unauthorized access or attacks. Option D is not correct because it reverses the roles of the public and private keys. The public key should be added to the instance, and the private key should be kept by the consultant. Sharing the private key with anyone else can compromise the security of the SSH connection³.

References:

- > 1: <https://cloud.google.com/compute/docs/instances/adding-removing-ssh-keys>
- > 2: <https://cloud.google.com/iap/docs/using-tcp-forwarding>
- > 3: <https://cloud.google.com/compute/docs/instances/connecting-advanced#sshbetweeninstances>

NEW QUESTION 93

You need to create a custom IAM role for use with a GCP service. All permissions in the role must be suitable for production use. You also want to clearly share with your organization the status of the custom role. This will be the first version of the custom role. What should you do?

- A. Use permissions in your role that use the 'supported' support level for role permission

- B. Set the rolestage to ALPHA while testing the role permissions.
- C. Use permissions in your role that use the 'supported' support level for role permission
- D. Set the role stage to BETA while testing the role permissions.
- E. Use permissions in your role that use the 'testing' support level for role permission
- F. Set the role stage to ALPHA while testing the role permissions.
- G. Use permissions in your role that use the 'testing' support level for role permission
- H. Set the role stage to BETA while testing the role permissions.

Answer: A

Explanation:

When setting support levels for permissions in custom roles, you can set to one of SUPPORTED, TESTING or NOT_SUPPORTED.

Ref: <https://cloud.google.com/iam/docs/custom-roles-permissions-support>

NEW QUESTION 94

You have an application that runs on Compute Engine VM instances in a custom Virtual Private Cloud (VPC). Your company's security policies only allow the use of internal IP addresses on VM instances and do not let VM instances connect to the internet. You need to ensure that the application can access a file hosted in a Cloud Storage bucket within your project. What should you do?

- A. Enable Private Service Access on the Cloud Storage Bucket.
- B. Add storage.googleapis.com to the list of restricted services in a VPC Service Controls perimeter and add your project to the list to protected projects.
- C. Enable Private Google Access on the subnet within the custom VPC.
- D. Deploy a Cloud NAT instance and route the traffic to the dedicated IP address of the Cloud Storage bucket.

Answer: A

NEW QUESTION 99

You want to deploy an application on Cloud Run that processes messages from a Cloud Pub/Sub topic. You want to follow Google-recommended practices. What should you do?

- A. 1. Create a Cloud Function that uses a Cloud Pub/Sub trigger on that topic.2. Call your application on Cloud Run from the Cloud Function for every message.
- B. 1. Grant the Pub/Sub Subscriber role to the service account used by Cloud Run.2. Create a Cloud Pub/Sub subscription for that topic.3. Make your application pull messages from that subscription.
- C. 1. Create a service account.2. Give the Cloud Run Invoker role to that service account for your Cloud Run application.3. Create a Cloud Pub/Sub subscription that uses that service account and uses your Cloud Run application as the push endpoint.
- D. 1. Deploy your application on Cloud Run on GKE with the connectivity set to Internal.2. Create a Cloud Pub/Sub subscription for that topic.3. In the same Google Kubernetes Engine cluster as your application, deploy a container that takes the messages and sends them to your application.

Answer: C

Explanation:

<https://cloud.google.com/run/docs/tutorials/pubsub#integrating-pubsub>

* 1. Create a service account. 2. Give the Cloud Run Invoker role to that service account for your Cloud Run application. 3. Create a Cloud Pub/Sub subscription that uses that service account and uses your Cloud Run application as the push endpoint.

NEW QUESTION 100

The core business of your company is to rent out construction equipment at a large scale. All the equipment that is being rented out has been equipped with multiple sensors that send event information every few seconds. These signals can vary from engine status, distance traveled, fuel level, and more. Customers are billed based on the consumption monitored by these sensors. You expect high throughput – up to thousands of events per hour per device – and need to retrieve consistent data based on the time of the event. Storing and retrieving individual signals should be atomic. What should you do?

- A. Create a file in Cloud Storage per device and append new data to that file.
- B. Create a file in Cloud Filestore per device and append new data to that file.
- C. Ingest the data into Datastor
- D. Store data in an entity group based on the device.
- E. Ingest the data into Cloud Bigtabl
- F. Create a row key based on the event timestamp.

Answer: D

Explanation:

Keyword need to look for

- "High Throughput",
- "Consistent",
- "Property based data insert/fetch like engine status, distance traveled, fuel level, and more." which can be designed in column,
- "Large Scale Customer Base + Each Customer has multiple sensor which send event in seconds" This will go for pera bytes situation,
- Export data based on the time of the event.
- Atomic

o BigTable will fit all requirement. o DataStore is not fully Atomic

o CloudStorage is not a option where we can export data based on time of event. We need another solution to do that

o Firestore can be used with MobileSDK.

NEW QUESTION 105

You need to enable traffic between multiple groups of Compute Engine instances that are currently running two different GCP projects. Each group of Compute Engine instances is running in its own VPC. What should you do?

- A. Verify that both projects are in a GCP Organizatio
- B. Create a new VPC and add all instances.
- C. Verify that both projects are in a GCP Organizatio

- D. Share the VPC from one project and request that the Compute Engine instances in the other project use this shared VPC.
- E. Verify that you are the Project Administrator of both project
- F. Create two new VPCs and add all instances.
- G. Verify that you are the Project Administrator of both project
- H. Create a new VPC and add all instances.

Answer: B

Explanation:

Shared VPC allows an organization to connect resources from multiple projects to a common Virtual Private Cloud (VPC) network, so that they can communicate with each other securely and efficiently using internal IPs from that network. When you use Shared VPC, you designate a project as a host project and attach one or more other service projects to it. The VPC networks in the host project are called Shared VPC networks. Eligible resources from service projects can use subnets in the Shared VPC network

<https://cloud.google.com/vpc/docs/shared-vpc>

"For example, an existing instance in a service project cannot be reconfigured to use a Shared VPC network, but a new instance can be created to use available subnets in a Shared VPC network."

NEW QUESTION 109

Your company developed an application to deploy on Google Kubernetes Engine. Certain parts of the application are not fault-tolerant and are allowed to have downtime. Other parts of the application are critical and must always be available. You need to configure a Google Kubernetes Engine cluster while optimizing for cost. What should you do?

- A. Create a cluster with a single node-pool by using standard VM
- B. Label the fault-tolerant Deployments as spot-true.
- C. Create a cluster with a single node-pool by using Spot VM
- D. Label the critical Deployments as spot-false.
- E. Create a cluster with both a Spot VM node pool and a node pool by using standard VMs. Deploy the critical
- F. deployments on the Spot VM node pool and the fault-tolerant deployments on the node pool by using standard VMs.
- G. Create a cluster with both a Spot VM node pool and by using standard VM
- H. Deploy the critical deployments on the node pool by using standard VMs and the fault-tolerant deployments on the Spot VM node pool.

Answer: C

NEW QUESTION 113

You have developed a containerized web application that will serve internal colleagues during business hours. You want to ensure that no costs are incurred outside of the hours the application is used. You have just created a new Google Cloud project and want to deploy the application. What should you do?

- A. Deploy the container on Cloud Run for Anthos, and set the minimum number of instances to zero
- B. Deploy the container on Cloud Run (fully managed), and set the minimum number of instances to zero.
- C. Deploy the container on App Engine flexible environment with autoscaling
- D. and set the value min_instances to zero in the app.yaml
- E. Deploy the container on App Engine flexible environment with manual scaling, and set the value instances to zero in the app.yaml

Answer: B

Explanation:

https://cloud.google.com/kubernetes/docs/architecture-overview#components_in_the_default_installation

NEW QUESTION 116

You need to configure optimal data storage for files stored in Cloud Storage for minimal cost. The files are used in a mission-critical analytics pipeline that is used continually. The users are in Boston, MA (United States). What should you do?

- A. Configure regional storage for the region closest to the users. Configure a Nearline storage class.
- B. Configure regional storage for the region closest to the users. Configure a Standard storage class.
- C. Configure dual-regional storage for the dual region closest to the users. Configure a Nearline storage class.
- D. Configure dual-regional storage for the dual region closest to the users. Configure a Standard storage class.

Answer: B

Explanation:

Keywords: - continually -> Standard - mission-critical analytics -> dual-regional

NEW QUESTION 118

You are configuring service accounts for an application that spans multiple projects. Virtual machines (VMs) running in the web-applications project need access to BigQuery datasets in crm-databases-proj. You want to follow Google-recommended practices to give access to the service account in the web-applications project. What should you do?

- A. Give "project owner" for web-applications appropriate roles to crm-databases-proj
- B. Give "project owner" role to crm-databases-proj and the web-applications project.
- C. Give "project owner" role to crm-databases-proj and bigquery.dataViewer role to web-applications.
- D. Give bigquery.dataViewer role to crm-databases-proj and appropriate roles to web-applications.

Answer: C

NEW QUESTION 122

You are building a new version of an application hosted in an App Engine environment. You want to test the new version with 1% of users before you completely switch your application over to the new version. What should you do?

- A. Deploy a new version of your application in Google Kubernetes Engine instead of App Engine and then use GCP Console to split traffic.
- B. Deploy a new version of your application in a Compute Engine instance instead of App Engine and then use GCP Console to split traffic.
- C. Deploy a new version as a separate app in App Engine
- D. Then configure App Engine using GCP Console to split traffic between the two apps.
- E. Deploy a new version of your application in App Engine
- F. Then go to App Engine settings in GCP Console and split traffic between the current version and newly deployed versions accordingly.

Answer: D

Explanation:

GCP App Engine natively offers traffic splitting functionality between versions. You can use traffic splitting to specify a percentage distribution of traffic across two or more of the versions within a service. Splitting traffic allows you to conduct A/B testing between your versions and provides control over the pace when rolling out features.

Ref: <https://cloud.google.com/appengine/docs/standard/python/splitting-traffic>

NEW QUESTION 126

You recently received a new Google Cloud project with an attached billing account where you will work. You need to create instances, set firewalls, and store data in Cloud Storage. You want to follow Google-recommended practices. What should you do?

- A. Use the gcloud CLI services enable cloudresourcemanager.googleapis.com command to enable all resources.
- B. Use the gcloud services enable compute.googleapis.com command to enable Compute Engine and the gcloud services enable storage-api.googleapis.com command to enable the Cloud Storage APIs.
- C. Open the Google Cloud console and enable all Google Cloud APIs from the API dashboard.
- D. Open the Google Cloud console and run gcloud init --project <project-id> in a Cloud Shell.

Answer: B

NEW QUESTION 131

You need to deploy an application, which is packaged in a container image, in a new project. The application exposes an HTTP endpoint and receives very few requests per day. You want to minimize costs. What should you do?

- A. Deploy the container on Cloud Run.
- B. Deploy the container on Cloud Run on GKE.
- C. Deploy the container on App Engine Flexible.
- D. Deploy the container on Google Kubernetes Engine, with cluster autoscaling and horizontal pod autoscaling enabled.

Answer: A

Explanation:

Cloud Run takes any container images and pairs great with the container ecosystem: Cloud Build, Artifact Registry, Docker. ... No infrastructure to manage: once deployed, Cloud Run manages your services so you can sleep well. Fast autoscaling. Cloud Run automatically scales up or down from zero to N depending on traffic.

<https://cloud.google.com/run>

NEW QUESTION 134

You have two subnets (subnet-a and subnet-b) in the default VPC. Your database servers are running in subnet-a. Your application servers and web servers are running in subnet-b. You want to configure a firewall rule that only allows database traffic from the application servers to the database servers. What should you do?

- A. * Create service accounts sa-app and sa-db. • Associate service account: sa-app with the application servers and the service account sa-db with the database servers. • Create an ingress firewall rule to allow network traffic from source service account sa-app to target service account sa-db.
- B. • Create network tags app-server and db-server. • Add the app-server tag to the application servers and the db-server tag to the database servers. • Create an egress firewall rule to allow network traffic from source network tag app-server to target network tag db-server.
- C. * Create a service account sa-app and a network tag db-server. * Associate the service account sa-app with the application servers and the network tag db-server with the database servers. • Create an ingress firewall rule to allow network traffic from source VPC IP addresses and target the subnet-a IP addresses.
- D. • Create a network tag app-server and service account sa-db. • Add the tag to the application servers and associate the service account with the database servers. • Create an egress firewall rule to allow network traffic from source network tag app-server to target service account sa-db.

Answer: C

NEW QUESTION 135

You are managing a project for the Business Intelligence (BI) department in your company. A data pipeline ingests data into BigQuery via streaming. You want the users in the BI department to be able to run the custom SQL queries against the latest data in BigQuery. What should you do?

- A. Create a Data Studio dashboard that uses the related BigQuery tables as a source and give the BI team view access to the Data Studio dashboard.
- B. Create a Service Account for the BI team and distribute a new private key to each member of the BI team.
- C. Use Cloud Scheduler to schedule a batch Dataflow job to copy the data from BigQuery to the BI team's internal data warehouse.
- D. Assign the IAM role of BigQuery User to a Google Group that contains the members of the BI team.

Answer: D

Explanation:

When applied to a dataset, this role provides the ability to read the dataset's metadata and list tables in the dataset. When applied to a project, this role also provides the ability to run jobs, including queries, within the project. A member with this role can enumerate their own jobs, cancel their own jobs, and enumerate datasets within a project. Additionally, allows the creation of new datasets within the project; the creator is granted the BigQuery Data Owner role (roles/bigquery.dataOwner) on these new datasets.

<https://cloud.google.com/bigquery/docs/access-control>

NEW QUESTION 136

You are developing a financial trading application that will be used globally. Data is stored and queried using a relational structure, and clients from all over the world should get the exact identical state of the data. The application will be deployed in multiple regions to provide the lowest latency to end users. You need to select a storage option for the application data while minimizing latency. What should you do?

- A. Use Cloud Bigtable for data storage.
- B. Use Cloud SQL for data storage.
- C. Use Cloud Spanner for data storage.
- D. Use Firestore for data storage.

Answer: C

Explanation:

Keywords, Financial data (large data) used globally, data stored and queried using relational structure (SQL), clients should get exact identical copies(Strong Consistency), Multiple region, low latency to end user, select storage option to minimize latency.

NEW QUESTION 141

You just installed the Google Cloud CLI on your new corporate laptop. You need to list the existing instances of your company on Google Cloud. What must you do before you run the `gcloud compute instances list` command?

Choose 2 answers

- A. Run `gcloud auth login`, enter your login credentials in the dialog window, and paste the received login token to `gcloud CLI`.
- B. Create a Google Cloud service account, and download the service account key
- C. Place the key file in a folder on your machine where `gcloud CLI` can find it.
- D. Download your Cloud Identity user account key
- E. Place the key file in a folder on your machine where `gcloud CLI` can find it.
- F. Run `gcloud config set compute/zone $my_zone` to set the default zone for `gcloud CLI`.
- G. Run `gcloud config set project $my_project` to set the default project for `gcloud CLI`.

Answer: AE

Explanation:

Before you run the `gcloud compute instances list` command, you need to do two things: authenticate with your user account and set the default project for `gcloud CLI`.

To authenticate with your user account, you need to run `gcloud auth login`, enter your login credentials in the dialog window, and paste the received login token to `gcloud CLI`. This will authorize the `gcloud CLI` to access Google Cloud resources on your behalf¹.

To set the default project for `gcloud CLI`, you need to run `gcloud config set project $my_project`, where

`$my_project` is the ID of the project that contains the instances you want to list. This will save you from having to specify the project flag for every `gcloud` command².

Option B is not recommended, because using a service account key increases the risk of credential leakage and misuse. It is also not necessary, because you can use your user account to authenticate to the `gcloud CLI`³. Option C is not correct, because there is no such thing as a Cloud Identity user account key. Cloud Identity is a service that provides identity and access management for Google Cloud users and groups⁴. Option D is not required, because the `gcloud compute instances list` command does not depend on the default zone. You can list instances from all zones or filter by a specific zone using the `--filter` flag.

References:

- > 1: <https://cloud.google.com/sdk/docs/authorizing>
- > 2: <https://cloud.google.com/sdk/gcloud/reference/config/set>
- > 3: <https://cloud.google.com/iam/docs/best-practices-for-managing-service-account-keys>
- > 4: <https://cloud.google.com/identity/docs/overview>
- > : <https://cloud.google.com/sdk/gcloud/reference/compute/instances/list>

NEW QUESTION 143

Your company's infrastructure is on-premises, but all machines are running at maximum capacity. You want to burst to Google Cloud. The workloads on Google Cloud must be able to directly communicate to the workloads on-premises using a private IP range. What should you do?

- A. In Google Cloud, configure the VPC as a host for Shared VPC.
- B. In Google Cloud, configure the VPC for VPC Network Peering.
- C. Create bastion hosts both in your on-premises environment and on Google Cloud
- D. Configure both as proxy servers using their public IP addresses.
- E. Set up Cloud VPN between the infrastructure on-premises and Google Cloud.

Answer: D

Explanation:

"Google Cloud VPC Network Peering allows internal IP address connectivity across two Virtual Private Cloud (VPC) networks regardless of whether they belong to the same project or the same organization."

<https://cloud.google.com/vpc/docs/vpc-peering> while

"Cloud Interconnect provides low latency, high availability connections that enable you to reliably transfer data between your on-premises and Google Cloud Virtual Private Cloud (VPC) networks."

<https://cloud.google.com/network-connectivity/docs/interconnect/concepts/overview> and

"HA VPN is a high-availability (HA) Cloud VPN solution that lets you securely connect your on-premises network to your VPC network through an IPsec VPN connection in a single region."

<https://cloud.google.com/network-connectivity/docs/vpn/concepts/overview>

NEW QUESTION 146

You need to grant access for three users so that they can view and edit table data on a Cloud Spanner instance. What should you do?

- A. Run `gcloud iam roles describe roles/spanner.databaseUse`

- B. Add the users to the role.
- C. Run `gcloud iam roles describe roles/spanner.databaseUser`
- D. Add the users to a new group
- E. Add the group to the role.
- F. Run `gcloud iam roles describe roles/spanner.viewer --project my-projec`
- G. Add the users to the role.
- H. Run `gcloud iam roles describe roles/spanner.viewer --project my-projec`
- I. Add the users to a new group. Add the group to the role.

Answer: B

Explanation:

<https://cloud.google.com/spanner/docs/iam#spanner.databaseUser>

Using the `gcloud` tool, execute the `gcloud iam roles describe roles/spanner.databaseUser` command on Cloud Shell. Attach the users to a newly created Google group and add the group to the role.

NEW QUESTION 150

You are running a web application on Cloud Run for a few hundred users. Some of your users complain that the initial web page of the application takes much longer to load than the following pages. You want to follow Google's recommendations to mitigate the issue. What should you do?

- A. Update your web application to use the protocol HTTP/2 instead of HTTP/1.1
- B. Set the concurrency number to 1 for your Cloud Run service.
- C. Set the maximum number of instances for your Cloud Run service to 100.
- D. Set the minimum number of instances for your Cloud Run service to 3.

Answer: D

NEW QUESTION 152

You are performing a monthly security check of your Google Cloud environment and want to know who has access to view data stored in your Google Cloud Project. What should you do?

- A. Enable Audit Logs for all APIs that are related to data storage.
- B. Review the IAM permissions for any role that allows for data access.
- C. Review the Identity-Aware Proxy settings for each resource.
- D. Create a Data Loss Prevention job.

Answer: B

Explanation:

<https://cloud.google.com/logging/docs/audit>

NEW QUESTION 153

You have successfully created a development environment in a project for an application. This application uses Compute Engine and Cloud SQL. Now, you need to create a production environment for this application.

The security team has forbidden the existence of network routes between these 2 environments, and asks you to follow Google-recommended practices. What should you do?

- A. Create a new project, enable the Compute Engine and Cloud SQL APIs in that project, and replicate the setup you have created in the development environment.
- B. Create a new production subnet in the existing VPC and a new production Cloud SQL instance in your existing project, and deploy your application using those resources.
- C. Create a new project, modify your existing VPC to be a Shared VPC, share that VPC with your new project, and replicate the setup you have in the development environment in that new project, in the Shared VPC.
- D. Ask the security team to grant you the Project Editor role in an existing production project used by another division of your company.
- E. Once they grant you that role, replicate the setup you have in the development environment in that project.

Answer: A

Explanation:

This aligns with Google's recommended practices. By creating a new project, we achieve complete isolation between development and production environments; as well as isolate this production application from production applications of other departments.

Ref: <https://cloud.google.com/docs/enterprise/best-practices-for-enterprise-organizations#define-hierarchy>

NEW QUESTION 154

The DevOps group in your organization needs full control of Compute Engine resources in your development project. However, they should not have permission to create or update any other resources in the project. You want to follow Google's recommendations for setting permissions for the DevOps group. What should you do?

- A. Grant the basic role `roles/viewer` and the predefined role `roles/compute.admin` to the DevOps group.
- B. Create an IAM policy and grant all compute
- C. `instanceAdmin` permissions to the policy. Attach the policy to the DevOps group.
- D. Create a custom role at the folder level and grant all compute
- E. `instanceAdmin`
- F. `*` permissions to the role. Grant the custom role to the DevOps group.
- G. Grant the basic role `roles/editor` to the DevOps group.

Answer: A

NEW QUESTION 159

You created a cluster.YAML file containing

- > resources:
- > name: cluster
- > type: container.v1.cluster
- > properties:
- > zone: europe-west1-b
- > cluster:
- > description: My GCP ACE cluster
- > initialNodeCount: 2

You want to use Cloud Deployment Manager to create this cluster in GKE. What should you do?

- A. gcloud deployment-manager deployments create my-gcp-ace-cluster --config cluster.yaml
- B. gcloud deployment-manager deployments create my-gcp-ace-cluster --type container.v1.cluster --config cluster.yaml
- C. gcloud deployment-manager deployments apply my-gcp-ace-cluster --type container.v1.cluster --config cluster.yaml
- D. gcloud deployment-manager deployments apply my-gcp-ace-cluster --config cluster.yaml

Answer: D

Explanation:

gcloud deployment-manager deployments create creates deployments based on the configuration file. (Infrastructure as code). All the configuration related to the artifacts is in the configuration file. This command correctly creates a cluster based on the provided cluster.yaml configuration file.

Ref: <https://cloud.google.com/sdk/gcloud/reference/deployment-manager/deployments/create>

NEW QUESTION 161

You are building a multi-player gaming application that will store game information in a database. As the popularity of the application increases, you are concerned about delivering consistent performance. You need to ensure an optimal gaming performance for global users, without increasing the management complexity. What should you do?

- A. Use Cloud SQL database with cross-region replication to store game statistics in the EU, US, and APAC regions.
- B. Use Cloud Spanner to store user data mapped to the game statistics.
- C. Use BigQuery to store game statistics with a Redis on Memorystore instance in the front to provide global consistency.
- D. Store game statistics in a Bigtable database partitioned by username.

Answer: B

NEW QUESTION 162

You are working in a team that has developed a new application that needs to be deployed on Kubernetes. The production application is business critical and should be optimized for reliability. You need to provision a Kubernetes cluster and want to follow Google-recommended practices. What should you do?

- A. Create a GKE Autopilot cluste
- B. Enroll the cluster in the rapid release channel.
- C. Create a GKE Autopilot cluste
- D. Enroll the cluster in the stable release channel.
- E. Create a zonal GKE standard cluste
- F. Enroll the cluster in the stable release channel.
- G. Create a regional GKE standard cluste
- H. Enroll the cluster in the rapid release channel.

Answer: B

Explanation:

Autopilot is more reliable and stable release gives more time to fix issues in new version of GKE

NEW QUESTION 166

You are planning to migrate your on-premises data to Google Cloud. The data includes:

- 200 TB of video files in SAN storage
- Data warehouse data stored on Amazon Redshift
- 20 GB of PNG files stored on an S3 bucket

You need to load the video files into a Cloud Storage bucket, transfer the data warehouse data into BigQuery, and load the PNG files into a second Cloud Storage bucket. You want to follow Google-recommended practices and avoid writing any code for the migration. What should you do?

- A. Use gcloud storage for the video file
- B. Dataflow for the data warehouse data, and Storage Transfer Service for the PNG files.
- C. Use Transfer Appliance for the video
- D. BigQuery Data Transfer Service for the data warehouse data, and Storage Transfer Service for the PNG files.
- E. Use Storage Transfer Service for the video files, BigQuery Data Transfer Service for the data warehouse data, and Storage Transfer Service for the PNG files.
- F. Use Cloud Data Fusion for the video files, Dataflow for the data warehouse data, and Storage Transfer Service for the PNG files.

Answer: C

NEW QUESTION 168

You need to verify that a Google Cloud Platform service account was created at a particular time. What should you do?

- A. Filter the Activity log to view the Configuration categor
- B. Filter the Resource type to Service Account.

- C. Filter the Activity log to view the Configuration categor
- D. Filter the Resource type to Google Project.
- E. Filter the Activity log to view the Data Access categor
- F. Filter the Resource type to Service Account.
- G. Filter the Activity log to view the Data Access categor
- H. Filter the Resource type to Google Project.

Answer: A

Explanation:

<https://developers.google.com/cloud-search/docs/guides/audit-logging-manual>

NEW QUESTION 169

You want to configure a solution for archiving data in a Cloud Storage bucket. The solution must be cost-effective. Data with multiple versions should be archived after 30 days. Previous versions are accessed once a month for reporting. This archive data is also occasionally updated at month-end. What should you do?

- A. Add a bucket lifecycle rule that archives data with newer versions after 30 days to Coldline Storage.
- B. Add a bucket lifecycle rule that archives data with newer versions after 30 days to Nearline Storage.
- C. Add a bucket lifecycle rule that archives data from regional storage after 30 days to Coldline Storage.
- D. Add a bucket lifecycle rule that archives data from regional storage after 30 days to Nearline Storage.

Answer: B

NEW QUESTION 174

You built an application on your development laptop that uses Google Cloud services. Your application uses Application Default Credentials for authentication and works fine on your development laptop. You want to migrate this application to a Compute Engine virtual machine (VM) and set up authentication using Google-recommended practices and minimal changes. What should you do?

- A. Assign appropriate access for Google services to the service account used by the Compute Engine VM.
- B. Create a service account with appropriate access for Google services, and configure the application to use this account.
- C. Store credentials for service accounts with appropriate access for Google services in a config file, and deploy this config file with your application.
- D. Store credentials for your user account with appropriate access for Google services in a config file, and deploy this config file with your application.

Answer: B

Explanation:

In general, Google recommends that each instance that needs to call a Google API should run as a service account with the minimum permissions necessary for that instance to do its job. In practice, this means you should configure service accounts for your instances with the following process: Create a new service account rather than using the Compute Engine default service account. Grant IAM roles to that service account for only the resources that it needs. Configure the instance to run as that service account. Grant the instance the <https://www.googleapis.com/auth/cloud-platform> scope to allow full access to all Google Cloud APIs, so that the IAM permissions of the instance are completely determined by the IAM roles of the service account. Avoid granting more access than necessary and regularly check your service account permissions to make sure they are up-to-date.

https://cloud.google.com/compute/docs/access/create-enable-service-accounts-for-instances#best_practices

NEW QUESTION 176

You need to host an application on a Compute Engine instance in a project shared with other teams. You want to prevent the other teams from accidentally causing downtime on that application. Which feature should you use?

- A. Use a Shielded VM.
- B. Use a Preemptible VM.
- C. Use a sole-tenant node.
- D. Enable deletion protection on the instance.

Answer: D

Explanation:

As part of your workload, there might be certain VM instances that are critical to running your application or services, such as an instance running a SQL server, a server used as a license manager, and so on. These VM instances might need to stay running indefinitely so you need a way to protect these VMs from being deleted. By setting the deletionProtection flag, a VM instance can be protected from accidental deletion. If a user attempts to delete a VM instance for which you have set the deletionProtection flag, the request fails. Only a user that has been granted a role with compute.instances.create permission can reset the flag to allow the resource to be deleted. Ref: <https://cloud.google.com/compute/docs/instances/preventing-accidental-vm-deletion>

NEW QUESTION 177

You are operating a Google Kubernetes Engine (GKE) cluster for your company where different teams can run non-production workloads. Your Machine Learning (ML) team needs access to Nvidia Tesla P100 GPUs to train their models. You want to minimize effort and cost. What should you do?

- A. Ask your ML team to add the "accelerator: gpu" annotation to their pod specification.
- B. Recreate all the nodes of the GKE cluster to enable GPUs on all of them.
- C. Create your own Kubernetes cluster on top of Compute Engine with nodes that have GPU
- D. Dedicate this cluster to your ML team.
- E. Add a new, GPU-enabled, node pool to the GKE cluste
- F. Ask your ML team to add the cloud.google.com/gke -accelerator: nvidia-tesla-p100 nodeSelector to their pod specification.

Answer: D

Explanation:

This is the most optimal solution. Rather than recreating all nodes, you create a new node pool with GPU enabled. You then modify the pod specification to target particular GPU types by adding node selector to your workloads Pod specification. YOu still have a single cluster so you pay Kubernetes cluster management fee

for just one cluster thus minimizing the cost. Ref: <https://cloud.google.com/kubernetes-engine/docs/how-to/gpus> Ref: <https://cloud.google.com/kubern>

Example:

```
> apiVersion: v1
> kind: Pod
> metadata:
> name: my-gpu-pod
> spec:
> containers:
> name: my-gpu-container
> image: nvidia/cuda:10.0-runtime-ubuntu18.04
> command: [/bin/bash]
> resources:
> limits:
> nvidia.com/gpu: 2
> nodeSelector:
> cloud.google.com/gke-accelerator: nvidia-tesla-k80 # or nvidia-tesla-p100 or nvidia-tesla-p4 or nvidia-tesla-v100 or nvidia-tesla-t4
```

NEW QUESTION 179

You are about to deploy a new Enterprise Resource Planning (ERP) system on Google Cloud. The application holds the full database in-memory for fast data access, and you need to configure the most appropriate resources on Google Cloud for this application. What should you do?

- A. Provision preemptible Compute Engine instances.
- B. Provision Compute Engine instances with GPUs attached.
- C. Provision Compute Engine instances with local SSDs attached.
- D. Provision Compute Engine instances with M1 machine type.

Answer: D

Explanation:

M1 machine series Medium in-memory databases such as SAP HANA Tasks that require intensive use of memory with higher memory-to-vCPU ratios than the general-purpose high-memory machine types.

In-memory databases and in-memory analytics, business warehousing (BW) workloads, genomics analysis, SQL analysis services. Microsoft SQL Server and similar databases.

<https://cloud.google.com/compute/docs/machine-types>

<https://cloud.google.com/compute/docs/machine-types#:~:text=databases%20such%20as-,SAP%20HANA,-In%>

<https://www.sap.com/india/products/hana.html#:~:text=is%20SAP%20HANA-,in%2Dmemory,-database%3F>

NEW QUESTION 184

You are building an application that stores relational data from users. Users across the globe will use this application. Your CTO is concerned about the scaling requirements because the size of the user base is unknown. You need to implement a database solution that can scale with your user growth with minimum configuration changes. Which storage solution should you use?

- A. Cloud SQL
- B. Cloud Spanner
- C. Cloud Firestore
- D. Cloud Datastore

Answer: B

Explanation:

Cloud Spanner is a relational database and is highly scalable. Cloud Spanner is a highly scalable, enterprise-grade, globally-distributed, and strongly consistent database service built for the cloud specifically to combine the benefits of relational database structure with a non-relational horizontal scale. This combination delivers high-performance transactions and strong consistency across rows, regions, and continents with an industry-leading 99.999% availability SLA, no planned downtime, and enterprise-grade security

Ref: <https://cloud.google.com/spanner>

Graphical user interface, application, Teams Description automatically generated

	CLOUD SPANNER	TRADITIONAL RELATIONAL	TRADITIONAL NON-RELATIONAL
Schema	✓ Yes	✓ Yes	✗ No
SQL	✓ Yes	✓ Yes	✗ No
Consistency	✓ Strong	✓ Strong	✗ Eventual
Availability	✓ High	✗ Failover	✓ High
Scalability	✓ Horizontal	✗ Vertical	✓ Horizontal
Replication	✓ Automatic	⚙️ Configurable	⚙️ Configurable

NEW QUESTION 188

You need to create an autoscaling managed instance group for an HTTPS web application. You want to make sure that unhealthy VMs are recreated. What should you do?

- A. Create a health check on port 443 and use that when creating the Managed Instance Group.
- B. Select Multi-Zone instead of Single-Zone when creating the Managed Instance Group.
- C. In the Instance Template, add the label 'health-check'.
- D. In the Instance Template, add a startup script that sends a heartbeat to the metadata server.

Answer: A

Explanation:

https://cloud.google.com/compute/docs/instance-groups/autohealing-instances-in-migs#setting_up_an_autoheali

NEW QUESTION 193

You want to permanently delete a Pub/Sub topic managed by Config Connector in your Google Cloud project. What should you do?

- A. Use kubectl to delete the topic resource.
- B. Use gcloud CLI to delete the topic.
- C. Use kubectl to create the label deleted-by-cnrm and to change its value to true for the topic resource.
- D. Use gcloud CLI to update the topic label managed-by-cnrm to false.

Answer: A

NEW QUESTION 194

You created a Google Cloud Platform project with an App Engine application inside the project. You initially configured the application to be served from the us-central region. Now you want the application to be served from the asia-northeast1 region. What should you do?

- A. Change the default region property setting in the existing GCP project to asia-northeast1.
- B. Change the region property setting in the existing App Engine application from us-central to asia-northeast1.
- C. Create a second App Engine application in the existing GCP project and specify asia-northeast1 as the region to serve your application.
- D. Create a new GCP project and create an App Engine application inside this new project.
- E. Specify asia-northeast1 as the region to serve your application.

Answer: D

Explanation:

<https://cloud.google.com/appengine/docs/flexible/managing-projects-apps-billing#:~:text=Each%20Cloud%20p> Two App engine can't be running on the same project: you can check this easy diagram for more info:

https://cloud.google.com/appengine/docs/standard/an-overview-of-app-engine#components_of_an_application

And you can't change location after setting it for your app Engine. <https://cloud.google.com/appengine/docs/standard/locations>

App Engine is regional and you cannot change an apps region after you set it. Therefore, the only way to have an app run in another region is by creating a new project and targeting the app engine to run in the required region (asia-northeast1 in our case).

Ref: <https://cloud.google.com/appengine/docs/locations>

NEW QUESTION 199

Your company publishes large files on an Apache web server that runs on a Compute Engine instance. The Apache web server is not the only application running in the project. You want to receive an email when the egress network costs for the server exceed 100 dollars for the current month as measured by Google Cloud Platform (GCP). What should you do?

- A. Set up a budget alert on the project with an amount of 100 dollars, a threshold of 100%, and notification type of "email."
- B. Set up a budget alert on the billing account with an amount of 100 dollars, a threshold of 100%, and notification type of "email."
- C. Export the billing data to BigQuery
- D. Create a Cloud Function that uses BigQuery to sum the egress network costs of the exported billing data for the Apache web server for the current month and sends an email if it is over 100 dollar
- E. Schedule the Cloud Function using Cloud Scheduler to run hourly.
- F. Use the Stackdriver Logging Agent to export the Apache web server logs to Stackdriver Logging. Create a Cloud Function that uses BigQuery to parse the HTTP response log data in Stackdriver for the current month and sends an email if the size of all HTTP responses, multiplied by current GCP egress prices, totals over 100 dollar
- G. Schedule the Cloud Function using Cloud Scheduler to run hourly.

Answer: C

Explanation:

<https://blog.doit-intl.com/the-truth-behind-google-cloud-egress-traffic-6e8f57b5c2f8>

NEW QUESTION 201

The storage costs for your application logs have far exceeded the project budget. The logs are currently being retained indefinitely in the Cloud Storage bucket myapp-gcp-ace-logs. You have been asked to remove logs older than 90 days from your Cloud Storage bucket. You want to optimize ongoing Cloud Storage spend. What should you do?

- A. Write a script that runs `gsutil ls -l gs://myapp-gcp-ace-logs/**` to find and remove items older than 90 day
- B. Schedule the script with cron.
- C. Write a lifecycle management rule in JSON and push it to the bucket with `gsutil lifecycle set config-json-file`.
- D. Write a lifecycle management rule in XML and push it to the bucket with `gsutil lifecycle set config-xml-file`.
- E. Write a script that runs `gsutil ls -l gs://myapp-gcp-ace-logs/**` to find and remove items older than 90 day
- F. Repeat this process every morning.

Answer: B

Explanation:

You write a lifecycle management rule in XML and push it to the bucket with `gsutil lifecycle set config-xml-file`. is not right.

`gsutil lifecycle set` enables you to set the lifecycle configuration on one or more buckets based on the configuration file provided. However, XML is not a valid supported type for the configuration file.

Ref: <https://cloud.google.com/storage/docs/gsutil/commands/lifecycle>

➤ Write a script that runs `gsutil ls -lr gs://myapp-gcp-ace-logs/**` to find and remove items older than 90 days. Repeat this process every morning. is not right. This manual approach is error-prone, time-consuming and expensive. GCP Cloud Storage provides lifecycle management rules that let you achieve this with minimal effort.

➤ Write a script that runs `gsutil ls -l gs://myapp-gcp-ace-logs/**` to find and remove items older than 90 days. Schedule the script with cron. is not right. This manual approach is error-prone, time-consuming and expensive. GCP Cloud Storage provides lifecycle management rules that let you achieve this with minimal effort.

➤ Write a lifecycle management rule in JSON and push it to the bucket with `gsutil lifecycle set config-json-file`. is the right answer.

You can assign a lifecycle management configuration to a bucket. The configuration contains a set of rules which apply to current and future objects in the bucket. When an object meets the criteria of one of the rules, Cloud Storage automatically performs a specified action on the object. One of the supported actions is to Delete objects. You can set up a lifecycle management to delete objects older than 90 days. `gsutil lifecycle set` enables you to set the lifecycle configuration on the bucket based on the configuration file. JSON is the only supported type for the configuration file. The `config-json-file` specified on the command line should be a path to a local file containing the lifecycle configuration JSON document.

Ref: <https://cloud.google.com/storage/docs/gsutil/commands/lifecycle> Ref: <https://cloud.google.com/storage/docs/lifecycle>

NEW QUESTION 204

You created several resources in multiple Google Cloud projects. All projects are linked to different billing accounts. To better estimate future charges, you want to have a single visual representation of all costs incurred. You want to include new cost data as soon as possible. What should you do?

- A. Configure Billing Data Export to BigQuery and visualize the data in Data Studio.
- B. Visit the Cost Table page to get a CSV export and visualize it using Data Studio.
- C. Fill all resources in the Pricing Calculator to get an estimate of the monthly cost.
- D. Use the Reports view in the Cloud Billing Console to view the desired cost information.

Answer: A

Explanation:

<https://cloud.google.com/billing/docs/how-to/export-data-bigquery> "Cloud Billing export to BigQuery enables you to export detailed Google Cloud billing data (such as usage, cost estimates, and pricing data) automatically throughout the day to a BigQuery dataset that you specify."

NEW QUESTION 208

You need to update a deployment in Deployment Manager without any resource downtime in the deployment. Which command should you use?

- A. `gcloud deployment-manager deployments create --config <deployment-config-path>`
- B. `gcloud deployment-manager deployments update --config <deployment-config-path>`
- C. `gcloud deployment-manager resources create --config <deployment-config-path>`
- D. `gcloud deployment-manager resources update --config <deployment-config-path>`

Answer: B

NEW QUESTION 209

You have just created a new project which will be used to deploy a globally distributed application. You will use Cloud Spanner for data storage. You want to create a Cloud Spanner instance. You want to perform the first step in preparation of creating the instance. What should you do?

- A. Grant yourself the IAM role of Cloud Spanner Admin
- B. Create a new VPC network with subnetworks in all desired regions
- C. Configure your Cloud Spanner instance to be multi-regional
- D. Enable the Cloud Spanner API

Answer: A

Explanation:

<https://cloud.google.com/spanner/docs/getting-started/set-up>

NEW QUESTION 210

You have experimented with Google Cloud using your own credit card and expensed the costs to your company. Your company wants to streamline the billing process and charge the costs of your projects to their monthly invoice. What should you do?

- A. Grant the financial team the IAM role of €Billing Account User€ on the billing account linked to your credit card.
- B. Set up BigQuery billing export and grant your financial department IAM access to query the data.
- C. Create a ticket with Google Billing Support to ask them to send the invoice to your company.
- D. Change the billing account of your projects to the billing account of your company.

Answer: D

NEW QUESTION 214

You have a website hosted on App Engine standard environment. You want 1% of your users to see a new test version of the website. You want to minimize complexity. What should you do?

- A. Deploy the new version in the same application and use the `--migrate` option.
- B. Deploy the new version in the same application and use the `--splits` option to give a weight of 99 to the current version and a weight of 1 to the new version.
- C. Create a new App Engine application in the same projec
- D. Deploy the new version in that application. Use the App Engine library to proxy 1% of the requests to the new version.

- E. Create a new App Engine application in the same project.
- F. Deploy the new version in that application. Configure your network load balancer to send 1% of the traffic to that new application.

Answer: B

Explanation:

<https://cloud.google.com/appengine/docs/standard/python/splitting-traffic#gcloud>

NEW QUESTION 216

Your company requires all developers to have the same permissions, regardless of the Google Cloud project they are working on. Your company's security policy also restricts developer permissions to Compute Engine.

Cloud Functions, and Cloud SQL. You want to implement the security policy with minimal effort. What should you do?

- A. • Create a custom role with Compute Engine, Cloud Functions, and Cloud SQL permissions in one project within the Google Cloud organization. • Copy the role across all projects created within the organization with the `gcloud iam roles copy` command. • Assign the role to developers in those projects.
- B. • Add all developers to a Google group in Google Groups for Workspace. • Assign the predefined role of Compute Admin to the Google group at the Google Cloud organization level.
- C. • Add all developers to a Google group in Cloud Identity. • Assign predefined roles for Compute Engine, Cloud Functions, and Cloud SQL permissions to the Google group for each project in the Google Cloud organization.
- D. • Add all developers to a Google group in Cloud Identity. • Create a custom role with Compute Engine, Cloud Functions, and Cloud SQL permissions at the Google Cloud organization level. • Assign the custom role to the Google group.

Answer: D

Explanation:

<https://www.cloudskillsboost.google/focuses/1035?parent=catalog#:~:text=custom%20role%20at%20the%20or>

NEW QUESTION 218

You have deployed an application on a single Compute Engine instance. The application writes logs to disk. Users start reporting errors with the application. You want to diagnose the problem. What should you do?

- A. Navigate to Cloud Logging and view the application logs.
- B. Connect to the instance's serial console and read the application logs.
- C. Configure a Health Check on the instance and set a Low Healthy Threshold value.
- D. Install and configure the Cloud Logging Agent and view the logs from Cloud Logging.

Answer: D

NEW QUESTION 219

You want to select and configure a solution for storing and archiving data on Google Cloud Platform. You need to support compliance objectives for data from one geographic location. This data is archived after 30 days and needs to be accessed annually. What should you do?

- A. Select Multi-Regional Storage
- B. Add a bucket lifecycle rule that archives data after 30 days to Coldline Storage.
- C. Select Multi-Regional Storage
- D. Add a bucket lifecycle rule that archives data after 30 days to Nearline Storage.
- E. Select Regional Storage
- F. Add a bucket lifecycle rule that archives data after 30 days to Nearline Storage.
- G. Select Regional Storage
- H. Add a bucket lifecycle rule that archives data after 30 days to Coldline Storage.

Answer: D

Explanation:

Google Cloud Coldline is a new cold-tier storage for archival data with access frequency of less than once per year. Unlike other cold storage options, Nearline has no delays prior to data access, so now it is the leading solution among competitors.

The Real description is about Coldline storage Class: Coldline Storage

Coldline Storage is a very-low-cost, highly durable storage service for storing infrequently accessed data. Coldline Storage is a better choice than Standard Storage or Nearline Storage in scenarios where slightly lower availability, a 90-day minimum storage duration, and higher costs for data access are acceptable trade-offs for lowered at-rest storage costs.

Coldline Storage is ideal for data you plan to read or modify at most once a quarter. Note, however, that for data being kept entirely for backup or archiving purposes, Archive Storage is more cost-effective, as it offers the lowest storage costs.

<https://cloud.google.com/storage/docs/storage-classes#coldline>

NEW QUESTION 222

Your company implemented BigQuery as an enterprise data warehouse. Users from multiple business units run queries on this data warehouse. However, you notice that query costs for BigQuery are very high, and you need to control costs. Which two methods should you use? (Choose two.)

- A. Split the users from business units to multiple projects.
- B. Apply a user- or project-level custom query quota for BigQuery data warehouse.
- C. Create separate copies of your BigQuery data warehouse for each business unit.
- D. Split your BigQuery data warehouse into multiple data warehouses for each business unit.
- E. Change your BigQuery query model from on-demand to flat rate.
- F. Apply the appropriate number of slots to each Project.

Answer: BE

Explanation:

<https://cloud.google.com/bigquery/docs/custom-quotas> https://cloud.google.com/bigquery/pricing#flat_rate_pricing

NEW QUESTION 224

You have a number of applications that have bursty workloads and are heavily dependent on topics to decouple publishing systems from consuming systems. Your company would like to go serverless to enable developers to focus on writing code without worrying about infrastructure. Your solution architect has already identified Cloud Pub/Sub as a suitable alternative for decoupling systems. You have been asked to identify a suitable GCP Serverless service that is easy to use with Cloud Pub/Sub. You want the ability to scale down to zero when there is no traffic in order to minimize costs. You want to follow Google recommended practices. What should you suggest?

- A. Cloud Run for Anthos
- B. Cloud Run
- C. App Engine Standard
- D. Cloud Functions.

Answer: D

Explanation:

Cloud Functions is Google Cloud's event-driven serverless compute platform that lets you run your code locally or in the cloud without having to provision servers. Cloud Functions scales up or down, so you pay only for compute resources you use. Cloud Functions have excellent integration with Cloud Pub/Sub, lets you scale down to zero and is recommended by Google as the ideal serverless platform to use when dependent on Cloud Pub/Sub. "If you're building a simple API (a small set of functions to be accessed via HTTP or Cloud Pub/Sub), we recommend using Cloud Functions." Ref: <https://cloud.google.com/serverless-options>

NEW QUESTION 229

You have production and test workloads that you want to deploy on Compute Engine. Production VMs need to be in a different subnet than the test VMs. All the VMs must be able to reach each other over internal IP without creating additional routes. You need to set up VPC and the 2 subnets. Which configuration meets these requirements?

- A. Create a single custom VPC with 2 subnet
- B. Create each subnet in a different region and with a different CIDR range.
- C. Create a single custom VPC with 2 subnet
- D. Create each subnet in the same region and with the same CIDR range.
- E. Create 2 custom VPCs, each with a single subne
- F. Create each subnet is a different region and with a different CIDR range.
- G. Create 2 custom VPCs, each with a single subne
- H. Create each subnet in the same region and with the same CIDR range.

Answer: A

Explanation:

When we create subnets in the same VPC with different CIDR ranges, they can communicate automatically within VPC. Resources within a VPC network can communicate with one another by using internal (private) IPv4 addresses, subject to applicable network firewall rules

Ref: <https://cloud.google.com/vpc/docs/vpc>

NEW QUESTION 234

After a recent security incident, your startup company wants better insight into what is happening in the Google Cloud environment. You need to monitor unexpected firewall changes and instance creation. Your company prefers simple solutions. What should you do?

- A. Use Cloud Logging filters to create log-based metrics for firewall and instance action
- B. Monitor the changes and set up reasonable alerts.
- C. Install Kibana on a compute Instanc
- D. Create a log sink to forward Cloud Audit Logs filtered for firewalls and compute instances to Pub/Su
- E. Target the Pub/Sub topic to push messages to the Kibana instanc
- F. Analyze the logs on Kibana in real time.
- G. Turn on Google Cloud firewall rules logging, and set up alerts for any insert, update, or delete events.
- H. Create a log sink to forward Cloud Audit Logs filtered for firewalls and compute instances to Cloud Storage. Use BigQuery to periodically analyze log events in the storage bucket.

Answer: A

Explanation:

This answer is the simplest and most effective way to monitor unexpected firewall changes and instance creation in Google Cloud. Cloud Logging filters allow you to specify the criteria for the log entries that you want to view or export. You can use the Logging query language to write filters based on the LogEntry fields, such as resource.type, severity, or protoPayload.methodName. For example, you can filter for firewall-related events by using the following query:

```
resource.type="gce_subnetwork" logName="projects/PROJECT_ID/logs/compute.googleapis.com%2Ffirewall"
```

You can filter for instance-related events by using the following query: resource.type="gce_instance"

```
logName="projects/PROJECT_ID/logs/compute.googleapis.com%2Factivity_log"
```

You can create log-based metrics from these filters to measure the rate or count of log entries that match the filter. Log-based metrics can be used to create charts and dashboards in Cloud Monitoring, or to set up alerts based on the metric values. For example, you can create an alert policy that triggers when the log-based metric for firewall changes exceeds a certain threshold in a given time interval. This way, you can get notified of any unexpected or malicious changes to your firewall rules.

Option B is incorrect because it is unnecessarily complex and costly. Installing Kibana on a compute instance requires additional configuration and maintenance. Creating a log sink to forward Cloud Audit Logs to Pub/Sub also incurs additional charges for the Pub/Sub service. Analyzing the logs on Kibana in real time may not be feasible or efficient, as it requires constant monitoring and manual intervention.

Option C is incorrect because Google Cloud firewall rules logging is a different feature from Cloud Audit Logs. Firewall rules logging allows you to audit, verify, and analyze the effects of your firewall rules by creating connection records for each rule that applies to traffic. However, firewall rules logging does not log the insert, update, or delete events for the firewall rules themselves. Those events are logged by Cloud Audit Logs, which record the administrative activities in your Google Cloud project.

Option D is incorrect because it is not a real-time solution. Creating a log sink to forward Cloud Audit Logs to Cloud Storage requires additional storage space and charges. Using BigQuery to periodically analyze log events in the storage bucket also incurs additional costs for the BigQuery service. Moreover, this option does not provide any alerting mechanism to notify you of any unexpected or malicious changes to your firewall rules or instances.

NEW QUESTION 239

You are creating an application that will run on Google Kubernetes Engine. You have identified MongoDB as the most suitable database system for your application and want to deploy a managed MongoDB environment that provides a support SLA. What should you do?

- A. Create a Cloud Bigtable cluster and use the HBase API
- B. Deploy MongoDB Alias from the Google Cloud Marketplace
- C. Download a MongoDB installation package and run it on Compute Engine instances
- D. Download a MongoDB installation package, and run it on a Managed Instance Group

Answer: B

Explanation:

<https://console.cloud.google.com/marketplace/details/gc-launcher-for-mongodb-atlas/mongodb-atlas>

NEW QUESTION 240

Your company has an existing GCP organization with hundreds of projects and a billing account. Your company recently acquired another company that also has hundreds of projects and its own billing account. You would like to consolidate all GCP costs of both GCP organizations onto a single invoice. You would like to consolidate all costs as of tomorrow. What should you do?

- A. Link the acquired company's projects to your company's billing account.
- B. Configure the acquired company's billing account and your company's billing account to export the billing data into the same BigQuery dataset.
- C. Migrate the acquired company's projects into your company's GCP organization
- D. Link the migrated projects to your company's billing account.
- E. Create a new GCP organization and a new billing account
- F. Migrate the acquired company's projects and your company's projects into the new GCP organization and link the projects to the new billing account.

Answer: A

Explanation:

https://cloud.google.com/resource-manager/docs/project-migration#oauth_consent_screen <https://cloud.google.com/resource-manager/docs/project-migration>

NEW QUESTION 241

You are working for a startup that was officially registered as a business 6 months ago. As your customer base grows, your use of Google Cloud increases. You want to allow all engineers to create new projects without asking them for their credit card information. What should you do?

- A. Create a Billing account, associate a payment method with it, and provide all project creators with permission to associate that billing account with their projects.
- B. Grant all engineer's permission to create their own billing accounts for each new project.
- C. Apply for monthly invoiced billing, and have a single invoice for the project paid by the finance team.
- D. Create a billing account, associate it with a monthly purchase order (PO), and send the PO to Google Cloud.

Answer: A

NEW QUESTION 243

You are monitoring an application and receive user feedback that a specific error is spiking. You notice that the error is caused by a Service Account having insufficient permissions. You are able to solve the problem but want to be notified if the problem recurs. What should you do?

- A. In the Log Viewer, filter the logs on severity 'Error' and the name of the Service Account.
- B. Create a sink to BigQuery to export all the log
- C. Create a Data Studio dashboard on the exported logs.
- D. Create a custom log-based metric for the specific error to be used in an Alerting Policy.
- E. Grant Project Owner access to the Service Account.

Answer: C

NEW QUESTION 247

Your Dataproc cluster runs in a single Virtual Private Cloud (VPC) network in a single subnet with range 172.16.20.128/25. There are no private IP addresses available in the VPC network. You want to add new VMs to communicate with your cluster using the minimum number of steps. What should you do?

- A. Modify the existing subnet range to 172.16.20.0/24.
- B. Create a new Secondary IP Range in the VPC and configure the VMs to use that range.
- C. Create a new VPC network for the VM
- D. Enable VPC Peering between the VMs' VPC network and the Dataproc cluster VPC network.
- E. Create a new VPC network for the VMs with a subnet of 172.32.0.0/16. Enable VPC network Peering between the Dataproc VPC network and the VMs VPC network
- F. Configure a custom Route exchange.

Answer: A

Explanation:

/25:
CIDR to IP Range Result
CIDR Range 172.16.20.128/25 Netmask 255.255.255.128
Wildcard Bits 0.0.0.127
First IP 172.16.20.128
First IP (Decimal) 2886734976 Last IP 172.16.20.255
Last IP (Decimal) 2886735103 Total Host 128
CIDR 172.16.20.128/25
/24:
CIDR to IP Range Result

CIDR Range 172.16.20.128/24 Netmask 255.255.255.0
Wildcard Bits 0.0.0.255
First IP 172.16.20.0
First IP (Decimal) 2886734848 Last IP 172.16.20.255
Last IP (Decimal) 2886735103 Total Host 256
CIDR 172.16.20.128/24

NEW QUESTION 252

You need to manage multiple Google Cloud Platform (GCP) projects in the fewest steps possible. You want to configure the Google Cloud SDK command line interface (CLI) so that you can easily manage multiple GCP projects. What should you do?

- A. * 1. Create a configuration for each project you need to manage.* 2. Activate the appropriate configuration when you work with each of your assigned GCP projects.
- B. * 1. Create a configuration for each project you need to manage.* 2. Use gcloud init to update the configuration values when you need to work with a non-default project
- C. * 1. Use the default configuration for one project you need to manage.* 2. Activate the appropriate configuration when you work with each of your assigned GCP projects.
- D. * 1. Use the default configuration for one project you need to manage.* 2. Use gcloud init to update the configuration values when you need to work with a non-default project.

Answer: A

Explanation:

<https://cloud.google.com/sdk/gcloud> https://cloud.google.com/sdk/docs/configurations#multiple_configurations

NEW QUESTION 253

You have a number of compute instances belonging to an unmanaged instances group. You need to SSH to one of the Compute Engine instances to run an ad hoc script. You've already authenticated gcloud, however, you don't have an SSH key deployed yet. In the fewest steps possible, what's the easiest way to SSH to the instance?

- A. Run gcloud compute instances list to get the IP address of the instance, then use the ssh command.
- B. Use the gcloud compute ssh command.
- C. Create a key with the ssh-keygen command.
- D. Then use the gcloud compute ssh command.
- E. Create a key with the ssh-keygen command.
- F. Upload the key to the instance.
- G. Run gcloud compute instances list to get the IP address of the instance, then use the ssh command.

Answer: B

Explanation:

gcloud compute ssh ensures that the user's public SSH key is present in the project's metadata. If the user does not have a public SSH key, one is generated using ssh-keygen and added to the project's metadata. This is similar to the other option where we copy the key explicitly to the project's metadata but here it is done automatically for us. There are also security benefits with this approach. When we use gcloud compute ssh to connect to Linux instances, we are adding a layer of security by storing your host keys as guest attributes. Storing SSH host keys as guest attributes improve the security of your connections by helping to protect against vulnerabilities such as man-in-the-middle (MITM) attacks. On the initial boot of a VM instance, if guest attributes are enabled, Compute Engine stores your generated host keys as guest attributes.

Compute Engine then uses these host keys that were stored during the initial boot to verify all subsequent connections to the VM instance.

Ref: <https://cloud.google.com/compute/docs/instances/connecting-to-instance> Ref: <https://cloud.google.com/s>

NEW QUESTION 258

You are running a data warehouse on BigQuery. A partner company is offering a recommendation engine based on the data in your data warehouse. The partner company is also running their application on Google Cloud. They manage the resources in their own project, but they need access to the BigQuery dataset in your project. You want to provide the partner company with access to the dataset. What should you do?

- A. Create a Service Account in your own project, and grant this Service Account access to BigQuery in your project
- B. Create a Service Account in your own project, and ask the partner to grant this Service Account access to BigQuery in their project
- C. Ask the partner to create a Service Account in their project, and have them give the Service Account access to BigQuery in their project
- D. Ask the partner to create a Service Account in their project, and grant their Service Account access to the BigQuery dataset in your project

Answer: D

Explanation:

<https://gtseres.medium.com/using-service-accounts-across-projects-in-gcp-cf9473fef8f0#:~:text=Go%20to%20t>

NEW QUESTION 260

You are deploying an application to a Compute Engine VM in a managed instance group. The application must be running at all times, but only a single instance of the VM should run per GCP project. How should you configure the instance group?

- A. Set autoscaling to On, set the minimum number of instances to 1, and then set the maximum number of instances to 1.
- B. Set autoscaling to Off, set the minimum number of instances to 1, and then set the maximum number of instances to 1.
- C. Set autoscaling to On, set the minimum number of instances to 1, and then set the maximum number of instances to 2.
- D. Set autoscaling to Off, set the minimum number of instances to 1, and then set the maximum number of instances to 2.

Answer: A

Explanation:

<https://cloud.google.com/compute/docs/autoscaler#specifications>

Autoscaling works independently from autohealing. If you configure autohealing for your group and an instance fails the health check, the autohealer attempts to

recreate the instance. Recreating an instance can cause the number of instances in the group to fall below the autoscaling threshold (minNumReplicas) that you specify.

- Since we need the application running at all times, we need a minimum 1 instance.
 - Only a single instance of the VM should run, we need a maximum 1 instance.
 - We want the application running at all times. If the VM crashes due to any underlying hardware failure, we want another instance to be added to MIG so that application can continue to serve requests. We can achieve this by enabling autoscaling. The only option that satisfies these three is Set autoscaling to On, set the minimum number of instances to 1, and then set the maximum number of instances to 1.
- Ref: <https://cloud.google.com/compute/docs/autoscaler>

NEW QUESTION 262

Your organization needs to grant users access to query datasets in BigQuery but prevent them from accidentally deleting the datasets. You want a solution that follows Google-recommended practices. What should you do?

- A. Add users to roles/bigquery user role only, instead of roles/bigquery dataOwner.
- B. Add users to roles/bigquery dataEditor role only, instead of roles/bigquery dataOwner.
- C. Create a custom role by removing delete permissions, and add users to that role only.
- D. Create a custom role by removing delete permission
- E. Add users to the group, and then add the group to the custom role.

Answer: D

Explanation:

https://cloud.google.com/bigquery/docs/access-control#custom_roles

Custom roles enable you to enforce the principle of least privilege, ensuring that the user and service accounts in your organization have only the permissions essential to performing their intended functions.

NEW QUESTION 263

You recently deployed a new version of an application to App Engine and then discovered a bug in the release. You need to immediately revert to the prior version of the application. What should you do?

- A. Run `gcloud app restore`.
- B. On the App Engine page of the GCP Console, select the application that needs to be reverted and click Revert.
- C. On the App Engine Versions page of the GCP Console, route 100% of the traffic to the previous version.
- D. Deploy the original version as a separate applicatio
- E. Then go to App Engine settings and split traffic between applications so that the original version serves 100% of the requests.

Answer: C

NEW QUESTION 268

Your management has asked an external auditor to review all the resources in a specific project. The security team has enabled the Organization Policy called Domain Restricted Sharing on the organization node by specifying only your Cloud Identity domain. You want the auditor to only be able to view, but not modify, the resources in that project. What should you do?

- A. Ask the auditor for their Google account, and give them the Viewer role on the project.
- B. Ask the auditor for their Google account, and give them the Security Reviewer role on the project.
- C. Create a temporary account for the auditor in Cloud Identity, and give that account the Viewer role on the project.
- D. Create a temporary account for the auditor in Cloud Identity, and give that account the Security Reviewer role on the project.

Answer: C

Explanation:

Using primitive roles The following table lists the primitive roles that you can grant to access a project, the description of what the role does, and the permissions bundled within that role. Avoid using primitive roles except when absolutely necessary. These roles are very powerful, and include a large number of permissions across all Google Cloud services. For more details on when you should use primitive roles, see the Identity and Access Management FAQ. IAM predefined roles are much more granular, and allow you to carefully manage the set of permissions that your users have access to. See Understanding Roles for a list of roles that can be granted at the project level. Creating custom roles can further increase the control you have over user permissions. https://cloud.google.com/resource-manager/docs/access-control-proj#using_primitive_roles
<https://cloud.google.com/iam/docs/understanding-custom-roles>

NEW QUESTION 269

You have created a code snippet that should be triggered whenever a new file is uploaded to a Cloud Storage bucket. You want to deploy this code snippet. What should you do?

- A. Use App Engine and configure Cloud Scheduler to trigger the application using Pub/Sub.
- B. Use Cloud Functions and configure the bucket as a trigger resource.
- C. Use Google Kubernetes Engine and configure a CronJob to trigger the application using Pub/Sub.
- D. Use Dataflow as a batch job, and configure the bucket as a data source.

Answer: B

Explanation:

Google Cloud Storage Triggers

Cloud Functions can respond to change notifications emerging from Google Cloud Storage. These notifications can be configured to trigger in response to various events inside a bucket—object creation, deletion, archiving and metadata updates.

Note: Cloud Functions can only be triggered by Cloud Storage buckets in the same Google Cloud Platform project.

Event types

Cloud Storage events used by Cloud Functions are based on Cloud Pub/Sub Notifications for Google Cloud Storage and can be configured in a similar way.

Supported trigger type values are: `google.storage.object.finalize` `google.storage.object.delete` `google.storage.object.archive` `google.storage.object.metadataUpdate`

Object Finalize

Trigger type value: google.storage.object.finalize

This event is sent when a new object is created (or an existing object is overwritten, and a new generation of that object is created) in the bucket.

https://cloud.google.com/functions/docs/calling/storage#event_types

NEW QUESTION 270

You need to select and configure compute resources for a set of batch processing jobs. These jobs take around 2 hours to complete and are run nightly. You want to minimize service costs. What should you do?

- A. Select Google Kubernetes Engine
- B. Use a single-node cluster with a small instance type.
- C. Select Google Kubernetes Engine
- D. Use a three-node cluster with micro instance types.
- E. Select Compute Engine
- F. Use preemptible VM instances of the appropriate standard machine type.
- G. Select Compute Engine
- H. Use VM instance types that support micro bursting.

Answer: C

Explanation:

If your apps are fault-tolerant and can withstand possible instance preemptions, then preemptible instances can reduce your Compute Engine costs significantly. For example, batch processing jobs can run on preemptible instances. If some of those instances stop during processing, the job slows but does not completely stop. Preemptible instances complete your batch processing tasks without placing additional workload on your existing instances and without requiring you to pay full price for additional normal instances.

<https://cloud.google.com/compute/docs/instances/preemptible>

NEW QUESTION 271

You host a static website on Cloud Storage. Recently, you began to include links to PDF files on this site. Currently, when users click on the links to these PDF files, their browsers prompt them to save the file onto their local system. Instead, you want the clicked PDF files to be displayed within the browser window directly, without prompting the user to save the file locally. What should you do?

- A. Enable Cloud CDN on the website frontend.
- B. Enable 'Share publicly' on the PDF file objects.
- C. Set Content-Type metadata to application/pdf on the PDF file objects.
- D. Add a label to the storage bucket with a key of Content-Type and value of application/pdf.

Answer: C

Explanation:

https://developer.mozilla.org/en-US/docs/Web/HTTP/Basics_of_HTTP/MIME_Types#importance_of_setting_t

NEW QUESTION 274

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual Associate-Cloud-Engineer Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the Associate-Cloud-Engineer Product From:

<https://www.2passeasy.com/dumps/Associate-Cloud-Engineer/>

Money Back Guarantee

Associate-Cloud-Engineer Practice Exam Features:

- * Associate-Cloud-Engineer Questions and Answers Updated Frequently
- * Associate-Cloud-Engineer Practice Questions Verified by Expert Senior Certified Staff
- * Associate-Cloud-Engineer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * Associate-Cloud-Engineer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year