



## **Cisco**

### **Exam Questions 350-701**

Implementing and Operating Cisco Security Core Technologies

#### NEW QUESTION 1

Which feature requires a network discovery policy on the Cisco Firepower Next Generation Intrusion Prevention System?

- A. security intelligence
- B. impact flags
- C. health monitoring
- D. URL filtering

**Answer:** A

#### NEW QUESTION 2

Which two preventive measures are used to control cross-site scripting? (Choose two.)

- A. Enable client-side scripts on a per-domain basis.
- B. Incorporate contextual output encoding/escaping.
- C. Disable cookie inspection in the HTML inspection engine.
- D. Run untrusted HTML input through an HTML sanitization engine.
- E. SameSite cookie attribute should not be used.

**Answer:** AB

#### NEW QUESTION 3

Which policy is used to capture host information on the Cisco Firepower Next Generation Intrusion Prevention System?

- A. correlation
- B. intrusion
- C. access control
- D. network discovery

**Answer:** D

#### NEW QUESTION 4

An engineer is configuring a Cisco ESA and wants to control whether to accept or reject email messages to a recipient address. Which list contains the allowed recipient addresses?

- A. SAT
- B. BAT
- C. HAT
- D. RAT

**Answer:** D

#### NEW QUESTION 5

What are two Detection and Analytics Engines of Cognitive Threat Analytics? (Choose two.)

- A. data exfiltration
- B. command and control communication
- C. intelligent proxy
- D. snort
- E. URL categorization

**Answer:** AB

#### Explanation:

Reference: <https://www.cisco.com/c/dam/en/us/products/collateral/security/cognitive-threat-analytics/at-a-glance-c45-736555.pdf>

#### NEW QUESTION 6

What two mechanisms are used to redirect users to a web portal to authenticate to ISE for guest services? (Choose two.)

- A. TACACS+
- B. central web auth
- C. single sign-on
- D. multiple factor auth
- E. local web auth

**Answer:** BE

#### Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin\\_guide/b\\_ise\\_admin\\_guide\\_22/b\\_ise\\_admin\\_guide\\_22\\_chapter\\_01110.html](https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin_guide/b_ise_admin_guide_22/b_ise_admin_guide_22_chapter_01110.html)

#### NEW QUESTION 7

Which flaw does an attacker leverage when exploiting SQL injection vulnerabilities?

- A. user input validation in a web page or web application

- B. Linux and Windows operating systems
- C. database
- D. web page images

**Answer:** C

**Explanation:**

Reference: [https://tools.cisco.com/security/center/resources/sql\\_injection](https://tools.cisco.com/security/center/resources/sql_injection)

**NEW QUESTION 8**

Which exfiltration method does an attacker use to hide and encode data inside DNS requests and queries?

- A. DNS tunneling
- B. DNSCrypt
- C. DNS security
- D. DNSSEC

**Answer:** A

**Explanation:**

Reference: <https://learn-umbrella.cisco.com/cloud-security/dns-tunneling>

**NEW QUESTION 9**

Which technology reduces data loss by identifying sensitive information stored in public computing environments?

- A. Cisco SDA
- B. Cisco Firepower
- C. Cisco HyperFlex
- D. Cisco Cloudlock

**Answer:** D

**Explanation:**

Reference: <https://www.cisco.com/c/dam/en/us/products/collateral/security/cloudlock/cisco-cloudlock-cloud-data-security-datasheet.pdf>

**NEW QUESTION 10**

Refer to the exhibit.

```
snmp-server group SNMP v3 auth access 15
```

What does the number 15 represent in this configuration?

- A. privilege level for an authorized user to this router
- B. access list that identifies the SNMP devices that can access the router
- C. interval in seconds between SNMPv3 authentication attempts
- D. number of possible failed attempts until the SNMPv3 user is locked out

**Answer:** B

**NEW QUESTION 10**

Which solution protects hybrid cloud deployment workloads with application visibility and segmentation?

- A. Nexus
- B. Stealthwatch
- C. Firepower
- D. Tetration

**Answer:** D

**Explanation:**

Reference: <https://www.cisco.com/c/en/us/solutions/security/secure-data-center-solution/index.html#~products>

**NEW QUESTION 13**

In which cloud services model is the tenant responsible for virtual machine OS patching?

- A. IaaS
- B. UCaaS
- C. PaaS
- D. SaaS

**Answer:** A

**Explanation:**

Reference: <https://www.cmswire.com/cms/information-management/cloud-service-models-iaas-saas-paas-how-microsoft-office-365-azure-fit-in-021672.php>

**NEW QUESTION 14**

An engineer configured a new network identity in Cisco Umbrella but must verify that traffic is being routed through the Cisco Umbrella network. Which action tests

the routing?

- A. Ensure that the client computers are pointing to the on-premises DNS servers.
- B. Enable the Intelligent Proxy to validate that traffic is being routed correctly.
- C. Add the public IP address that the client computers are behind to a Core Identity.
- D. Browse to <http://welcome.umbrella.com/> to validate that the new identity is working.

**Answer:** B

#### NEW QUESTION 16

What is a language format designed to exchange threat intelligence that can be transported over the TAXII protocol?

- A. STIX
- B. XMPP
- C. pxGrid
- D. SMTP

**Answer:** A

#### Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/security/web\\_security/scancenter/administrator/guide/b\\_ScanCenter\\_Administrator\\_Guide/b\\_ScanCenter\\_Administrator\\_Guide\\_chapter\\_0100011.pdf](https://www.cisco.com/c/en/us/td/docs/security/web_security/scancenter/administrator/guide/b_ScanCenter_Administrator_Guide/b_ScanCenter_Administrator_Guide_chapter_0100011.pdf)

#### NEW QUESTION 20

What is the function of Cisco Cloudlock for data security?

- A. data loss prevention
- B. controls malicious cloud apps
- C. detects anomalies
- D. user and entity behavior analytics

**Answer:** A

#### Explanation:

Reference: <https://umbrella.cisco.com/products/casb>

#### NEW QUESTION 21

Which Cisco product provides proactive endpoint protection and allows administrators to centrally manage the deployment?

- A. NGFW
- B. AMP
- C. WSA
- D. ESA

**Answer:** B

#### NEW QUESTION 26

Which ID store requires that a shadow user be created on Cisco ISE for the admin login to work?

- A. RSA SecureID
- B. Internal Database
- C. Active Directory
- D. LDAP

**Answer:** C

#### NEW QUESTION 30

What is the difference between deceptive phishing and spear phishing?

- A. Deceptive phishing is an attack aimed at a specific user in the organization who holds a C-level role.
- B. A spear phishing campaign is aimed at a specific person versus a group of people.
- C. Spear phishing is when the attack is aimed at the C-level executives of an organization.
- D. Deceptive phishing hijacks and manipulates the DNS server of the victim and redirects the user to a false webpage.

**Answer:** B

#### NEW QUESTION 34

The Cisco ASA must support TLS proxy for encrypted Cisco Unified Communications traffic. Where must the ASA be added on the Cisco UC Manager platform?

- A. Certificate Trust List
- B. Endpoint Trust List
- C. Enterprise Proxy Service
- D. Secured Collaboration Proxy

**Answer:** A

**Explanation:**

Reference: <https://www.cisco.com/c/en/us/td/docs/security/asa/special/unified-communications/guide/unified-comm/unified-comm-tlsproxy.html>

**NEW QUESTION 35**

Which two behavioral patterns characterize a ping of death attack? (Choose two.)

- A. The attack is fragmented into groups of 16 octets before transmission.
- B. The attack is fragmented into groups of 8 octets before transmission.
- C. Short synchronized bursts of traffic are used to disrupt TCP connections.
- D. Malformed packets are used to crash systems.
- E. Publicly accessible DNS servers are typically used to execute the attack.

**Answer:** BD

**Explanation:**

Reference: [https://en.wikipedia.org/wiki/Ping\\_of\\_death](https://en.wikipedia.org/wiki/Ping_of_death)

**NEW QUESTION 36**

Which VPN technology can support a multivendor environment and secure traffic between sites?

- A. SSL VPN
- B. GET VPN
- C. FlexVPN
- D. DMVPN

**Answer:** C

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/products/collateral/routers/asr-1000-series-aggregation-services-routers/data\\_sheet\\_c78-704277.html](https://www.cisco.com/c/en/us/products/collateral/routers/asr-1000-series-aggregation-services-routers/data_sheet_c78-704277.html)

**NEW QUESTION 38**

Which feature is supported when deploying Cisco ASAv within AWS public cloud?

- A. multiple context mode
- B. user deployment of Layer 3 networks
- C. IPv6
- D. clustering

**Answer:** B

**Explanation:**

Reference: <https://www.cisco.com/c/en/us/td/docs/security/asa/asa96/asav/quick-start-book/asav-96-qsg/asav-aws.html>

**NEW QUESTION 40**

Which proxy mode must be used on Cisco WSA to redirect TCP traffic with WCCP?

- A. transparent
- B. redirection
- C. forward
- D. proxy gateway

**Answer:** A

**Explanation:**

Reference: <https://www.cisco.com/c/en/us/support/docs/security/web-security-appliance/117940-qa-wsa-00.html>

**NEW QUESTION 42**

Which two endpoint measures are used to minimize the chances of falling victim to phishing and social engineering attacks? (Choose two.)

- A. Patch for cross-site scripting.
- B. Perform backups to the private cloud.
- C. Protect against input validation and character escapes in the endpoint.
- D. Install a spam and virus email filter.
- E. Protect systems with an up-to-date antimalware program.

**Answer:** DE

**NEW QUESTION 46**

An engineer used a posture check on a Microsoft Windows endpoint and discovered that the MS17-010 patch was not installed, which left the endpoint vulnerable to WannaCry ransomware. Which two solutions mitigate the risk of this ransomware infection? (Choose two.)

- A. Configure a posture policy in Cisco Identity Services Engine to install the MS17-010 patch before allowing access on the network.
- B. Set up a profiling policy in Cisco Identity Service Engine to check and endpoint patch level before allowing access on the network.
- C. Configure a posture policy in Cisco Identity Services Engine to check that an endpoint patch level is met before allowing access on the network.
- D. Configure endpoint firewall policies to stop the exploit traffic from being allowed to run and replicate throughout the network.
- E. Set up a well-defined endpoint patching strategy to ensure that endpoints have critical vulnerabilities patched in a timely fashion.

**Answer:** AC

**NEW QUESTION 50**

Why would a user choose an on-premises ESA versus the CES solution?

- A. Sensitive data must remain onsite.
- B. Demand is unpredictable.
- C. The server team wants to outsource this service.
- D. ESA is deployed inline.

**Answer:** A

**NEW QUESTION 52**

Which technology must be used to implement secure VPN connectivity among company branches over a private IP cloud with any-to-any scalable connectivity?

- A. DMVPN
- B. FlexVPN
- C. IPsec DVTI
- D. GET VPN

**Answer:** D

**NEW QUESTION 53**

Which Cisco solution does Cisco Umbrella integrate with to determine if a URL is malicious?

- A. AMP
- B. AnyConnect
- C. DynDNS
- D. Talos

**Answer:** D

**NEW QUESTION 55**

What is the purpose of the Decrypt for Application Detection feature within the WSA Decryption options?

- A. It decrypts HTTPS application traffic for unauthenticated users.
- B. It alerts users when the WSA decrypts their traffic.
- C. It decrypts HTTPS application traffic for authenticated users.
- D. It provides enhanced HTTPS application detection for AsyncOS.

**Answer:** D

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/security/wsa/wsa11-7/user\\_guide/b\\_WSA\\_UserGuide\\_11\\_7/b\\_WSA\\_UserGuide\\_11\\_7\\_chapter\\_01011.html](https://www.cisco.com/c/en/us/td/docs/security/wsa/wsa11-7/user_guide/b_WSA_UserGuide_11_7/b_WSA_UserGuide_11_7_chapter_01011.html)

**NEW QUESTION 59**

Which two features of Cisco DNA Center are used in a Software Defined Network solution? (Choose two.)

- A. accounting
- B. assurance
- C. automation
- D. authentication
- E. encryption

**Answer:** BC

**Explanation:**

Reference: <https://www.cisco.com/c/en/us/products/cloud-systems-management/dna-center/index.html>

**NEW QUESTION 63**

What is a required prerequisite to enable malware file scanning for the Secure Internet Gateway?

- A. Enable IP Layer enforcement.
- B. Activate the Advanced Malware Protection license
- C. Activate SSL decryption.
- D. Enable Intelligent Proxy.

**Answer:** D

**NEW QUESTION 64**

Which two features are used to configure Cisco ESA with a multilayer approach to fight viruses and malware? (Choose two.)

- A. Sophos engine
- B. white list
- C. RAT

- D. outbreak filters
- E. DLP

**Answer:** AD

**NEW QUESTION 68**

Refer to the exhibit.

```
Sysauthcontrol          Enabled
Dot1x Protocol Version    3

Dot1x Info for GigabitEthernet1/0/12
-----
PAE                      = AUTHENTICATOR
PortControl              = FORCE_AUTHORIZED
ControlDirection        = Both
HostMode                 = SINGLE_HOST
QuietPeriod              = 60
ServerTimeout           = 0
SuppTimeout             = 30
ReAuthMax               = 2
MaxReq                  = 2
TxPeriod                = 30
```

Which command was used to display this output?

- A. show dot1x all
- B. show dot1x
- C. show dot1x all summary
- D. show dot1x interface gi1/0/12

**Answer:** A

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec\\_usr\\_8021x/configuration/x-3se/3850/sec-user-8021x-xe-3se-3850-book/config-ieee-802x-pba.html](https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_usr_8021x/configuration/x-3se/3850/sec-user-8021x-xe-3se-3850-book/config-ieee-802x-pba.html)

**NEW QUESTION 69**

Which feature is configured for managed devices in the device platform settings of the Firepower Management Center?

- A. quality of service
- B. time synchronization
- C. network address translations
- D. intrusion policy

**Answer:** B

**NEW QUESTION 71**

Refer to the exhibit.

```
Gateway of last resort is 1.1.1.1 to network 0.0.0.0

S*  0.0.0.0 0.0.0.0 [1/0] via 1.1.1.1, outside
C   1.1.1.0 255.255.255.0 is directly connect, outside
S   172.16.0.0 255.255.0.0 [1/0] via 192.168.100.1, inside
C   192.168.100.0 255.255.255.0 is directly connected, inside
C   172.16.10.0 255.255.255.0 is directly connected, dmz
S   10.10.10.0 255.255.255.0 [1/0] via 172.16.10.1, dmz

-----

access-list redirect-acl permit ip 192.168.100.0 255.255.255.0 any
access-list redirect-acl permit ip 172.16.0.0 255.255.0.0 any

class-map redirect-class
 match access-list redirect-acl

policy-map inside-policy
 class redirect-class
  sfr fail-open

service-policy inside-policy global
```

What is a result of the configuration?

- A. Traffic from the DMZ network is redirected.
- B. Traffic from the inside network is redirected.

- C. All TCP traffic is redirected.
- D. Traffic from the inside and DMZ networks is redirected.

**Answer:** D

**NEW QUESTION 74**

Which two kinds of attacks are prevented by multifactor authentication? (Choose two.)

- A. phishing
- B. brute force
- C. man-in-the-middle
- D. DDOS
- E. tear drop

**Answer:** BC

**NEW QUESTION 75**

.....

## About ExamBible

### *Your Partner of IT Exam*

## Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

## Our Advances

### \* 99.9% Uptime

All examinations will be up to date.

### \* 24/7 Quality Support

We will provide service round the clock.

### \* 100% Pass Rate

Our guarantee that you will pass the exam.

### \* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### NEW QUESTION 1

Which feature requires a network discovery policy on the Cisco Firepower Next Generation Intrusion Prevention System?

- A. security intelligence
- B. impact flags
- C. health monitoring
- D. URL filtering

**Answer:** A

#### NEW QUESTION 2

Which two preventive measures are used to control cross-site scripting? (Choose two.)

- A. Enable client-side scripts on a per-domain basis.
- B. Incorporate contextual output encoding/escaping.
- C. Disable cookie inspection in the HTML inspection engine.
- D. Run untrusted HTML input through an HTML sanitization engine.
- E. SameSite cookie attribute should not be used.

**Answer:** AB

#### NEW QUESTION 3

Which policy is used to capture host information on the Cisco Firepower Next Generation Intrusion Prevention System?

- A. correlation
- B. intrusion
- C. access control
- D. network discovery

**Answer:** D

#### NEW QUESTION 4

An engineer is configuring a Cisco ESA and wants to control whether to accept or reject email messages to a recipient address. Which list contains the allowed recipient addresses?

- A. SAT
- B. BAT
- C. HAT
- D. RAT

**Answer:** D

#### NEW QUESTION 5

What are two Detection and Analytics Engines of Cognitive Threat Analytics? (Choose two.)

- A. data exfiltration
- B. command and control communication
- C. intelligent proxy
- D. snort
- E. URL categorization

**Answer:** AB

#### Explanation:

Reference: <https://www.cisco.com/c/dam/en/us/products/collateral/security/cognitive-threat-analytics/at-a-glance-c45-736555.pdf>

#### NEW QUESTION 6

What two mechanisms are used to redirect users to a web portal to authenticate to ISE for guest services? (Choose two.)

- A. TACACS+
- B. central web auth
- C. single sign-on
- D. multiple factor auth
- E. local web auth

**Answer:** BE

#### Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin\\_guide/b\\_ise\\_admin\\_guide\\_22/b\\_ise\\_admin\\_guide\\_22\\_chapter\\_01110.html](https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin_guide/b_ise_admin_guide_22/b_ise_admin_guide_22_chapter_01110.html)

#### NEW QUESTION 7

Which flaw does an attacker leverage when exploiting SQL injection vulnerabilities?

- A. user input validation in a web page or web application

- B. Linux and Windows operating systems
- C. database
- D. web page images

**Answer:** C

**Explanation:**

Reference: [https://tools.cisco.com/security/center/resources/sql\\_injection](https://tools.cisco.com/security/center/resources/sql_injection)

**NEW QUESTION 8**

Which exfiltration method does an attacker use to hide and encode data inside DNS requests and queries?

- A. DNS tunneling
- B. DNSCrypt
- C. DNS security
- D. DNSSEC

**Answer:** A

**Explanation:**

Reference: <https://learn-umbrella.cisco.com/cloud-security/dns-tunneling>

**NEW QUESTION 9**

Which technology reduces data loss by identifying sensitive information stored in public computing environments?

- A. Cisco SDA
- B. Cisco Firepower
- C. Cisco HyperFlex
- D. Cisco Cloudlock

**Answer:** D

**Explanation:**

Reference: <https://www.cisco.com/c/dam/en/us/products/collateral/security/cloudlock/cisco-cloudlock-cloud-data-security-datasheet.pdf>

**NEW QUESTION 10**

Refer to the exhibit.

```
snmp-server group SNMP v3 auth access 15
```

What does the number 15 represent in this configuration?

- A. privilege level for an authorized user to this router
- B. access list that identifies the SNMP devices that can access the router
- C. interval in seconds between SNMPv3 authentication attempts
- D. number of possible failed attempts until the SNMPv3 user is locked out

**Answer:** B

**NEW QUESTION 10**

Which solution protects hybrid cloud deployment workloads with application visibility and segmentation?

- A. Nexus
- B. Stealthwatch
- C. Firepower
- D. Tetration

**Answer:** D

**Explanation:**

Reference: <https://www.cisco.com/c/en/us/solutions/security/secure-data-center-solution/index.html#~products>

**NEW QUESTION 13**

In which cloud services model is the tenant responsible for virtual machine OS patching?

- A. IaaS
- B. UCaaS
- C. PaaS
- D. SaaS

**Answer:** A

**Explanation:**

Reference: <https://www.cmswire.com/cms/information-management/cloud-service-models-iaas-saas-paas-how-microsoft-office-365-azure-fit-in-021672.php>

**NEW QUESTION 14**

An engineer configured a new network identity in Cisco Umbrella but must verify that traffic is being routed through the Cisco Umbrella network. Which action tests

the routing?

- A. Ensure that the client computers are pointing to the on-premises DNS servers.
- B. Enable the Intelligent Proxy to validate that traffic is being routed correctly.
- C. Add the public IP address that the client computers are behind to a Core Identity.
- D. Browse to <http://welcome.umbrella.com/> to validate that the new identity is working.

**Answer:** B

#### NEW QUESTION 16

What is a language format designed to exchange threat intelligence that can be transported over the TAXII protocol?

- A. STIX
- B. XMPP
- C. pxGrid
- D. SMTP

**Answer:** A

#### Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/security/web\\_security/scancenter/administrator/guide/b\\_ScanCenter\\_Administrator\\_Guide/b\\_ScanCenter\\_Administrator\\_Guide\\_chapter\\_0100011.pdf](https://www.cisco.com/c/en/us/td/docs/security/web_security/scancenter/administrator/guide/b_ScanCenter_Administrator_Guide/b_ScanCenter_Administrator_Guide_chapter_0100011.pdf)

#### NEW QUESTION 20

What is the function of Cisco Cloudlock for data security?

- A. data loss prevention
- B. controls malicious cloud apps
- C. detects anomalies
- D. user and entity behavior analytics

**Answer:** A

#### Explanation:

Reference: <https://umbrella.cisco.com/products/casb>

#### NEW QUESTION 21

Which Cisco product provides proactive endpoint protection and allows administrators to centrally manage the deployment?

- A. NGFW
- B. AMP
- C. WSA
- D. ESA

**Answer:** B

#### NEW QUESTION 26

Which ID store requires that a shadow user be created on Cisco ISE for the admin login to work?

- A. RSA SecureID
- B. Internal Database
- C. Active Directory
- D. LDAP

**Answer:** C

#### NEW QUESTION 30

What is the difference between deceptive phishing and spear phishing?

- A. Deceptive phishing is an attack aimed at a specific user in the organization who holds a C-level role.
- B. A spear phishing campaign is aimed at a specific person versus a group of people.
- C. Spear phishing is when the attack is aimed at the C-level executives of an organization.
- D. Deceptive phishing hijacks and manipulates the DNS server of the victim and redirects the user to a false webpage.

**Answer:** B

#### NEW QUESTION 34

The Cisco ASA must support TLS proxy for encrypted Cisco Unified Communications traffic. Where must the ASA be added on the Cisco UC Manager platform?

- A. Certificate Trust List
- B. Endpoint Trust List
- C. Enterprise Proxy Service
- D. Secured Collaboration Proxy

**Answer:** A

**Explanation:**

Reference: <https://www.cisco.com/c/en/us/td/docs/security/asa/special/unified-communications/guide/unified-comm/unified-comm-tlsproxy.html>

**NEW QUESTION 35**

Which two behavioral patterns characterize a ping of death attack? (Choose two.)

- A. The attack is fragmented into groups of 16 octets before transmission.
- B. The attack is fragmented into groups of 8 octets before transmission.
- C. Short synchronized bursts of traffic are used to disrupt TCP connections.
- D. Malformed packets are used to crash systems.
- E. Publicly accessible DNS servers are typically used to execute the attack.

**Answer:** BD

**Explanation:**

Reference: [https://en.wikipedia.org/wiki/Ping\\_of\\_death](https://en.wikipedia.org/wiki/Ping_of_death)

**NEW QUESTION 36**

Which VPN technology can support a multivendor environment and secure traffic between sites?

- A. SSL VPN
- B. GET VPN
- C. FlexVPN
- D. DMVPN

**Answer:** C

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/products/collateral/routers/asr-1000-series-aggregation-services-routers/data\\_sheet\\_c78-704277.html](https://www.cisco.com/c/en/us/products/collateral/routers/asr-1000-series-aggregation-services-routers/data_sheet_c78-704277.html)

**NEW QUESTION 38**

Which feature is supported when deploying Cisco ASAv within AWS public cloud?

- A. multiple context mode
- B. user deployment of Layer 3 networks
- C. IPv6
- D. clustering

**Answer:** B

**Explanation:**

Reference: <https://www.cisco.com/c/en/us/td/docs/security/asa/asa96/asav/quick-start-book/asav-96-qsg/asav-aws.html>

**NEW QUESTION 40**

Which proxy mode must be used on Cisco WSA to redirect TCP traffic with WCCP?

- A. transparent
- B. redirection
- C. forward
- D. proxy gateway

**Answer:** A

**Explanation:**

Reference: <https://www.cisco.com/c/en/us/support/docs/security/web-security-appliance/117940-qa-wsa-00.html>

**NEW QUESTION 42**

Which two endpoint measures are used to minimize the chances of falling victim to phishing and social engineering attacks? (Choose two.)

- A. Patch for cross-site scripting.
- B. Perform backups to the private cloud.
- C. Protect against input validation and character escapes in the endpoint.
- D. Install a spam and virus email filter.
- E. Protect systems with an up-to-date antimalware program.

**Answer:** DE

**NEW QUESTION 46**

An engineer used a posture check on a Microsoft Windows endpoint and discovered that the MS17-010 patch was not installed, which left the endpoint vulnerable to WannaCry ransomware. Which two solutions mitigate the risk of this ransomware infection? (Choose two.)

- A. Configure a posture policy in Cisco Identity Services Engine to install the MS17-010 patch before allowing access on the network.
- B. Set up a profiling policy in Cisco Identity Service Engine to check and endpoint patch level before allowing access on the network.
- C. Configure a posture policy in Cisco Identity Services Engine to check that an endpoint patch level is met before allowing access on the network.
- D. Configure endpoint firewall policies to stop the exploit traffic from being allowed to run and replicate throughout the network.
- E. Set up a well-defined endpoint patching strategy to ensure that endpoints have critical vulnerabilities patched in a timely fashion.

**Answer:** AC

**NEW QUESTION 50**

Why would a user choose an on-premises ESA versus the CES solution?

- A. Sensitive data must remain onsite.
- B. Demand is unpredictable.
- C. The server team wants to outsource this service.
- D. ESA is deployed inline.

**Answer:** A

**NEW QUESTION 52**

Which technology must be used to implement secure VPN connectivity among company branches over a private IP cloud with any-to-any scalable connectivity?

- A. DMVPN
- B. FlexVPN
- C. IPsec DVTI
- D. GET VPN

**Answer:** D

**NEW QUESTION 53**

Which Cisco solution does Cisco Umbrella integrate with to determine if a URL is malicious?

- A. AMP
- B. AnyConnect
- C. DynDNS
- D. Talos

**Answer:** D

**NEW QUESTION 55**

What is the purpose of the Decrypt for Application Detection feature within the WSA Decryption options?

- A. It decrypts HTTPS application traffic for unauthenticated users.
- B. It alerts users when the WSA decrypts their traffic.
- C. It decrypts HTTPS application traffic for authenticated users.
- D. It provides enhanced HTTPS application detection for AsyncOS.

**Answer:** D

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/security/wsa/wsa11-7/user\\_guide/b\\_WSA\\_UserGuide\\_11\\_7/b\\_WSA\\_UserGuide\\_11\\_7\\_chapter\\_01011.html](https://www.cisco.com/c/en/us/td/docs/security/wsa/wsa11-7/user_guide/b_WSA_UserGuide_11_7/b_WSA_UserGuide_11_7_chapter_01011.html)

**NEW QUESTION 59**

Which two features of Cisco DNA Center are used in a Software Defined Network solution? (Choose two.)

- A. accounting
- B. assurance
- C. automation
- D. authentication
- E. encryption

**Answer:** BC

**Explanation:**

Reference: <https://www.cisco.com/c/en/us/products/cloud-systems-management/dna-center/index.html>

**NEW QUESTION 63**

What is a required prerequisite to enable malware file scanning for the Secure Internet Gateway?

- A. Enable IP Layer enforcement.
- B. Activate the Advanced Malware Protection license
- C. Activate SSL decryption.
- D. Enable Intelligent Proxy.

**Answer:** D

**NEW QUESTION 64**

Which two features are used to configure Cisco ESA with a multilayer approach to fight viruses and malware? (Choose two.)

- A. Sophos engine
- B. white list
- C. RAT

- D. outbreak filters
- E. DLP

**Answer:** AD

**NEW QUESTION 68**

Refer to the exhibit.

```
Sysauthcontrol          Enabled
Dot1x Protocol Version    3

Dot1x Info for GigabitEthernet1/0/12
-----
PAE                      = AUTHENTICATOR
PortControl              = FORCE_AUTHORIZED
ControlDirection        = Both
HostMode                 = SINGLE_HOST
QuietPeriod              = 60
ServerTimeout            = 0
SuppTimeout              = 30
ReAuthMax                = 2
MaxReq                   = 2
TxPeriod                 = 30
```

Which command was used to display this output?

- A. show dot1x all
- B. show dot1x
- C. show dot1x all summary
- D. show dot1x interface gi1/0/12

**Answer:** A

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec\\_usr\\_8021x/configuration/x3se/3850/sec-user-8021x-xe-3se-3850-book/config-ieee-802x-pba.html](https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_usr_8021x/configuration/x3se/3850/sec-user-8021x-xe-3se-3850-book/config-ieee-802x-pba.html)

**NEW QUESTION 69**

Which feature is configured for managed devices in the device platform settings of the Firepower Management Center?

- A. quality of service
- B. time synchronization
- C. network address translations
- D. intrusion policy

**Answer:** B

**NEW QUESTION 71**

Refer to the exhibit.

```
Gateway of last resort is 1.1.1.1 to network 0.0.0.0

S*  0.0.0.0 0.0.0.0 [1/0] via 1.1.1.1, outside
C    1.1.1.0 255.255.255.0 is directly connect, outside
S    172.16.0.0 255.255.0.0 [1/0] via 192.168.100.1, inside
C    192.168.100.0 255.255.255.0 is directly connected, inside
C    172.16.10.0 255.255.255.0 is directly connected, dmz
S    10.10.10.0 255.255.255.0 [1/0] via 172.16.10.1, dmz

-----

access-list redirect-acl permit ip 192.168.100.0 255.255.255.0 any
access-list redirect-acl permit ip 172.16.0.0 255.255.0.0 any

class-map redirect-class
 match access-list redirect-acl

policy-map inside-policy
 class redirect-class
  sfr fail-open

service-policy inside-policy global
```

What is a result of the configuration?

- A. Traffic from the DMZ network is redirected.
- B. Traffic from the inside network is redirected.

- C. All TCP traffic is redirected.
- D. Traffic from the inside and DMZ networks is redirected.

**Answer:** D

**NEW QUESTION 74**

Which two kinds of attacks are prevented by multifactor authentication? (Choose two.)

- A. phishing
- B. brute force
- C. man-in-the-middle
- D. DDOS
- E. tear drop

**Answer:** BC

**NEW QUESTION 75**

.....

## Relate Links

**100% Pass Your 350-701 Exam with ExamBible Prep Materials**

<https://www.exambible.com/350-701-exam/>

## Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>