

## SC-400 Dumps

### Microsoft Information Protection Administrator

<https://www.certleader.com/SC-400-dumps.html>



### NEW QUESTION 1

- (Exam Topic 1)

You implement Microsoft 365 Endpoint data loss prevention (Endpoint DLP).

You have computers that run Windows 10 and have Microsoft 365 Apps installed. The computers are joined to Azure Active Directory (Azure AD).

You need to ensure that Endpoint DLP policies can protect content on the computers. Solution:: You deploy the unified labeling client to the computers.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

### NEW QUESTION 2

- (Exam Topic 1)

You need to be alerted when users share sensitive documents from Microsoft OneDrive to any users outside your company.

What should you do?

- A. From the Microsoft 365 compliance center, create a data loss prevention (DLP) policy.
- B. From the Azure portal, create an Azure Active Directory (Azure AD) Identity Protection policy.
- C. From the Microsoft 365 compliance center, create an insider risk policy.
- D. From the Microsoft 365 compliance center, start a data investigation.

**Answer: B**

### NEW QUESTION 3

- (Exam Topic 1)

You plan to implement sensitivity labels for Microsoft Teams.

You need to ensure that you can view and apply sensitivity labels to new Microsoft Teams sites. What should you do first?

- A. Run the Set-sposite cmdlet.
- B. Configure the EnableMTPLabels Azure Active Directory (Azure AD) setting.
- C. Create a new sensitivity label scoped to Groups & sites.
- D. Run the Execute-AzureAdLabelSync cmdlet.

**Answer: A**

### NEW QUESTION 4

- (Exam Topic 1)

You have a Microsoft 365 tenant that uses a domain named canstoso.com.

A user named User1 leaves your company. The mailbox of User1 is placed on Litigation Hold, and then the account of User1 is deleted from Azure Active Directory (Azure AD).

You need to copy the content of the User1 mailbox to a folder in the existing mailbox of another user named User2.

How should you complete the PowerShell command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

```
$InactiveMailbox = Get-Mailbox -InactiveMailboxOnly -Identity <distinguished name>
```

|                           |                        |                                     |
|---------------------------|------------------------|-------------------------------------|
| New-Mailbox               | -InactiveMailbox       | \$InactiveMailbox.DistinguishedName |
| New-MailboxRestoreRequest | -LitigationHoldEnabled | TargetRootFolder "User1 Mailbox"    |
| Restore-RecoverableItems  | RetentionHoldEnabled   |                                     |
| Set-Mailbox               | -SourceMailbox         |                                     |

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

**Answer Area**

```
$InactiveMailbox = Get-Mailbox -InactiveMailboxOnly -Identity <distinguished name>
```

|                           |                        |                                     |
|---------------------------|------------------------|-------------------------------------|
| New-Mailbox               | -InactiveMailbox       | \$InactiveMailbox.DistinguishedName |
| New-MailboxRestoreRequest | -LitigationHoldEnabled | TargetRootFolder "User1 Mailbox"    |
| Restore-RecoverableItems  | RetentionHoldEnabled   |                                     |
| Set-Mailbox               | -SourceMailbox         |                                     |

### NEW QUESTION 5

- (Exam Topic 1)

You create a retention label policy named Contoso\_policy that contains the following labels. 10 years then delete 5 years then delete Do not retain

Contoso\_Policy is applied to content In Microsoft Sharepoint Online sites.

After a couple of days, you discover the following messages on the Properties page of the label policy.

- \* Statue Off (Error)
- \* It's taking longer than expected to deploy the policy

You need to reinitiate the policy.

How should you complete the command? To answer, select the appropriate options in the; answer area. NOTE: Each correct selection is worth one point.

**Answer Area**

|  |                    |  |
|--|--------------------|--|
| <div>Set-RetentionCompliancePolicy</div> <div>Set-RetentionPolicy</div> <div>Start-EdgeSynchronization</div> <div>Start-RetentionAutoTagLearning</div> | -id Contoso_Policy | <div>-ForceFullSync</div> <div>-FullCrawl</div> <div>RetryDistribution</div> <div>-Train</div> |
|--|--------------------|--|

- A. Mastered  
B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

|  |                    |  |
|--|--------------------|--|
| <div>Set-RetentionCompliancePolicy</div> <div>Set-RetentionPolicy</div> <div>Start-EdgeSynchronization</div> <div>Start-RetentionAutoTagLearning</div> | -id Contoso_Policy | <div>-ForceFullSync</div> <div>-FullCrawl</div> <div>RetryDistribution</div> <div>-Train</div> |
|--|--------------------|--|

### NEW QUESTION 6

- (Exam Topic 1)

You have a Microsoft 365 tenant that uses trainable classifiers. You are creating a custom trainable classifier.

You collect 300 sample file types from various geographical locations to use as seed content. Some of the file samples are encrypted.

You organize the files into categories as shown in the following table.

| Category  | Type  | Language | Encryption status |
|-----------|-------|----------|-------------------|
| Category1 | .docx | French   | Not encrypted     |
| Category2 | .xlsx | English  | Encrypted         |
| Category3 | .pptx | German   | Encrypted         |
| Category4 | .docx | English  | Not encrypted     |
| Category5 | .mht  | English  | Not encrypted     |
| Category6 | .htm  | English  | Not encrypted     |

Which file categories can be used as seed content?

- A. Category4 and Category5 only  
B. Category4 and Category6 only  
C. Category2, Category3, and Category5 only  
D. Category1 and Category3 only

**Answer:** C

### NEW QUESTION 7

- (Exam Topic 1)

You have a data loss prevention (DLP) policy configured for endpoints as shown in the following exhibit.

Create rule

+

Add exception

×

^

Actions

Use actions to protect content when the conditions are met.

^

Audit or restrict activities on Windows devices

☒ Audit or restrict activities on Windows devices

When the activities below are detected on Windows devices for supported files containing sensitive info that matches this policy's conditions, you can choose to only audit the activity, block it entirely, or block it but allow users to override the restriction. [Learn more](#)

☒ Upload to cloud services or access by unallowed browsers

Block

☒ Copy to clipboard

Audit only

☒ Copy to a USB removable media

Audit only

☒ Copy to a network share

Audit only

☒ Access by unallowed apps

Audit only

☒ Print

Audit only

+ Add an action

^

User notifications

Use notifications to inform your users and help educate them on the proper use of sensitive info.

☒ On

Save

Cancel

Need help?

Give feedback



From a computer named Computer1, 3 user can sometimes upload files to cloud services and sometimes cannot. Other users experience the same issue. What are two possible causes of the issue? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. The Access by unallowed apps action is set to Audit only.
- B. The computers are NOT onboarded to the Microsoft 365 compliance center.
- C. The Copy to clipboard action is set to Audit only.
- D. There are file path exclusions in the Microsoft 365 Endpoint data loss prevention (Endpoint DIP) settings.
- E. The unallowed browsers in the Microsoft 365 Endpoint data loss prevention (Endpoint DLP) settings are NOT configured.

**Answer:** AD

### NEW QUESTION 8

- (Exam Topic 1)

You have the files shown in the following table.

| Name  | Location                                | Date modified | Date created |
|-------|---|---------------|--------------|
| File1 | Microsoft SharePoint Online site        | 06/01/2018    | 28/12/2011   |
| File2 | Microsoft OneDrive account              | 03/02/2017    | 02/01/2011   |
| File3 | Microsoft Exchange Online public folder | 01/05/2006    | 01/05/2006   |

You configure a retention policy as shown in the following exhibit.

## RetentionPolicy1

### Status

Enabled (Pending)

### Policy name

RetentionPolicy1

### Description

RetentionPolicy1

### Applies to content in these locations

SharePoint sites

### Settings

Retention period

Keep content, and delete it if it's older than 7 years

### Preservation lock

No data available

The current date is January 1, 2021.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

### Answer Area

| Statements  | Yes                   | No                    |
|---|-----------------------|-----------------------|
| File1 will be deleted after you turn on the policy. | <input type="radio"/> | <input type="radio"/> |
| File2 will be deleted after you turn on the policy. | <input type="radio"/> | <input type="radio"/> |
| File3 will be deleted after you turn on the policy. | <input type="radio"/> | <input type="radio"/> |

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

### Answer Area

| Statements  | Yes                              | No                               |
|---|----------------------------------|----------------------------------|
| File1 will be deleted after you turn on the policy. | <input checked="" type="radio"/> | <input type="radio"/>            |
| File2 will be deleted after you turn on the policy. | <input checked="" type="radio"/> | <input type="radio"/>            |
| File3 will be deleted after you turn on the policy. | <input type="radio"/>            | <input checked="" type="radio"/> |

**NEW QUESTION 9**

- (Exam Topic 1)

You have a Microsoft 365 tenant that uses the following sensitivity labels:

- \* Confidential
- \* Internal
- \* External

The labels are published by using a label policy named Policy1.

Users report that Microsoft Office for the web apps do not display the Sensitivity button. The Sensitivity button appears in Microsoft 365 Apps that are installed locally.

You need to ensure that the users can apply sensitivity labels to content when they use Office for the web apps.

Solution: You run the Execute-AzureAdLabelSync cmdlet. Does this meet the goal?

- A. Yes
- B. No

**Answer: A**

**NEW QUESTION 10**

- (Exam Topic 1)

You have a Microsoft 365 tenant.

All Microsoft OneDrive for Business content is retained for five years.

A user named User1 left your company a year ago, after which the account of User 1 was deleted from Azure Active Directory (Azure AD).

You need to recover an important file that was stored in the OneDrive of User1. What should you use?

- A. Deleted users in the Microsoft 365 admin center
- B. the Restore-SPODeletedSite- PowerShell cmdlet
- C. the Restore-ADObject PowerShell cmdlet
- D. the OneDrive recycle bin

**Answer: D**

**NEW QUESTION 10**

- (Exam Topic 1)

You have a Microsoft 365 tenant that uses data loss prevention (DLP). You have a custom employee information form named Template 1.docx.

You need to create a classification rule package based on the document fingerprint of Template1.docx.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions:**

- Create a variable that contains the result of the Get-Content cmdlet.
- Run the New-DlpSensitiveInformationType cmdlet.
- Create a variable that contains the result of the New-DlpFingerprint cmdlet.
- Run the Set-DlpSensitiveInformationType cmdlet.
- Create a variable that contains the result of the Get-ContentFilterPhrase cmdlet.

**Answer Area**

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

**Actions:**

- Create a variable that contains the result of the Get-Content cmdlet.
- Run the New-DlpSensitiveInformationType cmdlet.
- Create a variable that contains the result of the New-DlpFingerprint cmdlet.
- Run the Set-DlpSensitiveInformationType cmdlet.
- Create a variable that contains the result of the Get-ContentFilterPhrase cmdlet.

**Answer Area**

- Create a variable that contains the result of the New-DlpFingerprint cmdlet.
- Run the New-DlpSensitiveInformationType cmdlet.
- Create a variable that contains the result of the Get-ContentFilterPhrase cmdlet.

**NEW QUESTION 14**

- (Exam Topic 1)

Your company has a Microsoft 365 tenant that uses a domain named contoso.

The company uses Microsoft Office 365 Message Encryption (OME) to encrypt email sent to users in fabrikam.com.

A user named User1 erroneously sends an email to user2@fabrikam. You need to disable user2@fabrikam.com from accessing the email. What should you do?

- A. Run the New-ComplianceSearchAction cmdlet.
- B. Instruct User1 to delete the email from her Sent Items folder from Microsoft Outlook.
- C. Run the Get-MessageTrace Cmdlet.
- D. Run the Set-OMEMessageRevocation Cmdlet.
- E. instruct User1 to select Remove external access from Microsoft Outlook on the web.

**Answer: C**

#### NEW QUESTION 18

- (Exam Topic 1)

You need to provide a user with the ability to view data loss prevention (DLP) alerts in the Microsoft 365 compliance center. The solution must use the principle of least privilege.

Which role should you assign to the user?

- A. Compliance data administrator
- B. Security operator
- C. Security reader
- D. Compliance administrator

**Answer: B**

#### NEW QUESTION 20

- (Exam Topic 1)

Your company manufactures parts that are each assigned a unique 12-character alphanumeric serial number. Emails between the company and its customers refer to the serial number.

You need to ensure that all Microsoft Exchange Online emails containing the serial numbers are retained for five years.

Which three objects should you create? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. a trainable classifier
- B. a sensitive info type
- C. a retention policy
- D. a data loss prevention (DLP) policy
- E. an auto-labeling policy
- F. a retention label
- G. a sensitivity label

**Answer: BDE**

#### NEW QUESTION 22

- (Exam Topic 1)

You plan to implement a sensitive information type based on a trainable classifier. The sensitive information type will identify employment contracts.

You need to copy the required files to Microsoft SharePoint Online folders to train the classifier.

What should you use to seed content and test the classifier? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

|                         |  |
|-------------------------|--|
| Seed content:           | <input type="checkbox"/> Only files that are poor examples of employment contracts<br><input type="checkbox"/> Only files that are good examples of employment contracts<br><input type="checkbox"/> Files that are a mix of good and poor examples of employment contracts<br><input type="checkbox"/> A file that contains the metadata of the employment contracts in the CSV format<br><input type="checkbox"/> A file that contains the metadata of the employment contracts in the JSON format |
| Testing the classifier: | <input type="checkbox"/> Only files that are poor examples of employment contracts<br><input type="checkbox"/> Only files that are good examples of employment contracts<br><input type="checkbox"/> Files that are a mix of good and poor examples of employment contracts<br><input type="checkbox"/> A file that contains the metadata of the employment contracts in the CSV format<br><input type="checkbox"/> A file that contains the metadata of the employment contracts in the JSON format |

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**



**Answer Area**

Seed content:

☒ Only files that are poor examples of employment contracts  
☐ Only files that are good examples of employment contracts  
☐ Files that are a mix of good and poor examples of employment contracts  
☐ A file that contains the metadata of the employment contracts in the CSV format  
☐ A file that contains the metadata of the employment contracts in the JSON format

Testing the classifier:

☐ Only files that are poor examples of employment contracts  
☐ Only files that are good examples of employment contracts  
☒ Files that are a mix of good and poor examples of employment contracts  
☐ A file that contains the metadata of the employment contracts in the CSV format  
☐ A file that contains the metadata of the employment contracts in the JSON format

**NEW QUESTION 26**

- (Exam Topic 1)

You have a data loss prevention (DLP) policy that applies to the Devices location. The policy protects documents that contain States passport numbers. Users reports that they cannot upload documents to a travel management website because of the policy. You need to ensure that the users can upload the documents to the travel management website. The solution must prevent the protected content from being uploaded to other locations. Which Microsoft 365 Endpoint data loss prevention (Endpoint DLP) setting should you configure?

- A. Unallowed apps
- B. File path exclusions
- C. Service domains
- D. Unallowed browsers

**Answer:** A

**NEW QUESTION 27**

- (Exam Topic 1)

You are implementing Microsoft Office 365 Message Encryption (OME) for a Microsoft 365 tenant named contoso.com.

You need to meet the following requirements:

- All email to a domain named fabrikam.com must be encrypted automatically.
- Encrypted emails must expire seven days after they are sent-

What should you configure for each requirement? To answer, select the appropriate options NOTE: Each correct selection is worth one point.

**Answer Area**

All email to a domain named fabrikam.com must be encrypted automatically:

☐ A data connector in the Microsoft 365 compliance center  
☐ A data loss prevention (DLP) policy in the Microsoft 365 compliance center  
☐ A mail flow connector in the Exchange admin center  
☐ A mail flow rule in the Exchange admin center

Encrypted emails must expire seven days after they are sent:

☐ A custom branding template in Microsoft Exchange Online PowerShell  
☐ A label policy in the Microsoft 365 compliance center  
☐ A mail flow rule in the Exchange admin center  
☐ A sensitive info type in the Microsoft 365 compliance center

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

All email to a domain named fabrikam.com must be encrypted automatically:

☒ A data connector in the Microsoft 365 compliance center  
☒ A data loss prevention (DLP) policy in the Microsoft 365 compliance center  
☐ A mail flow connector in the Exchange admin center  
☐ A mail flow rule in the Exchange admin center

Encrypted emails must expire seven days after they are sent:

☒ A custom branding template in Microsoft Exchange Online PowerShell  
☒ A label policy in the Microsoft 365 compliance center  
☐ A mail flow rule in the Exchange admin center  
☐ A sensitive info type in the Microsoft 365 compliance center

**NEW QUESTION 30**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your SC-400 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/SC-400-dumps.html>