

AZ-120 Dumps

Planning and Administering Microsoft Azure for SAP Workloads

<https://www.certleader.com/AZ-120-dumps.html>



NEW QUESTION 1

- (Exam Topic 2)

You have an on-premises SAP environment. Application servers run on SUSE Linux Enterprise Server (SLES) servers. Databases run on SLES servers that have Oracle installed.

You need to recommend a solution to migrate the environment to Azure. The solution must use currently deployed technologies whenever possible and support high availability.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Application server operating system:

	▼
Oracle Linux	
SLES	
Windows Server 2016	

Database server operating system:

	▼
Oracle Linux	
SLES	
Windows Server 2016	

Database platform:

	▼
Azure SQL Database	
Microsoft SQL Server	
Oracle	
SAP HANA	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Application server operating system:

	▼
Oracle Linux	
SLES	
Windows Server 2016	

Database server operating system:

	▼
Oracle Linux	
SLES	
Windows Server 2016	

Database platform:

	▼
Azure SQL Database	
Microsoft SQL Server	
Oracle	
SAP HANA	

NEW QUESTION 2

- (Exam Topic 2)

You recently migrated an SAP HANA environment to Azure.

You plan to back up SAP HANA databases to disk on the virtual machines, and then move the backup tiles to Azure Blob storage for retention.

Which command should you run to move the backups to the Blob storage?

- A. backint
- B. robocopy
- C. azcopy
- D. scp

Answer: C

Explanation:

To store directories and files on Azure storage, one could use CLI or PowerShell. There is also a ready-to-use utility, AzCopy, for copying data to Azure storage.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/sap-hana-backup-file-level>

NEW QUESTION 3

- (Exam Topic 2)

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
SAP HANA certification for M-Series Azure virtual machines requires that Write Accelerator be enabled on the /hana/data volume.	<input type="radio"/>	<input type="radio"/>
SAP HANA certification for M-Series Azure virtual machines requires that Write Accelerator be enabled on the /hana/log volume.	<input type="radio"/>	<input type="radio"/>
To enable Write Accelerator, you must use Azure Premium managed disks.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No

Box 2: Yes

The minimum SAP HANA certified conditions for the different storage types are:

Azure Premium SSD - /hana/log is required to be cached with Azure Write Accelerator. The /hana/data volume could be placed on Premium SSD without Azure Write Accelerator or on Ultra disk

Box 3: Yes References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/hana-vm-operations-storage>

NEW QUESTION 4

- (Exam Topic 2)

You have an SAP environment that contains the following components:

* Enhancement Package 6 for SAP ERP Central Component 6.0 (SAP ECC 6.0)

* Servers that runs SUSE Linux Enterprise Server 12 (SLES 12)

* Databases on IBM DB2 10.5

* SAP Solution Manager 7.1

You plan to migrate the SAP environment to Azure.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
The version of SAP Solution Manager supports deployment to Azure.	<input type="radio"/>	<input type="radio"/>
The version of SAP ECC supports deployment to Azure.	<input type="radio"/>	<input type="radio"/>
The DB2 databases must be migrated to a different database platform before migrating to Azure.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

Box 2: No

Upgrade to ECC 7.01 or later. Box 3: No

With Microsoft Azure, you can migrate your existing SAP application running on IBM Db2 for Linux, UNIX, and Windows (LUW) to Azure virtual machines. With SAP on IBM Db2 for LUW, administrators and developers can still use the same development and administration tools, which are available on-premises.

Reference:

<https://docs.microsoft.com/en-us/azure/data-factory/connector-sap-table> https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/dbms_guide_ibm

NEW QUESTION 5

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You plan to migrate an SAP HANA instance to Azure.

You need to gather CPU metrics from the last 24 hours from the instance. Solution: You use DBA Cockpit from SAP GUI.

Does this meet the goal?

- A. Yes
B. No

Answer: A

Explanation:

The SAP HANA cockpit provides a single point of access to a range of SAP HANA administration and monitoring tasks. It is used to monitor and ensure the overall health of the system.

The HANA Monitoring dashboard also visualizes key HANA Metrics of SAP HANA system. References:

<https://developers.sap.com/tutorials/dt-monitoring-hana-part1.html>

<https://help.sap.com/viewer/afa922439b204e9caf22c78b6b69e4f2/2.10.0.0/en-US> <https://www.hanatutorials.com/p/hana-monitoring-dashboard.html>

NEW QUESTION 6

- (Exam Topic 2)

Your on-premises network contains an Active Directory domain.

You have an SAP environment on Azure that runs on SUSE Linux Enterprise Server (SLES) servers. You configure the SLES servers to use domain controllers as their NTP servers and their DNS servers. You need to join the SLES servers to the Active Directory domain.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Add realm details to /etc/krb5.conf and /etc/samba/smb.conf	
Shut down the following services: smbd, nmbd, and winbindd	
Run net ads join -U administrator	⬅️ ⬆️
Run net rpc join -U administrator	➡️ ⬆️
Install the samba-winbind package	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Step 1: Install the samba-winbind package Install samba-winbind

Step 2: Add realm details to /etc/krb5.conf and /etc/samba/smb.conf

Edit files - best way to do this is to use yast on test machine and copy files from it

In following examples you need to replace EXAMPLE/EXAMPLE.COM/.example.com with your values/settings

/etc/samba/smb.conf [global]

workgroup = EXAMPLE

usershare allow guests = NO #disallow guests from sharing idmap gid = 10000-20000

idmap uid = 10000-20000


```
kerberos method = secrets and keytab realm = EXAMPLE.COM
security = ADS
template homedir = /home/%D/%U template shell = /bin/bash
winbind offline logon = yes winbind refresh tickets = yes
/etc/krb5.conf [libdefaults]
default_realm = EXAMPLE.COM clockskew = 300
[realms] EXAMPLE.COM = {
kdc = PDC.EXAMPLE.COM
default_domain = EXAMPLE.COM admin_server = PDC.EXAMPLE.COM
}
```

Step 3: Run net ads join -U administrator Join the SLES 12 Server to the AD domain References:
<https://www.suse.com/support/kb/doc/?id=7018461>

NEW QUESTION 7

- (Exam Topic 2)

You have a n SAP environment on Azure.

Your on-premises network uses a 1-Gbps ExpressRoute circuit to connect to Azure Private peering is enabled on the circuit. The default route (0.0.0.0/0) from the on-premises network is advertised

You need to resolve the issue without modifying the ExpressRoute circuit. The solution must minimize administrative effort. What should you do?

- A. Create a user-defined route tint redirects traffic to the Blob storage.
- B. Create an application security group.
- C. Change the backup solution to use a third-party software that can write to the Blob storage.
- D. Enable virtual network service endpoints.

Answer: A

NEW QUESTION 8

- (Exam Topic 2)

You plan to deploy SAP application servers that run Windows Server 2016.

You need to use PowerShell Desired State Configuration (DSC) to configure the SAP application server once the servers are deployed.

Which Azure virtual machine extension should you install on the servers?

- A. the Azure DSC VM Extension
- B. the Azure virtual machine extension
- C. the Azure Chef extension
- D. the Azure Enhanced Monitoring Extension for SAP

Answer: A

Explanation:

The Azure Desired State Configuration (DSC) VM Extension is updated as-needed to support enhancements and new capabilities delivered by Azure, Windows Server, and the Windows Management Framework (WMF) that includes Windows PowerShell.

References:

<https://docs.microsoft.com/en-us/powershell/scripting/dsc/getting-started/azuredscexthistory>

NEW QUESTION 9

- (Exam Topic 2)

You deploy on SAP environment on Azure.

You need to monitor the performance of the SAP NetWeaver environment by using the Azure Enhanced Monitoring Extension for

What should you do first?

- A. From Azure CLI, install the Linux Diagnostic Extension.
- B. From the Azure portal, enable the Azure Network Watcher Agent.
- C. From the Azure portal, enable the Custom Script Extension.
- D. From Azure CL
- E. run the az v aem m set command.

Answer: B

NEW QUESTION 10

- (Exam Topic 2)

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
Oracle Real Application Clusters (RAC) can be used to provide high availability of SAP databases on Azure.	<input type="radio"/>	<input type="radio"/>
You can host SAP databases on Azure by using Oracle on a virtual machine that runs Windows Server 2016.	<input type="radio"/>	<input type="radio"/>
You can host SAP databases on Azure by using Oracle on a virtual machine that runs SUSE Linux Enterprise Server 12 (SLES 12).	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

Box 2: Yes

Oracle Database 12c Release 2 (12.2) is certified on Microsoft Windows Server 2016 (Standard, Datacenter, and Essentials Editions), which includes support for the database client, server, and Oracle Real Application Clusters.

Organizations can run SAP applications with Oracle databases on the same code base on Unix, Linux, and Windows operating systems.

Box 3: Yes References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/oracle/oracle-overview> <https://docs.oracle.com/en/database/oracle/oracle-database/12.2/ntdbn/index.html#>

NEW QUESTION 10

- (Exam Topic 2)

You are planning the Azure network infrastructure for an SAP environment.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
You can segregate the SAP application layer and the DBMS layer into different virtual networks that are peered by using Global Vnet peering.	<input type="radio"/>	<input type="radio"/>
You can segregate the SAP application layer and the DBMS layer into different subnets in the same virtual network.	<input type="radio"/>	<input type="radio"/>
If you segregate the SAP application layer and the DBMS layer into different peered virtual networks, you will incur costs for the data transferred between the virtual networks.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

Box 2: No

A design that's not supported is the segregation of the SAP application layer and the DBMS layer into different Azure virtual networks that aren't peered with each other. We recommend that you segregate the SAP application layer and DBMS layer by using subnets within an Azure virtual network instead of by using different Azure virtual networks.

Box 3: Yes

Be aware that network traffic between two peered Azure virtual networks is subject to transfer costs. Huge data volume that consists of many terabytes is exchanged between the SAP application layer and the DBMS layer. You can accumulate substantial costs if the SAP application layer and DBMS layer are segregated between two peered Azure virtual networks.

References:

https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/dbms_guide_general

NEW QUESTION 12

- (Exam Topic 2)

This question requires that you evaluate the underlined text to determine if it is correct.

When deploying SAP HANA to an Azure virtual machine, you can enable Write Accelerator to reduce the latency between the SAP application servers and the database layer.

Instructions: Review the underlined text. If it makes the statement correct, select “No change is needed”. If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed
- B. install the Mellanox driver
- C. start the NIPING service
- D. enable Accelerated Networking

Answer: D

Explanation:

To further reduce network latency between Azure VMs, we [Microsoft] recommend that you choose Azure Accelerated Networking. Use it when you deploy Azure VMs for an SAP workload, especially for the SAP application layer and the SAP DBMS layer.

NEW QUESTION 13

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You deploy SAP HANA on Azure (Large Instances). You need to back up the SAP HANA database to Azure.

Solution: You use a third-party tool that uses backint to back up the SAP HANA database to Azure storage. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/backup/sap-hana-db-about>

<https://docs.microsoft.com/en-us/azure/backup/backup-azure-sap-hana-database#configure-backup>

NEW QUESTION 18

- (Exam Topic 2)

You plan to migrate an SAP environment to Azure.


You need to create a design to facilitate end-user access to SAP applications over the Internet, while restricting user access to the virtual machines of the SAP application servers. What should you include in the design?

- A. Configure a public IP address for each SAP application server
- B. Deploy an internal Azure Standard Load Balancer for incoming connections
- C. Use an SAP Web Dispatcher to route all incoming connections
- D. Configure point-to-site VPN connections for each user

Answer: C

Explanation:

- A public internet user can reach the SAP Web-Dispatcher over port 443
- The SAP Web-Dispatcher can reach the SAP Application server over port 443
- The App Subnet accepts traffic on port 443 from 10.0.0.0/24
- The SAP Application server sends traffic on port 30015 to the SAP DB server
- The DB subnet accepts traffic on port 30015 from 10.0.1.0/24.
- Public Internet Access is blocked on both App Subnet and DB Subnet.



References:

<https://azure.microsoft.com/en-in/blog/sap-on-azure-architecture-designing-for-security/>

NEW QUESTION 22

- (Exam Topic 2)

You are deploying an SAP environment across Azure Availability Zones. The environment has the following components:

- ASCS/ERS instances that use a failover cluster
- SAP application servers across the Azure Availability Zones
- Database high availability by using a native database solution

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Network latency is a limiting factor when deploying DBMS instances that use synchronous replication across the Azure Availability Zones.	<input type="radio"/>	<input type="radio"/>
The performance of SAP systems can be validated by using ABAPMeter.	<input type="radio"/>	<input type="radio"/>
To help identify the best Azure Availability Zones for deploying the SAP components, you can use NIPING to verify network latency between the zones.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No

Azure Availability Zones are physically separate locations within an Azure region protecting customers' applications and data from datacenter-level failures. It is good for applications that require low-latency synchronous replication with protection from datacenter-level failures.

Box 2: Yes

AAP application server to database server latency can be tested with ABAPMeter report /SSA/CAT. Box 3: Yes

To analyze network issue or measure network metrics you can test the connection using SAP's NIPING program. You can use NIPING to analyze the network connection between any two machines running SAP software.

Reference:

<https://azure.microsoft.com/sv-se/blog/azure-availability-zones-expand-with-new-services-and-to-new-regions-i> <https://azure.microsoft.com/en-us/blog/sap-on-azure-architecture-designing-for-performance-and-scalability/> <https://wiki.scn.sap.com/wiki/pages/viewpage.action?pageId=360974069>

NEW QUESTION 25

- (Exam Topic 2)

You plan to deploy a high availability SAP environment that will use a failover clustering solution.

You have an Azure Resource Manager template that you will use for the deployment. You have the following relevant portion of the template.


```
    "apiVersion": "2017-08-01",
    "type": "Microsoft.Network/loadBalancers",
    "name": "load_balancer1",
    "location": "region",
    "sku":
      { "name": "Standard"},
    "properties": {
      "frontendIPConfigurations": [
        {
          "name": "frontend1",
          "zones": [ "1" ],
          "properties": {
            "subnet": {
              "Id": "[variables('subnetRef')]"
            },
            "privateIPAddress": "10.0.0.6",
            "privateIPAllocationMethod": "Static"
          }
        },
      ],
    }
  },
}
```

What is created by the template?

- A. a zonal frontend IP address for the internal Azure Standard Load Balancer
- B. a zone-redundant frontend IP address for the internal Azure Basic Load Balancer
- C. a zone -redundant public IP address for the internal load balancer
- D. a zone-redundant frontend IP address for the internal Azure Standard Load Balancer

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/high-availability-guide-standard-load-ba>

NEW QUESTION 28

- (Exam Topic 2)

You deploy an SAP environment on Azure.

Your company has a Service Level Agreement (SLA) of 99.99% for SAP. You implement Azure Availability Zones that have the following components: Redundant SAP application servers

ASCS/ERS instances that use a failover cluster

Database high availability that has a primary instance and a secondary instance You need to validate the high availability configuration of the ASCS/ERS cluster.

What should you use?

- A. SAP Web Dispatcher
- B. Azure Traffic Manager
- C. SAPControl
- D. SAP Solution Manager

Answer: B

Explanation:

C: You can use SAPControl to start or stop an SAP system from the command line. References:

<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/sap/sap-netweaver>

NEW QUESTION 30

- (Exam Topic 2)

You deploy an SAP environment on Azure.

You need to configure SAP NetWeaver to authenticate by using Azure Active Directory (Azure AD).

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Configure SAML single sign-on (SSO).
- Add SAP NetWeaver from the Azure AD application gallery.
- Add SAP Cloud Platform Identity from the Azure AD application gallery.
- Create and upload the service provider metadata file to Azure AD.
- Upload the FederationMetadata.xml file to the SAP NetWeaver Trusted Providers.
- Implement Active Directory Federation Services (AD FS).

Answer Area

Navigation arrows: > <

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

- Configure SAML single sign-on (SSO).
- Add SAP NetWeaver from the Azure AD application gallery.
- Add SAP Cloud Platform Identity from the Azure AD application gallery.
- Create and upload the service provider metadata file to Azure AD.
- Upload the FederationMetadata.xml file to the SAP NetWeaver Trusted Providers.
- Implement Active Directory Federation Services (AD FS).

Answer Area

- Add SAP NetWeaver from the Azure AD application gallery.
- Implement Active Directory Federation Services (AD FS).
- Add SAP Cloud Platform Identity from the Azure application gallery.
- Configure SAML single sign-on (SSO).

Navigation arrows: > <

NEW QUESTION 32

- (Exam Topic 2)

You have an on-premises SAP environment.

Backups are performed by using tape backups. There are 50 TB of backups.

A Windows file server has BMP images of checks used by SAP Finance. There are 9 TB of images.

You need to recommend a method to migrate the images and the tape backups to Azure. The solution must maintain continuous replication of the images.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Tape backups:

- AzCopy
- Azure Data Box Edge
- Azure Databox
- Azure Storage Explorer

File server:

- AzCopy
- Azure Data Box Edge
- Azure Databox
- Azure Storage Explorer

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Tape backups: Azure DataBox

The Microsoft Azure Data Box cloud solution lets you send terabytes of data into Azure in a quick, inexpensive, and reliable way. The secure data transfer is accelerated by shipping you a proprietary Data Box storage device. Each storage device has a maximum usable storage capacity of 80 TB and is transported to your datacenter through a regional carrier. The device has a rugged casing to protect and secure data during the transit.

File server: Azure Storage Explorer

Azure Storage Explorer is an application which helps you to easily access the Azure storage account through any device on any platform, be it Windows, MacOS, or Linux. You can easily connect to your subscription and manipulate your tables, blobs, queues, and files.

NEW QUESTION 37

- (Exam Topic 2)

You have a large and complex SAP environment on Azure.

You are designing a training landscape that will be used 10 times a year.

You need to recommend a solution to create the training landscape. The solution must meet the following requirements:

- > Minimize the effort to build the training landscape.
- > Minimize costs.

In which order should you recommend the actions be performed for the first training session? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Build the training landscape

Create a custom image by using the snapshot

Deliver the training

Take a snapshot of the virtual machine disks

Shut down and delete the virtual machines

Answer Area

<

>

↑

↓

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/planning-guide>

NEW QUESTION 42

- (Exam Topic 2)

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements

Yes

No

You must split data files and database logs between different Azure virtual disks to increase the database read/write performance.

Enabling Accelerate Networking on virtual NICs for all SAP servers will reduce network latency between the servers.

When you use SAP HANA on Azure (Large Instances), you should set the MTU on the primary network interface to match the MTU on SAP application servers to reduce CPU utilization and network latency.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area	Statements	Yes	No
	You must split data files and database logs between different Azure virtual disks to increase the database read/write performance.	<input type="radio"/>	<input type="radio"/>
	Enabling Accelerate Networking on virtual NICs for all SAP servers will reduce network latency between the servers.	<input type="radio"/>	<input type="radio"/>
	When you use SAP HANA on Azure (Large Instances), you should set the MTU on the primary network interface to match the MTU on SAP application servers to reduce CPU utilization and network latency.	<input type="radio"/>	<input type="radio"/>

NEW QUESTION 46

- (Exam Topic 2)

You are planning high availability for an SAP environment on Azure. The SAP environment will use datacenters in to different zones.

Testing shows that the latency between the two zones supports synchronous DBMS replication.

You need to design a solution to ensure that SAP services are available if an Azure datacenter within a zone fails. The solution must meet the following requirements:

* Provide automatic failover

* Minimize costs

Which high availability configuration meet the requirements?

- A. Azure Availability Zones with an active/passive deployment
- B. Azure Site Recovery
- C. Azure Availability Sets with active/passive clustering
- D. Azure Availability Sets with active/active clustering

Answer: D

NEW QUESTION 51

- (Exam Topic 2)

You are deploying an SAP environment on Azure that will use an SAP HANA database server.

You provision an Azure virtual machine for SAP HANA by using the M64s virtual machine SKU.

You need to set the swap space by using the Microsoft Azure Linux Agent (waagent) configuration file. Which two settings should you configure? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. ResourceDisk.EnableSwapEncryption=n
- B. AutoUpdate.Enabled=n
- C. ResourceDisk.SwapSizeMB=229376
- D. ResourceDisk.EnableSwap=y

Answer: CD

Explanation:

To create a swap file in the directory that's defined by the ResourceDisk.MountPoint parameter, you can update the /etc/waagent.conf file by setting the following three parameters:

ResourceDisk.Format=y ResourceDisk.EnableSwap=y ResourceDisk.SwapSizeMB=xx References:

<https://support.microsoft.com/en-us/help/4010058/how-to-add-a-swap-file-in-linux-azure-virtual-machines>

NEW QUESTION 54

- (Exam Topic 2)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Enabling Accelerated Networking on an SAP application server will decrease CPU usage.	<input type="radio"/>	<input type="radio"/>
Enabling Accelerated Networking on an SAP application server will increase jitter.	<input type="radio"/>	<input type="radio"/>
You can enable Accelerated Networking on any Azure virtual machine.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

By moving much of Azure's software-defined networking stack off the CPUs and into FPGA-based SmartNICs, compute cycles are reclaimed by end user applications, putting less load on the VM, decreasing jitter and inconsistency in latency.

Box 2: Yes

Box 3: No

Accelerated Networking (AN) is generally available (GA) and widely available for Windows and the latest distributions of Linux

References:

<https://azure.microsoft.com/en-us/blog/maximize-your-vm-s-performance-with-accelerated-networking-now-ge>

NEW QUESTION 56

- (Exam Topic 2)

You are building an SAP environment by using Azure Resource Manager templates. The SAP environment will use Linux virtual machines.

You need to correlate the LUN of the data disks in the template to the volume of the virtual machines. Which command should you run/

- A. Is /dev/ disk/azure/root
- B. Is /dev/ disk/azure/scsil
- C. Tree /dev/ disk/azure/root
- D. Tree /dev/disk/azure/resource

Answer: C

NEW QUESTION 57

- (Exam Topic 2)

You are designing the backup for an SAP database.

You have an Azure Storage account that is configured as shown in the following exhibit.

The cost of your storage account depends on the usage and the options you choose below.
[Learn more](#)

Account kind
StorageV2 (general purpose v2)

Performance ⓘ
Standard Premium

* Secure transfer required ⓘ
Disabled **Enabled**

Access tier (default) ⓘ
Cool Hot

Replication ⓘ
Geo-redundant storage (GRS) ▼

Azure Active Directory authentication for Azure Files (Preview) ⓘ
Disabled Enabled

Data Lake Storage Gen2
Hierarchical namespace ⓘ
Disabled Enabled

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Data in the storage account is stored on [answer choice].

Backups will be replicated [answer choice].

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: standard solid-state drives (SSDs)

Standard SSD Managed Disks, a low-cost SSD offering, are optimized for test and entry-level production workloads requiring consistent latency.

Box 2: to another Azure region

Geo-redundant storage (GRS) copies your data synchronously three times within a single physical location in the primary region using LRS. It then copies your data asynchronously to a single physical location in a secondary region that is hundreds of miles away from the primary region.

References:

<https://azure.microsoft.com/en-us/pricing/details/managed-disks/>

<https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy#geo-redundant-storage>

NEW QUESTION 62

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your AZ-120 Exam with Our Prep Materials Via below:

<https://www.certleader.com/AZ-120-dumps.html>