

## Exam Questions PL-100

Microsoft Power Platform App Maker

<https://www.2passeasy.com/dumps/PL-100/>



**NEW QUESTION 1**

HOTSPOT - (Topic 4)

You are configuring security to enable users to analyze data by using Microsoft Excel templates.

You create a security role named TemplateAdministrator and configure the role as shown below and assign the role to a user named User1.

The screenshot shows the 'Security role: TemplateAdministrator' configuration page in Power Apps. The page is titled 'Working on solutions: Default Solution'. It features a navigation bar with tabs for 'Details', 'Core Records', 'Marketing', 'Sales', 'Service', 'Business Management', 'Service Management', 'Customization', 'Missing Entities', 'Business Process Flows', and 'Custom Entities'. The main content area is a table with columns for 'Entity', 'Create', 'Read', 'Write', 'Delete', 'Append', 'Append To', 'Assign', and 'Share'. Below the table are sections for 'Privacy Related Privileges' and 'Miscellaneous Privileges'. A key at the bottom explains the icons used in the table.

Entity	Create	Read	Write	Delete	Append	Append To	Assign	Share
Business Unit	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Channel Property Group	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Currency	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Document Template	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mailbox Auto Tracking Folder	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Organization	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Personal Document Template	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

**Privacy Related Privileges**  
 Enabling these privileges will allow users to extract customer data from Microsoft Dynamics 365. For more information, review the corresponding user documentation.

Document Generation	<input checked="" type="radio"/>	Dynamics 365 for mobile	<input checked="" type="radio"/>
Export to Excel	<input type="radio"/>	Go Offline in Outlook	<input checked="" type="radio"/>
Mall Merge	<input checked="" type="radio"/>	Print	<input checked="" type="radio"/>
Sync to Outlook	<input checked="" type="radio"/>	Use Dynamics 365 App for Outlook	<input checked="" type="radio"/>

**Miscellaneous Privileges**

Act on Behalf of Another User	<input type="radio"/>	Approve Email Addresses for Users or Queues	<input type="radio"/>
Assign manager for a user	<input type="radio"/>	Assign position for a user	<input type="radio"/>
Assign Territory to User	<input type="radio"/>	Bulk Edit	<input type="radio"/>

**Key**

- None Selected
- User
- Business Unit
- Parent: Child Business Unit
- Organization

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.  
 NOTE: Each correct selection is worth one point.

You need to ensure that User1 can see the pre-configured example templates.  
 Which permission should you change?

▼

Bulk Edit

Export to Excel

Read on Document Template

Read on Personal Document Template

You need to ensure that User1 can download the file to create an Excel template.  
 Which permission should you change?

▼

Bulk Edit

Export to Excel

Read on Document Template

Read on Personal Document Template

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

You need to ensure that User1 can see the pre-configured example templates.  
 Which permission should you change?

▼
Bulk Edit
Export to Excel
Read on Document Template
Read on Personal Document Template

You need to ensure that User1 can download the file to create an Excel template.  
 Which permission should you change?

▼
Bulk Edit
Export to Excel
Read on Document Template
Read on Personal Document Template

**NEW QUESTION 2**

DRAG DROP - (Topic 4)

A company has 500 products. Each product is referenced by a product ID. Each product belongs to one of eight product categories.

You are creating an app to manage requests for new products.

The product categories will never change. Categories are defined in the column itself, not in a separate table. The data must be structured in a way that does not allow for misspellings.

Only two new tables should be created in Microsoft Dataverse:

? Products: Holds the products that can be requested.

? Requests: Holds the requests for the product ID and quantity. The products are filtered by product category.

You need to identify the data types to use when building the table columns in Dataverse.

Which data type should you use? To answer, drag the appropriate data types to the correct requirements. Each data type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Data types	Answer Area	Data types
<div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;">Lookup</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;">Choice</div> <div style="border: 1px solid black; padding: 2px;">Text</div>	<p><b>Scenario</b></p> <p>Create a column in the Products table that displays the category of the product</p> <p>Create a column in the Products table for the product ID of the product</p> <p>Create a column in the Requests table that allows the user to select form a list of available products</p>	<div style="border: 1px dashed black; padding: 2px; margin-bottom: 2px;">Data type</div> <div style="border: 1px dashed black; padding: 2px; margin-bottom: 2px;">Data type</div> <div style="border: 1px dashed black; padding: 2px;">Data type</div>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Text

Text columns can contain text characters. This column type has several format options that will change the presentation of the text.

Box 2: Lookup

When you create a new lookup column you are creating a new Many-to-One (N:1) table relationship between the table you're working with and the Target Row Type defined for the lookup.

Box 3: Choice

You can customize forms (main, quick create, and quick view) and email templates by adding multi-select columns that are called Choices. When you add a choices column, you can specify multiple values that will be available for users to select. When users fill out the form, they can select one, multiple, or all the values displayed in a drop-down list.

**NEW QUESTION 3**

- (Topic 4)

You are an app designer for a hotel.

The hotel wants to create an app to help the housekeeping staff schedule work. You need to create a new environment for the app.

Where should you create the environment?

- A. Power Platform Admin center
- B. Power Apps Maker portal
- C. Dynamics 365 Admin center

**Answer:** A

**Explanation:**

Manage environment in the Power Platform admin center. Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/create-environment>

**NEW QUESTION 4**

- (Topic 4)

A large construction company has 120 departments. Each department has a Microsoft Teams channel.

The company creates training content for each department. All training content for a department is hosted in the channel for that department. You must create a chatbot for the company that helps employees find relevant training. Employees must not be able to modify the chatbot.

You need to create the chatbot.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a bot for each departmental channel.
- B. Create one training bot for organization-wide deployment.
- C. Create an entity for each department.
- D. Create a topic for each department.
- E. Create a topic for each trade.

**Answer:** BCD

**NEW QUESTION 5**

HOTSPOT - (Topic 4)

HOTSPOT

A company is creating an app to manage project status reports.

Users will update a series of controls and click a submit button. The submit button will calculate a risk score for the project and return to the previous screen with that risk score. The risk score will be used in two different forms.

You need to create the formula on the button click. To answer, select the appropriate option in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Action	Formula component
Assign the scope for the variable.	Global variable Collection Context variable Global variable Lookups
Separate the calculate action from the previous screen.	; . :   -
Go to the next page.	Navigate() Navigate() Revert() NewForm() SetFocus()

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Answer Area

Action	Formula component
Assign the scope for the variable.	Global variable
Separate the calculate action from the previous screen.	;
Go to the next page.	Navigate()

**NEW QUESTION 6**

- (Topic 4)

You create a canvas app.

You need to make the app available to other people in your company.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Grant access to individual users in your company.
- B. Share the app with a Microsoft Exchange distribution list.
- C. Grant access to a Microsoft Teams team.
- D. Share the app with a Microsoft Azure Active Directory security group.

**Answer:** AD

**Explanation:**

After you build a canvas app that addresses a business need, specify which users in your organization can run the app and which can modify and even reshare it. Specify each user by name, or specify a security group in Azure Active Directory.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/share-app>

**NEW QUESTION 7**

DRAG DROP - (Topic 4)

You are designing an app to track time off for employees. Employee data, including employee ID number, is stored in an existing data source used by other apps. Employees must be able to look up their employee ID number and enter time-off start and end dates in the app.

You need to configure the elements of the data source.

Which data elements should you use? To answer, drag the appropriate data elements to the correct data. Each data element may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**NEW QUESTION 8**

DRAG DROP - (Topic 4)

You create an app with multiple screens.

Test users report that the size and type of gallery displayed on each screen are different. You must improve the consistency for the app screens.

You need to create a reusable gallery that displays information based on the current record.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

- Create a component
- Add an input property
- Add a gallery control

From <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/create-component> step 10 and 11

**NEW QUESTION 9**

- (Topic 4)

You are using Test Studio to test a Power Apps canvas app. You need to ensure that the app conforms to several use cases. What should you do first?

- A. Save the app to the cloud.
- B. Create test cases for each requirement.
- C. Save the app to your computer.

- D. Create a test suite.
- E. Record test cases for each requirement.

**Answer:** D

**Explanation:**

Create a test suite.

By default, a test suite and test case are created for you in Test Studio. Test suites are used to organize your test cases.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-test-studio>

**NEW QUESTION 10**

- (Topic 4)

You create a canvas app for technicians at a computer store. You assign technicians cases to work on. The technicians update cases at the end of customer site visit.

The manager wants the technicians to sell warranties to the customers. If a customer agrees to purchase a warranty, technicians use the canvas app to immediately alert the sales team, and then the technician records details about the warranty into the app.

You need to create a flow to alert the sales team. Which type of trigger should you use?

- A. Flow button for mobile
- B. Office 365 Outlook
- C. Common Data Service

**Answer:** A

**Explanation:**

Create a button flow to run routine tasks by simply tapping a button. Customize your flow by allowing the user to provide specific details that will be used when the flow runs.

Note: There are many repetitive tasks that we all wish we could run with just a tap of a button. For example, you may need to quickly email your team to remind them to join the daily team sync, or you may want to start a new Visual Studio Codespaces build of your code base after you've been notified that there are no more checkins planned for the day. Button flows allow you to accomplish these and many other tasks simply by tapping a button on your mobile device.

Reference:

<https://docs.microsoft.com/en-us/power-automate/button-flow-with-user-input-tokens>

**NEW QUESTION 10**

DRAG DROP - (Topic 4)

You have a solution that contains a Power Automate flow, an environment variable, and a

Which three steps should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

- Select the managed solution.
- Adjust the version number.
- Publish all changes.
- Select the unmanaged solution.

**Answer Area**

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Step 1: Adjust the version number. Step 2: Select the managed solution.

Managed Solution: A managed solution is a finalized solution that can be distributed and installed. They are created by exporting an unmanaged solution by setting restrictions to prevent any further customizations. The whole point of Managed is locking down the Component states so they cannot be edited. Deleting the Managed Solution will remove all its customisations as well as data contained. Managed Solutions become read only once deployed so they cannot be manipulated.

Step 3: Publish all changes.

**NEW QUESTION 15**

- (Topic 4)

You create a weekly report app as a canvas app. The data source for the app is a Microsoft SharePoint list.

The file that contains the weekly report must be attached to each submission made in the app. Employees must modify the report through the canvas app after the initial submission.

The manager must be notified by email when an employee updates the report. You need to create cloud flows.

Which SharePoint trigger should you use?

- A. When an item is created
- B. When an item or file is modified
- C. When a file is created (properties only)
- D. When a file is created in a folder

Answer: B

**NEW QUESTION 20**

- (Topic 4)

A company uses Power Apps in a single Microsoft Dataverse environment.

Users are divided into two groups about not a canvas app should work. The company decides that each group of users will try a version of the app for one week and switch to the other version of the app the following week.

You need to manage the app creation. What should you do?

- A. Create one app with two different version numbers.
- B. Create one app with two different version notes.
- C. Create two apps with the same name.
- D. Create two apps with different app names.

Answer: A

**NEW QUESTION 22**

- (Topic 4)

Each maker at a company has a separate Common Data Service environment. You are customizing a canvas app. You create two new entities in your environment.

You are leaving for a vacation. Another maker will continue customizing the app in your absence.

You need to transfer the work to the other maker and ensure that you can work on the updated app when you return from your vacation.

What should you export?

- A. unmanaged solution that includes all customizations
- B. the default solution
- C. a managed solution that includes all customizations
- D. the app

Answer: A

**Explanation:**

Unmanaged Solution: The beginning state of solution is the unmanaged solution state. During this phase, you can add, edit, update, remove, delete, and test any of the components of the solution.

Reference:

<https://powerusers.microsoft.com/t5/Power-Apps-Pro-Dev-ISV/Managed-vs->

**NEW QUESTION 26**

DRAG DROP - (Topic 4)

You are developing a Power BI report for a company.

The Power BI report must display company performance metrics in Power BI service. The report must include three fields in a visualization. The data for the report exists in a dataset.

The company will display the report on a large television screen during team meetings. You need to create the report.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer and arrange them in the correct order.

Actions	Answer Area
Add the report to a new dashboard	
Create a report	
Add a visualization to the report	➤
Create a paginated report	➤
Select a dataset	⬆ ⬇

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Box 1: Select a dataset

Sign in to your Power BI online account, or sign up, if you don't have an account yet. Open the Power BI service.

Get some data and open it in report view.

Box 2: Create a report

Use that data to create visualizations and save it as a report. Box 3: Add a visualization to the report

Box 4: Add the report to a new dashboard

Visualizations (known as visuals for short) display insights that have been discovered in the data. A Power BI report might have a single page with one visual or it might have pages full of visuals. In the Power BI service, visuals can be pinned from reports to dashboards.

**NEW QUESTION 31**

- (Topic 4)

You create a model-driven app for salespeople.

Users must interact with a business process flow that invokes multiple tables. You need to instruct users where to find the business process flow, which component should you use?

- A. form
- B. command bar
- C. dashboard
- D. site map

**Answer: D**

**NEW QUESTION 33**

- (Topic 4)

A company has an on-premises system that stores product information. The company plans to replace the information with a Power Platform solution that uses the Common Data Service.

The Power Platform solution needs to use data from the product information system. You need to transform and import the data from the product information system. Which two tools should you use? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Dataflow
- B. Business process flow
- C. Power BI Desktop
- D. Data gateway

**Answer: AD**

**Explanation:**

The on-premises data gateway acts as a bridge to provide quick and secure data transfer between onpremises data (data that isn't in the cloud) and several Microsoft cloud services. These cloud services include Power BI, PowerApps, Power Automate, Azure Analysis Services, and Azure Logic Apps. By using a gateway, organizations can keep databases and other data sources on their on-premises networks, yet securely use that on-premises data in cloud services. Can use the Power Platform dataflows to load entity in CDS with the option to transform data.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-onprem> <https://nishantrana.me/2020/07/07/load-data-from-sql-on-premise-to-cds-common-data-service-using-powerplatform-dataflows-in-power-apps/>

**NEW QUESTION 36**

- (Topic 4)

You are an app maker. You are creating a canvas app. You do not have access to Power BI.

You need to add charts to the app.

Which three chart types can you add directly to the canvas app? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. pie
- B. area
- C. funnel
- D. column
- E. line

**Answer: ADE**

**Explanation:**

You can use line charts, pie charts, and bar charts to display your data in a canvas app. Add a bar chart to display your data:

\* 1. On the Home tab, add a screen.

\* 2. On the Insert tab, select Charts, and then select Column Chart.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/use-line-pie-bar-chart>

**NEW QUESTION 41**

DRAG DROP - (Topic 4)

DRAG DROP

A company uses Microsoft Power Platform. Users create charts based on specific needs in

You create a solution in a development environment. You rebuild personal charts of the users inside the solution. All charts must appear on one page.


You need to create a single page that includes all charts without switching to classic. Which three steps should you perform in sequence? To answer, move the appropriate

actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**



**NEW QUESTION 45**

HOTSPOT - (Topic 4)  
 HOTSPOT

A company uses Power Apps. The company has a model-driven app that accesses a Microsoft Dataverse table. The app is shared with all users who all have the Basic User security role.

You must prevent the users from running and sharing the app.

What should you do? To answer, select the appropriate options in the answer area NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



**NEW QUESTION 47**

- (Topic 4)

You create a canvas app.

A user is not able to determine which field currently has focus. You run App checker to identify errors.

You need to verify that the focused border thickness is set to a value greater than zero. Which section of the App checker results should you check?

- A. Rules
- B. Performance
- C. Accessibility
- D. Runtime

Answer: C

Explanation:

The Accessibility checker classifies each issue as an error, a warning, or a tip based on the issue's severity.

Issues include:

? Focus isn't showing

When the FocusBorderThickness of a control is set to 0. It is good practice to ensure a proper color-contrast ratio between the focus border and the control itself so it's clearly visible.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker>

**NEW QUESTION 48**

DRAG DROP - (Topic 4)

DRAG DROP

A company uses data from a publicly available web service. You plan to create a tabular report by using Power BI Desktop to visualize data from the web service. The data returned in one column is numeric and must be converted to a corresponding text

You need to create the report and make it available only to co workers.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



**NEW QUESTION 52**

- (Topic 4)

You design a canvas app that has multiple screens. Each screen will have multiple button controls. The button controls must all have the same background color. You must be able to change You need to configure the button fill property. What should you do?

- A. Update the Fill property to a variable created by using the Navigate function.
- B. Update the Fill property to a variable created by using the Set function.
- C. Select all the buttons white holding the Ctrl key, and then change the color property.
- D. Use a background image property in place of setting a color property.

Answer: A

**NEW QUESTION 54**

- (Topic 2)

You need to create a flow for moving data from the Sales Log to the Job Setup entity. Which type of flow should you use?

- A. a scheduled flow for the Job Setup entity
- B. an instant (button) flow for the Sales Log
- C. a business process flow for the Job Setup entity
- D. an automated flow for the Sales Log

Answer: A

Explanation:

Scenario: Automatically perform the following actions immediately when a sale is won:  
 ? Generate a sequential job number.  
 ? Copy key sales information to the Job Setup entity used by manufacturing.

**NEW QUESTION 58**

HOTSPOT - (Topic 2)

You need to resolve the issues found during testing. Which option should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Issue	Option
Testers see all time entries.	<div style="border: 1px solid black; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px; text-align: right;">▼</div> <div style="padding: 2px;">Hierarchical security</div> <div style="padding: 2px;">Security group</div> <div style="padding: 2px;">Security role</div> </div>
Testers are able to edit existing time entries.	<div style="border: 1px solid black; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px; text-align: right;">▼</div> <div style="padding: 2px;">Control property</div> <div style="padding: 2px;">Field-level security</div> <div style="padding: 2px;">Security role</div> </div>
Managers cannot see required information.	<div style="border: 1px solid black; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px; text-align: right;">▼</div> <div style="padding: 2px;">Access team template</div> <div style="padding: 2px;">Field-level security</div> <div style="padding: 2px;">Hierarchical security</div> </div>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application, email Description automatically generated

Box 1: Security role

Scenario: Employees must only be able to access their own time tracking records from the app.

Testers report that they can see time entries in the Time Tracker app, not just their own.

Box 2: Field-level security

Scenario: Employees must only be able to modify time records for the current and previous day.

Testers report that they can edit any existing time entries.

Box 3: Hierarchical security

You use field security tables to apply field-level security, which restricts field access to specified users and teams.

**NEW QUESTION 63**

- (Topic 2)

You need to connect to the data source for the Job Setup app. What should you do?

- A. Configure a scheduled synchronization with the Common Data Service database
- B. Configure SQL Server database permissions
- C. Create a stored procedure that retrieves time records for a specific employee
- D. Configure an on-premises data gateway

**Answer:** D

**Explanation:**

Scenario: The Job Setup entity must store its data in the existing on-premises SQL Server instance.

The on-premises data gateway acts as a bridge to provide quick and secure data transfer between onpremises data (data that isn't in the cloud) and several Microsoft cloud services. These cloud services include Power BI, Power Apps, Power Automate, Azure Analysis Services, and Azure Logic Apps. By using a gateway, organizations can keep databases and other data sources on their on-premises networks, yet securely use that on-premises data in cloud services.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/gateway-reference>

**NEW QUESTION 68**

HOTSPOT - (Topic 2)

You need to create the solution assets.

What should you use to create the visualizations? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Dashboard visualization	Tool
Sales	<div style="border: 1px solid black; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px; text-align: right;">▼</div> <div style="padding: 2px;">Power BI Desktop only</div> <div style="padding: 2px;">Power BI Service only</div> <div style="padding: 2px;">Power BI Desktop or Power BI Service</div> </div>
Manufacturing	<div style="border: 1px solid black; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px; text-align: right;">▼</div> <div style="padding: 2px;">Power BI Desktop only</div> <div style="padding: 2px;">Power BI Service only</div> <div style="padding: 2px;">Power BI Desktop or Power BI Service</div> </div>

- A. Mastered

B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: PowerBI Desktop

The Sales dashboard must reside in the Sales channel and must include information about active quotes, sales pipeline, and year-to-date sales KPIs for sales quotas by region.

PowerBI Desktop to support many data source. Box 2: PowerBI Desktop or Power BI Service on

A dashboard that shows a capacity Heat map by month as well as expected sales that are likely to close for the next month. Both support visualizations.

**NEW QUESTION 73**

- (Topic 2)

You need to implement the change requested by the operations manager. Which control should you use?

BF70D5D

- A. Camera
- B. Shape
- C. Add picture
- D. Image

**Answer:** D

**Explanation:**

Scenario: The operations manager asks that the time tracking app display the employee's photo once they have scanned their badge.

Image control in Power Apps is a control that shows an image from, for example, a local file or a data source.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-image>

**NEW QUESTION 77**

HOTSPOT - (Topic 2)

If you add one or more Image controls to your app, you can show individual images that aren't part of a data set, or you can incorporate images from records in data sources.

You need to configure the system to meet the requirements.

What should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Feature	Setting
Create the relationship between the Job Setup and Time Tracking entities.	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; padding-right: 5px;">▼</div> <div style="padding: 2px;">1:N</div> <div style="padding: 2px;">N:N</div> <div style="padding: 2px;">Self-referential</div> </div>
Configure ownership for the Time Tracking entity.	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; padding-right: 5px;">▼</div> <div style="padding: 2px;">Business-owned</div> <div style="padding: 2px;">Organization-owned</div> <div style="padding: 2px;">User or Team owned</div> </div>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: 1:N

Scenario: A sortable listing of all in-process jobs from the Job Setup table, by customer, start date, and product.

Box 2: User or Team owned

Scenario: Employees must only be able to access their own time tracking records from the app.

User or team: Data belongs to a user or a team. Actions that can be performed on these records can be controlled on a user level.

**NEW QUESTION 78**

- (Topic 2)

You need to modify the entity form to resolve the customer request number issue. What should you do?

- A. Use a calculated field
- B. Change the data type of the customer request number field to Lookup
- C. Change the data type of the customer request number field to Autonumber

**Answer:** C

**Explanation:**

Scenario: Users report that the customer request number is difficult to interpret. They request that you change the number to a system generated sequential number. Autonumber columns are columns that automatically generate alphanumeric strings whenever they are created.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/autonumber-fields>

**NEW QUESTION 81**

- (Topic 1)

You need to provide all app components of the application to Tailwind Traders. What should you do?

- A. Package the application and flow components into a single solution for export.
- B. Run the app checker and flow checker prior to publishing each component for export.
- C. Export each component separately but use the same version number for each component.
- D. Publish the application and flow solutions at the same time before exporting each one.

**Answer: B**

**Explanation:**

Scenario: When identifying versions of the app solution, all dependencies, entities, and user interfaces components must be identified to avoid any unintentional issues caused by reverting individual components to a previous version.

Power Apps has added components to the rule set that encourages best practices in the Power Apps Checker. You can check your canvas apps and flows that are included in solutions and then review all issues in a single, consolidated report.

Reference:

<https://docs.microsoft.com/en-us/power-platform-release-plan/2019wave2/microsoft-powerapps/checker-includes-rules-canvas-apps-flows>

**NEW QUESTION 82**

HOTSPOT - (Topic 1)

You need to roll back the mobile app to an earlier version.

Requirement	Action
Identify the currently published version and view version notes.	<input type="text"/> <ul style="list-style-type: none"> <li>View the session details page for the app in Power Apps Studio.</li> <li>View environment details for the app in the Power Admin portal.</li> <li>View details for the app in the Power Apps Maker portal.</li> </ul>
Revert to an earlier version of the app.	<input type="text"/> <ul style="list-style-type: none"> <li>Select Restore on the previous version of the app.</li> <li>Export the previous version of the app and import as a new version.</li> <li>Delete versions of the app until the desired version is the most recent.</li> </ul>

What should you do? To answer, select the

appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Requirement	Action
Identify the currently published version and view version notes.	<input type="text"/> <ul style="list-style-type: none"> <li>View the session details page for the app in Power Apps Studio.</li> <li>View environment details for the app in the Power Admin portal.</li> <li>View details for the app in the Power Apps Maker portal.</li> </ul>
Revert to an earlier version of the app.	<input type="text"/> <ul style="list-style-type: none"> <li>Select Restore on the previous version of the app.</li> <li>Export the previous version of the app and import as a new version.</li> <li>Delete versions of the app until the desired version is the most recent.</li> </ul>


- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Box 1: View the sessions details page for the app in Power Apps Studio

Use PowerApps Studio, select the App, and choose and you will be directed to the app's Versions tab in PowerApps portal. There should be one version marked Live.




Box 2: Select Restore on the previous version of the app. Restore an app from your account

? Open powerapps.com, and then click or tap Apps in the left navigation bar.

? Near the right edge, click or tap the info icon for the app that you want to restore.

? Click or tap the Versions tab, and then click or tap Restore for the version that you want to restore.



**NEW QUESTION 83**

DRAG DROP - (Topic 1)

You need to ensure that the app can support the needs of User2 and User3, and meets the production deployment requirements. Which tools should you use? To answer, select the appropriate tool in the answer area. NOTE: Each correct selection is worth one point.

Tools	Answer Area	
	Requirement	Tool
Solution Checker	Accessibility	Tool
App Checker	Deployment	Tool
Object Detector		
Preview the app		

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Box 1: App Checker

Scenario: Several sales representatives have accessibility restrictions. User2 is visually impaired and cannot see images. User3 is unable to use a mouse. Users who have vision, hearing, or other impairments can use your canvas app more easily and successfully if you consider accessibility as you design how the app looks and behaves. If you're not sure how to make your app more accessible, you can run the AppChecker Accessibility checker in Power Apps Studio.

Box 2: Solution Checker

Scenario: Before deploying the app to production, you must ensure that the app conforms to Microsoft accessibility and performance guidelines. Use solution checker to validate your model-driven apps in Power Apps.

**NEW QUESTION 88**

HOTSPOT - (Topic 1)

You need to create a flow for sending required emails to the regional manager. How should you create the flow? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Option	Type
Flow type to use	<div style="border: 1px solid gray; padding: 5px;"> <div style="background-color: #f0f0f0; padding: 2px;">▼</div> <div style="border: 1px solid gray; padding: 2px;">Instant</div> <div style="border: 1px solid gray; padding: 2px; border-style: dashed;">Automated</div> <div style="border: 1px solid gray; padding: 2px; border-style: dashed;">Business Process</div> <div style="border: 1px solid gray; padding: 2px;">Scheduled</div> </div>
Trigger to start flow	<div style="border: 1px solid gray; padding: 5px;"> <div style="background-color: #f0f0f0; padding: 2px;">▼</div> <div style="border: 1px solid gray; padding: 2px;">HTTP Webhook</div> <div style="border: 1px solid gray; padding: 2px;">Power Apps</div> <div style="border: 1px solid gray; padding: 2px; border-style: dashed;">Common Data Service when a record is created</div> <div style="border: 1px solid gray; padding: 2px;">Office 365 Outlook Send an email</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Graphical user interface, text, application, email Description automatically generated

Box 1: Business Process

Scenario: If a sales representative submits a status report and assigns the At Risk status to a process, the app must prompt the sales representative to enter a detailed description for the risk. This information must be emailed to the regional manager.

Business process flows provide a guide for people to get work done. They provide a streamlined user experience that leads people through the processes their organization has defined for interactions that need to be advanced to a conclusion of some kind. This user experience can be tailored so that people with different security roles can have an experience that best suits the work they do.

Box 2: Common Data Service when a record is created

The Microsoft Dataverse (Common Data Service) connector provides the following triggers to help you define when your flows start:

- ? When a row is created, updated, or deleted
- ? When an action is performed
- ? When a flow step is run from a business process flow

**NEW QUESTION 90**

- (Topic 4)

You are creating a canvas app for a company.

The app must access data from a private web service that is provided by the company. You need to set up the connector.

Which connector type should you use?

- A. Custom
- B. Standard
- C. First-party
- D. Premium

**Answer:** A

**NEW QUESTION 92**

- (Topic 4)

An automobile company uses Power Apps. The company uses a model-driven app to manage customers and repairs.

The Customer table has a custom column of type text named Best time to call. On the Repair form, employees require the Best time to call column to be displayed next to the customer name.

You need to modify the model-driven app to display the Best time to call column.

Which two steps should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Add The Best time to call column to the quick view Repair form.
- B. Create a quick view form for the Repair table.
- C. Create a quick view form for the Customer table.

**Answer:** CD

**NEW QUESTION 95**

HOTSPOT - (Topic 4)

You are creating a Power Automate flow.

You have an array that contains items with different color attributes. You plan to filter the array by using the following filter expression within the flow: @or(equals(item()['color'], 'red'),contains(item()['color'],'blue')) The filter returns results only when the expression resolves to true.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The filter expression yields a result if the array contains the color orange	<input type="radio"/>	<input type="radio"/>
The filter expression yields a result if the array contains the color red	<input type="radio"/>	<input type="radio"/>
The filter expression yields a result if the array contains the color sky blue	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: No

Box 2: Yes

The item color must be red, or item color contains blue. Box 3: Yes

**NEW QUESTION 99**

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app that displays a list of accounts.

Users must be able to select an account and view details for the account. The app must include a feature that brings the user back to the list of accounts.

You add a blank screen named Screen\_Accounts and add a gallery named and add another blank screen named Screen\_AccountDetail.

You need to complete the app. Solution:

? Add an edit form to Screen\_AccountDetail and set the Default Mode of the form to View.

? Set the OnSelect property of Gallery\_Accounts to Navigate(Screen\_AccountDetail).

? Set the data source of the form to Accounts.

? Set the Item property of the form to Selected.

? Add a back icon on Screen\_AccountDetail and set its OnSelect property to Navigate(Screen\_Accounts).

Does the solution meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

View, edit, or create an item, save the contents, and reset the controls in an Edit form control.

FormMode.View: The form is populated with an existing record but the user cannot modify the values of the fields.

This function is often invoked from the OnSelect formula of a Button or Image control.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-form>

**NEW QUESTION 102**

- (Topic 4)

You need to set the value for a global variable named RunningTotal to 5 and navigate to the previous screen named MainScreen. Which formula should you use?

- A. UpdateContext( { RunningTotal: 5 } ); Navigate( MainScreen, ScreenTransition.Cover, RunningTotal );
- B. If( Value(TextBox1.Text) >= 0, (Set( RunningTotal, 5); Back();), Color.Green )
- C. UpdateContext( { RunningTotal:5 } ); Back()
- D. Set( RunningTotal, 5 ); Back();

**Answer: D**

**Explanation:**

You set the value of the global variable with the Set function. Set( MyVar, 1 ) sets the global variable MyVar to a value of 1.

Use the Back and Navigate function to change which screen is displayed. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-variables>

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-navigate>

**NEW QUESTION 105**

DRAG DROP - (Topic 4)

You are creating a model-driven app for onboarding new employees. You need to implement business logic for the app.

Which tool should you use? To answer, drag the appropriate tools to the correct requirements. Each tool may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Tools	Requirement	Tools
Business rule	Guide a user through the set of steps needed for onboarding a new employee.	<input type="text"/>
Power Automate	Make date of birth mandatory when creating a new employee record.	<input type="text"/>
Business process flow	Implement an approval flow for expense reports submitted by employees.	<input type="text"/>

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Box 1: Business process flow

A business process flow is a visual guide meant to help users complete a business process by using a set of predefined stages. Users are not limited on how long they run a business process or how long they have a stage open.

Box 2: Business rule Box 3: Power Automate

A Power Automate flow does not have any visual components like a business process flow.

Power Automate flows can be configured to work with many different data sources, and a flow can connect to many different data sources within the same flow. A flow can be configured to time out if it is not completed in a certain time and can be triggered to move between steps based on data or user interaction.

**NEW QUESTION 110**

- (Topic 4)

A company uses Microsoft Power Platform. You create a solution with components You deploy the solution in the production environment Users report issues with a process. You open the last imported solution. You need to troubleshoot the issue. What should you view?

- A. Solution dependencies
- B. Solution classic view
- C. History

**Answer: D**

**NEW QUESTION 115**

HOTSPOT - (Topic 4)

A coworker creates a canvas app.

The canvas app contains the following formula. The formula is attached to the OnVisible property of the first screen that users see:

```
Collect (
Toolbox,
{
  Tool: "Hammer",
  Quantity: 1
},
{
  Tool: "Screwdriver",
  Quantity: 2
}
)
```

You are updating the canvas app.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area	Yes	No
The formula will update multiple records in a data source named Toolbox if the records exist.	<input type="radio"/>	<input type="radio"/>
A local collection is created to store data if a data source named Toolbox does not already exist.	<input type="radio"/>	<input type="radio"/>
If a collection named Toolbox exists the formula will clear any existing records before making any changes.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Box 1: No

Records are added, not updated.

Box 2: Yes

The Collect function adds records to a data source. Syntax: Collect( DataSource, Item, ... )

DataSource – Required. The data source that you want to add data to. If it doesn't already exist, a new collection is created.

Item(s) - Required. One or more records or tables to add to the data source.

Box 3: No

No records are cleared.

**NEW QUESTION 116**

HOTSPOT - (Topic 4)

A company creates a Power Apps app that allows service representatives to record information about on-site client visits. Service representatives perform a one-hour site visit with each client each quarter.

Service representatives use the app to perform the following activities:

? View their scheduled visits for the day.

? Record notes from service visits.

? Schedule service technicians for issues uncovered during site visits.

? Scan and upload service quote forms to a folder named Service Quote folder on

Microsoft OneDrive once the customer has signed a service quote.

Service quotes that are over \$10,000 are automatically sent to the service manager for review and approval.

Visits that are not closed at the end of the day are automatically moved to the following day unless it is the last day of the quarter. All client visits not performed for the quarter are escalated to the service manager for follow-up.

You need to create flows to meet the requirements.

Which type of flows should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Requirement**

**Type of flow**

Move client visits not completed for the day.

▼
Scheduled flow
Automated flow
Adaptive card flow
Team flow

Approve service quote.

▼
Automated flow
Button flow
Scheduled flow
Team flow

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Adaptive card flow

Adaptive Cards are a platform-agnostic method of sharing and displaying blocks of information without the complexity of customizing CSS or HTML to render them.

Directing content to Teams channels:

Post your own adaptive card as the Flow bot to a channel

This action posts an adaptive card as a Flow bot to a specific Teams channel. In this case, you will be prompted for Teams instance, and a channel where the card will be posted. The flow-maker will have to have access to the Teams instance in order to post an adaptive card there. In this case, only URL buttons function by redirecting to the URL configured within the flow.

Box 2: Button flow

Create a button flow to run routine tasks by simply tapping a button. Customize your flow by allowing the user to provide specific details that will be used when the flow runs.

**NEW QUESTION 119**

DRAG DROP - (Topic 4)

A company stores sales orders in a Microsoft Excel workbook. The company stores customer data in a SQL Server database.

You must import the data into a Microsoft Dataverse instance. You need to define the mapping for the migration.

Which component should you use? To answer, drag the appropriate components to the correct data type. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Components	Answer Area	
Column	<b>Data</b>	<b>Component</b>
Table	Excel data	Component
Row	Customer data	Component
Data source	Customer identifier	Component
	Product data	Component

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Table

Box 2: Data source Box 3: Column


Box 4: Row

**NEW QUESTION 121**

HOTSPOT - (Topic 4)

The managers in an organization use a model-driven app. The app should display only one dashboard named Corporate Data.

The managers observe that several dashboards are displayed.



Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.  
 NOTE: Each correct selection is worth one point.

How do you remove all the dashboards from the list of dashboards displayed?

<input type="checkbox"/> Open the model-driven app in the app designer and clear all dashboard check boxes except the Corporate Data dashboard. <input type="checkbox"/> Open the site map in the sitemap designer and clear all dashboard check boxes except the Corporate Data subarea except for the Corporate Data dashboard. <input type="checkbox"/> Open the solution and delete all dashboards from the solution except for the Corporate Data dashboard.
---

You need to remove the Ideas dashboard from the navigation bar. What should you do?

<input type="checkbox"/> Open the model-driven app in the app designer and clear the check box for the ideas dashboard <input type="checkbox"/> Open the site map in the sitemap designer and delete the Ideas dashboard from the Results group <input type="checkbox"/> Open the solutions and delete all the Ideas dashboards from the solution
---

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Table  
 Description automatically generated  
 Box 1: Open the model-driven app in the app designer.  
 \* 1. On the app designer canvas, select the Dashboards tile.  
 On the app designer canvas, the right pane shows dashboards that are available in the default solution.  
 \* 2. Clearing the corresponding check box.  
 Box 2: Open the site map in the sitemap designer and delete the Ideas dashboard from the Results group  
 Site maps define the manner by which users move between tables in a model-driven app.

**NEW QUESTION 123**

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles.

Development and testing must be performed using production data. Multiple testers must be used at each testing stage.

You need to provision and configure new environments for development and testing. Solution:

? Provision a developer environment named D1 and a sandbox environment named S1.

? Copy the production environment to both D1 and S1.

? Use D1 for development and S1 for testing.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

**Explanation:**

Production: This is intended to be used for permanent work in an organization. Do not use production environment for testing.

Note: Instead use two sandboxed environments: one for development and one for testing.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

### NEW QUESTION 126

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles.

Development and testing must be performed using production data. Multiple testers must be used at each testing stage.

You need to provision and configure new environments for development and testing. Solution:

? Provision sandbox environments named S1 and S2.

? Copy the production environment to both S1 and S2.

? Use S1 for development and S2 for testing.

Does the solution meet the goal?

A. Yes

B. No

**Answer: A**

#### Explanation:

A sandbox environment is any non-production environment of Microsoft Dataverse. Isolated from production, a sandbox environment is the place to safely develop and test application changes with low risk.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

### NEW QUESTION 130

- (Topic 4)

You have a Power Platform solution that uses Common Data Service.

You need to secure all fields that support field-level security. Which field can you secure?

A. createdon

B. accountid

C. owninguser

D. description

**Answer: D**

#### Explanation:

Which fields can be secured?

Although most attributes can be secured, there are system attributes, such as IDs, timestamps, and record tracking attributes, that can't. Below are a few examples of attributes that can't be enabled for field security.

ownerid, processid, stageid, accountid, contactid, createdby, modifiedby, OwningTeam, OwningUser

createdon, EntityImage\_Timestamp, modifiedon, OnHoldTime, overriddencreatedon, statecode, statuscode

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/field-level-security>

### NEW QUESTION 131

- (Topic 4)

You create a custom table as part of a solution in the development environment. You deploy major version solutions as managed solutions to production. The organization does not allow new solutions to be created in the production environment.

When a minor update is made to a column length, users cannot enter entire values. You need to allow users to enter entire values in the column.

Solution: Update the column length in the production environment. Does the solution meet the goal?

A. Yes

B. No

**Answer: B**

### NEW QUESTION 132

HOTSPOT - (Topic 4)

A company uses two SQL Server environments and two Common Data Service environments.

The company policy states that only specific administrators can create environments. SQL Server and Common Data Service groups must be distinct.

You need to assign security access.

What should you assign? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Role	Security access
Admin users for SQL environments	<ul style="list-style-type: none"> <li>Environment Maker</li> <li>Environment Admin</li> <li>System Administrator and Environment Security group</li> <li>Power Platform Administrator and Environment Security group</li> </ul>
Admin users for Common Data Service environments	<ul style="list-style-type: none"> <li>Environment Maker</li> <li>Environment Admin</li> <li>Global Administrator</li> <li>System Administrator</li> </ul>
Users that create Common Data Service apps	<ul style="list-style-type: none"> <li>System Customizer</li> <li>Environment Maker</li> <li>Environment Admin</li> <li>System Administrator</li> </ul>
Users that create SQL apps	<ul style="list-style-type: none"> <li>System Customizer</li> <li>Environment Maker</li> <li>Environment Admin</li> <li>System Administrator</li> </ul>

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Box 1: System Administrator and Environment Security group Security model for the databases

When a database is created, the users who have environment roles assigned to them, will continue to maintain those privileges.

Users with Environment Admin role are now assigned to System Administrator role. Users with Environment Maker continue to possess the same role.

Box 2: Environment Admin

TheEnvironment Adminrole can perform all administrative actions on an environment, including the following:

? Add or remove a user from either the Environment Admin or Environment Maker role.

Box 3: Environment Maker

Environment Maker: Can create new resources associated with an environment, including apps, connections, custom APIs, gateways, and flows using Microsoft Power Automate. However, this role doesn't have any privileges to access data within an environment. More information:

Box 4: System Customizer

System Customizer: Has full permission to customize the environment. However, users with this role can only view records for environment entities that they create.

**NEW QUESTION 135**

HOTSPOT - (Topic 4)

A company is building a Power Apps app to track key project tasks.

Users assign three tasks a risk status on a scale of 0 to 100 by using slider input controls named RiskStatus on the app. The highest risks use the risk status value of 100.

If the combined value of all the tasks is 150 or above, a header bar on the screen must display the text HIGH RISK.

You need to configure a solution to change the text on the header bar.

How should you configure the app? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Configuration
Where should you apply logic to change the text?	<ul style="list-style-type: none"> <li>On the header control.</li> <li>On each RiskStatus slider input.</li> <li>In the global variables of the Power Apps app.</li> <li>On the OnStart property of the Power Apps app.</li> </ul>
Which formula should you use?	<ul style="list-style-type: none"> <li>SUM(RiskStatus1.value,RiskStatus2.value,RiskStatus3.value)&gt;=150? "HIGH RISK" : ""</li> <li>IF(SUM(RiskStatus1.value,RiskStatus2.value,RiskStatus3.value)&lt;150, "", HIGH RISK)</li> <li>Updateif((RiskStatus1.value+RiskStatus2.value+RiskStatus3.value)&gt;=150, "HIGH RISK")</li> <li>UpdateContext(IF(RiskStatus1.value+RiskStatus2.value+RiskStatus3.value&gt;=150), "HIGH RISK")</li> </ul>

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Box 1: On each RiskStatus slider input

You can change the value based on input.

Box 2: Updateif(..)

Use the Updateif function to modify one or more values in one or more records that match one or more conditions. The condition can be any formula that results in a true or false and can reference columns of the data source by name. The function evaluates the condition for each record and modifies any record for which the result is true.

**NEW QUESTION 137**

DRAG DROP - (Topic 4)

You store data about products in two Microsoft Excel worksheets. The data contains duplicate rows.

You need to consolidate data from the two worksheets into a Microsoft Dataverse custom table.

In which order should you perform the actions? To answer, move all actions from the list of

Actions	Answer Area
Upload the worksheets to OneDrive	
Add conditional columns to perform checks on the data	
Create queries for the worksheets	
Append the output from the queries	
Create a dataflow	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Step 1: Upload the worksheets to OneDrive

A data source needs to be specified. The data needs to be available. Step 2: Create a dataflow

Step 3: Create queries for the worksheets

You can shape your data selection into a form that works best for your table using a Power Query editing experience, similar to the Power Query Editor in Power BI Desktop.

Step 4: Add conditional columns to perform checks on the data Step 5: Append the output of the queries

**NEW QUESTION 138**

DRAG DROP - (Topic 4)

You use Microsoft Dynamics 365 Sales.

Business processes must use data from multiple applications. You need to implement the correct type of automation.

Which flow type should you use? To answer, drag the appropriate flow types to the correct application types. Each flow type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Flow Types	Application Type	Flow Type
cloud flow	Update a record after it was created as part of a sales process	
desktop flow	Extract a list of prices from a competitor's website	
business process flow		

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Flow Types	Application Type	Flow Type
cloud flow	Update a record after it was created as part of a sales process	business process flow
desktop flow	Extract a list of prices from a competitor's website	cloud flow
business process flow		

**NEW QUESTION 143**

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has locations in multiple countries and regions across four continents. The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table.

You need to create a visualization that displays the total amount of orders by country/region in USD.

Proposed solution:

Create a custom rollup field of type currency on the country/region table that aggregates all the total amounts for the orders from that country/region and display this rollup field in a Power BI chart.

Does the solution meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

Instead use a calculated field.

Need to calculate the exchange rate in USD.

Calculated columns are calculated in real-time when they are retrieved. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

**NEW QUESTION 146**

- (Topic 4)

A company delivers products to multiple communities. The company creates a canvas app connected to a Common Data Service database. The app tracks communities to see where

Drivers must enter delivery information on a form that uses an entity named Delivery. Depot staff must enter information on a pick-up form that uses an entity named Pick-up. Each form contains a community field that is based on a shared list across both forms.

You need to create the community field. Which type of field should you create?

- A. local option set
- B. text
- C. global option set
- D. text area

**Answer: C**

**Explanation:**

Can use a global option set, no need to use localized option sets.

Note: In PowerApps Option set is one of the field types you can use in your Entity. The information type that Option Set stores is a list of text values. And here comes the Option Set advantage – once you define its text values you can centrally managed it. Reference:

<https://powerapps.microsoft.com/en-us/blog/option-sets-and-many-to-many-relationships-for-canvas-apps/>

**NEW QUESTION 147**

DRAG DROP - (Topic 4)

You have the following Common Data Service entities: BusinessContracts and

You need to configure an N:N relationship between the two entities.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Select <b>Add relationship</b> and then select the many-to-many relationship option.	
Select the BusinessAccounts entity as the related entity.	
Open the relationship tab of the BusinessContracts entity.	
Choose the Relationship Name and Relationship Entity Prefix.	

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Step 1: Open the relationship tab of the BusinessContracts entity. View entity relationships

From the Power Apps portal, select either Model-driven or Canvas design mode. Select Data > Entities and select the entity that has the relationships you want to view. With the Relationships tab selected, you can select the following views:

Step 2: Select Add relationship.. Create relationships

While viewing entity relationships, in the command bar, select Add relationship and choose Many-to-many.

Step 3: Select the BusinessAccounts entity as the related entity.

**NEW QUESTION 150**

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has locations in multiple countries and regions across four continents. The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table.

You need to create a visualization that displays the total amount of orders by country/region in USD.

Proposed solution:

Create a custom column that converts the order total to USD by using the relationship between order local currency and the USD exchange rate table in Power BI Desktop and display this column in a Power BI chart by country/region.

Does the solution meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

Instead use a calculated field.  
 Need to calculate the exchange rate in USD.  
 Calculated columns are calculated in real-time when they are retrieved. Reference:  
<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

**NEW QUESTION 154**

- (Topic 4)

You complete work on a new canvas app in a development environment and add the app to a solution. You export the solution from the development environment and import the solution into a production environment.  
 After several days you notice that the background color for the canvas app in the production environment has changed from white to grey.  
 You need to determine why the background color changed.  
 What are two possible causes for the background color change? Each correct answer presents a complete solution.  
 NOTE: Each correct selection is worth one point.

- A. You recently changed the Office 365 theme.
- B. You exported a managed copy of the solution and imported the solution as an unmanaged solution.
- C. You modified the canvas app in the unmanaged solution.
- D. You exported and imported an unmanaged copy of the solution and a co-worker modified the canvas app.
- E. You chose a different theme from the Theme menu inside the canvas app.

**Answer: AC**

**Explanation:**

A: You can create a custom look and feel (a theme), for your app by making changes to the default colors and visual elements provided in the uncustomized system.  
 C: Unmanaged Solution: The beginning state of solution is the unmanaged solution state. During this phase, you can add, edit, update, remove, delete, and test any of the components of the solution. You also have the ability to create restrictions on the components within the solution.  
 Note: Managed Solution: A managed solution is a finalized solution that can be distributed and installed. They are created by exporting an unmanaged solution by setting restrictions to prevent any further customizations. The whole point of Managed is locking down the Component states so they cannot be edited.  
 Reference:  
<https://powerusers.microsoft.com/t5/Power-Apps-Pro-Dev-ISV/Managed-vs-Unmanaged/td-p/495685>  
<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/create-themes-organization-branding>

**NEW QUESTION 156**

- (Topic 4)

You create a canvas app.  
 You need to ensure that there are no screen reader issues in the app.  
 Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

**NEW QUESTION 158**

DRAG DROP - (Topic 4)

You have an existing Power Apps environment.  
 You need to create a Common Data Service database for the environment.  
 Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

Select **Create my database**

Configure currency and language settings

Configure database collation settings

Set the environment type to **Production**

Select an existing environment

**Answer Area**

>  
<

^  
v

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Step 1: Select an existing environment Add a database in the admin center:

- \* 1. In the admin center, in the left navigation pane, select Environments.
- \* 2. Select the environment to which you want to add the database.

Step 2: Select Create my database

- \* 3. Select + Add database

Step 3: Configure currency and language settings

- \* 4. Enter the following, and then select Add.

Setting	Description
Language	The default language for this environment.
Currency	The base currency used for reporting.
Enable Dynamics 365 apps	Select <b>Yes</b> and make a selection to automatically deploy apps such as Dynamics 365 Sales and Dynamics 365 Customer Service.
Deploy sample apps and data	Select <b>Yes</b> to include sample apps and data. Sample data gives you something to experiment with as you learn. You must select <b>No</b> for <b>Enable Dynamics 365 apps</b> for this setting to appear.
Security group	Select a security group to restrict access to this environment.

**NEW QUESTION 160**

- (Topic 4)

A company has a Common Data Service custom entity that stores customer account data. You need to create a relationship between the custom entity and the Account entity. Which two tools can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Power Platform Admin center
- B. Power Apps Maker portal
- C. SQL Server Management Studio
- D. Visual Studio Code

**Answer:** BC

**Explanation:**

There are two designers you can use to create and edit 1:N (one-to-many) or N:1 (many-to-one) relationships:

? You can create and edit 1:N (one-to-many) or N:1 (many-to-one) entity relationships in Power Apps portal

? You can create and edit create and edit 1:N (one-to-many) or N:1 (many-to-one) entity relationships using solution explorer

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/create-edit-1n-relationships>

**NEW QUESTION 161**

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app.

You need to automatically detect bicycles in pictures taken with the camera. Proposed solution:

? Create an Object Detection custom model in AI Builder.

? Train the model with pictures of bicycles and then publish the trained model.

? Add the Object Detector control to your canvas app.

Does the solution meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

To train an object detection model to recognize your objects, you have to gather images that contain those objects.

The first thing you'll do when you create an AI Builder object detection model is to define its domain.

Upload images

Then Train and publish your object detection model

The object detector component takes a photo or loads an image file to do an object detection scan. On a mobile device, the user chooses between taking a photo or selecting one already available in the device user interface. When an image is selected, the component automatically scans it to identify objects.

Reference:

<https://docs.microsoft.com/en-us/ai-builder/prediction-overview> <https://docs.microsoft.com/en-us/ai-builder/object-detector-component-in-powerapps>

**NEW QUESTION 165**

HOTSPOT - (Topic 4)

HOTSPOT

Users in your company vote on color choices for marketing materials by using the following canvas app:



Users enter color names into a text control and then select Add color to add the color to the Color options radio control. You must remove all the listed colors when a user selects Clear Selection

You need to implement the functionality.

Which Power Fx formulas should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Action	Power Fx formula
User selects <b>Add color</b> .	<input type="checkbox"/> If(txtColor.Value <> "", Collect(ColorList, txtColor.Value)) <input checked="" type="checkbox"/> If(txtColor.Value <> "", Collect(ColorList, txtColor.Value)) <input type="checkbox"/> If(Value(txtColor.Text) <> "", Collect(ColorList, txtColor.Text)) <input type="checkbox"/> If(Value(txtColor.Color) <> "", Collect(ColorList, txtColor.Color))
User selects <b>Clear Selection</b> .	<input type="checkbox"/> Revert(radioselector); ClearCollect(ColorList, txtColor.Value) <input checked="" type="checkbox"/> Revert(radioselector); ClearCollect(ColorList, txtColor.Value) <input type="checkbox"/> Reset(radioselector); Clear(ColorList) <input type="checkbox"/> Reset(radioselector); Refresh(ColorList) <input type="checkbox"/> Revert(radioselector); Remove(ColorList) <input type="checkbox"/> Revert(radioselector); ClearCollect(ColorList, txtColor.Value)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Answer Area

Action	Power Fx formula
User selects <b>Add color</b> .	<input type="checkbox"/> If(txtColor.Value <> "", Collect(ColorList, txtColor.Value)) <input checked="" type="checkbox"/> If(txtColor.Value <> "", Collect(ColorList, txtColor.Value)) <input type="checkbox"/> If(Value(txtColor.Text) <> "", Collect(ColorList, txtColor.Text)) <input type="checkbox"/> If(Value(txtColor.Color) <> "", Collect(ColorList, txtColor.Color))
User selects <b>Clear Selection</b> .	<input type="checkbox"/> Revert(radioselector); ClearCollect(ColorList, txtColor.Value) <input checked="" type="checkbox"/> Revert(radioselector); ClearCollect(ColorList, txtColor.Value) <input type="checkbox"/> Reset(radioselector); Clear(ColorList) <input type="checkbox"/> Reset(radioselector); Refresh(ColorList) <input type="checkbox"/> Revert(radioselector); Remove(ColorList) <input type="checkbox"/> Revert(radioselector); ClearCollect(ColorList, txtColor.Value)

**NEW QUESTION 166**

- (Topic 4)

A company uses data loss prevention (DLP) policies. You have a Power Automate flow that posts Twitter mentions into a Microsoft SharePoint list. You are not able to activate the flow. You need to troubleshoot the issue.

What are two possible reasons why you cannot activate the flow? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. You are not assigned the Power Platform Admin role.
- B. You placed all connectors into the Business group within the DLP policy.
- C. You placed all connectors into the Non-Business group within the DLP policy.
- D. You are not assigned the Environment Admin role.

**Answer:** BD

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/wp-data-loss-prevention>

**NEW QUESTION 169**

DRAG DROP - (Topic 4)

You perform repeatable tasks using software installed on a home computer. The operating system includes Microsoft Power Automate Desktop.

You need to decide which tasks to automate using Power Automate Desktop.

Which tasks can you automate? To answer, drag the appropriate can automate responses to the correct tasks. Each can automate response may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**NEW QUESTION 172**

HOTSPOT - (Topic 4)

A company uses Microsoft Power Platform. The company categorizes customers into Specialty shop, Grocery store, Wholesaler, and Seasonal market groups by using a custom choice type column.

The staff uses a model-driven app with an interactive dashboard that displays all customer

You must update the app to provide the following functionality:

- Display selected customers by type in the interactive dashboard.
- Search for customers across multiple tables by postal code by entering any number of characters.

You need to configure the system.

Which configuration options should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement	Configuration
Display customers by type.	<ul style="list-style-type: none"> <li>Enable sync with global choice.</li> <li>Enable the global filter.</li> <li>Enable the searchable property.</li> <li>Enable sync with global choice.</li> <li>Enable the sortable property.</li> </ul>
Search by postal code.	<ul style="list-style-type: none"> <li>Enable the searchable property.</li> <li>Find by setting in quick find.</li> <li>Filter by setting in quick find.</li> <li>Enable the searchable property.</li> <li>Enable the global filter on the postal code.</li> </ul>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Requirement	Configuration
Display customers by type.	<ul style="list-style-type: none"> <li>Enable sync with global choice.</li> <li>Enable the global filter.</li> <li>Enable the searchable property.</li> <li>Enable sync with global choice.</li> <li>Enable the sortable property.</li> </ul>
Search by postal code.	<ul style="list-style-type: none"> <li>Enable the searchable property.</li> <li>Find by setting in quick find.</li> <li>Filter by setting in quick find.</li> <li>Enable the searchable property.</li> <li>Enable the global filter on the postal code.</li> </ul>

NEW QUESTION 175

DRAG DROP - (Topic 4)

You have a canvas app that uses multiple inputs for calculations.

You must use Test Studio to create automated tests and confirm that the app works as expected.

You need to organize your test scenarios into a hierarchy.

In which order should you create the objects? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

- Test assertions
- Test steps
- Test suites
- Test cases



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Test suites

By default, a test suite and test case are created for you in Test Studio. Test suites are used to organize your test cases. An app can contain one or more test suites.

Step 2: Test cases

Depending on how you want to organize or group your tests, you can create multiple test cases in a test suite. Each case can test a specific feature or a subset of functionalities in your app.

Step 3: Test steps Step 4: Test assertions

A test case consists of test steps that contain actions. Test actions are written using Power

Apps expressions that perform a task. You can use the recorder to automatically generate the test steps as you interact with your app. After you record, you can update the test case, add new steps, delete steps, and write test assertions to validate the result of your test.

NEW QUESTION 176

HOTSPOT - (Topic 4)

HOTSPOT

You are designing edit forms to display individual records selected from a list in a canvas app.

The control layout must respond to a variety of screen sizes and orientations that demonstrate the following behaviors:

- Automatically resize and arrange controls from top to bottom
- Maintain the original position of the controls.
- Require no additional property changes. You need to select the layout type.

Which layouts should you use? To answer, select the appropriate options in the answer area.

**Answer Area**

Behavior	Layout
Automatically resize and arrange controls from top to bottom.	<ul style="list-style-type: none"> <li>Vertical container</li> <li>Vertical gallery</li> <li>Horizontal gallery</li> <li>Vertical container</li> <li>Horizontal container</li> </ul>
Maintain the original position of the controls.	<ul style="list-style-type: none"> <li>Container</li> <li>Container</li> <li>Blank vertical gallery</li> <li>Flexible height gallery</li> <li>Section</li> </ul>

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

**Answer Area**

Behavior	Layout
Automatically resize and arrange controls from top to bottom.	<ul style="list-style-type: none"> <li>Vertical container</li> <li>Vertical gallery</li> <li>Horizontal gallery</li> <li>Vertical container</li> <li>Horizontal container</li> </ul>
Maintain the original position of the controls.	<ul style="list-style-type: none"> <li>Container</li> <li>Container</li> <li>Blank vertical gallery</li> <li>Flexible height gallery</li> <li>Section</li> </ul>

**NEW QUESTION 180**

- (Topic 4)

A company stores financial files in Microsoft SharePoint document libraries. When a user uploads a new file, the user's manager must approve the request. You need to design a cloud flow to meet The requirement.

Which three actions should you use? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. When a file is created trigger
- B. Get direct reports action
- C. Wait for an approval action
- D. When an item or a file is modified trigger
- E. When an item is created trigger
- F. Assign manager action
- G. Start and wait for an approval action
- H. Get manager action

**Answer: AFG**

**NEW QUESTION 185**

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company is deploying Microsoft Power Platform components to streamline a job candidate screening process.

The human resources (HR) representatives of the company plan to attend school career fairs. The HR representatives must qualify and enter potential job candidates into a Power Apps app. The HR representatives must enter the following information for each candidate:

Field name	Data type	Criteria for follow up
Name	Text	No
Degree	Text	Yes
First available hire date	Date	Yes
Initial impression	Integer 0-10	Yes
Resume	Picture	No
Not currently viable	Boolean	Yes
Follow up	Boolean	NA

If a candidate is currently unqualified for a job position but would eventually qualify based on follow-up criteria, the follow-up checkbox must be selected or cleared in the system immediately.

The company plans to create a similar Power Apps app that will contain the same business use case, but for internal employees and promotions.

You need to create a Power Apps app solution to automatically mark the candidate for follow up.

Proposed solution: Create a Power Automate flow with conditions that use entered data as default data.

Does the solution meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

Instead use Common Data Service workflow with a PowerQuery on the data entity.

Note: Process (Workflow) table/entity reference is a set of logical rules that define the steps necessary to automate a specific business process, task, or set of actions to be performed. Common Data Service workflow support: Filter triggers based on which attributes change - You can control which field changes trigger your automated flows. For example, trigger your flow only when the status field changes while ignoring all other fields that may change.

Reference:

<https://docs.microsoft.com/en-us/business-applications-release-notes/april19/microsoft-flow/automated-parity-classic-common-data-service-workflows>

**NEW QUESTION 189**

- (Topic 4)

You work in a warehouse. You build an app for physical inventory counts that is used by different staff members. The typical count takes 14 hours.

The app has a warehouse screen with a gallery that contains the aisles in the warehouse. When a staff member selects an aisle record, another screen displays all the items stored in that aisle. The staff must know how long each aisle takes to do a physical inventory count.

You need to add logic to the app. What should you do?

- A. Configure a timer control, add it to the aisle screen, and then reset it when exiting the aisle screen
- B. Create and configure a stopwatch custom control, and then add it to the gallery
- C. Create and configure a stopwatch custom component, and then add it to the aisle screen
- D. Configure a timer control, add it to the gallery, and then reset it when the selection changes

**Answer:** C

**Explanation:**

Reference:

<https://www.cdata.com/kb/tech/azuredatalake-odata-powerapps.rst>

**NEW QUESTION 190**

- (Topic 4)

A company creates multiple cases in Microsoft Dataverse each day with a status of New.

For all cases with a status of New, the system must send an email to the customer and then change the status to in Process.

You need to create a Microsoft Power Automate cloud flow to automatically send the email. What should you do?

- A. Trigger the flow on a schedule and then configure the flow to use the Compose data operation to get a list of cases and send email to each from inside a loop.
- B. Trigger the flow on a schedule and then configure the flow to use the Dataverse Listrows action to query case records using a filter and send email to each from inside a loop.
- C. Trigger the flow manually on the case and then configure the flow to send the email.

**Answer:** B

**NEW QUESTION 195**

HOTSPOT - (Topic 4)

HOTSPOT

A company uses Power Apps and Microsoft Data verse. You need to perform the following activities:

- \* Create a model-driven app.
- \* Design navigation for the app
- \* Show an approval name field on the form if the amount is greater than \$1,000.

Which features should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

**Answer Area**

Activity	Feature
Create model driven app.	App designer
Design app navigation.	App designer
Show approval name field if amount > \$1,000.	Table designer

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

**Answer Area**

Activity	Feature
Create model driven app.	App designer
Design app navigation.	App designer
Show approval name field if amount > \$1,000.	Table designer

**NEW QUESTION 197**

DRAG DROP - (Topic 4)

You are designing a canvas app that will be used by all users including users who have visual impairments. Which outcome is achieved by each action? To answer, drag the appropriate outcomes to the correct actions. Each outcome may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Outcomes	Action	Outcome
Not visible to any users	Set the values for the X and Y properties of a control to move the control off-screen.	Outcome
Visible to sighted users only	Set the Color and other related properties of a control to transparent.	Outcome
Visible to screen-reader users only	Set the Height and Width properties of a control to 1.	Outcome
Visible to both sighted and screen-reader users		

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Outcomes	Action	Outcome
Not visible to any users	Set the values for the X and Y properties of a control to move the control off-screen.	Visible to sighted users only
Visible to sighted users only	Set the Color and other related properties of a control to transparent.	Visible to screen-reader users only
Visible to screen-reader users only	Set the Height and Width properties of a control to 1.	Not visible to any users
Visible to both sighted and screen-reader users		

**NEW QUESTION 202**

- (Topic 4)

A company uses Microsoft Teams. A coworker creates a chatbot. The coworker observes unexpected behavior with the chatbot. You need to troubleshoot the chatbot.

Which two actions should you recommend to the coworker? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Ask the coworker to assign you to the owner role for the team.
- B. In Advanced tools, select Monitor.
- C. Ask the coworker to add you to their team.
- D. Select the chatbot and then select the Share button.

**Answer: AB**

**NEW QUESTION 204**

- (Topic 4)

DRAG DROP

A company uses Power Apps and Microsoft Dataverse.

The company has three solutions that you must move to a target environment:

- One solution is created for security roles. You must be able to add roles to the solution in the target environment
- One solution is created for table additions and modifications. Table structures must be updated in the solution in the target environment.
- One solution is for customizations. The custom actions must not be modified in the solution in the target environment

You need to create the solutions.

Which type of solutions should you create? To answer, drag the appropriate solutions to the correct requirements- Each solution may be used once, more than once, or not at all You may need to drag the split bar between panes or scroll to view content.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

**NEW QUESTION 207**

DRAG DROP - (Topic 4)

You are configuring a new Common Data Service environment by using the Power Apps Maker portal.

You need to create an entity that uses the prefix xyz.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

**NEW QUESTION 211**

DRAG DROP - (Topic 4)

An insurance broker uses a Microsoft Dataverse environment with custom tables. You create a Power Apps app to manage vehicle insurance policies.

The app has a drop-down field that allows users to categorize a policy holder's driving record. This category field is not mandatory.

You need to ensure that insurance agents enter the correct categories when creating a new vehicle policy.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer area
In the vehicle policy table, click on Add subcomponents and navigate to Business rules.	
Add a Recommendation card, select the driver record drop-down field and enter the recommendation details.	
In the vehicle policy table, navigate to Business rules.	
Add a business rule and enter a meaningful business rule name.	
Click on the Condition card, select the Vehicle Policy and check for new driver.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer area
In the vehicle policy table, click on Add subcomponents and navigate to Business rules.	1 In the vehicle policy table, navigate to Business rules.
Add a Recommendation card, select the driver record drop-down field and enter the recommendation details.	2 Add a business rule and enter a meaningful business rule name.
	3 Click on the Condition card, select the Vehicle Policy and check for new driver.

**NEW QUESTION 214**

- (Topic 4)

You significantly modify a canvas app. You need to generate a new app version. What should you do?

- A. Publish the app.
- B. Update the major version number.
- C. Update the version notes.
- D. Update the minor version number.
- E. Save the app.

Answer: A

**NEW QUESTION 219**

HOTSPOT - (Topic 4)


You are developing an app for a package delivery company. Delivery team members will use the app on their phones. Distribution center team members will use a web-based version of the app that runs on tablet devices.

When a delivery person arrives at a location and the package recipient is present, the app must capture the recipient's signature. If the recipient is not available, the app must capture a picture of the drop-off location or the person receiving the package.

You need to design phone-based and web-based versions of the app.

Which app type and media control should you use? To answer, configure the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered

B. Not Mastered

Answer: A

**Explanation:**

App Type: Screens

To insert the Camera control in your PowerApps program you can use the blank screen, and select Insert->Media->Camera.

Media Type: Camera

Use the Camera control to capture pictures with a device's camera. The device must have a camera and the user must authorize the app to use the camera.

Tap or select the camera control to capture a picture from the camera.

The most recently captured picture is available through the Photo property. With this property, the images can be:

? Viewed with the Image control. Use the Image control to view the captured image.

? Temporarily put in a variable or a collection.

? Stored in a database.

? Transmitted as a base64 encoded text string.

**NEW QUESTION 224**

DRAG DROP - (Topic 4)

DRAG DROP

You are Designing a Power Virtual Agents chatbot in Microsoft Teams. You create an outline to describe how a conversation should be structured.

You need to configure the chatbot.

Which chatbot component should you use? To answer, drag the appropriate components to the correct conversation elements. Each component may be used once, more than once, or not at all. You may need to drag the spirit bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

A. Mastered  
 B. Not Mastered

Answer: A

**Explanation:**

**NEW QUESTION 225**

- (Topic 4)

You create a canvas app named Hardware Order that suggests computer hardware to customers.

A value must be entered for the EmployeeID field when creating a new order if the value in the OrderType field does not contain the prefix test.

You need to configure the business rule.

Which two actions should you perform? Each correct answer presents part of the complete solution.

NOTE: Each correct selection is worth one point.

- A. Set the scope of the business rule to Entity.
- B. Add a Recommendation action and configure it to enter the order type.
- C. Set the scope of the business rule to All Forms.
- D. Use the following condition expression:(OrderType Does not begin with [test]) AND (Modified By Does not contain data)

Answer: AD

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/data-platform-create-business-rule>

**NEW QUESTION 226**

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario.

Each question in the series contains a unique solution that might meet the stated might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a canvas app for a manufacturing company. The company receives parts and materials from many vendors. You create a form to collect information from packing slips.

Receivers must be able to take a picture of packing slips to receive materials instead of manually entering data in the app.

You need to ensure that users can scan packing slip information into the form. Proposed solution: Use a Text Recognition model.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

**Explanation:**

Create a canvas app and add the text recognizer AI Builder component to your screen. This component takes a photo or loads an image from the local device, and then processes it to detect and extract text based on the text recognition prebuilt model. If it detects text in the image, the component outputs the text and identifies the instances by showing a rectangle for each instance in the image.

Reference:

<https://docs.microsoft.com/en-us/ai-builder/prebuilt-text-recognizer-component-in-powerapps>

**NEW QUESTION 231**

HOTSPOT - (Topic 4)

HOTSPOT

The customer service team of a company uses a model-driven app to log customer interactions. The app contains two tables: one to track customer interactions and one to track products.

The team requires an interactive dashboard to display the activities. The dashboard must display the products that have the most complaints. Each chart must display the associated data.

You need to create the dashboard-

Which features should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Activity	Feature
Display customer interactions and products.	Single-stream dashboard Multi-stream dashboard Single-stream dashboard Standard dashboard
Display charts with associated data.	Default Chart Show Chart Only Display Chart Selection Default Chart

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Answer Area

Activity	Feature
Display customer interactions and products.	Single-stream dashboard
Display charts with associated data.	Default Chart

**NEW QUESTION 234**

HOTSPOT - (Topic 4)

A company is building a Power Apps app to track key project tasks.

Users assign tasks a risk status on a scale of 0 to 100 by using a slider input control named RiskStatus on the app. The highest risks use the risk status value of 100.

For each task, the user selects a button named RiskLevel to send the name of the task and RiskStatus number to key project stakeholders. The color of the button must change to the color listed in the following table based on the value of the RiskStatus control. The default color for the button is green.

RiskStatus slider value	Risk description	RiskLevel button color
0–50	No/Low risk	Green
51–100	High risk	Red

You need to configure the solution to change the color of the RiskLevel button.

How should you configure the app? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Question**

**Response**

Where do you enter the formula to change the button color?

▼

- On the RiskStatus slider.
- On the RiskLevel button.
- In the variables of the Power Apps app.
- On the OnStart property of the Power Apps app.

Which formula should you use?

▼

- If (RiskStatus.Value > 75) (return Red;)
- If (RiskStatus.Value > 75, Red, Green)
- If (RiskStatus.Value > 75 ? Red : Green)
- RiskLevel.Fill = RiskStatus.Value > 75 ? Red : Green;

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: On the RiskLevel button.  
 On the RiskLevel button fill property.  
 Box 2: Risklevel.Fill = RiskStatus.Value > 75 ? Red : Green;  
 Most every type of control in a Power App, has a Fill property, for the fill color.

**NEW QUESTION 235**

- (Topic 4)  
 You are creating a multi-page canvas app that loads tabular data from an external data source. Once loaded, the data must be available to all screens within the canvas app. You need to reduce the number of times that the app must retrieve data from the data source. Which two data stores can you use? Each correct answer presents a complete solution.  
 NOTE: Each correct selection is worth one point.

- A. parameter
- B. collection
- C. environment variable

**Answer:** CD

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-data-sources>

**NEW QUESTION 238**

HOTSPOT - (Topic 4)  
 A company is building a canvas app. A user needs to understand which data they can make available for the 500 contacts that are present in the Contact table. All relevant data must be shown in the app. Single fields must show one record and grids must show multiple records. Only the primary fields for each related table should be shown for a contact.

Display name	Relationship name	Related table	Relationship type	Type	Customizable
Company Name	contact_customer_contacts	Contact	Many-to-one	Managed	Yes
Connected From	contact_connections1	Connection	One-to-many	Managed	Yes
Owning Team	Team_contacts	Team	Many-to-one	Standard	Yes

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.  
 NOTE: Each correct selection is worth one point.

How should you design a screen to display the Connection table information for each contact in the Contacts table?

Use a grid for the Contact table and a grid for the Connection table

Use a single field for the Contact table and a grid for the Connection table

Use a grid for the Contact table and a single field for the Connection table

Use a single field for the Contact table and a single field for the Connection table

How should you design a screen to display the Team table information for each contact in the Contact table?

Use a grid for the Contact table and a grid for the Team table

Use a single field for the Contact table and a grid for the Team table

Use a grid for the Contact table and a single field for the Team table

Use a single field for the Contact table and a single field for the Team table

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Use a single field for Contact table and a grid for the Connection table The Contact table is on 1-side of the 1-to-many relation to the Connection table.  
 Box 2: Use a single field for Team table and a grid for the Connect table The Team table is on 1-side of the 1-to-many relation to Contact.

**NEW QUESTION 239**

DRAG DROP - (Topic 4)  
 The company is adding a multi-stream interactive dashboard to a model-driven app. The company requires configuration of the dashboard to filter the table data based on modified accounts over the last month. You need to configure the filters for the model-driven app dashboard. Which configuration should you use? To answer, drag the appropriate locations to the correct requirements. Each configuration may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.  
 NOTE: Each correct selection is worth one point.

**Configurations**

- Filter by
- Table view
- Filter table
- Time frame

**Answer Area**

Requirement	Configuration
Configure visual filter attributes that the dashboard can use.	<input type="text"/>
Configure the field that the dashboard uses to filter the table data monthly.	<input type="text"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Filter table

Filter Table: The visual filters and global filter attributes are based on this table.

Box 2: Filter By

Filter By: The column that the time frame filter applies to.

**NEW QUESTION 240**

HOTSPOT - (Topic 4)

A company uses Power Apps and Microsoft Dataverse. You create a model-driven app that has no flows, workflows, or plug-ins.

The app requires a main form that has a form field named reference number. The reference number must perform the following activities:

- Autogenerate when new records are created.
- Follow the format xx/yy, where xx is an incremental number and yy indicates the last two digits of the current year.

You need to ensure that each record created in the Microsoft Dataverse table follows this format. Which features should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

**Answer Area**

Activity	Feature
Choose data type.	<input type="text" value="Auto-number"/> <ul style="list-style-type: none"> <li>Auto-number</li> <li>Whole number</li> <li>Date</li> <li>Auto-number</li> <li>Text</li> </ul>
Create format.	<input type="text" value="{SEQNUM:2}/{DATETIMEUTC:yy}"/> <ul style="list-style-type: none"> <li>{SEQNUM:2}/{DATETIMEUTC:yy}</li> <li>{SEQNUM:2}/{DATETIMEUTC:2}</li> <li>{SEQNUM:##}/{DATETIMEUTC:yy}</li> </ul>
Set seed value.	<input type="text" value="10"/> <ul style="list-style-type: none"> <li>#1</li> <li>100</li> <li>10</li> </ul>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Activity	Feature
Choose data type.	<input type="text" value="Auto-number"/> <ul style="list-style-type: none"> <li>Auto-number</li> <li>Whole number</li> <li>Date</li> <li>Auto-number</li> <li>Text</li> </ul>
Create format.	<input type="text" value="{SEQNUM:2}/{DATETIMEUTC:yy}"/> <ul style="list-style-type: none"> <li>{SEQNUM:2}/{DATETIMEUTC:yy}</li> <li>{SEQNUM:2}/{DATETIMEUTC:2}</li> <li>{SEQNUM:##}/{DATETIMEUTC:yy}</li> </ul>
Set seed value.	<input type="text" value="10"/> <ul style="list-style-type: none"> <li>#1</li> <li>100</li> <li>10</li> </ul>

**NEW QUESTION 242**

DRAG DROP - (Topic 4)  
 DRAG DROP

You are designing several new Microsoft Power Platform apps for a company. You have the following requirements:  
 All apps must be able to run from the Power Apps mobile app.  
 You need to determine which app type to create for each department.  
 Which app type should you use? To answer, drag the appropriate app types to the correct departments. Each app type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

**NEW QUESTION 247**

DRAG DROP - (Topic 4)

You are designing an app for a bank. You plan to use the following entities in the app:

Entity	Comments
Clients	Clients are assigned to a branch office
Bank accounts	A client may have multiple bank accounts. A bank account may have multiple clients as bank account owners
Branch offices	Clients are assigned to a branch office
Employees	Each employee works at only one branch office

You need to configure the relationships between the entities.

Which relationship types should you use? To answer, drag the appropriate relationship types to the correct relationships. Each source may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Many-to-many  
 Box 2: Many-to-one  
 A client have a single branch office.  
 A branch office can have many clients.  
 Box 3: One-to-many  
 A branch office can have many employees. An employee only works at one branch office.

**NEW QUESTION 250**

HOTSPOT - (Topic 4)

You use Microsoft Power BI Desktop to create a report. Users note that column headings are confusing. You need to modify some columns and delete other columns.

Which tool should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Modification	Tool
Rename a column	<ul style="list-style-type: none"> <li>Power Query Editor</li> <li>Report canvas</li> <li>Filters pane</li> <li>Power Query Editor</li> </ul>
Delete a column	<ul style="list-style-type: none"> <li>Fields pane</li> <li>Report canvas</li> <li>Fields pane</li> <li>Filters pane</li> </ul>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Modification	Tool
Rename a column	<ul style="list-style-type: none"> <li>Power Query Editor</li> <li>Report canvas</li> <li>Filters pane</li> <li>Power Query Editor</li> </ul>
Delete a column	<ul style="list-style-type: none"> <li>Fields pane</li> <li>Report canvas</li> <li>Fields pane</li> <li>Filters pane</li> </ul>

NEW QUESTION 253

- (Topic 4)

A company is implementing the Microsoft Power Platform to assist with consolidation of onsite inspections and audits of retail stores. Currently, the data used by the retail store inspections is located across multiple systems.

The canvas app must use one database to view and record all data used in the inspection process.

You need to design the solution.

Which three capabilities should you implement? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Use an embedded access management framework for user security.
- B. Execute real-time data operations against external data sources through virtual entities.
- C. Store data used by a Power Apps app on both iOS and Android mobile platforms.
- D. Use Azure Data Lake storage to host the transactional data.

Answer: BCE

Explanation:

B: Virtual tables (also known as virtual entities) enable the integration of data residing in external systems by seamlessly representing that data as tables in Microsoft Dataverse, without replication of data and often without custom coding.

CE: Authenticating to a Gen 1 DataLakeStore Account Gen 1 uses OAuth 2.0 in Azure AD for authentication.

Reference:

<https://www.cdata.com/kb/tech/azuredatalake-odata-powerapps.rst>

NEW QUESTION 255

HOTSPOT - (Topic 4)

: 189 HOTSPOT

A company is building several Power Apps apps to help with sales operations collaboration. You need to identify the right solution for data storage.

Which solution should you use? To answer select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Characteristic	Solution
Limits the number of records that can be added.	<ul style="list-style-type: none"> <li>Microsoft Dataverse for Teams</li> <li>Microsoft Dataverse</li> <li>Microsoft Dataverse for Teams</li> </ul>
Allows for advanced development tasks for apps specific to Microsoft Teams.	<ul style="list-style-type: none"> <li>Microsoft Dataverse</li> <li>Microsoft Dataverse</li> <li>Microsoft Dataverse for Teams</li> </ul>
Has the most granular level of security to account for column-level security in Microsoft Teams.	<ul style="list-style-type: none"> <li>Microsoft Dataverse</li> <li>Microsoft Dataverse</li> <li>Microsoft Dataverse for Teams</li> </ul>

- A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area

Characteristic	Solution
Limits the number of records that can be added.	Microsoft Dataverse for Teams Microsoft Dataverse Microsoft Dataverse for Teams
Allows for advanced development tasks for apps specific to Microsoft Teams.	Microsoft Dataverse Microsoft Dataverse Microsoft Dataverse for Teams
Has the most granular level of security to account for column-level security in Microsoft Teams.	Microsoft Dataverse Microsoft Dataverse Microsoft Dataverse for Teams

**NEW QUESTION 260**

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles.

Development and testing must be performed using production data. Multiple testers must be used at each testing stage.

You need to provision and configure new environments for development and testing. Solution:

? Provision a trial environment named T1 and a sandbox environment named S1.

? Copy the production environment to T1 and S1.

? Use T1 for development and S1 for testing.

Does the solution meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Using trial environments, companies and customers can try out new features and solutions. Do not use a trial environment for development.

A sandbox environment is any non-production environment of Microsoft Dataverse. Isolated from production, a sandbox environment is the place to safely develop and test application changes with low risk.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/trial-environments> <https://docs.microsoft.com/en-us/power-platform/admin/sandbox-environments>

**NEW QUESTION 261**

DRAG DROP - (Topic 4)

You are an app builder for a medical office. The medical office uses activities to book appointments and business process flows to track patient status. The cleaning staff wants the app to connect directly to a Microsoft Excel workbook to track cleaning tasks. The office does not have access to reporting tools including Power BI.

You need to create apps for the following groups of users. Apps must not require

Groups	Comments	Requirements
Reception area staff	Users will access the app only from desktop devices in the office.	Users must be able to access contacts and display activities as a doughnut chart.
Medical staff	Users will access the app from tablet devices.	Users must be able to access activities and business process flows.
Cleaning staff	Users will access the app only from mobile phone devices.	Users must be able to interact with a checklist to mark cleaning tasks as completed.

Which type of app should you build for each group? To answer, drag the appropriate app types to the correct groups. Each app type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

App types	Answer Area								
Canvas app	<table border="1"> <thead> <tr> <th>Group</th> <th>App type</th> </tr> </thead> <tbody> <tr> <td>Reception area staff</td> <td>App type</td> </tr> <tr> <td>Medical staff</td> <td>App type</td> </tr> <tr> <td>Cleaning staff</td> <td>App type</td> </tr> </tbody> </table>	Group	App type	Reception area staff	App type	Medical staff	App type	Cleaning staff	App type
Group	App type								
Reception area staff	App type								
Medical staff	App type								
Cleaning staff	App type								
Model-driven app									
Embedded canvas app									

A. Mastered  
 B. Not Mastered

Answer: A

Explanation:

**App types**

- Canvas app
- Model-driven app
- Embedded canvas app

**Answer Area**

**Group**

- Reception area staff
- Medical staff
- Cleaning staff

**App type**

- Canvas app
- Embedded canvas app
- Model-driven app

**NEW QUESTION 264**

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app.

You need to automatically detect bicycles in pictures taken with the camera. Proposed solution:

- ? Create a Category Classification custom model in AI Builder.
- ? Train the model with pictures of bicycles and then publish the trained model.
- ? Add the Object Detector control to your canvas app.

Does the solution meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

Instead create an Object Detection custom model Reference:

<https://docs.microsoft.com/en-us/ai-builder/prediction-overview> <https://docs.microsoft.com/en-us/ai-builder/object-detector-component-in-powerapps>

**NEW QUESTION 267**

DRAG DROP - (Topic 4)

You are an app maker for a college. You create an app for student enrollment. The app captures the education level of the applicants.

The education level at the time of enrollment is an option set in the student entity. The

- ? High school
- ? College
- ? Bachelor

You must split the College option into two option sets:

- ? College – 1 Year
- ? College – 2 years

The split must not impact existing data. You need to create the two option sets.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

- Open the maker app and navigate to the student table
- Publish the student entity
- Save the student table
- Open settings in the Power Platform admin center
- Create new options for College - 1 Year and College - 2 years


**Answer Area**

Navigation icons: Right arrow, Left arrow, Up arrow, Down arrow.

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**



**NEW QUESTION 270**

HOTSPOT - (Topic 4)

You need to store a list of products and their colors. You have a Power Apps app that includes the following elements:

- ? a text box for the product name
  - ? a drop-down list for the product color
  - ? a button to add a product to the list
  - ? a status message that shows whether the addition of a product to the list was successful
- The button uses the following formula:

```
Collect(
colProductList,
{
Product: txtProductName.Text, Color: drpColors.Selected.Value
}
);
Set(
vStatusMessage, "Added '" & txtProductName.Text & "'
);
timStatusMessage.Start;
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
You must explicitly declare the collection before you can add product names and colors to the collection.	<input type="radio"/>	<input type="radio"/>
The formula stores the product name and the color in a collection.	<input type="radio"/>	<input type="radio"/>
vStatusMessage is a context variable that is used to store the status message.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: No

The Collect function adds records to a data source. If the data source doesn't already exist, a collection is created.

Box 2: Yes

Box 3: No

Use the Set function to set the value of a global variable, which temporarily holds a piece of information, such as the number of times the user has selected a button or the result of a data operation.

**NEW QUESTION 272**

DRAG DROP - (Topic 4)

A company uses Power Automate and Power Apps to streamline business processes. You need to use AI Builder to analyze customer reviews of the company's products.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

- Action**
- Publish the model.
  - Connect data to the model.
  - Train the model.
  - Use the model in a Power Automate flow.


**Answer Area**

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Step 1: Connect data to the model.  
 First create an AI Builder form processing model for the customer reviews you want to process.



Step 2: Train the model. Step 3: Publish the model.  
 Step 4: Use the model in a Power Automate flow.  
 Once you train and publish the model, create a solution-aware flow in Power Automate.

**NEW QUESTION 276**

DRAG DROP - (Topic 4)

You create a canvas app. You run App checker to validate the app. App checker returns error results. You need to locate where the errors occur.

Which areas should you review? To answer drag the appropriate areas to the correct error messages. Each area may be used once, more than once, or not at all. You may need to drag the spirit bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

**Areas**

- Function
- Formula
- Accessibility

**Answer Area**

Error message	Area
Unknown or unsupported in namespace	<input type="text"/>
Invalid arguments	<input type="text"/>
Revise screen name	<input type="text"/>

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

**Areas**

- Function
- Formula
- Accessibility

**Answer Area**

Error message	Area
Unknown or unsupported in namespace	Formula
Invalid arguments	Function
Revise screen name	Accessibility

**NEW QUESTION 278**

- (Topic 4)

You have a Power Apps solution that includes three model-driven apps, a business process flow, and a scheduled flow. The solution is deployed to a datacentre in the United States.

You plan to deploy the solution to Canada.

You need to identify applicable government regulations for all components of the solution. Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. View results in the Service Trust portal.
- B. Check the results of the Solution checker.
- C. Identify regulations for the region where the tenant resides.
- D. Identify all regulations for the region where the Common Data Service database resides.
- E. Configure data loss prevention (DLP) policies in the Power Platform Admin center.

**Answer:** ADE

**Explanation:**

A: The Microsoft Service Trust Portal provides a variety of content, tools, and other resources about Microsoft security, privacy, and compliance practices.

D: The Service Trust Portal contains details about Microsoft's implementation of controls and processes that protect our cloud services and the customer data therein.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/get-started-with-service-trust-portal>

**NEW QUESTION 280**

- (Topic 4)

A company has 500 vendor records stored in a SQL table. Each record contains the team wants to view the vendor records by using Power Apps. The team must be able to change the list results by applying filters. You need to display the vendor records in a canvas app. Which control should you use?

- A. Text
- B. Form
- C. Chart
- D. Gallery

**Answer:** D

**NEW QUESTION 283**

HOTSPOT - (Topic 4)

HOTSPOT

A bicycle shop uses Microsoft Dataverse to track bicycle rentals and renter information. The bicycle shop has a standalone tablet with a canvas app. Renters use the app to check out bicycles. Only one renter at a time can check out bicycles.

Multiple renters can rent as a team. You must expand the app to allow team rentals in one step. All team members must be registered under a single phone number.

You need to modify the canvas app to display team and team member information, along with bicycle information

Which UI elements should you use for each requirement? To answer, select the appropriate options in the answer area

NOTE: Each correct selection is worth one point.

**Answer Area**

Requirement	UI element
Phone number lookup	Choice Text input Choice Pen input
Team members and their bicycles	Gallery List box Container Data table Gallery

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Requirement	UI element
Phone number lookup	Choice
Team members and their bicycles	Gallery

**NEW QUESTION 285**

- (Topic 4)

You are creating a canvas app. You plan to use variables that are scoped to a screen to store values. You need to create and update the value of the variables.

Which three functions can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Collect
- B. Patch
- C. Navigate
- D. Set
- E. UpdateContext

**Answer:** BCE

**Explanation:**

B: Use the Patch function to modify records in complex situations. Such as, when you do updates that require no user interaction or use forms that span multiple screens.

CE: Context variables are scoped for Screen. They are great for passing values to a screen, much like parameters to a procedure in other languages. Can be referenced from only one screen.

Functions available for context variables: UpdateContext

Navigate Note:

Use the UpdateContext function to create a context variable, which temporarily holds a piece of information, such as the number of times the user has selected a button or the result of a data operation.

Context variables are also preserved when a user navigates between screens. You can use Navigate to set one or more context variables for the screen that the formula will display, which is the only way to set a context variable from outside the screen. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-patch>

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-navigate>

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-updatecontext>

**NEW QUESTION 290**

- (Topic 4)

You are creating a canvas app.

You need to store and retrieve small amounts of data on a local device when the app is offline.

Which set of functions should you use?

- A. SaveData, LoadData
- B. Set, Patch
- C. Patch, Collect
- D. Set, Collect

**Answer:** A

**Explanation:**

LoadData and SaveData combine to form a simple mechanism to store small amounts of data on a local device. By using these functions, you can add simple offline capabilities to your app. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/offline-apps>

**NEW QUESTION 292**

HOTSPOT - (Topic 4)

You are creating a capacity planning dashboard with Power BI desktop.

The dashboard must be able to be used within a model-driven manufacturing planning app as well as be embedded within a Microsoft Teams channel.

The data sources are as follows:

You need to determine the appropriate method for accomplishing each task.

Which methods should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Task	Method
Connect to the ERP system.	<div style="border: 1px solid gray; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px; display: flex; justify-content: space-between; align-items: center;"> <span></span> <span>▼</span> </div> <div style="border: 1px solid gray; padding: 2px;"> <p>Use a Data Gateway</p> <p>Use a Custom Connector</p> <p>Use a Service Content Pack</p> </div> </div>
Create the relationship between the employee file and the work estimates.	<div style="border: 1px solid gray; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px; display: flex; justify-content: space-between; align-items: center;"> <span></span> <span>▼</span> </div> <div style="border: 1px solid gray; padding: 2px;"> <p>Create a composite model</p> <p>Create an aggregated table</p> <p>Create entity relationships in the CDS Solution Explorer</p> </div> </div>
Create calculations for work remaining, remaining budget.	<div style="border: 1px solid gray; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px; display: flex; justify-content: space-between; align-items: center;"> <span></span> <span>▼</span> </div> <div style="border: 1px solid gray; padding: 2px;"> <p>Create a Data Analysis Expressions formula</p> <p>Create an aggregated table</p> <p>Create a modeling view</p> </div> </div>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Use a Date Gateway

You can install an on-premises data gateway on the same local computer as SQL Server (in production, it would typically be a different computer).

Box 2: Create an entity relationship in CDS Solution Explorer You can create relationships with CDS Solution Explorer.

Box 3: Create an aggregate table

Rollup columns help users obtain insights into data by monitoring key business metrics. A rollup column contains an aggregate value computed over the rows related to a specified row. This includes regular tables and activity tables such as emails and appointments.

**NEW QUESTION 294**

- (Topic 4)

You create and publish a canvas app component library to perform complex calculations.

You discover an error in one of the calculations. You correct the issue and publish the canvas app.

You need to ensure that the co-worker uses the updated version of the component library.

What should you do?


- A. Export the updated component library and instruct the co-worker to import the updated version into the canvas app
- B. Inform the co-worker to edit the canvas app and manually add the updated version of the component library
- C. Instruct the co-worker to edit the canvas app and update the component library

**Answer: C**

**Explanation:**

You can modify an existing component library and save any changes with additional version notes. However, the updated component library version must be published for use in existing apps that use the component library.

Makers of other apps are notified of updated components being available. The notification appears when makers edit the apps in canvas app studio. They can choose to update the components:



Select Review, and you'll see the option to update the component:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/component-library>

**NEW QUESTION 296**

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual PL-100 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the PL-100 Product From:

<https://www.2passeasy.com/dumps/PL-100/>

## Money Back Guarantee

### **PL-100 Practice Exam Features:**

- \* PL-100 Questions and Answers Updated Frequently
- \* PL-100 Practice Questions Verified by Expert Senior Certified Staff
- \* PL-100 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* PL-100 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year