

VMware

Exam Questions 2V0-21.20

Professional VMware vSphere 7.x



NEW QUESTION 1

An administrator is trying to configure vCenter Single Sign-On from the vSphere Client but does NOT have permission. Which role is required in order to configure vCenter Single Sign-On? (Choose the best answer.)

- A. vCenter Single Sign-On Administrator
- B. vCenter Administrator
- C. vCenter Server Appliance Root
- D. vCenter Power User

Answer: A

NEW QUESTION 2

An administrator wants to be able to log in to the vSphere Client and view the inventories of two vCenter Server instances. What must the administrator do to meet this requirement? (Choose the best answer.)

- A. Configure Enhanced Linked Mode on each vCenter Server instance after deployment is complete.
- B. Connect each vCenter Server instance to the same vCenter Single Sign-On domain during deployment.
- C. Connect each vCenter Server instance to the same vCenter Single Sign-On domain using the vSphere Client.
- D. Configure the vCenter Server Management Interface to view both vCenter Server instances.

Answer: B

Explanation:

<https://kb.vmware.com/s/article/2034074>

You can join vCenter Server instances in Linked Mode only when all of the instances are registered in the same Single Sign-On deployment. This includes Single Sign-On instances installed on different sites. When vCenter Server B on site B is joined to vCenter Server A on site A, the join tool establishes connection both to Single Sign-On A and Single Sign-On B.

NEW QUESTION 3

An administrator is investigating the reason for a powered on virtual machine failing to migrate with the following error log message:

```
The virtual machine requires hardware features that are unsupported or disabled on the target host.
```

```
CPUID details: incompatibility at level 0xx register 'xxx'  
Host bits: xxxx:xxxx:xxxx:xxxx:xxxx:xxxx:xxxx:xxxx  
Required: xxxx:xxxx:xxxx:xxxx:xxxx:xxxx:xxxx:xxxx
```

Which step should the administrator complete to resolve this error? (Choose the best answer.)

- A. Configure High Availability on the cluster.
- B. Configure vSAN on the cluster.
- C. Configure Distributed Resource Scheduler (DRS) on the cluster.
- D. Configure Enhanced vMotion Compatibility on the cluster.

Answer: D

NEW QUESTION 4

Which TCP/IP stack can support management traffic, vSphere vMotion, IP storage and vSphere Fault Tolerance? (Choose the best answer.)

- A. VXLAN TCP/IP stack
- B. Provisioning TCP/IP stack
- C. Default TCP/IP stack
- D. vSphere vMotion TCP/IP stack

Answer: C

NEW QUESTION 5

How many vSphere Trust Authority Clusters can a Trusted Cluster reference? (Choose the best answer.)

- A. 1
- B. 4
- C. 8
- D. 2

Answer: A

NEW QUESTION 6

Which type of network adapter is designed to provide connectivity to hosts and handle the standard system traffic of vSphere vMotion? (Choose the best answer.)

- A. VMkernel port
- B. VXLAN virtual tunnel end point (VXLAN VTEP)
- C. Virtual machine network interface card (VMNIC)
- D. VM network

Answer: A

NEW QUESTION 7


Which two components are core to vSphere? (Choose two.)

- A. ESXi
- B. vSAN
- C. vCenter Server
- D. vRealize Network Insight
- E. vRealize Operations Manager

Answer: AC

NEW QUESTION 8

Refer to the exhibit.



Which element is missing from this vCenter High Availability (HA) cluster? (Choose the best answer.)

- A. A secondary witness node
- B. The management interface on the passive node
- C. The connection between the active and passive nodes
- D. The management interface and connection on the witness node

Answer: C

NEW QUESTION 9

An administrator is unable to manage certificates with the vSphere Client.

What is another supported option that can be used to manage certificates? (Choose the best answer.)

- A. vCenter Server Management Interface
- B. Command Line Interface
- C. vRealize Operations Manager
- D. Cloud Builder

Answer: B

NEW QUESTION 10

What is a pre-requisite for increasing datastore capacity? (Choose the best answer.)

- A. The backing device for the datastore has enough free space.
- B. The datastore is managed by Storage DRS (SDRS).
- C. The datastore is 100% full.
- D. There are NO powered-on virtual machines on the datastore.

Answer: A

NEW QUESTION 10

An administrator runs third-party software in a virtual machine (VM). The third-party licensing agreement requires payment of a license fee for each host to which the VM migrates.

How can the administrator configure Distributed Resource Scheduler (DRS) to minimize licensing costs? (Choose the best answer.)

- A. Create a 'Virtual Machines to Virtual Machines' dependency rule.
- B. Create a 'Virtual Machines to Virtual Machines' affinity rule.
- C. Create a 'Should run Virtual Machines to Hosts' anti-affinity rule.
- D. Create a 'Must run Virtual Machines to Hosts' affinity rule.

Answer: D

NEW QUESTION 14

Which feature can an administrator use for site availability with minimal effort and a low recovery point objective (RPO)? (Choose the best answer.)

- A. vSphere vMotion
- B. vSphere High Availability
- C. vSphere Replication
- D. vSphere Fault Tolerance

Answer: C

NEW QUESTION 19

An administrator wants to implement virtual machine encryption.

Which component encrypts the virtual machine files? (Choose the best answer.)

- A. Certificate
- B. Data encryption key (DEK)
- C. Key encryption key (KEK)
- D. Key management server (KMS)

Answer: BC

NEW QUESTION 20

An administrator is running a variety of vSphere 6.5 cluster configurations and is tasked with upgrading to vSphere 7.0.

Which two conditions could cause potential conflicts or outages to the virtual machines (VMs)? (Choose two.)

- A. The use of a Windows vCenter Server system
- B. Datastores attached to the hosts based on VMFS3
- C. The upgrade of a vSphere Distributed Switch with VMs attached
- D. The upgrade of an external platform services controller
- E. The use of third-party custom vSphere Installation Bundles (VIBs) installed on the ESXi hosts

Answer: CE

Explanation:

https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/techpaper/vmfs-5_upgrade_consideratio

NEW QUESTION 25

A new vSphere 7.0 environment is deployed with the following:

- A single vCenter Server
- Two vSAN clusters
- A vSAN default storage policy

Which statement is true regarding virtual disk availability in this environment? (Choose the best answer.)

- A. Replicas will be placed on different disk groups but can be placed on the same host.
- B. All stripes will be placed on different disk groups and cannot be placed on the same host.
- C. Each virtual disk will have four replicas of data.
- D. Each virtual disk will have two replicas of data.

Answer: D

NEW QUESTION 27

How does vSphere handle memory allocation during the instant clone process? (Choose the best answer.)

- A. The first child virtual machine serves as a memory snapshot for any subsequent child virtual machines.
- B. An identical clone of the parent virtual machine's memory is created for each child virtual machine
- C. Memory is shared among all child virtual machines using a delta disk.
- D. A unique memory pool is created per child virtual machine using copy-on-write.

Answer: B

Explanation:

https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm_admin.doc/GUID-853B1E2B-76C

NEW QUESTION 28

What is the default shutdown order of virtual machines (VMs) on a host? (Choose the best answer.)

- A. Alphabetical based on VM names
- B. Highest utilization to lowest utilization
- C. Largest VM to smallest VM
- D. Reverse of the startup order

Answer: D

NEW QUESTION 32

An administrator runs a two-node vSphere cluster, which contains two domain controller virtual machines (VMs). The administrator wants to ensure that VMs run on separate hosts without interfering with normal maintenance operations.

How should the administrator configure Distributed Resource Scheduler (DRS)? (Choose the best answer.)

- A. Create a 'Must run Virtual Machines to Hosts' anti-affinity rule.
- B. Create a 'Virtual Machines to Virtual Machines' anti-affinity rule.
- C. Create a 'Virtual Machines to Virtual Machines' dependency rule.
- D. Create a 'Should run Virtual Machines to Hosts' anti-affinity rule.

Answer: B

NEW QUESTION 35

ESXi provides VLAN support by assigning a VLAN ID to which component? (Choose the best answer.)

- A. Virtual standard switch
- B. Physical network interface card (NIC)
- C. Virtual distributed switch
- D. Port group

Answer: D

NEW QUESTION 40

A company has one corporate datacenter (C1) and one regional datacenter (R1). There is a vCenter Server in each location. An administrator wants a central library available to C1 and R1 for all templates and ISO images.

Which two steps must the administrator take to configure the content library feature to meet this requirement? (Choose two.)

- A. Create a published content library on C1.
- B. Create a local content library on R1.
- C. Create a local content library on C1.
- D. Create a subscribed content library on C1.
- E. Create a subscribed content library on R1.

Answer: AE

NEW QUESTION 44

Which tool is used to monitor the free space in the vCenter Server database? (Choose the best answer.)

- A. esxtop
- B. df
- C. vimtop
- D. vmstat

Answer: B

NEW QUESTION 45

Which two VMware features are supported in a virtual machine using Intel Software Guard Extensions (Intel SGX) technology? (Choose two.)

- A. Fault tolerance
- B. vSphere vMotion
- C. VM encryption
- D. Virtual machine suspend and resume
- E. Storage I/O Control

Answer: CE

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.security.doc/GUID-EF552A5E-744B-4>

NEW QUESTION 50

What is a requirement of Storage I/O Control? (Choose the best answer.)

- A. Storage connected through Fibre Channel
- B. Management by a single vCenter Server
- C. Datastores with multiple extents
- D. Automated storage tiering capabilities

Answer: B

NEW QUESTION 52

What is a pre-requisite for configuring virtualization-based security (VBS)? (Choose the best answer.)

- A. Change the firmware type from UEFI to Legacy BIOS
- B. Change the firmware type from Legacy BIOS to UEFI
- C. Use Windows Server 2012
- D. Use Windows Server 2008 R2

Answer: B

NEW QUESTION 55

An administrator adds an additional host to a cluster and is attempting to remediate the configuration with a host profile. Which option would the administrator select on the host before it can be remediated with an existing host profile? (Choose the best answer.)

- A. Export Host Customizations
- B. Export Host Profile
- C. Attach Host Profile
- D. Copy Settings from Host

Answer: C

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.hostprofiles.doc/GUID-09C00374-53C>

NEW QUESTION 58

An administrator is investigating the reason for a virtual machine restarting. In the vmware.log file, the administrator finds the following error:

```
svga | I120: WinBSOD: ( 1) 'A problem has been detected and Windows has
been shut down to prevent damage'
svga | I120: WinBSOD: ( 2) 'to your computer.'
svga | I120: WinBSOD: ( 4) 'If this is the first time you've seen this
Stop error screen,'
svga | I120: WinBSOD: ( 5) 'restart your computer. If this screen
appears again, follow'
svga | I120: WinBSOD: ( 6) 'these steps:'
svga | I120: WinBSOD: ( 8) 'Disable or uninstall any anti-virus, disk
defragmentation'
svga | I120: WinBSOD: ( 9) 'or backup utilities. Check your hard drive
configuration,'
svga | I120: WinBSOD: (10) 'and check for any updated drivers. Run
CHKDSK /F to check'
svga | I120: WinBSOD: (11) 'for hard drive corruption, and then restart
your computer.'
svga | I120: WinBSOD: (13) 'Technical information:'
svga | I120: WinBSOD: (15) '*** STOP: 0x00000024
(0x000000000001904FB, 0xFFFFF880069B2CE8, 0xFFFFF880069B2540,0'
svga | I120: WinBSOD: (16) 'xxxxxxx880014F5FA2)
```

What is a likely cause of this virtual machine restart? (Choose the best answer.)

- A. Guest operating system fault
- B. User or API request to shut down guest operating system
- C. High Availability
- D. User or API request to restart guest operating system

Answer: A

NEW QUESTION 63

An administrator receives an escalation to investigate a low disk space alarm on a datastore. The administrator discovers that a snapshot has been accidentally taken on a production, write-intensive database server. The snapshot has grown to nearly 1 TB in size in less than an hour and continues growing every second. Which behavior should the administrator expect while deleting the snapshot? (Choose the best answer.)

- A. ESXi will create a virtual RAM disk to cache ongoing database write activity; performance impact will be limited.
- B. ESXi will commit the snapshot delta disk into the base disk; ongoing database write activity could result in long stun times.
- C. ESXi will merge the snapshot delta disk into the base disk; the virtual machine will be briefly stunned.
- D. ESXi will instantly switch from the base disk to the snapshot delta disk with no performance impact.


Answer: B

Explanation:

<https://kb.vmware.com/s/article/1002836>

NEW QUESTION 66

Refer to the exhibit.



What is the effective role the test1 account has on the Finance01 virtual machine? (Choose the best answer.)

- A. No access
- B. Administrator
- C. Read-only
- D. Virtual machine user

Answer: A

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.security.doc/GUID-72EE3449-79FD-4>

NEW QUESTION 69

Which step can an administrator take so that vSphere can access patch information if vCenter Server does NOT have Internet access? (Choose the best answer.)

- A. Use a Web server on the vCenter Server machine to automate the transfer of files.
- B. Install VMware vSphere Update Manager Download Service on a Windows server.
- C. Use an offline ISO file to import patches to the vSphere Lifecycle Manager depot manually.
- D. Install VMware vSphere Update Manager Download Service on a Linux server.

Answer: D

NEW QUESTION 71

A virtual machine with a single 100 GB virtual machine disk file has a single 20 GB snapshot. The virtual machine is powered off.

How much additional free space on the datastore is required to delete the snapshot, committing the snapshot delta disk to the base disk? (Choose the best answer.)

- A. 0 GB
- B. 100 GB
- C. 20 GB
- D. 120 GB

Answer: A

NEW QUESTION 74

Refer to the exhibit.

```

9:04:41am up 5 min, 637 worlds, 4 VMs, 6 vCPUs; CPU load average: 0.33, 0.09, 0.00
PCPU USED (%): 89 90 95 97 AVG: 92
PCPU UTIL (%): 88 89 94 96 AVG: 92
  
```

ID	GID	NAME	NWLD	%USED	%RUN	%SYS	%WAIT	%VMWAIT	%RDY	%IDLE	%OVRLP	%CSTP	%MLMTD	%SWPWT
8	8	helper	294	0.00	400.00	0.00	28784.56	-	400.00	0.00	400.00	0.00	0.00	0.00
1	1	system	152	1.35	31.90	0.15	14796.04	-	373.34	0.00	0.29	0.00	0.00	41.54
14865	14865	Linux2	7	73.32	74.45	0.07	582.88	0.32	50.48	0.11	0.20	0.00	0.00	0.00
14873	14873	Win1	9	115.74	116.08	0.00	743.07	16.52	45.26	23.51	0.36	5.66	0.00	0.00
14881	14881	Win2	9	104.23	104.40	0.00	759.42	16.44	43.60	41.62	0.35	2.63	0.00	0.00
14895	14895	Linux1	7	67.84	69.86	0.00	605.51	0.00	32.46	0.00	0.08	0.00	0.00	0.00
5485	5485	hostd.66720	21	2.30	2.30	0.00	2100.00	-	2.16	0.00	0.00	0.00	0.00	0.00
5233	5233	rhttpproxy.6668	14	0.29	0.30	0.01	1400.00	-	0.93	0.00	0.00	0.00	0.00	0.00
9	9	drivers	12	0.00	0.00	0.00	1200.00	-	0.21	0.00	0.00	0.00	0.00	0.00
10	10	ft	4	0.00	0.00	0.00	399.89	-	0.20	0.00	0.00	0.00	0.00	0.00
1012	1012	vmsyslogd.65822	3	0.13	0.14	0.00	300.00	-	0.16	0.00	0.00	0.00	0.00	0.00
14857	14857	esxtop.68027	1	2.78	3.89	0.00	97.10	-	0.13	0.00	0.00	0.00	0.00	0.00
14777	14777	sshd.68017	1	0.07	0.07	0.00	100.00	-	0.07	0.00	0.00	0.00	0.00	0.00

What does the %RDY for the Win1 virtual machine indicate? (Choose the best answer.)

- A. High CPU wait time
- B. Low CPU usage
- C. High CPU contention
- D. Low CPU contention

Answer: C

NEW QUESTION 78

An administrator wants to enable bandwidth allocation for workloads by using Network I/O Control. What should the administrator configure to accomplish this?

(Choose the best answer.)

- A. Management traffic
- B. Virtual machine traffic
- C. Load-balancing
- D. NIC teaming policy

Answer: B

NEW QUESTION 82

An administrator wants to be able to send vCenter Server log files to a remote syslog server and analyze logs using vRealize Log Insight. Which step must the administrator take to meet this requirement? (Choose the best answer.)

- A. Configure the vCenter Server logging options using the vSphere Client.
- B. Specify the remote syslog server name at deployment using the vCenter Server GUI Installer.
- C. Specify the vRealize Log Insight system name using the vSphere Client.
- D. Configure log file forwarding using the vCenter Server Management Interface.

Answer: D

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vcenter.configuration.doc/GUID-9633>

NEW QUESTION 86

An administrator is tasked with upgrading an existing VMware vSphere 6.5 environment to version 7.0. There are existing VMFS3 and VMFS5 datastores in the environment.

Which two statements are true regarding this upgrade? (Choose two.)

- A. VMFS5 is no longer supported with ESXi 7.0.
- B. VMFS3 is no longer supported with ESXi 7.0.
- C. An ESXi 7.0 host can automatically upgrade a VMFS5 datastore.
- D. An ESXi 7.0 host will automatically upgrade a VMFS3 datastore when discovered.
- E. A VMFS3 datastore cannot be upgraded; a new VMFS6 datastore is required.

Answer: BD

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.storage.doc/GUID-DAD74662-E09E-4>

NEW QUESTION 87

Which two storage technologies can an administrator use to deploy the Virtual Machine File System (VMFS)? (Choose two.)

- A. Fibre Channel storage
- B. vSAN storage
- C. Virtual Volumes storage
- D. NFS storage
- E. iSCSI storage

Answer: AE

NEW QUESTION 92

When deploying a vCenter Server Appliance, which two single sign-on (SSO)-related options are presented to an administrator? (Choose two.)

- A. Create a vCenter Enhanced Linked Mode group
- B. Create a vCenter Single Sign-On domain
- C. Join an existing vCenter Single Sign-On domain
- D. Repoint to another domain
- E. Reset Single Sign-On password

Answer: BC

NEW QUESTION 97

A host profile is updated with a new password that urgently needs to be changed on all hosts attached to the host profile. Which option would an administrator select to complete the password change? (Choose the best answer.)

- A. Copy Settings from Host
- B. Remediate
- C. Check Host Profile Compliance
- D. Edit Host Customizations

Answer: B

NEW QUESTION 98

An administrator needs to configure Proactive High Availability (HA) in a vSphere environment so that virtual machines (VMs) do not run on any partially degraded hosts. The administrator would also like to see the recommendations before VMs are migrated.

Which automation and remediation level should the administrator select? (Choose the best answer.)

- A. Automation Level – Manual Remediation Level – Quarantine mode
- B. Automation Level – Automated Remediation Level – Maintenance mode
- C. Automation Level – Manual Remediation Level – Maintenance mode
- D. Automation Level – Automated Remediation Level – Mixed mode

Answer: C

NEW QUESTION 103

An administrator is deploying a vCenter Server Appliance and wants to join an existing vCenter Single Sign-On domain. The administrator gathers the following information:

- FQDN of the vCenter Single Sign-On server to join
- Domain name of the vCenter Single Sign-On server being joined
- Password of the vCenter Single Sign-On server administrator account.

What other information is needed to join the existing vCenter Single Sign-On domain? (Choose the best answer.)

- A. vSphere Client port
- B. Lightweight Directory Access Protocol (LDAP) port
- C. Single Sign-On (SSO) port
- D. HTTPS port

Answer: A

NEW QUESTION 106

What is the basic packaging for vSphere Installation Bundles (VIBs) and metadata in vSphere Lifecycle Manager? (Choose the best answer.)

- A. Vendor add-on
- B. Base image
- C. Component
- D. Baseline

Answer: C

NEW QUESTION 110

There are two vSphere clusters in a company environment. One cluster is hosting development workloads and another is hosting production workloads. Both vSphere clusters are managed by the same vCenter Server.

The application team would like to move a new virtual machine from the development to production cluster with no downtime.

Which feature would allow non-disruptive movement between these two clusters? (Choose the best answer.)

- A. Cross vCenter Migration
- B. vSphere High Availability
- C. vSphere vMotion
- D. vSphere Replication

Answer: C

NEW QUESTION 114

An administrator is tasked with upgrading an existing vSphere environment to version 7.0. The current configuration is using an external Platform Services Controller.

Which two statements are true regarding this upgrade? (Choose two.)

- A. The external Platform Services Controller needs to be converged into an embedded vCenter Server Appliance.
- B. The external Platform Services Controller needs to be decommissioned following the deployment of the new vCenter Server Appliance.
- C. The external Platform Services Controller backup can be restored to a new embedded vCenter Server Appliance.
- D. The external Platform Services Controller needs to be upgraded after the vCenter Server Appliance.
- E. The external Platform Services Controller needs to be powered down while a new vCenter Server Appliance is deployed.

Answer: AB

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vcenter.upgrade.doc/GUID-30485437-B107-42>

NEW QUESTION 116

What are two minimum disk requirements for a vSAN hybrid disk group configuration? (Choose two.)

- A. At least one magnetic data disk
- B. At least one SATADOM device
- C. At least two magnetic data disks
- D. At least one flash device
- E. At least two flash devices

Answer: CD

NEW QUESTION 118

Which feature can an administrator configure to have a copy of critical virtual machines in another cluster? (Choose the best answer.)

- A. vSphere Storage vMotion
- B. vSphere Fault Tolerance
- C. vSphere Replication
- D. Instant Clone

Answer: D

NEW QUESTION 120

An administrator is NOT able to enable ESXi secure boot.

What is a possible cause of this issue? (Choose the best answer.)

- A. The vCenter Server version is 7.0.
- B. ESXi is using Trusted Platform Module version 1.2.
- C. The ESXi version is 7.0
- D. ESXi is using Unified Extensible Firmware Interface (UEFI).

Answer: C

NEW QUESTION 122

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

2V0-21.20 Practice Exam Features:

- * 2V0-21.20 Questions and Answers Updated Frequently
- * 2V0-21.20 Practice Questions Verified by Expert Senior Certified Staff
- * 2V0-21.20 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 2V0-21.20 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 2V0-21.20 Practice Test Here](#)