

Salesforce

Exam Questions OmniStudio-Developer

Salesforce Certified OmniStudio Developer (SU21)



NEW QUESTION 1

A developer is building an OmniScript and needs to save to Salesforce and to an AWS Order Management system. Which OmniScriptelement could save all of this data?

- A. DataRaptor Post Action
- B. HTTP Action
- C. Integration Procedure Action
- D. DataRaptor Load Action

Answer: C

NEW QUESTION 2

A developer has a requirement to create a child FlexCard that contains all of its parent FlexCard’s records In a Datable How should the developer configure the parent FlexCard’s Node?

- A. {Records{0}}
- B. {Records}
- C. {Params, records}
- D. {Recorded}

Answer: C

NEW QUESTION 3

A developer examines data received from an external data source. The data is nested two levels down in the JSON structure. Which OmniStudio tool could the developer use to simplify this data?

- A. A guided workflow
- B. ADataRaptor Transform
- C. An HTTP Action Element
- D. An integration Procedure

Answer: B

NEW QUESTION 4

Refer to the exhibit.



The card layout uses an integration Procedure as a data source. Thecards use the layout data source. Which JSON data structure supports this card layout and follows best practices?

A)

```
{
  "Contact": [
    {
      "cellphone": "(212) 154-8562",
      "Name": "Edward Stamos"
    },
    {
      "CellPhone": "(650) 156-1102",
      "Name": "Howard Jones"
    }
  ],
  "Account": {
    "phone": "2221546450",
    "Name": "Acme"
  }
}
```

B)

```
{
  "contact": [
    {
      "CellPhone": "(212) 154-8562",
      "Name": "Edward Stamos"
    },
    {
      "cellPhone": "(650) 156-1182",
      "Name": "Howard Jones"
    }
  ],
  "AccountPhone": "2221546450",
  "AccountName": "Acme"
}
```

C)

```
{
  {
    "Account": {
      "Phone": "2221546450",
      "Name": "Acme"
    },
    "ContactCellPhone": "(212) 154-8562",
    "ContactName": "Edward Stamos"
  },
  {
    "Account": {
      "Phone": "2221546450",
      "Name": "Acme"
    },
    "ContactCellPhone": "(650) 156-1182",
    "ContactName": "Howard Jones"
  }
}
```

- A. Option A
- B. Option B
- C. Option C

Answer: C

NEW QUESTION 5

A developer needs to change some field labels on a FlexCard. The FlexCard is currently deployed to production. The developer that the best course of action is to version the FlexCard rather than cloning it.


Which factor would lead the developer to this decision?

- A. The new version of the FlexCard will be used in a new Console, and the current version of the FlexCard should remain unchanged.
- B. Another team member is developing new action, fields and styling for the current version of the FlexCard.
- C. The new and current versions will be displayed together on the same target.
- D. All instance of the FlexCard must be updated with the changes.

Answer: B

NEW QUESTION 6

Refer to the exhibit below. In this integration production structure, what Send JSON Path would be used to send the Output of the Action1 element to a Remote Action?



- A. Action1. Block
- B. Block A
- C. Action1: Block
- D. Block A
- E. BlockA: Block
- F. Action 1
- G. BlockB: Block
- H. Action1

Answer: B

NEW QUESTION 7

A developer creates a FlexCard with five state elements. For of the states have a condition. To test the FlexCard, the developer previews it using sample data that causes two of the states to have trueconditions.

In this scenario, how will the developer know which state will display?

- A. The first state with true conditions sequence closest to the top of the FlexCard canvas will display.
- B. The first state with true nested condition, regardless of sequence in the FlexCard canvas, will display
- C. The state sequenced first in the FlexCard canvas will display.
- D. The first state with a true AND condition, regardless of sequence in the FlexCard canvas, will display.

Answer: C

NEW QUESTION 8

..... configure Additional input to send exactly the same data?

Assume that the develop checkedSend Only Additional input.

▼ SEND/RESPONSE TRANSFORMATIONS

Send JSON Path ①	Send JSON Node ①	Response JSON Path ②	Response JSON Node
DRExtractAction Account	SecondaryAccount		

Key	Value
SecondaryAccount	\$DRExtractAction:Account

Key	Value
DRExtractAction:Account	SecondaryAccount

Key	Value
\$DRExtractAction:Account	SecondaryAccount

Key	Value
SecondaryAccount	DRExtractAction:Account

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

NEW QUESTION 9


A developer needs to configure a DataRaptor to retrieve data from a single object.The structure of the output data does not need to be changed. Following best practices, which type of DataRaptor should the developer use?

- A. DataRaptor Transform
- B. DataRaptor Extract
- C. DataRaptor Load
- D. DataRaptor Turbo Extract

Answer: D

NEW QUESTION 10

A developer needs to transform contact data into a JSON array.



Given the input JSON shown above, what are two ways a developer could configure a DATARaptor transform to achieve the expected Output JSON? Choose 2 answers

- A. Use a formula LIST(Contact), and add the output of the formula as the input in the Transform tab.
- B. Set the Input JSON path as List(Contact) and the OutputJSON Path as Contact.
- C. Set the Input JSON Path as Contact the out JSON Path as contact and output Data type as List.
- D. Set the input JSON Path as Contact and the OutPut JSON Path as List (Contact)

Answer: BC

NEW QUESTION 10

A developer is troubleshooting an Integration Procedure with two elements: A Remote Action named FetchCart and a Response Action named ResponseCart. In Preview, what JSON node shows the data sent to the Response Action?

- A. FetchCart
- B. Response
- C. ResponseCartDebug
- D. ResponseCart

Answer: C

NEW QUESTION 12

A company wants to allow agents to send customers a quote for signature. The quote is a document created using a DocuSign template that has been prefilled with all of the quote details. The document will be emailed to one or more recipients for signature. How should a developer configure this functionality in an OmniScript?

- A. DocuSign Envelope Action
- B. PDF Acwm
- C. DocuSign Signature Action
- D. Email Action

Answer: C

NEW QUESTION 16

Refer to the exhibit.



A)


```
"Step1": {
  "Block1": {
    "Text1": "Text",
    "Block2": {
      "Telephone1": "1234567890",
      "Checkbox1": false
    }
  },
  "Block3": {
    "Multi-select1": "Value A;Value B"
  }
}
```

B)


```
"Step1": {
  "Block1": {
    "Text1": "Text",
    "Telephone1": "1234567890",
    "Block2": {
      "Checkbox1": false
    }
  },
  "Block3": {
    "Multi-select1": "Value A;Value B"
  }
}
```

- A. Option A
- B. Option B

Answer: A

NEW QUESTION 21

Refer to the exhibit.



What JSON from the DRGetAccountDetails action would display all six values correctly in the OmniScript structure shown? BlkContacts is a Repeat Block.

A)

```
{
  "Contacts": [{
    "ContactPhone": "(212) 169-1475",
    "ContactName": "Edward Stamos"
  }, {
    "ContactPhone": "(212) 169-8979",
    "ContactName": "Leanne Tomlin"
  }],
  "AccountPhone": "2221546450",
  "AccountName": "Acme"
}
```

B)

```
{
  "ContactPhone": "(212) 169-1475",
  "ContactName": "Edward Stamos",
  "ContactPhone": "(212) 169-8979",
  "ContactName": "Leanne Tomlin",
  "AccountPhone": "2221546450",
  "AccountName": "Acme"
}
```

C)

```
{
  "BlkContacts": [{
    "ContactPhone": "(212) 169-1475",
    "ContactName": "Edward Stamos"
  }, {
    "ContactPhone": "(212) 189-8979",
    "ContactName": "Leanne Tomlin"
  }],
  "AccountPhone": "2221546458",
  "AccountName": "Acme"
}
```

D)

```
{
  "BlkContacts": [{
    "Phone": "(212) 169-1475",
    "Name": "Edward Stamos"
  }, {
    "Phone": "(212) 189-8979",
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: C

NEW QUESTION 26

A developer has a requirement to create a child FlexCard that contain all of its parent FlexCard's records in a Datatable.

- A. {Records[0]}
- B. {Records}
- C. {Params records}
- D. {recordId}

Answer: B

NEW QUESTION 30

A developer creates a DataRaptor Extract to retrieve data to pass to an external service. The external service expects the field value to be integer. However, the DataRaptor is sending it as a string.

Which action can the developer take to fix this?

- A. In the DataRaptor Output tab, select the Output Data Type of that field to Integer.
- B. In the DataRaptor Output tab, enter the default value as 0 on the field.
- C. In the DataRaptor Extract tab, set the Input Data Type field to Integer.
- D. In the DataRaptor Formula tab, define a formula using the function TOINTEGER and use the formula as output.

Answer: A

NEW QUESTION 32

Which two in an integration Procedure or DataRaptor can execute a function like CONCAT or DATEDIFF? Choose 2 answers

- A. In a Set Values Action in a Value field.
- B. In a DataRaptor in an Output Tab Output JSON Path.
- C. In a DataRaptor Action in an Input Parameters value field.
- D. In a Remote Action in an Additional Output value field.

Answer: AD

NEW QUESTION 36

The OmniScript must retrieve device details stored in the Asset object and then call an external system to send troubleshooting commands via REST API to the device.

Which two OmniScript elements should the developer use to configure this functionality?

- A. DataRaptor Extract Action
- B. REST API Action
- C. Navigation Action
- D. SOQL Action
- E. HTTP Action

Answer: AE

NEW QUESTION 37

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

OmniStudio-Developer Practice Exam Features:

- * OmniStudio-Developer Questions and Answers Updated Frequently
- * OmniStudio-Developer Practice Questions Verified by Expert Senior Certified Staff
- * OmniStudio-Developer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * OmniStudio-Developer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The OmniStudio-Developer Practice Test Here](#)