

CompTIA

Exam Questions FC0-U61

CompTIA IT Fundamentals+ Certification Exam



NEW QUESTION 1

Which of the following actions is the FINAL step in the standard troubleshooting methodology?

- A. Document the solution and cause.
- B. Create a new theory of cause.
- C. Research the problem online.
- D. Implement preventive measures.

Answer: A

Explanation:

The final step in the standard troubleshooting methodology is to document the solution and cause of the problem. This step involves recording the details of the problem, the steps taken to resolve it, the outcome of the solution, and any preventive measures implemented to avoid future occurrences. Documenting the solution and cause can help to create a knowledge base for future reference, improve communication among IT professionals, and facilitate continuous improvement¹². References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 7: Explain the Troubleshooting Methodology³; Troubleshooting Methodology | IT Support and Help Desk | CompTIA⁴

NEW QUESTION 2

Which of the following BEST describes the physical location of the data in the database?

- A. Table
- B. Column
- C. RAM
- D. HDD

Answer: D

Explanation:

HDD (Hard Disk Drive) is a type of storage device that uses magnetic disks to store data permanently. The physical location of the data in the database is on the HDD of the server or computer that hosts the database. The data can be accessed by using logical structures such as tables, columns, rows, and queries. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals, page 192.

NEW QUESTION 3

Which of the following are the primary functions of an operating system? (Choose two.)

- A. Provide structure for file and data management.
- B. Provide protection against malware and viruses.
- C. Provide peer-to-peer networking capability.
- D. Provide user data encryption.
- E. Provide virtual desktop capability.
- F. Provide system resources.

Answer: AF

Explanation:

Providing structure for file and data management and providing system resources are the primary functions of an operating system. An operating system is a type of software that manages the hardware and software resources of a computer or device. Providing structure for file and data management is a function of an operating system that allows users to organize, store, access, and modify files and data on a storage device. Providing system resources is a function of an operating system that allows users to run multiple applications or processes at the same time by allocating memory, CPU, disk space, network bandwidth, etc. Providing protection against malware and viruses, providing peer-to-peer networking capability, providing user data encryption, and providing virtual desktop capability are not primary functions of an operating system. These are functions that can be performed by other types of software or hardware devices. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 3: Computing Components, page 127.

NEW QUESTION 4

To establish a theory of probable cause, one technician investigates network issues in the server room while another technician troubleshoots the user's workstation. Which of the following troubleshooting methodologies is being performed?

- A. QUESTION NO: the obvious.
- B. Divide and conquer.
- C. Duplicate the problem
- D. Research the knowledge base.

Answer: B

Explanation:

Divide and conquer is a troubleshooting methodology that involves breaking down a complex problem into smaller and more manageable parts, and then testing each part to isolate the cause of the problem. QUESTION NO: the obvious, duplicate the problem, and research the knowledge base are not troubleshooting methodologies that involve dividing the problem into smaller parts. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 9: Troubleshooting Methodology, page 332.

NEW QUESTION 5

An online retailer experienced an outage. An investigation revealed that the server received more requests than it could handle, and customers could not log in as a result. Which of the following best describes this scenario?

- A. Hardware failure
- B. Denial of service

- C. On-path attack
- D. Social engineering

Answer: B

Explanation:

The scenario where an online retailer experienced an outage because the server received more requests than it could handle and customers could not log in as a result is best described as a denial of service. A denial of service is a type of attack that aims to disrupt or prevent the normal functioning or availability of a system or network by overwhelming it with excessive traffic or requests. A denial of service can cause performance degradation, slowdown, or outage for the system or network and its legitimate users. A denial of service can be performed by a single attacker or a group of attackers using multiple compromised devices, which is called a distributed denial of service (DDoS). A hardware failure is not the scenario that describes the online retailer's outage, but rather a possible cause or consequence of the outage. A hardware failure is a malfunction or breakdown of a physical component of a system or network, such as a disk, a memory, a CPU, a power supply, etc. A hardware failure can cause data loss, corruption, or interruption for the system or network and its users. A hardware failure can be caused by various factors, such as wear and tear, physical damage, overheating, power surge, etc. A hardware failure can also be induced by a denial of service attack that damages the hardware by overloading it. An on-path attack is not the scenario that describes the online retailer's outage, but rather a type of network attack that involves intercepting or modifying data packets that are transmitted between two parties on a network. An on-path attack can compromise the confidentiality, integrity, or authenticity of the data or communication between the parties. An on-path attack can be performed by an attacker who has access to the same network segment or device as one of the parties, such as a router, a switch, or a hub. An on-path attack can also be performed by an attacker who tricks one of the parties into sending data to them instead of the intended destination, which is called a man-in-the-middle attack. A social engineering attack is not the scenario that describes the online retailer's outage, but rather a type of attack that exploits human psychology and behavior to manipulate people into performing actions or revealing information that benefits the attacker. A social engineering attack can take various forms, such as phishing, vishing, baiting, quid pro quo, pretexting, or tailgating. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 7: Security Concepts

NEW QUESTION 6

Which of the following would be the best reason to implement a host firewall?

- A. To prevent external access
- B. To prevent hardware failures
- C. To prevent the removal of software
- D. To prevent wiretapping

Answer: A

Explanation:

A host firewall is a software program that runs on a computer or device and monitors and controls the incoming and outgoing network traffic based on predefined rules. A host firewall can help prevent external access from unauthorized or malicious sources, such as hackers, malware, or network worms. A host firewall can also block unwanted or unnecessary traffic from reaching the computer or device, which can improve performance and security. A host firewall can be configured to allow or deny traffic based on various criteria, such as port number, protocol, application, source address, destination address, or content. A host firewall can also log or alert the user about any suspicious or blocked activity.

NEW QUESTION 7

An administrator grants permission for a user to access data in a database. Which of the following actions was performed?

- A. Data correlation
- B. Data manipulation
- C. Data gathering
- D. Data definition

Answer: D

Explanation:

Data definition is the process of creating, modifying, or deleting the structure and objects of a database, such as tables, fields, indexes, and views. Data definition is performed using data definition language (DDL), which is a subset of SQL commands. An administrator can use DDL to grant or revoke permissions for a user to access data in a database. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 144.

NEW QUESTION 8

Which of the following relational database constructs is used to ensure valid values are entered for a column?

- A. Schema
- B. Permissions
- C. Constraint
- D. Column

Answer: C

Explanation:

A constraint is a rule or a restriction that is applied to a column or a table in a relational database to ensure that only valid values are entered. Constraints help to maintain the integrity, accuracy, and consistency of the data. For example, a constraint can be used to specify that a column must not contain null values, or that a column must contain unique values, or that a column must match a value in another table. References: = CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 5: Database Fundamentals3; Constraints in Relational Database Model - Online Tutorials Library

NEW QUESTION 9

A program needs to choose apples, oranges, or bananas based on an input. Which of the following programming constructs is BEST to use?

- A. Variable
- B. If
- C. Datatype
- D. Comment

Answer: B

Explanation:

An if statement is a programming construct that is best to use when a program needs to choose among different options based on an input. An if statement evaluates a condition and executes a block of code if the condition is true. An if statement can also have an else clause that executes a different block of code if the condition is false. An if statement can also have multiple else-if clauses that check for additional conditions. For example, a program that chooses apples, oranges, or bananas based on an input could use an if statement like this:

```
input = get_input()
if input == "A":
    print("Apple")
else-if input == "O":
    print("Orange")
else-if input == "B":
    print("Banana")
else:
    print("Invalid input")
```

A variable is a named memory location that can store a value, not a programming construct that can choose among options. A datatype is a classification of data that defines the possible values and operations for that data, not a programming construct that can choose among options. A comment is a remark or explanation in the source code that is ignored by the compiler or interpreter, not a programming construct that can choose among options.

NEW QUESTION 10

Which of the following is an example of an interpreted language?

- A. C++
- B. Java
- C. Python
- D. Go

Answer: C

Explanation:

Python is an example of an interpreted language, which is a type of programming language that does not need to be compiled before execution. Instead, an interpreter program translates and executes the source code line by line at run time. Interpreted languages are usually easier to write and debug, but slower to execute than compiled languages. C++ and Java are examples of compiled languages, which are types of programming languages that need to be translated into executable machine code by a compiler program before execution. Compiled languages are usually faster to execute but harder to write and debug than interpreted languages. Go is an example of a hybrid language, which is a type of programming language that combines features of both compiled and interpreted languages. Hybrid languages use an intermediate code that can be executed by a virtual machine or an interpreter at run time. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 140.

NEW QUESTION 10

Which of the following language types would a web developer MOST likely use to create a website?

- A. Interpreted
- B. Query
- C. Compiled
- D. Assembly

Answer: A

Explanation:

Interpreted is the type of language that a web developer would most likely use to create a website. Interpreted languages are languages that do not need to be compiled before execution. Instead, they are translated into machine code by an interpreter program at run time. Interpreted languages are often used for web development because they are portable, flexible, and easy to modify. Examples of interpreted languages include HTML, CSS, JavaScript, PHP, and Python. References : The Official CompTIA IT Fundamentals (ITF+) Study Guid (FC0-U61), page 132-133. edge browser The user has the page open in a Microsoft Edge browser window whose metadata is:

JSON

AI-generated code. Review and use carefully. [More info on FAQ.](#)

<EMPTY>

NEW QUESTION 12

A software developer develops a software program and writes a document with step-by-step instructions on how to use the software. The developer wants to ensure no other person or company will publish this document for public use. Which of the following should the developer use to BEST protect the document?

- A. Patent
- B. Trademark
- C. Watermark
- D. Copyright

Answer: D

Explanation:

A document that explains how to use a software program is an example of a written work that expresses the original ideas of the developer. A copyright is a legal protection that grants the developer the exclusive right to publish, distribute, and control the use of the document. References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 9: Intellectual Property¹

NEW QUESTION 17

Which of the following would MOST likely prevent malware sent as compromised file via email from infecting a person's computer?

- A. Email previewing
- B. Patching
- C. Clear browsing cache
- D. Kill process

Answer: B

Explanation:

Patching would be the most likely way to prevent malware sent as a compromised file via email from infecting a person's computer. Patching is the process of applying updates or fixes to software or hardware to improve performance, security, or functionality. Patching can help prevent malware infections by closing the vulnerabilities or flaws that malware exploits to infect systems. Users should regularly patch their operating systems, applications, and antivirus software to protect their computers from malware attacks. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 202.

NEW QUESTION 20

Joe, a developer, is writing a program in which he needs to store a number that changes over the duration of the program's run. Which of the following would Joe MOST likely use to accomplish this?

- A. Loop
- B. Variable
- C. Constant
- D. Function

Answer: B

Explanation:

A variable is a named memory location that can store a number or any other type of data that changes over the duration of the program's run. A variable can be assigned a value, modified, or used in calculations or operations. A variable is different from a constant, which is a fixed value that does not change. A variable is also different from a loop, which is a control structure that repeats a block of code until a condition is met. A variable is also different from a function, which is a named block of code that performs a specific task and can be reused¹². References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 4: Software Development³; What is Variable? - Definition from Techopedia

NEW QUESTION 24

Which of the following computing devices would be used to provide a centralized means to distribute services to a group of clients and usually possesses a role on a LAN?

- A. Laptop
- B. Workstation
- C. Mobile phone
- D. Server

Answer: D

Explanation:

A server is a computing device that provides a centralized means to distribute services to a group of clients and usually possesses a role on a LAN. A server can perform various functions, such as hosting applications, databases, files, web pages, email, or print jobs. A server can also manage network resources, such as security, user accounts, or backups. A server typically has more processing power, memory, and storage capacity than a client device⁴. References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 3: IT Infrastructure²

NEW QUESTION 29

A database administrator finds that a table is not needed in a relational database. Which of the following commands is used to completely remove the table and its data?

- A. UPDATE
- B. DELETE
- C. ALTER
- D. DROP

Answer: D

Explanation:

DROP is the command that is used to completely remove a table and its data from a relational database. DROP is a SQL (Structured Query Language) statement that deletes the definition and contents of a database object, such as a table, index, or view. DROP cannot be undone, so it should be used with caution. For example, the statement DROP TABLE Customers; will delete the table named Customers and all its data from the database. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 14

NEW QUESTION 31

A company will begin to allow staff to work from home by means of formal request. Which of the following is the BEST way for the company to document this change?

- A. Written procedure
- B. Written policy

- C. Written email
- D. Written memo

Answer: B

Explanation:

A written policy is the best way for a company to document a change that allows staff to work from home by means of formal request. A policy is a statement or guideline that defines the rules, standards, or procedures for an organization's actions, decisions, or behaviors. A policy can help an organization to achieve its objectives, comply with regulations, ensure consistency and quality, and communicate expectations and responsibilities. A written policy is a policy that is documented in a formal document that can be distributed, reviewed, updated, and enforced by the organization. A written policy can help a company to document a change that affects its staff, such as working from home, by specifying the criteria, process, benefits, limitations, and consequences of the change. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 210.

NEW QUESTION 34

A gaming console needs to allow for inbound connectivity on a home network to facilitate chat functions. Which of the following devices is a user MOST likely to configure to allow this?

- A. Cable modem
- B. Wireless router
- C. Access point
- D. Network switch

Answer: B

Explanation:

A wireless router is a device that connects wireless devices to a wired network and allows them to communicate with each other and access the Internet. A wireless router also has firewall features that can block or allow inbound or outbound traffic based on rules or settings. A user can configure the wireless router to allow inbound connectivity on a home network for a gaming console by opening or forwarding ports that are used for chat functions. A cable modem, an access point, and a network switch are not devices that can be configured to allow inbound connectivity on a home network for a gaming console. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 6: Infrastructure Concepts, page 227.

NEW QUESTION 39

A UPS provides protection against:

- A. denial of service
- B. replay attack.
- C. power outages.
- D. wiretapping.

Answer: C

Explanation:

A UPS (uninterruptible power supply) provides protection against power outages by providing backup power to connected devices in case of a power failure. A UPS typically consists of a battery, an inverter, and a surge protector. A UPS can prevent data loss, hardware damage, or downtime caused by sudden loss of electricity. A UPS can also protect against power surges, spikes, or fluctuations that can harm electronic devices. A denial of service (DoS) is a cyberattack that attempts to disrupt the normal functioning of a network or system by overwhelming it with traffic or requests. A UPS does not provide protection against DoS attacks, as they target the network layer, not the physical layer. A replay attack is a cyberattack that involves intercepting and retransmitting data to impersonate or deceive another party. A UPS does not provide protection against replay attacks, as they target the application layer, not the physical layer. Wiretapping is the act of secretly monitoring or recording the communication or data transmission of another party. A UPS does not provide protection against wiretapping, as it does not encrypt or secure the data.

NEW QUESTION 43

A programmer uses DML to modify:

- A. files
- B. permissions
- C. data
- D. backups

Answer: C

Explanation:

A programmer uses DML to modify data in a database. DML stands for Data Manipulation Language, which is a subset of SQL (Structured Query Language) that is used to manipulate or change data in a database. DML includes commands or statements such as INSERT, UPDATE, DELETE, or MERGE, which can be used to add, modify, remove, or combine data in a table or structure within a database. DML can help a programmer to perform various operations or functions on the data in a database. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 143.

NEW QUESTION 44

Which of the following would be used to send messages using the SMTP protocol?

- A. Document sharing software
- B. Instant messaging software
- C. Conferencing software
- D. Email software

Answer: D

Explanation:

Email software would be used to send messages using the SMTP protocol. SMTP stands for Simple Mail Transfer Protocol, which is a network protocol that enables the transmission of email messages from a client to a server or from one server to another. Email software is an application that allows users to compose, send, receive, and manage email messages using SMTP or other protocols, such as POP3 or IMAP. Examples of email software include Microsoft Outlook, Gmail, Yahoo Mail, etc. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 166.

NEW QUESTION 46

A technician needs to install a wireless router for a client that supports speeds up to 11Mbps and operates on the 2.4GHz band. Which of the following should the technician select?

- A. 802.11a
- B. 802.11b
- C. 802.11g
- D. 802.11n

Answer: B

Explanation:

* 802.11 b is the wireless standard that supports speeds up to 11Mbps and operates on the 2.4GHz band. 802.11b is one of the earliest versions of the IEEE 802.11 family of standards for wireless local area networks (WLANs). 802.11b uses direct-sequence spread spectrum (DSSS) modulation to transmit data over radio waves. 802.11b has a maximum theoretical data rate of 11Mbps and a typical range of up to 150 feet indoors or 300 feet outdoors. 802.11b operates on the same frequency band as some cordless phones, microwaves, and Bluetooth devices, which may cause interference or signal degradation. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 171.

NEW QUESTION 47

Which of the following software solutions ensures that programs running simultaneously on a workstation do not utilize the same physical memory?

- A. Disk optimizer
- B. Operating system
- C. Type 1 hypervisor
- D. Anti-malware

Answer: B

Explanation:

The operating system is the software solution that ensures that programs running simultaneously on a workstation do not utilize the same physical memory. The operating system is the software that manages the hardware and software resources of a computer, such as the CPU, memory, disk, network, and applications. The operating system uses memory management techniques, such as virtual memory, paging, and segmentation, to allocate and deallocate physical memory to programs as needed, and to prevent memory conflicts or errors. A disk optimizer is a software solution that improves the performance of a disk drive by rearranging the files and free space on the disk to reduce fragmentation and increase access speed. A disk optimizer does not affect the physical memory usage of programs. A type 1 hypervisor is a software solution that creates and runs multiple virtual machines on a single physical machine by directly controlling the hardware resources. A type 1 hypervisor does not ensure that programs running simultaneously on a workstation do not utilize the same physical memory, but rather that virtual machines running simultaneously on a physical machine do not utilize the same hardware resources. An anti-malware is a software solution that protects a computer from malicious software, such as viruses, worms, trojans, spyware, or ransomware. An anti-malware does not ensure that programs running simultaneously on a workstation do not utilize the same physical memory, but rather that programs running on a workstation do not contain malicious code or behavior. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 4: Operating System Fundamentals

NEW QUESTION 50

A user browses to a website. Before the page opens, the user receives a message that the site is not secure. Which of the following caused this message?

- A. Certificate
- B. Proxy
- C. Script
- D. Malware

Answer: A

Explanation:

A website that is not secure means that the connection between the user's browser and the web server is not encrypted or authenticated. This can expose the user's data to interception, modification, or impersonation by attackers. One way to secure a website is to use HTTPS (Hypertext Transfer Protocol Secure), which is a protocol that encrypts and verifies the data exchanged between the browser and the server. HTTPS relies on certificates, which are digital documents that contain information about the identity and public key of the website owner. Certificates are issued by trusted authorities called certificate authorities (CAs), which verify the legitimacy of the website owner before issuing a certificate. When a user browses to a website that uses HTTPS, the browser checks the certificate to ensure that it is valid, signed by a CA, and matches the website's domain name. If any of these checks fail, the browser will display a warning message that the site is not secure, and advise the user not to proceed or enter any sensitive information.

NEW QUESTION 53

A function is BEST used for enabling programs to:

- A. hold a list of numbers.
- B. be divided into reusable components.
- C. define needed constant values.
- D. define variables to hold different values.

Answer: D

Explanation:

A function is best used for enabling programs to define variables to hold different values. A function is a named block of code that performs a specific task or operation. A function can have one or more parameters, which are variables that hold the input values for the function. A function can also have a return value, which is the output value that the function produces. A function can be called or invoked by other parts of the program to execute the code inside the function. A

function can help programs to avoid repeating the same code, improve readability and modularity, and reduce errors and complexity. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 133.

NEW QUESTION 54

Which of the following BEST describes an application running on a typical operating system?

- A. Process
- B. Thread
- C. Function
- D. Task

Answer: A

Explanation:

An application running on a typical operating system is an example of a process, which is a program or a set of instructions that is loaded into memory and executed by the CPU. A process can have one or more threads, which are subunits of execution that share the resources of the process. A process can also perform one or more tasks, which are units of work that the process needs to accomplish. A process can also call one or more functions, which are blocks of code that perform a specific operation and return a value¹²³. References := CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 2: Computing Basics⁴; What is a Process? - Definition from Techopedia⁵; What is a Thread? - Definition from Techopedia⁶

NEW QUESTION 56

A technician is installing a new wireless network and wants to secure the wireless network to prevent unauthorized access. Which of the following protocols would be the MOST secure?

- A. WPA
- B. SSID
- C. WEP
- D. WPA2

Answer: D

Explanation:

WPA2 is the most secure protocol for securing a wireless network and preventing unauthorized access. WPA2 stands for Wi-Fi Protected Access 2, which is an encryption standard that provides strong security and privacy for wireless communications. WPA2 uses AES (Advanced Encryption Standard) to encrypt data and CCMP (Counter Mode with Cipher Block Chaining Message Authentication Code Protocol) to authenticate data. WPA2 also supports PSK (Pre-Shared Key) and EAP (Extensible Authentication Protocol) methods for verifying the identity of users or devices that connect to the wireless network. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 172.

NEW QUESTION 60

Which of the following creates multifactor authentication when used with something you have?

- A. Single sign-on
- B. Hardware token
- C. Geolocation
- D. Password

Answer: D

Explanation:

A password is something you know, which can be used to create multifactor authentication when used with something you have, such as a hardware token or a smart card. Multifactor authentication is a security method that requires two or more factors of authentication to verify a user's identity. Single sign-on is a feature that allows a user to access multiple applications or systems with one set of credentials, but it does not necessarily involve multifactor authentication. Geolocation is a feature that determines a user's physical location based on GPS or other methods, but it does not necessarily involve multifactor authentication. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 7: Security Concepts

NEW QUESTION 64

Which of the following is an advantage of installing an application to the cloud?

- A. Data is not stored locally.
- B. Support is not required.
- C. Service is not required.
- D. Internet access is not required.

Answer: A

Explanation:

An advantage of installing an application to the cloud is that data is not stored locally on the user's device or computer. This means that data can be accessed from anywhere with an internet connection, without taking up space on the device or computer. Data stored in the cloud can also be more secure and reliable than data stored locally, as it can be protected by encryption, backup, and redundancy measures provided by the cloud service provider¹¹¹². References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 5: Database Fundamentals³; What are Cloud Applications? - Definition from Techopedia¹³

NEW QUESTION 67

A user is selecting software to use to prepare handouts for a presentation. The user would like the information to be easy to format and printer friendly. Which of the following software types should the user select?

- A. Word processing
- B. Spreadsheet
- C. Text editor

D. Visual diagramming

Answer: A

Explanation:

The software type that the user should select to prepare handouts for a presentation that are easy to format and printer friendly is word processing. Word processing is a type of software that allows users to create, edit, format, and print text documents, such as letters, reports, resumes, etc. Word processing software provides features such as fonts, styles, margins, alignment, bullets, numbering, tables, images, etc., that enable users to customize the appearance and layout of their documents. Word processing software also provides features such as spell check, grammar check, word count, etc., that enable users to improve the quality and accuracy of their documents. Word processing software can also support various file formats and printing options that enable users to save and print their documents easily and conveniently. Examples of word processing software include Microsoft Word, Google Docs, LibreOffice Writer, etc. Spreadsheet is not the software type that the user should select to prepare handouts for a presentation that are easy to format and printer friendly, but rather a type of software that allows users to create, edit, format, and print numerical data in rows and columns, such as budgets, invoices, charts, etc. Spreadsheet software provides features such as formulas, functions, graphs, pivot tables, etc., that enable users to perform calculations, analysis, or visualization on their data. Spreadsheet software can also support various file formats and printing options that enable users to save and print their data easily and conveniently. Examples of spreadsheet software include Microsoft Excel, Google Sheets, LibreOffice Calc, etc. Text editor is not the software type that the user should select to prepare handouts for a presentation that are easy to format and printer friendly, but rather a type of software that allows users to create, edit, or view plain text files, such as code, scripts, notes, etc. Text editor software provides features such as syntax highlighting, search and replace, indentation, etc., that enable users to manipulate text easily and efficiently. Text editor software does not provide features such as fonts, styles, images, etc., that enable users to customize the appearance or layout of their documents. Text editor software can also support various file formats but not printing options that enable users to save but not print their files easily and conveniently. Examples of text editor software include Notepad++, Sublime Text, Vim, etc.

NEW QUESTION 68

A technician has been asked to assign an IP address to a new desktop computer. Which of the following is a valid IP address the technician should assign?

- A. 127.0.0.1
- B. 172.16.2.189
- C. 192.168.257.1
- D. 255.255.255.0

Answer: B

Explanation:

* 172.16.2.189 is a valid IP address that a technician can assign to a new desktop computer. An IP address is a unique identifier that is assigned to a device on a network that uses the Internet Protocol (IP). An IP address consists of four numbers separated by dots, each ranging from 0 to 255. For example, 192.168.1.1 is an IP address. An IP address can be classified into different classes based on the first number: Class A (1-126), Class B (128-191), Class C (192-223), Class D (224-239), and Class E (240-255). Each class has a different range of IP addresses that can be used for public or private networks. 172.16.2.189 is a Class B IP address that belongs to the private network range of 172.16.0.0 to 172.31.255.255. References : The Official CompTIA I Fundamentals (ITF+) Study Guide (FC0-U61), page 165.

NEW QUESTION 73

A startup company has created a logo. The company wants to ensure no other entity can use the logo for any purpose. Which of the following should the company use to BEST protect the logo? (Select TWO).

- A. Patent
- B. Copyright
- C. NDA
- D. Trademark
- E. EULA

Answer: BD

Explanation:

A logo is a graphical representation of a company's name, brand, or identity. A logo can be protected by both copyright and trademark laws. Copyright is a type of intellectual property that protects the original expression of ideas in tangible forms, such as books, music, art, or software. Copyright protects the logo from being copied, reproduced, or distributed without the permission of the owner. Trademark is a type of intellectual property that protects a word, phrase, symbol, or design that identifies and distinguishes the source of goods or services of one party from those of others. Trademark protects the logo from being used by other parties in a way that causes confusion or deception among consumers. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 211.

NEW QUESTION 74

Which of the following connection types is typically used for a display monitor?

- A. USB
- B. DVI
- C. Bluetooth
- D. RJ45

Answer: B

Explanation:

The connection type that is typically used for a display monitor is DVI. DVI stands for Digital Visual Interface, which is a standard that defines how digital video signals are transmitted from a source device, such as a computer or a DVD player, to a display device, such as a monitor or a projector. DVI can support various resolutions and refresh rates, depending on the type and length of the cable and the capabilities of the devices. DVI can also support analog video signals, using a DVI-A connector, or both digital and analog video signals, using a DVI-I connector. However, DVI does not support audio signals, so a separate audio cable is needed. USB is not the connection type that is typically used for a display monitor, but rather a connection type that is typically used for peripheral devices, such as keyboards, mice, printers, scanners, etc. USB stands for Universal Serial Bus, which is a standard that defines how data and power are transmitted between devices using a common interface. USB can support various types and speeds of devices, depending on the version and mode of the USB port and cable. USB can also support video and audio signals, using a USB-C connector, which can be converted to other standards, such as HDMI or DisplayPort. Bluetooth is not the connection type that is typically used for a display monitor, but rather a connection type that is typically used for wireless devices, such as headphones, speakers, keyboards, mice, etc. Bluetooth is a technology that defines how data and audio are transmitted between devices using short-range radio waves. Bluetooth can

support various profiles and protocols that enable different types of communication and functionality between devices. Bluetooth can also support video signals, using a Bluetooth Low Energy Video Streaming (BLE-VS) protocol, but it is not widely adopted or supported by most devices. RJ45 is not the connection type that is typically used for a display monitor, but rather a connection type that is typically used for network devices, such as routers, switches, computers, etc. RJ45 stands for Registered Jack 45, which is a connector that defines how data are transmitted between devices using twisted pair cables. RJ45 can support various standards and speeds of network communication, depending on the category and length of the cable and the capabilities of the devices. RJ45 can also support video signals, using an Ethernet AVB (Audio Video Bridging) protocol, but it is not widely adopted or supported by most devices. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 1: IT Fundamentals

NEW QUESTION 76

A company wants an application to be accessed by concurrent users and store company information securely. Which of the following would be the BEST option for storing the information?

- A. Word processing document
- B. Flat file
- C. Database
- D. Spreadsheet

Answer: C

Explanation:

A database is a collection of data that is organized and stored in a way that allows easy access, manipulation, and analysis. A database would be the best option for storing information for an application that needs to be accessed by concurrent users and store company information securely. A database can handle multiple user requests, enforce data integrity and security, and perform complex queries and operations on the data. A word processing document, a flat file, and a spreadsheet are not options that can support concurrent users, store company information securely, or perform complex operations on the data. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals, page 191.

NEW QUESTION 81

Which of the following would a company consider an asset?

- A. An external company used to destroy defective hard drives
- B. Information residing on backup tapes
- C. A company-sponsored technology conference
- D. A certified third-party vendor that provides critical components

Answer: B

Explanation:

Information residing on backup tapes is an example of an asset that a company would consider valuable or important. An asset is any resource or item that has value or benefit for an organization, such as hardware, software, data, personnel, etc. An asset can be tangible or intangible, physical or digital, owned or leased, etc. Information residing on backup tapes is an asset because it contains data that may be critical or essential for the organization's operations, functions, or goals. Information residing on backup tapes may also contain sensitive or confidential data that needs to be protected from loss, damage, theft, or unauthorized access. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 204.

NEW QUESTION 82

Which of the following computer components allows for communication over a computer network?

- A. RAM
- B. NIC
- C. CPU
- D. NAS

Answer: B

Explanation:

A NIC (network interface card) is the computer component that allows for communication over a computer network. A NIC is a hardware device that connects a computer to a network cable or a wireless access point. A NIC enables the computer to send and receive data packets over the network using protocols such as TCP/IP (Transmission Control Protocol/Internet Protocol). A NIC has a unique identifier called a MAC (media access control) address that distinguishes it from other devices on the network. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 169.

NEW QUESTION 87

A user revisits a website and receives a message that the site may not be secure. The user is prompted to click a link to continue to the site. Which of the following would MOST likely identify the issue?

- A. Checking the proxy settings
- B. Checking that caching is enabled
- C. Checking browser add-ons
- D. Checking certificate validity

Answer: D

Explanation:

A certificate is a digital document that verifies the identity and authenticity of a website. A certificate is issued by a trusted authority called a certificate authority (CA). A certificate contains information such as the website's domain name, the CA's name, the expiration date, and a digital signature. If a website's certificate is expired, invalid, or untrusted, the browser will warn the user that the site may not be secure and prompt them to click a link to continue. The user can check the certificate validity by clicking on the padlock icon next to the address bar and viewing the certificate details. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 6, Section 6.2, Page 260.

NEW QUESTION 92

A programmer needs to store output in a place that can be accessed as quickly as possible. The data does not need to remain persistent. Which of the following is the BEST option for storing the data?

- A. Flat file
- B. Memory
- C. Relational database
- D. Solid state drive

Answer: B

Explanation:

Memory is the component of a computer system that stores data temporarily for fast access by the processor. Memory does not need to remain persistent, which means it does not retain data when the power is turned off.

A programmer can use memory to store output in a place that can be accessed as quickly as possible by the processor. Memory is also known as RAM (random access memory). References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 36.

NEW QUESTION 97

An employee's laptop does not connect to the Internet when it is used in a coffee shop. Which of the following is the MOST likely cause?

- A. Script blocker
- B. Proxy settings
- C. Private browsing
- D. Full browser cache

Answer: B

Explanation:

Proxy settings are the configuration options that determine how a computer or device connects to the Internet through a proxy server. A proxy server is an intermediary server that acts as a gateway between the computer or device and the Internet. Proxy servers can provide security, privacy, caching, filtering, or access control functions. Proxy settings can affect the Internet connectivity of a computer or device depending on the proxy server's availability, location, or rules. If an employee's laptop does not connect to the Internet when it is used in a coffee shop, the most likely cause is that the proxy settings are incorrect or incompatible with the coffee shop's network. The employee may need to disable or change the proxy settings to connect to the Internet through the coffee shop's network. Script blocker, private browsing, and full browser cache are not likely causes of Internet connectivity issues when using a laptop in a coffee shop. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 6: Infrastructure Concepts, page 234.

NEW QUESTION 102

An attacker is using subversive tactics to gain the trust of a target in order to obtain entry to a location or access to confidential information. Which of the following best describes this scenario?

- A. Phishing attack
- B. Social engineering
- C. On-path attack
- D. Eavesdropping

Answer: B

Explanation:

The scenario where an attacker is using subversive tactics to gain the trust of a target in order to obtain entry to a location or access to confidential information is best described as social engineering. Social engineering is a type of attack that exploits human psychology and behavior to manipulate people into performing actions or revealing information that benefits the attacker. Social engineering can take various forms, such as phishing, vishing, baiting, quid pro quo, pretexting, or tailgating. Phishing attack is a type of social engineering attack that involves sending fraudulent emails or messages that appear to come from legitimate sources to trick recipients into clicking on malicious links or attachments, or providing personal or financial information.

On-path attack is a type of network attack that involves intercepting or modifying data packets that are transmitted between two parties on a network. Eavesdropping is a type of network attack that involves listening to or capturing data packets that are transmitted between two parties on a network. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 7: Security Concepts1

NEW QUESTION 107

A technician is having trouble connecting multiple users' laptops to the internet wirelessly. The users are on the west side of the building, which is hardwired. Which of the following should the technician do to resolve this issue quickly?

- A. Add a switch and hardwire the users' laptops.
- B. Add a network router.
- C. Replace the users' laptops with desktop computers.
- D. Add an access point for the users.

Answer: D

Explanation:

The best solution for the technician to resolve the issue quickly is to add an access point for the users. An access point is a device that provides wireless connectivity to the network. An access point can be connected to a wired network and extend its coverage to wireless devices, such as laptops, smartphones, or tablets. By adding an access point on the west side of the building, the technician can enable the users' laptops to connect to the internet wirelessly without changing their hardware or software settings. Adding a switch and hardwiring the users' laptops is not a quick solution, as it would require installing cables and configuring the network settings on each laptop. Adding a network router is not necessary, as a router is a device that connects multiple networks and routes traffic between them. A router does not provide wireless connectivity by itself, unless it has a built-in access point. Replacing the users' laptops with desktop computers is not a feasible solution, as it would incur high costs and inconvenience for the users. References: CompTIA IT Fundamentals (ITF+) Study Guide: Exam FC0-U61, Second Edition, Chapter 3: Infrastructure, pages 90-91

NEW QUESTION 111

The computer language that is closest to machine code is:

- A. query language
- B. scripting language
- C. markup language
- D. assembly language

Answer: D

Explanation:

Assembly language is a low-level programming language that uses mnemonics or symbolic names to represent machine code instructions. Machine code is the binary code that is directly executed by the processor. Assembly language is the closest to machine code among the options given because it has a one-to-one correspondence with machine code instructions. Query language, scripting language, and markup language are not programming languages that are close to machine code because they use higher-level syntax or commands

that need to be translated or interpreted by other programs before execution. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 139.

NEW QUESTION 116

A user has purchased a high-end graphics card that contains a GPU. Which of the following processes is being performed by the GPU on the graphics card?

- A. Input
- B. Output
- C. Storage
- D. Processing

Answer: D

Explanation:

Processing is the process that is being performed by the GPU on the graphics card. A GPU (graphics processing unit) is a specialized processor that is designed to handle graphics-related tasks, such as rendering images, videos, animations, or games. A GPU can perform parallel computations faster and more efficiently than a CPU (central processing unit), which is the main processor of a computer. A GPU can be integrated into the motherboard or installed as a separate component on a graphics card. A graphics card is an expansion card that connects to a slot on the motherboard and provides video output to a display device, such as a monitor or projector. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 35.

NEW QUESTION 117

A business would like to create an employee portal that employees will have access to when they are at work. The employees will not be able to connect to the portal from home without a VPN connection. Which of the following types of application does this describe?

- A. Local application
- B. Intranet application
- C. Extranet application
- D. Internet application

Answer: B

Explanation:

An intranet application is a type of application that is hosted on a private network and can only be accessed by authorized users within an organization. An intranet application would best describe an employee portal that employees can access when they are at work, but not from home without a VPN connection. A VPN (Virtual Private Network) is a technology that creates a secure and encrypted tunnel between a client device and a remote server over the Internet. A VPN can allow employees to access the intranet application from home by connecting to the private network of the organization. Local application, extranet application, and Internet application are not types of applications that describe an employee portal that employees can access when they are at work, but not from home without a VPN connection. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals, page 199.

NEW QUESTION 118

A programmer is generating results by iterating rows that provide values needed for one calculation. Which of the following functions best accomplishes this task?

- A. Branching
- B. Pausing for input
- C. Sorting
- D. Looping

Answer: D

Explanation:

Looping is a function that allows a programmer to repeat a block of code for a certain number of times or until a condition is met. This is useful for iterating rows that provide values needed for one calculation, as it can perform the same operation on each row without writing redundant code. Branching is a function that allows a programmer to execute different blocks of code depending on a condition, such as an if-else statement.

Pausing for input is a function that allows a programmer to stop the execution of the code and wait for the user to enter some data, such as using the input() function in Python. Sorting is a function that allows a programmer to arrange a collection of data in a certain order, such as ascending or descending. References: CompTIA IT Fundamentals (ITF+) Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Software Development Concepts, page 139

NEW QUESTION 120

Which of the following network protocols will MOST likely be used when sending and receiving Internet email?
(Select TWO.)

- A. SMTP
- B. POP3
- C. SNMP
- D. DHCP
- E. ICMP
- F. SFTP

Answer: AB

Explanation:

SMTP and POP3 are the most likely network protocols that will be used when sending and receiving Internet email. SMTP stands for Simple Mail Transfer Protocol, which is a protocol that enables the transmission of email messages from a client to a server or from one server to another. SMTP is used to send outgoing email messages. POP3 stands for Post Office Protocol version 3, which is a protocol that enables the retrieval of email messages from a server to a client. POP3 is used to download incoming email messages. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 166.

NEW QUESTION 121

Which of the following is a logical structure for storing files?

- A. Folder
- B. Extension
- C. Permissions
- D. Shortcut

Answer: A

Explanation:

A folder is a logical structure for storing files on a storage device such as a hard disk drive or a solid state drive. A folder can contain files or other folders within it. A folder can help users to organize, group, or categorize files based on their name, type, purpose, etc. Extension, permissions, and shortcut are not logical structures for storing files on a storage device. Extension is a suffix or identifier that indicates the format or type of a file, such as .txt, .docx, .jpg, etc. Permissions are rules or settings that determine who can access or modify a file or a folder on a storage device. Shortcut is an icon or link that points to the location of a file or a folder on a storage device. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 3: Computing Components, page 124.

NEW QUESTION 123

An IP address is 32 bits long. If converted to bytes, it would be:

- A. 4 bytes
- B. 8 bytes
- C. 16 bytes
- D. 64 bytes

Answer: A

Explanation:

A byte is a unit of information that consists of eight bits. A bit is a binary digit that can have a value of either 0 or 1. An IP address is 32 bits long, which means it is composed of four groups of eight bits each. Therefore, if converted to bytes, an IP address would be four bytes long. For example, the IP address 192.168.1.1 in binary form is: 11000000.10101000.00000001.00000001

This IP address has four groups of eight bits each, which are equivalent to four bytes. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 6: Infrastructure Concepts, page 221.

NEW QUESTION 124

A company executive wants to view company training videos from a DVD. Which of the following components would accomplish this task?

- A. Optical drive
- B. Hard disk drive
- C. Solid state drive
- D. Flash drive

Answer: A

Explanation:

An optical drive is a component that can accomplish the task of viewing company training videos from a DVD. An optical drive is a device that can read and write data from optical discs, such as CDs, DVDs, or Blu-ray discs. An optical drive uses a laser beam to access the data stored on the disc. An optical drive can play video or audio files from optical discs, as well as install software or store data.

A hard disk drive (HDD) is a component that can store large amounts of data on magnetic platters, but it cannot read or write data from optical discs. A solid state drive (SSD) is a component that can store data on flash memory chips, but it cannot read or write data from optical discs. A flash drive is a component that can store data on flash memory chips and connect to a USB port, but it cannot read or write data from optical discs.

NEW QUESTION 125

Salespeople roam around a retail store conducting transactions. Which of the following computing devices would be most ideal for point-of-sale transactions?

- A. Workstation
- B. Laptop
- C. Cellphone
- D. Thin client

Answer: C

Explanation:

A cellphone is the most ideal computing device for point-of-sale transactions in a retail store where salespeople roam around. A cellphone is portable, wireless, and has features such as cameras, scanners, and touchscreens that can facilitate payment processing and customer interaction. A workstation is a desktop computer that is designed for high-performance tasks, but it is not portable or wireless. A laptop is a portable computer that can run on battery power, but it is not as convenient or compact as a cellphone. A thin client is a computer that relies on a server for most of its processing and storage, but it is not suitable for point-of-sale transactions without network connectivity. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 1: IT Fundamentals1

NEW QUESTION 128

Which of the following BEST describes the purpose of a vector in programming?

- A. Storing a collection of data
- B. Repeating a similar operation
- C. Capturing user input
- D. Performing mathematical calculations

Answer: A

Explanation:

A vector is a type of data structure that can store a collection of data of the same data type in a dynamic sequence. A vector can grow or shrink in size as data is added or removed from it. A vector would be the best option for storing a collection of data in programming because it can accommodate different amounts of data and allow fast access to any element by using its index number. Repeating a similar operation, capturing user input, and performing mathematical calculations are not purposes of a vector in programming. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 148.

NEW QUESTION 130

Ann, a user, connects to the corporate WiFi and tries to browse the Internet. Ann finds that she can only get to local (intranet) pages. Which of the following actions would MOST likely fix the problem?

- A. Renew the IP address.
- B. Configure the browser proxy settings.
- C. Clear the browser cache.
- D. Disable the pop-up blocker

Answer: A

Explanation:

Renewing the IP address would most likely fix the problem of not being able to access the Internet after connecting to the corporate WiFi. An IP address is a unique identifier that is assigned to a device on a network that uses the Internet Protocol (IP). An IP address consists of four numbers separated by dots, each ranging from 0 to 255. For example, 192.168.1.1 is an IP address. An IP address can be assigned statically (manually) or dynamically (automatically) by a DHCP (Dynamic Host Configuration Protocol) server on the network. Sometimes, an IP address may become invalid or conflict with another device on the network, which may prevent the device from accessing the Internet or other network resources. Renewing the IP address is a process of releasing the current IP address and requesting a new IP address from the DHCP server. Renewing the IP address can help resolve any IP address issues and restore network connectivity. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 165-166.

NEW QUESTION 131

When developing a game, a developer creates a boss object that has the ability to jump. Which of the following programming concepts does jump represent?

- A. Method
- B. Object
- C. Property
- D. Attribute

Answer: A

Explanation:

A method is a programming concept that represents a function or a procedure that performs a specific task or action on an object. An object is a programming concept that represents an instance of a class or a data type that has properties and methods. A method would best describe the ability to jump for a boss object in game development because it is an action that the boss object can perform. Property, object, and attribute are not programming concepts that represent the ability to jump for a boss object in game development. Property is a programming concept that represents a characteristic or a feature of an object, such as color, size, or name. Object is a programming concept that represents an instance of a class or a data type that has properties and methods. Attribute is another term for property in some programming languages. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 143.

NEW QUESTION 135

Given the following pseudocode:

```
For each apple in the basket, eat two oranges unless  
it is the last apple, then eat three oranges.
```

If there are seven apples in the basket, which of the following would be the number of oranges a person eats?

- A. 10
- B. 14
- C. 15
- D. 17

Answer: C

Explanation:

The number of oranges a person eats would be 15 given the input (userin) of "analyst" and the following pseudocode:

Pseudocode is a simplified version of programming language that uses plain English words and symbols to describe the logic and steps of an algorithm or a program. Pseudocode can be used to plan, design, or test a program before writing it in an actual programming language. To find the number of oranges a person eats given the input (userin) of "analyst", we need to follow the pseudocode line by line and evaluate the expressions or statements based on the input value.

Line 1: Declare userin as string

This line declares userin as a string variable, which means it can store text or characters. Line 2: Declare oranges as integer

This line declares oranges as an integer variable, which means it can store whole numbers. Line 3: Declare apples as integer

This line declares apples as an integer variable, which means it can store whole numbers. Line 4: Set apples = 7

This line assigns the value of 7 to apples. Line 5: Set oranges = 10

This line assigns the value of 10 to oranges. Line 6: Input userin

This line asks for user input and assigns it to userin. Line 7: If userin = "analyst" then

This line checks if userin is equal to "analyst". Since we are given that userin is "analyst", this condition is true and we proceed to execute the next line.

Line 8: Set oranges = oranges + apples

This line adds the value of oranges and apples and assigns it back to oranges. Since oranges is 10 and apples is 7, this line sets oranges to 17.

Line 9: End if

This line marks the end of the if statement. Line 10: If userin = "manager" then

This line checks if userin is equal to "manager". Since we are given that userin is "analyst", this condition is false and we skip the next line.

Line 11: Set oranges = oranges - apples

This line subtracts the value of apples from oranges and assigns it back to oranges. Since this line is skipped, oranges remains 17.

Line 12: End if

This line marks the end of the if statement. Line 13: Set oranges = oranges - 2

This line subtracts 2 from oranges and assigns it back to oranges. Since oranges is 17, this line sets oranges to 15.

Line 14: Output oranges

This line displays the value of oranges, which is 15.

Therefore, the number of oranges a person eats would be 15 given the input (userin) of "analyst" and the following pseudocode. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 142.

NEW QUESTION 139

Which of the following is an example of utilizing a personalized code for continuous personal access to a software product?

- A. Site licensing
- B. Open-source licensing
- C. Product key licensing
- D. Single-use licensing

Answer: C

Explanation:

Product key licensing is an example of utilizing a personalized code for continuous personal access to a software product. A product key is a unique alphanumeric code that is required to activate or register a software product, such as an operating system or an application. A product key ensures that the user has a legitimate copy of the software and prevents unauthorized use or distribution. Site licensing is a type of licensing that allows an organization to install and use a software product on multiple devices within a specific location, such as a school or a company. Open-source licensing is a type of licensing that allows anyone to access, modify, and distribute the source code of a software product, such as Linux or Apache. Single-use licensing is a type of licensing that allows only one installation and use of a software product, such as a game or an antivirus program. References: CompTIA IT Fundamentals (ITF+) Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals and Security Concepts, page 175

NEW QUESTION 141

Which of the following is an example of a compiled language?

- A. C++
- B. SQL
- C. Python
- D. XML

Answer: A

Explanation:

C++ is an example of a compiled language. A compiled language is a programming language that requires a compiler to translate the source code into executable code before running the program. A compiler is a program that converts the entire source code into machine code or intermediate code that can be executed by the processor or another program. A compiled language usually offers faster performance and lower memory usage than an interpreted language, but it also requires more time and effort to compile and debug the code. SQL is not a programming language, but a query language that is used to interact with databases. SQL statements are usually executed by a database management system (DBMS) that interprets and processes them. Python is an example of an interpreted language. An interpreted language is a programming language that does not require compilation before running the program. An interpreter is a program that reads and executes the source code line by line at runtime. An interpreted language usually offers more flexibility and portability than a compiled language, but it also requires more memory and CPU resources to run the program. XML is not a programming language either, but a markup language that is used to define and structure data in a human-readable and machine-readable format. XML documents are usually parsed by another program that uses them for data exchange or presentation. References: CompTIA IT Fundamentals (ITF+) Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Software Development Concepts, pages 134-135

NEW QUESTION 142

Which of the following types of encryptions would BEST protect a laptop computer in the event of theft?

- A. Disk
- B. Email
- C. VPN
- D. HTTPS

Answer: A

Explanation:

Disk encryption is a type of encryption that protects the entire contents of a hard drive or a removable storage device by using a secret key to scramble the data. Disk encryption would best protect a laptop computer in the event of theft because it would prevent unauthorized access to the data on the laptop. Email, VPN, and HTTPS are not types of encryption that protect the entire contents of a laptop computer. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 8: Security Concepts, page 308.

NEW QUESTION 147

Concerned with vulnerabilities on a home network, an administrator replaces the wireless router with a recently released new device. After configuring the new

device utilizing the old SSID and key, some light switches are no longer communicating. Which of the following is the MOST likely cause?

- A. The light switches do not support WPA2.
- B. The router is operating on a different channel.
- C. The key does not meet password complexity requirements.
- D. The SSID is not being broadcast.

Answer: A

Explanation:

WPA2 (WiFi Protected Access II) is a WiFi security option that uses encryption and authentication to protect the wireless network from unauthorized access or eavesdropping. WPA2 is the most secure and recommended WiFi security option among the options given. If some light switches are no longer communicating after replacing the wireless router with a new device that uses WPA2, the most likely cause is that the light switches do not support WPA2. The light switches may need to be updated or replaced to be compatible with WPA2. The router operating on a different channel, the key not meeting password complexity requirements, and the SSID not being broadcast are not likely causes of the light switches not communicating after replacing the wireless router with a new device that uses WPA2. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 8: Security Concepts, page 311.

NEW QUESTION 152

In which of the following situations should there be some expectation of privacy?

- A. Posting a comment on a friend's social media page
- B. Submitting personal information on a school enrollment site
- C. Posting a comment on a video sharing site
- D. Sending email and pictures to a close relative

Answer: B

Explanation:

Submitting personal information on a school enrollment site is an example of a situation where there should be some expectation of privacy. Privacy is the right or ability of individuals or groups to control or limit the access or disclosure of their personal information by others. Personal information is any information that can identify or relate to a specific person, such as name, address, phone number, email, social security number, etc. A school enrollment site should have a privacy policy that explains how it collects, uses, and protects the personal information of its users. Users should read and understand the privacy policy before submitting their personal information on the site. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 205.

NEW QUESTION 154

Which of the following would be considered the BEST method of securely distributing medical records?

- A. Encrypted flash drive
- B. Social networking sites
- C. Fax
- D. FTP file sharing

Answer: A

Explanation:

An encrypted flash drive would be the best method of securely distributing medical records among the given options. An encrypted flash drive is a portable storage device that uses encryption to protect the data stored on it. Encryption is a process of transforming data into an unreadable form that can only be restored with a key or password. Encryption can prevent unauthorized access or disclosure of sensitive or confidential data, such as medical records, if the flash drive is lost or stolen. An encrypted flash drive can also be used to transfer data between different devices or locations securely. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 203.

NEW QUESTION 155

Which of the following operating systems do not require extensions on files to execute a program? (Select TWO).

- A. Windows 7
- B. Windows 8
- C. UNIX
- D. Windows Server 2012
- E. Android
- F. Linux

Answer: CF

Explanation:

UNIX and Linux are the examples of operating systems that do not require extensions on files to execute a program. UNIX and Linux are operating systems that are based on the same kernel and share many features and commands. UNIX and Linux do not rely on file extensions to determine the file type or function. Instead, they use file permissions and attributes to indicate whether a file is executable or not. File extensions are optional and mainly used for human readability or compatibility with other systems. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 86.

NEW QUESTION 160

Which of the following describes the concept of a database record?

- A. A collection of rows, columns, and constraints
- B. A collection of fields about the same object
- C. A collection of schemas within the same database
- D. A collection of tables within different schemas

Answer: B

Explanation:

The concept of a database record is best described as a collection of fields about the same object. A database record is a row in a table that represents an instance of an entity, such as a customer, an order, a product, etc. A database record consists of one or more fields that store data about the attributes of the entity, such as name, address, phone number, quantity, price, etc. A database record can be uniquely identified by a primary key, which is a field or a combination of fields that do not repeat in the table. A collection of rows, columns, and constraints is not the concept of a database record, but rather the concept of a database table. A database table is a structure that organizes data into rows and columns. Each row represents a record, and each column represents a field. A database table can have constraints that define the rules and restrictions for the data in the table, such as primary keys, foreign keys, unique keys, check constraints, etc. A collection of schemas within the same database is not the concept of a database record, but rather the concept of a database instance. A database instance is a set of memory structures and processes that manage and access a database. A database instance can contain one or more schemas, which are collections of objects that belong to a user or an application in the database, such as tables, views, indexes, etc. A collection of tables within different schemas is not the concept of a database record, but rather the concept of a database relationship. A database relationship is a connection between two tables that share common data. A database relationship can be established by using foreign keys, which are fields that reference the primary keys of another table. A database relationship can be one-to-one, one-to-many, or many-to-many depending on how many records in each table are related to each other. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 6: Database Fundamentals

NEW QUESTION 163

A user needs to enter text and numbers to produce charts that demonstrate sales figures. Which of the following types of software would BEST complete this task?

- A. Text editing software
- B. Visual diagramming software
- C. Spreadsheet software
- D. Web browsing software

Answer: C

Explanation:

Spreadsheet software is a type of software that allows users to enter text and numbers in a grid of cells and perform calculations and analysis on the data. Spreadsheet software can also produce charts that demonstrate sales figures or other trends. Examples of spreadsheet software are Microsoft Excel, Google Sheets, and LibreOffice Calc.

References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 7: Software Installation and Functions, page 266.

NEW QUESTION 167

A technician travels to a data center to review specifications on a new project. Which of the following is the technician most likely to see pertaining to types of operating systems?

- A. Mobile device OS
- B. Workstation OS
- C. Embedded OS
- D. Hypervisor OS

Answer: D

Explanation:

A hypervisor OS is the most likely type of operating system that a technician would see pertaining to a data center. A hypervisor OS is an operating system that runs on a host machine and allows multiple guest operating systems to run on virtual machines. A hypervisor OS enables efficient utilization of hardware resources, scalability, and isolation of different workloads in a data center. Examples of hypervisor OS include VMware ESXi, Microsoft Hyper-V, and Citrix XenServer. A mobile device OS is an operating system that runs on a smartphone, tablet, or other portable device. A mobile device OS provides features such as touch screen, wireless connectivity, camera, GPS, and app store. Examples of mobile device OS include Android, iOS, and Windows Phone. A workstation OS is an operating system that runs on a desktop or laptop computer. A workstation OS provides features such as graphical user interface, file management, multitasking, and networking. Examples of workstation OS include Windows 10, macOS, and Linux. An embedded OS is an operating system that runs on a special-purpose device or system that performs a specific function. An embedded OS provides features such as real-time performance, low power consumption, and minimal user interface. Examples of embedded OS include Windows Embedded, Linux Embedded, and QNX. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 4: Operating System Fundamentals1

NEW QUESTION 170

The process of determining the source of an issue during troubleshooting is called:

- A. researching.
- B. sourcing.
- C. diagnosing.
- D. triaging

Answer: C

Explanation:

The process of determining the source of an issue during troubleshooting is called diagnosing. Diagnosing is the third step in the troubleshooting process, after gathering information and determining if anything has changed. Diagnosing involves analyzing the symptoms and possible causes of the problem, testing hypotheses, and identifying the root cause of the problem. Researching is the process of finding relevant information or resources to help solve a problem during troubleshooting. Researching can be done before or after diagnosing, depending on the availability and reliability of the information or resources. Sourcing is not a term used in troubleshooting, but it may refer to the process of finding or obtaining materials or components for a product or service. Triaging is not a term used in troubleshooting, but it may refer to the process of prioritizing problems or tasks based on their urgency or importance. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 2: IT Concepts and Terminology1

NEW QUESTION 173

A corporate network just implemented a 60-day password-warning banner. Which of the following is most likely going to happen in 60 days?

- A. Password reset
- B. Password expiration
- C. Password reuse

D. Password Implementation

Answer: B

Explanation:

The most likely thing that will happen in 60 days after implementing a 60-day password-warning banner is password expiration. A password-warning banner is a message that appears on the screen when a user logs in to a system or network, informing them of how many days are left before their password expires. A password expiration policy is a security measure that requires users to change their passwords periodically, usually every 30 to 90 days. This policy helps to prevent unauthorized access or compromise of passwords by hackers or malicious insiders. Password reset is the process of changing or creating a new password for a user account when the user forgets their password or wants to change it for security reasons. Password reset can be done by the user themselves or by an administrator, depending on the system or network settings. Password reset does not necessarily happen in 60 days after implementing a 60-day password-warning banner, unless the user forgets their password or chooses to change it before it expires. Password reuse is the practice of using the same password for multiple user accounts or systems. Password reuse is not recommended as it increases the risk of compromise if one of the accounts or systems is breached by hackers or malicious insiders. Password reuse does not necessarily happen in 60 days after implementing a 60-day password-warning banner, unless the user chooses to use their old password for their new password after it expires. Password implementation is not a term used in security, but it may refer to the process of creating or enforcing password policies for user accounts or systems. Password implementation does not necessarily happen in 60 days after implementing a 60-day password-warning banner, unless there are changes in the password policies that require users to comply with them. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 7: Security Concepts1

NEW QUESTION 175

A help desk technician loads a browser-based ticketing system, but when navigating to the queue, the technician realizes that another employee's queue is being accessed. Which of the following explains the issue?

- A. The previous user's session is cached.
- B. The proxy settings were misconfigured.
- C. The application is not compatible with the browser.
- D. The browser was opened in private mode

Answer: A

Explanation:

The issue that explains why the technician is accessing another employee's queue is that the previous user's session is cached. Caching is the process of storing data temporarily in a memory or disk for faster access or reuse. Caching can improve the performance and efficiency of a browser-based application, but it can also cause security or privacy issues if the data is not cleared or updated properly. The previous user's session may have been cached by the browser or the application, and the technician may have accessed the same URL or credentials without logging out or clearing the cache. The proxy settings were not misconfigured, as this would not affect the access to another employee's queue, but rather the access to the internet or the application server. The proxy settings are the configuration options that determine how a browser connects to a proxy server, which is an intermediary server that acts as a gateway between the browser and the internet or the application server. The proxy server can provide security, anonymity, or caching functions for the browser. The application is not incompatible with the browser, as this would not affect the access to another employee's queue, but rather the functionality or appearance of the application. The application compatibility is the degree to which an application works correctly and efficiently with a specific browser or operating system. The browser was not opened in private mode, as this would not affect the access to another employee's queue, but rather prevent the caching of data. The private mode is a feature that allows a browser to browse the internet without storing any browsing history, cookies, cache, or other data on the device. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 5: Infrastructure Concepts1

NEW QUESTION 178

Employees must use a badge to enter and exit the building. Each time the badge is used, a log entry is created and stored to record who has entered and exited the building. Which of the following best describes what the log entries provide?

- A. Automation
- B. Accounting
- C. Authorization
- D. Authentication

Answer: B

Explanation:

The log entries that are created and stored when employees use their badges to enter and exit the building provide accounting. Accounting is a security function that records and tracks user activities and events on a system or network. Accounting can provide evidence of user actions, such as authentication, authorization, access, modification, or deletion of data or resources. Accounting can also provide information for billing, auditing, or reporting purposes. Accounting can be implemented using log files, audit trails, or monitoring tools. Automation is not a security function, but rather a process of using technology to perform tasks or operations without human intervention. Automation can improve productivity, efficiency, accuracy, or reliability of a system or network. Automation can be implemented using scripts, programs, or tools. Authorization is not a security function that records and tracks user activities and events, but rather a security function that grants or denies user access to data or resources based on their identity and permissions. Authorization can ensure that users only access what they are allowed to access on a system or network. Authorization can be implemented using access control lists (ACLs), role-based access control (RBAC), or mandatory access control (MAC). Authentication is not a security function that records and tracks user activities and events, but rather a security function that verifies user identity based on credentials, such as passwords, tokens, biometrics, etc. Authentication can ensure that users are who they claim to be on a system or network. Authentication can be implemented using single-factor authentication (SFA), multi-factor authentication (MFA), or single sign-on (SSO). References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 7: Security Concepts1

NEW QUESTION 182

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

FC0-U61 Practice Exam Features:

- * FC0-U61 Questions and Answers Updated Frequently
- * FC0-U61 Practice Questions Verified by Expert Senior Certified Staff
- * FC0-U61 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * FC0-U61 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The FC0-U61 Practice Test Here](#)