

Microsoft

Exam Questions AI-102

Designing and Implementing an Azure AI Solution



NEW QUESTION 1

DRAG DROP - (Topic 3)

You are using a Language Understanding service to handle natural language input from the users of a web-based customer agent.

The users report that the agent frequently responds with the following generic response: "Sorry, I don't understand that."

You need to improve the ability of the agent to respond to requests.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

(Choose three.)

Actions

Answer Area

Add prebuilt domain models as required.

Validate the utterances logged for review and modify the model.

Migrate authoring to an Azure resource authoring key.

Enable active learning.

Enable log collection by using Log Analytics.

Train and republish the Language Understanding model.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

- enable active learning
- validate the utterances
- train and republish

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-how-to-review-endpoint-utterances#log-user-queries-to-enable-active-learning>

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-prebuilt-model>

NEW QUESTION 2

HOTSPOT - (Topic 3)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements

Platform as a service (PaaS) database offerings in Azure require less setup and configuration effort than infrastructure as a service (IaaS) database offerings.

Platform as a service (PaaS) database offerings in Azure provide end users with the ability to control and update the operating system version.

All relational and non-relational platform as a service (PaaS) database offerings in Azure can be paused to reduce costs.

Yes

No

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements

Platform as a service (PaaS) database offerings in Azure require less setup and configuration effort than infrastructure as a service (IaaS) database offerings.

Platform as a service (PaaS) database offerings in Azure provide end users with the ability to control and update the operating system version.

All relational and non-relational platform as a service (PaaS) database offerings in Azure can be paused to reduce costs.

Yes

No

NEW QUESTION 3

HOTSPOT - (Topic 3)

Select the answer that correctly completes the sentence.

Answer Area

Relational data is stored in

a file system as unstructured data.

a hierarchal folder structure.

a tabular form of rows and columns.

comma-separated value (CSV) files.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Relational data is stored in

a file system as unstructured data.

a hierarchal folder structure.

a tabular form of rows and columns.

comma-separated value (CSV) files.

NEW QUESTION 4

- (Topic 3)
You are building a chatbot.
You need to configure the bot to guide users through a product setup process. Which type of dialog should you use?

- A. component
- B. waterfall
- C. adaptive
- D. action

Answer: B

NEW QUESTION 5

- (Topic 3)
You are building a retail kiosk system that will use a custom neural voice. You acquire audio samples and consent from the voice talent. You need to create a voice talent profile.
What should you upload to the profile?

- A. a five-minute wav or mp3 file of the voce talent describing the kiosk system
- B. a five-minute .flac audio file and the associated transcript as a w file
- C. a .wav or mp3 file of the voice talent consenting to the creation of a synthetic version of their voice
- D. a .zip file that contains 10-second .wav files and the associated transcripts as .txt files

Answer: D

NEW QUESTION 6

HOTSPOT - (Topic 3)
You have an Azure Cognitive Search resource named Search 1 that is used by multiple apps You need to secure Search 1. The solution must meet the following requirements:
• Prevent access to Search1 from the internet.
• Limit the access of each app to specific queries
What should you do? To answer, select the appropriate options in the answer area NOTE Each correct answer is worth one point.

Answer Area

To prevent access from the internet:

Create a private endpoint.

Configure an IP firewall.

Create a private endpoint.

Use Azure roles.

To limit access to queries:

Use Azure roles.

Create a private endpoint.

Use Azure roles.

Use key authentication.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

To prevent access from the internet:

Create a private endpoint.

Configure an IP firewall.

Create a private endpoint.

Use Azure roles.

To limit access to queries:

Use Azure roles.

Create a private endpoint.

Use Azure roles.

Use key authentication.

NEW QUESTION 7

DRAG DROP - (Topic 3)

You plan to use containerized versions of the Anomaly Detector API on local devices for testing and in on-premises datacenters.

You need to ensure that the containerized deployments meet the following requirements:

? Prevent billing and API information from being stored in the command-line histories of the devices that run the container.

? Control access to the container images by using Azure role-based access control (Azure RBAC).

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose four.)

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions

Answer Area

- Create a custom Dockerfile.
- Pull the Anomaly Detector container image.
- Distribute a docker run script.
- Push the image to an Azure container registry.
- Build the image.
- Push the image to Docker Hub.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Pull the Anomaly Detector container image. Step 2: Create a custom Dockerfile

Step 3: Build the image

Step 4: Push the image to an Azure container registry.

<https://docs.microsoft.com/en-us/azure/cognitive-services/containers/container-reuse-recipe>

NEW QUESTION 8

- (Topic 3)

What should you use to automatically delete blobs from Azure Blob Storage?

- A. the change feed
- B. a lifecycle management policy
- C. soft delete
- D. archive storage

Answer: D

NEW QUESTION 9

DRAG DROP - (Topic 3)

You have an app that manages feedback.

You need to ensure that the app can detect negative comments by using the Sentiment Analysis API in Azure Cognitive Service for Language. The solution must ensure that the managed feedback remains on your company's internal network.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct You will receive credit for any of the correct orders you select.

Actions

Answer Area

- Provision the Language service resource in Azure.
- Deploy a Docker container to an Azure container instance.
- Deploy a Docker container to an on-premises server.
- Identify the Language service endpoint URL and query the prediction endpoint.
- Run the container and query the prediction endpoint.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? Provision the Language service resource in Azure.

? Deploy a Docker container to an on-premises server.

? Run the container and query the prediction endpoint.

? According to the Microsoft documentation, the Language service is a cloud-based service that provides various natural language processing features, such as sentiment analysis, key phrase extraction, named entity recognition, etc. You can provision the Language service resource in Azure by following the steps in Create a Language resource. You will need to provide a name, a subscription, a resource group, a region, and a pricing tier for your resource. You will also get a key and an endpoint for your resource, which you will use to authenticate your requests to the Language service API.

? According to the Microsoft documentation, you can also use the Language service as a container on your own premises or in another cloud. This option gives you more control over your data and network, and allows you to use the Language service without an internet connection. You can deploy a Docker container to an

on-premises server by following the steps in Deploy Language containers. You will need to have Docker installed on your server, pull the container image from the Microsoft Container Registry, and run the container with the appropriate parameters. You will also need to activate your container with your key and endpoint from your Azure resource.

? According to the Microsoft documentation, once you have deployed and activated your container, you can run it and query the prediction endpoint to get sentiment analysis results. The prediction endpoint is a local URL that follows this format: `http://<container IP address>:<port>/text/analytics/v3.1-preview.4/sentiment`. You can send HTTP POST requests to this endpoint with your text input in JSON format, and receive JSON responses with sentiment labels and scores for each document and sentence in your input.

NEW QUESTION 10

- (Topic 3)

You are developing an app that will use the Decision and Language APIs.

You need to provision resources for the app. The solution must ensure that each service is accessed by using a single endpoint and credential.

Which type of resource should you create?

- A. Language
- B. Speech
- C. Azure Cognitive Services
- D. Content Moderator

Answer: C

NEW QUESTION 10

- (Topic 3)

You build a conversational bot named bot1.

You need to configure the bot to use a QnA Maker application.

From the Azure Portal, where can you find the information required by bot1 to connect to the QnA Maker application?

- A. Access control (IAM)
- B. Properties
- C. Keys and Endpoint
- D. Identity

Answer: C

Explanation:

Obtain values to connect your bot to the knowledge base 1. In the QnA Maker site, select your knowledge base. 2. With your knowledge base open, select the SETTINGS tab. Record the value shown for service name. This value is useful for finding your knowledge base of interest when using the QnA Maker portal interface. It's not used to connect your bot app to this knowledge base. 3. Scroll down to find Deployment details and record the following values from the Postman sample HTTP request: 4. POST /knowledgebases/<knowledge-base-id>/generateAnswer 5. Host: <your-host-url> 6. Authorization: EndpointKey <your-endpoint-key>

Reference:

<https://docs.microsoft.com/en-us/azure/bot-service/bot-builder-howto-qna>

NEW QUESTION 11

HOTSPOT - (Topic 3)

You are building a bot and that will use Language Understanding. You have a LUDown file that contains the following content.

```
## Confirm
- confirm
- ok
- yes

## ExtractName
- call me steve !
- i am anna
- (i'm|i am) {@PersonName.Any}[.]
- my name is {@PersonName.Any}[.]

## Logout
- forget me
- log out

## SelectItem
- choose last
- choose the {@DirectionalReference=bottom left}
- choose {@DirectionalReference=top right}
- i like {@DirectionalReference=left} one

## SelectNone
- none

@m1 DirectionalReference
@prebuilt personName
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

SelectItem is [answer choice].

a domain
an entity
an intent
an utterance

Choose {@DirectionalReference=top right} is [answer choice].

a domain
an entity
an intent
an utterance

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

SelectItem is [answer choice].

a domain
an entity
an intent
an utterance

Choose {@DirectionalReference=top right} is [answer choice].

a domain
an entity
an intent
an utterance

NEW QUESTION 15

- (Topic 3)

Which database transaction property ensures that individual transactions are executed only once and either succeed in their entirety or roll back?

- A. consistency
- B. isolation
- C. atomicity
- D. durability

Answer: A

NEW QUESTION 17

- (Topic 3)

You plan to build an app that will generate a list of tags for uploaded images. The app must meet the following requirements:

- Generate tags in a user's preferred language.
- Support English, French, and Spanish.
- Minimize development effort

You need to build a function that will generate the tags for the app. Which Azure service endpoint should you use?

- A. Custom Vision image classification
- B. Content Moderator Image Moderation
- C. Custom Translator
- D. Computer Vision Image Analysis

Answer: A

NEW QUESTION 22

- (Topic 3)

You are building an AI solution that will use Sentiment Analysis results from surveys to calculate bonuses for customer service staff. You need to ensure that the solution meets the Microsoft responsible AI principles. What should you do?

- A. Add a human review and approval step before making decisions that affect the staffs financial situation
- B. Include the Sentiment Analysis results when surveys return a low confidence score.
- C. Use all the surveys, including surveys by customers who requested that their account be deleted and their data be removed.
- D. Publish the raw survey data to a central location and provide the staff with access to the location.

Answer: A

NEW QUESTION 25

- (Topic 3)

You train a Conversational Language Understanding model to understand the natural language input of users.

You need to evaluate the accuracy of the model before deploying it.

What are two methods you can use? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. From the language authoring REST endpoint, retrieve the model evaluation summary.
- B. From Language Studio, enable Active Learning, and then validate the utterances logged for review.
- C. From Language Studio, select Model performance.
- D. From the Azure portal, enable log collection in Log Analytics, and then analyze the logs.

Answer: AC

NEW QUESTION 26

DRAG DROP - (Topic 3)

You have a Docker host named Host1 that contains a container base image.

You have an Azure subscription that contains a custom speech-to-text model named model1.

You need to run model1 on Host1.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Configure disk logging.

Export model1 to Host1.

Request approval to run the container.

Retrain the model.

Run the container.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

According to the course AI-102T00: Designing and Implementing a Microsoft Azure AI Solution1, the correct sequence of actions to run model1 on Host1 is:

? Export model1 to Host1

? Run the container

? Configure disk logging

The explanation and references are as follows:

? Export model1 to Host1: This step is required to deploy the custom speech-to-text model to the Docker host. You can use the Azure portal or the Azure CLI to export the model as a container image2.

? Run the container: This step is required to start the container and run the model on the Docker host. You can use the Docker CLI to run the container image3.

? Configure disk logging: This step is optional but recommended to monitor the performance and health of the container. You can use the Docker CLI to configure disk logging for the container4.

NEW QUESTION 31

HOTSPOT - (Topic 3)

You are developing a text processing solution. You have the function shown below.

Answer Area

Statements	Yes	No
The output will include the following words: our and included.	<input type="radio"/>	<input type="radio"/>
The output will include the following words: Paris, Eiffel, and Tower.	<input type="radio"/>	<input type="radio"/>
The function will output all the key phrases from the input string to the console.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
The output will include the following words: our and included.	<input checked="" type="radio"/>	<input type="radio"/>
The output will include the following words: Paris, Eiffel, and Tower.	<input checked="" type="radio"/>	<input type="radio"/>
The function will output all the key phrases from the input string to the console.	<input type="radio"/>	<input type="radio"/>

NEW QUESTION 34

HOTSPOT - (Topic 3)

You are developing a service that records lectures given in English (United Kingdom).

You have a method named `AppendToTranscriptFile` that takes translated text and a language identifier.

You need to develop code that will provide transcripts of the lectures to attendees in their respective language. The supported languages are English, French, Spanish, and German.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```
static async Task TranslateSpeechAsync()
{
    var config = SpeechTranslationConfig.FromSubscription("69cad5cc-0ab3-4704-bdff-afbf4aa07d85", "uksouth");

    var lang = new List<string>
    {
        "en-GB",
        "fr", "de", "es",
        "French", "Spanish", "German"
    };

    config.SpeechRecognitionLanguage = "en-GB";
    lang.ForEach(config.AddTargetLanguage);

    using var audioConfig = AudioConfig.FromDefaultMicrophoneInput();
    using var recognizer = new
    {
        IntentRecognizer,
        SpeakerRecognizer,
        SpeechSynthesizer,
        TranslationRecognizer
    }(config, audioConfig);

    var result = await recognizer.RecognizeOnceAsync();
    if (result.Reason == ResultReason.TranslatedSpeech)
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: {"fr", "de", "es"}

A common task of speech translation is to specify target translation languages, at least one is required but multiples are supported. The following code snippet sets both French and German as translation language targets.

```
static async Task TranslateSpeechAsync()
{
    var translationConfig =
    SpeechTranslationConfig.FromSubscription(SPEECH SUBSCRIPTION KEY, SPEECH SERVICE REGION);
    translationConfig.SpeechRecognitionLanguage = "it-IT";
    // Translate to languages. See, https://aka.ms/speech/sttt-languages translationConfig.AddTargetLanguage("fr"); translationConfig.AddTargetLanguage("de");
}
```

Box 2: TranslationRecognizer

After you've created a `SpeechTranslationConfig`, the next step is to initialize a `TranslationRecognizer`.

Example code:

```
static async Task TranslateSpeechAsync()
{
    var translationConfig =
    SpeechTranslationConfig.FromSubscription(SPEECH SUBSCRIPTION KEY, SPEECH SERVICE REGION);
    var fromLanguage = "en-US";
    var toLanguages = new List<string> { "it", "fr", "de" }; translationConfig.SpeechRecognitionLanguage = fromLanguage;
    toLanguages.ForEach(translationConfig.AddTargetLanguage);
    using var recognizer = new TranslationRecognizer(translationConfig);
}
```

NEW QUESTION 38


HOTSPOT - (Topic 3)

You have a chatbot.

You need to test the bot by using the Bot Framework Emulator. The solution must ensure that you are prompted for credentials when you sign in to the bot.

Which three settings should you configure? To answer, select the appropriate settings in the answer area.


NOTE Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 39

- (Topic 3)

You have the following data sources:

- ? Finance: On-premises Microsoft SQL Server database
- ? Sales: Azure Cosmos DB using the Core (SQL) API
- ? Logs: Azure Table storage
- ? HR: Azure SQL database

You need to ensure that you can search all the data by using the Azure Cognitive Search REST API. What should you do?

- A. Configure multiple read replicas for the data in Sales.
- B. Mirror Finance to an Azure SQL database.
- C. Migrate the data in Sales to the MongoDB API.
- D. Ingest the data in Logs into Azure Sentinel.

Answer: B

Explanation:

On-premises Microsoft SQL Server database cannot be used as an index data source. Note: Indexer in Azure Cognitive Search: : Automate aspects of an indexing operation by configuring a data source and an indexer that you can schedule or run on demand. This feature is supported for a limited number of data source types on Azure. Indexers crawl data stores on Azure.

- ? Azure Blob Storage
- ? Azure Data Lake Storage Gen2 (in preview)
- ? Azure Table Storage
- ? Azure Cosmos DB
- ? Azure SQL Database
- ? SQL Managed Instance
- ? SQL Server on Azure Virtual Machines

Reference:

<https://docs.microsoft.com/en-us/azure/search/search-indexer-overview#supported-data-sources>

NEW QUESTION 44

- (Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a chatbot that uses question answering in Azure Cognitive Service for Language Users report that the responses of the chatbot lack formality when answering spurious questions

You need to ensure that the chatbot provides formal responses to spurious questions. Solution: From Language Studio, you change the chitchat source to qna_chitchit_friindly.tsv. and then retrain and republish the model. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 49

- (Topic 3)

You use the Custom Vision service to build a classifier.

After training is complete, you need to evaluate the classifier.

Which two metrics are available for review? Each correct answer presents a complete solution. (Choose two.)

NOTE: Each correct selection is worth one point.

- A. recall
- B. F-score
- C. weighted accuracy
- D. precision
- E. area under the curve (AUC)

Answer: AD

Explanation:

Custom Vision provides three metrics regarding the performance of your model: precision, recall, and AP.

Reference:

<https://www.tallan.com/blog/2020/05/19/azure-custom-vision/>

NEW QUESTION 52

- (Topic 3)

You create a bot by using the Microsoft Bot Framework SDK.

You need to configure the bot to respond to events by using custom text responses. What should you use?

- A. an adaptive card
- B. an activity handler
- C. a dialog
- D. a skill

Answer: B

NEW QUESTION 57

- (Topic 3)

You plan create an index for an Azure Cognitive Search service by using the Azure portal. The Cognitive Search service will connect to an Azure SQL database The Azure SQL database contains a table named UserMessages. Each row in User

Messages has a field named MessageCopy that contains the text of social media messages sent by a user

Users will perform full text searches against the MessageCopy field, and the values of the field will be shown to the users-

You need to configure the properties of the index for the MessageCopy field to support the solution.

Which attributes should you enable for the field?

- A. Searchable and Retrievable
- B. Sortable and Retrievable
- C. Searchable and Facetable
- D. Filterable and Retrievable

Answer: A

NEW QUESTION 61

- (Topic 3)

A customer uses Azure Cognitive Search.

The customer plans to enable a server-side encryption and use customer-managed keys (CMK) stored in Azure.

What are three implications of the planned change? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. The index size will increase.
- B. Query times will increase.
- C. A self-signed X.509 certificate is required.
- D. The index size will decrease.
- E. Query times will decrease.
- F. Azure Key Vault is required.

Answer: ABF

Explanation:

"Customer-managed keys require an additional billable service, Azure Key Vault, which can be in a different region, but under the same subscription, as Azure Cognitive Search. Enabling CMK encryption will increase index size and degrade query performance."

same document also lists Azure Key Vault as a requirement: <https://docs.microsoft.com/en-us/azure/search/search-security-overview#data-protection>

NEW QUESTION 64

- (Topic 3)

You are building a flight booking bot by using the Microsoft Bot Framework SDK.

The bot will ask users for their departure date. The bot must repeat the question until a valid date is given, or the users cancel the transaction.

Which type of dialog should you use?

- A. prompt
- B. action
- C. waterfall
- D. adaptive

Answer: A

NEW QUESTION 65

- (Topic 3)

You have a text-based chatbot.

You need to enable content moderation by using the Text Moderation API of Content Moderator. Which two service responses should you use? Each correct answer presents part of the solution NOTE: Each correct selection is worth one point.

- A. the adult classification score
- B. optical character recognition (OCR)
- C. personal data
- D. text classification
- E. the racy classification score

Answer: AD

NEW QUESTION 70

HOTSPOT - (Topic 3)

Select the answer that correctly completes the sentence.

Answer Area

A block of code that runs in a database is called

a stored procedure.

a table.

a view.

an index.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

A block of code that runs in a database is called

a stored procedure.

a table.

a view.

an index.

NEW QUESTION 75

DRAG DROP - (Topic 3)

You are developing a call to the Face API. The call must find similar faces from an existing list named employeefaces. The employeefaces list contains 60,000 images.

How should you complete the body of the HTTP request? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Values

"faceListId"

"LargeFaceListId"

"matchFace"

"matchPerson"

Answer Area

```
{
  "faceId": "18c51a87-3a69-47a8-aedc-a54745f708a1",
  : "employeefaces",
  "maxNumOfCandidatesReturned": 1,
  "mode": 
}
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Box 1: LargeFaceListID
LargeFaceList: Add a face to a specified large face list, up to 1,000,000 faces.
Note: Given query face's faceld, to search the similar-looking faces from a faceld array, a face list or a large face list. A "faceListId" is created by FaceList - Create containing persistedFacelds that will not expire. And a "largeFaceListId" is created by LargeFaceList - Create containing persistedFacelds that will also not expire.

NEW QUESTION 80
HOTSPOT - (Topic 3)
You are building a chatbot that will provide information to users as shown in the following exhibit.

Passengers


Sarah Hum
Jeremy Goldberg
Evan Litvak

2 Stops

Tue, May 30, 2017 10:25 PM

San Francisco
Amsterdam

SFO
AMS



San Francisco
Amsterdam


SFO
AMS

Non-Stop

Fri, Jun 2, 2017 11:55 PM

San Francisco
Amsterdam

SFO
AMS



San Francisco
Amsterdam

SFO
AMS

Total

\$4,032.54

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

The chatbot is showing [answer choice].

	▼
an Adaptive Card	
a Hero Card	
a Thumbnail Card	

The card includes [answer choice].

	▼
an action set	
an image	
an image group	
media	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Adaptive card Box 2: an image

NEW QUESTION 83

- (Topic 3)

You are developing a new sales system that will process the video and text from a public- facing website.

You plan to monitor the sales system to ensure that it provides equitable results regardless of the user's location or background.

Which two responsible AI principles provide guidance to meet the monitoring requirements? Each correct answer presents part of the solution. (Choose two.)

NOTE: Each correct selection is worth one point.

- A. transparency
- B. fairness
- C. inclusiveness
- D. reliability and safety
- E. privacy and security

Answer: BC

Explanation:

<https://docs.microsoft.com/en-us/learn/modules/get-started-ai-fundamentals/8-understand-responsible-ai>

NEW QUESTION 85

DRAG DROP - (Topic 3)

Match the types of workloads to the appropriate scenarios.

To answer, drag the appropriate workload type from the column on the left to its scenario on the right. Each workload type may be used once, more than once, or not at all.

NOTE: Each correct match is worth one point.

Workload Types	Answer Area
Batch	Workload type Data for a product catalog will be loaded every 12 hours to a data warehouse.
Streaming	Workload type Thousands of data sets per second for online purchases will be loaded into a data warehouse in real time.
	Workload type Updates to inventory data will be loaded to a data warehouse every 1 million transactions.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Workload Types	Answer Area
Batch	Batch Data for a product catalog will be loaded every 12 hours to a data warehouse.
Streaming	Streaming Thousands of data sets per second for online purchases will be loaded into a data warehouse in real time.
Batch	Batch Updates to inventory data will be loaded to a data warehouse every 1 million transactions.

NEW QUESTION 89

- (Topic 3)

You need to measure the public perception of your brand on social media messages. Which Azure Cognitive Services service should you use?

- A. Text Analytics
- B. Content Moderator


- C. Computer Vision
D. Form Recognizer

Answer: A

Explanation:

Text Analytics Cognitive Service could be used to quickly determine the public perception for a specific topic, event or brand.

Example: A NodeJS app which pulls Tweets from Twitter using the Twitter API based on a specified search term. Then pass these onto Text Analytics for sentiment scoring before storing the data and building a visualisation in PowerBI. The Architecture looked something like this:



Reference:

<https://www.linkedin.com/pulse/measuring-public-perception-azure-cognitive-services- steve-dalai>

NEW QUESTION 92

DRAG DROP - (Topic 3)

You need to develop an automated call handling system that can respond to callers in their own language. The system will support only French and English. Which Azure Cognitive Services service should you use to meet each requirement? To answer, drag the appropriate services to the correct requirements. Each service may be used once, more than once, or not at all. You may need to drag the split bat between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Services

Answer Area

- Speaker Recognition
- Speech to Text
- Text Analytics
- Text to Speech
- Translator

Detect the incoming language:

Respond in the callers' own language:

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Text Analytics

The Language Detection feature of the Azure Text Analytics REST API evaluates text input for each document and returns language identifiers with a score that indicates the strength of the analysis.

Box 2: Translator

Translator is a cloud-based neural machine translation service that is part of the Azure Cognitive Services family of REST APIs. Translator can be used with any operating system and powers many Microsoft products and services used by thousands of businesses worldwide to perform language translation and other language-related operations.

NEW QUESTION 94

DRAG DROP - (Topic 3)

You are building a transcription service for technical podcasts.

Testing reveals that the service fails to transcribe technical terms accurately. You need to improve the accuracy of the service.

Which five actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions

Create a Speaker Recognition model.
Create a Conversational Language Understanding model.
Create a Custom Speech project.
Create a speech-to-text model.
Upload training datasets.
Train the model.
Deploy the model.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<https://learn.microsoft.com/en-us/azure/cognitive-services/speech-service/custom-speech-overview#how-does-it-work>

With Custom Speech, you can upload your own data, test and train a custom model, compare accuracy between models, and deploy a model to a custom endpoint.

- Create a project and choose a model. Use a Speech resource that you create in the Azure portal. If you will train a custom model with audio data, choose a Speech resource region with dedicated hardware for training audio data.
- Upload test data. Upload test data to evaluate the speech to text offering for your applications, tools, and products.
- Train a model. Provide written transcripts and related text, along with the corresponding audio data. Testing a model before and after training is optional but recommended.
- Deploy a model. Once you're satisfied with the test results, deploy the model to a custom endpoint. With the exception of batch transcription, you must deploy a custom endpoint to use a Custom Speech model.

NEW QUESTION 97

- (Topic 3)

You have an Azure Cognitive Search solution and an enrichment pipeline that performs Sentiment Analysis on social media posts.

You need to define a knowledge store that will include the social media posts and the Sentiment Analysis results.

Which two fields should you include in the definition? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. storageContainer
- B. tables
- C. storageConnectionString
- D. files
- E. objects

Answer: DE

NEW QUESTION 98

HOTSPOT - (Topic 3)

You are building a chatbot.

You need to use the Content Moderator API to identify aggressive and sexually explicit language.

Which three settings should you configure? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Microsoft

Cognitive Services

Image

Text

Content Moderator - Moderate

Text - Screen

The operation detects profanity in more than 100 languages and match against custom and shared blacklists.

Host

Name

uksouth.api.cognitive.microso

Query parameters

autocorrect

Value

Remove parameter

Pii

Value

Remove parameter

listId

Value

Remove parameter

classify

false

Remove parameter

language

Value

Remove parameter

+ Add parameter

Headers

Content-Type

text/plain

Remove header

Ocp-Apim-Subscription-Key

Value

+ Add header

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Microsoft

Cognitive Services

Image

Text

Content Moderator - Moderate

Text - Screen

The operation detects profanity in more than 100 languages and match against custom and shared blacklists.

Host

Name

uksouth.api.cognitive.microso

Query parameters

autocorrect

Value

Remove parameter

Pii

Value

Remove parameter

listId

Value

Remove parameter

classify

false

Remove parameter

language

Value

Remove parameter

+ Add parameter

Headers

Content-Type

text/plain

Remove header

Ocp-Apim-Subscription-Key

Value

+ Add header

NEW QUESTION 102

DRAG DROP - (Topic 3)

You have a question answering project in Azure Cognitive Service for Language.

You need to move the project to a Language service instance in a different Azure region. Which three actions should you perform in sequence? To answer, move the appropriate

actions from the list of actions to the answer area and arrange them in the correct order.

Actions

From the new Language service instance, import the project file.

From the new Language service instance, enable custom text classification.

From the new Language service instance, train and publish the project.

From the original Language service instance, export the existing project.

From the new Language service instance, regenerate the keys.

From the original Language service instance, train and publish the model.

>

<

Answer Area

>

<

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

From the new Language service instance, import the project file.

From the new Language service instance, enable custom text classification.

From the new Language service instance, train and publish the project.

From the original Language service instance, export the existing project.

From the new Language service instance, regenerate the keys.

From the original Language service instance, train and publish the model.

>

<

Answer Area

From the original Language service instance, export the existing project.

From the new Language service instance, regenerate the keys.

From the original Language service instance, train and publish the model.

>

<

NEW QUESTION 105

- (Topic 3)

You build a language model by using Conversational Language Understanding. The language model is used to search for information on a contact list by using an intent named Findcontact. A conversational expert provides you with the following list of phrases to use for training

- Find contacts in London.
- Who do I know in Seattle?
- Search for contacts m Ukraine.

You need to implement the phrase list in Conversational Language Understanding. Solution: You create a new utterance for each phrase in the FindContact intent.

- A. Yes
- B. No

Answer: B

NEW QUESTION 110

- (Topic 3)

You are examining the Text Analytics output of an application.

The text analyzed is: "Our tour guide took us up the Space Needle during our trip to Seattle last week."

The response contains the data shown in the following table.

Text	Category	ConfidenceScore
Tour guide	PersonType	0.45
Space Needle	Location	0.38
Trip	Event	0.78
Seattle	Location	0.78
Last week	DateTime	0.80

Which Text Analytics API is used to analyze the text?

- A. Sentiment Analysis
- B. Named Entity Recognition
- C. Entity Linking
- D. Key Phrase Extraction

Answer: B

NEW QUESTION 114

DRAG DROP - (Topic 3)

You are building a retail chatbot that will use a QnA Maker service.

You upload an internal support document to train the model. The document contains the following question: "What is your warranty period?"

Users report that the chatbot returns the default QnA Maker answer when they ask the following question: "How long is the warranty coverage?"

The chatbot returns the correct answer when the users ask the following question: "What is your warranty period?"

Both questions should return the same answer.

You need to increase the accuracy of the chatbot responses.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose three.)

Actions

Add a new question and answer (QnA) pair.

Retrain the model.

Add additional questions to the document.

Republish the model.

Add alternative phrasing to the question and answer (QnA) pair.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Step 1: Add alternative phrasing to the question and answer (QnA) pair.
Add alternate questions to an existing QnA pair to improve the likelihood of a match to a user query.
Step 2: Retrain the model.
Periodically select Save and train after making edits to avoid losing changes. Step 3: Republish the model
Note: A knowledge base consists of question and answer (QnA) pairs. Each pair has one answer and a pair contains all the information associated with that answer.

NEW QUESTION 118

DRAG DROP - (Topic 3)
You need to analyze video content to identify any mentions of specific company names.
Which three actions should you perform in sequence? To answer move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Add the specific company names to the exclude list.

Sign in to the Custom Vision website.

From Content model customization, select **Language**.

Sign in to the Azure Video Analyzer for Media website.

From Content model customization, select **Brands**.

Add the specific company names to the include list.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Actions

Add the specific company names to the exclude list.

Sign in to the Custom Vision website.

From Content model customization, select **Language**.

Sign in to the Azure Video Analyzer for Media website.

From Content model customization, select **Brands**.

Add the specific company names to the include list.

Answer Area

Sign in to the Azure Video Analyzer for Media website.

From Content model customization, select **Brands**.

Add the specific company names to the include list.

NEW QUESTION 120

HOTSPOT - (Topic 3)
Select the answer that correctly completes the sentence.

Answer Area

A data analyst

A data engineer

A data scientist

is responsible for identifying which business rules must be applied to the data of a company.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

A data analyst

A data engineer

A data scientist

is responsible for identifying which business rules must be applied to the data of a company.

NEW QUESTION 121

- (Topic 3)

You have an Azure subscription that contains an Azure Cognitive Service for Language resource. You need to identify the URL of the REST interface for the Language service. Which blade should you use in the Azure portal?

- A. Identity
- B. Keys and Endpoint
- C. Properties
- D. Networking

Answer: B

NEW QUESTION 122

HOTSPOT - (Topic 3)

You are building a chatbot for a Microsoft Teams channel by using the Microsoft Bot Framework SDK. The chatbot will use the following code.

```
protected override async Task OnMembersAddedAsync(IList<ChannelAccount>
membersAdded, ITurnContext<IConversationUpdateActivity> turnContext,
Cancellation token cancellation token)
{
    foreach (var member in membersAdded)
    {
        if (member.Id != turnContext.Activity.Recipient.Id)
        {
            await turnContext.SendActivityAsync($"Hi there - {member.Name}.
{WelcomeMessage}", cancellation token: cancellation token);
        }
    }
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
OnMembersAddedAsync will be triggered when a user joins the conversation.	<input type="radio"/>	<input type="radio"/>
When a new user joins the conversation, the existing users in the conversation will see the chatbot greeting.	<input type="radio"/>	<input type="radio"/>
OnMembersAddedAsync will be initialized when a user sends a message.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

The ActivityHandler.OnMembersAddedAsync method overrides this in a derived class to provide logic for when members other than the bot join the conversation, such as your bot's welcome logic.

Box 2: Yes

membersAdded is a list of all the members added to the conversation, as described by the conversation update activity.

Box 3: No

NEW QUESTION 126

HOTSPOT - (Topic 3)

You are building an app that will process incoming email and direct email messages to either French or English language support teams.

Which Azure Cognitive Services API should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

https://

api.cognitive.microsofttranslator.com

api.cognitive.microsofttranslator.com

eastus.api.cognitive.microsoft.com

portal.azure.com

/text/analytics/v3.1/entities/recognition/general

/text/analytics/v3.1/entities/recognition/general

/text/analytics/v3.1/languages

/translator/text/v3.0/translate?to=en

/translator/text/v3.0/translate?to=fr

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

https://

api.cognitive.microsofttranslator.com

api.cognitive.microsofttranslator.com

eastus.api.cognitive.microsoft.com

portal.azure.com

/text/analytics/v3.1/entities/recognition/general

/text/analytics/v3.1/entities/recognition/general

/text/analytics/v3.1/languages

/translator/text/v3.0/translate?to=en

/translator/text/v3.0/translate?to=fr

NEW QUESTION 127

- (Topic 3)

What is a primary characteristic of a relational database?

- A. data is queried and manipulated by using a variant of the SQL language
- B. a lack of dependencies between tables
- C. a flexible data structure
- D. a large amount of duplicate data

Answer: C

NEW QUESTION 128

- (Topic 3)

Which statement is an example of Data Manipulation Language (DML)?

- A. Revoke
- B. UPDATE
- C. DROP
- D. CREATE

Answer: B

NEW QUESTION 133

HOTSPOT - (Topic 3)

You are developing a text processing solution. You develop the following method.

```
static void GetKeyPhrases(TextAnalyticsClient textAnalyticsClient, string text)
{
    var response = textAnalyticsClient.ExtractKeyPhrases(text);
    Console.WriteLine("Key phrases:");

    foreach (string keyphrase in response.Value)
    {
        Console.WriteLine($"{keyphrase}");
    }
}
```

You call the method by using the following code. GetKeyPhrases(textAnalyticsClient, "the cat sat on the mat");
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
The call will output key phrases from the input string to the console.	<input type="radio"/>	<input type="radio"/>
The output will contain the following words: the, cat, sat, on, and mat.	<input type="radio"/>	<input type="radio"/>
The output will contain the confidence level for key phrases.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

The Key Phrase Extraction API evaluates unstructured text, and for each JSON document, returns a list of key phrases.

Box 2: No

'the' is not a key phrase.

This capability is useful if you need to quickly identify the main points in a collection of documents. For example, given input text "The food was delicious and there were wonderful staff", the service returns the main talking points: "food" and "wonderful staff".

Box 3: No

Key phrase extraction does not have confidence levels.

NEW QUESTION 137

- (Topic 2)

You are developing the chatbot.

You create the following components:

* A QnA Maker resource

* A chatbot by using the Azure Bot Framework SDK.

You need to integrate the components to meet the chatbot requirements. Which property should you use?

A. QnADialogResponseOptions.CardNoMatchText

B. Qna MakerOptions-ScoreThreshold

C. Qna Maker Options StrickFilters

D. QnaMakerOptions.RankerType

Answer: D

Explanation:

Scenario: When the response confidence score is low, ensure that the chatbot can provide other response options to the customers.

When no good match is found by the ranker, the confidence score of 0.0 or "None" is returned and the default response is "No good match found in the KB". You can override this default response in the bot or application code calling the endpoint. Alternately, you can also set the override response in Azure and this changes the default for all knowledge bases deployed in a particular QnA Maker service.

Choosing Ranker type: By default, QnA Maker searches through questions and answers. If you want to search through questions only, to generate an answer, use the RankerType=QuestionOnly in the POST body of the GenerateAnswer request.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/qnamaker/concepts/best-practices>

NEW QUESTION 142

- (Topic 1)

You are developing the smart e-commerce project.

You need to implement autocompletion as part of the Cognitive Search solution. Which three actions should you perform? Each correct answer presents part of the solution. (Choose three.)

NOTE: Each correct selection is worth one point.

A. Make API queries to the autocomplete endpoint and include suggesterName in the body.

B. Add a suggester that has the three product name fields as source fields.

C. Make API queries to the search endpoint and include the product name fields in the searchFields query parameter.

D. Add a suggester for each of the three product name fields.

E. Set the searchAnalyzer property for the three product name variants.

F. Set the analyzer property for the three product name variants.

Answer: ABF

Explanation:

Scenario: Support autocompletion and autosuggestion based on all product name variants. A: Call a suggester-enabled query, in the form of a Suggestion request or Autocomplete

request, using an API. API usage is illustrated in the following call to the Autocomplete REST API.

POST /indexes/myxboxgames/docs/autocomplete?search&api-version=2020-06-30

```
{
  "search": "minecraf", "suggesterName": "sg"
}
```

B: In Azure Cognitive Search, typeahead or "search-as-you-type" is enabled through a suggester. A suggester provides a list of fields that undergo additional tokenization, generating prefix sequences to support matches on partial terms. For example, a suggester that includes a City field with a value for "Seattle" will have prefix combinations of "sea", "seat", "seatt", and "seattl" to support typeahead.

F. Use the default standard Lucene analyzer ("analyzer": null) or a language analyzer (for example, "analyzer": "en.Microsoft") on the field.

Reference:

<https://docs.microsoft.com/en-us/azure/search/index-add-suggesters>

NEW QUESTION 143

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AI-102 Practice Exam Features:

- * AI-102 Questions and Answers Updated Frequently
- * AI-102 Practice Questions Verified by Expert Senior Certified Staff
- * AI-102 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * AI-102 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AI-102 Practice Test Here](#)