

Microsoft

Exam Questions MS-203

Microsoft 365 Messaging



NEW QUESTION 1

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named @contoso.com.

You recently configured Microsoft 365 to use a new email domain named @fabrikam.com instead of @contoso.com

Users report that when they send email messages to external recipients, the messages are often erroneously identified as SPAM.

You verify that all the users can receive email successfully from other companies.

You need to reduce the likelihood that the email will be identified as SPAM by the external recipients.

What should you modify?

- A. a text (TXT) record
- B. a mail flow rule
- C. a remote domain
- D. a safe attachments policy
- E. a mail exchanger (MX) record

Answer: B

NEW QUESTION 2

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2.

The company has the departments shown in the following table.

Name	Mailbox location	Number of recipients
Sales	MBX1	300
Production	MBX2	500
Administration	MBX1	200
IT	Exchange Online	50
Managers	Exchange Online	100
Marketing	Exchange Online	350

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups.

You are informed that some sales department users send email messages that are identified as spam.

You need to automatically block the sales department users from repeatedly sending spam.

Solution: You modify the outbound spam filter policy in Exchange Online. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups. Therefore, the Exchange Online outbound spam filter will not scan the emails sent from the on-premises mailboxes.

NEW QUESTION 3

SIMULATION - (Topic 5)

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you

as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your tenant can only share calendar availability information with users in the tenant and users in a domain named contoso.com.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? From the Microsoft 365 admin center dashboard, go to Admin > Exchange.

? Go to Organization > Sharing.

? Under Organization Sharing, click New +.

? In new organization relationship, in the Relationship name box, type a friendly name for the organization relationship.

? In the Domains to share with box, type the domain for the external Microsoft 365, Office 365, or Exchange on-premises organization you want to let see your calendars. If you need to add more than one domain, you can do it after you create the organization relationship by editing it.

? Select the Enable calendar free/busy information sharing check box to turn on calendar sharing with the domains you listed. Set the sharing level for calendar free/busy information and set which users can share calendar free/busy information.

? To set the free/busy access level, select one of the following values:

- Calendar free/busy information with time only
- Calendar free/busy with time, subject, and location

To set which users will share calendar free/busy information, select one of the following values:

- Everyone in your organization
- A specified security group

? Click Browse to pick the security group from a list, then click OK.

? Click Save to create the organization relationship.

NEW QUESTION 4

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You modify the properties of the sales@contoso.com group.

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix-error-code-550-5-7-1-in-exchange-online>

NEW QUESTION 5

HOTSPOT - (Topic 5)

You have an address book policy named Contoso-US that contains an address list named Contoso-Finance. You need to add an address list named Contoso-Marketing to Contoso-US without removing Contoso-Finance. How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

	-Identity	
<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right;">▼</div> New-AddressList Set-AddressList New-AddressBookPolicy Set-AddressBookPolicy </div>		<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right;">▼</div> "Contoso-Marketing" "Contoso-Marketing", "Contoso-Finance" "Contoso-Finance" "Contoso-US" </div>
-AddressLists		<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right;">▼</div> "Contoso-Marketing" "Contoso-Marketing", "Contoso-Finance" "Contoso-Finance" "Contoso-US" </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

	-Identity	
<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right;">▼</div> New-AddressList Set-AddressList New-AddressBookPolicy Set-AddressBookPolicy </div>		<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right;">▼</div> "Contoso-Marketing" "Contoso-Marketing", "Contoso-Finance" "Contoso-Finance" "Contoso-US" </div>
-AddressLists		<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right;">▼</div> "Contoso-Marketing" "Contoso-Marketing", "Contoso-Finance" "Contoso-Finance" "Contoso-US" </div>

NEW QUESTION 6

- (Topic 5)

You have a Microsoft 365 subscription that contains a user named User1.

You need to ensure that User1 can only manage eDiscovery cases that she creates and export the search results. The solution must use the principle of least privilege.

To which role should you add User1?

- A. eDiscovery Manager
- B. eDiscovery Administrator
- C. Communications Compliance
- D. Compliance Administrator

Answer: A

NEW QUESTION 7

- (Topic 5)

You manage a hybrid deployment between Microsoft Exchange Online and on-premises Exchange Server 2019. The deployment contains a primary SMTP domain named contoso.com.

Users have email addresses that use a syntax of firstname.lastname@contoso.com.

A user named Ben Smith receives a new client computer. You configure the computer1 to access Ben Smith's mailbox. Ben Smith reports that he cannot connect to his mailbox from the new computer.

You verify that other users can connect successfully to their mailbox and that new users can discover their mailboxes by using Autodiscover.

You need to ensure that Ben Smith can connect to his mailbox from the new computer. What should you do?

- A. Modify the primarySmtAddress property for the mailbox of Ben Smith.
- B. Modify the email address of Ben Smith to use a syntax of firstname.lastname@contoso.onmicrosoft.com
- C. Modify the RemoteRoutingAddress parameter for the mailbox of Ben Smith.
- D. Modify the email address of Ben Smith to use a syntax of lastname.firstname@contoso.com

Answer: C

NEW QUESTION 8

- (Topic 5)

Your network contains an Active Directory domain named fabrikam.com.

You have a Microsoft Exchange Server 2019 organization that contains two Mailbox servers. The servers are members of a database availability group (DAG).

You plan to implement an Exchange hybrid deployment.

You are evaluating the use of the Exchange Modern Hybrid connection option during the hybrid deployment.

What are two benefits of using Exchange Modern Hybrid instead of Exchange Classic Hybrid? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. allows the use of Microsoft Azure Multi-Factor Authentication (MFA) for on-premises users
- B. eliminates the need to purchase publicly trusted certificates for communication between the on-premises organization and Exchange Online
- C. preserves mailbox quotas when mailboxes are moved between the on-premises organization and Exchange Online
- D. uses Organization Configuration Transfer to configure Exchange Online
- E. allows federated sharing between the on-premises organization and Exchange Online

Answer: BD

Explanation:

Reference:

<https://practical365.com/exchange-online/hybrid-exchange-making-it-easier-and-faster-to-move-to-the-cloud/>

NEW QUESTION 9

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes.

You need to add a second email address to each mailbox. The address must have a syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You convert all the mailboxes to shared mailboxes, and then you run the Set-Mailbox cmdlet and specify the -EmailAddressPolicyEnabled \$false parameter.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-address-policies?view=exchserver-2019>

Email address policies define the rules that create email addresses for recipients in your Exchange organization.

The basic components of an email address policy are:

Email address templates: Define the email address format for the recipients (for example <firstname>@contoso.com or <lastname>.<firstname>@contoso.com).

Recipient filter: Specifies the recipients whose email addresses are configured by the policy.

Priority: Specifies the order to apply the email address policies (important if a recipient is identified by more than one policy).

The EmailAddressPolicyEnabled parameter specifies whether to apply email address policies to this recipient. Valid values are:

\$true: Email address policies are applied to this recipient. This is the default value.

\$false: Email address policies aren't applied to this recipient.

NEW QUESTION 10

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.

You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a connection filter. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You can allow the server IP address in the Connection Filter. This would achieve the objective of ensuring all email from Fabrikam.com is delivered. However, it would also allow any other company that uses the thirdparty email server to bypass the spam filter.

The fact that the question specifies that Fabrikam uses a "third-party messaging solution" suggests that the

answer to this question should be No although technically it would work. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/create-safe-sender-lists-in-office-365?view=o365-worldwide>

NEW QUESTION 10

- (Topic 5)

All the users in your company have Microsoft 365 mailboxes.

Each user connects to Microsoft Exchange Online and OneDrive for Business from a personal computer that runs Windows 10. You need to ensure that the users can save attachments to OneDrive for Business only when they connect to their mailbox from Outlook on the web. What should you create?

- A. an app protection policy in Microsoft Endpoint Manager
- B. a device compliance policy in Microsoft Endpoint Manager
- C. an Outlook Web App policy in Exchange Online
- D. an Exchange ActiveSync device access rule

Answer: C

Explanation:

<https://www.pelegit.co.il/prevent-downloading-attachments-through-owa/>

NEW QUESTION 14

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all email messages in the mailbox of a user named Pradeep Gupta are retained for 90 days.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

? Go to the Microsoft 365 admin center and then click Users > Active users.

? Select Pradeep Gupta.

? On the properties flyout page, click the Mail tab, and then under More actions, click Manage litigation hold.



? On the Manage litigation hold flyout page, select the Turn on litigation hold checkbox and then enter the following optional information:

- _ Hold duration (days): Use this box to create a time-based hold and specify how long mailbox items are held when the mailbox is placed on Litigation hold. The duration is calculated from the date a mailbox item is received or created. When the hold duration expires for a specific item, that item will no longer be preserved. If you leave this box blank, items are preserved indefinitely or until the hold is removed. Configure 90 days.
- _ Note visible to the user: Use this box to inform the user their mailbox is on Litigation hold. The note will appear on the Account Information page in the user's mailbox if they're using Outlook 2010 or later. To access this page, users can click File in Outlook.
- _ Web page with more information for the user: Use this box to direct the user to a website for more information about Litigation hold. This URL appears on the Account Information page in the user's mailbox if they are using Outlook 2010 or later. To access this page, users can click File in Outlook.

Click Save changes on the Litigation hold flyout page to create the hold.
 The system displays a banner saying it might take up to 240 minutes for the change to take effect.

NEW QUESTION 16

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.
 You are migrating public folder data to Exchange Online by using a migration batch of the PublicFolder type.
 You need to identify the sync status of each move request in the batch. Which cmdlet should you run?

- A. Gec-PublicFolderMailboxMigrationRequest
- B. Get-PublicFolderMigrationRequest
- C. Gec-PublicFolderMoveRequest
- D. Gee-MoveRequest

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-publicfoldermailboxmigrationrequest?view=exchange-ps>

NEW QUESTION 20

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a mail-enabled public folder named CustomerSupport
 You need to create a group for the customer support team at your company. The solution must ensure that email sent to the group is also posted to the CustomerSupport public folder
 How should you configure the group? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Answer Area

Group type:

- Distribution list
- Microsoft 365
- Security

Configuration:

- Add CustomerSupport as a member of the group.
- Assign the group the Contributor role for CustomerSupport.
- Configure the Send As settings.
- Configure the Send on Behalf settings.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Group type:

- Distribution list
- Microsoft 365
- Security

Configuration:

- Add CustomerSupport as a member of the group.
- Assign the group the Contributor role for CustomerSupport.
- Configure the Send As settings.
- Configure the Send on Behalf settings.

NEW QUESTION 24

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains two users named User1 and User2.

User1 receives an email message that appears to come from User2. You discover that the message did NOT originate from User2.

You need to prevent email impersonation in the Exchange environment.

Which type of policy should you use, and which setting should you configure? To answer, select the appropriate options in the answer area.

Answer Area

Policy type:

- Anti-phishing
- Anti-malware
- Anti-phishing
- Anti-spam


Setting:

- Enable domains to protect
- Enable users to protect
- Enable domains to protect
- Add trusted senders and domains

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Answer Area



NEW QUESTION 28


HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to configure Outlook on the web to meet the following requirements:

- Prevent users from requesting a remote wipe of their devices.
- Prevent users from accessing voice mails.

You create a new Outlook Web App mailbox policy named Policy1.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Unified Messaging

NEW QUESTION 31

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.

You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a remote domain. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 32

- (Topic 5)

You have a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. All users use an email address suffix of @contoso.com.

You migrate 200 mailboxes from Server1 to Exchange Online by using Exchange PowerShell cmdlets. Users hosted on Server1 can send email messages to the migrated mailboxes.

In Microsoft 365, you create a new mailbox that uses an email address of user1@contoso.com.

When email is sent from the mailboxes hosted on Server1 to user1@contoso.com, the senders receive a non-delivery report (NDR) that contains the following text: "550 5.1.10 RESOLVER.ADR.RecipientNotFound; Recipient not found by SMTP address lookup."

You verify that Microsoft 365 mailboxes can send email to user1@contoso.com successfully.

You delete the user account and mailbox of User1.

You need to ensure that when new mailboxes are created, all the users at your company can exchange email successfully

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From Azure AD Connect, modify the synchronization settings
- B. From Server1, run the New-RemoteMailbox cmdlet
- C. From Server1, run the Enable-Mailbox cmdlet
- D. From the on-premises network, create new mailboxes, and then migrate the mailboxes to Microsoft 365
- E. From the Exchange admin center, modify the properties of the Outbound connector

Answer: BD

Explanation:

The problem happens because the on-premise Exchange server is not aware of the existence of the mailbox created in Exchange Online. To prevent this happening, new mailboxes need to be created from the on-premise Exchange server. You can create on Exchange Online mailbox from the on-premise server by running New-RemoteMailbox cmdlet. Alternatively, you can create a local mailbox on the on-premise server and then migrate the mailbox to Exchange Online.

NEW QUESTION 37

HOTSPOT - (Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment. The company has four departments that have the mailboxes shown in the following table.

Department	Number of mailboxes	Location
Finance	500	On-premises
Manufacturing	1,000	Exchange Online
Sales	5,000	On-premises
Marketing	2,000	Exchange Online

The mailboxes are configured as shown in the following table.

Department	Archive	Single item recovery
Finance	Enabled	Enabled
Manufacturing	Disabled	Disabled
Sales	Disabled	Disabled
Marketing	Enabled	Enabled

You have two administrators named Admin1 and Admin2 that are assigned the permissions shown in the following table.

Administrator	Management role group	Organization	Management role
Admin1	Organization Management, Discovery Management	Exchange Online, on-premises	None
Admin2	Organization Management, Discovery Management	Exchange Online, on-premises	Mailbox Import Export

For each of the following statement, select yes if the statement is true. otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
Admin1 can search for email messages in every mailbox in the organization by running the <code>New-ComplianceSearch</code> cmdlet.	<input type="radio"/>	<input type="radio"/>
Admin2 can perform a search for a specific keyword in every mailbox of the manufacturing department by running the <code>Search-mailbox</code> cmdlet.	<input type="radio"/>	<input type="radio"/>
Admin1 can delete email message from every mailbox of the marketing department by running the <code>Search-Mailbox</code> cmdlet.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:
<https://docs.microsoft.com/en-us/exchange/discovery-management-exchange-2013-help>
<https://docs.microsoft.com/en-us/powershell/module/exchange/mailboxes/search-mailbox?view=exchange-ps>

NEW QUESTION 39

- (Topic 5)

You manage a Microsoft Exchange Server 2019 organization that contains several thousand users. All the users connect to their mailbox by using a mobile device and Exchange ActiveSync. You need to prevent the users from syncing email messages that are older than 14 days to the mobile devices. What should you use?

- A. an Outlook Web App mailbox policy

- B. a mobile device mailbox policy
- C. an ActiveSync device access rule
- D. a conditional access policy

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/mobile-device-mailbox-policies?view=exchserver-2019>

NEW QUESTION 43

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a public folder named CustomerSupport. You need to access CustomerSupport by using Outlook on the web. Which section in Outlook on the web should you add CustomerSupport?

- A. Favorites
- B. Folders
- C. Groups

Answer: C

NEW QUESTION 46

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

Your company has a partnership with another company named fabrikam.com. You need to ensure that all email messages sent to and received by the users at fabrikam.com are encrypted by using TLS.

What should you create in the Exchange admin center?

- A. one connector and one remote domain
- B. one remote domain and one accepted domain
- C. one connector and one accepted domain
- D. two connectors

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/setup-connectors-for-secure-mail-flow-with-a-partner>

NEW QUESTION 51

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization. The deployment contains the resources shown in the following table.

Type	Quantity	Location
User mailbox	500	On-premises
Department mailbox	50	On-premises
Public folder	10	On-premises
Resource mailbox	15	On-premises

You need to migrate the mailboxes from the on-premises Exchange Server 2019 organization to Exchange Online. The department mailboxes will be migrated to shared mailboxes.

What is the minimum number of Exchange Online licenses required?

- A. 500
- B. 515
- C. 550
- D. 575

Answer: A

NEW QUESTION 54

- (Topic 4)

Lynne Robbins and the users in the sales department plan to collaborate on a project with a partner company named Contoso, Ltd. that has an email domain named contoso.com.

You need to ensure that only the sales department users can share all their calendar free/busy information with the users in contoso.com.

How should you configure the organization relationship?

- A. Select Calendar free/busy information with time only and enter Group1B Select Calendar free/busy information with time, subject, and location and enter Groups
- C Select Calendar free/busy information with time, subject, and location and enter Group3
- B. Select Calendar free/busy information with time only and enter Group3
- C. Select Calendar free/busy information with time only and enter Group2

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/create-an-organization-relationship>

NEW QUESTION 58

- (Topic 4)

You need to ensure that Alex Wilber can recover deleted items when using Outlook on the web.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Assign Sales Policy to Alex Wilbur.
- B. Modify Marketing Policy.
- C. Remove Alex Wilbur from all groups.
- D. Assign Policy2 to Alex Wilbur.
- E. Modify Policy1

Answer: BD

NEW QUESTION 59

HOTSPOT - (Topic 4)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The Safe Attachments 1 policy applies to Alex Wilber	<input type="radio"/>	<input type="radio"/>
If an email message that contains detected malware is sent to Megan Bowen, the attachment will be removed, and the message will be delivered	<input type="radio"/>	<input type="radio"/>
For Lynne Robbins, to block both email messages and attachments that have detected malware, the priority of Safe Attachments 2 must be increased	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, letter, email Description automatically generated

Box 1: Yes

The Safe Attachments 1 policy applies to Group1. Alex Wilber is in Group1.

Box 2: No

Megan Bowen is in Group2. The Safe Attachments 2 policy applies to Group2. The Safe Attachments 2 policy will block the email rather than remove the attachment and deliver the email.

Box 3: No

Lynne Robbins is in the Sales department which means she is a member of Group3. She is also a member of Group2 and Group4.

The Safe Attachments 2 policy blocks emails and applies to Group2. There are no other Safe Attachments policies that apply to Group3 or Group4. Therefore, Safe Attachments 2 is the only policy that applies to Lynne Robbins so you do not need to increase the priority of the policy to block the emails.

NEW QUESTION 63

HOTSPOT - (Topic 3)

You need to perform a remote wipe of the devices of User2 and User3. You run the following commands.

```
Clear-MobileDevice -id User2-Device
-NotificationEmailAddress "admin@Fabrikam.com"
Clear-MobileDevice -id User3-Device
-NotificationEmailAddress "admin@Fabrikam.com"
```

What occurs on each device? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

On the device of User2:

All data is deleted. !

Only email messages are deleted.

Only email messages and calendar, contact, and file data are deleted.

On the device of User3:

All data is deleted.

Only email messages are deleted.

Only email messages and calendar, contact, and file data are deleted.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

On the device of User2:

All data is deleted.
Only email messages are deleted.
Only email messages and calendar, contact, and file data are deleted.

On the device of User3:

All data is deleted.
Only email messages are deleted.
Only email messages and calendar, contact, and file data are deleted.

NEW QUESTION 67

HOTSPOT - (Topic 3)

You need to modify FilesPolicy to prevent users from downloading ASPX files. The solution must meet the technical requirements. How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

	-id FilesPolicy -BlockedFileTypes									
<table border="1"> <tr><td>Set-SafeLinksPolicy</td></tr> <tr><td>Set-OwaMailboxPolicy</td></tr> <tr><td>Set-ActiveSyncMailboxPolicy</td></tr> <tr><td>Set-HostedContentFilterPolicy</td></tr> </table>	Set-SafeLinksPolicy	Set-OwaMailboxPolicy	Set-ActiveSyncMailboxPolicy	Set-HostedContentFilterPolicy		<table border="1"> <tr><td>.aspx</td></tr> <tr><td>*.aspx</td></tr> <tr><td>@{Add = ".aspx"}</td></tr> <tr><td>@{Remove = ".aspx"}</td></tr> </table>	.aspx	*.aspx	@{Add = ".aspx"}	@{Remove = ".aspx"}
Set-SafeLinksPolicy										
Set-OwaMailboxPolicy										
Set-ActiveSyncMailboxPolicy										
Set-HostedContentFilterPolicy										
.aspx										
*.aspx										
@{Add = ".aspx"}										
@{Remove = ".aspx"}										

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

	-id FilesPolicy -BlockedFileTypes									
<table border="1"> <tr><td>Set-SafeLinksPolicy</td></tr> <tr><td>Set-OwaMailboxPolicy</td></tr> <tr><td>Set-ActiveSyncMailboxPolicy</td></tr> <tr><td>Set-HostedContentFilterPolicy</td></tr> </table>	Set-SafeLinksPolicy	Set-OwaMailboxPolicy	Set-ActiveSyncMailboxPolicy	Set-HostedContentFilterPolicy		<table border="1"> <tr><td>.aspx</td></tr> <tr><td>*.aspx</td></tr> <tr><td>@{Add = ".aspx"}</td></tr> <tr><td>@{Remove = ".aspx"}</td></tr> </table>	.aspx	*.aspx	@{Add = ".aspx"}	@{Remove = ".aspx"}
Set-SafeLinksPolicy										
Set-OwaMailboxPolicy										
Set-ActiveSyncMailboxPolicy										
Set-HostedContentFilterPolicy										
.aspx										
*.aspx										
@{Add = ".aspx"}										
@{Remove = ".aspx"}										

NEW QUESTION 71

- (Topic 3)

You need to encrypt email between Fabrikam and Litware to support the planned changes. What should you configure in the Exchange admin center?

- A. a connector
- B. an organization relationship
- C. a sharing policy
- D. a remote domain

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

NEW QUESTION 74

- (Topic 3)

You need to identify the contents of the FabrikamProject public folder to meet the technical requirements. Which PowerShell cmdlet should you run?

- A. Get-PublicFolderScaciscics
- B. Get-PublicFolderItemStatistics
- C. Get-PublicFolderMailboxDiagnoscics
- D. Get-PublicFolder

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-publicfolderitemstatistics?view=exchange-ps>

NEW QUESTION 77

- (Topic 2)

You need to resolve the issue for the transport department users.

What is the best way to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Move the public folder mailbox that contains TransportPF to a server in the main office.
- B. Move TransportPF to a public folder mailbox hosted in the main office.
- C. Modify the default public folder mailbox for all the transport department users.
- D. Instruct the transport department users to add TransportPF to their Favorites list in Outlook.

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/recipients/mailbox-moves?view=exchserver-2019>

NEW QUESTION 79

HOTSPOT - (Topic 3)

You need to configure the new smartboard to support the planned changes.

Which three settings should you configure? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Booking options

Assign settings for the booking policy that defines when this resource can be scheduled

- Allow repeating meetings
- Allow scheduling only during work hours
- Auto-accepts meeting request

Set to "Off" if you want to specify users who want to accept meetings manually

Booking delegates

Search a mail or email

- Automatically decline meetings outside of limits below

Booking window (days)

Maximum duration (hours)

If the organizer needs a reply enter message below

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

NEW QUESTION 83

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to create a new policy to retain mailbox items for five years before the items are deleted. The policy must be assigned to any user that has a job title attribute of Manager.

Which type of policy should you create, and what should you create first? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Policy type: 
 Auto-labeling policy
 Retention label policy
Retention policy
 Sensitivity label policy

First create: 
 A data connector
A label
 A messaging records management (MRM) retention tag
 An adaptive scope

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Policy type: 
 Auto-labeling policy
 Retention label policy
Retention policy
 Sensitivity label policy

First create: 
 A data connector
A label
 A messaging records management (MRM) retention tag
 An adaptive scope

NEW QUESTION 86

HOTSPOT - (Topic 5)

Your company named ADatum Corporation has a Microsoft Exchange Online subscription that contains the sharing policies shown in the following table.

Name	Domain	Enabled	Default
Policy1	{Anonymous:CalendarSharingFreeBusySimple, fabrikam.com:CalendarSharingFreeBusyReviewer, ContactsSharing}	True	True
Policy2	{contoso.com:CalendarSharingFreeBusyDetail}	True	False
Policy3	{litware.com:CalendarSharingFreeBusyReviewer}	True	False

The subscription contains the mailboxes shown in the following table.

Name	Sharing policy
User1	Policy1
User2	Policy2
User3	Policy3

ADatum does business with the partner companies shown in the following table.

Name	SMTP domain	Email platform
Fabrikam, Inc.	Fabrikam.com	On-premises Exchange Server 2019
Contoso, Ltd.	Contoso.com	Third-party email server
Litware, Inc.	Litware.com	Exchange Online

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 90


HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You recently hired two new administrators named Admin5 and Admin6. You need to grant the following permissions to the new administrators:

- Admin5 must be able to assign licenses to users.
- Admin6 must be able to modify the email SPAM settings of all users.
- Admin5 must be able to configure the email forwarding settings of all users.
- Admin5 and Admin6 must be able to manage the mailbox permissions of all users. The solution must use the principle of least privilege.


Which role should you assign to each user? To answer, select the appropriate options NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 94

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1 and a shared mailbox named Mailbox.

You plan to use PowerShell to grant User1 the Send As permission for Mailbox1. Which cmdlet should you run?

- A. Add-RecipientPeraission
- B. Add-MailboxPermission
- C. Set-MailboxFolderPerassion
- D. Add-MailboxFolderPernission
- E. Set-Mailbox

Answer: E

NEW QUESTION 99

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 has the Department attribute set to Procurement.

You create the connector shown in the Connector exhibit. (Click the Connector tab.)

You create the transport rule shown in the Transport rule exhibit (Click the Transport rule tab.)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Email messages from User1 to user2@contoso.com are sent to mail.contoso.com.	<input type="radio"/>	<input type="radio"/>
Email messages from User1 to user2@contoso.com are delivered only if a TLS connection is established.	<input type="radio"/>	<input type="radio"/>
Email messages from User1 to user3@europe.contoso.com are delivered by using the Contoso Secured Outbound Mail connector.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
Email messages from User1 to user2@contoso.com are sent to mail.contoso.com.	<input checked="" type="radio"/>	<input type="radio"/>
Email messages from User1 to user2@contoso.com are delivered only if a TLS connection is established.	<input type="radio"/>	<input checked="" type="radio"/>
Email messages from User1 to user3@europe.contoso.com are delivered by using the Contoso Secured Outbound Mail connector.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 101

SIMULATION - (Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all email sent or received by a user named Diego Siciliani is preserved in Exchange Online. The solution must prevent Diego Siciliani from permanently deleting any email messages for 180 days.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

You need configure a Retention Policy. You could also use a Litigation Hold but Retention Policies are replacing Litigation Holds in future, so a Retention Policy is the way to go.

? In the Microsoft 365 Compliance Center, go to the Policies section and click Retention.

? Click the New retention policy link.

? Enter a name for the policy (such as "Diego Siciliani Email Retention") and click Next.

? In the retention period, enter 180 days and click Next.

? Ensure that only Exchange email is selected. SharePoint sites, OneDrive accounts and Office 365 groups are also selected by default so you may need to deselect them.

? Click the Choose recipients link for Exchange email.

? Click the Choose recipients button to open a list of recipients.

? Select Admin1 and click the Choose button then click the Done button.

? Click Next.

? Click the Create this policy button.

NEW QUESTION 103

- (Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

You create a partnership with two other companies named fabhkam.com and wingtiptoys.com. All the mailboxes of fabnkam.com are hosted in Microsoft 365. All the mailboxes of wingtiptoys.com are hosted in an on-premises Exchange Server 2019 organization.

You need to ensure that all the email messages sent from contoso.com to fabrikam.com and wingtiptoys.com is encrypted by using TLS.

What should you do?

- A. Configure one connector.
- B. Create an organizational relationship.
- C. Create two remote domains.
- D. Run the Office 365 Exchange Hybrid Configuration wizard.
- E. Configure two mail flow rules.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

NEW QUESTION 106

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365. You have the policies shown in the following table.

Name	Type
Standard Preset Security Policy	Preset security policy
Policy1	Anti-malware

You need to track any modifications made to Policy1 by the identifying following:

- The name of the user that modified the policy
- The old and new values of settings modified in Policy1
- How the modifications compare to the baseline settings of Standard Preset Security Policy

What should you use in the Microsoft 365 Defender portal?

- A. Threat tracker
- B. Threat analytics
- C. Audit
- D. Configuration analyzer

Answer: D

NEW QUESTION 107

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a group named Group1.

The members of Group1 need to create user mailboxes. The solution must use the principle of least privilege.

To which role group should you add Group1?

- A. Recipient Management
- B. Security Operator
- C. Help Desk
- D. Organization Management

Answer: A

NEW QUESTION 111

- (Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019.

Users in your company's sales department have on-premises mailboxes and PST files. You need to migrate the PST files to archive mailboxes. The archive mailboxes must reside

in Exchange Online. What should you do first?

- A. From Exchange Management Shell, run the Enable-Mailbox cmdlet and specify the-Archive parameter.
- B. From Exchange Management Shell, run the New-MoveRequest cmdlet.
- C. From Exchange Online PowerShell, run the Set-Mailbox cmdlet and specify the-ArchiveStatus parameter.
- D. From Exchange Online PowerShell, run the New-Mailbox cmdlet and specify the-Archive parameter.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/enable-mailbox?view=exchange-ps>

NEW QUESTION 112

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named @contoso.com.

You recently purchased an email domain named fabrikam.com.

You need to ensure that all the users in the tenant can receive email messages by using the @fabrikam.com email domain. The solution must ensure that the users can continue to receive email by using the @contoso.com email domain.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From the Microsoft 365 admin center, add the fabrikam.com email domain.
- B. From the Exchange admin center, add an accepted domain for fabrikam.com.
- C. From the Microsoft 365 admin center, modify the organization profile.
- D. From the Exchange admin center, add a remote domain for fabrikam.com.
- E. From the Exchange Management Shell, create a script that runs the Set-Mailbox cmdlet.

Answer: AE

Explanation:

A: the first step is to add the Fabrikam.com domain to Microsoft 365. You would also need to verify the domain (verify that you own the domain).

E: create a script that runs the Set-Mailbox cmdlet to add an @fabrikam.com email address to each mailbox.

NEW QUESTION 113

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to create a report to display messages that have a delivery status of Quarantined.

From the modern Exchange admin center, you create a new message trace.

How should you configure the message trace? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Time range:

▼
Last 7 days
Last 15 days
Last 30 days
Last 90 days

Report type:

▼
Extended report
Summary report
Enhanced summary report

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Time range:

▼
Last 7 days
Last 15 days
Last 30 days
Last 90 days

Report type:

▼
Extended report
Summary report
Enhanced summary report

NEW QUESTION 114

- (Topic 5)

You have a Microsoft 365 subscription that uses Microsoft Exchange Online Protection (EOP) with the default settings.

You need to ensure that email messages sent from the unauthorized IP addresses of any sending domain are marked as High confidence spam. The solution must minimize administrative effort.

What should you do?

- A. For the default anti-spam inbound policy, set SPF record: hard fail to On
- B. For the default connection filter policy, add an entry to the IP Block List.
- C. For the default anti-spam inbound policy, set Conditional Sender ID filtering: hard fail to On
- D. Create a mail flow rule.

Answer: A

NEW QUESTION 115

- (Topic 5)

You have two servers named EXCH1 and EXCH2 that run Windows Server 2012 R2 and have Microsoft Exchange 2016 installed. You purchase a Microsoft 365 subscription. You plan to configure a hybrid deployment between an Exchange Online tenant and the on-premises Exchange Server Organization. You need to identify the prerequisites to installing the Microsoft Hybrid Agent on EXCH1 and EXCH2. Which two prerequisites should you identify? Each correct answer presents part of the solution.

- A. All outbound HTTPS connections to Microsoft Online Services
- B. Enable Hybrid Modern Authentication (HMA).
- C. Upgrade the operating system of EXCH1 and EXCH2 to Windows Server 2019.
- D. Enable TLS 1.2.

Answer: AD

Explanation:

To perform a hybrid deployment between an Exchange Online tenant and an on-premises Exchange Server organization, you must ensure that all outbound HTTPS connections to Microsoft Online Services are allowed. This is a prerequisite for installing the Microsoft Hybrid Agent.

* D. Enable TLS 1.2. Reference: <https://docs.microsoft.com/en-us/exchange/hybrid-deployment/prepare-for-hybrid-deployment> explanation: To perform a hybrid deployment between an Exchange Online tenant and an on-premises Exchange Server organization, you must ensure that Transport Layer Security (TLS) 1.2 is enabled on your on-premises Exchange servers. This is a prerequisite for installing the Microsoft Hybrid Agent.

NEW QUESTION 120

- (Topic 5)

You have a Microsoft 365 subscription that contains a verified domain named contoso.com.

You have an app named App1 that sends meeting invitations on behalf of users. The invitations are sent from a Microsoft Exchange Online mailbox that has a sender address of app1 @contoso.com and a reply-to address of the user scheduling the meeting.

You create an anti-phishing policy named Policy1 that includes all the users in contoso.com. Policy1 is configured to protect the domain against impersonation.

You discover that email messages sent from App1 are quarantined.

You need to ensure that App1 can send messages that impersonate any contoso.com user How should you modify Policy1?

- A. Enable mailbox intelligence.
- B. Add app1 @contoso.com as a trusted sender.
- C. Add app1 @contoso.com as an excluded user.
- D. Enable spoof intelligence.

Answer: C

NEW QUESTION 123

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating mailboxes from the on-premises organization to Exchange Online. From the Exchange admin center, you create a new migration batch that includes 25

mailboxes, and then you select Manual Complete the batch.

Later, you must complete the migration of a mailbox named user1 @litware.com in the batch as soon as possible. You discover that the status of the migration batch is Syncing, but the status of the move request for user1 @litware.com is Synced.

You need to complete the migration of the user1 @litware.com mailbox to Exchange Online as soon as possible.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

<input type="text" value="Set-MoveRequest"/>	<code>-Identity "user1@litware.com"</code>	<input type="text" value="-CompleteAfter(Get-Date)"/>
<input type="text" value="Set-MigrationBatch"/>		<input type="text" value="-SuspendWhenReadyToComplete \$false"/>
<input type="text" value="Set-MigrationConfig"/>		<input type="text" value="-PreventCompletion \$false"/>

`Resume-MoveRequest -Identity "user1@litware.com"`

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<input type="text" value="Set-MoveRequest"/>	<code>-Identity "user1@litware.com"</code>	<input type="text" value="-CompleteAfter(Get-Date)"/>
<input type="text" value="Set-MigrationBatch"/>		<input type="text" value="-SuspendWhenReadyToComplete \$false"/>
<input type="text" value="Set-MigrationConfig"/>		<input type="text" value="-PreventCompletion \$false"/>

`Resume-MoveRequest -Identity "user1@litware.com"`

NEW QUESTION 127

HOTSPOT - (Topic 5)

Your company has an Exchange Online tenant.

A partner company named Fourth Coffee also uses Exchange Online.

You need to ensure that the users at your company share free busy information with the users at Fourth Coffee. The solution must ensure that the meeting details included in the calendars of your company users remain hidden from the Fourth Coffee users.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 131

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

- ? Adatum.com
- ? Contoso.com
- ? Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: From the Microsoft 365 admin center, you set fabrikam.com as the default domain.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/setup/domains-faq?view=o365-worldwide#how-do-i-set-or-change-the-default-domain-in-microsoft-365>

NEW QUESTION 132

- (Topic 5)

You have a Microsoft Exchange Online tenant.

You plan to use a third-party service to archive all the email messages that are sent and received by the Exchange mailboxes.

You need to copy all the sent and received messages automatically to the third-party service.

What should you configure?

- A. a content search
- B. a retention policy
- C. an archive policy
- D. a journal rule

Answer: D

NEW QUESTION 133

SIMULATION - (Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your company can schedule a conference room named Room1 in the company's office by using Microsoft Outlook.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? In the Exchange admin center, navigate to Recipients > Resources.

? To create a room mailbox, click New + > Room mailbox.

? Use the options on the page to specify the settings for the new resource mailbox.

- Room name: Use this box to type a name for the room mailbox. This is the name that's listed in the resource mailbox list in the Exchange admin center and in your organization's address book. This name is required and it can't exceed 64 characters.

- Alias: A room mailbox has an email address so it can receive booking requests. The email address consists of an alias on the left side of the @ symbol, which must be unique in the forest, and your domain name on the right. The alias is required.

- Location, Phone, Capacity: You can use these fields to enter details about the room. However, as explained earlier, you can include some or all of this information in the room name so users can see it.

? When you're finished, click Save to create the room mailbox.

NEW QUESTION 137

SIMULATION - (Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a notification email is sent to compliance@constoso.com when a user marks an email message as Not Junk in Microsoft Outlook.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Go to the Microsoft 365 Defender portal and under Email & collaboration select Policies & rules > Alert policy.

? An alert policy consists of the following settings and conditions.

- Activity the alert is tracking. You create a policy to track an activity or in some cases a few related activities, such as sharing a file with an external user by sharing it, assigning access permissions, or creating an anonymous link. When a user performs the activity defined by the policy, an alert is triggered based on the alert threshold settings.

- Activity conditions. For most activities, you can define additional conditions that must be met to trigger an alert. Common conditions include IP addresses (so that an alert is triggered when the user performs the activity on a computer with a specific IP address or within an IP address range), whether an alert is triggered if a specific user or users perform that activity, and whether the activity is performed on a specific file name or URL. You can also configure a condition that triggers an alert when the activity is performed by any user in your organization. The available conditions are dependent on the selected activity.

? You can also define user tags as a condition of an alert policy. This results in the alerts triggered by the policy to include the context of the impacted user. You can use system user tags or custom user tags.

- When the alert is triggered. You can configure a setting that defines how often an activity can occur before an alert is triggered. This allows you to set up a policy to generate an alert every time an activity matches the policy conditions, when a certain threshold is exceeded, or when the occurrence of the activity the alert is tracking becomes unusual for your organization.

? If you select the setting based on unusual activity, Microsoft establishes a baseline value that defines the normal frequency for the selected activity. It takes up to seven days to establish this baseline, during which alerts won't be generated. After the baseline is established, an alert is triggered when the frequency of the activity tracked by the alert policy greatly exceeds the baseline value. For auditing-related activities (such as file and folder activities), you can establish a baseline based on a single user or based on all users in your organization; for malware-related activities, you can establish a baseline based on a single malware family, a single recipient, or all messages in your organization.

- Alert category. To help with tracking and managing the alerts generated by a policy, you can assign one of the following categories to a policy.

- Data loss prevention
- Information governance
- Mail flow
- Permissions
- Threat management
- Others

? When an activity occurs that matches the conditions of the alert policy, the alert that's generated is tagged with the category defined in this setting. This allows you to track and manage alerts that have the same category setting on the Alerts page in the compliance center because you can sort and filter alerts based on category.

- Alert severity. Similar to the alert category, you assign a severity attribute (Low, Medium, High, or Informational) to alert policies. Like the alert category, when an activity occurs that matches the conditions of the alert policy, the alert that's generated is tagged with the same severity level that's set for the alert policy. Again, this allows you to track and manage alerts that have the same severity setting on the Alerts page. For example, you can filter the list of alerts so that only alerts with a High severity are displayed.

- Email notifications. You can set up the policy so that email notifications are sent (or not sent) to a list of users when an alert is triggered. You can also set a daily notification limit so that once the maximum number of notifications has been reached, no more notifications are sent for the alert during that day. In addition to

email notifications, you or other administrators can view the alerts that are triggered by a policy on the Alerts page. Consider enabling email notifications for alert policies of a specific category or that have a higher severity setting.

NEW QUESTION 138

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization. Users report that email messages between the Exchange Server organization and the Exchange Online tenant are undelivered. You install and enable a new certificate from a different trusted certification authority (CA). You need to ensure that mail flow between Exchange Server and Exchange Online is restored. Which two PowerShell cmdlets should you run? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Set-SendConnector
- B. Set-IntraOrganizationConnector
- C. Update-Hybridconfiguration
- D. Set-ReceiveConnector

Answer: CD

NEW QUESTION 139

- (Topic 5)

You have 1,000 user accounts that are each licensed for Microsoft 365. Each user account has a Microsoft Exchange Online mailbox. Ten of the user accounts are configured as service accounts for applications. The applications send event notifications to the mailboxes of the service accounts by using SMTP. The developers of each application have delegated access to the mailbox of their respective application. You need to ensure that all the event notifications sent by the applications are retained in the service account mailboxes so that new developers can review older notifications. The developers must be able to view only the notifications for their respective application. What should you do?

- A. Replace the service account mailboxes with a single user mailbox that contains a folder for each application.
- B. Replace the service account mailboxes with a single user mailbox that contains Power Automate rules.
- C. Convert the service account mailboxes into shared mailboxes.
- D. Convert the service account mailboxes into mail-enabled users.

Answer: C

NEW QUESTION 141

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

You need to prevent all users from performing the following tasks:

? Sending out-of-office replies to an email domain named fabrikam.com.

? Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You create two sharing policies. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

NEW QUESTION 146

HOTSPOT - (Topic 5)

You have a Microsoft 365 subscription that contains a Microsoft Exchange Online tenant.

An named App1 emails files to a group named App1support. The files are sent in a file that has the jar extension.

You have tie anti-malware policy shown in following exhibit.



To enable only the members of the App1support group to receive the JAR files, you must [answer choice].

- add a new file entry to the Tenant Allow/Block List
- create a new anti-malware policy
- customize the file types for the default anti-malware policy
- disable the common attachments filter for the default anti-malware policy

To periodically rescan previously delivered email messages in all mailboxes, you must [answer choice].

- create a new anti-malware policy
- enable zero-hour auto purge (ZAP) for malware in the default anti-malware policy
- select a different quarantine policy for the default anti-malware policy

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

To enable only the members of the App1support group to receive the JAR files, you must [answer choice].

- add a new file entry to the Tenant Allow/Block List
- create a new anti-malware policy
- customize the file types for the default anti-malware policy
- disable the common attachments filter for the default anti-malware policy

To periodically rescan previously delivered email messages in all mailboxes, you must [answer choice].

- create a new anti-malware policy
- enable zero-hour auto purge (ZAP) for malware in the default anti-malware policy
- select a different quarantine policy for the default anti-malware policy

NEW QUESTION 148

HOTSPOT - (Topic 5)

You have an Exchange Online tenant that has the anti-spam settings configured as shown in the following exhibit.

Standard settings On

Standard

Spam action	Move message to Junk Email folder
Mark bulk email as spam	On
Bulk threshold	7
Mark NDR backscatter as spam	Off
Safety Tips	On
Bulk email	Move message to Junk Email folder
Phishing email	Quarantine message

To change these settings or add new ones, switch to custom settings

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Users will see safety tips when they access their mailbox from [answer choice].

- Outlook on the web only
- Microsoft Outlook 2019 only
- Microsoft Outlook 2019 and Outlook on the web

To reduce the amount of bulk email delivered to the Inbox folders of users, you must [answer choice].


- modify Spam action
- increase the value of Bulk threshold
- decrease the value of Bulk threshold

- A. Mastered
- B. Not Mastered

Answer: A


Explanation:

Users will see safety tips when they access their mailbox from [answer choice].



Outlook on the web only
 Microsoft Outlook 2019 only
 Microsoft Outlook 2019 and Outlook on the web

To reduce the amount of bulk email delivered to the Inbox folders of users, you must [answer choice].



modify Spam action
 increase the value of Bulk threshold
 decrease the value of Bulk threshold

NEW QUESTION 152

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 reports that an email message marked as high priority was undelivered. You need to trace the email messages sent by User1 during the last 15 days. The solution must include the Delivery Priority property of the messages. Which report should you use?

- A. Enhanced summary
- B. Summary
- C. Extended
- D. Outbound messages

Answer: A

NEW QUESTION 153

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to add a custom domain named contoso.com that meets the following requirements:

- « All email messages from the internet must first be filtered by a third-party cloud service before being delivered to Exchange Online.
- « Recipient email systems must validate the messaging server for contoso.com)

Which type of DNS record should you use for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

All email messages from the internet must first be filtered by a third-party cloud service before being delivered to Exchange Online:



CNAME
 MX
 SPF TXT
 SRV

Recipient email systems must validate the messaging server for contoso.com:



CNAME
 MX
 SPF TXT
 SRV

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? For the requirement that all email messages from the internet must first be filtered by a third-party cloud service before being delivered to Exchange Online, you should use an MX record1. An MX record specifies the mail server that is responsible for accepting email messages on behalf of your domain1. You need to configure your MX record to point to the third-party cloud service's mail server, and then configure the third-party cloud service to forward email messages to Exchange Online1.

? For the requirement that recipient email systems must validate the messaging server for contoso.com, you should use an SPF TXT record2. An SPF TXT record is a type of DNS record that identifies which mail servers are authorized to send email on behalf of your domain2. It helps prevent spoofing and phishing by verifying the sender's IP address against the list of authorized IP addresses in your SPF TXT record2. You need to configure your SPF TXT record to include both the third-party cloud service and Exchange Online as authorized senders for your domain2.

NEW QUESTION 156

- (Topic 5)

You have a Microsoft Exchange Online tenant. All users have Exchange Online mailboxes.

Your company has 10 projectors that are used by 30 managers.

You need to recommend a solution to manage the availability and scheduling of the projectors. The solution must NOT require additional Microsoft 365 licenses.

What Exchange Online object should you recommend creating for each projector?

- A. a public folder
- B. a distribution list
- C. a user mailbox
- D. a resource mailbox

Answer: D

Explanation:

Resource mailboxes are for the scheduling of resources such as projectors. They do not require a license.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/manage/room-and-equipment-mailboxes?view=o365-worldwide>

NEW QUESTION 160

- (Topic 5)

You plan to use the Hybrid Agent to integrate your Microsoft Exchange Server 2016 organization and Exchange Online. The installation of the Hybrid Agent fails.

You validate the following Exchange virtual directory settings.

```
Get-WebServicesVirtualDirectory | fl
```

```
ExternalAuthenticationMethods: {Ntlm, WindowsIntegrated, WSSecurity, OAuth}
InternalURL : https://mail.contoso.com/EWS/Exchange.asmx
ExternalURL: https://mail.contoso.com/EWS/Exchange.asmx
MRSPProxyEnabled: False
Server : EX01
```

```
Get-MAPIVirtualDirectory | fl
```

```
InternalURL : https://autodiscover.contoso.com/mapi
ExternalURL: https://Autodiscover.contoso.com/mapid
Server: EX01
```

```
Get-OWAVirtualDirectory | fl
```

```
InternalURL : https://mail.contoso.com/owa
ExternalURL: https://mail.contoso.com/owa
Server: EX01
```

You need to install the Hybrid Agent successfully. What should you do first?

- A. Update the server parameter of WebServicesVirtualDirectory to the FQDN of Exchange instead of the host name.
- B. Set MRSPProxyEnabled to True.
- C. Remove WindowsIntegrated from ExternalAuthenticationMethods.
- D. Change the ExternalURL parameter of MAPIVirtualDirectory to https://mail.contoso.com instead of https://autodiscover.contoso.com.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/hybrid-agent#running-setup>

NEW QUESTION 163

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to ensure that a user named User1 can prevent mailbox content from being deleted if the content contains the words Fabrikam and Confidential.

What should you do?

- A. Add User1 to the Organization Management management role group.
- B. Add User1 to the Records Management management role group.
- C. Assign the mailbox Search and Mailbox Import Export
- D. Assign the Mailbox Search and Legal Hold management roles to User1.

Answer: D

Explanation:


References:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/holds/holds?view=exchserver-2019>

NEW QUESTION 166

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant as shown in the following exhibit.



All email recipients have an email address that uses an SMTP suffix of @contoso.com.
 Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

131.107.100.200 will route

- all email messages from Exchange Online to any contoso.com recipients.
- all email from Exchange Online to any external recipients
- all email messages from Exchange Online to recipients hosted on Server1 only

The Exchange Online tenant

- cannot receive email messages from the internet
- can receive email messages from server1.contoso.com only
- can receive email messages from any email host on the internet

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1:
 Under "When to use this connector", it says "Use only for email sent to these domains: *" The asterisk means all domains so any external email will use the connector.

Box 2:
 With Exchange Online, you don't need to configure a receive connector as you would with on-premises Exchange. Therefore, the server by default will be able to receive emails from any email host.

NEW QUESTION 169

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant. From a computer named Client1, you run the

Network connectivity test results for your location

Please open this website on a Windows PC and use a modern browser to run the advanced tests.

Summary Details

Here are the detailed connectivity test results for your location. [Learn about the tests we run](#)

Answer Area

The Microsoft Remote Connectivity Analyzer reports an issue with traffic [answer choice].

To correct the network connectivity issues, you must [answer choice] on Client1.

Round trip time (RTT) to the nearest Microsoft Exchange server	100 ms
Network egress location (the location where your network connects to your ISP)	Copenhagen, Capital Region, Denmark
Your distance from the network egress location	4,618 miles (7,431 kilometers)
Customers in your metropolitan area with better performance	58% of people in your area have a better network connection to Microsoft Exchange servers.
Exchange service front door location	Staffanstorp, Sweden (119 ms). Potential 108
Best Exchange service front door(s) for your location	Boydton, VA, United States Chicago, IL, United States Des Moines, IA, United States Manassas, VA, United States Phoenix, AZ, United States San Antonio, TX, United States Toronto, ON, Canada

Microsoft Remote Connectivity Analyzer, perform a network test, and receive the results shown in the following exhibit.

Answer Area

The Microsoft Remote Connectivity Analyzer reports an issue with traffic [answer choice].

To correct the network connectivity issues, you must [answer choice] on Client1.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

The Microsoft Remote Connectivity Analyzer reports an issue with traffic [answer choice].

To correct the network connectivity issues, you must [answer choice] on Client1.

NEW QUESTION 170

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365.

Users report that a domain named contoso.com sent them phishing email messages that contain URLs.

You need to ensure that the messages are identified as phishing. The solution must ensure that contoso.com and all its subdomains and paths are matched.

How should you complete the PowerShell command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

New-TenantAllowBlockListItems -Listtype URL -Entries

New-EOPProtectionPolicyRule

New-ProtectionServicePolicy

New-TenantAllowBlockListItems

New-TenantAllowBlockListSpoofItems

*.contoso.com

*.contoso.com

~contoso.com

~contoso.com~

Block -NoExpiration

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 172

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You need to ensure that all email is retained for one year, and then moved to an archive mailbox. What should you use?

- A. a default policy tag
- B. a data loss prevention (DLP) policy
- C. a personal tag
- D. a retention policy tag

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/mrm/retention-tags-and-retention-policies?view=exchserver-2019>

NEW QUESTION 175

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization. The tenant uses an email domain named @contoso.com. You recently purchased an email domain named fabrikam.com. You need to ensure that all the users in the tenant can receive email messages by using the @fabrikam.com email domain. The solution must ensure that the users can continue to receive email by using the @contoso.com email domain. Which three actions should you perform? Each correct answer presents part of the solution. NOTE; Each correct selection is worth one point.

- A. From Azure AD Connect add a domain for fabrikam.com.
- B. From the on-premises Exchange admin center, add an accepted domain for fabrikam.com.
- C. From the Exchange Management Shell, create a script that runs the
- D. From the Microsoft 365 admin center, verify the fabrikam.com email domain
- E. From the on-premises Exchange admin center, modify the email address policy
- F. From the Microsoft 365 admin center, add the fabrikam.com email domain.


Answer: BDE

NEW QUESTION 177

HOTSPOT - (Topic 5)

You have an on-premises Microsoft Exchange Server 2019 organization that contains a server named Server1 and uses an email address of contoso.com. You purchase a Microsoft 365 subscription. You plan to use the Hybrid Configuration wizard to configure a hybrid deployment between Exchange Online and the on-premises Exchange organization. You need to configure a certificate request from a public certification authority (CA). How should you configure the values of the subject name and the subject alternative name (SAN) for the certificate? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



Answer Area

Subject name:

- contoso.com
- server1.contoso.com**
- autodiscover.contoso.com
- contoso-com.mail.protection.outlook.com

SAN:

- contoso.com
- server1.contoso.com
- autodiscover.contoso.com**
- contoso-com.mail.protection.outlook.com

NEW QUESTION 180

- (Topic 5)

You have a Microsoft 365 E3 subscription that uses Microsoft Exchange Online and contains a global administrator named Admin1. Admin1 plans to use Attack simulation training to simulate a Malware Attachment attack. However, when a simulation is launched, only the Credential Harvest technique is available.

You need to ensure that Admin1 can run the Malware Attachment simulation. What should you do?

- A. Assign the Attack simulation administrator role to Admin1.
- B. Create an anti-phishing policy.
- C. Create an anti-malware policy.
- D. Assign a Microsoft 365 E5 license to Admin1.

Answer: D

NEW QUESTION 184

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You modify the properties of a mail flow rule

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix-error-code-550-5-7-1-in-exchange-online>

NEW QUESTION 188

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You have the on-premises mailboxes shown in the following table.

Name	Forwarding address
User1	User6
User2	None
User3	None
User4	None
User5	None
User6	None

You add the mailbox permissions shown in the following table.

Mailbox	Permission
User2	Send As for User4
User4	Full Access for User3
User6	Send on Behalf for User5

You plan to migrate the mailboxes to Exchange Online by using remote mailbox move requests. The mailboxes will be migrated according to the schedule shown in the following table.

Week	Mailbox
1	User1, User2, User3, User6
2	User4, User5

Mailboxes migrated the same week will have their mailbox move requests included in the same batch and will be cut over simultaneously. For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
The mail forwarding settings of the User1 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>
The permissions granted to the User4 mailbox for the User2 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>
The permissions granted to the User3 mailbox for the User4 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:
<https://docs.microsoft.com/en-us/exchange/exchange-hybrid>
<https://practical365.com/exchange-online/configuring-exchange-hybrid-cross-forest-permissions/>

NEW QUESTION 191

- (Topic 5)
 You have a Microsoft Exchange Server 2019 hybrid deployment. You need to change the free/busy data access sharing level between the on-premises organization and Exchange Online. What should you do?

- A. Run the Hybrid Configuration wizard.
- B. Modify the organization relationship.
- C. Create an organization sharing policy.
- D. Create an individual sharing policy.

Answer: B

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/shared-free-busy>

NEW QUESTION 196

HOTSPOT - (Topic 5)
 You have a Microsoft Exchange Server 2019 organization that contains the Mailbox servers shown in the following table.

Name	Member of	Database
EX1	Site1	Mail1
EX2	Site2	Mail2
EX3	Site3	Mail3

The organization contains the mailboxes shown in the following table.

Name	Database
User1	Mail1
User2	Mail2
User3	Mail3

You create the public folder mailboxes shown in the following table.

Mailbox	Database	Hierarchy
PF1	Mail1	Primary
PF2	Mail2	Secondary
PF3	Mail3	Secondary

You set the DefaultPublicFolderMailbox property of each user mailbox to the public folder mailbox closest to the user. For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If User3 creates a public folder, the folder hierarchy will be updated first on EX3.	<input type="radio"/>	<input type="radio"/>
When User2 views the folder hierarchy, the user will use EX2.	<input type="radio"/>	<input type="radio"/>
If User3 accesses a public folder from PF1, and then EX1 goes offline, User3 can still access the content in the public folder.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
If User3 creates a public folder, the folder hierarchy will be updated first on EX3.	<input type="radio"/>	<input checked="" type="radio"/>
When User2 views the folder hierarchy, the user will use EX2.	<input checked="" type="radio"/>	<input type="radio"/>
If User3 accesses a public folder from PF1, and then EX1 goes offline, User3 can still access the content in the public folder.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 197

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a public folder mailbox and a user named User1. You need to ensure that User1 can perform the following actions:

- Create new top-level public folders.
- Only modify items created by User1.
- Post items to the folders created by User1.
- Read and delete items in the folders created by User1. Which role should you assign to User1?

- A. PublishingEditor
- B. Author
- C. PublishingAuthor
- D. Editor

Answer: D

NEW QUESTION 199

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and on-premises Exchange Server 2019 organization. The on-premises organization contains several Exchange Server 2019 servers.

You discover that delivery fails for all email messages sent from the on-premises organization to Microsoft 365.

You discover that the certificate for an on-premises Exchange server expired. You need to resolve the issue as quickly possible. The solution must minimize administrative effort.

What should you do on the on-premises Exchange server?

- A. Create a new self-signed certificate.

- B. Generate a certificate renewal request.
- C. Generate a certificate request.
- D. Add the certificate for a new root certification authority (CA).

Answer: B

Explanation:

Reference:
<https://practical365.com/exchange-server/how-to-generate-ssl-certificate-request-exchange-2016/>


NEW QUESTION 201

HOTSPOT - (Topic 5)

You are migrating mailboxes from a Microsoft Exchange Server 2016 organization to Exchange Online. The mailbox migrations are configured to suspend, and you plan to perform a coordinated cutover.

Which PowerShell command should you run to complete all the suspended mailbox migrations? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Get-MoveRequest
 The Get-MoveRequest cmdlet gets the status of an ongoing asynchronous mailbox move that was initiated by using the New-MoveRequest cmdlet.
 Box 2: Resume-MoveRequest
 The Resume-MoveRequest cmdlet is used to resume a move request that has been suspended or has failed.

NEW QUESTION 206

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You create a new safe links policy and apply the policy to finance department users.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o365-worldwide>

NEW QUESTION 209

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

You need to prevent all users from performing the following tasks:

? Sending out-of-office replies to an email domain named fabrikam.com.

? Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You create two new remote domains. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

NEW QUESTION 213

- (Topic 5)

You have an Exchange Online tenant that contains several hundred mailboxes.

Several users report that email messages from an SMTP domain named @fabrikam.com often fail to be delivered to their mailbox.

You need to increase the likelihood that the email messages from the @fabrikam.com are delivered successfully to the users in the tenant.

- A. From the Security & Compliance admin center, modify the anti-spam policy settings.
- B. From the Security & Compliance admin center, modify the DKIM settings.
- C. From your public DNS zones, create a Sender Policy Framework (SPF) TXT record.
- D. From the Security & Compliance admin center, create a new ATP anti-phishing policy.

Answer: A

NEW QUESTION 214

SIMULATION - (Topic 5)

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s)

and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your tenant can only share calendar availability information with the other users in the tenant.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? From the Microsoft 365 admin center dashboard, go to Admin > Exchange.

? Go to organization > sharing.

? Under Individual Sharing, select a sharing policy. In the On column, clear the check box for the sharing policy you want to disable.

NEW QUESTION 215

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment. The company has a finance department.

You need to move all the on-premises mailboxes of the finance department to Exchange Online. The bulk of the move operation must occur during a weekend

when the company's Internet traffic is lowest. The move must then be finalized the following Monday. The solution must minimize disruption to end users. What should you do first?

- A. Schedule a task that runs the New-MoveRequest cmdlet and specifies the Remote parameter
- B. Create a batch migration and clear the Automatically complete the migration batchcheck box
- C. Run the New-MigrationBatch cmdlet and specify the MoveOptions parameter
- D. Create a batch migration and select the Automatically complete the migration batchcheck box

Answer: C

NEW QUESTION 218

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft 365 Defender.

You plan to use Attack simulation training to simulate the following attack against users:

- Send an email message that contains a URL.
- If the users click the URL, redirect them to a website that requests a username and password.

Which technique should you use for the simulation?

- A. Malware Attachment
- B. Credential Harvest
- C. Drive-by URL
- D. Link to Malware

Answer: B

NEW QUESTION 223

- (Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

Several users report that email messages sent to the users at another company named fabrikam.com contain a Winmail.dat attachment.

You need to prevent the fabrikam.com users from receiving Winmail.dat attachments. What should you do?

- A. Configure a remote domain that has the TNEFEnabled parameter set to \$False.
- B. Create an Outbound connector that has the validationRecipients parameter set to contoso.com.
- C. Create an Outbound connector that has the validationRecipients parameter set to fabrikam.com.
- D. Configure a remote domain that has the TrustedMailoutboundEnabled parameter set to \$False.

Answer: A

Explanation:

Reference:

<https://gcits.com/knowledge-base/how-to-fix-the-winmail-dat-attachment-issue/>

NEW QUESTION 225

HOTSPOT - (Topic 5)

Your company purchases new mobile devices for each user in its sales department and marketing department. The new devices only support Exchange ActiveSync.

You need to configure mobile device access to meet the following requirements: Apply a specific password policy to all the sales department users.

Prevent all the marketing department users from using an Exchange ActiveSync-based client to access their mailbox.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

For the sales department users:

▼
Create a mobile device access rule
Create and assign a mobile device policy
Create a client access rule scoped to the users

For the marketing department users:

▼
Run the Set-Mailbox cmdlet
Run the Set-CasMailbox cmdlet
Run the Set-ActiveSyncDeviceAccessRule cmdlet

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

For the sales department users:

- ▼
- Create a mobile device access rule
- Create and assign a mobile device policy!
- Create a client access rule scoped to the users

For the marketing department users:

- ▼
- Run the Set-Mailbox cmdlet
- Run the Set-CasMailbox cmdlet
- Run the Set-ActiveSyncDeviceAccessRule cmdlet!

NEW QUESTION 229

- (Topic 5)

You have hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization. The deployment uses Azure AD Connect. All incoming email is delivered to Exchange Online. You have 10 mail-enabled public folders hosted on an on-premises Mailbox server.

Customers receive an error when an email message is sent to a public folder.

You need to ensure that all the mail-enabled public folders can receive email messages from the internet. The solution must ensure that messages can be delivered only to valid recipients.

Solution: From Exchange Online, Create a mail contact for each mail-enabled public folder.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

No, this does not meet the goal. Creating a mail contact for each mail-enabled public folder in Exchange Online will not ensure that messages can only be delivered to valid recipients, as it does not allow for any filtering or validation of messages. To ensure that messages can only be delivered to valid recipients, you need to configure a connector in Exchange Online to allow only messages from valid senders to be delivered to the mail-enabled public folders.

NEW QUESTION 230

DRAG DROP - (Topic 5)


You have a Microsoft Exchange Online tenant that contains two groups named Group1 and Group2.

You need to ensure that the members of Group1 can perform In-Place eDiscovery searches only for the members of Group2.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

- Actions**
- Create an administrative unit that contains Group1.
 - Configure the write scope and assign Group2 to the new role group.
 - Copy the Discovery Management role group.
 - Create a custom management scope that contains the membership of Group2.
 - Copy the Recipient Management role group.
 - Configure the write scope and assign Group1 to the new role group.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- Actions**
- Create an administrative unit that contains Group1.
 - Configure the write scope and assign Group2 to the new role group.
 - Copy the Discovery Management role group.
 - Create a custom management scope that contains the membership of Group2.
 - Copy the Recipient Management role group.
 - Configure the write scope and assign Group1 to the new role group.

Answer Area



- Create a custom management scope that contains the membership of Group2.
- Copy the Recipient Management role group.
- Configure the write scope and assign Group1 to the new role group.

NEW QUESTION 235

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a resource mailbox named ConferenceRoom1.

ConferenceRoom1 is configured as shown in the following exhibit.

ConferenceRoom1

<ul style="list-style-type: none"> general ▶ booking delegates booking options contact information email address MailTip mailbox delegation 	<p>Booking requests:</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Use customized setting to accept or decline booking requests <input type="checkbox"/> Accept or decline booking requests automatically <input type="checkbox"/> Select delegates who can accept or decline booking requests <p>Delegates:</p> <p>+ -</p> <div style="border: 1px solid gray; padding: 2px;"> <p>User4</p> </div>
---	---

You need to review the customized setting for booking requests. Which cmdlet should you run?

- A. Get-ResourceConfig
- B. Get-Mailbox
- C. Get-MailboxCalendarFolder
- D. Get-CalendarProcessing

Answer: D

Explanation:

Reference:
<https://itpro.outsidesys.com/2017/11/06/exchange-configuring-the-resource-booking-attendant-with-powershell/>
<https://docs.microsoft.com/en-us/powershell/module/exchange/get-calendarprocessing?view=exchange-ps>

NEW QUESTION 236

DRAG DROP - (Topic 5)

You have a Microsoft 365 tenant.

You need to implement a compliance solution that meets the following requirements:

- A sensitivity label named ContainsCreditCardinfo must be applied to all Microsoft Office documents that contain credit card information.
- When a document that has the label applied is attached to an email by a user, the user must receive a policy tip in Microsoft Outlook.

Which three objects should you create in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

<p>Objects</p> <ul style="list-style-type: none"> a communication compliance policy a label policy a mail flow rule a sensitivity label a data loss prevention (DLP) policy an auto-labeling policy 	<p>Answer Area</p>	<p>↑</p> <p>↓</p>
--	---------------------------	-------------------

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<p>Objects</p> <ul style="list-style-type: none"> a communication compliance policy a label policy a mail flow rule a sensitivity label a data loss prevention (DLP) policy an auto-labeling policy 	<p>Answer Area</p> <div style="border: 2px dashed red; padding: 5px;"> <ul style="list-style-type: none"> a sensitivity label a data loss prevention (DLP) policy an auto-labeling policy </div>	<p>↑</p> <p>↓</p>
--	--	-------------------

NEW QUESTION 240

- (Topic 5)

You have a Microsoft Exchange Online tenant that has Office 365 Advanced Threat Protection (ATP) enabled.

The tenant contains a user named Ben Smith who has a UPN of ben.smith@fabrikam.com. Ben Smith is protected by using an ATP anti-phishing policy.

Ben Smith reports that emails sent from his personal account of ben.smith@relecloud.com are not delivered to his work email account.

You need to ensure that personal emails are delivered to the ben.smith@fabrikam.com What should you do?

- A. Create a transport rule to assign the MS-Exchange-Organization-PhishThresholdLevel header a value of 2 for the message received from ben.smith@relecloud.com
- B. Add ben.smith@fabrikam.com as a trusted sender to the ATP anti-phishing policy.
- C. Add ben.smith@relecloud.com as a trusted sender to the ATP anti phishing.

D. Add relecloud.com to the ATP anti-phishing list of misted domains.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-atp-anti-phishing-policies?view=o365-worldwide>

NEW QUESTION 241

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You purchase a Microsoft 365 subscription and configure Active Directory synchronization. You use a smart host for all email communication between the organization and the

Internet. The smart host performs email hygiene and alerts message headers.

You plan to run the Hybrid Configuration wizard to create an Exchange hybrid deployment and change the MX record to point to Exchange Online.

You need to decommission the smart host from the organization.

What should you do first?

- A. Create a Receive connector that allows anonymous authentication.
- B. Modify the InternalSmtpServer value by running the Set-TransportConfig cmdlet.
- C. Modify the Send connector to use DNS delivery.
- D. Modify the TLSReceiveDomainSecureList value by running the Set-TransportConfig cmdlet.

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/set-transportconfig?view=exchangeeps>

NEW QUESTION 243

- (Topic 5)

You have a Microsoft Exchange Online tenant that has an email domain named

comoso.com. Contoso.com routes all inbound email messages through a third-party email protection service.

You discover that all the inbound email messages contain the source IP address of the email protection service.

You need to ensure that all the inbound email messages retain the source IP address of the original sender.

What should you do?

- A. Modify the SPF TXT record of contoso.com.
- B. Enable Enhanced Filtering for Connectors.
- C. Configure a mail flow rule.
- D. Add an entry for a spoofed sender to Tenant Allow/Block Lists.

Answer: B

NEW QUESTION 248

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization that contains several thousand users. Most users connect to their mailbox by using a mobile device.

A new corporate security policy requires that when connecting from a mobile device, all users on devices that run iOS must use the Outlook mobile app only.

You need to modify the organization to meet the security requirement. What should you do?

- A. From the Exchange Management Shell, run the New-DeviceConditionalAccessPolicy cmdlet.
- B. From the Exchange admin center, create a mobile device access rule.
- C. From the Exchange Management Shell, run the New-DeviceConfigurationRule cmdlet.
- D. From the Exchange admin center, modify the default mobile device mailbox policy.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/mobile-device-mailbox-policies?view=exchserver-2019>

NEW QUESTION 251

- (Topic 5)

Your company has a department named Dept1. You have a Microsoft Exchange Online tenant.

You need to prevent only the users in Dept1 from using Outlook on the web to manage their mailbox settings.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct answer is worth one point.

- A. Create a new role assignment policy.
- B. Create a custom role group.
- C. Assign the Team Mailboxes role.
- D. Remove the MyBaseOptions role from the policy.
- E. Edit the Default Role Assignment Policy.

Answer: AE

NEW QUESTION 255

HOTSPOT - (Topic 5)

You have a Microsoft 365 E5 tenant that contains the users shown in the following table.

Name	Member of
User1	Sales
User2	Managers

You have a connector for a remote domain named contoso.com as shown in the following exhibit.

Mail flow scenario

From: Office 365

To: Partner organization

Name

TLS to Contoso

Description

None

Status

Turn it on after saving

When to use the connector

Use only when I have a transport rule set up that redirects messages to this connector.

Routing method

Use the MX record associated with the partner's domain.

Security restrictions

Always use Transport Layer Security (TLS) and connect only if the recipient's email server has a digital certificate.

You have a transport rule as shown in the following exhibit.

new rule

Name:

* Apply this rule if...

× A recipient's domain is...

and

× The subject or body includes...

* Do the following...

Use the following connector...

Except if...

× The sender is a member of...

Properties of this rule:

Audit this rule with severity level:

User1 sends an email message to user3@contoso.com that has a subject line containing the word Confidential.
 User2 sends an email message to user4@contoso.com that has a subject line of New report. The body of the message contains the word confidential.
 For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
All email sent to contoso.com is TLS-encrypted.	<input type="radio"/>	<input type="radio"/>
The message sent by User1 uses the TLS to Contoso connector.	<input type="radio"/>	<input type="radio"/>
The message sent by User2 uses the TLS to Contoso connector.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
All email sent to contoso.com is TLS-encrypted.	<input checked="" type="radio"/>	<input type="radio"/>
The message sent by User1 uses the TLS to Contoso connector.	<input checked="" type="radio"/>	<input type="radio"/>
The message sent by User2 uses the TLS to Contoso connector.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 256

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

Archive mailboxes are enabled for all users. You need to ensure that the default size of each user's archive mailbox increases automatically when the mailbox approaches the storage limit. The solution must apply automatically to all current and future mailboxes.

How should you complete the PowerShell command? To, answer select the appropriate options in the answer area.

- Enable-Mailbox
- Set-CASMailbox
- Set-Mailbox
- Set-OrganizationConfig

- ArchiveQuota unlimited
- AutoEnableArchiveMailbox \$true
- AutoExpandingArchive
- IssueWarningQuota unlimited

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Set-Mailbox -Identity * -ArchiveQuota "Unlimited"

To ensure that the default size of each user's archive mailbox increases automatically when the mailbox approaches the storage limit and to apply the solution automatically to all

current and future mailboxes, you can use the Set-Mailbox cmdlet in PowerShell and specify the -ArchiveQuota parameter.

Here is an example of how you could complete the PowerShell command: Copy code

Set-Mailbox -Identity * -ArchiveQuota "Unlimited"

This command will set the archive mailbox size to unlimited for all mailboxes in the tenant. Please note that, when you set the archive mailbox size to unlimited, the user's mailbox will continue to grow until it reaches the available storage space in the tenant.

You could also set a specific size limit, for example: Copy code

Set-Mailbox -Identity * -ArchiveQuota "50 GB"

This command will set the archive mailbox size to 50 GB for all mailboxes in the tenant. You can then use the Get-Mailbox cmdlet to verify the new archive mailbox size for all mailboxes in the tenant:

Copy code

Get-Mailbox -Identity * | Select DisplayName, ArchiveQuota

This command will return the DisplayName and ArchiveQuota properties for all mailboxes in the tenant.

NEW QUESTION 260

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains the groups shown in the following table.

Name	Type	Owner	Number of members	Member of
Group1	Distribution list	Admin1	200	none
Group2	Dynamic distribution list	None	50	Not applicable
Group3	Security group	Admin1	50	none
Group4	Distribution list	Admin1	150	Group3

Which groups can you upgrade to a Microsoft 365 group?

- A. Group1 only
- B. Group1, Group2, Group3, and Group4
- C. Group2 and Group3 only
- D. Group3 only
- E. Group1 and Group4 only

Answer: AE

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/manage/upgrade-distribution-lists?view=o365-worldwide>

NEW QUESTION 264

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You plan to create a mail flow rule that will forward email messages containing specific words to a user's manager for approval.

You need to test the rule. The solution must meet the following requirements:

- Prevent users from being notified that their message was forwarded to their manager.
- Support the tracking of messages that match the rule by using message tracing.

Which two settings should you modify? To answer, select the settings in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

new rule

Name:

*Apply this rule if...

The sender is located... ✓

and

The subject or body includes... ▼

*Do the following...

Except if...

Properties of this rule:

Audit this rule with severity level

Choose a mode for this rule:

Enforce

Test with Policy Tips

Test without Policy ✓

Activate this rule on the following date:

Deactivate this rule on the following date:

Stop processing more rules

Defer the message if rule processing doesn't complete

Match sender address in message:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

new rule

Name:

*Apply this rule if...

The sender is located...

and

The subject or body includes...

*Do the following...

Except if...

Properties of this rule:

Audit this rule with severity level

Choose a mode for this rule:

Enforce

Test with Policy Tips

Test without Policy

Activate this rule on the following date:

Deactivate this rule on the following date:

Stop processing more rules

Defer the message if rule processing doesn't complete

Match sender address in message:

NEW QUESTION 265

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You plan to migrate to Exchange Online incrementally during a 12-month period.

You need to ensure that during the migration, the following features continue to work for all users:

? Free/Busy synchronization

? Microsoft Teams calendar integration

? The Microsoft Outlook mobile app for Android

Which hybrid configuration should you implement?

- A. Modern Hybrid Configuration
- B. Minimal Hybrid Configuration
- C. Classic Hybrid

Answer: C

Explanation:

Reference:

<https://www.enowsoftware.com/solutions-engine/what-are-your-exchange-hybrid-options>

NEW QUESTION 269

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a group named Marketing. You need to ensure that the Marketing group meets the following requirements:

- Members of the Marketing group must be prevented from creating their own distribution groups.
- Members of the Marketing group must be prevented from modifying their contact information.

The solution must NOT affect any other users in the tenant.

Actions

- From the Exchange admin center, create a new role assignment policy.
- Assign the policy to the Marketing group members.
- Assign the policy directly to the Marketing group.
- Disable features for the policy.
- From the Exchange admin center, create a new Outlook Web App policy.
- Remove permissions from the policy.
- Edit the Default Role Assignment Policy.

Answer Area

Navigation icons: Right arrow, Left arrow, Up arrow, Down arrow.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

- From the Exchange admin center, create a new role assignment policy.
- Assign the policy to the Marketing group members.
- Assign the policy directly to the Marketing group.
- Disable features for the policy.
- From the Exchange admin center, create a new Outlook Web App policy.
- Remove permissions from the policy.
- Edit the Default Role Assignment Policy.

Answer Area

Navigation icons: Right arrow, Left arrow, Up arrow, Down arrow.

Note: In the explanation image, the correct answer 'From the Exchange admin center, create a new Outlook Web App policy.' is highlighted with a red dashed box.

NEW QUESTION 270

HOTSPOT - (Topic 5)

You have a Microsoft 365 E5 tenant that contains two Azure Active Directory (Azure AD) security groups named Finance and Marketing. The tenant contains the users and devices shown in the following table.

Name	Azure AD group membership	Device
User1	Finance	Device1
User2	Marketing	Device2
User3	Finance	Device3

The devices are configured as shown in the following table.

Device	Azure AD-joined	Microsoft Intune-enrolled
Device1	No	No
Device2	Yes	Yes
Device3	Yes	Yes

A conditional access policy is configured as shown in the following exhibit.

Name *

Outlook on the Web Policy

Assignments

- Users and groups ⓘ
- Specific users included >
- Cloud apps or actions ⓘ
- 1 app included >
- Conditions ⓘ
- 0 conditions selected >
- Access controls
- Grant ⓘ
- 0 controls selected >
- Session ⓘ
- Use app enforced restrictions >

Include Exclude

- None
- All users
- Select users and groups
 - All guest and external users ⓘ
 - Directory roles ⓘ
 - Users and groups

Select >

1 group >

A Finance ...

From Microsoft Exchange Online PowerShell, you run the following cmdlet.

```
Set-OwaMailboxPolicy -Identity OwaMailboxPolicy-Default
-ConditionalAccessPolicy ReadOnly
```

All the users connect to Exchange Online by using Outlook on the web.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
When using Outlook on the web, User1 can only view email attachments.	<input type="radio"/>	<input type="radio"/>
When using Outlook on the web, User2 can only view and print email attachments.	<input type="radio"/>	<input type="radio"/>
When using Outlook on the web, User3 can view, download, and print email attachments.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
When using Outlook on the web, User1 can only view email attachments.	<input checked="" type="radio"/>	<input type="radio"/>
When using Outlook on the web, User2 can only view and print email attachments.	<input type="radio"/>	<input checked="" type="radio"/>
When using Outlook on the web, User3 can view, download, and print email attachments.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 272

- (Topic 5)

Your company named Contoso, Ltd. has a Microsoft Exchange Online subscription.

You have several transport rules. The rules automatically apply a disclaimer to email messages that contain certain keywords in the subject and are sent to recipients in an email domain named fabrikam.com.

You receive a report that some messages are delivered without the disclaimer.

You need to view which transport rules were applied to messages sent to the fabrikam.com recipients.

What should you use?

- A. the SMTP protocol logs
- B. a URL trace
- C. the transport server logs
- D. a message trace

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/run-a-message-trace-andview-results>

NEW QUESTION 273

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant.

A user named User1 has an Exchange Online mailbox. User1 leaves your company.

You need to configure the user account of User1 to meet the following requirements:

? The Microsoft 365 license assigned to User1 must be available for another user.

? Manager1 must be able to manage all the contents in the mailbox of User1.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From the Azure Active Directory admin center, delete the account of User1.	
From the Azure Active Directory admin center, disable the account of User1.	
From the Microsoft 365 admin center, remove the license from User1.	
From the Security & Compliance admin center, place the mailbox of User1 on In-Place Hold.	
From the Exchange admin center, delete the mailbox of User1.	
From the Exchange admin center, grant Manager1 the Full Access permission to the mailbox of User1.	
From the Exchange admin center, convert the mailbox of User1 into a shared mailbox.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
From the Azure Active Directory admin center, delete the account of User1.	From the Exchange admin center, convert the mailbox of User1 into a shared mailbox.
From the Azure Active Directory admin center, disable the account of User1.	
From the Microsoft 365 admin center, remove the license from User1.	From the Exchange admin center, grant Manager1 the Full Access permission to the mailbox of User1.
From the Security & Compliance admin center, place the mailbox of User1 on In-Place Hold.	
From the Exchange admin center, delete the mailbox of User1.	From the Microsoft 365 admin center, remove the license from User1.
From the Exchange admin center, grant Manager1 the Full Access permission to the mailbox of User1.	
From the Exchange admin center, convert the mailbox of User1 into a shared mailbox.	

NEW QUESTION 278

- (Topic 5)

You have a Microsoft Exchange Online tenant.

All users use an email address suffix of @contoso.com.

You need to ensure that all the email messages sent to users who use an email address suffix of @fabrikam.com are encrypted automatically. The solution must ensure that the messages can be inspected for data loss prevention (DLP) rules before they are encrypted.

What should you create?

- A. an Outbound connector
- B. a safe attachments policy
- C. a remote domain
- D. a mail flow rule

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/define-mail-flow-rules-to-encrypt-email?view=o365-worldwide>
<https://docs.microsoft.com/en-us/exchange/security-and-compliance/data-loss-prevention/data-loss-prevention>

NEW QUESTION 282

- (Topic 5)

Your network contains an Active Directory domain named corp.contoso.com. The domain contains client computers that have Microsoft Office 365 Apps installed. You have a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. All recipients use an email address suffix of Contoso.com.

You migrate all the Exchange Server recipients to Exchange Online, and then decommission Server1.

Users connected to the internal network report that they receive an Autodiscover error when they open Microsoft Outlook.

You need to ensure that all users can connect successfully to their mailbox by using Outlook.

Which two actions should you perform? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. From the corp.contoso.com DNS zone, modify the Autodiscover host (A) record.
- B. Add an accepted domain.
- C. From the contoso.com DNS zone, modify the Autodiscover alias (CNAME) record
- D. Modify the name of the TLS certificate.
- E. From the domain, modify the Autodiscover service connection point (SCP).

Answer: CE

NEW QUESTION 284

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant. You enable hierarchical address books (HABs).

You create a new distribution group named Contoso.

You need to configure the Contoso group as the root of the hierarchy. The members of the group must appear in the hierarchy.

How should you complete the PowerShell commands?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Set-OrganizationConfig Set-Group

<https://docs.microsoft.com/en-us/exchange/address-books/hierarchical-address-books/enable-or-disable-hierarchical-address-books>

NEW QUESTION 289

DRAG DROP - (Topic 5)

Your network contains an Active Directory domain named contoso.com. The domain contains a Microsoft Exchange Server 2016 server named Server1.

All users have an email address with a suffix of @contoso.com. You have a new Microsoft 365 subscription.

You plan to configure an Exchange hybrid deployment.

You need to complete the prerequisites to run the Hybrid Configuration wizard.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 290

HOTSPOT - (Topic 2)

Your company named Contoso, Ltd. has a Microsoft Exchange Server 2019 organization that contains the mailbox databases shown in the following table.

NAME	Description
MBX01	Contains all the mailboxes for the managers at Contoso
MBX02	Contains all the mailboxes for the finance department of Contoso

You need to assign an offline address book (OAB) named Managers to all the users in a group named Managers.

How should you complete the PowerShell script? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 291

- (Topic 1)

You must prevent HelpDeskUser1 from repeating the same mistake.

You need to identify which management role provided HelpDeskUser1 with the necessary permissions to make the mistake identified in the problem statement.

Which two cmdlets should you run? Each correct answer presents part of the solution.

- A. Get-RoleGroup
- B. Get-ManagementRoleEntry
- C. Get-RoleGroupMember
- D. Get-ManagementRoleAssignment
- E. Get-ManagementRole

Answer: BD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/exchange/find-exchange-cmdlet-permissions?view=exchange-ps>

NEW QUESTION 293

- (Topic 1)

You need to resolve the email delivery delay issue. What should you do?

- A. From the Security & Compliance admin center, modify the safe attachments policy
- B. From the Security & Compliance admin center, create a supervision policy.
- C. From the Exchange admin center in Exchange Online, modify the antimalware policy.
- D. From the Exchange admin center in Exchange Online, modify the spam filter policy.

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/dynamic-delivery-and- previewing>

NEW QUESTION 298

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

MS-203 Practice Exam Features:

- * MS-203 Questions and Answers Updated Frequently
- * MS-203 Practice Questions Verified by Expert Senior Certified Staff
- * MS-203 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MS-203 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The MS-203 Practice Test Here](#)