



**HP**

## **Exam Questions HPE0-S60**

Delta - HPE Compute Solutions

#### NEW QUESTION 1

Your customer has an HPE Synergy frame equipped with a D3940 Storage Module. Each of the compute nodes has an appropriate storage controller Installed and two 12Gb SAS switches installed in the first fabric.

The customer reports that compute nodes cannot access the storage module. What should you verify first when troubleshooting this problem?

- A. If the D3940 module is imported in managed state that allows volume provisioning.
- B. If there is a logical interconnect created based on the 12Gb SAS switches.
- C. If the D3940 storage module is properly licensed through HPE OneView interface.
- D. If there is at least one iSCSI network configured that will provide access to the module.

**Answer:** A

#### NEW QUESTION 2

Your customer has the following HPE Synergy setup

- 3 HPE Synergy 12000 Frames
- 4 HPE Virtual Connect SE 100 Gb F32 Modules
- 2 HPE Synergy 50 GO Interconnect Link Modules
- 36 HPE Synergy 480 Gen10 Plus compute modules
- 2 HPE Composer 2 modules

Which statement about this setup is true?

- A. To use all compute nodes, the customer must create at least two logical enclosures
- B. To manage all frames, the customer must buy two additional HPE Composer 2 modules
- C. The customer must buy 36 HPE OneView Advanced licenses to manage compute modules
- D. The customer can add one D3940 storage Module to each of the frames

**Answer:** C

#### NEW QUESTION 3

Which statement about a new HPE SimpliVity deployment is true?

- A. New HPE SimpliVity deployments gives customer flexible choice of hypervisor
- B. A new HPE SimpliVity node can be a member of multiple clusters
- C. All new HPE SimpliVity models are software optimized
- D. All new HPE SimpliVity models are based on mid CPUs

**Answer:** C

#### NEW QUESTION 4

Your customer has experience with utilization sampling for HPE Virtual Connect SE 100 Gb F32 Module for HPE Synergy. They have recently purchased HPE VC FC modules.

What must you be aware of regarding utilization sampling for the new modules?

- A. Utilization sampling for HPE VC FC modules must be enabled manually using CLI.
- B. For HPE VC FC modules, utilization sampling is always enabled and cannot be disabled
- C. For HPE VC FC modules, utilization sampling can be enabled once appropriate license is applied
- D. Utilization sampling works the same way for any type of HPE Synergy interconnect modules

**Answer:** D

#### NEW QUESTION 5

Your customer plans to setup an HPE Synergy solution based on SY480 Gen10 compute nodes with the following connectivity options - SAS connectivity installed in the first fabric - FC connectivity Installed In the second fabric - Ethernet connectivity installed in the third fabric.

Which statement regarding this setup is true?

- A. Each compute node must have at least 768GB of memory installed
- B. Interconnect modules that provide SAS connectivity should be moved to the third fabric
- C. Each interconnect module in each fabric must be properly licensed in HPE OneView
- D. Compute nodes must have a second CPU installed to access the second fabric.

**Answer:** A

#### NEW QUESTION 6

Refer to the exhibit.

Create Logical Interconnect Group

General

?

General

Name

LIG-FC

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Virtual Connect SE 32Gb FC Module for Synergy

Enclosure count

1

Interconnect bay set

1

Redundancy

Redundant

Select interconnects

Changed: Interconnect type t...

Create

Create +

Cancel

Which statement about this logical interconnect group is true?

- A. Both modules are located in different frames for redundancy
- B. For an uplink set, ports from different modules can be selected
- C. interconnect modules are installed in interconnect bays 1 and 4
- D. An additional license is required to change the enclosure count

**Answer:** D

#### NEW QUESTION 7

Which HPE Virtual Connect feature allows an administrator to suppress excessive inbound multicast broadcast and destination lookup failure (OLF) packets?

- A. Pause flood protection
- B. Loop protection
- C. LLDP tagging
- D. Storm control

**Answer:** D

#### NEW QUESTION 8

In the past a customer experienced a networking issue where network ports went down and came back up in quick succession. Which HPE Virtual Connect SE 100 GD F32 Module for HPE Synergy feature can be configured to disable such ports?

- A. Pause flood protection
- B. sFlow
- C. Storm control
- D. Port flap protection

**Answer:** B

#### NEW QUESTION 9

Your customer plans to add four HPE Synergy frames to an existing management ring. All installed frames are equipped with two 2-port FLM modules, while new frames will be equipped with 4-port FLM modules.

Which statement about mixing different FLM modules is true?

- A. Existing 2-port FLM modules must be replaced with 4-port FLM modules
- B. A management ring can contain mixed frame link module configurations
- C. A management ring with mixed FLM modules cannot have more than 12 frames
- D. Mixing different FLM modules is allowed if all of them have the same firmware version

**Answer:** C

NEW QUESTION 10

You need to setup HPE Synergy frames after hardware components are discovered within HPE OneView. Put the steps to achieve this goal into the coned order in the answer area on the right.

Steps

Answer Area

- Create a logical enclosure.
- Create a logical interconnect group with uplink sets.
- Create an enclosure group.
- Create server profile templates and server profiles.
- Define all required networks.

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

Steps

Create a logical enclosure.

Create a logical interconnect group with uplink sets.

Create an enclosure group.

Create server profile templates and server profiles.

Define all required networks.

Answer Area

Create a logical interconnect group with uplink sets.

Create a logical enclosure.

Create an enclosure group.

Create server profile templates and server profiles.

Define all required networks.

⬆

⬇

NEW QUESTION 10

Match HPE SimpliVity term with the definition.

Term		Definition
Arbiter		Non-hyperconverged servers that can exist in an HPE SimpliVity environment and provide additional compute capacity while consuming the storage provided by the hyperconverged nodes.
Compute node		Provides centralized management and events end-point for vCenter.
Management Virtual Controller		Integrates with VMware Distributed Resources Scheduler to ensure optimal placement of the VM compute resources.
Intelligent Workload Optimizer		Facilitates communication between nodes and resolves state conflicts to ensure service continuity.

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

Term		Definition
Arbiter	Arbiter	Non-hyperconverged servers that can exist in an HPE SimpliVity environment and provide additional compute capacity while consuming the storage provided by the hyperconverged nodes.
Compute node	Compute node	Provides centralized management and events end-point for vCenter.
Management Virtual Controller	Management Virtual Controller	Integrates with VMware Distributed Resources Scheduler to ensure optimal placement of the VM compute resources.
Intelligent Workload Optimizer	Intelligent Workload Optimizer	Facilitates communication between nodes and resolves state conflicts to ensure service continuity.



#### NEW QUESTION 14


You modified a logical interconnect group mat is used to configure logical interconnects in five different logical enclosures. What will be the impact of that change?

- A. All physical interconnects from affected logical interconnects will be placed in a maintenance mode
- B. All physical interconnects from the affected logical interconnects must he rebooted to activate the new configuration
- C. All logical interconnects configured using this logical Interconnect group will report inconsistency
- D. All logical interconnects configured using this logical interconnect group will be automatically updated

Answer: A

#### NEW QUESTION 18


Click the option that will allow you to change the ESXI image used In an OS Deployment Plan.



- A. Mastered
- B. Not Mastered

Answer: A


Explanation:



#### NEW QUESTION 23

After deploying HPE Superdome Flex 280 you need to check Core Analysis Engine (CAE) Log.


Click the appropriate section in the HPE Superdome Flex 280 management interface that will allow you to complete this task.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



#### NEW QUESTION 27

Click the drop-down menu that will allow you to define the location of the master modules within the logical interconnect group.

Create Logical Interconnect Group

General

?

General

Name

LIG-ETH

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Virtual Connect SE 100Gb F32 Module for Synergy

Enclosure count

3

Interconnect bay set

3

Redundancy

Redundant

Downlink speed

25 Gb/s

Select interconnects

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Create Logical Interconnect Group

General

?

General

Name

LIG-ETH

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Virtual Connect SE 100Gb F32 Module for Synergy

Enclosure count

3

Interconnect bay set

3

Redundancy

Redundant

Downlink speed

25 Gb/s

Select interconnects

NEW QUESTION 32

Your customer plans to deploy VMware vSAN using D3940 Storage Modules. Which statement about this solution is true?

- A. The 12Gb SAS modules required for D3940 connectivity can only be installed in the first fabric.
- B. To use the storage controller that will access D3940 storage modules, a second CPU must be installed.
- C. For VMware vSAN deployment, all drives in the D3940 storage modules must be SSD drives.
- D. All drives in the D3940 storage modules must formulate a single logical drive with RAID5 configured



Answer: A

#### NEW QUESTION 37

Which statement about HPE OneView milestone releases is true?

- A. A milestone release is a release which must be installed on HPE Composer to support current version of the Service Pack for Synergy
- B. A milestone release is a release that is published when HPE releases new hardware components to immediately support new systems
- C. A milestone release is available for selected partners that give access to HPE OneView features which are not officially announced.
- D. A milestone release is a release with an enhanced update architecture that is a prerequisite prior to updating to a subsequent release.

Answer: A

#### NEW QUESTION 42

Which statement about manual orchestration during the firmware update is true?

- A. It is supported only for logical enclosures with at least three frames
- B. It provides an ability to select and update one side of the Interconnect topology at a time
- C. It provides the ability to install an older firmware version than currently installed in the interconnect
- D. It allows all the interconnect modules to be activated manually at the same time.

Answer: B

#### NEW QUESTION 47

Your customer plans to use HPE OneView for VMware vCenter Server to deploy ESXi systems. They created a server profile template that they want to use in HPE OneView.

Put the steps required to configure HPE OneView for VMware vCenter Server on the left into their correct order on the right.

**Steps**

Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan

Add vCenter Server to HPE OneView for VMware vCenter Server

Deploy new ESXi systems using vCenter Server interface.

Upload HPE-friendly ESXi image.

**Answer Area**

Add vCenter Server to HPE OneView for VMware vCenter Server

Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan

Upload HPE-friendly ESXi image.

Deploy new ESXi systems using vCenter Server interface.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

**Steps**

Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan

Add vCenter Server to HPE OneView for VMware vCenter Server

Deploy new ESXi systems using vCenter Server interface.

Upload HPE-friendly ESXi image.

**Answer Area**

Add vCenter Server to HPE OneView for VMware vCenter Server

Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan

Upload HPE-friendly ESXi image.

Deploy new ESXi systems using vCenter Server interface.

#### NEW QUESTION 50

Your customer plans to deploy HPE OneView for VMware vCenter Server together with HPE Storage Integration Pack for VMware vCenter. The customer wants to use them to manage HPE Synergy Gen10 compute modules, HPE ProLiant Gen 10 servers and an MSA array. Which statement about compatibility of the existing environment with the planned software components is true?

- A. Both HPE Synergy Gen10 full-height compute module plugins will require a license
- B. HPE OneView for VMware vCenter Server does not support standalone HPE ProLiant servers
- C. To use the required plugins HPE ProLiant Gen10 systems must be managed using HPE OneView
- D. HPE Storage integration Pack for VMware vCenter does not support MSA arrays

Answer: B

#### NEW QUESTION 55

Your customer is implementing an HPE Synergy solution based on three frames. Click each of the ports that can be used to connect satellite modules.





- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**



#### NEW QUESTION 59

Your customer wants to add a second HPE Synergy frame to an existing logical enclosure Based on a single HPE Synergy frame. The customer wants to use a highly available master setup.

Which procedures should be performed during the expansion process? (Select two.)

- A. Create a new logical interconnect group and enclosure group for two frames setup
- B. Create a new logical enclosure based on both HPE Synergy frames.
- C. Re-parent an existing enclosure group to the new logical interconnect group.
- D. Modify an existing logical interconnect to include second HPE Synergy frame.
- E. Move one of the master modules to the appropriate interconnect bay in the second frame.

**Answer:** BD

#### NEW QUESTION 63

Your customer has 6 logical enclosures spanning 18 HPE Synergy frames. The customer needs to add one more logical enclosure based on 5 HPE Synergy frames

How will this change impact the customer environment?

- A. The customer can add a new logical enclosure to the existing setup because the maximum number of logical enclosures in a single management ring is not reached.
- B. The customer has to expand the management ring capacity either by adding HPE Composer 2 modules or adding memory to reach 128GB per module.
- C. The customer has to create a new management ring for new logical enclosure because the maximum number of frames in a single management ring is reached.
- D. The customer can add a new logical enclosure to an existing setup once all required licenses are added to HPE OneView and associated with the new frames.

**Answer:** A

#### NEW QUESTION 65


Your customer wants to compare HPE Superdome Flex with HPE Superdome Flex 280. Which statement about these two systems is true?

- A. Only HPE Superdome Flex 280 can be managed using HPE OneView
- B. Only HPE Superdome Flex supports HPE Persistent Memory
- C. Only HPE Superdome Flex 280 can support multiple nPars
- D. Only HPE Superdome Flex supports 32 sockets and 48TB of memory

**Answer:** A

#### NEW QUESTION 70


After HPE Superdome Flex deployment and nPar setup, you need to verify health status of HPE Superdome Flex components. Put the steps on the left into the correct order on the right to perform this task.



- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**



#### NEW QUESTION 72

Your customer added a new Ethernet network in HPE Oneview mat is used to manage their HPE Synergy platform. When the customer tries to connect one of the compute nodes to this network through the server profile, this network is not available. What must be done to fix this issue?

- A. Check the Logical Enclosure settings and verify if the maximum number of networks allowed for this LE is reached.
- B. To make this network available to use in the server profile, the customer must enable the Smart Link feature within network definition.
- C. The newly created network must be added to the uplink set within the LIG, and Logical interconnect configuration must be updated from the LIG.
- D. Check within the server profile which server hardware is used and perform the Refresh operation on this compute node to get the latest adapter information.

**Answer: C**

#### NEW QUESTION 76

Your customer plans to deploy a VMware ESXi with HPE Synergy platform. They plan to use Distributed Switches and DRS cluster You are preparing a proposal with the following components:

- HPE Synergy frame with ten HPE Synergy 480 Gen10 Plus compute modules
- two HPE Virtual Connect SE 100Gb F32 Modules for Synergy
- an appropriate number of the vSphere Standard licenses for each compute node
- one HPE D3940 Storage Modules with 40 SSDs - all required cables and options Which statement about this proposal is true?

- A. One HPE Virtual Connect SE 100Gb F32 Module for Synergy should be replaced with 50GD/S ILM
- B. vSphere Standard licenses should be replaced with Enterprise Plus licenses to enable requested features
- C. 2 additional HPE Synergy 480 Gen10 Plus compute modules can be added to this setup
- D. 20 SSD drives should be removed from this setup, as D3940 supports only 20 SSD or SAS drive.

**Answer: B**

#### NEW QUESTION 78

Your customer is trying to grow a VMware duster using HPE OneView for VMware vCenter Server. They get an error and cannot proceed Which tool should you use to troubleshoot the problem?

- A. HPE One View for VMware vCenter Server to verify if server profile template s property imported and registered
- B. vCenter Server to verify if an OS Bund Plans property defined and has ESXi image uploaded
- C. HPE OneView interface to import an existing cluster using the hypervisor cluster profile functionality.
- D. ILO interlace of a given HPE Synergy compute node to verify whether this node is registered within HPE Oneview.

**Answer: A**

#### NEW QUESTION 81

Your customer has an HPE Synergy platform deployed and managed using HPE OneView. The customer also has HPE Superdome Flex with RMC deployed They plan to deploy a second nPar and HPE Superdome Flex 280 They plan to manage new components using HPE OneView What must be done to achieve this goal?

- A. The customer must use IL05 to add HPE Superdome Flex systems to HPE OneView

- B. The customer should deploy an HPE OneView appliance for HPE Superdome Flex management
- C. The customer must add a second Rack Management Controller for HPE Superdome Flex 280
- D. The customer has to add HPE Superdome Flex to the HPE OneView used to manage HPE Synergy

**Answer:** C

#### NEW QUESTION 85


Which statement about the SY480 Gen10 Plus Compute Module is true?

- A. It cannot be mixed with Gen9 compute modules in the same frame.
- B. It supports 8 memory channels and memory DIMMs of up to 256GB.
- C. It only supports NVDIMM Persistent Memory.
- D. It supports "3rd Gen AMO EPYC Server Processors with 64 cores.

**Answer:** C

#### NEW QUESTION 86

Refer to the exhibit.



The screenshot shows the HPE OneView interface for configuring a Logical JBOD. On the left, a sidebar titled "Logical JBODs 1" contains a green button "+ Create Logical JBOD" and a table with one entry: "Logical -JBOD" with 1 physical drive. The main panel is titled "Logical-JBOD" and has tabs for "Overview" and "Drives". The "Overview" tab is active, showing a "General" section with the following details:

- Description: none
- State: Configured
- Drive enclosure: CZ204400XB, bay 11
- Used by: none
- Number of physical drives: 1
- Drive technology: SAS HDD
- Minimum drive size: 600 GB
- Maximum drive size: 600 GB
- Erase on delete: Yes

Below the "General" section is a "Drives" section with a table showing the physical drive configuration:

Bay	Drive Enclosure	Model	Type	Capacity
19	CZ204400XB, bay 11	EG000600JWJNH	SAS HDD	600 GB

Which statement about this logical JBOD is true?

- A. This logical JBOD can be connected to multiple systems to formulate a shared datastore.
- B. After deleting this logical JBOD drives will be blocked for 12h in case this JBOD must be re-created
- C. After deleting this logical JBOD, its drives will not be available until a clean-up procedure is done
- D. This logical JBOD can be presented to the compute nodes in a different frame.

**Answer:** C

#### NEW QUESTION 89

What is a limitation when creating a server profile?

- A. BIOS settings can be changed only when UEFI optimized is selected as boot mode
- B. ILO management is limited to the integration with Active Directory or LDAP
- C. Administrator cannot define more than 8 connections within a server profile
- D. It is not possible to create shared volumes on demand through a server profile

**Answer:** B

#### NEW QUESTION 90

Your customer plans to manage HPE Primera using HPE OneView

Which storage management tasks can be completed using HPE OneView for this environment?

- A. CPG management
- B. Volume provisioning
- C. Cache management
- D. Replication setup

**Answer:** B

#### NEW QUESTION 95

You need to configure a RoCE network to enable lossless networking for HPE J2000 Flash Enclosure support Which interconnects are required to support this connection? (Select two.)



- A. HPE Virtual Connect SE 40Gb F8 Module for HPE Synergy
- B. HPE Virtual Connect SE 16Gb FC Module for HPE Synergy
- C. HPE Virtual Connect SE 100Gb F32 Module for HPE Synergy
- D. HPE Virtual Connect SE 32Gb FC Module for HPE Synergy
- E. Brocade 16Gb Fibre Channel SAN Switch Module for HPE Synergy
- F. Brocade 32Gb Fibre Channel SAN Switch Module for HPE Synergy

**Answer:** BD

#### NEW QUESTION 99

Your customer reports that they cannot deploy HPE Synergy compute nodes using HPE OneView for VMware vCenter Server (HPE OV4VC). What should you check during troubleshooting process?

- A. If HPE OneView credentials are added in vCenter Server
- B. If any compute nodes are added to the vCenter Server
- C. If the HPE Oneview instance is integrated with HPE OV4VC.
- D. If vCenter Server is licensed in the HPE Oneview interface

**Answer:** B

#### NEW QUESTION 101

Which compute node parameters are captured within server hardware type?

- A. Number of the CPUs
- B. installed operating system
- C. Mezzanine card configuration
- D. Size of the memory installed

**Answer:** B

#### NEW QUESTION 105

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

### HPE0-S60 Practice Exam Features:

- \* HPE0-S60 Questions and Answers Updated Frequently
- \* HPE0-S60 Practice Questions Verified by Expert Senior Certified Staff
- \* HPE0-S60 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* HPE0-S60 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The HPE0-S60 Practice Test Here](#)**