

Microsoft

Exam Questions AZ-800

Administering Windows Server Hybrid Core Infrastructure



NEW QUESTION 1

SIMULATION - (Topic 4)

Task 8

You need to create an Active Directory Domain Services (AD DS) site named Site2 that is associated to an IP address range of 192.168.2.0 to 192.168.2.255.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

To create an AD DS site named Site2 that is associated to an IP address range of 192.168.2.0 to 192.168.2.255, you can follow these steps:

? On a domain controller or a computer that has the Remote Server Administration

Tools (RSAT) installed, open Active Directory Sites and Services from the Administrative Tools menu or by typing dssite.msc in the Run box.

? In the left pane, right-click on Sites and select New Site.

? In the New Object - Site dialog box, enter Site2 as the Name of the new site.

Select a site link to associate the new site with, such as DEFAULTIPSITELINK, and click OK. You can also create a new site link if you want to customize the replication frequency and schedule between the sites. For more information on how to create a site link, see Create a Site Link.

? In the left pane, right-click on Subnets and select New Subnet.

? In the New Object - Subnet dialog box, enter 192.168.2.0/24 as the Prefix of the subnet. This notation represents the IP address range of 192.168.2.0 to 192.168.2.255 with a subnet mask of 255.255.255.0. Select Site2 as the Site object to associate the subnet with, and click OK.

? Wait for the changes to replicate to other domain controllers. You can verify the site and subnet creation by checking the Sites and Subnets containers in Active Directory Sites and Services.

Now, you have created an AD DS site named Site2 that is associated to an IP address range of 192.168.2.0 to 192.168.2.255. You can add domain controllers to the new site and configure the site links and site link bridges to optimize the replication topology.

NEW QUESTION 2

SIMULATION - (Topic 4)

Task 4

You need to register SRV1 to sync Azure file shares The registration must use the 34646045 Storage Sync Service.

The required source files are located in a folder named \\dc1.contoso.com\install.

You do NOT need to configure file share synchronization at this time and you do NOT need to update the agent.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

One possible solution to register SRV1 to sync Azure file shares using the 34646045 Storage Sync Service is to use the Register-AzStorageSyncServer cmdlet from the Az.StorageSync module. This cmdlet establishes a trust relationship between the server

and the Storage Sync Service, which is required for creating server endpoints and syncing files. Here are the steps to register SRV1

using the cmdlet:

? On SRV1, open PowerShell as an administrator and run the following command to

install the Az.StorageSync module if it is not already installed: Install-Module -Name Az.StorageSync

? Run the following command to import the Az.StorageSync module:

Import-Module -Name Az.StorageSync

? Run the following command to sign in to your Azure account and select the subscription that contains the 34646045 Storage Sync Service:

Connect-AzAccount

Select-AzSubscription -SubscriptionId <your-subscription-id>

? Run the following command to register SRV1 with the 34646045 Storage Sync Service. You need to specify the resource group name and the Storage Sync Service name as parameters:

Register-AzStorageSyncServer -ResourceGroupName <your-resource-group-name> -StorageSyncServiceName 34646045

? Wait for the registration to complete. You can verify the registration status by

checking the Registered servers tab on the Azure portal or by running the following command:

Get-AzStorageSyncServer -ResourceGroupName <your-resource-group-name> -StorageSyncServiceName 34646045

Now, SRV1 is registered with the 34646045 Storage Sync Service and ready to sync Azure file shares. You can create server endpoints on SRV1 and cloud endpoints on the Azure file shares to define the sync topology.

NEW QUESTION 3

SIMULATION - (Topic 4)

Task 5

You need to ensure that a DHCP scope named scope1 on SRV1 can service client requests.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

One possible solution to ensure that a DHCP scope named scope1 on SRV1 can service client requests is to activate the scope on the DHCP server. A scope must be activated before it can assign IP addresses to DHCP clients. To activate a DHCP scope on SRV1, perform the following steps:

? On SRV1, open DNS Manager from the Administrative Tools menu or by typing dnsmgmt.msc in the Run box.

? In the left pane, expand your DHCP server and click on IPv4.

? In the right pane, right-click on the scope that you want to activate, such as scope1, and select Activate.

? Wait for the scope to be activated. You can verify the activation status by checking the icon next to the scope name. A green arrow indicates that the scope is active, while a red arrow indicates that the scope is inactive.

Now, the DHCP scope named scope1 on SRV1 can service client requests and lease IP addresses to DHCP clients. You can test the DHCP service by using the

ipconfig
/renew command on a DHCP client computer that is connected to the same subnet as the scope.

NEW QUESTION 4

- (Topic 3)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com.
You need to identify which server is the PDC emulator for the domain.
Solution: From Active Directory Domains and Trusts, you right-click Active Directory Domains and Trusts in the console tree, and then select Operations Master.
Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 5

HOTSPOT - (Topic 3)
Your network contains an Active Directory Domain Services (AD DS) forest named contoso.com. The forest contains a child domain named east.contoso.com and the servers shown in the following table.

Name	Domain	Description
DC1	contoso.com	Has the schema master, infrastructure master, and domain naming master roles
DC2	east.contoso.com	Has the PDC emulator and RID master roles and is a global catalog server
Server1	contoso.com	Has the File Server, DFS Namespaces, and DFS Replication server roles

You need to create a folder for the Central Store to manage Group Policy template files for the entire forest.
What should you name the folder, and on which server should you create the folder? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Name:

PolicyDefinitions

These are the selections for Name:

CentralDefinitions

PolicyDefinitions

TemplateDefinitions

Server:

Server1 only

DC1 only

DC2 only

Server1 only

DC1 and DC2 only

DC1, DC2, and Server1

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Name:

PolicyDefinitions

These are the selections for Name:

CentralDefinitions

PolicyDefinitions

TemplateDefinitions

Server:

Server1 only

DC1 only

DC2 only

Server1 only

DC1 and DC2 only

DC1, DC2, and Server1

NEW QUESTION 6

DRAG DROP - (Topic 3)
You have a server named Server1 that has Windows Admin Center installed. The certificate used by Windows Admin Center was obtained from a certification authority (CA).
The certificate expires.
You need to replace the certificate.
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Copy the certificate thumbprint.

From Internet Information Services (IIS) Manager, bind a certificate.

Rerun **Windows Admin Center Setup** and select **Change**.

Rerun **Windows Admin Center Setup** and select **Repair**.

Rerun **Windows Admin Center Setup** and select **Remove**.

Answer Area



- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Actions

Copy the certificate thumbprint.

From Internet Information Services (IIS) Manager, bind a certificate.

Rerun **Windows Admin Center Setup** and select **Change**.

Rerun **Windows Admin Center Setup** and select **Repair**.

Rerun **Windows Admin Center Setup** and select **Remove**.

Answer Area

From Internet Information Services (IIS) Manager, bind a certificate.

Copy the certificate thumbprint.

Rerun **Windows Admin Center Setup** and select **Change**.

NEW QUESTION 7

- (Topic 3)

You have an Azure virtual machine named Server1 that runs a network management application. Server1 has the following network configuration.

- * Network interface.Nic1
- * IP address 10.1.1.1/24
- * Connected to: Vnet1/Subnet1

You need connect Server1 to an additional subnet named Vnet1/Subnet2. What should you do?

- A. Create a private endpoint on Subnet2
B. Add a network interface to server1.
C. Modify the IP configurations of Nic1.
D. Add an IP configuration to Nic1.

Answer: B

NEW QUESTION 8

- (Topic 3)

You have an on-premises Active Directory Domain Services (AD DS) domain that syncs with an Azure Active Directory (Azure AD) tenant Group writeback is enabled in Azure AD Connect.

The AD DS domain contains a server named Server1 Server 1 contains a shared folder named share1.

You have an Azure Storage account named storage2 that uses Azure AD-based access control. The storage2 account contains a share named shared

You need to create a security group that meets the following requirements:

- Can contain users from the AD DS domain
- Can be used to authorize user access to share 1 and share2 What should you do?

- A. in the AD DS domain, create a universal security group
B. in the Azure AD tenant create a security group that has assigned membership
C. in the Azure AD Tenant create a security group that has dynamic membership.
D. in the Azure AD tenant create a Microsoft 365 group

Answer: B

NEW QUESTION 9

HOTSPOT - (Topic 3)

You have a Windows Server container host named Server1 and an Azure subscription. You deploy an Azure container registry named Registry1 to the subscription.

On Server1, you create a container image named image1. You need to store imager in Registry1.

Which command should you run on Server1 ? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 10

- (Topic 3)

You have an Azure virtual machine named VM1 that runs Windows Server. You perform the following actions on VM1:

- Create a folder named Folder1 on volume C
- Create a folder named Folder2 on volume D.
- Add a new data disk to VM1 and create a new volume that is assigned drive letter E.
- Install an app named App1 on volume E. You plan to resize VM1.

Which objects will present after you resize VM1?

- A. Folder1 and Folder2 only
- B. Folder1, volume E, and App1 only
- C. Folder1 only
- D. Folder2, App1, and volume E
- E. Folder2, App1, and volume E

Answer: D

NEW QUESTION 10

- (Topic 3)

You have an Azure subscription that contains the following resources:

- An Azure Log Analytics workspace
- An Azure Automation account
- Azure Arc.

You have an on-premises server named Server1 that is onboarded to Azure Arc. You need to manage Microsoft updates on Server1 by using Azure Arc.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Add Microsoft Sentinel to the Log Analytics workspace
- B. On Server1, install the Azure Monitor agent
- C. From the Automation account, enable Update Management for Server1.
- D. From the Virtual machines data source of the Log Analytics workspace, connect Server1.

Answer: BC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/manage/hybrid/server/best-practices/arc-update-management>

NEW QUESTION 14

HOTSPOT - (Topic 3)

You have a Windows Server container host named Server1 that has a single disk. On Server1, you plan to start the containers shown in the following table.

Name	Description
Container1	Container1 is a Windows container that contains a web app in development. The container must NOT share a kernel with other containers.
Container2	Container2 is a Linux container that runs a web app. The container requires two static IP addresses.
Container3	Container3 is a Windows container that runs a database. The container requires a static IP address.

Which isolation mode can you use for each container? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Container1:

Hyper-V isolation only

Process isolation only

Hyper-V isolation or process isolation

Container2:

Hyper-V isolation only

Process isolation only

Hyper-V isolation or process isolation

Container3:

Hyper-V isolation only

Process isolation only

Hyper-V isolation or process isolation

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Container1:

Hyper-V isolation only

Process isolation only

Hyper-V isolation or process isolation

Container2:

Hyper-V isolation only

Process isolation only

Hyper-V isolation or process isolation

Container3:

Hyper-V isolation only

Process isolation only

Hyper-V isolation or process isolation

- (Topic 3)
You have an on-premises server named Server1 that runs Windows Server. You have an Azure virtual network that contains an Azure virtual network gateway. You need to connect only Server1 to the Azure virtual network. What should you use?

A. Azure Network Adapter
B. a Site-to-Site VPN
C. an ExpressRoute circuit
D. Azure Extended Network

Answer: B

Explanation:
Reference:
<https://docs.microsoft.com/en-us/windows-server/manage/windows-admin-center/azure/use-azure-network-adapter>

NEW QUESTION 17

- (Topic 3)
Your network contains an Active Directory Domain Services (AD DS) domain. The domain contains a user named User1 and the servers shown in the following table.

Name	Server role	DHCP scope
Server1	DHCP Server	Scope1, Scope2
Server2	DHCP Server	Scope3, Scope4

You need to ensure that User1 can manage only Scope1 and Scope3. What should you do?

- A. Add User1 to the DHCP Administrators group on Server1 and Server2.
B. Implement IP Address Management (IPAM).
C. Add User1 to the DHCP Administrators domain local group.
D. Implement Windows Admin Center and add connections to Server1 and Server2.

Answer: B

NEW QUESTION 18

HOTSPOT - (Topic 3)
Your on-premises network contains a single-domain Active Directory Domain Services (AD DS) forest. You have an Azure AD tenant named contoso.com. The AD DS forest syncs with the Azure AD tenant by using Azure AD Connect.
You need to ensure that users in the forest that have a custom attribute of NoSync are excluded from synchronization.
How should you configure the Azure AD Connect cloudFiltered attribute, and which tool should you use? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Attribute:

TrueFalseNullTrue

Tool:

Synchronization Rules EditorADSI EditSynchronization Rules EditorThe Microsoft Azure AD Connect wizard

Answer:

Answer Area

Attribute:

TrueFalseNullTrue

Tool:


Synchronization Rules EditorADSI EditSynchronization Rules EditorThe Microsoft Azure AD Connect wizard

- A. Mastered
B. Not Mastered

Answer: A

NEW QUESTION 21

HOTSPOT - (Topic 3)
Your network contains two Active Directory Domain Services (AD DS) forests as shown in the following exhibit.



The forests contain the domain controllers shown in the following table.

Name	Domain	Global catalog	Schema master
DC1	adatum.com	Yes	Yes
DC2	adatum.com	No	No
DC3	west.adatum.com	Yes	No
DC4	contoso.com	Yes	Yes

You perform the following actions on DO:

- Create a user named User1.
- Extend the schema with a new attribute named Attributed

To which domain controllers are User1 and Attribute1 replicated? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

User1:

DC2 only

DC2 only

DC3 only

DC2 and DC3 only

DC3 and DC4 only

DC2, DC3, and DC4

Attribute1:

DC2, DC3, and DC4

DC2 only

DC4 only

DC2 and DC3 only

DC2, DC3, and DC4

Answer:

Answer Area

User1:

DC2 only

DC2 only

DC3 only

DC2 and DC3 only

DC3 and DC4 only

DC2, DC3, and DC4

Attribute1:

DC2, DC3, and DC4

DC2 only

DC4 only

DC2 and DC3 only

DC2, DC3, and DC4

- A. Mastered
B. Not Mastered

Answer: A

NEW QUESTION 23

HOTSPOT - (Topic 3)

You have an Active Directory Domain Services (AD DS) domain that contains the member servers shown in the following table.

Name	Operating system	Data Deduplication role service
Server1	Windows Server 2019	Installed
Server2	Windows Server 2022	Not installed
Server3	Windows Server 2022	Installed

Server3 contains a data disk named Disk1 that has Data Deduplication installed. Disk1 contains the files shown in the following table.

Name	Size
File1.txt	5 KB
File2.docx	800 KB
File3.sys	2 MB
File4.bmp	5 GB

Server3 fails.
You need to recover the files on Disk1.
Which files can you recover if you attach Disk1 to Server 1, and which files can you recover if you attach Disk1 to Server2? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Server1:

File1.txt only

File1.txt only

File1.txt and File2.docx only

File1.txt and File3.sys only

File1.txt, File2.docx, File3.sys, and File4.bmp

No files can be recovered.

Server2:

File1.txt and File2.docx only

File1.txt only

File1.txt and File2.docx only

File1.txt and File3.sys only

File1.txt, File2.docx, File3.sys, and File4.bmp

No files can be recovered.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Server1:

File1.txt only

File1.txt only

File1.txt and File2.docx only

File1.txt and File3.sys only

File1.txt, File2.docx, File3.sys, and File4.bmp

No files can be recovered.

Server2:

File1.txt and File2.docx only

File1.txt only

File1.txt and File2.docx only

File1.txt and File3.sys only

File1.txt, File2.docx, File3.sys, and File4.bmp

No files can be recovered.

NEW QUESTION 28

HOTSPOT - (Topic 3)

Your network contains two VLANs for client computers and one VLAN for a datacenter Each VLAN is assigned an IPv4 subnet Currently, all the client computers use static IP addresses.
You plan to deploy a DHCP server to the VLAN in the datacenter.
You need to use the DHCP server to provide IP configurations to all the client computers. What is the minimum number of scopes and DHCP relays you should create? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

DHCP scopes:

1

2

3

4

DHCP relays:

1

2

3

4

the selections for DHCP relays

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 3
You need a DHCP scope for each of the three subnets.
Box 2: 2

The two client VLANs need a DHCP Relay Agent to forward DHCP requests to the DHCP server. The datacenter VLAN that contains the DHCP server does not require a DHCP Relay Agent.

NEW QUESTION 31

- (Topic 3)

Your network contains a multi-site Active Directory Domain Services (AD DS) forest. Each Active Directory site is connected by using manually configured site links and automatically generated connections.

You need to minimize the convergence time for changes to Active Directory. What should you do?

- A. For each site link, modify the options attribute.
- B. For each site link, modify the site link costs.
- C. For each site link, modify the replication schedule.
- D. Create a site link bridge that contains all the site links.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows-server/identity/ad-ds/plan/determining-the-interval>

NEW QUESTION 34

- (Topic 3)

You have an on-premises Active Directory Domain Services (AD DS) domain that syncs with an Azure Active Directory (Azure AD) tenant.

You have several Windows 10 devices that are Azure AD hybrid-joined.

You need to ensure that when users sign in to the devices, they can use Windows Hello for Business.

Which optional feature should you select in Azure AD Connect?

- A. Device writeback
- B. Group writeback
- C. Password writeback
- D. Directory extension attribute sync
- E. Azure AD app and attribute filtering

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows/security/identity-protection/hello-for-business/hello-hybrid-cert-trust-prereqs>

NEW QUESTION 39

- (Topic 3)

Your network contains an Active Directory forest. The forest contains two domains named contoso.com and east.contoso.com and the servers shown in the following table.

Name	Domain	Configuration
DC1	contoso.com	Domain controller
Server1	contoso.com	Member server
DC2	east.contoso.com	Domain controller
Server2	east.contoso.com	Member server

Contoso.com contains a user named User1.

You add User1 to the built-in Backup Operators group in contoso.com. Which servers can User1 back up?

- A. DC1 only
- B. Server1 only
- C. DC1 and DC2 only
- D. DC1 and Server1 only
- E. DC1, DC2, Server1, and Server2

Answer: A

NEW QUESTION 40

- (Topic 3)

You have five file servers that run Windows Server.

You need to block users from uploading video files that have the .mov extension to shared folders on the file servers. All other types of files must be allowed. The solution must minimize administrative effort.

What should you create?

- A. a Dynamic Access Control central access policy
- B. a file screen
- C. a Dynamic Access Control central access rule
- D. a data loss prevention (DLP) policy

Answer: B

Explanation:

Reference:
<https://docs.microsoft.com/en-us/windows-server/storage/fsrm/file-screening-management>

NEW QUESTION 42

HOTSPOT - (Topic 3)

Your network contains an Azure AD Domain Services domain named contoso.com.

You need to configure a password policy for the local user accounts on the Azure virtual machines joined to contoso.com.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Sign in by using a user account that is a member of the:

- AAD DC Administrators group
- AAD DC Administrators group
- Administrators group
- Domain Admins group

Use a Group Policy Object (GPO) linked to the:

- AADDC Users organizational unit (OU)
- AADDC Computers organizational unit (OU)
- AADDC Users organizational unit (OU)
- Computers container

Answer:

Answer Area

Sign in by using a user account that is a member of the:

- AAD DC Administrators group
- AAD DC Administrators group
- Administrators group
- Domain Admins group

Use a Group Policy Object (GPO) linked to the:

- AADDC Users organizational unit (OU)
- AADDC Computers organizational unit (OU)
- AADDC Users organizational unit (OU)
- Computers container

- A. Mastered
- B. Not Mastered

Answer: A

NEW QUESTION 43

- (Topic 3)

Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com.

You need to identify which server is the PDC emulator for the domain. Solution: From a command prompt, you run netdom.exe query fsmo. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:
<https://activedirectorypro.com/how-to-check-fsmo-roles/>

NEW QUESTION 47

HOTSPOT - (Topic 3)

You have an Azure subscription named sub1 and 500 on-premises virtual machines that run Windows Server.

You plan to onboard the on-premises virtual machines to Azure Arc by running the Azure Arc deployment script

You need to create an identity that will be used by the script to authenticate access to sub1. The solution must use the principle of least privilege.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

-DisplayName 'Arc-for-servers' -Role

- New-AzADAppCredential
- New-AzADServicePrincipal
- New-AzUserAssignedIdentity

- 'Azure Connected Machine Onboarding'
- 'Virtual Machine Contributor'
- 'Virtual Machine User Login'

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

-DisplayName 'Arc-for-servers' -Role

- New-AzADAppCredential
- New-AzADServicePrincipal
- New-AzUserAssignedIdentity

- 'Azure Connected Machine Onboarding'
- 'Virtual Machine Contributor'
- 'Virtual Machine User Login'

NEW QUESTION 48

HOTSPOT - (Topic 3)

You have a Group Policy Object (GPO) named GPO1 that contains user settings only.


You plan to apply GPO1 to a global security group named Group1.

You link GP01 to the domain, and you remove all the permissions granted to the Authenticated Users group.

You need to configure permissions for GP01 to meet the following requirements.

- GPO1 must apply only to the users in Group 1.
- The solution must use the principle of least privilege

Answer Area




The screenshot shows two dropdown menus for configuring permissions. The first menu, labeled 'Group1:', has three options: 'Apply group policy and Read', 'Apply group policy only', and 'Read only'. The second menu, labeled 'Domain Computers:', also has three options: 'Apply group policy and Read', 'Apply group policy only', and 'Read only'. In both menus, 'Apply group policy only' is selected.

- A. Mastered
- B. Not Mastered

Answer: A


Explanation:

Answer Area




The screenshot shows two dropdown menus for configuring permissions. The first menu, labeled 'Group1:', has three options: 'Apply group policy and Read', 'Apply group policy only', and 'Read only'. The second menu, labeled 'Domain Computers:', also has three options: 'Apply group policy and Read', 'Apply group policy only', and 'Read only'. In both menus, 'Apply group policy only' is selected.

NEW QUESTION 49
HOTSPOT - (Topic 3)
Your network contains an Active Directory Domain Services (AD DS) domain named adatum.com.



The screenshot shows the 'Permissions for Share1' dialog box. The 'Share Permissions' tab is selected. Under 'Group or user names:', 'Domain Users (ADATUM\Domain Users)' is listed. Below this, there are 'Add...' and 'Remove' buttons. The 'Permissions for Domain Users' section shows a table with 'Allow' and 'Deny' columns. The 'Full Control' row has both 'Allow' and 'Deny' checkboxes unchecked. The 'Change' row has the 'Allow' checkbox checked and the 'Deny' checkbox unchecked. The 'Read' row has the 'Allow' checkbox checked and the 'Deny' checkbox unchecked. At the bottom, there are 'OK', 'Cancel', and 'Apply' buttons.



The domain contains a 'He server named Server1 and three users named User1. User2 and User), Server1 contains a shared folder named Share1 tha1 has the following configurations:

```
ShareState      : Online
AvailabilityType : NonClustered
FolderEnumerationMode : AccessBased
CachingMode     : Manual
LeasingMode     : Full
SmbInstance     : Default
CompressData    : False
ContinuouslyAvailable : False
EncryptData     : False
Name            : Share1
Path            : E:\Share1
ShadowCopy      : False
```

The share permissions for Share1 are configured as shown in the Share Permissions exhibit. (Click the Share Permissions tab.) Share! contains a file named File1.txt. The advanced security settings for File1.txt are configured as shown in the File Permissions exhibit. (Click the File Permissions tab.) For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: f ach correct selection is worth one point.

Answer Area

Statements	Yes	No
When User1 connects to \\Server1.adatum.com\Share1\, the user can take ownership of File1.txt.	<input type="radio"/>	<input type="radio"/>
When User2 connects to \\Server1.adatum.com\Share1\, File1.txt is visible.	<input type="radio"/>	<input type="radio"/>
When User3 connects to \\Server1.adatum.com\Share1\, File1.txt is visible.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
When User1 connects to \\Server1.adatum.com\Share1\, the user can take ownership of File1.txt.	<input type="radio"/>	<input checked="" type="radio"/>
When User2 connects to \\Server1.adatum.com\Share1\, File1.txt is visible.	<input checked="" type="radio"/>	<input type="radio"/>
When User3 connects to \\Server1.adatum.com\Share1\, File1.txt is visible.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 50

HOTSPOT - (Topic 3)

You have a server named Server1 that runs Windows Server Server1 has a just-a-bunch- of-disks (JBOD) enclosure attached. You plan to create a storage pool on Server1 and a virtual disk that will use a mirror layout. You are considering whether to use a two-way or a three-way mirror layout. What is the minimum number of disks required for each type of minor layout? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Two-way mirror:

1

2

3

4

5

6

Three-way mirror:

1

2

3

4

5

6

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Two-way mirror:

1

2

3

4

5

6

Three-way mirror:

1

2

3

4

5

6

NEW QUESTION 53

- (Topic 3)

You have an on-premises Active Directory Domain Services (AD DS) domain that syncs with an Azure Active Directory (Azure AD) tenant The on-premises network is connected to Azure by using a Site-to-Site VPN. You have the DNS zones shown in the following table.

Name	Location	Description
contoso.com	A domain controller named DC1 on the on-premises network	Provides name resolution on-premises
fabrikam.com	An Azure private DNS zone	Provides name resolution for all Azure virtual networks

You need to ensure that names from aDiifcam.com can be resolved from the on-premises network Which two actions should you perform? Each correct answer presents part of the solution, NOTE: Each correct selection Is worth one point

- A. Create a conditional forwarder for fabrikam.com on DC1.
- B. Create a stub zone for fabrikam.com on DC1.
- C. Create a secondary zone for fabnlcam.com on DO.
- D. Deploy an Azure virtual machine that runs Windows Serve
- E. Modify the DNS Servers settings for the virtual network.
- F. Deploy an Azure virtual machine that runs Windows Serve
- G. Configure the virtual machine &s a DNS forwarder.

Answer: AE

Explanation:


Reference:

https://docs.microsoft.com/en-us/azure/private-link/private-endpoint-dns#on-premises-workloads-using-a-dns-forwarder

NEW QUESTION 54

HOTSPOT - (Topic 3)

Your network contains three Active Directory Domain Services (AD DS) forest as shown in the following exhibit.



The network contains the users shown in the following table.

Name	Domain
User1	east.contoso.com
User2	fabrikam.com

The network contains the security groups shown in the following table.

Name	Type	Domain
Group1	Domain local	west.adatum.com
Group2	Universal	contoso.com
Group3	Universal	east.contoso.com

For each of the following statements, select Yes if the statement is true, Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area		
Statements	Yes	No
You can add User1 to Group1.	<input type="radio"/>	<input type="radio"/>
You can add User2 to Group3.	<input type="radio"/>	<input type="radio"/>
You can grant Group2 permissions to the resources in the fabrikam.com domain.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

HOTSPOT - (Topic 2)
You need to configure Azure File Sync to meet the file sharing requirements. What should you do? To answer, select the appropriate options in the answer area.
NOTE Each correct selection is worth one point.

Answer Area

Minimum number of sync groups to create:

1

2

3

4

Minimum number of Storage Sync Services to create:

1

2

3

4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Minimum number of sync groups to create:

1

2

3

4

Minimum number of Storage Sync Services to create:

1

2

3

4

NEW QUESTION 60

HOTSPOT - (Topic 2)
You need to configure network communication between the Seattle and New York offices. The solution must meet the networking requirements.
What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

On a Virtual WAN hub:

An ExpressRoute gateway

A virtual network gateway

An ExpressRoute circuit connection

In the offices:

An ExpressRoute circuit connection

A Site to-Site VPN

An Azure application gateway

An on premises data gateway

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

On a Virtual WAN hub:

An ExpressRoute gateway
A virtual network gateway
An ExpressRoute circuit connection

In the offices:

An ExpressRoute circuit connection
A Site-to-Site VPN
An Azure application gateway
An on premises data gateway

NEW QUESTION 64

- (Topic 2)
You need to configure remote administration to meet the security requirements. What should you use?

- A. just in time (JIT) VM access
- B. Azure AD Privileged Identity Management (PIM)
- C. the Remote Desktop extension for Azure Cloud Services
- D. an Azure Bastion host

Answer: A

Explanation:
Reference:
<https://docs.microsoft.com/en-us/azure/defender-for-cloud/just-in-time-access-usage?tabs=jit-config-asc%2Cjit-request-asc>

NEW QUESTION 67

- (Topic 1)
You need to meet the technical requirements for VM2. What should you do?

- A. Implement shielded virtual machines.
- B. Enable the Guest services integration service.
- C. Implement Credential Guard.
- D. Enable enhanced session mode.

Answer: D

NEW QUESTION 72

HOTSPOT - (Topic 1)
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
Admin1 must use a password that has at least 14 characters.	<input type="radio"/>	<input type="radio"/>
User1 must use a password that has at least 10 characters.	<input type="radio"/>	<input type="radio"/>
If Admin1 creates a new local user on Server1, the password for the new user must be at least eight characters.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Statements	Yes	No
Admin1 must use a password that has at least 14 characters.	<input type="radio"/>	<input checked="" type="radio"/>
User1 must use a password that has at least 10 characters.	<input checked="" type="radio"/>	<input type="radio"/>
If Admin1 creates a new local user on Server1, the password for the new user must be at least eight characters.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 75

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AZ-800 Practice Exam Features:

- * AZ-800 Questions and Answers Updated Frequently
- * AZ-800 Practice Questions Verified by Expert Senior Certified Staff
- * AZ-800 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AZ-800 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AZ-800 Practice Test Here](#)