



VEEAM

Exam Questions VMCE2021

Veeam Certified Engineer 2021

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Exam Topic 1)

Veeam ONE _____ can detect when a potential ransomware attack is happening and be configured to take mitigating actions.

- A. Reporting
- B. Alert Management
- C. Alarm Management
- D. Data Protection View

Answer: C

Explanation:

Veeam ONE can help notify you of suspicious activity in your datacenter through the Possible Ransomware Activity alarm. This alarm can be configured to take mitigating actions such as sending an email notification, running a script or creating a support case.

NEW QUESTION 2

- (Exam Topic 1)

At 18:00, after a Windows update installation, a VM is stuck in an infinite boot loop. The VM is configured as follows.

Platform	VMware vSphere
Application	SQL Server
Disk 1 (OS)	60 GB, CBT enabled
Disk 2 (DATA)	400 GB, CBT enabled

The last backup was created at 01:00. Choose the recovery approach that provides the lowest RTO with the least data loss.

- A. Instant VM Recovery with quick rollback
- B. Instant VM Recovery
- C. VM disk recovery with quick rollback of Disk 1
- D. Virtual disk restore of Disk 1

Answer: D

Explanation:

https://helpcenter.veeam.com/archive/backup/110/vsphere/incremental_restore.html

NEW QUESTION 3

- (Exam Topic 1)

15 VMs are running on a Hyper-V platform and five physical servers at a remote office (ROBO). The administrator has been tasked with setting up centralized off-site backups at the headquarters (HQ). The available bandwidth is 50 Mbps. RPO is set to six hours and the data generated for the interval is 500 GB. WAN accelerators can be added if necessary. Which of the following will achieve the RPO?

- A. Use backup copy jobs in with High-Performance Mode enable
- B. Set the schedule to run every six hours.
- C. Use backup copy jobs with copy mode set to "immediate copy". Use WAN acceleration.
- D. Use backup copy jobs with copy mode set to "periodic copy" and copy every six hours.
- E. Configure the backup copy jobs with traffic throttling to 30 Mbps to limit the impac
- F. Enable WAN acceleration.

Answer: B

Explanation:

According to the Veeam Backup & Replication user guide¹², WAN acceleration is a technology that optimizes data transfer to remote locations by performing deduplication and caching. It is specific for off-site backup copy jobs and replication jobs¹². Therefore, if you want to achieve the RPO of six hours with 500 GB of data and 50 Mbps of bandwidth, you should use backup copy jobs with WAN acceleration enabled. This will reduce the amount of data that nee to be transferred over the network and speed up the backup process¹². The simplest configuration would be an immediate copy mode with WAN acceleration

NEW QUESTION 4

- (Exam Topic 1)

An infrastructure with 50 VMs has a power outage. After the VMware cluster has booted up again, 10 medium-sized VMs have corrupted VM disk files. Which action can be used to restore the VMs back to the production state?

- A. Use the "Restore guest files" option and restore all VM Files.
- B. Perform Restore VM Files and only restore the VM configuration files.
- C. Perform Restore VM Files and restore the VM configuration and disk files.
- D. Perform Instant VM Recovery with quick rollback.

Answer: C

NEW QUESTION 5

- (Exam Topic 1)

What data sources can be connected to Veeam ONE? (Choose two.)

- A. Veeam Backup & Replication servers
- B. Microsoft Hyper-V servers
- C. Veeam Backup & Replication agents

- D. Microsoft Azure VMs
- E. Amazon Web Services EC2 instances

Answer: AB

Explanation:

https://helpcenter.veeam.com/docs/one/deployment/connect_servers.html?ver=120

NEW QUESTION 6

- (Exam Topic 1)

A Veeam administrator is concerned about keeping backups on site and has traditionally used tapes to store backups older than 30 days in order to free up space on their backup repository for longer-term storage. The company is currently using Scale-out Backup Repositories. What option would satisfy the requirement?

- A. Copy to capacity tier
- B. Move to capacity tier
- C. Backup to object storage
- D. File copy job

Answer: B

NEW QUESTION 7

- (Exam Topic 1)

A physical Linux file server needs to be migrated to VMware ESXi. The server has several volumes: /dev/sda (60GB), /dev/sdb (1TB) and /dev/sdc (4TB). What is the quickest option to migrate the server?

- A. Export all disks, create an empty VM and attach the disks.
- B. Create an empty VM and perform bare metal recovery inside the VM.
- C. Perform Instant VM Recovery.
- D. Perform Instant Disk Recovery for each volume.

Answer: C

NEW QUESTION 8

- (Exam Topic 1)

A Windows VM running on Microsoft Hyper-V is protected using the file indexing option. The guest interaction proxy is offline. Which of the following Veeam servers will be used to deploy the runtime during the backup process?

- A. Backup & Replication server
- B. Indexing database server
- C. File proxy server
- D. Virtual lab server

Answer: A

Explanation:

https://helpcenter.veeam.com/archive/backup/110/hyperv/guest_interaction_proxy.html

According to the Veeam Software Help Center¹, Veeam Backup & Replication deploys runtime components on a VM guest OS to perform file indexing. These components can be either non-persistent or persistent depending on whether you have enabled application-aware processing for the VM.

If you have enabled application-aware processing for the VM, Veeam Backup & Replication uses a persistent agent component that is installed on the VM guest OS during backup job session and remains on the VM after that. In this case, if the guest interaction proxy is offline, Veeam Backup & Replication will use another available guest interaction proxy or fail over to the backup server.

If you have not enabled application-aware processing for the VM, Veeam Backup & Replication uses a non-persistent runtime component that is deployed on the fly and removed after indexing is complete. In this case, if the guest interaction proxy is offline, Veeam Backup & Replication will use another available guest interaction proxy or fail over to the backup server.

NEW QUESTION 9

- (Exam Topic 1)

An administrator has decided to set up a VM backup job covering their Microsoft SQL servers. What feature must be enabled to ensure quiescence of the SQL databases during the backup?

- A. Enable Microsoft SQL server plug-in.
- B. Enable application-aware processing.
- C. Enable Microsoft Windows OS processing.
- D. Enable Microsoft SQL server agent on the VMs

Answer: B

Explanation:

According to the Veeam Agent for Microsoft Windows User Guide¹, you need to enable application-aware processing to ensure quiescence of the SQL databases during the backup. Application-aware processing allows Veeam Agent for Microsoft Windows to create transactionally consistent backups of SQL Server VMs.

NEW QUESTION 10

- (Exam Topic 1)

A director in a business needs a folder of traffic photos restored from a Linux server. This machine sits on a VM backed up by Veeam Backup & Replication. The director wants the files restored to their original location and does not want to lose the original files. What functionality will be used to restore the folder using the Veeam Guest OS restoration wizard?

- A. Restore the files using the "Versioning" functio

- B. Files will be prefixed with numbers (1-, 2-, 3-, etc.).
- C. Restore the files using the "Overwrite" function
- D. Original files will be renamed.
- E. Restore the files using the "Hold" function
- F. The director can then determine the status of the original and restored files.
- G. Restore the files using the "Keep" function
- H. Original files will be untouched

Answer: D


Explanation:

According to the Veeam Backup & Replication user guide¹, you can use the Guest File Restore wizard to restore files and folders from VM guest OSes that run Linux or other non-Windows OSes². The wizard allows you to choose how to handle situations when restored files already exist on the target location³. Therefore, if you want to restore the folder of traffic photos to their original location and do not want to lose the original files, you should use the Keep function. This function will preserve original files on disk and will not overwrite them with restored files

NEW QUESTION 10

- (Exam Topic 1)

A Scale-out Backup Repository with one local extent has been configured as follows.



Edit Scale-out Backup Repository [Close]

Capacity Tier
Specify object storage to copy backups to for redundancy and DR purposes. Older backups can be moved to object storage completely to reduce long-term retention costs while preserving the ability to restore directly from offloaded backups.

Name

Performance Tier

Placement Policy

Capacity Tier (Selected)

Archive Tier

Summary

Extend scale-out backup repository capacity with object storage:


Amazon S3 [Add...]

Define time windows when uploading to capacity tier is allowed [Window...]

Copy backups to object storage as soon as they are created
Create additional copy of your backups for added redundancy by having all backups copied to the capacity tier as soon as they are created on the performance tier.

Move backups to object storage as they age out of the operational restore window
Reduce your long-term retention costs by moving older backups to object storage completely while preserving the ability to restore directly from offloaded backups.

Move backup files older than 21 days (your operational restore window) [Override...]



Edit Scale-out Backup Repository [Close]

Archive Tier
Specify object storage to archive your backup files to. This reduces your long-term retention costs, while increases restore time.

Name

Performance Tier

Placement Policy

Capacity Tier

Archive Tier (Selected)

Summary

Archive GFS full backups to object storage:

Amazon Glacier [Add...]

Archive GFS backups older than 60 days [Storage...]

A daily VMware backup job retention is 31 days, keeping weekly GFS full backups for 14 weeks. It is Jan. 20. A file from a backup that occurred on Jan. 1 must be recovered. Where is the data?

- A. The archive tier
- B. The performance tier and the capacity tier
- C. The performance tier
- D. The capacity tier

Answer: C

NEW QUESTION 14

- (Exam Topic 1)

Which feature can be used in Veeam Explorer for Oracle database?

- A. Recover from litigation and in-place hold items
- B. Restore original password for account objects
- C. Restore databases from backups created with Veeam RMAN plug-in
- D. Export to .BAK file

Answer: C

Explanation:

According to the Veeam Backup Explorers Guide¹, Veeam Explorer for Oracle allows you to restore and export Oracle databases and Data Guard from backups created by Veeam Backup & Replication or Veeam Plug-in for Oracle RMAN.

NEW QUESTION 18

- (Exam Topic 1)

A physical Linux server protected by a centrally managed Veeam agent is physically damaged. A VMware vSphere infrastructure is available, and the physical server is eligible for virtualization. Which recovery step provides the lowest possible RTO?

- A. Use Instant VM Recovery to VMware vSphere.
- B. Use Instant Disk Recovery to VMware vSphere.
- C. Use Export Disk Content as Virtual Disk to create a new VM.
- D. Use Bare Metal Restore to VMware vSphere VM.

Answer: A


Explanation:

According to the Veeam Agent for Linux User Guide¹, you can use the Restore volumes option to perform bare metal recovery of your computer. However, this option requires you to boot from the Veeam Recovery Media and may take some time to complete. Another option is to use Instant VM Recovery to VMware vSphere. This option allows you to run your Linux computer directly from a backup file as a VMware VM without restoring any data. This can significantly reduce your RTO and provide immediate access to your applications and data.

NEW QUESTION 22

- (Exam Topic 1)

A Scale-out Backup Repository with one local extent has been configured as follows.



Edit Scale-out Backup Repository [X]

Capacity Tier
 Specify object storage to copy backups to for redundancy and DR purposes. Older backups can be moved to object storage completely to reduce long-term retention costs while preserving the ability to restore directly from offloaded backups.

Name

Performance Tier

Placement Policy

Capacity Tier (Selected)

Archive Tier

Summary

Extend scale-out backup repository capacity with object storage:
 Amazon S3 [Add...]

Define time windows when uploading to capacity tier is allowed [Window...]

Copy backups to object storage as soon as they are created
 Create additional copy of your backups for added redundancy by having all backups copied to the capacity tier as soon as they are created on the performance tier.

Move backups to object storage as they age out of the operational restore window
 Reduce your long-term retention costs by moving older backups to object storage completely while preserving the ability to restore directly from offloaded backups.

Move backup files older than **14** days (your operational restore window) [Override...]

12 VMware VMs are being backed up daily by a forward incremental backup job, which has a 31-day retention, creating synthetic fulls on Saturdays. After running for more than 31 days, which of the following would be accurate?

- A. Both the performance tier and capacity tier will contain all restore points.
- B. The performance tier will contain all restore point
- C. The capacity tier will contain zero restore points.
- D. The performance tier will contain the most recent 15 to 22 days of restore point
- E. The capacity tier will contain the oldest 14 days of restore points.
- F. The performance tier will contain the most recent 14 to 20 days of restore point
- G. The capacity tier will contain all restore points.

Answer: C

NEW QUESTION 25

- (Exam Topic 1)

In the war against ransomware, a company decided to implement tape backup for the first time. The tape library has already been added. Of the following, what must be done first?

- A. Create vaults.
- B. Create media pools.
- C. Create libraries.
- D. Create media sets.

Answer: B

NEW QUESTION 28

- (Exam Topic 1)

Veeam Backup & Replication is currently configured to back up different workloads: Windows VMs on vSphere and Linux VMs on vSphere. A secondary copy of all the backups including transaction logs must be created. Which of the following backup copy job configurations is the simplest?

- A. A single "periodic copy" backup copy job
- B. A single "immediate copy" backup copy job
- C. Two "immediate copy" backup copy jobs
- D. Two "periodic copy" backup copy jobs

Answer: B

Explanation:

According to the Veeam Backup & Replication best practice guide¹, a new copy job mode was added called immediate copy. This mode immediately starts the backup copy job as soon as restore points appear in the repository. It also provides the ability to copy SQL and Oracle log backups which is not possible with traditional periodic backup cop1y2.

Therefore, if you want to create a secondary copy of all the backups including transaction logs, you should use an immediate copy backup copy job. The simplest configuration would be a single immediate copy backup copy job for all workloads (option B)

NEW QUESTION 33

- (Exam Topic 1)

Veeam Agent for Linux has been installed in standalone mode on a Linux physical server. The backup job is configured to write to a Veeam repository. Which of the following media types is available as a recovery media?

- A. ISO image
- B. Veeam Backup & Replication repository
- C. Object storage
- D. Tape

Answer: A

Explanation:

According to the Veeam Agent for Linux User Guide¹, Veeam Agent for Linux lets you use the Veeam Recovery Media — a recovery image of the Linux OS that provides an alternative way to boot your computer. The recovery image is an ISO file that you can burn to a CD/DVD or write to a USB flash drive.

NEW QUESTION 37

- (Exam Topic 2)

A backup administrator is planning to install Veeam ONE. Which data collection mode collects the most data per VM?

- A. For vCenter data only
- B. Optimized for advanced scalability deployment
- C. For backup data only
- D. Optimized for typical deployment

Answer: D

Explanation:

Reference: https://helpcenter.veeam.com/docs/one/deployment/data_collection_modes.html?ver=100

NEW QUESTION 38

- (Exam Topic 2)

An end user has deleted a business-critical document and they need it back right away. The IT team has been doing hypervisor-level backups of the VM that the document was on. What is the fastest option for this backup administrator to get the user's document back?

- A. Entire VM restore
- B. Guest files restore
- C. Instant VM Recovery
- D. Virtual disks restore

Answer: B

NEW QUESTION 41

- (Exam Topic 2)

A company has replicated their critical application VMs to a second data center in another region. Their key application includes two database VMs and three application VMs. For proper operation, the database VMs need to start before the application VMs. What needs to be configured in Veeam to prepare for a disaster recovery situation?

- A. Use a failover plan
- B. Use a planned failover
- C. Use Instant VM Recovery
- D. Use on-click failover

Answer: A

Explanation:

Reference: <https://www.veeam.com/virtual-machine-backup-solution-free.html>

the course guide veeam say "a presente scenario for one click failover for a group of independent vms, you can set ORDER for the vm's in the plan, and the delay intervals to make sure that some vms are already running at the moment to the dependent vms start"

NEW QUESTION 42

- (Exam Topic 2)

If you need to run a script to stop a service in order to get an application-consistent backup on a Windows server, where can the script be run?

- A. In the guest processing setting of the job, enable application-aware processing and add a pre-freeze script to the VM
- B. Configure the script to run on the Veeam Backup & Replication server using the Windows Task Scheduler
- C. Copy the script to the VM and schedule the script to run prior to the start of the backup job using the Windows Task Scheduler in the VM
- D. In the virtual machines setting of the job, add a script in the scripts tab under "Run the following script before the job:"

Answer: A

NEW QUESTION 46

- (Exam Topic 2)

What are the three Veeam Backup & Replication technologies required to verify recoverability of the backup?

(Choose three.)

- A. Virtual lab
- B. Application group
- C. Backup proxy
- D. SureBackup job
- E. Gateway Server
- F. Replication job

Answer: ABD

Explanation:

Reference: https://helpcenter.veeam.com/docs/backup/vsphere/recovery_verification_overview.html?ver=100

NEW QUESTION 48

- (Exam Topic 2)

Why is it recommended to install Veeam ONE before Veeam Backup & Replication?

- A. Veeam ONE is a prerequisite for Veeam Backup & Replication Installation.
- B. Veeam ONE can assess the Infrastructure for potential Issues prior to performing a backup.
- C. Veeam ONE verify that the server where Veeam Backup & Replication will be Installed meets all system requirements.
- D. It Is recommended to add all of the servers involved in the backup process to Veeam ONE first, and then import the configuration to Veeam Backup & Replication

Answer: B

NEW QUESTION 53

- (Exam Topic 2)

Which of the following statements is true regarding the Veeam Backup & Replication integration with supported Storage Systems for VMware vSphere are true?

(Choose three).

- A. On storage accesses through NFS, VMs with snapshots will be skipped from Backup from Storage Snapshots
- B. Veeam Backup & Replication can backup virtual machines from a supported secondary storage array
- C. On storage accessed through NFS, VMs with snapshots can be protected with Backup from Storage Snapshots
- D. When Backup from Storage Snapshots is performed, VMware snapshot is never utilized
- E. Enabling Backup from Storage Snapshots for all backup jobs are not recommended

Answer: ABE

NEW QUESTION 58

- (Exam Topic 2)

Which of the following is a backup mode that can be configured within a Veeam Agent for Windows backup job?

- A. Reverse incremental with periodic active full backups
- B. Forward incremental and reverse incremental, both with optional periodic synthetic and/or active full backups
- C. Forward incremental with optional periodic synthetic and/or active full backups
- D. Reverse incremental with optional periodic synthetic full backups

Answer: C

Explanation:

https://helpcenter.veeam.com/docs/agentforwindows/userguide/backup_chain.html?ver=40

NEW QUESTION 59

- (Exam Topic 2)

A virtual machine in your environment has been hit by a virus. You need to restore the virtual machine as fast as possible. At the same time, you need to make sure that any dormant virus on the backed up virtual machine is detected. What restore method should you use when recovering to a new location?

- A. Instant VM Recovery with "staged restore"
- B. Instant VM Recovery with "secure restore"
- C. SureBackup
- D. Virtual disk restore

Answer: B

Explanation:

Reference: https://helpcenter.veeam.com/docs/backup/em/em_disk_restore.html?ver=100

NEW QUESTION 64

- (Exam Topic 2)

A Veeam backup administrator, protecting all VMs in a VMware environment with backups and replicas, has been requested to run a multi-server application in an On-Demand Sandbox. The sandbox needs to stay powered on, uninterrupted, for 30 days while daily backups and replicas continue to run. How can this be done?

- A. Create an application group and leverage regular replica restore points as the source for the application group
- B. Create a (secondary) replication job for the required VMs that are not scheduled to run; create a SureBackup job and use these replicas as the source
- C. Create a (secondary) replication job for the required VMs that are not scheduled to run; make an application group and use these replicas as the source
- D. Create an application group and leverage regular backup restore points as the source for the application group

Answer: B

NEW QUESTION 69

- (Exam Topic 2)

An Availability engineer has configured Veeam Backup & Replication to replicate a mission critical VM to a DR site on an hourly basis and with 24 restore points. The production site has suffered a storage failure and needs to bring up the mission critical machine as soon as possible. Which step should the Availability engineer do next?

- A. Create a failover plan
- B. Failover to the replica VM
- C. Failback of the replica VM
- D. Planned failover to me replica VM

Answer: B

NEW QUESTION 71

- (Exam Topic 2)

Which of the following can help reduce the amount of traffic that is sent over the network during the second run of a replication job?

- A. Replica seeding
- B. Re-IP rules
- C. Replica mapping
- D. WAN acceleration for replicas

Answer: A

Explanation:

https://helpcenter.veeam.com/docs/backup/vsphere/replica_seeding.html#:~:text=Replica%20seeding%20and%

NEW QUESTION 75

- (Exam Topic 2)

To suppress Veeam ONE alarms under specific conditions or when a specific event occurs, which of these options can be selected? (Choose three.)

- A. High CPU usage
- B. Veeam backup activity
- C. Snapshot creation
- D. Storage snapshot deletion
- E. Storage snapshot creation
- F. Snapshot deletion

Answer: BCF

Explanation:

Reference: https://helpcenter.veeam.com/docs/one/alarms/alarm_suppression.html?ver=100

NEW QUESTION 79

- (Exam Topic 2)

Veeam ONE has been installed in the typical data collection mode and historical data is the installation default. A customer is looking at performance charts in Veeam ONE Monitor.

When troubleshooting a performance event from two days ago, what will they see?

- A. Aggregated data every two hours
- B. Data does not exist
- C. Raw data every 20 seconds
- D. Aggregated data every five minutes

Answer: D

Explanation:

https://helpcenter.veeam.com/docs/one/deployment/data_collection_modes.html?ver=100

NEW QUESTION 84

- (Exam Topic 2)

Figure A shows the backup files on a Scale-out Backup Repository (SOBR) created by a single Veeam backup job. The SOBR is configured to offload to capacity tier in move mode. If the offload was completed successfully, what will remain on the performance extents for the files uploaded to the capacity tier?




Figure A

- A. VIB files (metadata and data)
- B. VBM files (metadata only)
- C. VIB and VBK files (metadata only)
- D. VBK files (metadata and data)
- E. VIB and VBK files (data blocks only)

Answer: C

NEW QUESTION 87

- (Exam Topic 2)

Your company is using Veeam ONE to monitor VM performance in real time. An end user has called to complain about the performance of a VM and has asked you to investigate the cause of the issue. Where in Veeam ONE do you go to view real time VM metrics?

- A. In the monitor client under the infrastructure view
- B. In the reporter portal in the workspace tab, VM performance
- C. In the monitor client under the data protection view
- D. In the reporter portal in the dashboards tab, VM performance dashboard

Answer: A

Explanation:

Reference: <https://www.veeam.com/blog/monitoring-vmware-hyperv-environment.html>

NEW QUESTION 91

- (Exam Topic 2)

Which HPE SAN storage systems are supported by the Backup from Storage Snapshots feature in Veeam Backup & Replication? Choose three options.

- A. HPE StoreVirtual and StoreVirtual VSA
- B. HPE Nimble Storage AF-series and CS-series
- C. HPE StoreEasy Storage
- D. HPE 3PAR StoreServ
- E. HPE StoreOnce

Answer: ABD

NEW QUESTION 95

- (Exam Topic 2)

Which backup method will always produce a full backup as the most recent restore point?

- A. Forever forward incremental backup
- B. Forward incremental backup
- C. Reverse incremental backup
- D. Forward incremental with transform

Answer: C

NEW QUESTION 97

- (Exam Topic 2)

Which of the following predefined tests can be performed during a SureBackup verification test on a backup file? (Choose three.)

- A. Application test

- B. Heartbeat test
- C. Ping test
- D. SAN check
- E. Boot time
- F. OS test

Answer: ABC

Explanation:

Reference: https://helpcenter.veeam.com/docs/backup/hyperv/surebackup_tests.html?ver=100

NEW QUESTION 102

- (Exam Topic 2)

Which of the following Veeam Backup & Replication jobs can utilize storage snapshots on VMware vSphere? Choose two options.

- A. Replication
- B. Backup copy
- C. VeeamZIP
- D. Backup
- E. Tape
- F. VM copy

Answer: AD

NEW QUESTION 103

- (Exam Topic 2)

A company needs to recover a domain controller from a backup file they have on premises which was created by the Veeam Agent for Microsoft Windows. Which of the following would provide the fastest access to the domain controller?

- A. Use the Veeam Explorer for Active Directory to recover the domain controller
- B. Perform an Instant VM Recovery to recover the domain controller to a VM on their VMware host
- C. Perform a bare metal recovery of their domain controller back to the original system
- D. Recover the domain controller to an AWS EC2 instance using the restore to Amazon EC2

Answer: B

Explanation:

Reference: <https://www.veeam.com/blog/how-to-recover-a-domain-controller-best-practices-for-ad-protection.html>

NEW QUESTION 107

- (Exam Topic 2)

Which of the following actions generated the data recommended when raising a technical support case regarding a failed Veeam Backup & Replication job?

- A. Export the license file from the configuration options in Enterprise Manager
- B. Generate a zip of log files using the Support Information function
- C. Take a Veeam Zip of the VMs involved in the failed job
- D. Manually run a Veeam configuration backup to generate a new .bco file

Answer: B

NEW QUESTION 109

- (Exam Topic 2)

If the deduplication setting are changed for an existing job, when will the new setting be applied?

- A. At the next run of the job
- B. If any kind of full backup is created
- C. If a new active full backup is created
- D. Only when you rescan the repository that stores the backup files

Answer: C

Explanation:

https://helpcenter.veeam.com/archive/backup/95/vsphere/compression_deduplication.html

To apply new deduplication settings in backup jobs, you must create an active full backup after you change deduplication settings. Veeam Backup & Replication will use the new block size for the active full backup and subsequent backup files in the backup chain.

NEW QUESTION 112

- (Exam Topic 2)

You use datastores as the source for your backup jobs. Some VM backups are consuming too much repository disk space. They have backup files created by multiple backup jobs. What could be the reason? (Choose two.)

- A. VMware Storage DRS (Distributed Resource Scheduler) moved VMs to different datastores
- B. Jobs are configured as per VM and these particular VM's need more fulls
- C. VM retention is set to do full backups more often than others in the job
- D. The VM is in a backup chain and trapped inside a single retention file
- E. The VMs were moved to different datastores manually

Answer:

BE

NEW QUESTION 115

- (Exam Topic 2)

Which of the following is an additional database restore option in the Veeam Explorer for Microsoft SQL?

- A. RECOVERY
- B. NORECOVERY
- C. SIMPLE
- D. ACTIVE

Answer: A

NEW QUESTION 119

- (Exam Topic 2)

A company wants to leverage Veeam DataLabs to automate the creation of a test environment. As testing one large, multi-VM application could require more than a single host, a dedicated VMware ESXi cluster has been identified. The sandbox is to be refreshed weekly or on demand. Select the benefits of using replication jobs in this environment. (Choose two.)

- A. There are additional tests available in DataLabs when replicas are the source
- B. Replication jobs do not stop the sandbox, unlike backup jobs
- C. The VMs are running directly on a high performance datastore, uncompressed
- D. There is a bigger number of VMs supported for multi-VM application tests when replicas are used
- E. Replicas can take advantage of advanced multi-host virtual labs

Answer: CE

Explanation:

https://helpcenter.veeam.com/docs/backup/vsphere/surereplica_advanced_mutihost.html?ver=100

NEW QUESTION 122

- (Exam Topic 2)

A customer currently has one backup job that runs every four hours to backup their VMs in a transaction consistent state. Which job configuration will keep all restore points safe in case the primary site and backups go down while still being able to do a point-in-time recovery of a SQL database from the backups on the second site?

- A. Configure a second VM backup job and schedule it to copy every four hours, starting at midnight, to a repository on the second site
- B. Configure a backup copy job in mirror mode, to a repository on the second site
- C. Configure a backup copy job in pruning mode and schedule it to copy every four hours, starting at midnight, to a repository on the second site
- D. Configure a backup copy job in pruning mode and have it copy data every day, starting at midnight, to a repository on the second site

Answer: B

Explanation:

<https://www.running-system.com/veeam-version-10-favorite-features-immediate-copy-mirroring/>

NEW QUESTION 126

- (Exam Topic 2)

A company has separate networks for management traffic and data traffic. All Veeam components are communicating over the management network. How would they define the data network for backup data transfers?

- A. Re-add all Veeam components involved in data transfer through the required interfaces
- B. Update routing tables on the components involved in data transfer
- C. Create a global network traffic rule, set appropriate source and target IP range
- D. Use the preferred network settings to switch to data network for the backup traffic

Answer: D

Explanation:

https://helpcenter.veeam.com/docs/backup/vsphere/select_backup_network.html?ver=100

NEW QUESTION 127

- (Exam Topic 2)

Is it possible to switch between backup modes in a backup job?

- A. No, if you want to create backups using another mode, you have to create another backup Job.
- B. Yes, but in this case, you will have to specify a new backup repository.
- C. Yes, the new mode leaves existing backups as they are and continues creating backups in the same backup repository.
- D. Yes, the new mode will transform all existing backups in the appropriate way and continue creating backups in the same backup repository.

Answer: C

NEW QUESTION 131

- (Exam Topic 2)

A scale-out backup repository is configured with data locality policy. How is an extent selected during an active full backup? (Choose two.)

- A. Always the same extent as the previous full backup
- B. An extent determined based on load control settings and free space
- C. A different extent from the previous chain to avoid single point of failure, if possible on free space
- D. It tries the same location as the previous full if using a deduplication appliance

Answer: BD

NEW QUESTION 132

- (Exam Topic 2)

Which of the following services are installed on every Veeam backup proxy server? Choose two options.

- A. Veeam Installer Service
- B. Veeam Backup Service
- C. Veeam Data Mover Service
- D. Veeam Distribution Service
- E. Veeam Backup Catalog Service

Answer: AC

Explanation:

Refer to https://helpcenter.veeam.com/docs/backup/vsphere/backup_proxy.html?ver=100

NEW QUESTION 134

.....

Relate Links

100% Pass Your VMCE2021 Exam with ExamBible Prep Materials

<https://www.exambible.com/VMCE2021-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>