

# Amazon-Web-Services

## Exam Questions SAA-C03

AWS Certified Solutions Architect - Associate (SAA-C03)



### NEW QUESTION 1

- (Topic 1)

A company performs monthly maintenance on its AWS infrastructure. During these maintenance activities, the company needs to rotate the credentials for its Amazon ROS for MySQL databases across multiple AWS Regions

Which solution will meet these requirements with the LEAST operational overhead?

- A. Store the credentials as secrets in AWS Secrets Manager
- B. Use multi-Region secret replication for the required Regions Configure Secrets Manager to rotate the secrets on a schedule
- C. Store the credentials as secrets in AWS Systems Manager by creating a secure string parameter Use multi-Region secret replication for the required Regions Configure Systems Manager to rotate the secrets on a schedule
- D. Store the credentials in an Amazon S3 bucket that has server-side encryption (SSE) enabled Use Amazon EventBridge (Amazon CloudWatch Events) to invoke an AWS Lambda function to rotate the credentials
- E. Encrypt the credentials as secrets by using AWS Key Management Service (AWS KMS) multi-Region customer managed keys Store the secrets in an Amazon DynamoDB global table Use an AWS Lambda function to retrieve the secrets from DynamoDB Use the RDS API to rotate the secrets.

**Answer: A**

#### Explanation:

<https://aws.amazon.com/blogs/security/how-to-replicate-secrets-aws-secrets-manager-multiple-regions/>

### NEW QUESTION 2

- (Topic 1)

A company runs an online marketplace web application on AWS. The application serves hundreds of thousands of users during peak hours. The company needs a scalable, near-real-time solution to share the details of millions of financial transactions with several other internal applications Transactions also need to be processed to remove sensitive data before being stored in a document database for low-latency retrieval.

What should a solutions architect recommend to meet these requirements?

- A. Store the transactions data into Amazon DynamoDB Set up a rule in DynamoDB to remove sensitive data from every transaction upon write Use DynamoDB Streams to share the transactions data with other applications
- B. Stream the transactions data into Amazon Kinesis Data Firehose to store data in Amazon DynamoDB and Amazon S3 Use AWS Lambda integration with Kinesis Data Firehose to remove sensitive data
- C. Other applications can consume the data stored in Amazon S3
- D. Stream the transactions data into Amazon Kinesis Data Streams Use AWS Lambda integration to remove sensitive data from every transaction and then store the transactions data in Amazon DynamoDB Other applications can consume the transactions data off the Kinesis data stream.
- E. Store the batched transactions data in Amazon S3 as file
- F. Use AWS Lambda to process every file and remove sensitive data before updating the files in Amazon S3 The Lambda function then stores the data in Amazon DynamoDB Other applications can consume transaction files stored in Amazon S3.

**Answer: C**

#### Explanation:

The destination of your Kinesis Data Firehose delivery stream. Kinesis Data Firehose can send data records to various destinations, including Amazon Simple Storage Service (Amazon S3), Amazon Redshift, Amazon OpenSearch Service, and any HTTP endpoint that is owned by you or any of your third-party service providers. The following are the supported destinations:

- \* Amazon OpenSearch Service
- \* Amazon S3
- \* Datadog
- \* Dynatrace
- \* Honeycomb
- \* HTTP Endpoint
- \* Logic Monitor
- \* MongoDB Cloud
- \* New Relic
- \* Splunk
- \* Sumo Logic <https://docs.aws.amazon.com/firehose/latest/dev/create-name.html>

<https://aws.amazon.com/kinesis/data-streams/>

Amazon Kinesis Data Streams (KDS) is a massively scalable and durable real-time data streaming service. KDS can continuously capture gigabytes of data per second from hundreds of thousands of sources such as website clickstreams, database event streams, financial transactions, social media feeds, IT logs, and location-tracking events.

### NEW QUESTION 3

- (Topic 1)

A company observes an increase in Amazon EC2 costs in its most recent bill The billing team notices unwanted vertical scaling of instance types for a couple of EC2 instances A solutions architect needs to create a graph comparing the last 2 months of EC2 costs and perform an in-depth analysis to identify the root cause of the vertical scaling

How should the solutions architect generate the information with the LEAST operational overhead?

- A. Use AWS Budgets to create a budget report and compare EC2 costs based on instance types
- B. Use Cost Explorer's granular filtering feature to perform an in-depth analysis of EC2 costs based on instance types
- C. Use graphs from the AWS Billing and Cost Management dashboard to compare EC2 costs based on instance types for the last 2 months
- D. Use AWS Cost and Usage Reports to create a report and send it to an Amazon S3 bucket Use Amazon QuickSight with Amazon S3 as a source to generate an interactive graph based on instance types.

**Answer: B**

#### Explanation:

AWS Cost Explorer is a tool that enables you to view and analyze your costs and usage. You can explore your usage and costs using the main graph, the Cost Explorer cost and usage reports, or the Cost Explorer RI reports. You can view data for up to the last 12 months, forecast how much you're likely to spend for the next 12 months, and get recommendations for what Reserved Instances to purchase. You can use Cost Explorer to identify areas that need further inquiry and see

trends that you can use to understand your costs. <https://docs.aws.amazon.com/cost-management/latest/userguide/ce-what-is.html>

#### NEW QUESTION 4

- (Topic 1)

A company hosts more than 300 global websites and applications. The company requires a platform to analyze more than 30 TB of clickstream data each day. What should a solutions architect do to transmit and process the clickstream data?

- A. Design an AWS Data Pipeline to archive the data to an Amazon S3 bucket and run an Amazon EMR cluster with the data to generate analytics
- B. Create an Auto Scaling group of Amazon EC2 instances to process the data and send it to an Amazon S3 data lake for Amazon Redshift to use for analysis
- C. Cache the data to Amazon CloudFront: Store the data in an Amazon S3 bucket. When an object is added to the S3 bucket, run an AWS Lambda function to process the data for analysis.
- D. Collect the data from Amazon Kinesis Data Stream
- E. Use Amazon Kinesis Data Firehose to transmit the data to an Amazon S3 data lake. Load the data in Amazon Redshift for analysis

**Answer: D**

#### Explanation:

<https://aws.amazon.com/es/blogs/big-data/real-time-analytics-with-amazon-redshift-streaming-ingestion/>

#### NEW QUESTION 5

- (Topic 1)

A company has an on-premises application that generates a large amount of time-sensitive data that is backed up to Amazon S3. The application has grown and there are user complaints about internet bandwidth limitations. A solutions architect needs to design a long-term solution that allows for both timely backups to Amazon S3 and with minimal impact on internet connectivity for internal users.

Which solution meets these requirements?

- A. Establish AWS VPN connections and proxy all traffic through a VPC gateway endpoint
- B. Establish a new AWS Direct Connect connection and direct backup traffic through this new connection.
- C. Order daily AWS Snowball devices. Load the data onto the Snowball devices and return the devices to AWS each day.
- D. Submit a support ticket through the AWS Management Console. Request the removal of S3 service limits from the account.

**Answer: B**

#### Explanation:

To address the issue of bandwidth limitations on the company's on-premises application, and to minimize the impact on internal user connectivity, a new AWS Direct Connect connection should be established to direct backup traffic through this new connection. This solution will offer a secure, high-speed connection between the company's data center and AWS, which will allow the company to transfer data quickly without consuming internet bandwidth.

Reference:

AWS Direct Connect documentation: <https://aws.amazon.com/directconnect/>

#### NEW QUESTION 6

- (Topic 1)

A company's website uses an Amazon EC2 instance store for its catalog of items. The company wants to make sure that the catalog is highly available and that the catalog is stored in a durable location.

What should a solutions architect do to meet these requirements?

- A. Move the catalog to Amazon ElastiCache for Redis.
- B. Deploy a larger EC2 instance with a larger instance store.
- C. Move the catalog from the instance store to Amazon S3 Glacier Deep Archive.
- D. Move the catalog to an Amazon Elastic File System (Amazon EFS) file system.

**Answer: D**

#### Explanation:

Moving the catalog to an Amazon Elastic File System (Amazon EFS) file system provides both high availability and durability. Amazon EFS is a fully-managed, highly-available, and durable file system that is built to scale on demand. With Amazon EFS, the catalog data can be stored and accessed from multiple EC2 instances in different availability zones, ensuring high availability. Also, Amazon EFS automatically stores files redundantly within and across multiple availability zones, making it a durable storage option.

#### NEW QUESTION 7

- (Topic 1)

A development team runs monthly resource-intensive tests on its general purpose Amazon RDS for MySQL DB instance with Performance Insights enabled. The testing lasts for 48 hours once a month and is the only process that uses the database. The team wants to reduce the cost of running the tests without reducing the compute and memory attributes of the DB instance.

Which solution meets these requirements MOST cost-effectively?

- A. Stop the DB instance when tests are complete
- B. Restart the DB instance when required.
- C. Use an Auto Scaling policy with the DB instance to automatically scale when tests are completed.
- D. Create a snapshot when tests are complete
- E. Terminate the DB instance and restore the snapshot when required.
- F. Modify the DB instance to a low-capacity instance when tests are complete
- G. Modify the DB instance again when required.

**Answer: A**

#### Explanation:

To reduce the cost of running the tests without reducing the compute and memory attributes of the Amazon RDS for MySQL DB instance, the development team

can stop the instance when tests are completed and restart it when required. Stopping the DB instance when not in use can help save costs because customers are only charged for storage while the DB instance is stopped. During this time, automated backups and automated DB instance maintenance are suspended. When the instance is restarted, it retains the same configurations, security groups, and DB parameter groups as when it was stopped.

Reference:

Amazon RDS Documentation: Stopping and Starting a DB instance ([https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/USER\\_StopInstance.html](https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/USER_StopInstance.html))

### NEW QUESTION 8

- (Topic 1)

A company has a three-tier web application that is deployed on AWS. The web servers are deployed in a public subnet in a VPC. The application servers and database servers are deployed in private subnets in the same VPC. The company has deployed a third-party virtual firewall appliance from AWS Marketplace in an inspection VPC. The appliance is configured with an IP interface that can accept IP packets. A solutions architect needs to integrate the web application with the appliance to inspect all traffic to the application before the traffic reaches the web server. Which solution will meet these requirements with the LEAST operational overhead?

- A. Create a Network Load Balancer in the public subnet of the application's VPC to route the traffic to the appliance for packet inspection
- B. Create an Application Load Balancer in the public subnet of the application's VPC to route the traffic to the appliance for packet inspection
- C. Deploy a transit gateway in the inspection VPC. Configure route tables to route the incoming packets through the transit gateway
- D. Deploy a Gateway Load Balancer in the inspection VPC. Create a Gateway Load Balancer endpoint to receive the incoming packets and forward the packets to the appliance

**Answer: D**

**Explanation:**

<https://aws.amazon.com/blogs/networking-and-content-delivery/scaling-network-traffic-inspection-using-aws-gateway-load-balancer/>

### NEW QUESTION 9

- (Topic 1)

A global company hosts its web application on Amazon EC2 instances behind an Application Load Balancer (ALB). The web application has static data and dynamic data. The company stores its static data in an Amazon S3 bucket. The company wants to improve performance and reduce latency for the static data and dynamic data. The company is using its own domain name registered with Amazon Route 53.

What should a solutions architect do to meet these requirements?

- A. Create an Amazon CloudFront distribution that has the S3 bucket and the ALB as origins. Configure Route 53 to route traffic to the CloudFront distribution.
- B. Create an Amazon CloudFront distribution that has the ALB as an origin. Create an AWS Global Accelerator standard accelerator that has the S3 bucket as an endpoint.
- C. Configure Route 53 to route traffic to the CloudFront distribution.
- D. Create an Amazon CloudFront distribution that has the S3 bucket as an origin. Create an AWS Global Accelerator standard accelerator that has the ALB and the CloudFront distribution as endpoints. Create a custom domain name that points to the accelerator DNS name. Use the custom domain name as an endpoint for the web application.
- E. Create an Amazon CloudFront distribution that has the ALB as an origin.
- F. Create an AWS Global Accelerator standard accelerator that has the S3 bucket as an endpoint. Create two domain names.
- G. Point one domain name to the CloudFront DNS name for dynamic content, point the other domain name to the accelerator DNS name for static content. Use the domain names as endpoints for the web application.

**Answer: C**

**Explanation:**

Static content can be cached at CloudFront Edge locations from S3 and dynamic content EC2 behind the ALB whose performance can be improved by Global Accelerator whose one endpoint is ALB and other CloudFront. So with regards to custom domain name endpoint is web application is Route 53 alias records for the custom domain point to web application <https://aws.amazon.com/blogs/networking-and-content-delivery/improving-availability-and-performance-for-application-load-balancers-using-one-click-integration-with-aws-global-accelerator/>

### NEW QUESTION 10

- (Topic 1)

A company is implementing a new business application. The application runs on two Amazon EC2 instances and uses an Amazon S3 bucket for document storage. A solutions architect needs to ensure that the EC2 instances can access the S3 bucket.

What should the solutions architect do to meet this requirement?

- A. Create an IAM role that grants access to the S3 bucket
- B. Attach the role to the EC2 instances.
- C. Create an IAM policy that grants access to the S3 bucket
- D. Attach the policy to the EC2 instances.
- E. Create an IAM group that grants access to the S3 bucket
- F. Attach the group to the EC2 instances.
- G. Create an IAM user that grants access to the S3 bucket
- H. Attach the user account to the EC2 instances.

**Answer: A**

**Explanation:**

<https://aws.amazon.com/premiumsupport/knowledge-center/ec2-instance-access-s3-bucket/>

### NEW QUESTION 10

- (Topic 1)

A company hosts its multi-tier applications on AWS. For compliance, governance, auditing, and security, the company must track configuration changes on its AWS resources and record a history of API calls made to these resources.

What should a solutions architect do to meet these requirements?

- A. Use AWS CloudTrail to track configuration changes and AWS Config to record API calls

- B. Use AWS Config to track configuration changes and AWS CloudTrail to record API calls
- C. Use AWS Config to track configuration changes and Amazon CloudWatch to record API calls
- D. Use AWS CloudTrail to track configuration changes and Amazon CloudWatch to record API calls

**Answer: B**

**Explanation:**

AWS Config is a fully managed service that allows the company to assess, audit, and evaluate the configurations of its AWS resources. It provides a detailed inventory of the resources in use and tracks changes to resource configurations. AWS Config can detect configuration changes and alert the company when changes occur. It also provides a historical view of changes, which is essential for compliance and governance purposes. AWS CloudTrail is a fully managed service that provides a detailed history of API calls made to the company's AWS resources. It records all API activity in the AWS account, including who made the API call, when the call was made, and what resources were affected by the call. This information is critical for security and auditing purposes, as it allows the company to investigate any suspicious activity that might occur on its AWS resources.

**NEW QUESTION 15**

- (Topic 1)

A company is developing an application that provides order shipping statistics for retrieval by a REST API. The company wants to extract the shipping statistics, organize the data into an easy-to-read HTML format, and send the report to several email addresses at the same time every morning. Which combination of steps should a solutions architect take to meet these requirements? (Choose two.)

- A. Configure the application to send the data to Amazon Kinesis Data Firehose.
- B. Use Amazon Simple Email Service (Amazon SES) to format the data and to send the report by email.
- C. Create an Amazon EventBridge (Amazon CloudWatch Events) scheduled event that invokes an AWS Glue job to query the application's API for the data.
- D. Create an Amazon EventBridge (Amazon CloudWatch Events) scheduled event that invokes an AWS Lambda function to query the application's API for the data.
- E. Store the application data in Amazon S3. Create an Amazon Simple Notification Service (Amazon SNS) topic as an S3 event destination to send the report by

**Answer: BD**

**Explanation:**

<https://docs.aws.amazon.com/ses/latest/dg/send-email-formatted.html>

\* D. Create an Amazon EventBridge (Amazon CloudWatch Events) scheduled event that invokes an AWS Lambda function to query the application's API for the data. This step can be done using AWS Lambda to extract the shipping statistics and organize the data into an HTML format.

\* B. Use Amazon Simple Email Service (Amazon SES) to format the data and send the report by email. This step can be done by using Amazon SES to send the report to multiple email addresses at the same time every morning.

Therefore, options D and B are the correct choices for this question. Option A is incorrect because Kinesis Data Firehose is not necessary for this use case. Option C is incorrect because AWS Glue is not required to query the application's API. Option E is incorrect because S3 event notifications cannot be used to send the report by email.

**NEW QUESTION 19**

- (Topic 1)

A development team needs to host a website that will be accessed by other teams. The website contents consist of HTML, CSS, client-side JavaScript, and images. Which method is the MOST cost-effective for hosting the website?

- A. Containerize the website and host it in AWS Fargate.
- B. Create an Amazon S3 bucket and host the website there.
- C. Deploy a web server on an Amazon EC2 instance to host the website.
- D. Configure an Application Load Balancer with an AWS Lambda target that uses the Express.js framework.

**Answer: B**

**Explanation:**

In Static Websites, Web pages are returned by the server which are prebuilt. They use simple languages such as HTML, CSS, or JavaScript.

There is no processing of content on the server (according to the user) in Static Websites. Web pages are returned by the server with no change therefore, static Websites are fast.

There is no interaction with databases.

Also, they are less costly as the host does not need to support server-side processing with different languages.

=====

In Dynamic Websites, Web pages are returned by the server which are processed during runtime means they are not prebuilt web pages but they are built during runtime according to the user's demand.

These use server-side scripting languages such as PHP, Node.js, ASP.NET and many more supported by the server.

So, they are slower than static websites but updates and interaction with databases are possible.

**NEW QUESTION 20**

- (Topic 1)

A company provides a Voice over Internet Protocol (VoIP) service that uses UDP connections. The service consists of Amazon EC2 instances that run in an Auto Scaling group. The company has deployments across multiple AWS Regions.

The company needs to route users to the Region with the lowest latency. The company also needs automated failover between Regions.

Which solution will meet these requirements?

- A. Deploy a Network Load Balancer (NLB) and an associated target group
- B. Associate the target group with the Auto Scaling group
- C. Use the NLB as an AWS Global Accelerator endpoint in each Region.
- D. Deploy an Application Load Balancer (ALB) and an associated target group
- E. Associate the target group with the Auto Scaling group
- F. Use the ALB as an AWS Global Accelerator endpoint in each Region.
- G. Deploy a Network Load Balancer (NLB) and an associated target group
- H. Associate the target group with the Auto Scaling group
- I. Create an Amazon Route 53 latency record that points to aliases for each NLB
- J. Create an Amazon CloudFront distribution that uses the latency record as an origin.

- K. Deploy an Application Load Balancer (ALB) and an associated target group
- L. Associate the target group with the Auto Scaling group
- M. Create an Amazon Route 53 weighted record that points to aliases for each ALB
- N. Deploy an Amazon CloudFront distribution that uses the weighted record as an origin.

**Answer:** D

**Explanation:**

<https://aws.amazon.com/global-accelerator/faqs/>

HTTP /HTTPS - ALB ; TCP and UDP - NLB; Lowest latency routing and more throughput. Also supports failover, uses Anycast IP addressing - Global Accelerator Caching at Edge Locations – Cloudfront

WS Global Accelerator automatically checks the health of your applications and routes user traffic only to healthy application endpoints. If the health status changes or you make configuration updates, AWS Global Accelerator reacts instantaneously to route your users to the next available endpoint..

**NEW QUESTION 24**

- (Topic 1)

A company is preparing to launch a public-facing web application in the AWS Cloud. The architecture consists of Amazon EC2 instances within a VPC behind an Elastic Load Balancer (ELB). A third-party service is used for the DNS. The company's solutions architect must recommend a solution to detect and protect against large-scale DDoS attacks.

Which solution meets these requirements?

- A. Enable Amazon GuardDuty on the account.
- B. Enable Amazon Inspector on the EC2 instances.
- C. Enable AWS Shield and assign Amazon Route 53 to it.
- D. Enable AWS Shield Advanced and assign the ELB to it.

**Answer:** D

**Explanation:**

<https://aws.amazon.com/shield/faqs/>

**NEW QUESTION 29**

- (Topic 1)

A company needs the ability to analyze the log files of its proprietary application. The logs are stored in JSON format in an Amazon S3 bucket. Queries will be simple and will run on-demand. A solutions architect needs to perform the analysis with minimal changes to the existing architecture.

What should the solutions architect do to meet these requirements with the LEAST amount of operational overhead?

- A. Use Amazon Redshift to load all the content into one place and run the SQL queries as needed
- B. Use Amazon CloudWatch Logs to store the logs. Run SQL queries as needed from the Amazon CloudWatch console
- C. Use Amazon Athena directly with Amazon S3 to run the queries as needed
- D. Use AWS Glue to catalog the logs. Use a transient Apache Spark cluster on Amazon EMR to run the SQL queries as needed

**Answer:** C

**Explanation:**

Amazon Athena can be used to query JSON in S3

**NEW QUESTION 33**

- (Topic 1)

A company hosts an application on AWS Lambda functions that are invoked by an Amazon API Gateway API. The Lambda functions save customer data to an Amazon Aurora MySQL database. Whenever the company upgrades the database, the Lambda functions fail to establish database connections until the upgrade is complete. The result is that customer data is not recorded for some of the event.

A solutions architect needs to design a solution that stores customer data that is created during database upgrades.

Which solution will meet these requirements?

- A. Provision an Amazon RDS proxy to sit between the Lambda functions and the database. Configure the Lambda functions to connect to the RDS proxy.
- B. Increase the run time of the Lambda functions to the maximum. Create a retry mechanism in the code that stores the customer data in the database.
- C. Persist the customer data to Lambda local storage.
- D. Configure new Lambda functions to scan the local storage to save the customer data to the database.
- E. Store the customer data in an Amazon Simple Queue Service (Amazon SQS) FIFO queue. Create a new Lambda function that polls the queue and stores the customer data in the database.

**Answer:** D

**Explanation:**

<https://www.learnaws.org/2020/12/13/aws-rds-proxy-deep-dive/>

RDS proxy can improve application availability in such a situation by waiting for the new database instance to be functional and maintaining any requests received from the application during this time. The end result is that the application is more resilient to issues with the underlying database.

This will enable solution to hold data till the time DB comes back to normal. RDS proxy is to optimally utilize the connection between Lambda and DB. Lambda can open multiple connections concurrently which can be taxing on DB compute resources, hence RDS proxy was introduced to manage and leverage these connections efficiently.

**NEW QUESTION 36**

- (Topic 1)

A company's containerized application runs on an Amazon EC2 instance. The application needs to download security certificates before it can communicate with other business applications. The company wants a highly secure solution to encrypt and decrypt the certificates in near real time. The solution also needs to store data in highly available storage after the data is encrypted.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Create AWS Secrets Manager secrets for encrypted certificate
- B. Manually update the certificates as needed
- C. Control access to the data by using fine-grained IAM access.
- D. Create an AWS Lambda function that uses the Python cryptography library to receive and perform encryption operation
- E. Store the function in an Amazon S3 bucket.
- F. Create an AWS Key Management Service (AWS KMS) customer managed key
- G. Allow the EC2 role to use the KMS key for encryption operation
- H. Store the encrypted data on Amazon S3.
- I. Create an AWS Key Management Service (AWS KMS) customer managed key
- J. Allow the EC2 role to use the KMS key for encryption operation
- K. Store the encrypted data on Amazon Elastic Block Store (Amazon EBS) volumes.

**Answer: D**

#### NEW QUESTION 39

- (Topic 1)

A company has a website hosted on AWS. The website is behind an Application Load Balancer (ALB) that is configured to handle HTTP and HTTPS separately. The company wants to forward all requests to the website so that the requests will use HTTPS. What should a solutions architect do to meet this requirement?

- A. Update the ALB's network ACL to accept only HTTPS traffic
- B. Create a rule that replaces the HTTP in the URL with HTTPS.
- C. Create a listener rule on the ALB to redirect HTTP traffic to HTTPS.
- D. Replace the ALB with a Network Load Balancer configured to use Server Name Indication (SNI).

**Answer: C**

#### Explanation:

<https://aws.amazon.com/premiumsupport/knowledge-center/elb-redirect-http-to-https-using-alb/>

How can I redirect HTTP requests to HTTPS using an Application Load Balancer? Last updated: 2020-10-30 I want to redirect HTTP requests to HTTPS using Application Load Balancer listener rules. How can I do this? Resolution Reference: <https://aws.amazon.com/premiumsupport/knowledge-center/elb-redirect-http-to-https-using-alb/>

#### NEW QUESTION 40

- (Topic 1)

A company is launching a new application and will display application metrics on an Amazon CloudWatch dashboard. The company's product manager needs to access this dashboard periodically. The product manager does not have an AWS account. A solution architect must provide access to the product manager by following the principle of least privilege.

Which solution will meet these requirements?

- A. Share the dashboard from the CloudWatch console
- B. Enter the product manager's email address, and complete the sharing step
- C. Provide a shareable link for the dashboard to the product manager.
- D. Create an IAM user specifically for the product manager
- E. Attach the CloudWatch Read Only Access managed policy to the user
- F. Share the new login credential with the product manager
- G. Share the browser URL of the correct dashboard with the product manager.
- H. Create an IAM user for the company's employees, Attach the View Only Access AWS managed policy to the IAM user
- I. Share the new login credentials with the product manager
- J. Ask the product manager to navigate to the CloudWatch console and locate the dashboard by name in the Dashboards section.
- K. Deploy a bastion server in a public subnet
- L. When the product manager requires access to the dashboard, start the server and share the RDP credential
- M. On the bastion server, ensure that the browser is configured to open the dashboard URL with cached AWS credentials that have appropriate permissions to view the dashboard.

**Answer: B**

#### Explanation:

To provide the product manager access to the Amazon CloudWatch dashboard while following the principle of least privilege, a solution architect should create an IAM user specifically for the product manager and attach the CloudWatch Read Only Access managed policy to the user. This policy allows the user to view the dashboard without being able to make any changes to it. The solution architect should then share the new login credential with the product manager and provide them with the browser URL of the correct dashboard.

#### NEW QUESTION 43

- (Topic 1)

A company is hosting a web application on AWS using a single Amazon EC2 instance that stores user-uploaded documents in an Amazon EBS volume. For better scalability and availability, the company duplicated the architecture and created a second EC2 instance and EBS volume in another Availability Zone placing both behind an Application Load Balancer. After completing this change, users reported that, each time they refreshed the website, they could see one subset of their documents or the other, but never all of the documents at the same time.

What should a solutions architect propose to ensure users see all of their documents at once?

- A. Copy the data so both EBS volumes contain all the documents.
- B. Configure the Application Load Balancer to direct a user to the server with the documents
- C. Copy the data from both EBS volumes to Amazon EFS. Modify the application to save new documents to Amazon EFS
- D. Configure the Application Load Balancer to send the request to both servers. Return each document from the correct server.

**Answer: C**

#### Explanation:

<https://docs.aws.amazon.com/efs/latest/ug/how-it-works.html#how-it-works-ec2>

#### NEW QUESTION 48

- (Topic 1)

A company needs to keep user transaction data in an Amazon DynamoDB table. The company must retain the data for 7 years. What is the MOST operationally efficient solution that meets these requirements?

- A. Use DynamoDB point-in-time recovery to back up the table continuously.
- B. Use AWS Backup to create backup schedules and retention policies for the table.
- C. Create an on-demand backup of the table by using the DynamoDB console.
- D. Store the backup in an Amazon S3 bucket.
- E. Set an S3 Lifecycle configuration for the S3 bucket.
- F. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to invoke an AWS Lambda function.
- G. Configure the Lambda function to back up the table and to store the backup in an Amazon S3 bucket.
- H. Set an S3 Lifecycle configuration for the S3 bucket.

**Answer: C**

#### NEW QUESTION 50

- (Topic 1)

A company wants to improve its ability to clone large amounts of production data into a test environment in the same AWS Region. The data is stored in Amazon EC2 instances on Amazon Elastic Block Store (Amazon EBS) volumes. Modifications to the cloned data must not affect the production environment. The software that accesses this data requires consistently high I/O performance.

A solutions architect needs to minimize the time that is required to clone the production data into the test environment.

Which solution will meet these requirements?

- A. Take EBS snapshots of the production EBS volume.
- B. Restore the snapshots onto EC2 instance store volumes in the test environment.
- C. Configure the production EBS volumes to use the EBS Multi-Attach feature.
- D. Take EBS snapshots of the production EBS volume.
- E. Attach the production EBS volumes to the EC2 instances in the test environment.
- F. Take EBS snapshots of the production EBS volume.
- G. Create and initialize new EBS volume.
- H. Attach the new EBS volumes to EC2 instances in the test environment before restoring the volumes from the production EBS snapshots.
- I. Take EBS snapshots of the production EBS volume.
- J. Turn on the EBS fast snapshot restore feature on the EBS snapshot.
- K. Restore the snapshots into new EBS volume.
- L. Attach the new EBS volumes to EC2 instances in the test environment.

**Answer: C**

#### Explanation:

To clone the production data into the test environment with high I/O performance and without affecting the production environment, the best option is to take EBS snapshots of the production EBS volumes and restore them onto new EBS volumes in the test environment. Then, attach the new EBS volumes to EC2 instances in the test environment. This option minimizes the time required to clone the data and ensures that modifications to the cloned data do not affect the production environment. Therefore, option C is the correct answer.

Reference: <https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/ebs-restoring-volume.html>

#### NEW QUESTION 53

- (Topic 1)

A company has registered its domain name with Amazon Route 53. The company uses Amazon API Gateway in the ca-central-1 Region as a public interface for its backend microservice APIs. Third-party services consume the APIs securely. The company wants to design its API Gateway URL with the company's domain name and corresponding certificate so that the third-party services can use HTTPS.

Which solution will meet these requirements?

- A. Create stage variables in API Gateway with Name="Endpoint-URL" and Value="Company Domain Name" to overwrite the default URL.
- B. Import the public certificate associated with the company's domain name into AWS Certificate Manager (ACM).
- C. Create Route 53 DNS records with the company's domain name.
- D. Point the alias record to the Regional API Gateway stage endpoint.
- E. Import the public certificate associated with the company's domain name into AWS Certificate Manager (ACM) in the us-east-1 Region.
- F. Create a Regional API Gateway endpoint.
- G. Associate the API Gateway endpoint with the company's domain name.
- H. Import the public certificate associated with the company's domain name into AWS Certificate Manager (ACM) in the same Region.
- I. Attach the certificate to the API Gateway endpoint.
- J. Configure Route 53 to route traffic to the API Gateway endpoint.
- K. Create a Regional API Gateway endpoint.
- L. Associate the API Gateway endpoint with the company's domain name.
- M. Import the public certificate associated with the company's domain name into AWS Certificate Manager (ACM) in the us-east-1 Region.
- N. Attach the certificate to the API Gateway API.
- O. Create Route 53 DNS records with the company's domain name.
- P. Point an A record to the company's domain name.

**Answer: C**

#### Explanation:

To design the API Gateway URL with the company's domain name and corresponding certificate, the company needs to do the following: 1. Create a Regional API Gateway endpoint: This will allow the company to create an endpoint that is specific to a region. 2. Associate the API Gateway endpoint with the company's domain name: This will allow the company to use its own domain name for the API Gateway URL. 3. Import the public certificate associated with the company's domain name into AWS Certificate Manager (ACM) in the same Region: This will allow the company to use HTTPS for secure communication with its APIs. 4. Attach the certificate to the API Gateway endpoint: This will allow the company to use the certificate for securing the API Gateway URL. 5. Configure Route 53 to route traffic to the API Gateway endpoint: This will allow the company to use Route 53 to route traffic to the API Gateway URL using the company's domain name.

### NEW QUESTION 56

- (Topic 1)

A company hosts an application on multiple Amazon EC2 instances. The application processes messages from an Amazon SQS queue, writes to an Amazon RDS table, and deletes the message from the queue. Occasional duplicate records are found in the RDS table. The SQS queue does not contain any duplicate messages.

What should a solutions architect do to ensure messages are being processed once only?

- A. Use the CreateQueue API call to create a new queue
- B. Use the AddPermission API call to add appropriate permissions
- C. Use the ReceiveMessage API call to set an appropriate wait time
- D. Use the ChangeMessageVisibility API call to increase the visibility timeout

**Answer: D**

#### Explanation:

The visibility timeout begins when Amazon SQS returns a message. During this time, the consumer processes and deletes the message. However, if the consumer fails before deleting the message and your system doesn't call the DeleteMessage action for that message before the visibility timeout expires, the message becomes visible to other consumers and the message is received again. If a message must be received only once, your consumer should delete it within the duration of the visibility timeout. <https://docs.aws.amazon.com/AWSSimpleQueueService/latest/SQSDeveloperGuide/sqs-visibility-timeout.html>

Keyword: SQS queue writes to an Amazon RDS. From this, Option D is the best suite & other Options ruled out [Option A - You can't introduce one more Queue in the existing one; Option B - only Permission & Option C - Only Retrieves Messages]. FIFO queues are designed to never introduce duplicate messages. However, your message producer might introduce duplicates in certain scenarios: for example, if the producer sends a message, does not receive a response, and then resends the same message. Amazon SQS APIs provide deduplication functionality that prevents your message producer from sending duplicates. Any duplicates introduced by the message producer are removed within a 5-minute deduplication interval. For standard queues, you might occasionally receive a duplicate copy of a message (at-least- once delivery). If you use a standard queue, you must design your applications to be idempotent (that is, they must not be affected adversely when processing the same message more than once).

### NEW QUESTION 61

- (Topic 1)

A solutions architect is designing the cloud architecture for a new application being deployed on AWS. The process should run in parallel while adding and removing application nodes as needed based on the number of jobs to be processed. The processor application is stateless. The solutions architect must ensure that the application is loosely coupled and the job items are durably stored.

Which design should the solutions architect use?

- A. Create an Amazon SNS topic to send the jobs that need to be processed. Create an Amazon Machine Image (AMI) that consists of the processor application. Create a launch configuration that uses the AMI. Create an Auto Scaling group using the launch configuration. Set the scaling policy for the Auto Scaling group to add and remove nodes based on CPU usage.
- B. Create an Amazon SQS queue to hold the jobs that need to be processed. Create an Amazon Machine image (AMI) that consists of the processor application. Create a launch configuration that uses the AMI. Create an Auto Scaling group using the launch configuration. Set the scaling policy for the Auto Scaling group to add and remove nodes based on network usage.
- C. Create an Amazon SQS queue to hold the jobs that need to be processed. Create an Amazon Machine image (AMI) that consists of the processor application. Create a launch template that uses the AMI. Create an Auto Scaling group using the launch template. Set the scaling policy for the Auto Scaling group to add and remove nodes based on the number of items in the SQS queue.
- D. Create an Amazon SNS topic to send the jobs that need to be processed. Create an Amazon Machine Image (AMI) that consists of the processor application. Create a launch template that uses the AMI. Create an Auto Scaling group using the launch template. Set the scaling policy for the Auto Scaling group to add and remove nodes based on the number of messages published to the SNS topic.

**Answer: C**

#### Explanation:

"Create an Amazon SQS queue to hold the jobs that need to be processed. Create an Amazon EC2 Auto Scaling group for the compute application. Set the scaling policy for the Auto Scaling group to add and remove nodes based on the number of items in the SQS queue."

In this case we need to find a durable and loosely coupled solution for storing jobs. Amazon SQS is ideal for this use case and can be configured to use dynamic scaling based on the number of jobs waiting in the queue. To configure this scaling you can use the backlog per instance metric with the target value being the acceptable backlog per instance to maintain. You can calculate these numbers as follows: Backlog per instance: To calculate your backlog per instance, start with the ApproximateNumberOfMessages queue attribute to determine the length of the SQS queue.

### NEW QUESTION 65

- (Topic 1)

A company is storing sensitive user information in an Amazon S3 bucket. The company wants to provide secure access to this bucket from the application tier running on Amazon EC2 instances inside a VPC.

Which combination of steps should a solutions architect take to accomplish this? (Select TWO.)

- A. Configure a VPC gateway endpoint for Amazon S3 within the VPC
- B. Create a bucket policy to make the objects in the S3 bucket public
- C. Create a bucket policy that limits access to only the application tier running in the VPC
- D. Create an IAM user with an S3 access policy and copy the IAM credentials to the EC2 instance
- E. Create a NAT instance and have the EC2 instances use the NAT instance to access the S3 bucket

**Answer: AC**

#### Explanation:

<https://aws.amazon.com/premiumsupport/knowledge-center/s3-private-connection-no-authentication/>

### NEW QUESTION 66

- (Topic 1)

An Amazon EC2 administrator created the following policy associated with an IAM group containing several users:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "ec2:TerminateInstances",
      "Resource": "*",
      "Condition": {
        "IpAddress": {
          "aws:SourceIp": "10.100.100.0/24"
        }
      }
    },
    {
      "Effect": "Deny",
      "Action": "ec2:*",
      "Resource": "*",
      "Condition": {
        "StringNotEquals": {
          "ec2:Region": "us-east-1"
        }
      }
    }
  ]
}
```

What is the effect of this policy?

- A. Users can terminate an EC2 instance in any AWS Region except us-east-1.
- B. Users can terminate an EC2 instance with the IP address 10 100 100 1 in the us-east-1 Region
- C. Users can terminate an EC2 instance in the us-east-1 Region when the user's source IP is 10.100.100.254.
- D. Users cannot terminate an EC2 instance in the us-east-1 Region when the user's source IP is 10.100 100 254

**Answer: C**

**Explanation:**

as the policy prevents anyone from doing any EC2 action on any region except us-east-1 and allows only users with source ip 10.100.100.0/24 to terminate instances. So user with source ip 10.100.100.254 can terminate instances in us-east-1 region.

**NEW QUESTION 71**

- (Topic 1)

A company has an Amazon S3 bucket that contains critical data. The company must protect the data from accidental deletion.

Which combination of steps should a solutions architect take to meet these requirements?

(Choose two.)

- A. Enable versioning on the S3 bucket.
- B. Enable MFA Delete on the S3 bucket.
- C. Create a bucket policy on the S3 bucket.
- D. Enable default encryption on the S3 bucket.
- E. Create a lifecycle policy for the objects in the S3 bucket.

**Answer: AB**

**Explanation:**

To protect data in an S3 bucket from accidental deletion, versioning should be enabled, which enables you to preserve, retrieve, and restore every version of every object in an S3 bucket. Additionally, enabling MFA (multi-factor authentication) Delete on the S3 bucket adds an extra layer of protection by requiring an authentication token in addition to the user's access keys to delete objects in the bucket.

Reference:

AWS S3 Versioning documentation: <https://docs.aws.amazon.com/AmazonS3/latest/dev/Versioning.html>

AWS S3 MFA Delete documentation: <https://docs.aws.amazon.com/AmazonS3/latest/dev/UsingMFADelete.html>

**NEW QUESTION 72**

- (Topic 1)

A company has more than 5 TB of file data on Windows file servers that run on premises Users and applications interact with the data each day

The company is moving its Windows workloads to AWS. As the company continues this process, the company requires access to AWS and on-premises file storage with minimum latency The company needs a solution that minimizes operational overhead and requires no significant changes to the existing file access patterns. The company uses an AWS Site-to-Site VPN connection for connectivity to AWS

What should a solutions architect do to meet these requirements?

- A. Deploy and configure Amazon FSx for Windows File Server on AW
- B. Move the on- premises file data to FSx for Windows File Serve
- C. Reconfigure the workloads to use FSx for Windows File Server on AWS.

- D. Deploy and configure an Amazon S3 File Gateway on premises Move the on-premises file data to the S3 File Gateway Reconfigure the on-premises workloads and the cloud workloads to use the S3 File Gateway
- E. Deploy and configure an Amazon S3 File Gateway on premises Move the on-premises file data to Amazon S3 Reconfigure the workloads to use either Amazon S3 directly or the S3 File Gateway, depending on each workload's location
- F. Deploy and configure Amazon FSx for Windows File Server on AWS Deploy and configure an Amazon FSx File Gateway on premises Move the on-premises file data to the FSx File Gateway Configure the cloud workloads to use FSx for Windows File Server on AWS Configure the on-premises workloads to use the FSx File Gateway

**Answer: D**

**Explanation:**

<https://docs.aws.amazon.com/filegateway/latest/filefsxw/what-is-file-fsxw.html>

To meet the requirements of the company to have access to both AWS and on-premises file storage with minimum latency, a hybrid cloud architecture can be used. One solution is to deploy and configure Amazon FSx for Windows File Server on AWS, which provides fully managed Windows file servers. The on-premises file data can be moved to the FSx File Gateway, which can act as a bridge between on-premises and AWS file storage. The cloud workloads can be configured to use FSx for Windows File Server on AWS, while the on-premises workloads can be configured to use the FSx File Gateway. This solution minimizes operational overhead and requires no significant changes to the existing file access patterns. The connectivity between on-premises and AWS can be established using an AWS Site-to-Site VPN connection.

Reference:

AWS FSx for Windows File Server: <https://aws.amazon.com/fsx/windows/> AWS FSx File Gateway: <https://aws.amazon.com/fsx/file-gateway/>

AWS Site-to-Site VPN: <https://aws.amazon.com/vpn/site-to-site-vpn/>

**NEW QUESTION 76**

- (Topic 1)

A company wants to migrate its on-premises application to AWS. The application produces output files that vary in size from tens of gigabytes to hundreds of terabytes The application data must be stored in a standard file system structure The company wants a solution that scales automatically, is highly available, and requires minimum operational overhead.

Which solution will meet these requirements?

- A. Migrate the application to run as containers on Amazon Elastic Container Service (Amazon ECS) Use Amazon S3 for storage
- B. Migrate the application to run as containers on Amazon Elastic Kubernetes Service (Amazon EKS) Use Amazon Elastic Block Store (Amazon EBS) for storage
- C. Migrate the application to Amazon EC2 instances in a Multi-AZ Auto Scaling group
- D. Use Amazon Elastic File System (Amazon EFS) for storage.
- E. Migrate the application to Amazon EC2 instances in a Multi-AZ Auto Scaling group
- F. Use Amazon Elastic Block Store (Amazon EBS) for storage.

**Answer: C**

**Explanation:**

EFS is a standard file system, it scales automatically and is highly available.

**NEW QUESTION 77**

- (Topic 1)

A company is developing a two-tier web application on AWS. The company's developers have deployed the application on an Amazon EC2 instance that connects directly to a backend Amazon RDS database. The company must not hardcode database credentials in the application. The company must also implement a solution to automatically rotate the database credentials on a regular basis.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Store the database credentials in the instance metadata
- B. Use Amazon EventBridge (Amazon CloudWatch Events) rules to run a scheduled AWS Lambda function that updates the RDS credentials and instance metadata at the same time.
- C. Store the database credentials in a configuration file in an encrypted Amazon S3 bucket
- D. Use Amazon EventBridge (Amazon CloudWatch Events) rules to run a scheduled AWS Lambda function that updates the RDS credentials and the credentials in the configuration file at the same time
- E. Use S3 Versioning to ensure the ability to fall back to previous values.
- F. Store the database credentials as a secret in AWS Secrets Manager
- G. Turn on automatic rotation for the secret
- H. Attach the required permission to the EC2 role to grant access to the secret.
- I. Store the database credentials as encrypted parameters in AWS Systems Manager Parameter Store
- J. Turn on automatic rotation for the encrypted parameter
- K. Attach the required permission to the EC2 role to grant access to the encrypted parameters.

**Answer: C**

**Explanation:**

[https://docs.aws.amazon.com/secretsmanager/latest/userguide/create\\_database\\_secret.html](https://docs.aws.amazon.com/secretsmanager/latest/userguide/create_database_secret.html)

**NEW QUESTION 81**

- (Topic 1)

A company has several web servers that need to frequently access a common Amazon RDS MySQL Multi-AZ DB instance The company wants a secure method for the web servers to connect to the database while meeting a security requirement to rotate user credentials frequently.

Which solution meets these requirements?

- A. Store the database user credentials in AWS Secrets Manager Grant the necessary IAM permissions to allow the web servers to access AWS Secrets Manager
- B. Store the database user credentials in AWS Systems Manager OpsCenter Grant the necessary IAM permissions to allow the web servers to access OpsCenter
- C. Store the database user credentials in a secure Amazon S3 bucket Grant the necessary IAM permissions to allow the web servers to retrieve credentials and access the database
- D. Store the database user credentials in files encrypted with AWS Key Management Service (AWS KMS) on the web server file system
- E. The web server should be able to decrypt the files and access the database

**Answer:** A

**Explanation:**

AWS Secrets Manager helps you protect secrets needed to access your applications, services, and IT resources. The service enables you to easily rotate, manage, and retrieve database credentials, API keys, and other secrets throughout their lifecycle.

<https://docs.aws.amazon.com/secretsmanager/latest/userguide/intro.html>

Secrets Manager enables you to replace hardcoded credentials in your code, including passwords, with an API call to Secrets Manager to retrieve the secret programmatically. This helps ensure the secret can't be compromised by someone examining your code, because the secret no longer exists in the code. Also, you can configure Secrets Manager to automatically rotate the secret for you according to a specified schedule. This enables you to replace long-term secrets with short-term ones, significantly reducing the risk of compromise.

**NEW QUESTION 82**

- (Topic 1)

A company receives 10 TB of instrumentation data each day from several machines located at a single factory. The data consists of JSON files stored on a storage area network (SAN) in an on-premises data center located within the factory. The company wants to send this data to Amazon S3 where it can be accessed by several additional systems that provide critical near-real-time analytics. A secure transfer is important because the data is considered sensitive. Which solution offers the MOST reliable data transfer?

- A. AWS DataSync over public internet
- B. AWS DataSync over AWS Direct Connect
- C. AWS Database Migration Service (AWS DMS) over public internet
- D. AWS Database Migration Service (AWS DMS) over AWS Direct Connect

**Answer:** B

**Explanation:**

These are some of the main use cases for AWS DataSync: • Data migration

– Move active datasets rapidly over the network into Amazon S3, Amazon EFS, or FSx for Windows File Server. DataSync includes automatic encryption and data integrity validation to help make sure that your data arrives securely, intact, and ready to use.

"DataSync includes encryption and integrity validation to help make sure your data arrives securely, intact, and ready to use."

<https://aws.amazon.com/datasync/faqs/>

**NEW QUESTION 87**

- (Topic 1)

A bicycle sharing company is developing a multi-tier architecture to track the location of its bicycles during peak operating hours. The company wants to use these data points in its existing analytics platform. A solutions architect must determine the most viable multi-tier option to support this architecture. The data points must be accessible from the REST API.

Which action meets these requirements for storing and retrieving location data?

- A. Use Amazon Athena with Amazon S3
- B. Use Amazon API Gateway with AWS Lambda
- C. Use Amazon QuickSight with Amazon Redshift.
- D. Use Amazon API Gateway with Amazon Kinesis Data Analytics

**Answer:** D

**Explanation:**

<https://aws.amazon.com/solutions/implementations/aws-streaming-data-solution-for-amazon-kinesis/>

**NEW QUESTION 91**

- (Topic 1)

A company recently migrated to AWS and wants to implement a solution to protect the traffic that flows in and out of the production VPC. The company had an inspection server in its on-premises data center. The inspection server performed specific operations such as traffic flow inspection and traffic filtering. The company wants to have the same functionalities in the AWS Cloud.

Which solution will meet these requirements?

- A. Use Amazon GuardDuty for traffic inspection and traffic filtering in the production VPC
- B. Use Traffic Mirroring to mirror traffic from the production VPC for traffic inspection and filtering.
- C. Use AWS Network Firewall to create the required rules for traffic inspection and traffic filtering for the production VPC.
- D. Use AWS Firewall Manager to create the required rules for traffic inspection and traffic filtering for the production VPC.

**Answer:** C

**Explanation:**

AWS Network Firewall supports both inspection and filtering as required

**NEW QUESTION 95**

- (Topic 1)

A company runs a shopping application that uses Amazon DynamoDB to store customer information. In case of data corruption, a solutions architect needs to design a solution that meets a recovery point objective (RPO) of 15 minutes and a recovery time objective (RTO) of 1 hour.

What should the solutions architect recommend to meet these requirements?

- A. Configure DynamoDB global table
- B. For RPO recovery, point the application to a different AWS Region.
- C. Configure DynamoDB point-in-time recover
- D. For RPO recovery, restore to the desired point in time.
- E. Export the DynamoDB data to Amazon S3 Glacier on a daily basis
- F. For RPO recovery, import the data from S3 Glacier to DynamoDB.
- G. Schedule Amazon Elastic Block Store (Amazon EBS) snapshots for the DynamoDB table every 15 minutes

H. For RPO recovery, restore the DynamoDB table by using the EBS snapshot.

**Answer:** B

**Explanation:**

<https://docs.aws.amazon.com/amazondynamodb/latest/developerguide/PointInTimeRecovery.html>

#### NEW QUESTION 99

- (Topic 1)

An application development team is designing a microservice that will convert large images to smaller, compressed images. When a user uploads an image through the web interface, the microservice should store the image in an Amazon S3 bucket, process and compress the image with an AWS Lambda function, and store the image in its compressed form in a different S3 bucket.

A solutions architect needs to design a solution that uses durable, stateless components to process the images automatically.

Which combination of actions will meet these requirements? (Choose two.)

- A. Create an Amazon Simple Queue Service (Amazon SQS) queue. Configure the S3 bucket to send a notification to the SQS queue when an image is uploaded to the S3 bucket.
- B. Configure the Lambda function to use the Amazon Simple Queue Service (Amazon SQS) queue as the invocation source. When the SQS message is successfully processed, delete the message in the queue.
- C. Configure the Lambda function to monitor the S3 bucket for new uploads. When an uploaded image is detected, write the file name to a text file in memory and use the text file to keep track of the images that were processed.
- D. Launch an Amazon EC2 instance to monitor an Amazon Simple Queue Service (Amazon SQS) queue. When items are added to the queue, log the file name in a text file on the EC2 instance and invoke the Lambda function.
- E. Configure an Amazon EventBridge (Amazon CloudWatch Events) event to monitor the S3 bucket. When an image is uploaded, send an alert to an Amazon Simple Notification Service (Amazon SNS) topic with the application owner's email address for further processing.
- F. Send an alert to an Amazon Simple Notification Service (Amazon SNS) topic with the application owner's email address for further processing.

**Answer:** AB

**Explanation:**

? Creating an Amazon Simple Queue Service (SQS) queue and configuring the S3 bucket to send a notification to the SQS queue when an image is uploaded to the S3 bucket will ensure that the Lambda function is triggered in a stateless and durable manner.

? Configuring the Lambda function to use the SQS queue as the invocation source, and deleting the message in the queue after it is successfully processed will ensure that the Lambda function processes the image in a stateless and durable manner.

Amazon SQS is a fully managed message queuing service that enables you to decouple and scale microservices, distributed systems, and serverless applications. SQS eliminates the complexity and overhead associated with managing and operating message-oriented middleware, and empowers developers to focus on differentiating work. When new images are uploaded to the S3 bucket, SQS will trigger the Lambda function to process the image and compress it. Once the image is processed, the SQS message is deleted, ensuring that the Lambda function is stateless and durable.

#### NEW QUESTION 104

- (Topic 1)

A company is designing an application where users upload small files into Amazon S3. After a user uploads a file, the file requires one-time simple processing to transform the data and save the data in JSON format for later analysis.

Each file must be processed as quickly as possible after it is uploaded. Demand will vary. On some days, users will upload a high number of files. On other days, users will upload a few files or no files.

Which solution meets these requirements with the LEAST operational overhead?

- A. Configure Amazon EMR to read text files from Amazon S3. Run processing scripts to transform the data.
- B. Store the resulting JSON file in an Amazon Aurora DB cluster.
- C. Configure Amazon S3 to send an event notification to an Amazon Simple Queue Service (Amazon SQS) queue. Use an AWS Lambda function to read from the queue and process the data.
- D. Use Amazon EC2 instances to read from the queue and process the data.
- E. Store the resulting JSON file in Amazon DynamoDB.
- F. Configure Amazon S3 to send an event notification to an Amazon Simple Queue Service (Amazon SQS) queue. Use an AWS Lambda function to read from the queue and process the data.
- G. Use an AWS Lambda function to read from the queue and process the data.
- H. Store the resulting JSON file in Amazon DynamoDB.
- I. Most Voted
- J. Configure Amazon EventBridge (Amazon CloudWatch Events) to send an event to Amazon Kinesis Data Streams when a new file is uploaded. Use an AWS Lambda function to consume the event from the stream and process the data.
- K. Use an AWS Lambda function to consume the event from the stream and process the data.
- L. Store the resulting JSON file in Amazon Aurora DB cluster.

**Answer:** C

**Explanation:**

Amazon S3 sends event notifications about S3 buckets (for example, object created, object removed, or object restored) to an SNS topic in the same Region. The SNS topic publishes the event to an SQS queue in the central Region.

The SQS queue is configured as the event source for your Lambda function and buffers the event messages for the Lambda function.

The Lambda function polls the SQS queue for messages and processes the Amazon S3 event notifications according to your application's requirements.

<https://docs.aws.amazon.com/prescriptive-guidance/latest/patterns/subscribe-a-lambda-function-to-event-notifications-from-s3-buckets-in-different-aws-regions.html>

#### NEW QUESTION 108

- (Topic 1)

A company uses Amazon S3 to store its confidential audit documents. The S3 bucket uses bucket policies to restrict access to audit team IAM user credentials according to the principle of least privilege. Company managers are worried about accidental deletion of documents in the S3 bucket and want a more secure solution.

What should a solutions architect do to secure the audit documents?

- A. Enable the versioning and MFA Delete features on the S3 bucket.
- B. Enable multi-factor authentication (MFA) on the IAM user credentials for each audit team IAM user account.
- C. Add an S3 Lifecycle policy to the audit team's IAM user accounts to deny the s3:DeleteObject action during audit dates.
- D. Use AWS Key Management Service (AWS KMS) to encrypt the S3 bucket and restrict audit team IAM user accounts from accessing the KMS key.

Answer: A

### NEW QUESTION 112

- (Topic 1)

A solutions architect is designing a VPC with public and private subnets. The VPC and subnets use IPv4 CIDR blocks. There is one public subnet and one private subnet in each of three Availability Zones (AZs) for high availability. An internet gateway is used to provide internet access for the public subnets. The private subnets require access to the internet to allow Amazon EC2 instances to download software updates. What should the solutions architect do to enable Internet access for the private subnets?

- A. Create three NAT gateways, one for each public subnet in each A
- B. Create a private route table for each AZ that forwards non-VPC traffic to the NAT gateway in its AZ.
- C. Create three NAT instances, one for each private subnet in each A
- D. Create a private route table for each AZ that forwards non-VPC traffic to the NAT instance in its AZ.
- E. Create a second internet gateway on one of the private subnet
- F. Update the route table for the private subnets that forward non-VPC traffic to the private internet gateway.
- G. Create an egress-only internet gateway on one of the public subnet
- H. Update the route table for the private subnets that forward non-VPC traffic to the egress- only internet gateway.

Answer: A

#### Explanation:

<https://aws.amazon.com/about-aws/whats-new/2018/03/introducing-amazon-vpc-nat-gateway-in-the-aws-govcloud-us-region/#:~:text=NAT%20Gateway%20is%20a%20highly,instances%20in%20a%20private%20subnet.>  
<https://docs.aws.amazon.com/vpc/latest/userguide/vpc-nat-comparison.html>

### NEW QUESTION 113

- (Topic 1)

A solutions architect is designing a two-tier web application The application consists of a public-facing web tier hosted on Amazon EC2 in public subnets The database tier consists of Microsoft SQL Server running on Amazon EC2 in a private subnet Security is a high priority for the company How should security groups be configured in this situation? (Select TWO )

- A. Configure the security group for the web tier to allow inbound traffic on port 443 from 0.0.0.0/0.
- B. Configure the security group for the web tier to allow outbound traffic on port 443 from 0.0.0.0/0.
- C. Configure the security group for the database tier to allow inbound traffic on port 1433 from the security group for the web tier.
- D. Configure the security group for the database tier to allow outbound traffic on ports 443 and 1433 to the security group for the web tier.
- E. Configure the security group for the database tier to allow inbound traffic on ports 443 and 1433 from the security group for the web tier.

Answer: AC

#### Explanation:

"Security groups create an outbound rule for every inbound rule." Not completely right. Statefull does NOT mean that if you create an inbound (or outbound) rule, it will create an outbound (or inbound) rule. What it does mean is: suppose you create an inbound rule on port 443 for the X ip. When a request enters on port 443 from X ip, it will allow traffic out for that request in the port 443. However, if you look at the outbound rules, there will not be any outbound rule on port 443 unless explicitly create it. In ACLs, which are stateless, you would have to create an inbound rule to allow incoming requests and an outbound rule to allow your application responds to those incoming requests.  
[https://docs.aws.amazon.com/vpc/latest/userguide/VPC\\_SecurityGroups.html#SecurityGroupRules](https://docs.aws.amazon.com/vpc/latest/userguide/VPC_SecurityGroups.html#SecurityGroupRules)

### NEW QUESTION 116

- (Topic 1)

A company has an automobile sales website that stores its listings in a database on Amazon RDS When an automobile is sold the listing needs to be removed from the website and the data must be sent to multiple target systems. Which design should a solutions architect recommend?

- A. Create an AWS Lambda function triggered when the database on Amazon RDS is updated to send the information to an Amazon Simple Queue Service (Amazon SQS) queue for the targets to consume
- B. Create an AWS Lambda function triggered when the database on Amazon RDS is updated to send the information to an Amazon Simple Queue Service (Amazon SQS) FIFO queue for the targets to consume
- C. Subscribe to an RDS event notification and send an Amazon Simple Queue Service (Amazon SQS) queue fanned out to multiple Amazon Simple Notification Service (Amazon SNS) topics Use AWS Lambda functions to update the targets
- D. Subscribe to an RDS event notification and send an Amazon Simple Notification Service (Amazon SNS) topic fanned out to multiple Amazon Simple Queue Service (Amazon SQS) queues Use AWS Lambda functions to update the targets

Answer: D

#### Explanation:

<https://docs.aws.amazon.com/lambda/latest/dg/services-rds.html> <https://docs.aws.amazon.com/lambda/latest/dg/with-sns.html>

### NEW QUESTION 121

- (Topic 1)

An application runs on an Amazon EC2 instance in a VPC. The application processes logs that are stored in an Amazon S3 bucket. The EC2 instance needs to access the S3 bucket without connectivity to the internet. Which solution will provide private network connectivity to Amazon S3?

- A. Create a gateway VPC endpoint to the S3 bucket.
- B. Stream the logs to Amazon CloudWatch Log
- C. Export the logs to the S3 bucket.
- D. Create an instance profile on Amazon EC2 to allow S3 access.
- E. Create an Amazon API Gateway API with a private link to access the S3 endpoint.

**Answer:** A

**Explanation:**

VPC endpoint allows you to connect to AWS services using a private network instead of using the public Internet

**NEW QUESTION 122**

- (Topic 1)

A company is designing an application. The application uses an AWS Lambda function to receive information through Amazon API Gateway and to store the information in an Amazon Aurora PostgreSQL database.

During the proof-of-concept stage, the company has to increase the Lambda quotas significantly to handle the high volumes of data that the company needs to load into the database. A solutions architect must recommend a new design to improve scalability and minimize the configuration effort.

Which solution will meet these requirements?

- A. Refactor the Lambda function code to Apache Tomcat code that runs on Amazon EC2 instance
- B. Connect the database by using native Java Database Connectivity (JDBC) drivers.
- C. Change the platform from Aurora to Amazon DynamoDB
- D. Provision a DynamoDB Accelerator (DAX) cluster
- E. Use the DAX client SDK to point the existing DynamoDB API calls at the DAX cluster.
- F. Set up two Lambda function
- G. Configure one function to receive the information
- H. Configure the other function to load the information into the database
- I. Integrate the Lambda functions by using Amazon Simple Notification Service (Amazon SNS).
- J. Set up two Lambda function
- K. Configure one function to receive the information
- L. Configure the other function to load the information into the database
- M. Integrate the Lambda functions by using an Amazon Simple Queue Service (Amazon SQS) queue.

**Answer:** B

**Explanation:**

bottlenecks can be avoided with queues (SQS).

**NEW QUESTION 125**

- (Topic 1)

A company uses AWS Organizations to manage multiple AWS accounts for different departments. The management account has an Amazon S3 bucket that contains project reports. The company wants to limit access to this S3 bucket to only users of accounts within the organization in AWS Organizations.

Which solution meets these requirements with the LEAST amount of operational overhead?

- A. Add the aws:PrincipalOrgID global condition key with a reference to the organization ID to the S3 bucket policy.
- B. Create an organizational unit (OU) for each department
- C. Add the aws:PrincipalOrgPaths global condition key to the S3 bucket policy.
- D. Use AWS CloudTrail to monitor the CreateAccount, InviteAccountToOrganization, LeaveOrganization, and RemoveAccountFromOrganization event
- E. Update the S3 bucket policy accordingly.
- F. Tag each user that needs access to the S3 bucket
- G. Add the aws:PrincipalTag global condition key to the S3 bucket policy.

**Answer:** A

**Explanation:**

<https://aws.amazon.com/blogs/security/control-access-to-aws-resources-by-using-the-aws-organization-of-iam-principals/>

The aws:PrincipalOrgID global key provides an alternative to listing all the account IDs for all AWS accounts in an organization. For example, the following Amazon S3 bucket policy allows members of any account in the XXX organization to add an object into the examtopics bucket.

```
{
  "Version": "2020-09-10",
  "Statement": [
    {
      "Sid": "AllowPutObject",
      "Effect": "Allow",
      "Principal": "*",
      "Action": "s3:PutObject",
      "Resource": "arn:aws:s3:::examtopics/*",
      "Condition": {
        "StringEquals": {
          "aws:PrincipalOrgID": ["XXX"]
        }
      }
    }
  ]
}
```

[https://docs.aws.amazon.com/IAM/latest/UserGuide/reference\\_policies\\_condition-keys.html](https://docs.aws.amazon.com/IAM/latest/UserGuide/reference_policies_condition-keys.html)

**NEW QUESTION 128**

- (Topic 1)

A company wants to reduce the cost of its existing three-tier web architecture. The web, application, and database servers are running on Amazon EC2 instances for the development, test, and production environments. The EC2 instances average 30% CPU utilization during peak hours and 10% CPU utilization during non-peak hours.

The production EC2 instances run 24 hours a day. The development and test EC2 instances run for at least 8 hours each day. The company plans to implement automation to stop the development and test EC2 instances when they are not in use.

Which EC2 instance purchasing solution will meet the company's requirements MOST cost-effectively?

- A. Use Spot Instances for the production EC2 instance
- B. Use Reserved Instances for the development and test EC2 instances.
- C. Use Reserved Instances for the production EC2 instance
- D. Use On-Demand Instances for the development and test EC2 instances.
- E. Use Spot blocks for the production EC2 instance
- F. Use Reserved Instances for the development and test EC2 instances.
- G. Use On-Demand Instances for the production EC2 instance
- H. Use Spot blocks for the development and test EC2 instances.

Answer: B

#### NEW QUESTION 131

- (Topic 2)

A medical records company is hosting an application on Amazon EC2 instances. The application processes customer data files that are stored on Amazon S3. The EC2 instances are hosted in public subnets. The EC2 instances access Amazon S3 over the internet, but they do not require any other network access.

A new requirement mandates that the network traffic for file transfers take a private route and not be sent over the internet.

Which change to the network architecture should a solutions architect recommend to meet this requirement?

- A. Create a NAT gateway
- B. Configure the route table for the public subnets to send traffic to Amazon S3 through the NAT gateway.
- C. Configure the security group for the EC2 instances to restrict outbound traffic so that only traffic to the S3 prefix list is permitted.
- D. Move the EC2 instances to private subnet
- E. Create a VPC endpoint for Amazon S3, and link the endpoint to the route table for the private subnets
- F. Remove the internet gateway from the VPC
- G. Set up an AWS Direct Connect connection, and route traffic to Amazon S3 over the Direct Connect connection.

Answer: C

#### Explanation:

To meet the new requirement of transferring files over a private route, the EC2 instances should be moved to private subnets, which do not have direct access to the internet. This ensures that the traffic for file transfers does not go over the internet. To enable the EC2 instances to access Amazon S3, a VPC endpoint for Amazon S3 can be created. VPC endpoints allow resources within a VPC to communicate with resources in other services without the traffic being sent over the internet. By linking the VPC endpoint to the route table for the private subnets, the EC2 instances can access Amazon S3 over a private connection within the VPC.

#### NEW QUESTION 132

- (Topic 2)

A solutions architect needs to help a company optimize the cost of running an application on AWS. The application will use Amazon EC2 instances, AWS Fargate, and AWS Lambda for compute within the architecture.

The EC2 instances will run the data ingestion layer of the application. EC2 usage will be sporadic and unpredictable. Workloads that run on EC2 instances can be interrupted at any time. The application front end will run on Fargate, and Lambda will serve the API layer. The front-end utilization and API layer utilization will be predictable over the course of the next year.

Which combination of purchasing options will provide the MOST cost-effective solution for hosting this application? (Choose two.)

- A. Use Spot Instances for the data ingestion layer
- B. Use On-Demand Instances for the data ingestion layer
- C. Purchase a 1-year Compute Savings Plan for the front end and API layer.
- D. Purchase 1-year All Upfront Reserved instances for the data ingestion layer.
- E. Purchase a 1-year EC2 instance Savings Plan for the front end and API layer.

Answer: AC

#### Explanation:

EC2 instance Savings Plan saves 72% while Compute Savings Plans saves 66%. But according to link, it says "Compute Savings Plans provide the most flexibility and help to reduce your costs by up to 66%. These plans automatically apply to EC2 instance usage regardless of instance family, size, AZ, region, OS or tenancy, and also apply to Fargate and Lambda usage." EC2 instance Savings Plans are not applied to Fargate or Lambda

#### NEW QUESTION 135

- (Topic 2)

A company wants to use the AWS Cloud to make an existing application highly available and resilient. The current version of the application resides in the company's data center. The application recently experienced data loss after a database server crashed because of an unexpected power outage.

The company needs a solution that avoids any single points of failure. The solution must give the application the ability to scale to meet user demand.

Which solution will meet these requirements?

- A. Deploy the application servers by using Amazon EC2 instances in an Auto Scaling group across multiple Availability Zones
- B. Use an Amazon RDS DB instance in a Multi-AZ configuration.
- C. Deploy the application servers by using Amazon EC2 instances in an Auto Scaling group in a single Availability Zone
- D. Deploy the database on an EC2 instance
- E. Enable EC2 Auto Recovery.
- F. Deploy the application servers by using Amazon EC2 instances in an Auto Scaling group across multiple Availability Zones
- G. Use an Amazon RDS DB instance with a read replica in a single Availability Zone
- H. Promote the read replica to replace the primary DB instance if the primary DB instance fails.
- I. Deploy the application servers by using Amazon EC2 instances in an Auto Scaling group across multiple Availability Zones. Deploy the primary and secondary database servers on EC2 instances across multiple Availability Zones. Use Amazon Elastic Block Store (Amazon EBS) Multi-Attach to create shared storage between the instances.

Answer: A

#### Explanation:

Deploy the application servers by using Amazon EC2 instances in an Auto Scaling group across multiple Availability Zones. Use an Amazon RDS DB instance in a Multi-AZ configuration. To make an existing application highly available and resilient while avoiding any single points of failure and giving the application the ability to scale to meet user demand, the best solution would be to deploy the application servers using Amazon EC2 instances in an Auto Scaling group across multiple Availability Zones and use an Amazon RDS DB instance in a Multi-AZ configuration. By using an Amazon RDS DB instance in a Multi-AZ configuration, the database is automatically replicated across multiple Availability Zones, ensuring that the database is highly available and can withstand the failure of a single Availability Zone. This provides fault tolerance and avoids any single points of failure.

#### NEW QUESTION 139

- (Topic 2)

An online retail company has more than 50 million active customers and receives more than 25,000 orders each day. The company collects purchase data for customers and stores this data in Amazon S3. Additional customer data is stored in Amazon RDS. The company wants to make all the data available to various teams so that the teams can perform analytics. The solution must provide the ability to manage fine-grained permissions for the data and must minimize operational overhead. Which solution will meet these requirements?

- A. Migrate the purchase data to write directly to Amazon RD
- B. Use RDS access controls to limit access.
- C. Schedule an AWS Lambda function to periodically copy data from Amazon RDS to Amazon S3. Create an AWS Glue crawle
- D. Use Amazon Athena to query the dat
- E. Use S3 policies to limit access.
- F. Create a data lake by using AWS Lake Formatio
- G. Create an AWS Glue JDBC connection to Amazon RD
- H. Register (he S3 bucket in Lake Formatio
- I. Use Lake Formation access controls to limit access.
- J. Create an Amazon Redshift cluste
- K. Schedule an AWS Lambda function to periodically copy data from Amazon S3 and Amazon RDS to Amazon Redshif
- L. Use Amazon Redshift access controls to limit access.

**Answer: C**

**Explanation:**

To make all the data available to various teams and minimize operational overhead, the company can create a data lake by using AWS Lake Formation. This will allow the company to centralize all the data in one place and use fine-grained access controls to manage access to the data. To meet the requirements of the company, the solutions architect can create a data lake by using AWS Lake Formation, create an AWS Glue JDBC connection to Amazon RDS, and register the S3 bucket in Lake Formation. The solutions architect can then use Lake Formation access controls to limit access to the data. This solution will provide the ability to manage fine-grained permissions for the data and minimize operational overhead.

**NEW QUESTION 140**

- (Topic 2)

A company wants to build a scalable key management Infrastructure to support developers who need to encrypt data in their applications. What should a solutions architect do to reduce the operational burden?

- A. Use multifactor authentication (MFA) to protect the encryption keys.
- B. Use AWS Key Management Service (AWS KMS) to protect the encryption keys
- C. Use AWS Certificate Manager (ACM) to create, store, and assign the encryption keys
- D. Use an IAM policy to limit the scope of users who have access permissions to protect the encryption keys

**Answer: B**

**Explanation:**

<https://aws.amazon.com/kms/faqs/#:~:text=If%20you%20are%20a%20developer%20who%20needs%20to%20digitally,a%20broad%20set%20of%20industry%20and%20regional%20compliance%20regimes.>

**NEW QUESTION 144**

- (Topic 2)

A company is concerned about the security of its public web application due to recent web attacks. The application uses an Application Load Balancer (ALB). A solutions architect must reduce the risk of DDoS attacks against the application. What should the solutions architect do to meet this requirement?

- A. Add an Amazon Inspector agent to the ALB.
- B. Configure Amazon Macie to prevent attacks.
- C. Enable AWS Shield Advanced to prevent attacks.
- D. Configure Amazon GuardDuty to monitor the ALB.

**Answer: C**

**Explanation:**

AWS Shield Advanced provides expanded DDoS attack protection for your Amazon EC2 instances, Elastic Load Balancing load balancers, CloudFront distributions, Route 53 hosted zones, and AWS Global Accelerator standard accelerators. <https://docs.aws.amazon.com/waf/latest/developerguide/what-is-aws-waf.html>

**NEW QUESTION 149**

- (Topic 2)

A company wants to measure the effectiveness of its recent marketing campaigns. The company performs batch processing on csv files of sales data and stores the results in an Amazon S3 bucket once every hour. The S3 bi petabytes of objects. The company runs one-time queries in Amazon Athena to determine which products are most popular on a particular date for a particular region Queries sometimes fail or take longer than expected to finish. Which actions should a solutions architect take to improve the query performance and reliability? (Select TWO.)

- A. Reduce the S3 object sizes to less than 126 MB
- B. Partition the data by date and region n Amazon S3
- C. Store the files as large, single objects in Amazon S3.
- D. Use Amazon Kinesis Data Analytics to run the Queries as pan of the batch processing operation
- E. Use an AWS duo extract, transform, and load (ETL) process to convert the csv files into Apache Parquet format.

**Answer: BE**

**Explanation:**

<https://aws.amazon.com/blogs/big-data/top-10-performance-tuning-tips-for-amazon-athena/>

This solution meets the requirements of measuring the effectiveness of marketing campaigns by performing batch processing on csv files of sales data and storing

the results in an Amazon S3 bucket once every hour. An AWS duo ETL process can use services such as AWS Glue or AWS Data Pipeline to extract data from S3, transform it into a more efficient format such as Apache Parquet, and load it back into S3. Apache Parquet is a columnar storage format that can improve the query performance and reliability of Athena by reducing the amount of data scanned, improving compression ratio, and enabling predicate pushdown.

#### NEW QUESTION 152

- (Topic 2)

A company has an ecommerce checkout workflow that writes an order to a database and calls a service to process the payment. Users are experiencing timeouts during the checkout process. When users resubmit the checkout form, multiple unique orders are created for the same desired transaction. How should a solutions architect refactor this workflow to prevent the creation of multiple orders?

- A. Configure the web application to send an order message to Amazon Kinesis Data Firehose
- B. Set the payment service to retrieve the message from Kinesis Data Firehose and process the order.
- C. Create a rule in AWS CloudTrail to invoke an AWS Lambda function based on the logged application path request Use Lambda to query the database, call the payment service, and pass in the order information.
- D. Store the order in the databas
- E. Send a message that includes the order number to Amazon Simple Notification Service (Amazon SNS). Set the payment service to pollAmazon SN
- F. retrieve the message, and process the order.
- G. Store the order in the databas
- H. Send a message that includes the order number to an Amazon Simple Queue Service (Amazon SQS) FIFO queu
- I. Set the payment service to retrieve the message and process the orde
- J. Delete the message from the queue.

**Answer:** D

#### Explanation:

This approach ensures that the order creation and payment processing steps are separate and atomic. By sending the order information to an SQS FIFO queue, the payment service can process the order one at a time and in the order they were received. If the payment service is unable to process an order, it can be retried later, preventing the creation of multiple orders. The deletion of the message from the queue after it is processed will prevent the same message from being processed multiple times.

#### NEW QUESTION 154

- (Topic 2)

A company is planning to build a high performance computing (HPC) workload as a service solution that is hosted on AWS. A group of 16 AmazonEC2Linux Instances requires the lowest possible latency for node-to-node communication. The instances also need a shared block device volume for high-performing storage.

Which solution will meet these requirements?

- A. Use a duster placement grou
- B. Attach a single Provisioned IOPS SSD Amazon Elastic Block Store (Amazon EBS) volume to all the instances by using Amazon EBS Multi-Attach
- C. Use a cluster placement grou
- D. Create shared file systems across the instances by using Amazon Elastic File System (Amazon EFS)
- E. Use a partition placement grou
- F. Create shared tile systems across the instances by using Amazon Elastic File System (Amazon EFS).
- G. Use a spread placement grou
- H. Attach a single Provisioned IOPS SSD Amazon Elastic Block Store (Amazon EBS) volume to all the instances by using Amazon EBS Multi-Attach

**Answer:** A

#### Explanation:

- 1. lowest possible latency + node to node ==> cluster placement(must be within one AZ), so C, D out
  - \* 2. For EBS Multi-Attach, up to 16 instances can be attached to a single volume==>we have 16 linux instance==>more close to A
  - \* 3. "need a shared block device volume"==>EBS Multi-attach is Block Storage whereas EFS is File Storage==> B out
  - \* 4. EFS automatically replicates data within and across 3 AZ==>we use cluster placement
- so all EC2 are within one AZ.
- \* 5. EBS Multi-attach volumes can be used for clients within a single AZ. <https://repost.aws/questions/QUK2RANw1QTKCwpDUwCCI72A/efs-vs-ebs-mult-attach>

#### NEW QUESTION 158

- (Topic 2)

A media company is evaluating the possibility of moving rts systems to the AWS Cloud. The company needs at least 10 TB of storage with the maximum possible I/O performance for video processing, 300 TB of very durable storage for storing media content, and 900 TB of storage to meet requirements for archival media that is not in use anymore.

Which set of services should a solutions architect recommend to meet these requirements?

- A. Amazon EBS for maximum performance, Amazon S3 for durable data storage, and Amazon S3 Glacier for archival storage
- B. Amazon EBS for maximum performance, Amazon EFS for durable data storage and Amazon S3 Glacier for archival storage
- C. Amazon EC2 instance store for maximum performanc
- D. Amazon EFS for durable data storage and Amazon S3 for archival storage
- E. Amazon EC2 Instance store for maximum performanc
- F. Amazon S3 for durable data storage, and Amazon S3 Glacier for archival storage

**Answer:** A

#### Explanation:

<https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/InstanceStorage.html>

#### NEW QUESTION 160

- (Topic 2)

A solutions architect is creating a new Amazon CloudFront distribution for an application. Some of the information submitted by users is sensitive. The application uses HTTPS but needs another layer of security. The sensitive information should be protected throughout the entire application stack, and access to the

information should be restricted to certain applications.  
 Which action should the solutions architect take?

- A. Configure a CloudFront signed URL.
- B. Configure a CloudFront signed cookie.
- C. Configure a CloudFront field-level encryption profile.
- D. Configure CloudFront and set the Origin Protocol Policy setting to HTTPS Only for the Viewer Protocol Policy.

**Answer: C**

**Explanation:**

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/field-level-encryption.html>  
 "With Amazon CloudFront, you can enforce secure end-to-end connections to origin servers by using HTTPS. Field-level encryption adds an additional layer of security that lets you protect specific data throughout system processing so that only certain applications can see it."

**NEW QUESTION 163**

- (Topic 2)

An entertainment company is using Amazon DynamoDB to store media metadata. The application is read intensive and experiencing delays. The company does not have staff to handle additional operational overhead and needs to improve the performance efficiency of DynamoDB without reconfiguring the application. What should a solutions architect recommend to meet this requirement?

- A. Use Amazon ElastiCache for Redis.
- B. Use Amazon DynamoDB Accelerator (DAX).
- C. Replicate data by using DynamoDB global tables.
- D. Use Amazon ElastiCache for Memcached with Auto Discovery enabled.

**Answer: B**

**Explanation:**

<https://aws.amazon.com/dynamodb/dax/>

**NEW QUESTION 166**

- (Topic 2)

A corporation has recruited a new cloud engineer who should not have access to the CompanyConfidential Amazon S3 bucket. The cloud engineer must have read and write permissions on an S3 bucket named AdminTools. Which IAM policy will satisfy these criteria?

```

{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "s3:ListBucket",
      "Resource": "arn:aws:s3:::AdminTools"
    },
    {
      "Effect": "Allow",
      "Action": [ "s3:GetObject", "s3:PutObject" ],
      "Resource": "arn:aws:s3:::AdminTools/*"
    },
    {
      "Effect": "Deny",
      "Action": "s3:*",
      "Resource": [
        "arn:aws:s3:::CompanyConfidential/*",
        "arn:aws:s3:::CompanyConfidential"
      ]
    }
  ]
}
    
```

B.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "s3:ListBucket",
      "Resource": [
        "arn:aws:s3:::AdminTools",
        "arn:aws:s3:::CompanyConfidential/*"
      ]
    },
    {
      "Effect": "Allow",
      "Action": [ "s3:GetObject", "s3:PutObject", "s3:DeleteObject" ],
      "Resource": "arn:aws:s3:::AdminTools/*"
    },
    {
      "Effect": "Deny",
      "Action": "s3:*",
      "Resource": "arn:aws:s3:::CompanyConfidential"
    }
  ]
}
```

C.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": [ "s3:GetObject", "s3:PutObject" ],
      "Resource": "arn:aws:s3:::AdminTools/*"
    },
    {
      "Effect": "Deny",
      "Action": "s3:*",
      "Resource": [
        "arn:aws:s3:::CompanyConfidential/*",
        "arn:aws:s3:::CompanyConfidential"
      ]
    }
  ]
}
```

D.

```

{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "s3:ListBucket",
      "Resource": "arn:aws:s3:::AdminTools/*"
    },
    {
      "Effect": "Allow",
      "Action": [ "s3:GetObject", "s3:PutObject", "s3:DeleteObject" ],
      "Resource": "arn:aws:s3:::AdminTools/"
    },
    {
      "Effect": "Deny",
      "Action": "s3:*",
      "Resource": [
        "arn:aws:s3:::CompanyConfidential",
        "arn:aws:s3:::CompanyConfidential/*",
        "arn:aws:s3:::AdminTools/*"
      ]
    }
  ]
}

```

A.

**Answer:** A

**Explanation:**

[https://docs.amazonaws.cn/en\\_us/IAM/latest/UserGuide/reference\\_policies\\_examples\\_s3\\_rw-bucket.html](https://docs.amazonaws.cn/en_us/IAM/latest/UserGuide/reference_policies_examples_s3_rw-bucket.html)

The policy is separated into two parts because the ListBucket action requires permissions on the bucket while the other actions require permissions on the objects in the bucket. You must use two different Amazon Resource Names (ARNs) to specify bucket-level and object-level permissions. The first Resource element specifies arn:aws:s3:::AdminTools for the ListBucket action so that applications can list all objects in the AdminTools bucket.

**NEW QUESTION 168**

- (Topic 2)

A company has an event-driven application that invokes AWS Lambda functions up to 800 times each minute with varying runtimes. The Lambda functions access data that is stored in an Amazon Aurora MySQL OB cluster. The company is noticing connection timeouts as user activity increases. The database shows no signs of being overloaded. CPU, memory, and disk access metrics are all low.

Which solution will resolve this issue with the LEAST operational overhead?

- A. Adjust the size of the Aurora MySQL nodes to handle more connection
- B. Configure retry logic in the Lambda functions for attempts to connect to the database
- C. Set up Amazon ElastiCache for Redis to cache commonly read items from the database
- D. Configure the Lambda functions to connect to ElastiCache for reads.
- E. Add an Aurora Replica as a reader node
- F. Configure the Lambda functions to connect to the reader endpoint of the OB cluster rather than to the writer endpoint.
- G. Use Amazon ROS Proxy to create a proxy
- H. Set the DB cluster as the target database. Configure the Lambda functions to connect to the proxy rather than to the DB cluster.

**Answer:** D

**Explanation:**

1. database shows no signs of being overloaded. CPU, memory, and disk access metrics are all low ==> A and C out. We cannot only add nodes instance or add read replica, because database workload is totally fine, very low. 2. "least operational overhead" ==> B out, because B need to configure lambda. 3. ROS proxy: Shares infrequently used connections; High availability with failover; Drives increased efficiency ==> proxy can leverage failover to redirect traffic from timeout rds instance to healthy rds instance. So D is right.

**NEW QUESTION 169**

- (Topic 2)

A company has a highly dynamic batch processing job that uses many Amazon EC2 instances to complete it. The job is stateless in nature, can be started and stopped at any given time with no negative impact, and typically takes upwards of 60 minutes total to complete. The company has asked a solutions architect to design a scalable and cost-effective solution that meets the requirements of the job.

What should the solutions architect recommend?

- A. Implement EC2 Spot Instances
- B. Purchase EC2 Reserved Instances
- C. Implement EC2 On-Demand Instances
- D. Implement the processing on AWS Lambda

**Answer:** A

**Explanation:**

EC2 Spot Instances allow users to bid on spare Amazon EC2 computing capacity and can be a cost-effective solution for stateless, interruptible workloads that can

be started and stopped at any time. Since the batch processing job is stateless, can be started and stopped at any time, and typically takes upwards of 60 minutes to complete, EC2 Spot Instances would be a good fit for this workload.

### NEW QUESTION 173

- (Topic 2)

A company runs an Oracle database on premises. As part of the company's migration to AWS, the company wants to upgrade the database to the most recent available version. The company also wants to set up disaster recovery (DR) for the database. The company needs to minimize the operational overhead for normal operations and DR setup. The company also needs to maintain access to the database's underlying operating system. Which solution will meet these requirements?

- A. Migrate the Oracle database to an Amazon EC2 instance
- B. Set up database replication to a different AWS Region.
- C. Migrate the Oracle database to Amazon RDS for Oracle
- D. Activate Cross-Region automated backups to replicate the snapshots to another AWS Region.
- E. Migrate the Oracle database to Amazon RDS Custom for Oracle
- F. Create a read replica for the database in another AWS Region.
- G. Migrate the Oracle database to Amazon RDS for Oracle
- H. Create a standby database in another Availability Zone.

**Answer:** C

#### Explanation:

<https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/rds-custom.html> and <https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/working-with-custom-oracle.html>

### NEW QUESTION 174

- (Topic 2)

A solutions architect must design a solution that uses Amazon CloudFront with an Amazon S3 origin to store a static website. The company's security policy requires that all website traffic be inspected by AWS WAF. How should the solutions architect comply with these requirements?

- A. Configure an S3 bucket policy to accept requests coming from the AWS WAF Amazon Resource Name (ARN) only.
- B. Configure Amazon CloudFront to forward all incoming requests to AWS WAF before requesting content from the S3 origin.
- C. Configure a security group that allows Amazon CloudFront IP addresses to access Amazon S3 only.
- D. Associate AWS WAF to CloudFront.
- E. Configure Amazon CloudFront and Amazon S3 to use an origin access identity (OAI) to restrict access to the S3 bucket.
- F. Enable AWS WAF on the distribution.

**Answer:** D

#### Explanation:

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/private-content-restricting-access-to-s3.html>  
<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/distribution-web-aws-waf.html>

### NEW QUESTION 176

- (Topic 2)

A company wants to run a gaming application on Amazon EC2 instances that are part of an Auto Scaling group in the AWS Cloud. The application will transmit data by using UDP packets. The company wants to ensure that the application can scale out and in as traffic increases and decreases. What should a solutions architect do to meet these requirements?

- A. Attach a Network Load Balancer to the Auto Scaling group
- B. Attach an Application Load Balancer to the Auto Scaling group.
- C. Deploy an Amazon Route 53 record set with a weighted policy to route traffic appropriately
- D. Deploy a NAT instance that is configured with port forwarding to the EC2 instances in the Auto Scaling group.

**Answer:** A

#### Explanation:

This solution meets the requirements of running a gaming application that transmits data by using UDP packets and scaling out and in as traffic increases and decreases. A Network Load Balancer can handle millions of requests per second while maintaining high throughput at ultra low latency, and it supports both TCP and UDP protocols. An Auto Scaling group can automatically adjust the number of EC2 instances based on the demand and the scaling policies.

Option B is incorrect because an Application Load Balancer does not support UDP protocol, only HTTP and HTTPS. Option C is incorrect because Amazon Route 53 is a DNS service that can route traffic based on different policies, but it does not provide load balancing or scaling capabilities. Option D is incorrect because a NAT instance is used to enable instances in a private subnet to connect to the internet or other AWS services, but it does not provide load balancing or scaling capabilities.

References:

- ? <https://aws.amazon.com/blogs/aws/new-udp-load-balancing-for-network-load-balancer/>
- ? <https://docs.aws.amazon.com/autoscaling/ec2/userguide/AutoScalingGroup.html>

### NEW QUESTION 177

- (Topic 2)

A company has two applications: a sender application that sends messages with payloads to be processed and a processing application intended to receive the messages with payloads. The company wants to implement an AWS service to handle messages between the two applications. The sender application can send about 1,000 messages each hour. The messages may take up to 2 days to be processed. If the messages fail to process, they must be retained so that they do not impact the processing of any remaining messages.

Which solution meets these requirements and is the MOST operationally efficient?

- A. Set up an Amazon EC2 instance running a Redis database
- B. Configure both applications to use the instance

- C. Store, process, and delete the messages, respectively.
- D. Use an Amazon Kinesis data stream to receive the messages from the sender applicatio
- E. Integrate the processing application with the Kinesis Client Library (KCL).
- F. Integrate the sender and processor applications with an Amazon Simple Queue Service(Amazon SQS) queu
- G. Configure a dead-letter queue to collect the messages that failed to process.
- H. Subscribe the processing application to an Amazon Simple Notification Service (Amazon SNS) topic to receive notifications to proces
- I. Integrate the sender application to write to the SNS topic.

**Answer:** C

**Explanation:**

<https://aws.amazon.com/blogs/compute/building-loosely-coupled-scalable-c-applications-with-amazon-sqs-and-amazon-sns/>  
<https://docs.aws.amazon.com/AWSSimpleQueueService/latest/SQSDeveloperGuide/sqs-dead-letter-queues.html>

**NEW QUESTION 182**

- (Topic 2)

A gaming company has a web application that displays scores. The application runs on Amazon EC2 instances behind an Application Load Balancer. The application stores data in an Amazon RDS for MySQL database. Users are starting to experience long delays and interruptions that are caused by database read performance. The company wants to improve the user experience while minimizing changes to the application's architecture. What should a solutions architect do to meet these requirements?

- A. Use Amazon ElastiCache in front of the database.
- B. Use RDS Proxy between the application and the database.
- C. Migrate the application from EC2 instances to AWS Lambda.
- D. Migrate the database from Amazon RDS for MySQL to Amazon DynamoDB.

**Answer:** A

**Explanation:**

ElastiCache can help speed up the read performance of the database by caching frequently accessed data, reducing latency and allowing the application to access the data more quickly. This solution requires minimal modifications to the current architecture, as ElastiCache can be used in conjunction with the existing Amazon RDS for MySQL database.

**NEW QUESTION 187**

- (Topic 2)

Organizers for a global event want to put daily reports online as static HTML pages. The pages are expected to generate millions of views from users around the world. The files are stored in an Amazon S3 bucket. A solutions architect has been asked to design an efficient and effective solution. Which action should the solutions architect take to accomplish this?

- A. Generate presigned URLs for the files.
- B. Use cross-Region replication to all Regions.
- C. Use the geoproximity feature of Amazon Route 53.
- D. Use Amazon CloudFront with the S3 bucket as its origin.

**Answer:** D

**Explanation:**

Amazon CloudFront is a content delivery network (CDN) that speeds up the delivery of static and dynamic web content, such as HTML pages, images, and videos. By using CloudFront, the HTML pages will be served to users from the edge location that is closest to them, resulting in faster delivery and a better user experience. CloudFront can also handle the high traffic and large number of requests expected for the global event, ensuring that the HTML pages are available and accessible to users around the world.

**NEW QUESTION 190**

- (Topic 2)

A company needs to retain application logs files for a critical application for 10 years. The application team regularly accesses logs from the past month for troubleshooting, but logs older than 1 month are rarely accessed. The application generates more than 10 TB of logs per month. Which storage option meets these requirements MOST cost-effectively?

- A. Store the logs in Amazon S3 Use AWS Backup to move logs more than 1 month old to S3 Glacier Deep Archive
- B. Store the logs in Amazon S3 Use S3 Lifecycle policies to move logs more than 1 month old to S3 Glacier Deep Archive
- C. Store the logs in Amazon CloudWatch Logs Use AWS Backup to move logs more than 1 month old to S3 Glacier Deep Archive
- D. Store the logs in Amazon CloudWatch Logs Use Amazon S3 Lifecycle policies to move logs more than 1 month old to S3 Glacier Deep Archive

**Answer:** B

**Explanation:**

You need S3 to be able to archive the logs after one month. Cannot do that with CloudWatch Logs.

**NEW QUESTION 195**

- (Topic 2)

A solutions architect needs to implement a solution to reduce a company's storage costs. All the company's data is in the Amazon S3 Standard storage class. The company must keep all data for at least 25 years. Data from the most recent 2 years must be highly available and immediately retrievable. Which solution will meet these requirements?

- A. Set up an S3 Lifecycle policy to transition objects to S3 Glacier Deep Archive immediately.
- B. Set up an S3 Lifecycle policy to transition objects to S3 Glacier Deep Archive after 2 years.
- C. Use S3 Intelligent-Tiering
- D. Activate the archiving option to ensure that data is archived in S3 Glacier Deep Archive.
- E. Set up an S3 Lifecycle policy to transition objects to S3 One Zone-Infrequent Access (S3 One Zone-IA) immediately and to S3 Glacier Deep Archive after 2

years.

**Answer:** B

**Explanation:**

[https://aws.amazon.com/about-aws/whats-new/2018/04/announcing-s3-one-zone-infrequent-access-a-new-amazon-s3-storage-class/?nc1=h\\_ls](https://aws.amazon.com/about-aws/whats-new/2018/04/announcing-s3-one-zone-infrequent-access-a-new-amazon-s3-storage-class/?nc1=h_ls)

#### NEW QUESTION 199

- (Topic 2)

A company runs a global web application on Amazon EC2 instances behind an Application Load Balancer. The application stores data in Amazon Aurora. The company needs to create a disaster recovery solution and can tolerate up to 30 minutes of downtime and potential data loss. The solution does not need to handle the load when the primary infrastructure is healthy.

What should a solutions architect do to meet these requirements?

- A. Deploy the application with the required infrastructure elements in place. Use Amazon Route 53 to configure active-passive failover. Create an Aurora Replica in a second AWS Region.
- B. Host a scaled-down deployment of the application in a second AWS Region. Use Amazon Route 53 to configure active-active failover. Create an Aurora Replica in the second Region.
- C. Replicate the primary infrastructure in a second AWS Region. Use Amazon Route 53 to configure active-active failover. Create an Aurora database that is restored from the latest snapshot.
- D. Back up data with AWS Backup. Use the backup to create the required infrastructure in a second AWS Region. Use Amazon Route 53 to configure active-passive failover. Create an Aurora second primary instance in the second Region.

**Answer:** A

**Explanation:**

<https://docs.aws.amazon.com/Route53/latest/DeveloperGuide/dns-failover-types.html>

#### NEW QUESTION 200

- (Topic 2)

A company wants to run applications in containers in the AWS Cloud. These applications are stateless and can tolerate disruptions within the underlying infrastructure. The company needs a solution that minimizes cost and operational overhead.

What should a solutions architect do to meet these requirements?

- A. Use Spot Instances in an Amazon EC2 Auto Scaling group to run the application containers.
- B. Use Spot Instances in an Amazon Elastic Kubernetes Service (Amazon EKS) managed node group.
- C. Use On-Demand Instances in an Amazon EC2 Auto Scaling group to run the application containers.
- D. Use On-Demand Instances in an Amazon Elastic Kubernetes Service (Amazon EKS) managed node group.

**Answer:** A

**Explanation:**

<https://aws.amazon.com/cn/blogs/compute/cost-optimization-and-resilience-eks-with-spot-instances/>

#### NEW QUESTION 203

- (Topic 2)

A company recently started using Amazon Aurora as the data store for its global e-commerce application. When large reports are run, developers report that the e-commerce application is performing poorly. After reviewing metrics in Amazon CloudWatch, a solutions architect finds that the ReadIOPS and CPU Utilization metrics are spiking when monthly reports run.

What is the MOST cost-effective solution?

- A. Migrate the monthly reporting to Amazon Redshift.
- B. Migrate the monthly reporting to an Aurora Replica.
- C. Migrate the Aurora database to a larger instance class.
- D. Increase the Provisioned IOPS on the Aurora instance.

**Answer:** B

**Explanation:**

<https://docs.aws.amazon.com/AmazonRDS/latest/AuroraUserGuide/Aurora.Replication.htm>

#Aurora.Replication.Replicas Aurora Replicas have two main purposes. You can issue queries to them to scale the read operations for your application. You typically do so by connecting to the reader endpoint of the cluster. That way, Aurora can spread the load for read-only connections across as many Aurora Replicas as you have in the cluster. Aurora Replicas also help to increase availability. If the writer instance in a cluster becomes unavailable, Aurora automatically promotes one of the reader instances to take its place as the new writer. <https://docs.aws.amazon.com/AmazonRDS/latest/AuroraUserGuide/Aurora.Overview.html>

#### NEW QUESTION 207

- (Topic 2)

A company is running several business applications in three separate VPCs within the us-east-1 Region. The applications must be able to communicate between VPCs. The applications also must be able to consistently send hundreds of gigabytes of data each day to a latency-sensitive application that runs in a single on-premises data center.

A solutions architect needs to design a network connectivity solution that maximizes cost-effectiveness.

Which solution meets those requirements?

- A. Configure three AWS Site-to-Site VPN connections from the data center to AWS. Establish connectivity by configuring one VPN connection for each VPC.
- B. Launch a third-party virtual network appliance in each VPC. Establish an IPsec VPN tunnel between the Data center and each virtual appliance.
- C. Set up three AWS Direct Connect connections from the data center to a Direct Connect gateway in us-east-1. Establish connectivity by configuring each VPC to use one of the Direct Connect connections.
- D. Set up one AWS Direct Connect connection from the data center to AWS.
- E. Create a transit gateway, and attach each VPC to the transit gateway.

F. Establish connectivity between the Direct Connect connection and the transit gateway.

**Answer:** D

**Explanation:**

<https://docs.aws.amazon.com/whitepapers/latest/aws-vpc-connectivity-options/aws-direct-connect-aws-transit-gateway.html>

**NEW QUESTION 209**

- (Topic 3)

A company is migrating an old application to AWS. The application runs a batch job every hour and is CPU intensive. The batch job takes 15 minutes on average with an on-premises server. The server has 64 virtual CPU (vCPU) and 512 GiB of memory. Which solution will run the batch job within 15 minutes with the LEAST operational overhead?

- A. Use AWS Lambda with functional scaling
- B. Use Amazon Elastic Container Service (Amazon ECS) with AWS Fargate
- C. Use Amazon Lightsail with AWS Auto Scaling
- D. Use AWS Batch on Amazon EC2

**Answer:** D

**Explanation:**

Use AWS Batch on Amazon EC2. AWS Batch is a fully managed batch processing service that can be used to easily run batch jobs on Amazon EC2 instances. It can scale the number of instances to match the workload, allowing the batch job to be completed in the desired time frame with minimal operational overhead. Using AWS Lambda with Amazon API Gateway - AWS Lambda <https://docs.aws.amazon.com/lambda/latest/dg/services-apigateway.html>  
AWS Lambda FAQs <https://aws.amazon.com/lambda/faqs/>

**NEW QUESTION 211**

- (Topic 3)

A media company hosts its website on AWS. The website application's architecture includes a fleet of Amazon EC2 instances behind an Application Load Balancer (ALB) and a database that is hosted on Amazon Aurora. The company's cyber security team reports that the application is vulnerable to SQL injection. How should the company resolve this issue?

- A. Use AWS WAF in front of the ALB. Associate the appropriate web ACLs with AWS WAF.
- B. Create an ALB listener rule to reply to SQL injection with a fixed response.
- C. Subscribe to AWS Shield Advanced to block all SQL injection attempts automatically.
- D. Set up Amazon Inspector to block all SQL injection attempts automatically.

**Answer:** A

**Explanation:**

<https://aws.amazon.com/premiumsupport/knowledge-center/waf-block-common-attacks/#:~:text=To%20protect%20your%20applications%20against,%2C%20query%20string%2C%20or%20URI.> -----

----- Protect against SQL injection and cross-site scripting To protect your applications against SQL injection and cross-site scripting (XSS) attacks, use the built-in SQL injection and cross-site scripting engines. Remember that attacks can be performed on different parts of the HTTP request, such as the HTTP header, query string, or URI. Configure the AWS WAF rules to inspect different parts of the HTTP request against the built-in mitigation engines.

**NEW QUESTION 212**

- (Topic 3)

A company is running a multi-tier e-commerce web application in the AWS Cloud. The application runs on Amazon EC2 instances with an Amazon RDS for MySQL Multi-AZ DB instance. Amazon RDS is configured with the latest generation DB instance with 2,000 GB of storage in a General Purpose SSD (gp3) Amazon Elastic Block Store (Amazon EBS) volume. The database performance affects the application during periods of high demand.

A database administrator analyzes the logs in Amazon CloudWatch Logs and discovers that the application performance always degrades when the number of read and write IOPS is higher than 20,000.

What should a solutions architect do to improve the application performance?

- A. Replace the volume with a magnetic volume.
- B. Increase the number of IOPS on the gp3 volume.
- C. Replace the volume with a Provisioned IOPS SSD (io2) volume.
- D. Replace the 2,000 GB gp3 volume with two 1,000 GB gp3 volumes.

**Answer:** C

**Explanation:**

<https://aws.amazon.com/ebs/features/> Amazon EBS provides a range of options that allow you to optimize storage performance and cost for your workload. These options are divided into two major categories: SSD-backed storage for transactional workloads, such as databases and boot volumes (performance depends primarily on IOPS), and HDD-backed storage for throughput intensive workloads, such as MapReduce and log processing (performance depends primarily on MB/s).

**NEW QUESTION 217**

- (Topic 3)

A company will deploy a web application on AWS. The company hosts the backend database on Amazon RDS for MySQL with a primary DB instance and five read replicas to support scaling needs. The read replicas must lag no more than 1 second behind the primary DB instance. The database routinely runs scheduled stored procedures.

As traffic on the website increases, the replicas experience additional lag during periods of peak load. A solutions architect must reduce the replication lag as much as possible. The solutions architect must minimize changes to the application code and must minimize ongoing overhead.

Which solution will meet these requirements?

Migrate the database to Amazon Aurora MySQL. Replace the read replicas with Aurora Replicas, and configure Aurora Auto Scaling. Replace the stored procedures with Aurora

MySQL native functions.

Deploy an Amazon ElastiCache for Redis cluster in front of the database. Modify the application to check the cache before the application queries the database. Replace the stored procedures with AWS Lambda functions.

- A. Migrate the database to a MySQL database that runs on Amazon EC2 instance
- B. Choose large, compute optimized for all replica node
- C. Maintain the stored procedures on the EC2 instances.
- D. Deploy an Amazon ElastiCache for Redis cluster in front of the database
- E. Modify the application to check the cache before the application queries the database
- F. Replace the stored procedures with AWS Lambda functions.
- G. Migrate the database to a MySQL database that runs on Amazon EC2 instance
- H. Choose large, compute optimized EC2 instances for all replica nodes, Maintain the stored procedures on the EC2 instances.
- I. Migrate the database to Amazon DynamoDB, Provision number of read capacity units (RCUs) to support the required throughput, and configure on-demand capacity scaling
- J. Replace the stored procedures with DynamoDB streams.

**Answer:** A

**Explanation:**

Option A is the most appropriate solution for reducing replication lag without significant changes to the application code and minimizing ongoing operational overhead. Migrating the database to Amazon Aurora MySQL allows for improved replication performance and higher scalability compared to Amazon RDS for MySQL. Aurora Replicas provide faster replication, reducing the replication lag, and Aurora Auto Scaling ensures that there are enough Aurora Replicas to handle the incoming traffic. Additionally, Aurora MySQL native functions can replace the stored procedures, reducing the load on the database and improving performance.

**NEW QUESTION 219**

- (Topic 3)

A company wants to use high performance computing (HPC) infrastructure on AWS for financial risk modeling. The company's HPC workloads run on Linux. Each HPC workflow runs on hundreds of Amazon EC2 Spot Instances, is short-lived, and generates thousands of output files that are ultimately stored in persistent storage for analytics and long-term future use.

The company seeks a cloud storage solution that permits the copying of on-premises data to long-term persistent storage to make data available for processing by all EC2 instances. The solution should also be a high performance file system that is integrated with persistent storage to read and write datasets and output files. Which combination of AWS services meets these requirements?

- A. Amazon FSx for Lustre integrated with Amazon S3
- B. Amazon FSx for Windows File Server integrated with Amazon S3
- C. Amazon S3 Glacier integrated with Amazon Elastic Block Store (Amazon EBS)
- D. Amazon S3 bucket with a VPC endpoint integrated with an Amazon Elastic Block Store (Amazon EBS) General Purpose SSD (gp2) volume

**Answer:** A

**Explanation:**

<https://aws.amazon.com/fsx/lustre/>

Amazon FSx for Lustre is a fully managed service that provides cost-effective, high-performance, scalable storage for compute workloads. Many workloads such as machine learning, high performance computing (HPC), video rendering, and financial simulations depend on compute instances accessing the same set of data through high-performance shared storage.

**NEW QUESTION 224**

- (Topic 3)

A company wants to run an in-memory database for a latency-sensitive application that runs on Amazon EC2 instances. The application processes more than 100,000 transactions each minute and requires high network throughput. A solutions architect needs to provide a cost-effective network design that minimizes data transfer charges.

Which solution meets these requirements?

- A. Launch all EC2 instances in the same Availability Zone within the same AWS Region
- B. Specify a placement group with cluster strategy when launching EC2 instances.
- C. Launch all EC2 instances in different Availability Zones within the same AWS Region
- D. Specify a placement group with partition strategy when launching EC2 instances.
- E. Deploy an Auto Scaling group to launch EC2 instances in different Availability Zones based on a network utilization target.
- F. Deploy an Auto Scaling group with a step scaling policy to launch EC2 instances in different Availability Zones.

**Answer:** A

**Explanation:**

- Launching instances within a single AZ and using a cluster placement group provides the lowest network latency and highest bandwidth between instances. This maximizes performance for an in-memory database and high-throughput application.
- Communications between instances in the same AZ and placement group are free, minimizing data transfer charges. Inter-AZ and public IP traffic can incur charges.
- A cluster placement group enables the instances to be placed close together within the AZ, allowing the high network throughput required. Partition groups span AZs, reducing bandwidth.
- Auto Scaling across zones could launch instances in AZs that increase data transfer charges. It may reduce network throughput, impacting performance.

**NEW QUESTION 225**

- (Topic 3)

An Amazon EC2 instance is located in a private subnet in a new VPC. This subnet does not have outbound internet access, but the EC2 instance needs the ability to download monthly security updates from an outside vendor.

What should a solutions architect do to meet these requirements?

- A. Create an internet gateway, and attach it to the VPC
- B. Configure the private subnet route table to use the internet gateway as the default route.

- C. Create a NAT gateway, and place it in a public subne
- D. Configure the private subnet route table to use the NAT gateway as the default route.
- E. Create a NAT instance, and place it in the same subnet where the EC2 instance is locate
- F. Configure the private subnet route table to use the NAT instance as the default route.
- G. Create an internet gateway, and attach it to the VP
- H. Create a NAT instance, and place it in the same subnet where the EC2 instance is locate
- I. Configure the private subnet route table to use the internet gateway as the default route.

**Answer: B**

**Explanation:**

This approach will allow the EC2 instance to access the internet and download the monthly security updates while still being located in a private subnet. By creating a NAT gateway and placing it in a public subnet, it will allow the instances in the private subnet to access the internet through the NAT gateway. And then, configure the private subnet route table to use the NAT gateway as the default route. This will ensure that all outbound traffic is directed through the NAT gateway, allowing the EC2 instance to access the internet while still maintaining the security of the private subnet.

**NEW QUESTION 230**

- (Topic 3)

A company has a multi-tier application deployed on several Amazon EC2 instances in an Auto Scaling group. An Amazon RDS for Oracle instance is the application's data layer that uses Oracle-specific

PL/SQL functions. Traffic to the application has been steadily increasing. This is causing the EC2 instances to become overloaded and the RDS instance to run out of storage. The Auto Scaling group does not have any scaling metrics and defines the minimum healthy instance count only. The company predicts that traffic will continue to increase at a steady but unpredictable rate before levelling off.

What should a solutions architect do to ensure the system can automatically scale for the increased traffic? (Select TWO.)

- A. Configure storage Auto Scaling on the RDS for Oracle Instance.
- B. Migrate the database to Amazon Aurora to use Auto Scaling storage.
- C. Configure an alarm on the RDS for Oracle Instance for low free storage space
- D. Configure the Auto Scaling group to use the average CPU as the scaling metric
- E. Configure the Auto Scaling group to use the average free memory as the seeing metric

**Answer: AD**

**Explanation:**

Auto scaling storage RDS will ease storage issues and migrating Oracle PI/Sql to Aurora is cumbersome. Also Aurora has auto storage scaling by default.

[https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/USER\\_PIOPS.StorageTypes.html#USER\\_PIOPS.Autoscaling](https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/USER_PIOPS.StorageTypes.html#USER_PIOPS.Autoscaling)

**NEW QUESTION 234**

- (Topic 3)

A company has an application that runs on several Amazon EC2 instances Each EC2 instance has multiple Amazon Elastic Block Store (Amazon EBS) data volumes attached to it The application's EC2 instance configuration and data need to be backed up nightly The application also needs to be recoverable in a different AWS Region

Which solution will meet these requirements in the MOST operationally efficient way?

- A. Write an AWS Lambda function that schedules nightly snapshots of the application's EBS volumes and copies the snapshots to a different Region
- B. Create a backup plan by using AWS Backup to perform nightly backup
- C. Copy the backups to another Region Add the application's EC2 instances as resources
- D. Create a backup plan by using AWS Backup to perform nightly backups Copy the backups to another Region Add the application's EBS volumes as resources
- E. Write an AWS Lambda function that schedules nightly snapshots of the application's EBS volumes and copies the snapshots to a different Availability Zone

**Answer: B**

**Explanation:**

The most operationally efficient solution to meet these requirements would be to create a backup plan by using AWS Backup to perform nightly backups and copying the backups to another Region. Adding the application's EBS volumes as resources will ensure that the application's EC2 instance configuration and data are backed up, and copying the backups to another Region will ensure that the application is recoverable in a different AWS Region.

**NEW QUESTION 237**

.....

## **Thank You for Trying Our Product**

### **We offer two products:**

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### **SAA-C03 Practice Exam Features:**

- \* SAA-C03 Questions and Answers Updated Frequently
- \* SAA-C03 Practice Questions Verified by Expert Senior Certified Staff
- \* SAA-C03 Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* SAA-C03 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The SAA-C03 Practice Test Here](#)**