

Microsoft

Exam Questions MS-203

Microsoft 365 Messaging



NEW QUESTION 1

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online subscription that uses a namespace of litwareinc.com. You create a connector in Exchange Online that is configured as shown in the following exhibit.

Name	: Contoso
Enabled	: True
UseMXRecord	: True
ConnectorType	: Partner
RecipientDomains	: {Contoso.com}
SmartHosts	: {}
TlsDomain	: Contoso.com
TlsSettings	: DomainValidation
IsTransportRuleScoped	: False
RouteAllMessagesViaOnPremises	: False
CloudServiceMailEnabled	: False
AllAcceptedDomains	: False

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

If an email message is sent to info@contoso.com, the message [answer choice].

▼

will always be delivered by using TLS
 will never be delivered by using TLS
 will sometimes be delivered by using TLS

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

▼

the message will be delivered unencrypted
 the messages will not be delivered
 the message will be delivered by using TLS

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

If an email message is sent to info@contoso.com, the message [answer choice].

▼

will always be delivered by using TLS
 will never be delivered by using TLS
 will sometimes be delivered by using TLS

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

▼

the message will be delivered unencrypted
 the messages will not be delivered
 the message will be delivered by using TLS

NEW QUESTION 2

- (Topic 5)

You have a Microsoft 365 tenant that contains a user named User1.

User1 reports that she cannot configure a mail profile in Microsoft Outlook for Windows. User1 receives the following error message: "Encrypted connection to your mail server is not available."

You verify that User1 is assigned a Microsoft Office 365 Enterprise F3 license and can send email messages from her account by using Outlook on the web. You need to ensure that User1 can connect to Outlook successfully. What should you do?

- A. Run the Microsoft Support and Recovery Assistant for Office 365.
- B. Activate the installation of Office 365 ProPlus.
- C. Modify the license assigned to User1.
- D. Install a new certificate on the computer of User1.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/troubleshoot/outlook-issues/encrypted-connection-unavailable>

NEW QUESTION 3

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named @contoso.com.

You recently configured Microsoft 365 to use a new email domain named @fabrikam.com instead of @contoso.com

Users report that when they send email messages to external recipients, the messages are often erroneously identified as SPAM.

You verify that all the users can receive email successfully from other companies.

You need to reduce the likelihood that the email will be identified as SPAM by the external recipients.

What should you modify?

- A. a text (TXT) record
- B. a mail flow rule
- C. a remote domain
- D. a safe attachments policy
- E. a mail exchanger (MX) record

Answer: B

NEW QUESTION 4

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You need to import an Edge Subscription on a Mailbox server. Which cmdlet should you run?

- A. New-EdgeSubscription
- B. Start-EdgeSynchronization
- C. Set-EdgeSubscription
- D. Set-TransportAgent

Answer: A

NEW QUESTION 5

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You modify the properties of the sales@contoso.com group.

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix-error-code-550-5-7-1-in-exchange-online>

NEW QUESTION 6

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You modify the Global Settings Safe Links policy.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-global-settings-for-safe-links?view=o365-worldwide>

NEW QUESTION 7

- (Topic 5)

Your company has a partnership with another company named contoso.com.

You need to ensure that all email messages containing the word sensitive and sent to the users at contoso.com are encrypted automatically. You enable Azure Information Protection.

What should you do next?

- A. Create a data loss prevention (DLP) policy.
- B. Create a mail flow rule.
- C. Configure a remote domain.
- D. Configure an Outbound connector.

Answer: B

Explanation:

Reference:

<https://thevaliantway.com/2019/01/encrypting-email-office-365-azure-information- protection/>

NEW QUESTION 8

SIMULATION - (Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the email messages in mailboxes and the documents in Microsoft OneDrive folders of all the users in your organization are retained for only five years.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? From the Microsoft 365 compliance center, select Policies > Retention.

? Select New retention policy to start the Create retention policy configuration, and name your new retention policy.

? For the Choose the type of retention policy to create page, select Static. Adaptive policies don't support the locations for Exchange public folders or Skype for Business.

? Depending on your selected scope:

- On the Choose locations page, toggle on or off any of the locations except the locations for Teams and Yammer. For each location, you can leave it at the default to apply the policy to the entire location.

? Information specific to locations:

- Exchange email and Exchange public folders

- SharePoint sites and OneDrive accounts
- Microsoft 365 Groups
- Skype for Business

? For Decide if you want to retain content, delete it, or both page, specify the configuration options for retaining and deleting content.

You can create a retention policy that just retains content without deleting, retains and then deletes after a specified period of time, or just deletes content after a specified period of time.

? Complete the configuration and save your settings.

NEW QUESTION 9

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You plan to implement a hybrid deployment between Exchange Online and Exchange Server.

You need to install the Exchange Online Hybrid Agent. The solution must use the principle of least privilege.

To which roles should you be assigned to perform the installation? To answer, drag the appropriate roles to the correct products. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer Area

Global Admin	
Exchange Administrator	
Service Administrator	
Organization Management	
Server Management	

Microsoft Office 365	
Exchange Server 2019	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Global Admin	
Exchange Administrator	
Service Administrator	
Organization Management	
Server Management	

Microsoft Office 365	Global Admin
Exchange Server 2019	Organization Management

NEW QUESTION 10

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization.

Users report that emails sent from Exchange Online mailboxes to the on-premises Exchange Server mailboxes are undelivered.

You need to review the non-delivery report (NDR) for each undelivered email. What should you use?

- A. message trace in the Exchange admin center
- B. auditing in the Exchange admin center
- C. the SMTP protocol logs in Exchange Server
- D. the transport logs in Exchange Server

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/message-trace-faq>

NEW QUESTION 10

- (Topic 5)

You have 1,000 user accounts that are each licensed for Microsoft 365. Each user account has a Microsoft Exchange Online mailbox.

Ten of the user accounts are configured as service accounts for applications. The applications send event notifications to the mailboxes of the service accounts by using SMTP. The developers of each application have delegated access to the mailbox of their respective application. The solution must minimize licensing costs. What should you do?

- A. Replace the service account mailboxes with a Microsoft 365 group
- B. Convert the service account mailboxes into mail-enabled contacts
- C. Replace the service account mailboxes with a single user mailbox
- D. Replace the service account mailboxes with a single user mailbox that contains a folder for each application.

Answer: B

NEW QUESTION 15

- (Topic 5)

You have a Microsoft Exchange Online tenant and the devices shown in the following table.

Name	Operating system	Microsoft Outlook version
Device1	Windows	Outlook 2019
Device2	MacOS	Outlook 2016 for Mac
Device3	iOS	Outlook for iOS
Device4	Windows	Outlook on the web

You plan to implement sensitivity labels for users to apply to email messages.

Which Microsoft Outlook versions will support sensitivity labels without requiring additional software?

- A. Outlook 2019 and Outlook on the web only
- B. Outlook on the web only
- C. Outlook 2019. Outlook 2016 for Ma
- D. Outlook for iO
- E. and Outlook on the web
- F. Outlook for iOS and Outlook on the web only
- G. Outlook 2019 only

Answer: D

NEW QUESTION 16

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to prevent users in your company from sending out-of-office replies to users who use an email address suffix of @contoso.com. The solution must NOT use mail flow rules.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? In the Exchange admin center, go to Mail flow > Remote domains.

? Click + Add a remote domain. The Name the domain screen appears.

? In the Name text box, enter a descriptive name for the domain.

? In the Remote Domain text box, enter the full domain name. Use the wildcard character (*) for all subdomains of a specified domain, for example, *.contoso.com.

? Click Next. The Email reply types screen appears.

? Define the following settings:

- In the Out of Office reply types section, specify which type of out-of-office replies should be sent to people at this domain.

- In the Automatic replies section, specify whether you want to allow automatic replies, automatic forwarding, or both.

? Click Next. The Message reporting screen appears.

? Specify whether you want to allow delivery reports and non-delivery reports by checking the respective check boxes.

? Click Next. The Text and character set screen appears.

? Define the following settings:

- In the Use Rich-text format pane, specify whether to follow each user's message settings, or whether to always or never preserve RTF formatting. Selecting Never means that RTF messages are sent as plain text or HTML.

- In the Supported Character Set pane, specify which character set to use (if the message doesn't specify the character set) by choosing from the MIME character set or on-MIME character set drop-down list.

? Click Next. The Review screen appears.

? Review the remote domain settings, and click Save.

NEW QUESTION 21

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement.

Solution: From the Exchange organization, you create a data loss prevention (DLP) policy. Does this meet the goal?

- A. Yes

B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-policies?view=o365-worldwide>

NEW QUESTION 22

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant that contains the users shown in the following table.

Name	Type	Assigned license
User1	Member	Microsoft 365 E3
User2	Member	Microsoft 365 E5
User3	Guest	None

You need to create audit retention policies to retain the mailbox activity of all the users. What is the maximum duration that you can set for each user? To answer, drag the appropriate duration values to the correct users. Each duration value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Durations

30 Days

90 Days

6 Months

1 Year

10 Years

Answer Area

User1:

User2:

User3:

A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Durations

30 Days

90 Days

6 Months

1 Year

10 Years

Answer Area

User1:

User2:

User3:

NEW QUESTION 24

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are migrated to Exchange Online.

You need to migrate the public folders from the on-premises organizations to Exchange Online.

Which three actions should you perform in sequence before you create the migration batch? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

From Exchange Online, create the target public folder mailboxes.

From Exchange Online, run the Set-organizationconfig -RemotePublicFolderMailboxes \$Null -PublicFoldersEnabled Local command

From Exchange on-premises, run the SetmailPublicFolderExternalAddress.ps1 script

From Exchange on-premises, run the Export-ModernPublicFolderStatistics.ps1 script

From Exchange on-premises, run the Set-OrganizationConfig -RemotePublicFolderMailboxes \$Null -PublicFoldersEnabled Local command

From Exchange on-premises, run the ModernPublicFolderToMailboxMapgenerator.ps1 script.

Answer Area

A. Mastered
 B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019>

<https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019#step-3-generate-the-csv-files> <https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019#step-4-create-the-public-folder-mailboxes-in-exchange-online>

NEW QUESTION 29

- (Topic 5)

You have a Microsoft Exchange Online tenant.

The tenant has the following Exchange ActiveSync configurations.

```
[PS] C:\> Get-ActiveSyncDeviceAccessRule | f1 Name, QueryString, AccessLevel, Characteristic
```

```
Name           : Outlook for iOS and Android (DeviceModel)
QueryString    : Outlook for iOS and Android
AccessLevel    : Allow
Characteristic  : DeviceModel
```

```
[PS] C:\> Get-ActiveSyncOrganizationSettings | f1 Name, DefaultAccessLevel, IsIntuneManaged,
HasAzurePremiumSubscription, DeviceFiltering
```

```
Name           : Mobile Mailbox Settings
DefaultAccessLevel : False
IsIntuneManaged  : False
HasAzurePremiumSubscription : False
DeviceFiltering  :
```

Which mail client can Android device users use?

- A. both native Exchange ActiveSync clients and Microsoft Outlook for Android
- B. Microsoft Outlook for iOS and Android only
- C. native Exchange ActiveSync clients only
- D. neither native Exchange ActiveSync clients nor Microsoft Outlook for Android

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-activesyncdeviceaccessrule?view=exchange-ps>

NEW QUESTION 31

- (Topic 5)

You have a Microsoft 365 subscription that contains a user named User1.

You need to ensure that User1 can only manage eDiscovery cases that she creates and export the search results. The solution must use the principle of least privilege.

To which role should you add User1?

- A. eDiscovery Manager
- B. eDiscovery Administrator
- C. Communications Compliance
- D. Compliance Administrator

Answer: A

NEW QUESTION 36

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains three users named User1, User2, and User3.

Mobile device mailbox policies are configured as shown in the following exhibit.

mobile device access **mobile device mailbox policies**



NAME	MODIFIED
Default (default)	9/28/2020 8:06 AM
Executive policy	9/28/2020 8:07 AM
Managers policy	9/28/2020 8:07 AM

The users are configured as shown in the following table.

Name	Assigned policy
User1	Executive policy
User2	Managers policy
User3	Default

You create a new mobile device mailbox policy as shown in the following exhibit.
 new mobile device mailbox policy

*Required fields

*Name:

Mobile Tablet Policy

- This is the default policy
- Allow mobile devices that don't fully support these policies to synchronize

Policies for Exchange ActiveSync and OWA for Devices

Select the policies that you want to enable for Exchange ActiveSync and OWA for Devices. [Learn more](#)

- Require a password
 - Allow simple passwords
 - Require an alphanumeric password
 - Password must include this many character sets:
 - 2
 - Require encryption on device
 - Minimum password length:
 - 6
 - Number of sign-in failures before device is wiped:
 - 5
 - Require sign-in after the device has been inactive for (minutes):
 - minutes
 - Enforce password lifetime (days):
 - 30 days
- Password recycle count:
 - 10

Save Cancel

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
Mobile Tablet Policy will be assigned to User3 automatically.	<input type="radio"/>	<input type="radio"/>
A new user can use a password of 135753.	<input type="radio"/>	<input type="radio"/>
Mobile Tablet Policy will be assigned to new users.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
Mobile Tablet Policy will be assigned to User3 automatically.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
A new user can use a password of 135753.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Mobile Tablet Policy will be assigned to new users.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

NEW QUESTION 40

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 must perform the following tasks:

- Manage audit logs.
- Track email messages in the Exchange organization.
- Manage transport rules for the Exchange organization.

You need to recommend to which role group to add User1. The solution must follow the principle of least privilege. What should you recommend?

- A. Security Administrator
- B. Organization Management
- C. Compliance Management
- D. Security Operator

Answer: C

NEW QUESTION 45

- (Topic 5)

Your network contains an Active Directory domain named fabrikam.com.

You have a Microsoft Exchange Server 2019 organization that contains two Mailbox servers. The servers are members of a database availability group (DAG).

You plan to implement an Exchange hybrid deployment.

You are evaluating the use of the Exchange Modern Hybrid connection option during the hybrid deployment.

What are two benefits of using Exchange Modern Hybrid instead of Exchange Classic Hybrid? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. allows the use of Microsoft Azure Multi-Factor Authentication (MFA) for on-premises users
- B. eliminates the need to purchase publicly trusted certificates for communication between the on-premises organization and Exchange Online
- C. preserves mailbox quotas when mailboxes are moved between the on-premises organization and Exchange Online
- D. uses Organization Configuration Transfer to configure Exchange Online
- E. allows federated sharing between the on-premises organization and Exchange Online

Answer: BD

Explanation:

Reference:

<https://practical365.com/exchange-online/hybrid-exchange-making-it-easier-and-faster-to-move-to-the-cloud/>

NEW QUESTION 48

- (Topic 5)

You have a Microsoft Exchange Online tenant.

You plan to place a hold on all email messages stored in the mailbox of a user named User1.

What should you create first?

- A. an eDiscovery case
- B. sensitive info type
- C. a data loss prevention (DLP) policy
- D. an information barrier segment

Answer: A

Explanation:

You can use an eDiscovery case to create and manage eDiscovery holds that can be applied to user mailboxes and other content locations in Microsoft Purview1. You can also use an eDiscovery case to search for and export content from mailboxes and other locations1.

An eDiscovery case is different from a Litigation Hold, which is a hold that is applied to user mailboxes in Exchange Online1. A Litigation Hold isn't identified by a GUID1.

A sensitive info type is a predefined or custom entity that can be used to identify and protect sensitive data in Microsoft Purview2. It is not related to placing a hold on email messages.

A data loss prevention (DLP) policy is a policy that helps prevent the accidental or intentional sharing of sensitive information outside your organization2. It is not related to placing a hold on email messages.

An information barrier segment is a group of users who are allowed or blocked from communicating with each other in Microsoft Teams or SharePoint Online2. It is not related to placing a hold on email messages.

NEW QUESTION 52

- (Topic 5)

You have a Microsoft Exchange Online tenant.

You plan to implement an on-premises alarm system that will send email alerts by using SMTP. The alarm system will NOT support TLS.

You need to ensure that the alarm system can send the alerts to both internal and external recipients by using Exchange Online.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct answer is worth one point.

- A. Configure SMTP AUTH client submission.
- B. Configure the alarm system settings to use a TXT record of the tenant.
- C. Create a connector.
- D. Configure the alarm system settings to use an MX record of the tenant.
- E. Configure direct send.

Answer: CE

Explanation:

? C. Create a connector¹. A connector is a configuration setting that controls how email messages are delivered to or received from your own email servers or a partner organization¹. You need to create a connector to route mail between Exchange Online and your on-premises alarm system that uses SMTP¹. You can specify the IP address of your alarm system as a trusted sender and configure the connector to use certificate-based authentication or IP address-based authentication¹.

? E. Configure direct send². Direct send is an option that allows you to send mail directly from your printer or application to Microsoft 365 or Office 365 without using a local email server². You need to configure direct send on your alarm system settings to use an MX record of the tenant as the SMTP server address². For example, contoso-com.mail.protection.outlook.com². Direct send does not require TLS encryption or SMTP authentication².

NEW QUESTION 53

- (Topic 5)

All the users in your company have Microsoft 365 mailboxes.

Each user connects to Microsoft Exchange Online and OneDrive for Business from a personal computer that runs Windows 10.

You need to ensure that the users can save attachments to OneDrive for Business only when they connect to their mailbox from Outlook on the web.

What should you create?

- A. an app protection policy in Microsoft Endpoint Manager
- B. a device compliance policy in Microsoft Endpoint Manager
- C. an Outlook Web App policy in Exchange Online
- D. an Exchange ActiveSync device access rule

Answer: C

Explanation:

<https://www.pelegit.co.il/prevent-downloading-attachments-through-owa/>

NEW QUESTION 56

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all email messages in the mailbox of a user named Pradeep Gupta are retained for 90 days.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

? Go to the Microsoft 365 admin center and then click Users > Active users.

? Select Pradeep Gupta.

? On the properties flyout page, click the Mail tab, and then under More actions, click Manage litigation hold.



? On the Manage litigation hold flyout page, select the Turn on litigation hold checkbox and then enter the following optional information:

_ Hold duration (days): Use this box to create a time-based hold and specify how long mailbox items are held when the mailbox is placed on Litigation hold. The duration is calculated from the date a mailbox item is received or created. When the hold duration expires for a specific item, that item will no longer be preserved. If you leave this box blank, items are preserved indefinitely or until the hold is removed. Configure 90 days.

_ Note visible to the user: Use this box to inform the user their mailbox is on Litigation hold. The note will appear on the Account Information page in the user's mailbox if they're using Outlook 2010 or later. To access this page, users can click File in Outlook.

_ Web page with more information for the user: Use this box to direct the user to a website for more information about Litigation hold. This URL appears on the Account Information page in the user's mailbox if they are using Outlook 2010 or later. To access this page, users can click File in Outlook.

Click Save changes on the Litigation hold flyout page to create the hold.

The system displays a banner saying it might take up to 240 minutes for the change to take effect.

NEW QUESTION 61

HOTSPOT - (Topic 5)

You are evaluating the email hygiene configuration of a Microsoft Exchange Server 2019 organization.

You run the command shown in the following exhibit.

```
[PS] C:\>Get-ContentFilterConfig | f1 *SCL*

SCLRejectThreshold      : 7
SCLRejectEnabled        : True
SCLDeleteThreshold     : 9
SCLDeleteEnabled       : False
SCLQuarantineThreshold : 9
SCLQuarantineEnabled   : False
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Email messages that have a spam confidence level (SCL) of 8 will be [answer choice].

▼
deleted silently
rejected with a response
sent to the spam quarantine mailbox

Email messages that have a spam confidence level (SCL) of 7 will be [answer choice].

▼
deleted silently
rejected with a response
sent to the spam quarantine mailbox

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Email messages that have a spam confidence level (SCL) of 8 will be [answer choice].

▼
deleted silently
rejected with a response
sent to the spam quarantine mailbox

Email messages that have a spam confidence level (SCL) of 7 will be [answer choice].

▼
deleted silently
rejected with a response
sent to the spam quarantine mailbox

NEW QUESTION 65

- (Topic 5)

You manage a Microsoft Exchange Server 2019 organization that contains several thousand users.

All the users connect to their mailbox by using a mobile device and Exchange ActiveSync. You need to prevent the users from syncing email messages that are older than 14 days to the mobile devices.

What should you use?

- A. an Outlook Web App mailbox policy
- B. a mobile device mailbox policy
- C. an ActiveSync device access rule
- D. a conditional access policy

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/mobile-device-mailbox-policies?view=exchserver-2019>

NEW QUESTION 66

- (Topic 5)

You have a Microsoft Exchange Online tenant.

Remote users report that they receive an error message when they attempt to add their email account to Microsoft Outlook.

You need to confirm that the DNS records resolve correctly for the users.

Which two DNS records should you test? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. autodiscover.outlook.com
- B. smtp.office365.com
- C. outlook.office365.com
- D. security.microsoft365.com

E. portal.office.com

Answer: AC

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/troubleshoot/administration/incorrect-settings>

NEW QUESTION 69

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

Your company has a partnership with another company named fabrikam.com. You need to ensure that all email messages sent to and received by the users at fabrikam.com are encrypted by using TLS.

What should you create in the Exchange admin center?

- A. one connector and one remote domain
- B. one remote domain and one accepted domain
- C. one connector and one accepted domain
- D. two connectors

Answer: D

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/setup-connectors-for-secure-mail-flow-with-a-partner>

NEW QUESTION 73

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1.

You need to ensure that User1 receives an email notification and can take corrective action when the Fix possible mail loop insight is generated

What should you use, and to which role group should you add User1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 75

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario.

Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You create a new safe attachments policy. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o365-worldwide>

NEW QUESTION 79

HOTSPOT - (Topic 5)

You run the Get-WebServicesVirtualDirectory cmdlet as shown in the following exhibit.

```
PowerShell I-preview o(64)
PS C:\> Get-WebServicesVirtualDirectory | Format-Table
Identity MRSProxyEnabled InternalURL ExternalURL
-----
MBX1 False https://mail.contoso.com/EWS/Exchange.asmx https://mail.contoso.com/EWS/Exchange.asmx
MBX2 True https://mail.contoso.com/EWS/Exchange.asmx https://mail.contoso.com/EWS/Exchange.asmx
MBX3 False https://mail.contoso.com/EWS/Exchange.asmx https://mail.contoso.com/EWS/Exchange.asmx

PS C:\> Get-ExchangeCertificate | Format-Table
Thumbprint RootCAType ISSelfSigned Services
-----
A80VE8IE410PCANOPT014VPXYC51H9AGR72KF3G6 None True SMTP
TTVQY2WYH851594C206ZNNWF5JK98I6N667RF9XK4 ThirdParty False IIS, IMAP, POP

PS C:\>
```

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

What should you do to ensure that all mailboxes can be synced successfully?

- Enable the MRS proxy endpoint on all servers.
- Disable the MRS proxy endpoint on all servers.
- Update the external URL to outlook.office365.com.

What should you do to ensure that email can be delivered between on-premises users and Microsoft Exchange Online users?

- Configure IMAP to use a self-signed certificate.
- Configure SMTP to use a third-party certificate.
- Disable the MRS proxy endpoint on all servers.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1:

The MRS proxy endpoint needs to be enabled on all mailbox servers.

Box 2:

SMTP is used to deliver email between on-premise users and Exchange Online users. This requires a third-party (public CA) certificate.

NEW QUESTION 82

- (Topic 4)

You need to ensure that Alex Wilbur can recover deleted items when using Outlook on the web.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Assign Sales Policy to Alex Wilbur.
- B. Modify Marketing Policy.
- C. Remove Alex Wilbur from all groups.
- D. Assign Policy2 to Alex Wilbur.
- E. Modify Policy1

Answer: BD

NEW QUESTION 87

- (Topic 4)

Which contacts can sign in to and access resources in the adatum.com tenant?

- A. Contact1 only
- B. Contact2 only
- C. Contact1 and Contact3 only
- D. Contact2 and Contact3 only
- E. Contact1, Contact2. and Contact3

Answer: D

NEW QUESTION 88

- (Topic 4)

You need to email a list of configuration changes to the Exchange Online environment that were recently performed by Allan Deyoung.

What should you do?

- A. Run the admin audit log report
- B. Run the external admin audit log report
- C. Export the admin audit log
- D. Run an administrator role group report
- E. Export the mailbox audit logs

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/exchange-auditing-reports/exchange-auditing-reports>

NEW QUESTION 89

HOTSPOT - (Topic 3)

You need to perform a remote wipe of the devices of User2 and User3. You run the following commands.

```
Clear-MobileDevice -id User2-Device
-NotificationEmailAddress "admin@Fabrikam.com"
Clear-MobileDevice -id User3-Device
-NotificationEmailAddress "admin@Fabrikam.com"
```

What occurs on each device? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

On the device of User2:

All data is deleted. !
Only email messages are deleted.
Only email messages and calendar, contact, and file data are deleted.

On the device of User3:

All data is deleted.
Only email messages are deleted.
Only email messages and calendar, contact, and file data are deleted.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

On the device of User2:

All data is deleted.
Only email messages are deleted.
Only email messages and calendar, contact, and file data are deleted.

On the device of User3:

All data is deleted.
Only email messages are deleted.
Only email messages and calendar, contact, and file data are deleted.

NEW QUESTION 93

HOTSPOT - (Topic 3)

You need to ensure that In-Place Archiving is enabled for the marketing department users.

Which user should perform the change, and which tool should the user use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

User:

Admin2 only
Admin3 only
Admin1 and Admin3 only
Admin2 and Admin4 only

Tool:

Microsoft 365 admin center
Microsoft 365 security center
Microsoft 365 compliance center

- A. Mastered

B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

NEW QUESTION 95

- (Topic 3)

You need to identify the contents of the FabrikamProject public folder to meet the technical requirements. Which PowerShell cmdlet should you run?

- A. Get-PublicFolderScaciscics
- B. Get-PublicFolderItemStatistics
- C. Get-PublicFolderMailboxDiagnoscics
- D. Get-PublicFolder

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-publicfolderitemstatistics?view=exchange-ps>

NEW QUESTION 99

HOTSPOT - (Topic 2)

You need to implement a solution to meet the technical requirements for the SCL.

How should you complete the command? To answer, select the appropriate options in the answer area.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/organization/set-organizationconfig?view=exchange-ps>

NEW QUESTION 104

- (Topic 2)

You need to implement a solution to support the planned changes for the helpdesk users. What should you do?

- A. Assign the Recipient Policies role to the helpdesk users and a default management scope
- B. Assign the Mail Recipients role to the helpdesk users and use a default management scope
- C. Assign the Mail Recipients role to the helpdesk users and create a custom management scope
- D. Assign the Recipient Policies roles to the helpdesk users and create a custom management scope

Answer: C

NEW QUESTION 109

- (Topic 2)

You need to recommend a solution to retain the items in the public folders. The solution must support the planned changes.

What should you recommend?

- A. Create an Outlook rule that forwards all the items in each public folder to a compliance mailbox.
- B. Place an In-Place Hold on all the mailboxes of the public folders.
- C. Increase the frequency of the backups.
- D. Modify the public folder permissions.

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/in-place-and-litigation-holds#placingpublic-folders-on-hold>

NEW QUESTION 113

- (Topic 5)

You have hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization. The deployment uses Azure AD Connect. All incoming email is delivered to Exchange Online. You have 10 mail-enabled public folders hosted on an on-premises Mailbox server. Customers receive an error when an email message is sent to a public folder.

You need to ensure that all the mail-enabled public folders can receive email messages from the internet. The solution must ensure that messages can be delivered only to valid recipients.

Solution: From Azure AD Connect, select Exchange Mail Public Folders. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

From Azure AD Connect, selecting Exchange Mail Public Folders will ensure that all the mail-enabled public folders can receive email messages from the internet and that messages can be delivered only to valid recipients. This is according to the Microsoft 365 Messaging documentation (<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/hybrid-mail-flow>).

NEW QUESTION 117

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to create a new policy to retain mailbox items for five years before the items are deleted. The policy must be assigned to any user that has a job title attribute of Manager.

Which type of policy should you create, and what should you create first? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 121

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant.

Two users named User1 and User2 have left the company and have inactive mailboxes. Two new employees named User3 and User4 are hired and must meet the following requirements:

- User3 has the same job role as User1 and requires access to all the items in the User1 mailbox.
- User4 was hired to replace User2 and requires access to the User2 mailbox.

You need to recommend a solution for User3 and User4 to access the inactive mailboxes. The solution must minimize administrative effort.

What should you recommend for each user? To answer, drag the appropriate solutions to the correct users. Each solution may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Solutions

- Convert the mailbox to a shared mailbox
- Export the contents of the mailbox
- Recover the mailbox
- Restore the mailbox

Answer Area

User3:

User4:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 126

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Reports reader role to User1. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 129

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 server.

Users report that the email they send to external recipients is marked as spam.

You need to validate the Reverse DNS and Sender ID data for the on-premises server. What should you use in the Microsoft Remote Connectivity Analyzer?

- A. Inbound SMTP Email
- B. Outbound SMTP Email
- C. Message Analyzer
- D. Exchange Online Custom Domains DNS Connectivity Test

Answer: B

NEW QUESTION 130

HOTSPOT - (Topic 5)

Your company named ADatum Corporation has a Microsoft Exchange Online subscription that contains the sharing policies shown in the following table.

Name	Domain	Enabled	Default
Policy1	{Anonymous:CalendarSharingFreeBusySimple, fabrikam.com:CalendarSharingFreeBusyReviewer, ContactsSharing}	True	True
Policy2	{contoso.com:CalendarSharingFreeBusyDetail}	True	False
Policy3	{litware.com:CalendarSharingFreeBusyReviewer}	True	False

The subscription contains the mailboxes shown in the following table.

Name	Sharing policy
User1	Policy1
User2	Policy2
User3	Policy3

ADatum does business with the partner companies shown in the following table.

Name	SMTP domain	Email platform
Fabrikam, Inc.	Fabrikam.com	On-premises Exchange Server 2019
Contoso, Ltd.	Contoso.com	Third-party email server
Litware, Inc.	Litware.com	Exchange Online

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 134

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You plan to implement Hybrid Modern Authentication (HMA). You retrieve the Exchange virtual directory settings, and you discover the following output.

```
InternalUrl           : https://mail.contoso.com
ExternalUrl          : https://mail.contoso.com
IISAuthenticationMethods : {Ntlm, Negotiate}
InternalAuthenticationMethods : {Ntlm, Negotiate}
ExternalAuthenticationMethods : {Ntlm, Negotiate}
```

You need to prepare the virtual directories for the planned implementation of HMA. What should you do?

- A. Add OAuth as an authentication method.
- B. Remove NTLM as an authentication method.
- C. Delete https://mail.contoso.com from the ExternalUrl value.
- D. Modify the InternalUrl value to http://mail.contoso.com.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/configure-exchange-server-for-hybrid-modernauthentication?view=o365-worldwide>

NEW QUESTION 135

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1 and a shared mailbox named Mailbox. You plan to use PowerShell to grant User1 the Send As permission for Mailbox1. Which cmdlet should you run?

- A. Add-RecipientPermission
- B. Add-MailboxPermission
- C. Set-MailboxFolderPermission
- D. Add-MailboxFolderPermission
- E. Set-Mailbox

Answer: E

NEW QUESTION 137

- (Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

You create a partnership with two other companies named fabnkam.com and wingtiptoys.com. All the mailboxes of fabnkam.com are hosted in Microsoft 365. All the mailboxes of wingtiptoys.com are hosted in an on-premises Exchange Server 2019 organization.

You need to ensure that all the email messages sent from contoso.com to fabrikam.com and wingtiptoys.com is encrypted by using TLS.

What should you do?

- A. Configure one connector.
- B. Create an organizational relationship.
- C. Create two remote domains.
- D. Run the Office 365 Exchange Hybrid Configuration wizard.
- E. Configure two mail flow rules.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

NEW QUESTION 139

- (Topic 5)

You plan to use the Microsoft Office 365 Import service to import PST files.

You need to create a new user account to perform the import. The solution must use the principle of least privilege.

Which two roles should you assign to the user account? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. the Recipient Management role in Office 365
- B. the Organization Management role in Office 365
- C. the Mailbox Import Export role in Office 365
- D. the Global reader role in Azure Active Directory (Azure AD)
- E. the Global administrator role in Office 365

Answer: AC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/use-network-upload-to-import-pst-files?view=o365-worldwide>

NEW QUESTION 141

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365. You have the policies shown in the following table.

Name	Type
Standard Preset Security Policy	Preset security policy
Policy1	Anti-malware

You need to track any modifications made to Policy1 by the identifying following:

- The name of the user that modified the policy
- The old and new values of settings modified in Policy1
- How the modifications compare to the baseline settings of Standard Preset Security Policy

What should you use in the Microsoft 365 Defender portal?

- A. Threat tracker
- B. Threat analytics
- C. Audit
- D. Configuration analyzer

Answer: D

NEW QUESTION 143

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses a third-party email hygiene system named Service1. Service1 blocks all encrypted email.

All external email is routed through Service1 by using a connector.

Users classify email by using sensitivity labels. Emails classified as Secret are encrypted automatically.

You need to ensure that the users can send emails classified as Secret to external recipients.

Which two items should you create? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a remote domain
- B. a connector
- C. a data loss prevention (DLP) policy
- D. a mail flow rule
- E. a label policy

Answer: BD

Explanation:

Use an additional Connector and a Mail Flow Rule to bypass the third-party email hygiene system for emails that have the Secret sensitivity label.

Emails with the sensitivity label will use the new connector. All other emails will use the existing connector.

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/conditional-mail-routing>

NEW QUESTION 144

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a group named Group1. The members of Group1 need to create user mailboxes. The solution must use the principle of least privilege. To which role group should you add Group1?

- A. Recipient Management
- B. Security Operator
- C. Help Desk
- D. Organization Management

Answer: A

NEW QUESTION 146

- (Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019.

Users in your company's sales department have on-premises mailboxes and PST files. You need to migrate the PST files to archive mailboxes. The archive mailboxes must reside in Exchange Online. What should you do first?

- A. From Exchange Management Shell, run the Enable-Mailbox cmdlet and specify the-Archive parameter.
- B. From Exchange Management Shell, run the New-MoveRequest cmdlet.
- C. From Exchange Online PowerShell, run the Set-Mailbox cmdlet and specify the-ArchiveStatus parameter.
- D. From Exchange Online PowerShell, run the New-Mailbox cmdlet and specify the-Archive parameter.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/enable-mailbox?view=exchange-ps>

NEW QUESTION 147

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains the users shown in the following table.

Name	Mobile device	Mail client
User1	iOS	Native mail client
User2	Android	Microsoft Outlook for Android

From the Exchange admin center, you issue a Wipe Data command for User1 and User2. What occurs on the device of each user? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

User1: All the data in the email client is wiped.
 Only email messages and calendar items are wiped.
 The mobile device is wiped.

User2: All the data in the email client is wiped.
 Only email messages and calendar items are wiped.
 The mobile device is wiped.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

User1: All the data in the email client is wiped.
 Only email messages and calendar items are wiped.
 The mobile device is wiped.

User2: All the data in the email client is wiped.
 Only email messages and calendar items are wiped.
 The mobile device is wiped.

NEW QUESTION 148

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named @contoso.com.

You recently purchased an email domain named fabrikam.com.

You need to ensure that all the users in the tenant can receive email messages by using the @fabrikam.com email domain. The solution must ensure that the users can continue to receive email by using the @contoso.com email domain.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From the Microsoft 365 admin center, add the fabrikam.com email domain.
- B. From the Exchange admin center, add an accepted domain for fabrikam.com.
- C. From the Microsoft 365 admin center, modify the organization profile.
- D. From the Exchange admin center, add a remote domain for fabrikam.com.
- E. From the Exchange Management Shell, create a script that runs the Set-Mailbox cmdlet.

Answer: AE

Explanation:

A: the first step is to add the Fabrikam.com domain to Microsoft 365. You would also need to verify the domain (verify that you own the domain).

E: create a script that runs the Set-Mailbox cmdlet to add an @fabrikam.com email address to each mailbox.

NEW QUESTION 150

- (Topic 5)

You have a Microsoft Exchange Online tenant.

Users report that legitimate email messages are delivered to their Junk Email folder. You plan to use the Microsoft Remote Connectivity Analyzer to identify the cause of the issue.

Which test should you run?

- A. Outlook Connectivity
- B. Inbound SMTP Email
- C. Outbound SMTP Email
- D. Message Analyzer

Answer: D

NEW QUESTION 155

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to create a report to display messages that have a delivery status of Quarantined.

From the modern Exchange admin center, you create a new message trace.

How should you configure the message trace? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Time range:

▼
Last 7 days
Last 15 days
Last 30 days
Last 90 days

Report type:

▼
Extended report
Summary report
Enhanced summary report

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Time range:

▼

Last 7 days

Last 15 days

Last 30 days

Last 90 days

Report type:

▼

Extended report

Summary report

Enhanced summary report

NEW QUESTION 158

- (Topic 5)

You have two mailboxes named Mailbox1 and Mailbox2 that have the ProhibitSendReceiveQuota parameter set to 50 GB. From a Microsoft Exchange Online tenant, you run the following PowerShell command.

```
PS C:\> Get-Mailbox | Select-Object Alias, RecipientTypeDetails | FT -AutoSize
```

Alias	RecipientTypeDetails
Mailbox1	SharedMailbox
Mailbox2	RoomMailbox

You receive the license status of each mailbox and discover the configurations shown in the following table.

Alias	SKUAssigned
Mailbox1	False
Mailbox2	False

You need to increase the quota for Mailbox1 and Mailbox2. What should you do first?

- A. Assign a license to each mailbox.
- B. Convert each mailbox into an equipment mailbox.
- C. Enable an archive for each mailbox.
- D. Place both mailboxes on retention hold.

Answer: A

Explanation:

Shared and resource mailboxes don't require a license. However, without a license, these mailboxes are limited to 50 GB. To increase the mailbox size, an E3 or E5 license must be assigned. This will increase the mailbox to 100 GB.

Reference:

<https://docs.microsoft.com/en-us/office365/servicedescriptions/exchange-online-service-description/exchange-online-limits>

NEW QUESTION 163

DRAG DROP - (Topic 5)

Your company named Contoso, Ltd. has a Microsoft Exchange Server 2019 hybrid deployment.

A partner company named Fabrikam, Inc. uses an Exchange Online subscription for email. You need to ensure that all the users at Fabrikam can view the free/busy information of the users at Contoso.

What should you configure? To answer, drag the appropriate components to the correct companies. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Components	Answer Area
A connector	For Fabrikam: Component
A sharing policy	For Contoso: Component
A remote domain	
A federation trust	
An organization relationship	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Components	Answer Area
A connector	For Fabrikam: An organization relationship
A sharing policy	For Contoso: An organization relationship
A remote domain	
A federation trust	
An organization relationship	

NEW QUESTION 165

- (Topic 5)

You have a Microsoft Exchange Server hybrid deployment that contains Exchange 2013, Exchange 2016, and Exchange 2019 servers. All the servers have the latest Cumulative Updates (CUs) applied.

You need to implement Hybrid Modern Authentication (HMA). The solution must minimize costs.

What should you do first?

- A. Upgrade the Exchange 2013 servers to Exchange 2016 CU7.
- B. Add the on-premises web service URLs as Azure Active Directory (Azure AD) service principal names (SPNs).
- C. Upgrade all the servers to Exchange 2019.
- D. Create an Azure Active Directory (Azure AD) conditional access policy for Exchange Online.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/configure-exchange-server-for-hybrid-modern-authentication?view=o365-worldwide#make-sure-you-meet-all-the-prerequisites>

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/hybrid-modern-auth-overview?view=o365-worldwide#do-you-meet-modern-authentication-prerequisites>

NEW QUESTION 168

HOTSPOT - (Topic 5)

You run several PowerShell commands as shown in the following exhibit.

```
PS C:\> Get-AddressListPolicy | Format-Table

Name                GlobalAddressList      AddressLists              OfflineAddressBook      RoomList
-----                -
Fabrikam-ABP        \Fabrikam               \Fabrikam                 \Fabrikam-OAB          \All Rooms
Contoso-ABP         \Contoso                \Contoso-IT, \Contoso-Marketing \Contoso-OAB           \All Rooms

PS C:\> Get-GlobalAddressList | Format-Table

Name                RecipientFilter
-----                -
Contoso              ((Company -eq 'Contoso'))
Fabrikam             ((Company -eq 'Fabrikam'))

PS C:\> Get-AddressList | Format-Table

Name                DisplayName              RecipientFilter
-----                -
Contoso-Marketing  Contoso-Marketing       ((Company -eq 'Contoso') -and (Department -eq 'Marketing'))
Fabrikam           Fabrikam                 ((Company -eq 'Fabrikam'))

PS C:\>
PS C:\> Get-ADUser | Where Name -eq "James Smith" | Select Name, UserPrincipalName, Company, Department

Name                UserPrincipalName      Company      Department
-----                -
James Smith         jsmith@contoso.com     Contoso      Marketing

PS C:\> Get-Mailbox | Where Name -eq "Executive Conference Room" | Select Name, Alias, Office, Database

Name                Alias                    Office      Database
-----                -
Executive Conference Room executiveconferenceroom  Contoso     DB1
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

James Smith will appear on the [answer choice] address list.

▼

Contoso-IT
Contoso-Marketing
Fabrikam

The Executive Conference Room will appear in [answer choice].

▼

Contoso-ABP only
Fabrikam-ABP only
Contoso-ABP and Fabrikam-ABP
none of the policies

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

James Smith will appear on the [answer choice] address list.

▼

Contoso-IT
Contoso-Marketing
Fabrikam

The Executive Conference Room will appear in [answer choice].

▼

Contoso-ABP only
Fabrikam-ABP only
Contoso-ABP and Fabrikam-ABP
none of the policies

NEW QUESTION 173

- (Topic 5)

You have two servers named EXCH1 and EXCH2 that run Windows Server 2012 R2 and have Microsoft Exchange 2016 installed. You purchase a Microsoft 365 subscription. You plan to configure a hybrid deployment between an Exchange Online tenant and the on-premises Exchange Server Organization. You need to identify the prerequisites to installing the Microsoft Hybrid Agent on EXCH1 and EXCH2. Which two prerequisites should you identify? Each correct answer presents part of the solution.

- A. All outbound HTTPS connections to Microsoft Online Services
- B. Enable Hybrid Modern Authentication (HMA).
- C. Upgrade the operating system of EXCH1 and EXCH2 to Windows Server 2019.
- D. Enable TLS 1.2.

Answer: AD

Explanation:

To perform a hybrid deployment between an Exchange Online tenant and an on-premises Exchange Server organization, you must ensure that all outbound HTTPS connections to Microsoft Online Services are allowed. This is a prerequisite for installing the Microsoft Hybrid Agent.

* D. Enable TLS 1.2. Reference: <https://docs.microsoft.com/en-us/exchange/hybrid-deployment/prepare-for-hybrid-deployment> explanation: To perform a hybrid deployment between an Exchange Online tenant and an on-premises Exchange Server organization, you must ensure that Transport Layer Security (TLS) 1.2 is enabled on your on-premises Exchange servers. This is a prerequisite for installing the Microsoft Hybrid Agent.

NEW QUESTION 178

- (Topic 5)

You have a Microsoft 365 subscription that contains a verified domain named contoso.com.

You have an app named App1 that sends meeting invitations on behalf of users. The invitations are sent from a Microsoft Exchange Online mailbox that has a sender address of app1 @contoso.com and a reply-to address of the user scheduling the meeting.

You create an anti-phishing policy named Policy1 that includes all the users in contoso.com. Policy1 is configured to protect the domain against impersonation. You discover that email messages sent from App1 are quarantined.

You need to ensure that App1 can send messages that impersonate any contoso.com user How should you modify Policy1?

- A. Enable mailbox intelligence.
- B. Add app1@contoso.com as a trusted sender.
- C. Add app1@contoso.com as an excluded user.
- D. Enable spoof intelligence.

Answer: C

NEW QUESTION 181

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating mailboxes from the on-premises organization to Exchange Online. From the Exchange admin center, you create a new migration batch that includes 25

mailboxes, and then you select Manual Complete the batch.

Later, you must complete the migration of a mailbox named user1@litware.com in the batch as soon as possible. You discover that the status of the migration batch is Syncing, but the status of the move request for user1@litware.com is Synced.

You need to complete the migration of the user1@litware.com mailbox to Exchange Online as soon as possible.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

▼

Set-MoveRequest

Set-MigrationBatch

Set-MigrationConfig

-Identity "user1@litware.com"

▼

-CompleteAfter(Get-Date)

-SuspendWhenReadyToComplete \$false

-PreventCompletion \$false

Resume-MoveRequest -Identity "user1@litware.com"

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

▼

Set-MoveRequest

Set-MigrationBatch

Set-MigrationConfig

-Identity "user1@litware.com"

▼

-CompleteAfter(Get-Date)

-SuspendWhenReadyToComplete \$false

-PreventCompletion \$false

Resume-MoveRequest -Identity "user1@litware.com"

NEW QUESTION 183

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 needs to be able to search mailboxes and purge email.

To which role group should you add Use1?

- A. eDiscovery Manager
- B. Security Administrator
- C. Compliance Data Administrator
- D. Organization Management

Answer: A

NEW QUESTION 186

- (Topic 5)

Your on-premises network contains a proxy server and a firewall. The proxy server is configured to inspect the contents of HTTP and HTTPS sessions to identify disallowed content. Only the proxy server can connect to the internet through the firewall.

You implement Microsoft Exchange Online.

Users report that they receive an error message when they attempt to connect to their mailbox by using Microsoft Outlook.

From the internal network, you connect to <https://outlookoffice.com/mail> and discover a certificate error.

You discover that the certificate error contains information about a certificate issued by your company's internal certification authority (CA). You need to ensure that all the users can connect successfully to their mailbox. What should you do?

- A. Install a new root CA certificate on the client computer of each user.
- B. Configure client computers to bypass the proxy server when they access https://*.microsoft.com.
- C. Disable HTTPS content inspection on the proxy server.
- D. Install a new root CA certificate on the proxy server.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/outlook/troubleshoot/connectivity/error-when-outlook-uses-rpc-https-connectserver>

NEW QUESTION 188

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

- ? Adatum.com
- ? Contoso.com
- ? Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: From the Microsoft 365 admin center, you set fabrikam.com as the default domain.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/setup/domains-faq?view=o365-worldwide#how-do-i-set-or-change-the-default-domain-in-microsoft-365>

NEW QUESTION 193

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

Email messages from a remote domain named fabrikam.com are received from a server that uses a wildcard certificate for fabrikam.com and are encrypted by using TLS.

Fabrikam.com is switching to a third-party cloud filtering service for inbound and outbound email. The IP address used by the third-party service is 131.107.200.10.

You need to reconfigure the connector to only accept messages from fabrikam.com that are encrypted and received from the third-party service.

Which two settings should you modify for the connector? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Edit Connector

What security restrictions do you want to apply?

Reject email messages if they aren't sent over TLS.

And require that the subject name on the certificate that the partner uses to authenticate with Office 365 matches this domain name

*.fabrikam.com

Reject email messages if they aren't sent from within this IP address range

+ ✎ -

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Edit Connector

What security restrictions do you want to apply?

Reject email messages if they aren't sent over TLS.

And require that the subject name on the certificate that the partner uses to authenticate with Office 365 matches this domain name

*.fabrikam.com

Reject email messages if they aren't sent from within this IP address range

+ / -

NEW QUESTION 198

SIMULATION - (Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your company can schedule a conference room named Room1 in the company's office by using Microsoft Outlook.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? In the Exchange admin center, navigate to Recipients > Resources.

? To create a room mailbox, click New + > Room mailbox.

? Use the options on the page to specify the settings for the new resource mailbox.

- Room name: Use this box to type a name for the room mailbox. This is the name that's listed in the resource mailbox list in the Exchange admin center and in your organization's address book. This name is required and it can't exceed 64 characters.

- Alias: A room mailbox has an email address so it can receive booking requests. The email address consists of an alias on the left side of the @ symbol, which must be unique in the forest, and your domain name on the right. The alias is required.

- Location, Phone, Capacity: You can use these fields to enter details about the room. However, as explained earlier, you can include some or all of this information in the room name so users can see it.

? When you're finished, click Save to create the room mailbox.

NEW QUESTION 203

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 organization that contains two servers in a database availability group (DAG).

The customer service department at the company uses public folders to receive customer communications.

Only users in the customer service department can read items in the folders.

For a new customer, you create a mail-enabled public folder that has the default settings. The customer reports that when she sends an email message to the email address of the

public folder, she receives a non-delivery report (NDR). You need to ensure that the public folder can receive email.

Which public permissions should you configure in Microsoft Outlook?

- A. Grant the Author permission to the Default group
- B. Grant the Author permission to the Anonymous group
- C. Grant the Create items permission to the Anonymous group
- D. Grant the Create items permission to the Default group

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserver-2019>

NEW QUESTION 208

- (Topic 5)

You discover that Policy1 failed to apply to the Executives group.

You need to ensure that Policy1 is applied to all the members of the Executives group. What should you do?

- A. Increase the priority of Policy1.
- B. Decrease the priority of Strict Preset Security Policy.
- C. Remove the Executives group from the Strict protection preset security policy.
- D. Modify the Strict protection preset security policy to match Policy? and assign the Strict protection preset security policy to contoso.com.

Answer: C

Explanation:

Preset security policies are policies that provide a centralized location for applying all of the recommended spam, malware, and phishing policies to users at once1

. The policy settings are not configurable and are set by Microsoft based on best practice1s

. There are two types of preset security policies: Standard protection and Strict protection1

. Standard protection is a baseline protection profile that's suitable for most user1s. Strict protection is a more aggressive protection profile for selected users who are high value targets or priority users1.

If you want to apply Policy1 to the Executives group, you need to remove them from the Strict protection preset security policy first. Otherwise, the preset security policy will take precedence over Policy1 and prevent it from being applied2.

To remove the Executives group from the Strict protection preset security policy, you can follow these steps2:

? Login to the Microsoft Security portal at <https://security.microsoft.com>.

? On the left nav, under Email & collaboration, select Policies & rules.

? Select Threat policies.

? Select Preset Security Policies underneath the Templated policies heading

? Select Manage underneath the Strict protection preset.

? Select Specific recipients and remove the Executives group from the list of recipients.

? Select Save.

NEW QUESTION 210

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You have an on-premises scanner that emails scanned documents by using SMTP.

You need to create a Microsoft Office 365 SMTP relay to route email from the scanner to the internet. The solution must ensure that the connector accepts only email sent by the scanner.

How should you configure the connector? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Select your mail flow scenario

Specify your mail flow scenario, and we'll let you know if you need to set up a connector.

[Learn more](#)

From:

▼
Internet
Office 365
Partner organization
Your organization's email server

To:

▼
Internet
Office 365
Partner organization
Your organization's email server

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Select your mail flow scenario

Specify your mail flow scenario, and we'll let you know if you need to set up a connector.

[Learn more](#)

From:

▼
Internet
Office 365
Partner organization
Your organization's email server

To:

▼
Internet
Office 365
Partner organization
Your organization's email server

NEW QUESTION 214

- (Topic 5)

You have 1,000 user accounts that are each licensed for Microsoft 365. Each user account has a Microsoft Exchange Online mailbox.

Ten of the user accounts are configured as service accounts for applications. The applications send event notifications to the mailboxes of the service accounts by using SMTP. The developers of each application have delegated access to the mailbox of their respective application.

You need to ensure that all the event notifications sent by the applications are retained in the service account mailboxes so that new developers can review older notifications. The developers must be able to view only the notifications for their respective application.

What should you do?

- A. Replace the service account mailboxes with a single user mailbox that contains a folder for each application.
- B. Replace the service account mailboxes with a single user mailbox that contains Power Automate rules.

- C. Convert the service account mailboxes into shared mailboxes.
- D. Convert the service account mailboxes into mail-enabled users.

Answer: C

NEW QUESTION 217

HOTSPOT - (Topic 5)

You have a Microsoft 365 subscription that contains a Microsoft Exchange Online tenant.

An named App1 emails files to a group named App1support. The files are sent in a file that has the jar extension.

You have tie anti-malware policy shown in following exhibit.



Default (Default)
 ● Always on | Priority Lowest

Protection settings

To enable only the members of the App1support group to receive the JAR files, you must **[answer choice]**.

- add a new file entry to the Tenant Allow/Block List
- create a new anti-malware policy
- customize the file types for the default anti-malware policy
- disable the common attachments filter for the default anti-malware policy


To periodically rescan previously delivered email messages in all mailboxes, you must **[answer choice]**.

- create a new anti-malware policy
- enable zero-hour auto purge (ZAP) for malware in the default anti-malware policy
- select a different quarantine policy for the default anti-malware policy

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



To enable only the members of the App1support group to receive the JAR files, you must **[answer choice]**.

- add a new file entry to the Tenant Allow/Block List
- create a new anti-malware policy
- customize the file types for the default anti-malware policy
- disable the common attachments filter for the default anti-malware policy

To periodically rescan previously delivered email messages in all mailboxes, you must **[answer choice]**.

- create a new anti-malware policy
- enable zero-hour auto purge (ZAP) for malware in the default anti-malware policy
- select a different quarantine policy for the default anti-malware policy

NEW QUESTION 219

HOTSPOT - (Topic 5)

You have an Exchange Online tenant that has the anti-spam settings configured as shown in the following exhibit.

Standard settings On

Standard

Spam action	Move message to Junk Email folder
Mark bulk email as spam	On
Bulk threshold	7
Mark NDR backscatter as spam	Off
Safety Tips	On
Bulk email	Move message to Junk Email folder
Phishing email	Quarantine message

To change these settings or add new ones, switch to custom settings

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Users will see safety tips when they access their mailbox from [answer choice].

▼
Outlook on the web only
Microsoft Outlook 2019 only
Microsoft Outlook 2019 and Outlook on the web

To reduce the amount of bulk email delivered to the Inbox folders of users, you must [answer choice].

▼
modify Spam action
increase the value of Bulk threshold
decrease the value of Bulk threshold

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Users will see safety tips when they access their mailbox from [answer choice].

▼
Outlook on the web only
Microsoft Outlook 2019 only
Microsoft Outlook 2019 and Outlook on the web

To reduce the amount of bulk email delivered to the Inbox folders of users, you must [answer choice].

▼
modify Spam action
increase the value of Bulk threshold
decrease the value of Bulk threshold

NEW QUESTION 222

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to add a custom domain named contoso.com that meets the following requirements:

- « All email messages from the internet must first be filtered by a third-party cloud service before being delivered to Exchange Online.
- « Recipient email systems must validate the messaging server for contoso.com)

Which type of DNS record should you use for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

All email messages from the internet must first be filtered by a third-party cloud service before being delivered to Exchange Online:

▼
CNAME
MX
SPF TXT
SRV

Recipient email systems must validate the messaging server for contoso.com:

▼
CNAME
MX
SPF TXT
SRV

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? For the requirement that all email messages from the internet must first be filtered by a third-party cloud service before being delivered to Exchange Online, you should use an MX record1. An MX record specifies the mail server that is responsible for accepting email messages on behalf of your domain1. You need to configure your MX record to point to the third-party cloud service's mail server, and then configure the third-party cloud service to forward email messages to Exchange Online1.

? For the requirement that recipient email systems must validate the messaging server for contoso.com, you should use an SPF TXT record2. An SPF TXT record is a type of DNS record that identifies which mail servers are authorized to send email on behalf of your domain2. It helps prevent spoofing and phishing by verifying the sender's IP address against the list of authorized IP addresses in your SPF TXT record2. You need to configure your SPF TXT record to include both the third-party cloud service and Exchange Online as authorized senders for your domain2.

NEW QUESTION 223

- (Topic 5)

You have a Microsoft Exchange Online tenant. All users have Exchange Online mailboxes. Your company has 10 projectors that are used by 30 managers. You need to recommend a solution to manage the availability and scheduling of the projectors. The solution must NOT require additional Microsoft 365 licenses. What Exchange Online object should you recommend creating for each projector?

- A. a public folder
- B. a distribution list
- C. a user mailbox
- D. a resource mailbox

Answer: D

Explanation:

Resource mailboxes are for the scheduling of resources such as projectors. They do not require a license.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/manage/room-and-equipment-mailboxes?view=o365-worldwide>

NEW QUESTION 227

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a mailbox named Mailbox1.

You need to ensure that Mailbox1 rejects all external email messages and responds with the following non-delivery report (NDR): "Mailbox1 is an automated system mailbox and does not accept incoming mail.

What should you do?

- A. Set a message delivery restriction for Mailbox1.
- B. From Mailbox1, create an inbox rule.
- C. Create a mail flow rule.
- D. Modify the permissions for Mailbox1.

Answer: C

NEW QUESTION 230

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant that uses Exchange Online Protection (EOP) with the default settings. You plan to configure quarantine settings to meet the following requirements:

- Specify the language of notifications.
- Specify the notification interval.
- Enable notifications.

What should you configure for each requirement? To answer, drag the appropriate configurations to the correct requirements. Each configuration may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Configurations	Answer Area
Custom quarantine policy	Specify the language of notifications: <input type="text"/> Specify the notification interval: <input type="text"/> Enable notifications: <input type="text"/>
Default anti-spam policy	
Global quarantine policy settings	
Mail flow rule	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Configurations	Answer Area
Custom quarantine policy	Specify the language of notifications: <input type="text" value="Global quarantine policy settings"/> Specify the notification interval: <input type="text" value="Default anti-spam policy"/> Enable notifications: <input type="text" value="Custom quarantine policy"/>
Default anti-spam policy	
Global quarantine policy settings	
Mail flow rule	

NEW QUESTION 232

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You recently hired two new administrators named Admin5 and Admin6. You need to grant the following permissions to the new administrators:

- ? Admin5 must be able to assign licenses to users.
- ? Admin6 must be able to modify the email SPAM settings of all users.
- ? Admin5 must be able to configure the email forwarding settings of all users.
- ? Admin5 and Admin6 must be able to manage the mailbox permissions of all users. The solution must use the principle of least privilege.

Which role should you assign to each user? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Admin5:

Admin6:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Admin5:

Admin6:

NEW QUESTION 236

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes. You need to add a second email address to each mailbox. The address must have a

syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You create an email address policy that uses the %1s%g@fabrikam.com email address format.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-address-policies?view=exchserver-2019>

NEW QUESTION 241

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement. Solution: From the Exchange organization, you modify the properties of the Send connectors.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You should create a Data Loss Prevention (DLP) policy.

NEW QUESTION 243

- (Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

The Exchange configuration contains the following public folder hierarchy:

- Support
- Messages
- Calendar

You create a distribution list named HelpDesk@contoso.com.

You need to add the Messages public folder to the HelpDesk distribution list. What should you do first?

- A. Mail-enable the Support public folder
- B. Create a new public folder mailbox
- C. Mail-enable the Messages public folder
- D. Upgrade HelpDesk to a Microsoft 365 group

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserver-2019>

NEW QUESTION 245

SIMULATION - (Topic 5)

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you

as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a user named Lee Gu can view all the Exchange Online configurations of your organization. The solution must use the principle of least privilege.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

* 1. Open the Microsoft 365 administration centre This can be done at: <https://admin.microsoft.com>

* 2. Create a new user Please enter a first name Last name

Display name Username

* 3. Add the necessary licence

For admin roles you sometimes need a licence. Especially in the security stack within Microsoft 365.


* 4. Add the Global Reader role via Roles

You can give multiple roles to the person you want.

NEW QUESTION 248

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant as shown in the following exhibit.



All email recipients have an email address that uses an SMTP suffix of @contoso.com.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

131.107.100.200 will route

- all email messages from Exchange Online to any contoso.com recipients.
- all email from Exchange Online to any external recipients
- all email messages from Exchange Online to recipients hosted on Server1 only

The Exchange Online tenant

- cannot receive email messages from the internet
- can receive email messages from server1.contoso.com only
- can receive email messages from any email host on the internet

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1:
 Under "When to use this connector", it says "Use only for email sent to these domains: *" The asterisk means all domains so any external email will use the connector.

Box 2:
 With Exchange Online, you don't need to configure a receive connector as you would with on-premises Exchange. Therefore, the server by default will be able to receive emails from any email host.

NEW QUESTION 249

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant. From a computer named Client1, you run the

Network connectivity test results for your location

Please open this website on a Windows PC and use a modern browser to run the advanced tests.

Summary Details

Here are the detailed connectivity test results for your location. [Learn about the tests we run](#)

Answer Area

The Microsoft Remote Connectivity Analyzer reports an issue with traffic **[answer choice]**.

To correct the network connectivity issues, you must **[answer choice]** on Client1.

Network egress location (the location where your network connects to your ISP)	Copenhagen, Capital Region, Denmark
Your distance from the network egress location	4,618 miles (7,431 kilometers)
Customers in your metropolitan area with better performance	58% of people in your area have a better network
Exchange service front door location	Staffanstorp, Sweden (119 ms). Potential 108
Best Exchange service front door(s) for your location	Boydton, VA, United States Chicago, IL, United States Des Moines, IA, United States Manassas, VA, United States Phoenix, AZ, United States San Antonio, TX, United States Toronto, ON, Canada

Microsoft Remote Connectivity Analyzer, perform a network test, and receive the results shown in the following exhibit.

Answer Area

The Microsoft Remote Connectivity Analyzer reports an issue with traffic **[answer choice]**.

To correct the network connectivity issues, you must **[answer choice]** on Client1.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

The Microsoft Remote Connectivity Analyzer reports an issue with traffic **[answer choice]**.

To correct the network connectivity issues, you must **[answer choice]** on Client1.

NEW QUESTION 253

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

A compliance manager plans to create retention policies for the mailboxes of executive users. The policies will move specific emails to an archive mailbox.

You need to create an archive mailbox for each executive user. What should you do?

- A. Run the New-Mailbox cmdlet.
- B. Enable mailbox journaling.
- C. Enable In-Place Archiving for each mailbox.
- D. Run the set-Mailbox cmdlet.

Answer: C

Explanation:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/in-place-archiving/in-place-archiving?view=exchserver-2019>

NEW QUESTION 255

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You instruct User1 to reduce the size of the email message. Does this meet the goal?

- A. No
- B. Yes

Answer: B

NEW QUESTION 256

HOTSPOT - (Topic 5)

You run the following PowerShell command in a Microsoft 365 environment.

```
PS C:\WINDOWS\system32> Get-OrganizationConfig | fl *group*
```

```
DistributionGroupDefaultOU           :
DistributionGroupNameBlockedWordsList : {}
DistributionGroupNamingPolicy         :
MailTipsGroupMetricsEnabled          : True
DirectReportsGroupAutoCreationEnabled : False
GroupsCreationEnabled                 : False
HiddenMembershipGroupsCreationEnabled : False
GroupsUsageGuidelinesLink            :
DefaultGroupAccessType                : Private
IsMIPLabelForGroupsEnabled           : False
OcmGroupId                            :
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the command.
 NOTE: Each correct selection is worth one point.

[Answer choice] can view the list of members in a group

▼
Only administrators
Only administrators and group owners
All users

[Answer choice] can view the contents of a group mailbox

▼
Only administrators
Only administrators and group owners
All users

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

[Answer choice] can view the list of members in a group

▼
Only administrators
Only administrators and group owners
All users

[Answer choice] can view the contents of a group mailbox

▼
Only administrators
Only administrators and group owners
All users

NEW QUESTION 257

- (Topic 5)

You have an on-premises Microsoft Exchange Server 2019 organization. You plan to configure the environment to support a hybrid deployment.

You need to ensure that you can migrate mailboxes from the on-premises organization to Exchange Online. Which two ports should be open between Exchange Online and the on-premises organization? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. 25
- B. 80
- C. 143
- D. 389
- E. 443
- F. 993

Answer: AE

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment-prerequisites#hybrid-deployment-protocolsports-and-endpoints>

NEW QUESTION 259

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user recently sent an email message that was never received by a recipient on the internet. From the Exchange admin center, you successfully run a message trace but cannot see the message in the trace.

What is the most likely reason why the message fails to appear in the message trace?

- A. The user addressed the message to multiple internal and external receipts
- B. The user encrypted the email message.
- C. Your administrative user account requires additional rights.
- D. The message is in the user's Outbox folder.

Answer: D

NEW QUESTION 263

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

Users report that they cannot view attachments from Outlook on the web from their home computer.

The Outlook Web App policy has the following settings.

ClassicAttachmentsEnabled	: True
ReferenceAttachmentsEnabled	: True
SaveAttachmentsToCloudEnabled	: True
MessagePreviewDisabled	: False
ForceWebReadyDocumentViewingFirstOnPublicComputers	: False
ForceWebReadyDocumentViewingFirstOnPrivateComputers	: False
ActionForUnknownFileAndMIMETypes	: Block
OWALightEnabled	: False
ForceSaveAttachmentFilteringEnabled	: False
ConditionalAccessPolicy	: ReadOnlyPlusAttachmentsBlocked

You need to ensure that the users can view attachments when they access Outlook on the web from their home computer.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Set-OWAMailboxPolicy -identity OwaMailboxPolicy-Default

-ActionForUnknownFileAndMIMETypes	Allow
-ConditionalAccessPolicy	False
-ForceWebReadyDocumentViewingFirstOnPublicComputers	ForceSave
-MessagePreviewsDisabled	ReadOnly
-OWALightEnabled	True

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated with medium confidence

NEW QUESTION 266

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a public folder named PF1.

You need to ensure that email sent to pf1@contoso.com is posted to PF1. What should you do?

- A. Create a shared mailbox.
- B. Mail-enable the public folder.
- C. Create a public folder mailbox.
- D. Create a mail flow rule.

Answer: B

NEW QUESTION 267

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You migrate public folders from on-premises to Exchange Online by using the batch migration process.

After the batch migration completes, additional public folders are created on-premises. You need to migrate the new on-premises public folders to Exchange Online.

What should you do?

A. Export the contents of the folders to a PST file, and then import the PST files by using Outlook PST export.

B. Create a new public folder migration batch that contains only the new folders.

C. Repeat the original batch migration process and add the new folders to the migration batch.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019>

NEW QUESTION 270

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to ensure that all email is retained for one year, and then moved to an archive mailbox.

What should you use?

A. a default policy tag

B. a data loss prevention (DLP) policy

C. a personal tag

D. a retention policy tag

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/mrm/retention-tags-and-retention-policies?view=exchserver-2019>


NEW QUESTION 273

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com that contains a resource mailbox named Room1. You need to configure Room1 to send the following automatic response message: "Thanks for the meeting invite." How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area




A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 275

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Security Reader role to User1. Does this meet the goal?

A. Yes

B. No

Answer: A

Explanation:

Security Administrator can view the audit reports but cannot create a message trace.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/message-trace-scc>

NEW QUESTION 280

HOTSPOT - (Topic 5)

You have a Microsoft 365 subscription that contains the mail-enabled groups shown in the following table.

Name	Members
Managers	User1, User2, User3
Finance	User4, User5, User6

All users have an email address with a suffix of @contoso.com.

You plan to create an anti-phishing policy named Policy1 to meet the following requirements:

- Apply to all email messages sent to current and future users in the Finance group.
- Prevent email messages from impersonating users in the Managers group.

How should you configure Policy1? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Users, groups, and domains:

- The Managers group
- The Finance group**
- The contoso.com domain
- User1, User2, and User3
- User4, User5, and User6

Phishing threshold & protection:

- The Managers group**
- The Finance group
- The contoso.com domain
- User1, User2, and User3
- User4, User5, and User6

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Users, groups, and domains:

- The Managers group
- The Finance group**
- The contoso.com domain
- User1, User2, and User3
- User4, User5, and User6

Phishing threshold & protection:

- The Managers group**
- The Finance group
- The contoso.com domain
- User1, User2, and User3**
- User4, User5, and User6

NEW QUESTION 283

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 organization.

You are auditing the Litigation Hold on the mailboxes of the company's research and development department.

You discover that the mailbox of a user named User1 has a Litigation Hold enabled.

You need to discover who placed the Litigation Hold on the mailbox of User1, and when the Litigation Hold was enabled.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From the Exchange admin center, run an In-place eDiscovery and Hold report.
- B. From PowerShell, run the Get-Mailbox cmdlet.
- C. From the Exchange admin center, run a per-mailbox Litigation Hold report.
- D. run a per-mailbox Litigation Hold report.
- E. From PowerShell, run the Get-MailboxStatistics cmdlet.

Answer: BC

Explanation:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-mailboxstatistics?view=exchange-ps>

NEW QUESTION 285

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You have the on-premises mailboxes shown in the following table.

Name	Forwarding address
User1	User6
User2	None
User3	None
User4	None
User5	None
User6	None

You add the mailbox permissions shown in the following table.

Mailbox	Permission
User2	Send As for User4
User4	Full Access for User3
User6	Send on Behalf for User5

You plan to migrate the mailboxes to Exchange Online by using remote mailbox move requests. The mailboxes will be migrated according to the schedule shown in the following table.

Week	Mailbox
1	User1, User2, User3, User6
2	User4, User5

Mailboxes migrated the same week will have their mailbox move requests included in the same batch and will be cut over simultaneously. For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The mail forwarding settings of the User1 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>
The permissions granted to the User4 mailbox for the User2 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>
The permissions granted to the User3 mailbox for the User4 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/exchange-hybrid>

<https://practical365.com/exchange-online/configuring-exchange-hybrid-cross-forest-permissions/>

NEW QUESTION 290

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You need to change the free/busy data access sharing level between the on-premises organization and Exchange Online.

What should you do?

- A. Run the Hybrid Configuration wizard.
- B. Modify the organization relationship.
- C. Create an organization sharing policy.
- D. Create an individual sharing policy.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/shared-free-busy>

NEW QUESTION 291

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to import PST files from a legacy archiving solution to Exchange Online. You will import the PST files over the internet.

Which five actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Use Azure Storage Explorer to upload the PST files.	
Create a mapping file.	
Start the PST import job.	
Use AzCopy to upload the PST files.	
Create a PST import job.	
Retrieve the shared access signature (SAS) URL.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Use Azure Storage Explorer to upload the PST files.	Retrieve the shared access signature (SAS) URL.
Create a mapping file.	Use AzCopy to upload the PST files.
Start the PST import job.	Create a mapping file.
Use AzCopy to upload the PST files.	Create a PST import job.
Create a PST import job.	Start the PST import job.
Retrieve the shared access signature (SAS) URL.	

NEW QUESTION 292

HOTSPOT - (Topic 5)


You manage a Microsoft Exchange Online subscription. You use Advanced Threat Protection (ATP).

A partner company sends daily invoices to your company. The invoices are always named AdatumInvoice.xlsx.

Some users report that sometimes they cannot find the invoices in their Inbox folder. You need to identify whether the invoices are identified as malicious by Microsoft 365.

Which two blades should you use? To answer, select the appropriate blades in the answer area.


NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 297

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to prevent email messages from a domain named fabrikam.com from being delivered to the mailboxes of your organization.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? In the Microsoft 365 Defender portal at <https://security.microsoft.com>, go to Email & Collaboration > Policies & Rules > Threat policies > Anti-spam in the Policies section. To go directly to the Anti-spam policies page, use <https://security.microsoft.com/antispam>.

? On the Anti-spam policies page, click Create policy and then select Inbound from the drop down list.

? The policy wizard opens. On the Name your policy page, configure these settings:

- Name: Enter a unique, descriptive name for the policy.
- Description: Enter an optional description for the policy. When you're finished, click Next.

? On the Users, groups, and domains page that appears, identify the internal recipients that the policy applies to (recipient conditions):

- Users: The specified mailboxes, mail users, or mail contacts in your organization.
- Groups: The specified distribution groups, mail-enabled security groups, or Microsoft 365 Groups in your organization.
- Domains: All recipients in the specified accepted domains in your organization.

Click in the appropriate box, start typing a value, and select the value that you want from the results. Repeat this process as many times as necessary. To remove an existing value, click remove x next to the value.

For users or groups, you can use most identifiers (name, display name, alias, email address, account name, etc.), but the corresponding display name is shown in the results. For users, enter an asterisk (*) by itself to see all available values.

Multiple values in the same condition use OR logic (for example, <recipient1> or <recipient2>). Different conditions use AND logic (for example, <recipient1> and <member of group 1>).

- Exclude these users, groups, and domains: To add exceptions for the internal recipients that the policy applies to (recipient exceptions), select this option and configure the exceptions. The settings and behavior are exactly like the conditions.

When you're finished, click Next.

? On the Bulk email threshold & spam properties page that appears, configure the following settings:

- Bulk email threshold: Specifies the bulk complaint level (BCL) of a message that triggers the specified action for the Bulk spam filtering verdict that you configure on the next page (greater than the specified value, not greater than or equal to). A higher value indicates the message is less desirable (more likely to resemble spam). The default value is 7. For more information, see Bulk complaint level (BCL) in EOP and What's the difference between junk email and bulk email?.

By default, the PowerShell only setting MarkAsSpamBulkMail is On in anti-spam policies. This setting dramatically affects the results of a Bulk filtering verdict:

- MarkAsSpamBulkMail is On: A BCL that's greater than the threshold is converted to an SCL 6 that corresponds to a filtering verdict of Spam, and the action for the Bulk filtering verdict is taken on the message.

- MarkAsSpamBulkMail is Off: The message is stamped with the BCL, but no action is taken for a Bulk filtering verdict. In effect, the BCL threshold and Bulk filtering verdict action are irrelevant.

- Increase spam score, Mark as spam* and Test mode: Advanced Spam Filter (ASF) settings that are turned off by default.

The Contains specific languages and from these countries settings are not part of ASF.

- Contains specific languages: Click the box and select On or Off from the drop down list. If you turn it on, a box appears. Start typing the name of a language in the box. A filtered list of supported languages will appear. When you find the language that you're looking for, select it. Repeat this step as many times as necessary. To remove an existing value, click remove x next to the value.

- From these countries*: Click the box and select On or Off from the drop down list. If you turn it on, a box appears. Start typing the name of a country in the box. A filtered list of supported countries will appear. When you find the country that you're looking for, select it. Repeat this step as many times as necessary. To remove an existing value, click remove x

next to the value.

When you're finished, click Next.

? On the Actions page that appears, configure the following settings:

- Message actions: Select or review the action to take on messages based on the following spam filtering verdicts:

- Spam
- High confidence spam Phishing
- High confidence phishing Bulk

- Retain spam in quarantine for this many days: Specifies how long to keep the message in quarantine if you selected Quarantine message as the action for a spam filtering verdict. After the time period expires, the message is deleted, and is not recoverable. A valid value is from 1 to 30 days.

- Add this X-header text: This box is required and available only if you selected Add X- header as the action for a spam filtering verdict. The value you specify is the header field name that's added to the message header. The header fieldvalue is always This message appears to be spam.

- Prepend subject line with this text: This box is required and available only if you selected Prepend subject line with text as the action for a spam filtering verdict. Enter the text to add to the beginning of the message's subject line.

- Redirect to this email address: This box is required and available only if you selected the Redirect message to email address as the action for a spam filtering verdict. Enter the email address where you want to deliver the message. You can enter multiple values separated by semicolons (;).

- Enable safety Tips: By default, Safety Tips are enabled, but you can disable them by clearing the checkbox.

- Enable zero-hour auto purge (ZAP): ZAP detects and takes action on messages that have already been delivered to Exchange Online mailboxes.

ZAP is turned on by default. When ZAP is turned on, the following settings are available:

- Enable ZAP for phishing messages: By default, ZAP is enabled for phishing detections, but you can disable it by clearing the checkbox.
- Enable ZAP for spam messages: By default, ZAP is enabled for spam detections, but you can disable it by clearing the checkbox.

When you're finished, click Next.

? On the Allow & block list flyout that appears, you are able to configure message senders by email address or email domain that are allowed to skip spam filtering.

In the Allowed section, you can configure allowed senders and allowed domains. In the

Blocked section, you can add blocked senders and blocked domains. The steps to add entries to any of the lists are the same:

- Click the link for the list that you want to configure: Allowed >Senders: Click Manage (nn) sender(s). Allowed >Domains: Click Allow domains. Blocked >Senders: Click Manage (nn) sender(s). Blocked >Domains: Click Block domains.

- In the flyout that appears, do the following steps: Click + Add senders oAr dd domains.

- In the Add senders oAr dd domains flyout that appears, enter the sender's email address in the Sender box or the domain in theDomain box. As you're typing, the value appears below the box. When you're finished typing the email address or domain, select the value below the box.

- Repeat the previous step as many times as necessary. To remove an existing value, click remove x next to the value.

When you're finished, click Add senders oAr dd domains.

- Back on the main flyout, the senders or domains that you added are listed on the page. To remove an entry from this page, do the following steps:

- Select one or more entries from the list. You can also use the Search box to find values in the list.
- After you select at least one entry, the delete icon appears Click the delete icon to remove the selected entries

When you're finished, click Done.

Back on the Allow & block list page, clickNext when you're read to continue.

? On the Review page that appears, review your settings. You can select Edit in each section to modify the settings within the section. Or you can click Back or select the specific page in the wizard.

When you're finished, click Create.

? On the confirmation page that appears, click Done.

NEW QUESTION 299

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario.

Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes. You need to add a second email address to each mailbox. The address must have a

syntax that uses the first letter of each user's last name, followed by the user's first name,

and then @fabrikam.com.

Solution: You convert all the mailboxes to shared mailboxes, and then you run the Set-Mailbox cmdlet and specify the -EmailAddressPolicyEnabled \$true parameter.

Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-address-policies?view=exchserver-2019>

NEW QUESTION 302

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment that contains the public folders shown in the following table.

Name	Structure	Mail-enabled
PF1	Hierarchical	Yes
PF2	Flat	No
PF3	Flat	Yes

You plan to migrate the public folders to Exchange Online to improve the collaboration options available to users.

Which public folders can be migrated to Office 365 groups without losing the folders' existing functionality?

- A. PF2 and PF3 only
- B. PF2 only
- C. PF1 and PF2 only
- D. PF1 only
- E. PF3 only

Answer: A

Explanation:

Not PF1. Office 365 groups are 'flat' so you would lose the folder hierarchy. Reference:
<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-microsoft-365-groups?view=exchserver-2019>

NEW QUESTION 303

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

You need to prevent all users from performing the following tasks:

? Sending out-of-office replies to an email domain named fabrikam.com.

? Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You create one mail flow rule. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

NEW QUESTION 307

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1 and a shared mailbox named Project 1. You plan to delegate User1 permission to send email messages from Project1. You need to ensure that the messages appear to come directly from Project1. Which permission should you assign to User1?

- A. Send on Behalf
- B. Contributor
- C. Full Access
- D. Send As

Answer: D

NEW QUESTION 312

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization named contoso.com and an Exchange Online tenant.

You plan to implement a hybrid deployment.

You have the certificates shown in the following table.

Name	Source	Subject name
Cert1	Self-signed	server1.contoso.com
Cert2	Internal certification authority (CA)	*
Cert3	Internal certification authority (CA)	contoso.com and autodiscover.contoso.com
Cert4	Public certification authority (CA)	*
Cert5	Public certification authority (CA)	contoso.com and autodiscover.contoso.com

You need to identify which certificates can be assigned in the Microsoft Office 365 Exchange Hybrid Configuration wizard. Which certificates should you identify?

- A. Cert4 and Cert5 only
- B. Cert2 and Cert3 only
- C. Cert1 only
- D. Cert3 and Cert5 only
- E. Cert2 and Cert4 only
- F. Cert2, Cert3, Cert4, and Cert5 only

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/certificate-requirements>

NEW QUESTION 316

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to identify which accounts in Active Directory are assigned permissions to dismount mailbox databases.

How should you complete the command? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area
Get-ManagementRole	\$Perms = <input type="text"/> -Cmdlet Dismount-Database
Get-ManagementRoleAssignment	\$Perms foreach { <input type="text"/> -Role \$_.Name -Delegating \$false
Get-ManagementRoleEntry	Format-Table -Auto Role,RoleAssigneeType,RoleAssigneeName}
Get-ManagementScope	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Values	Answer Area
Get-ManagementRole	\$Perms = <input type="text" value="Get-ManagementRoleEntry"/> -Cmdlet Dismount-Database
Get-ManagementRoleAssignment	\$Perms foreach { <input type="text" value="Get-ManagementRoleAssignment"/> -Role \$_.Name -Delegating \$false
Get-ManagementRoleEntry	Format-Table -Auto Role,RoleAssigneeType,RoleAssigneeName}
Get-ManagementScope	

NEW QUESTION 320

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You run the following commands.

New-Management-Scope -Name "VIP Mailboxes" -RecipientRoot "Contoso.com/ Executives"

-RecipientRestrictionFilter (ReceipientType -eq "UserMailbox")

New-ManagementRoleAssignment -SecurityGroup "VIP Admins" -Role "Mail Recipients"

-CustomRecipientWriteScope "VIP Mailboxes"

You have a user named Admin1.

You need to ensure that Admin1 can manage the mailboxes of users in the Executives organizational unit (OU) only.

What should you do?

- A. Modify the membership of VIP Admins.
- B. Create a custom role group.
- C. Add Admin1 to the Recipient Management management role group.
- D. Move Admin1 to the Executives OU.

Answer: A

Explanation:

References:

<https://social.technet.microsoft.com/Forums/exchange/en-US/b316a841-c39d-483a-ac8e-64d5904c42e6/howto-limit-recipient-management-rights-to-users-in-a-ou-in-exchange-2010-sp1?forum=exchangesvradmlegacy>

NEW QUESTION 322

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

You need to prevent all users from performing the following tasks:

? Sending out-of-office replies to an email domain named fabrikam.com.

? Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You modify the default remote domain.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote- domains/remote-domains>

NEW QUESTION 323

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

A user reports that an expected email message from an internet recipient was never delivered, and the sender never received a non-delivery report (NDR).

You need to troubleshoot inbound message delivery to meet the following requirements:

- Verify DNS and MX connectivity for the target domain.
- Verify whether the message was quarantined.

What should you use for each requirement? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Verify DNS and MX connectivity for the target domain:

Verify whether the message was quarantined:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Verify DNS and MX connectivity for the target domain:

Verify whether the message was quarantined:

NEW QUESTION 327

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a retention policy named Policy1 and a user named User1.

Policy1 is assigned to all users and contains the retention tags shown in the following table.

Name	Type	Retention period	Retention action
Tag1	Default mailbox	1826 days	Permanently Delete
Tag2	Default folder	365 days	Move to Archive
Tag3	Personal	730 days	Move to Archive

Tag3 is applied to an email message in the inbox of User1. You remove Tag3 from Policy1. What will occur to the message?

- A. The existing retention tag will be retained.
- B. The existing retention tag will be removed.
- C. The default mailbox retention tag will apply.
- D. The default folder retention tag will apply.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/messaging-records-management/retention-tags-and-policies>

NEW QUESTION 331

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

MS-203 Practice Exam Features:

- * MS-203 Questions and Answers Updated Frequently
- * MS-203 Practice Questions Verified by Expert Senior Certified Staff
- * MS-203 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MS-203 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The MS-203 Practice Test Here](#)