

Microsoft

Exam Questions PL-100

Microsoft Power Platform App Maker




NEW QUESTION 1

HOTSPOT - (Topic 4)

You create a canvas app for a service company.

Using the Tree view, you navigate to the ViewServices screen. The screen contains a form named DetailForm1 that only contains Label controls. You add the People icon to the header of the ViewServices screen as shown below:



When you select the icon a new Activity form opens. You must set the value of the Name field on the new Activity form to the value of the name field from DetailForm1.

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Which formula must you enter in the Name field on the Activity form to default the Name from DetailForm1?

Drop-down menu options:

- Name_DataCard1.Default
- Name_DateCardKey1.Default
- Name_DataCardValue1.Default

Which action should you perform on the People icon?

Drop-down menu options:

- In the On Select property, set the Activity form to Edit mode.
- In the On Select property, set the Activity form to View mode.
- Move the icon to the Activity form and set the On Select property to the Activity screen.
- Move the icon to the DetailForm1 and set the On Select property to open the Activity screen.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Name_DataCardValue1.Default

Box 2: Move the icon to the Activity form and set the On Select property to the Activity screen.

The Select function simulates a select action on a control as if the user had clicked or tapped the control. As a result, the OnSelect formula on the target control is evaluated.

NEW QUESTION 2

- (Topic 4)

You are an app designer for a hotel.

The hotel wants to create an app to help the housekeeping staff schedule work. You need to create a new environment for the app.

Where should you create the environment?

- A. Power Platform Admin center
- B. Power Apps Maker portal
- C. Dynamics 365 Admin center

Answer: A

Explanation:

Manage environment in the Power Platform admin center. Reference:
<https://docs.microsoft.com/en-us/power-platform/admin/create-environment>

NEW QUESTION 3

HOTSPOT - (Topic 4)
 HOTSPOT

A company is creating an app to manage project status reports.

Users will update a series of controls and click a submit button. The submit button will calculate a risk score for the project and return to the previous screen with that risk score. The risk score will be used in two different forms.

You need to create the formula on the button click. To answer, select the appropriate option in the answer area NOTE: Each correct selection is worth one point.

Answer Area

Action	Formula component
Assign the scope for the variable.	Global variable Collection Context variable Global variable Lookups
Separate the calculate action from the previous screen.	; . : -
Go to the next page.	Navigate() Navigate() Revert() NewForm() SetFocus()

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Action	Formula component
Assign the scope for the variable.	Global variable
Separate the calculate action from the previous screen.	;
Go to the next page.	Navigate()

NEW QUESTION 4

DRAG DROP - (Topic 4)

A company uses a canvas app.

The finance team and sales team require access to the canvas app. You must perform the following actions:

- Add members of the sales team to the app as users.
- Add members of the finance team to the app as co-owners.

The app must be shareable with current and future team members.

You need to request creation of group types for team members. This must enable sharing of the app with the least amount of effort.

Which group types should you request? To answer, drag the appropriate group types to the correct activities. Each group type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Group types	Activity	Group type
Security group	Add members of the sales team to the app as users.	Dynamic group
Distribution group	Add members of the finance team to app as co-owners.	Security group
Dynamic group		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Group types	Activity	Group type
Security group	Add members of the sales team to the app as users.	Dynamic group
Distribution group	Add members of the finance team to app as co-owners.	Security group
Dynamic group		

NEW QUESTION 5

- (Topic 4)

You create a canvas app.

You need to make the app available to other people in your company.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Grant access to individual users in your company.
- B. Share the app with a Microsoft Exchange distribution list.
- C. Grant access to a Microsoft Teams team.
- D. Share the app with a Microsoft Azure Active Directory security group.

Answer: AD

Explanation:

After you build a canvas app that addresses a business need, specify which users in your organization can run the app and which can modify and even reshare it. Specify each user by name, or specify a security group in Azure Active Directory.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/share-app>

NEW QUESTION 6

DRAG DROP - (Topic 4)

You are an app and report maker. You provide visualizations for two departments in an organization.

Each department requires department-specific visualizations:

Department	Requirement
Department1	Provide unstructured answers to free text survey questions.
Department2	Chart real-time data in columns that groups complaints by category, urgency, and status.

You need to create the visualizations.

Which chart type should you use? To answer, drag the appropriate chart type to the correct requirements. Each chart type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Chart types	Requirement	Chart type
<div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">Multi-series</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">Tag</div> <div style="border: 1px solid black; padding: 2px;">Stacked column</div>	<p>Unstructured answers to free text survey questions.</p> <p>Real-time column chart that groups complaints by category, urgency, and status.</p>	<div style="border: 1px solid black; height: 20px; width: 100%; margin-bottom: 10px;"></div> <div style="border: 1px solid black; height: 20px; width: 100%;"></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Tag

Box 2: Multi-series

Multi-series charts: Charts that display data with multiple series values mapped to a single category value.

NEW QUESTION 7

DRAG DROP - (Topic 4)

You have a solution that contains a Power Automate flow, an environment variable, and a

Which three steps should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Select the managed solution.

Adjust the version number.

Publish all changes.

Select the unmanaged solution.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Adjust the version number. Step 2: Select the managed solution.

Managed Solution: A managed solution is a finalized solution that can be distributed and installed. They are created by exporting an unmanaged solution by setting restrictions to prevent any further customizations. The whole point of Managed is locking down the Component states so they cannot be edited. Deleting the Managed Solution will remove all its customisations as well as data contained. Managed Solutions become read only once deployed so they cannot be manipulated.

Step 3: Publish all changes.

NEW QUESTION 8

DRAG DROP - (Topic 4)

: 186 DRAG DROP

A company uses Power Apps.

The company requires a canvas app that connects to the following sources:

- SharePoint list
- Microsoft 365 mailbox
- SOAP API

You need to select connector types.

Which connector types should you use? To answer, drag the appropriate connector types to the correct sources. Each connector type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 9

HOTSPOT - (Topic 4)

A company uses Power Apps. The company gathers product improvement suggestions at tradeshows by using tablet devices.

A product improvement suggestion has two parts: a topic and a comment. Attendees can enter up to 10 suggestions. You create a canvas app to allow attendees to enter suggestions. The wireless network connection inside the tradeshow is unreliable.

You need to ensure that the tablet devices save all suggestions.

Which solution technologies should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Action	Solution technology
Save suggestions while visitors enter data.	Collection <input type="text"/>
Save suggestions for future processing.	Export <input type="text"/>

NEW QUESTION 10

HOTSPOT - (Topic 4)

A company uses a model-driven app. You create a Power BI sales report. The executive of the company wants all users to see tiles from the report in the model-driven app. You need to ensure all users can see the tiles. What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Step	Setting
Allow addition of Power BI visualization tiles.	<input type="text"/> Power Platform Environment settings Power Apps settings Power BI Service settings Power BI Desktop settings
Add tiles to a dashboard.	<input type="text"/> Create a personal dashboard Create a Power BI dashboard. Create a system dashboard.
Allow users to view tiles.	<input type="text"/> Share tile and share dashboard. Share report and share dashboard. Share tile and publish dashboard. Share report and publish dashboard.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Power Platform Environment settings
 Before users can embed Power BI visualizations on personal dashboards, the organization-wide setting must be enabled.
 ? In the Power Platform admin center, select an environment.
 ? Select Settings > Product > Features.
 ? Under Embedded content set Power BI visualization embedding to On to enable or Off to disable.
 ? Select Save.

Box 2: Create a personal dashboard
 You can embed Power BI tiles on your personal dashboard.
 ? Open your app and go to Dashboards.
 ? Select an existing personal dashboard or select New to create one.
 ? On the dashboard, select an area where you want the tile to appear, and then select Power BI Tile on the toolbar.
 ? Add new Power BI tile.
 ? In the Power BI Tile dialog, select the workspace and then select the Power BI tile that you want to display on your dashboard. Select Enable for mobile if you want to make the tile available for Dynamics 365 for tablets and Dynamics 365 for phones.
 ? Select another area of the dashboard and repeat this step to add another Power BI tile, or other component, such as a chart or list, to your dashboard.
 ? Select Save to save your dashboard.

Box 3: Share report and share dashboard.
 To share your personal dashboard that contains Power BI visualizations you must same credentials and appropriate level of access in both services. To share your personal dashboard in your app, go to Dashboards. In the list of dashboards, select the personal dashboard you want, and then select SHARE DASHBOARD.

NEW QUESTION 10

DRAG DROP - (Topic 4)
 DRAG DROP

A company is creating Power Apps apps for their customer service team. You must create a final released solution to export to their test environment that cannot be changed in the new environment. You need to determine the types of solutions to use. Which type of solution should you use? To answer, drag the appropriate solution types to the correct conditions. Each solution type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

Solution type	Answer Area	Solution type
Managed	Condition	Solution type
Unmanaged	Assign a publisher for the first time	Solution type
	Export the solution	Solution type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Unmanaged

Unmanaged solutions are used in development environments while you make changes to your application.

Box 2: Managed

Managed solutions are used to deploy to any environment that isn't a development environment for that solution.

NEW QUESTION 11

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a canvas app for a manufacturing company. The company receives parts and materials from many vendors. You create a form to collect information from packing slips.

Receivers must be able to take a picture of packing slips to receive materials instead of manually entering data in the app.

You need to ensure that users can scan packing slip information into the form. Proposed solution: Use a Category classification model.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

A Category classification model categorizes text by its meaning. Reference:

<https://knowledgefrommanish.com/powerplatform/ai-builder-entity-extraction-ai-model/>

NEW QUESTION 16

DRAG DROP - (Topic 4)

DRAG DROP

A company uses Microsoft Power Platform. Users create charts based on specific needs in

You create a solution in a development environment. You rebuild personal charts of the users inside the solution. All charts must appear on one page.

You need to create a single page that includes all charts without switching to classic. Which three steps should you perform in sequence? To answer, move the appropriate

actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 19


DRAG DROP - (Topic 4)

DRAG DROP

A commercial bakery uses an inventory system to track ingredients consumed in their production line. The workers use iPads to interact with the system and reserve the ingredients for the next batch. Data from the system is extracted as a .csv file.

You need to create a Power BI report from the extracted data by using only an iPad. Which five actions should you perform in sequence? To answer, move the appropriate


actions from the list of actions to the answer area and arrange them in the correct order.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 20

- (Topic 4)

You create a canvas app.

A user is not able to determine which field currently has focus. You run App checker to identify errors.

You need to verify that the focused border thickness is set to a value greater than zero. Which section of the App checker results should you check?

- A. Rules
- B. Performance
- C. Accessibility
- D. Runtime

Answer: C

Explanation:

The Accessibility checker classifies each issue as an error, a warning, or a tip based the issue's severity.

Issues include:

? Focus isn't showing

When the FocusBorderThickness of a control is set to 0. It is good practice to ensure a proper color-contrast ratio between the focus border and the control itself so it's clearly visible.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker>

NEW QUESTION 21

- (Topic 4)

A company receives its marketing campaign performance report as a Microsoft Excel file. The company stores the file in Microsoft SharePoint.

A user updates the Excel file daily with updated data.

The company needs a solution that automatically displays the latest analytics.

You need to create a basic report that contains pie charts that display the most profitable channels.

You need to propose the right solution.

Solution: Microsoft Power Apps canvas app having an Excel file imported into the app and Pie chart control.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: A


NEW QUESTION 22

- (Topic 3)

You need to design the data model for the cooking classes.

What should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Data	Component
Dish	<ul style="list-style-type: none"> Microsoft SharePoint document Custom table Microsoft SharePoint document Global choice
Student type	<ul style="list-style-type: none"> Connection role Connection role Custom column Lookup column

NEW QUESTION 24

DRAG DROP - (Topic 3)

You need to select a design approach for the required features.

Which app type should you use? To answer, drag the appropriate app types to the correct requirements. Each app type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

App types	Requirement	App type
<ul style="list-style-type: none"> Microsoft Power Platform portal page Power Apps canvas app Power Virtual Agents chatbot 	Record student attendance start and end times.	
	Ensure that instructors can upload menus.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

App types	Requirement	App type
<ul style="list-style-type: none"> Microsoft Power Platform portal page Power Apps canvas app Power Virtual Agents chatbot 	Record student attendance start and end times.	Microsoft Power Platform portal page
	Ensure that instructors can upload menus.	Power Apps canvas app

NEW QUESTION 25

HOTSPOT - (Topic 2)

You need to implement features for the solution.

Which Power Platform component should you use for each feature? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Feature	Component
Mobile app for Sales Log workbook	<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;">▼</div> <div style="padding: 2px;">Canvas app</div> <div style="padding: 2px;">Model-driven app</div> <div style="padding: 2px;">Power Virtual Agents chatbot</div> </div>
Embed KPIs for sales quotas by region	<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;">▼</div> <div style="padding: 2px;">Content Pack</div> <div style="padding: 2px;">Power BI Desktop</div> <div style="padding: 2px;">Power BI service</div> </div>
Transfer of key sales information to the Job Setup entity	<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;">▼</div> <div style="padding: 2px;">Power Automate</div> <div style="padding: 2px;">Business process flow</div> <div style="padding: 2px;">Power Virtual Agents</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Model-driven app

The Sales app must meet the following requirements:

? Provide a central location for all sales pipeline and quote information that is easily accessible and maintains all of the versions of the estimate, quote, and engineering documents.

Compared to canvas apps, model-driven apps in PowerApps are based on underlying data — specifically, the data stored in Common Data Service (CDS).

Box 2: Power BI Desktop

You can create a KPI in Power BI Desktop.

? Open your report editor in Power BI Desktop then select a report on which you are working.

? On your right, you will see a Visualizations pane and a Fields pane.

? From the Visualizations pane, select the KPI visual.

? Etc.

Box 3: Power Automate

NEW QUESTION 27

- (Topic 2)

You need to connect to the data source for the Job Setup app. What should you do?

- A. Configure a scheduled synchronization with the Common Data Service database
- B. Configure SQL Server database permissions
- C. Create a stored procedure that retrieves time records for a specific employee
- D. Configure an on-premises data gateway

Answer: D

Explanation:

Scenario: The Job Setup entity must store its data in the existing on-premises SQL Server instance.

The on-premises data gateway acts as a bridge to provide quick and secure data transfer between onpremises data (data that isn't in the cloud) and several Microsoft cloud services. These cloud services include Power BI, Power Apps, Power Automate, Azure Analysis Services, and Azure Logic Apps. By using a gateway, organizations can keep databases and other data sources on their on-premises networks, yet securely use that on-premises data in cloud services.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/gateway-reference>

NEW QUESTION 28

HOTSPOT - (Topic 2)

You need to configure the system to meet the sales requirements.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Action
Ensure that work estimates are complete before entering estimated sales values into the Sales Log.	<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;">▼</div> <div style="padding: 2px;">Use a Business Process flow</div> <div style="padding: 2px;">Use a UI flow</div> </div>
Prevent modification of timesheet entries by an employee.	<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;">▼</div> <div style="padding: 2px;">Add a custom control to the Business Process flow</div> <div style="padding: 2px;">Use a formula to set the DisplayMode property</div> <div style="padding: 2px;">Use a business rule</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Use a Business Process flow

Scenario: The Sales Log app must enforce process standards related to the completion of estimates and supporting materials needed during the sales lifecycle.

Box 2: Use a formula to set the DisplayMode property

DisplayMode - The mode to use for data cards and controls within the form control. Derived from the Mode property based and cannot be set independently:

Mode	DisplayMode	Description
FormMode.Edit	DisplayMode.Edit	Data cards and controls are editable, ready to accept changes to a record.
FormMode.New	DisplayMode.Edit	Data cards and controls are editable, ready to accept a new record.
FormMode.View	DisplayMode.View	Data cards and controls are not editable and optimized for viewing.

NEW QUESTION 30

HOTSPOT - (Topic 2)

You need to create the solution assets.

What should you use to create the visualizations? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Dashboard visualization	Tool
Sales	<ul style="list-style-type: none"> Power BI Desktop only Power BI Service only Power BI Desktop or Power BI Service
Manufacturing	<ul style="list-style-type: none"> Power BI Desktop only Power BI Service only Power BI Desktop or Power BI Service

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: PowerBI Desktop

The Sales dashboard must reside in the Sales channel and must include information about active quotes, sales pipeline, and year-to-date sales KPIs for sales quotas by region.

PowerBI Desktop to support many data source. Box 2: PowerBI Desktop or Power BI Service on

A dashboard that shows a capacity Heat map by month as well as expected sales that are likely to close for the next month. Both support visualizations.

NEW QUESTION 35

HOTSPOT - (Topic 1)

You need to roll back the mobile app to an earlier version.

Requirement	Action
Identify the currently published version and view version notes.	<ul style="list-style-type: none"> View the session details page for the app in Power Apps Studio. View environment details for the app in the Power Admin portal. View details for the app in the Power Apps Maker portal.
Revert to an earlier version of the app.	<ul style="list-style-type: none"> Select Restore on the previous version of the app. Export the previous version of the app and import as a new version. Delete versions of the app until the desired version is the most recent.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Requirement	Action
Identify the currently published version and view version notes.	<ul style="list-style-type: none"> View the session details page for the app in Power Apps Studio. View environment details for the app in the Power Admin portal. View details for the app in the Power Apps Maker portal.
Revert to an earlier version of the app.	<ul style="list-style-type: none"> Select Restore on the previous version of the app. Export the previous version of the app and import as a new version. Delete versions of the app until the desired version is the most recent.


- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: View the sessions details page for the app in Power Apps Studio

Use PowerApps Studio, select the App, and choose and you will be directed to the app's Versions tab in PowerApps portal. There should be one version marked Live.




Box 2: Select Restore on the previous version of the app. Restore an app from your account

? Open powerapps.com, and then click or tap Apps in the left navigation bar.

? Near the right edge, click or tap the info icon for the app that you want to restore.

? Click or tap the Versions tab, and then click or tap Restore for the version that you want to restore.



NEW QUESTION 38

- (Topic 1)

You need to meet the requirements for sales representative that submit status reports. How should you configure the flow?

- A. Add a parallel branch that uses the value of a dynamic content variable
- B. Add a number functions action that evaluates the risk value by using a static variable to determine if an email is required
- C. Add a condition that evaluates the risk value by using a dynamic content variable
- D. Add a data operation action that evaluates a dynamic content variable

Answer: C

Explanation:

Salespeople often do not set status of RFQs in the Sales Log to Won when a sale is closed and the customer purchase order is received.

Include a dashboard that shows all currently active quotes, their status in the sales cycle, the probability of closing, and estimated manufacturing and installation dates, by customer, product division, status, and salesperson.

NEW QUESTION 42

DRAG DROP - (Topic 4)

You are creating a model-driven app for onboarding new employees. You need to implement business logic for the app.

Which tool should you use? To answer, drag the appropriate tools to the correct requirements. Each tool may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Tools	Requirement	Tools
<input type="checkbox"/> Business rule	Guide a user through the set of steps needed for onboarding a new employee.	<input type="text"/>
<input type="checkbox"/> Power Automate	Make date of birth mandatory when creating a new employee record.	<input type="text"/>
<input type="checkbox"/> Business process flow	Implement an approval flow for expense reports submitted by employees.	<input type="text"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Business process flow

A business process flow is a visual guide meant to help users complete a business process by using a set of predefined stages. Users are not limited on how long they run a business process or how long they have a stage open.

Box 2: Business rule Box 3: Power Automate

A Power Automate flow does not have any visual components like a business process flow. Power Automate flows can be configured to work with many different data sources, and a flow can connect to many different data sources within the same flow. A flow can be configured to time out if it is not completed in a certain time and can be triggered to move between steps based on data or user interaction.

NEW QUESTION 44

- (Topic 4)

A company uses Microsoft Power Platform. You create a solution with components You deploy the solution in the production environment Users report issues with a process. You open the last imported solution. You need to troubleshoot the issue. What should you view?


- A. Solution dependencies
- B. Solution classic view
- C. History

Answer: D

NEW QUESTION 49

HOTSPOT - (Topic 4)

The managers in an organization use a model-driven app. The app should display only one dashboard named Corporate Data. The managers observe that several dashboards are displayed.



Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

How do you remove all the dashboards from the list of dashboards displayed?

<input type="text"/>
<input type="checkbox"/> Open the model-driven app in the app designer and clear all dashboard check boxes except the Corporate Data dashboard.
<input type="checkbox"/> Open the site map in the sitemap designer and clear all dashboard check boxes except the Corporate Data subarea except for the Corporate Data dashboard.
<input type="checkbox"/> Open the solution and delete all dashboards from the solution except for the Corporate Data dashboard.

You need to remove the Ideas dashboard from the navigation bar. What should you do?

<input type="text"/>
<input type="checkbox"/> Open the model-driven app in the app designer and clear the check box for the ideas dashboard
<input type="checkbox"/> Open the site map in the sitemap designer and delete the Ideas dashboard from the Results group
<input type="checkbox"/> Open the solutions and delete all the Ideas dashboards from the solution

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table

Description automatically generated

Box 1: Open the model-driven app in the app designer.

* 1. On the app designer canvas, select the Dashboards tile.

On the app designer canvas, the right pane shows dashboards that are available in the default solution.

* 2. Clearing the corresponding check box.

Box 2: Open the site map in the sitemap designer and delete the Ideas dashboard from the Results group

Site maps define the manner by which users move between tables in a model-driven app.

NEW QUESTION 52

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goal. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles. Development and testing must be performed using production data. Multiple testers must be used at each testing stage. You need to provision and configure new environments for development and testing. Solution:
? Provision sandbox environments named S1 and S2.
? Copy the production environment to both S1 and S2.
? Use S1 for development and S2 for testing.
Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

A sandbox environment is any non-production environment of Microsoft Dataverse. Isolated from production, a sandbox environment is the place to safely develop and test application changes with low risk.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

NEW QUESTION 57

- (Topic 4)

You have a Power Platform solution that uses Common Data Service. You need to secure all fields that support field-level security. Which field can you secure?

- A. createdon
- B. accountid
- C. owninguser
- D. description

Answer: D

Explanation:

Which fields can be secured?

Although most attributes can be secured, there are system attributes, such as IDs, timestamps, and record tracking attributes, that can't. Below are a few examples of attributes that can't be enabled for field security.

ownerid, processid, stageid, accountid, contactid createdby, modifiedby, OwningTeam, OwningUser

createdon, EntityImage_ Timestamp, modifiedon, OnHoldTime, overriddencreatedon statecode, statuscode

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/field-level-security>

NEW QUESTION 58

- (Topic 4)

In a Common Data Service database, you create a canvas app and a custom entity. The app also reads data from the Account entity in the Common Data Service database. Entity access permissions will be controlled by the Common Data Service User security role. You create a Common Data Service solution. You need to replicate the changes to a new Common Data Service database. Which two components should you include with the canvas app? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Custom entity
- B. Account entity
- C. Common Data Service User security role
- D. Sitemap

Answer: BC

NEW QUESTION 62

HOTSPOT - (Topic 4)

A company uses two SQL Server environments and two Common Data Service environments. The company policy states that only specific administrators can create environments. SQL Server and Common Data Service groups must be distinct. You need to assign security access. What should you assign? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Role	Security access
Admin users for SQL environments	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; padding-bottom: 2px;">▼</div> <div style="padding: 2px;">Environment Maker</div> <div style="padding: 2px;">Environment Admin</div> <div style="padding: 2px;">System Administrator and Environment Security group</div> <div style="padding: 2px;">Power Platform Administrator and Environment Security group</div> </div>
Admin users for Common Data Service environments	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; padding-bottom: 2px;">▼</div> <div style="padding: 2px;">Environment Maker</div> <div style="padding: 2px;">Environment Admin</div> <div style="padding: 2px;">Global Administrator</div> <div style="padding: 2px;">System Administrator</div> </div>
Users that create Common Data Service apps	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; padding-bottom: 2px;">▼</div> <div style="padding: 2px;">System Customizer</div> <div style="padding: 2px;">Environment Maker</div> <div style="padding: 2px;">Environment Admin</div> <div style="padding: 2px;">System Administrator</div> </div>
Users that create SQL apps	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; padding-bottom: 2px;">▼</div> <div style="padding: 2px;">System Customizer</div> <div style="padding: 2px;">Environment Maker</div> <div style="padding: 2px;">Environment Admin</div> <div style="padding: 2px;">System Administrator</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: System Administrator and Environment Security group Security model for the databases

When a database is created, the users who have environment roles assigned to them, will continue to maintain those privileges.

Users with Environment Admin role are now assigned to System Administrator role. Users with Environment Maker continue to possess the same role.

Box 2: Environment Admin

The Environment Admin role can perform all administrative actions on an environment, including the following:

? Add or remove a user from either the Environment Admin or Environment Maker role.

Box 3: Environment Maker

Environment Maker: Can create new resources associated with an environment, including apps, connections, custom APIs, gateways, and flows using Microsoft Power Automate. However, this role doesn't have any privileges to access data within an environment. More information:

Box 4: System Customizer

System Customizer: Has full permission to customize the environment. However, users with this role can only view records for environment entities that they create.

NEW QUESTION 67

DRAG DROP - (Topic 4)

You are deploying solutions from development environments into test environments. You need to gather solution information.

What should you do? To answer, drag the appropriate actions to the correct scenarios. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Options	Answer Area								
<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">View the history</div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">Show dependencies</div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">View solution layers</div> <div style="border: 1px solid black; padding: 5px;">Run the Solution checker</div>	<table border="1" style="width: 100%;"> <thead> <tr> <th>Scenario</th> <th>Action</th> </tr> </thead> <tbody> <tr> <td>Find the deployment outcome</td> <td style="border: 1px dashed black; text-align: center;">Action</td> </tr> <tr> <td>Determine, in which version, a type change occurred</td> <td style="border: 1px dashed black; text-align: center;">Action</td> </tr> <tr> <td>Determine if any components are missing</td> <td style="border: 1px dashed black; text-align: center;">Action</td> </tr> </tbody> </table>	Scenario	Action	Find the deployment outcome	Action	Determine, in which version, a type change occurred	Action	Determine if any components are missing	Action
Scenario	Action								
Find the deployment outcome	Action								
Determine, in which version, a type change occurred	Action								
Determine if any components are missing	Action								

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: View the history

The solution history displays information such as solution version, solution publisher, type of operation, operation start and end time, and operation status.

Box 2: View solution layers

The see solution layers' feature allows you to view all component changes that occur due to solution changes over time. Within a solution layer, you can drill down to view specific changed and unchanged property details for a component.

The see solution layers' feature:

? Let's you see the order in which a solution changed a component.

? Let's you view all properties of a component within a specific solution, including the changes to the component.

Box 3: Show dependencies

As a result of dependency tracking the following behaviors are enforced:

? Export of a solution warns the user if there are any missing components that could cause failure when importing that solution in another system.

NEW QUESTION 70

- (Topic 4)

A company has ten sales regions. Each salesperson is assigned to one region. You create a set of five standard views that all salespeople will use.

Sales users only want to see information for their own region. Sales users must call sales

leads within a week of receiving a lead.

You need to recommend a solution for sales users.

Which two actions will you recommend? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Instruct users to create personal views that filter by region.
- B. Instruct users to filter the view by region.
- C. Configure the definition for each view to sort by region.
- D. Configure the definition for each view to filter by region.

Answer: BD

NEW QUESTION 74

DRAG DROP - (Topic 4)

You are creating a Power Automate cloud flow.

The data in the flow must perform the following actions:

- Return the first character of a string of text.
- Convert an array to a single string. You need to manipulate the data.

Which data operations should you use? To answer, drag the appropriate data operations to the correct changes. Each data operation may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 79

DRAG DROP - (Topic 4)

You are designing a canvas app.

You need to select user interface controls to include in the app.

Which control should you use? To answer, drag the appropriate controls to the correct requirements. Each control may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Controls	Requirement	Control
List box	Allow users to select multiple items in a list.	<input type="text"/>
Radio	Allow users to select multiple items from a list of options by typing in a phrase.	<input type="text"/>
Combo box		
Drop-down list		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: List box

A List Box control always shows all available choices (unlike a Drop down control) and in which the user can choose more than one item at a time (unlike a Radio control).

Box 2: Combo box

A Combo box control allows you to search for items you will select. The search is performed server-side on the SearchField property so performance is not affected by large data sources.

Single or multi-select mode is configured via the SelectMultiple property.

When searching for items to select, for each item you can choose to show a single data value, two values, or a picture and two values (Person) by modifying the Layout settings in the Data pane.

NEW QUESTION 84

HOTSPOT - (Topic 4)

A company is building a Power Apps app to track key project tasks.

Users assign three tasks a risk status on a scale of 0 to 100 by using slider input controls named RiskStatus on the app. The highest risks use the risk status value of 100.

If the combined value of all the tasks is 150 or above, a header bar on the screen must display the text HIGH RISK.

You need to configure a solution to change the text on the header bar.

How should you configure the app? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Configuration
Where should you apply logic to change the text?	<input type="checkbox"/> On the header control. <input type="checkbox"/> On each RiskStatus slider input. <input type="checkbox"/> In the global variables of the Power Apps app. <input type="checkbox"/> On the OnStart property of the Power Apps app.
Which formula should you use?	<input type="checkbox"/> SUM(RiskStatus1.value,RiskStatus2.value,RiskStatus3.value)>=150? "HIGH RISK" : "" <input type="checkbox"/> IF(SUM(RiskStatus1.value,RiskStatus2.value,RiskStatus3.value)<150, "", HIGH RISK) <input type="checkbox"/> Updateif((RiskStatus1.value+RiskStatus2.value+RiskStatus3.value)>=150, "HIGH RISK") <input type="checkbox"/> UpdateContext(IF(RiskStatus1.value+RiskStatus2.value+RiskStatus3.value>=150), "HIGH RISK")

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: On each RiskStatus slider input

You can change the value based on input.

Box 2: Updateif(..)

Use the Updateif function to modify one or more values in one or more records that match one or more conditions. The condition can be any formula that results in a true or false and can reference columns of the data source by name. The function evaluates the condition for each record and modifies any record for which the result is true.

NEW QUESTION 89

- (Topic 4)

A company delivers products to multiple communities. The company creates a canvas app connected to a Common Data Service database. The app tracks communities to see where

Drivers must enter delivery information on a form that uses an entity named Delivery. Depot staff must enter information on a pick-up form that uses an entity named Pick-up. Each form contains a community field that is based on a shared list across both forms.

You need to create the community field. Which type of field should you create?

- A. local option set
- B. text
- C. global option set
- D. text area

Answer: C

Explanation:

Can use a global option set, no need to use localized option sets.

Note: In PowerApps Option set is one of the field types you can use in your Entity. The information type that Option Set stores is a list of text values. And here comes the Option Set advantage – once you define its text values you can centrally managed it. Reference:

<https://powerapps.microsoft.com/en-us/blog/option-sets-and-many-to-many-relationships-for-canvas-apps/>

NEW QUESTION 92

- (Topic 4)

You create a canvas app.

You need to ensure that there are no screen reader issues in the app.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Open Test Studio.	
Select Formula.	
Open the App checker.	
Select Accessibility.	
Select Error.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Open Test Studio.	Open the App checker.
Select Formula.	Select Accessibility.
Open the App checker.	Select Error.
Select Accessibility.	
Select Error.	

NEW QUESTION 95

- (Topic 4)

The postal service uses a system based on the Microsoft Database to manage the delivery of packages.

To improve the delivery service, the management requires the delivery staff to use personal cell phones to communicate the location and the exact time of each delivery.

You need to design a solution. What should you do?

- A. Create a button flow with user input for the delivery time and location
- B. Create a UI flow that sends the delivery time and location
- C. Create a button flow with full address and timestamp trigger tokens

Answer: B

Explanation:

Button trigger tokens are data points that are known and available to the device on which a button flow is running. These tokens change based on factors such as the current time or the geographic location of the device at a given moment.

Note: For example, if you are running a button flow on a smart phone, it is likely that the phone knows the time at your current location as well as the date and your current address. In this context, the time, date and address where the phone is located are all determined at the time the button flow runs. They are automatically available for use in any button flows that are executed on the device. You can use these trigger tokens to build useful flows that will minimize repetitive tasks such as providing your location to someone or tracking how much time you spent on a particular job/service call.

Reference:

<https://docs.microsoft.com/en-us/power-automate/introduction-to-button-trigger-tokens>

NEW QUESTION 96

HOTSPOT - (Topic 4)

A company uses Microsoft Power Platform. The company categorizes customers into Specialty shop, Grocery store, Wholesaler, and Seasonal market groups by using a custom choice type column.

The staff uses a model-driven app with an interactive dashboard that displays all customer

You must update the app to provide the following functionality:

- Display selected customers by type in the interactive dashboard.
- Search for customers across multiple tables by postal code by entering any number of characters.

You need to configure the system.

Which configuration options should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Configuration
Display customers by type.	<ul style="list-style-type: none"> Enable sync with global choice. Enable the global filter. Enable the searchable property. Enable sync with global choice. Enable the sortable property.
Search by postal code.	<ul style="list-style-type: none"> Enable the searchable property. Find by setting in quick find. Filter by setting in quick find. Enable the searchable property. Enable the global filter on the postal code.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Requirement	Configuration
Display customers by type.	<ul style="list-style-type: none"> Enable sync with global choice. Enable the global filter. Enable the searchable property. Enable sync with global choice. Enable the sortable property.
Search by postal code.	<ul style="list-style-type: none"> Enable the searchable property. Find by setting in quick find. Filter by setting in quick find. Enable the searchable property. Enable the global filter on the postal code.

NEW QUESTION 97

- (Topic 4)

You are creating a model-driven app that allows users to create and edit a list of existing accounts. You need to display a list of all active accounts. Which user interface components should you use?

- A. view
- B. gallery
- C. data table
- D. form

Answer: A

Explanation:

Imagine that you have a collection of data (such as a list sales orders, a set of service tickets, or a directory of contacts), and that you want to show this data in your Microsoft PowerApps app in a tabular format, where each column represents a field and each row represents a record. In the past, you might have been able to roughly simulate this visualization, although the process required some effort. However, we've been listening to your requests and are happy to announce that you can now quickly and easily achieve this very typical visualization by using the new Data table control that has been recently added to PowerApps.

Reference:

<https://powerapps.microsoft.com/fr-fr/blog/introducing-the-data-table-control/>

NEW QUESTION 99

- (Topic 4)

You create a Microsoft Power BI report with multiple visualizations displayed together. The report must be available to users in all security roles. You need to display the report in a model-driven app. What should you embed?

- A. Power BI dashboard on a model-driven form.
- B. Power BI tile on a model-driven form.
- C. Power BI dashboard on a model-driven dashboard.
- D. Power BI tile on a model-driven dashboard.

Answer: D

NEW QUESTION 104

HOTSPOT - (Topic 4)

HOTSPOT

A company uses Power Apps and Microsoft Data verse. You need to perform the following activities:

- * Create a model-driven app.
- * Design navigation for the app
- * Show an approval name field on the form if the amount is greater than \$1,000.

Which features should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Activity	Feature
Create model driven app.	<ul style="list-style-type: none"> App designer App designer Solution checker App checker
Design app navigation.	<ul style="list-style-type: none"> Site map Site map Solutions area Table designer
Show approval name field if amount > \$1,000.	<ul style="list-style-type: none"> Table designer Form designer Table designer Business rule designer

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Activity
 Create model driven app.
 Design app navigation.
 Show approval name field if amount > \$1,000.

Feature

- App designer
- App designer
- Solution checker
- App checker
- Site map
- Site map
- Solutions area
- Table designer
- Table designer
- Form designer
- Table designer
- Business rule designer

NEW QUESTION 106

- (Topic 4)

A company uses Microsoft Teams. A coworker creates a chatbot. The coworker observes unexpected behavior with the chatbot. You need to troubleshoot the chatbot.

Which two actions should you recommend to the coworker? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Ask the coworker to assign you to the owner role for the team.
- B. In Advanced tools, select Monitor.
- C. Ask the coworker to add you to their team.
- D. Select the chatbot and then select the Share button.

Answer: AB

NEW QUESTION 108

- (Topic 4)

DRAG DROP

A company uses Power Apps and Microsoft Dataverse.

The company has three solutions that you must move to a target environment:

- One solution is created for security roles. You must be able to add roles to the solution in the target environment
- One solution is created for table additions and modifications. Table structures must be updated in the solution in the target environment.
- One solution is for customizations. The custom actions must not be modified in the solution in the target environment

You need to create the solutions.

Which type of solutions should you create? To answer, drag the appropriate solutions to the correct requirements- Each solution may be used once, more than once, or not at all You may need to drag the split bar between panes or scroll to view content.

Solutions

- Unmanaged
- Managed

Requirement

- Security roles
- Tables
- Customizations

Solution

-
-
-

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Solutions

- Unmanaged
- Managed

Requirement

- Security roles
- Tables
- Customizations

Solution

- Unmanaged
- Unmanaged
- Managed

NEW QUESTION 111

DRAG DROP - (Topic 4)

You are configuring a new Common Data Service environment by using the Power Apps Maker portal.

You need to create an entity that uses the prefix xyz.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Create an entity in the new solution.
- Enter the entity Display Name and use the existing prefix.
- Add a new solution.
- Enter the entity Display Name and modify the prefix to **xyz**.
- Add a new publisher with the prefix **xyz**.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Create an entity in the new solution.	Add a new publisher with the prefix xyz .
Enter the entity Display Name and use the existing prefix.	Add a new solution.
Add a new solution.	Create an entity in the new solution.
Enter the entity Display Name and modify the prefix to xyz .	Enter the entity Display Name and modify the prefix to xyz .
Add a new publisher with the prefix xyz .	

NEW QUESTION 115

DRAG DROP - (Topic 4)

An insurance broker uses a Microsoft Dataverse environment with custom tables. You create a Power Apps app to manage vehicle insurance policies. The app has a drop-down field that allows users to categorize a policy holder's driving record. This category field is not mandatory. You need to ensure that insurance agents enter the correct categories when creating a new vehicle policy.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer area
In the vehicle policy table, click on Add subcomponents and navigate to Business rules.	
Add a Recommendation card, select the driver record drop-down field and enter the recommendation details.	
In the vehicle policy table, navigate to Business rules.	
Add a business rule and enter a meaningful business rule name.	
Click on the Condition card, select the Vehicle Policy and check for new driver.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer area
In the vehicle policy table, click on Add subcomponents and navigate to Business rules.	1 In the vehicle policy table, navigate to Business rules.
Add a Recommendation card, select the driver record drop-down field and enter the recommendation details.	2 Add a business rule and enter a meaningful business rule name.
	3 Click on the Condition card, select the Vehicle Policy and check for new driver.

NEW QUESTION 117

DRAG DROP - (Topic 4)

You create a custom field on the Account entity. Members of TeamA must have full access to the field. Members of TeamB must have no access to the field. You need to configure security.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Add TeamA to the field security profile.	
Create a field security profile and set all the permissions for the custom attribute to Yes .	
Add TeamB to the field security profile.	
Create a field security profile and set all the permissions for the custom attribute to No .	
Enable field-level security for the field.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Enable field security for the field

Step 2: Create a field security profile and set all the permissions for the custom attribute to Yes.

Step 3: Add TeamA to the field security profile.

Note: Field-level security is available for the default fields on most out-of-box entities, custom fields, and custom fields on custom entities. Field-level security is managed by the security profiles. To implement field-level security, a system administrator performs the following tasks.

? Enable field security on one or more fields for a given entity.

? Associate one more existing security profiles, or create one or more new security profiles to grant the appropriate access to specific users or teams.

NEW QUESTION 119

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario.

Each question in the series contains a unique solution that might meet the stated might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a canvas app for a manufacturing company. The company receives parts and materials from many vendors. You create a form to collect information from packing slips.

Receivers must be able to take a picture of packing slips to receive materials instead of manually entering data in the app.

You need to ensure that users can scan packing slip information into the form. Proposed solution: Use a Text Recognition model.

Does the solution meet the goal?

A. Yes

B. No

Answer: A

Explanation:

Create a canvas app and add the text recognizer AI Builder component to your screen. This component takes a photo or loads an image from the local device, and then processes it to detect and extract text based on the text recognition prebuilt model. If it detects text in the image, the component outputs the text and identifies the instances by showing a rectangle for each instance in the image.

Reference:

<https://docs.microsoft.com/en-us/ai-builder/prebuilt-text-recognizer-component-in-powerapps>

NEW QUESTION 122

- (Topic 4)

You are creating an employee directory canvas app. The app must display name, address, and a photo of each employee. You need to select a control type that will display the

A. Address input

B. List box

C. Gallery

D. Data table

Answer: C

NEW QUESTION 123

DRAG DROP - (Topic 4)

DRAG DROP

You are designing several new Microsoft Power Platform apps for a company. You have the following requirements:

All apps must be able to run from the Power Apps mobile app.

You need to determine which app type to create for each department.

Which app type should you use? To answer, drag the appropriate app types to the correct departments. Each app type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 127

HOTSPOT - (Topic 4)

You use Microsoft Power BI Desktop to create a report. Users note that column headings are confusing.

You need to modify some columns and delete other columns.

Which tool should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Modification	Tool
Rename a column	<ul style="list-style-type: none"> Power Query Editor Report canvas Filters pane Power Query Editor
Delete a column	<ul style="list-style-type: none"> Fields pane Report canvas Fields pane Filters pane

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Modification	Tool
Rename a column	<ul style="list-style-type: none"> Power Query Editor Report canvas Filters pane Power Query Editor
Delete a column	<ul style="list-style-type: none"> Fields pane Report canvas Fields pane Filters pane

NEW QUESTION 132

- (Topic 4)

A company is implementing the Microsoft Power Platform to assist with consolidation of onsite inspections and audits of retail stores. Currently, the data used by the retail store inspections is located across multiple systems.

The canvas app must use one database to view and record all data used in the inspection process.

You need to design the solution.

Which three capabilities should you implement? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Use an embedded access management framework for user security.
- B. Execute real-time data operations against external data sources through virtual entities.
- C. Store data used by a Power Apps app on both iOS and Android mobile platforms.
- D. Use Azure Data Lake storage to host the transactional data.

Answer: BCE

Explanation:

B: Virtual tables (also known as virtual entities) enable the integration of data residing in external systems by seamlessly representing that data as tables in Microsoft Dataverse, without replication of data and often without custom coding.

CE: Authenticating to a Gen 1 DataLakeStore Account Gen 1 uses OAuth 2.0 in Azure AD for authentication.

Reference:

<https://www.cdata.com/kb/tech/azuredatalake-odata-powerapps.rst>

NEW QUESTION 137

HOTSPOT - (Topic 4)

: 189 HOTSPOT

A company is building several Power Apps apps to help with sales operations collaboration. You need to identify the right solution for data storage.

Which solution should you use? To answer select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Characteristic	Solution
Limits the number of records that can be added.	<ul style="list-style-type: none"> Microsoft Dataverse for Teams Microsoft Dataverse Microsoft Dataverse for Teams
Allows for advanced development tasks for apps specific to Microsoft Teams.	<ul style="list-style-type: none"> Microsoft Dataverse Microsoft Dataverse Microsoft Dataverse for Teams
Has the most granular level of security to account for column-level security in Microsoft Teams.	<ul style="list-style-type: none"> Microsoft Dataverse Microsoft Dataverse Microsoft Dataverse for Teams

- A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area

Characteristic	Solution
Limits the number of records that can be added.	<ul style="list-style-type: none"> Microsoft Dataverse for Teams Microsoft Dataverse Microsoft Dataverse for Teams
Allows for advanced development tasks for apps specific to Microsoft Teams.	<ul style="list-style-type: none"> Microsoft Dataverse Microsoft Dataverse Microsoft Dataverse for Teams
Has the most granular level of security to account for column-level security in Microsoft Teams.	<ul style="list-style-type: none"> Microsoft Dataverse Microsoft Dataverse Microsoft Dataverse for Teams

NEW QUESTION 139

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app.

You need to automatically detect bicycles in pictures taken with the camera. Proposed solution:

- ? Create a Category Classification custom model in AI Builder.
 - ? Train the model with pictures of bicycles and then publish the trained model.
 - ? Add the Object Detector control to your canvas app.
- Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead create an Object Detection custom model Reference:

<https://docs.microsoft.com/en-us/ai-builder/prediction-overview> <https://docs.microsoft.com/en-us/ai-builder/object-detector-component-in-powerapps>

NEW QUESTION 142

DRAG DROP - (Topic 4)

A company must use a Power Apps app custom control that is exported from a different canvas Power Apps app.

You need to insert the custom control into the Power Apps app.

Where should you complete the actions? To answer, drag the appropriate locations to the correct actions. Each location may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Objects	Answer Area	
	Action	Location
<div style="border: 1px solid gray; padding: 5px; display: inline-block; margin-right: 10px;">Display</div> <div style="border: 1px solid gray; padding: 5px; display: inline-block; margin-right: 10px;">Screens</div> <div style="border: 1px solid gray; padding: 5px; display: inline-block; margin-top: 10px;">Components</div>	Import a custom control from a file.	<input style="width: 100px; height: 20px;" type="text"/>
	Add an alignment to the custom control to display it in the middle of the Power Apps app screen.	<input style="width: 100px; height: 20px;" type="text"/>


- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Components

- * 1. To add code components to a canvas app:
- * 2. Navigate to Power Apps Studio.
- * 3. Create a new canvas app or edit an existing app to which you want to add the code component.
- * 4. Go to Insert > Custom > Import component.



NEW QUESTION 147

- (Topic 4)

A company creates an app that uses Microsoft Dataverse tables. The app creator wants to verify that the app is operating as expected by using a sample set of real-world data. You need to import the sample data into Dataverse tables. Which two technologies can you use? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Power BI
- B. SharePoint
- C. Power Query
- D. Dataflows

Answer: CD

Explanation:

C: You can create a table in Dataverse and fill that table with data from an OData feed by using Power Query. You can use the same techniques to integrate data from these online and on-premises sources, among others:

SQL Server Salesforce IBM DB2

Access

Excel Web APIs

OData feeds Text files

D: You can create a new Dataverse table that stores all the metadata from the dataflow run. For every refresh of a dataflow, a record is added to this table. You can also store metadata for multiple dataflow runs in the same table.

Reference:

<https://docs.microsoft.com/en-us/power-query/dataflows/load-dataflow-metadata-into-dataverse-table>

<https://docs.microsoft.com/en-us/power-query/dataflows/add-data-power-query>

NEW QUESTION 149

DRAG DROP - (Topic 4)

You have a model-driven app that has an entity named Marinas. You have an entity named Boats that list the boats associated with each marina. You must add a list of boats to the Marinas form. You must also add an option for users to select different views including boat owners and marina members. You need to embed the list of boats associated with a Marina record in the entity form. In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Add a Subgrid component to a form	
Select Show related records and then select the related entity and default view for the subgrid	➤
Save and publish the form	⬅
Select the Allow users to change view option	⬆ ⬇

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Add a Subgrid component to a form

You add a subgrid component the same way as you add any other component.

Step 2: Select Show related records and then select the related entity and default view for the subgrid

Configure a subgrid component.

Properties available to configure when using a subgrid component on a form using the form designer include:

? Show related rows

When selected, the subgrid displays only rows related to the current row that is displayed on the form.

Step 3: Select the Allow users to change view option Configure a subgrid component.

Properties available to configure when using a subgrid component on a form using the form designer include:

? Allow users to change view

When selected, app users can change from the Default view to another view of the table

selected in the Table property. Step 4: Save and publish the form

NEW QUESTION 153

DRAG DROP - (Topic 4)

You create a canvas app. You run App checker to validate the app. App checker returns error results.

You need to locate where the errors occur.

Which areas should you review? To answer drag the appropriate areas to the correct error messages. Each area may be used once, more than once, or not at all

You may need to drag the spirt bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



The screenshot shows the App Checker interface. On the left, under 'Areas', there are three buttons: 'Function', 'Formula', and 'Accessibility'. On the right, under 'Error message', there are three messages: 'Unknown or unsupported in namespace', 'Invalid arguments', and 'Revise screen name'. To the right of the error messages is an 'Area' column with three empty input boxes for dragging.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



The screenshot shows the App Checker interface with the correct areas selected. In the 'Areas' column, 'Function', 'Formula', and 'Accessibility' are all highlighted with green dashed boxes. In the 'Area' column, 'Formula', 'Function', and 'Accessibility' are also highlighted with red dashed boxes, indicating they are the correct selections for the error messages.

NEW QUESTION 157

- (Topic 4)

A clothing retailer is creating a Power Virtual Agents chatbot in Microsoft Teams. The chatbot will use Microsoft Dataverse for Teams to provide sales metrics by store.

A user wants to be able to ask the chatbot to see all the sales for pants.

You need to configure the chatbot to provide sales data for pants even when a user enters the terms jeans, slacks, or trousers.

Which chatbot component should you use?

- A. Skills
- B. Tables
- C. Topics
- D. Supported languages
- E. Entities

Answer: E

Explanation:

Reference:

<https://docs.microsoft.com/en-us/power-virtual-agents/advanced-entities-slot-filling>

NEW QUESTION 162

- (Topic 4)

A company has 500 vendor records stored in a SQL table. Each record contains the

team wants to view the vendor records by using Power Apps. The team must be able to change the list results by applying filters. You need to display the vendor records in a canvas app. Which control should you use?

- A. Text
- B. Form
- C. Chart
- D. Gallery

Answer: D

NEW QUESTION 167

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app.

You need to automatically detect bicycles in pictures taken with the camera. Proposed solution:

? Create a Prediction custom model in AI Builder.
 ? Train the model with pictures of bicycles and then publish the trained model.
 ? Add the Object Detector control to your canvas app.
 Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead create an Object Detection custom model

Note: AI Builder prediction models analyze patterns in historical data that you provide. Prediction models learn to associate those patterns with outcomes. Then, we use the power of AI to detect learned patterns in new data, and use them to predict future outcomes.

Reference:

<https://docs.microsoft.com/en-us/ai-builder/prediction-overview>

NEW QUESTION 170

- (Topic 4)

You create a custom table as part of a solution in the development environment. You deploy major version solutions as managed solutions to production. The organization does not allow new solutions to be created in the production environment.

When a minor update is made to a column length, users cannot enter entire values. You need to allow users to enter entire values in the column.

Solution: Update the column length in the development environment. Export the solution as a managed solution, import the solution into production

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 172

- (Topic 4)

You have a Power Automate flow that processes files in a Microsoft SharePoint document files.

Before leaving the office for the day, the manager must initiate the flow. The flow must not start processing files before 11:00 PM.

You need to configure the flow.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add a recurrence trigger and configure to run daily at 11 00 PM.
- B. Add a Condition actio
- C. If the time greater than 11:00 PM use a Terminate action prevent further processing.
- D. Manually trigger the flow.
- E. Add a Delay Until action and enter the timestamp for 11 00 PM.

Answer: CD

Explanation:

Delay an action until a specific timestamp.

Note: The Microsoft Dataverse connector provides four ways to add wait conditions. Use these wait conditions when you need to delay processing in your flows until a particular condition is met.

? Postpone triggering the flow and the first action until a specific time: Wait condition using Postpone Until.

? Add a fixed delay before the next step.

? Delay an action until a specific timestamp.

? Delay an action until a specific event occurs.

Reference:

<https://docs.microsoft.com/en-us/power-automate/dataverse/wait-conditions>

NEW QUESTION 175

- (Topic 4)

You are creating an app for an organization's human resources (HR) department. You create an Employee entity in an unmanaged Common Data Service solution.

Another user creates the following Power Automate flows separately from the solution:

Flow	Description
FlowA	Send email to the HR manager when a new document is uploaded to Microsoft SharePoint.
FlowB	Send email to the HR manager after a user selects a document in Microsoft OneDrive for Business and runs the flow.
FlowC	Send email to the HR manager at 8 AM daily if new documents are uploaded in Microsoft OneDrive for Business since the previous day.
FlowD	Send email to the HR manager when a new employee record is added.

You need to incorporate the flows that can be added to the solution.

Which two flows can you include? Each correct selection presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. FlowA

- B. FlowB
- C. FlowC
- D. FlowD

Answer: AD

Explanation:

You can add any of these conditions to determine precisely when your flow is triggered.

Reference:

<https://docs.microsoft.com/en-us/power-automate/connection-cds-native>

NEW QUESTION 177

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

PL-100 Practice Exam Features:

- * PL-100 Questions and Answers Updated Frequently
- * PL-100 Practice Questions Verified by Expert Senior Certified Staff
- * PL-100 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * PL-100 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The PL-100 Practice Test Here](#)