

Amazon

Exam Questions AWS-Certified-Advanced-Networking-Specialty

Amazon AWS Certified Advanced Networking - Specialty



NEW QUESTION 1

A company is running multiple workloads on Amazon EC2 instances in public subnets. In a recent incident, an attacker exploited an application vulnerability on one of the EC2 instances to gain access to the instance. The company fixed the application and launched a replacement EC2 instance that contains the updated application.

The attacker used the compromised application to spread malware over the internet. The company became aware of the compromise through a notification from AWS. The company needs the ability to identify when an application that is deployed on an EC2 instance is spreading malware.

Which solution will meet this requirement with the LEAST operational effort?

- A. Use Amazon GuardDuty to analyze traffic patterns by inspecting DNS requests and VPC flow logs.
- B. Use Amazon GuardDuty to deploy AWS managed decoy systems that are equipped with the most recent malware signatures.
- C. Set up a Gateway Load Balance
- D. Run an intrusion detection system (IDS) appliance from AWS Marketplace on Amazon EC2 for traffic inspection.
- E. Configure Amazon Inspector to perform deep packet inspection of outgoing traffic.

Answer: A

Explanation:

This solution involves using Amazon GuardDuty to monitor network traffic and analyze DNS requests and VPC flow logs for suspicious activity. This will allow the company to identify when an application is spreading malware by monitoring the network traffic patterns associated with the instance. GuardDuty is a fully managed threat detection service that continuously monitors for malicious activity and unauthorized behavior in your AWS accounts and workloads. It requires minimal setup and configuration and can be integrated with other AWS services for automated remediation. This solution requires the least operational effort compared to the other options

NEW QUESTION 2

A network engineer is designing the architecture for a healthcare company's workload that is moving to the AWS Cloud. All data to and from the on-premises environment must be encrypted in transit. All traffic also must be inspected in the cloud before the traffic is allowed to leave the cloud and travel to the on-premises environment or to the internet.

The company will expose components of the workload to the internet so that patients can reserve appointments. The architecture must secure these components and protect them against DDoS attacks. The architecture also must provide protection against financial liability for services that scale out during a DDoS event.

Which combination of steps should the network engineer take to meet all these requirements for the workload? (Choose three.)

- A. Use Traffic Mirroring to copy all traffic to a fleet of traffic capture appliances.
- B. Set up AWS WAF on all network components.
- C. Configure an AWS Lambda function to create Deny rules in security groups to block malicious IP addresses.
- D. Use AWS Direct Connect with MACsec support for connectivity to the cloud.
- E. Use Gateway Load Balancers to insert third-party firewalls for inline traffic inspection.
- F. Configure AWS Shield Advanced and ensure that it is configured on all public assets.

Answer: DEF

Explanation:

To meet the requirements for the healthcare company's workload that is moving to the AWS Cloud, the network engineer should take the following steps:

- Use AWS Direct Connect with MACsec support for connectivity to the cloud to ensure that all data to and from the on-premises environment is encrypted in transit (Option D).
- Use Gateway Load Balancers to insert third-party firewalls for inline traffic inspection to inspect all traffic in the cloud before it is allowed to leave (Option E).
- Configure AWS Shield Advanced and ensure that it is configured on all public assets to secure components exposed to the internet against DDoS attacks and provide protection against financial liability for services that scale out during a DDoS event (Option F).

These steps will help ensure that all data is encrypted in transit, all traffic is inspected before leaving the cloud, and components exposed to the internet are secured against DDoS attacks.

NEW QUESTION 3

A company is using custom DNS servers that run BIND for name resolution in its VPCs. The VPCs are deployed across multiple AWS accounts that are part of the same organization in AWS Organizations. All the VPCs are connected to a transit gateway. The BIND servers are running in a central VPC and are configured to forward all queries for an on-premises DNS domain to DNS servers that are hosted in an on-premises data center. To ensure that all the VPCs use the custom DNS servers, a network engineer has configured a VPC DHCP options set in all the VPCs that specifies the custom DNS servers to be used as domain name servers.

Multiple development teams in the company want to use Amazon Elastic File System (Amazon EFS). A development team has created a new EFS file system but cannot mount the file system to one of its Amazon EC2 instances. The network engineer discovers that the EC2 instance cannot resolve the IP address for the EFS mount point fs-33444567d.efs.us-east-1.amazonaws.com. The network engineer needs to implement a solution so that development teams throughout the organization can mount EFS file systems.

Which combination of steps will meet these requirements? (Choose two.)

- A. Configure the BIND DNS servers in the central VPC to forward queries for fs-33444567d.efs.us-east-1.amazonaws.com to the Amazon provided DNS server (169.254.169.253).
- B. Create an Amazon Route 53 Resolver outbound endpoint in the central VPC
- C. Update all the VPC DHCP options sets to use AmazonProvidedDNS for name resolution.
- D. Create an Amazon Route 53 Resolver inbound endpoint in the central VPC
- E. Create an Amazon Route 53 Resolver rule to forward queries for the on-premises domain to the on-premises DNS server
- F. Share the rule with the organization by using AWS Resource Access Manager (AWS RAM). Associate the rule with all the VPCs.
- G. Create an Amazon Route 53 private hosted zone for the fs-33444567d.efs.us-east-1.amazonaws.com domain. Associate the private hosted zone with the VPC where the EC2 instance is deployed
- H. Create an A record for fs-33444567d.efs.us-east-1.amazonaws.com in the private hosted zone
- I. Configure the A record to return the mount target of the EFS mount point.

Answer: BD

Explanation:

Option B suggests using Amazon Route 53 Resolver outbound endpoint, which would replace the existing BIND DNS servers with the AmazonProvidedDNS for name resolution. However, the scenario specifically mentions that the company is using custom DNS servers that run BIND for name resolution in its VPCs, so this solution would not work. Option D suggests creating a Route 53 Resolver rule to forward queries for the on-premises domain to the on-premises DNS servers, which would not address the issue of resolving the EFS mount point. The problem is not with resolving queries for the on-premises domain, but rather with resolving the IP address for the EFS mount point.

NEW QUESTION 4

A network engineer must develop an AWS CloudFormation template that can create a virtual private gateway, a customer gateway, a VPN connection, and static routes in a route table. During testing of the template, the network engineer notes that the CloudFormation template has encountered an error and is rolling back. What should the network engineer do to resolve the error?

- A. Change the order of resource creation in the CloudFormation template.
- B. Add the DependsOn attribute to the resource declaration for the virtual private gateway
- C. Specify the route table entry resource.
- D. Add a wait condition in the template to wait for the creation of the virtual private gateway.
- E. Add the DependsOn attribute to the resource declaration for the route table entry
- F. Specify the virtual private gateway resource.

Answer: D

NEW QUESTION 5

A company is planning to use Amazon S3 to archive financial data. The data is currently stored in an on-premises data center. The company uses AWS Direct Connect with a Direct Connect gateway and a transit gateway to connect to the on-premises data center. The data cannot be transported over the public internet and must be encrypted in transit. Which solution will meet these requirements?

- A. Create a Direct Connect public VIF
- B. Set up an IPsec VPN connection over the public VIF to access Amazon S3. Use HTTPS for communication.
- C. Create an IPsec VPN connection over the transit VIF
- D. Create a VPC and attach the VPC to the transit gateway
- E. In the VPC, provision an interface VPC endpoint for Amazon S3. Use HTTPS for communication.
- F. Create a VPC and attach the VPC to the transit gateway
- G. In the VPC, provision an interface VPC endpoint for Amazon S3. Use HTTPS for communication.
- H. Create a Direct Connect public VIF
- I. Set up an IPsec VPN connection over the public VIF to the transit gateway
- J. Create an attachment for Amazon S3. Use HTTPS for communication.

Answer: B

Explanation:

<https://docs.aws.amazon.com/vpn/latest/s2svpn/private-ip-dx.html>

An IPsec VPN connection over the transit VIF can encrypt traffic between the on-premises network and AWS without using public IP addresses or the internet². A VPC endpoint for Amazon S3 can enable private access to S3 buckets within the same region. HTTPS can provide additional encryption for communication.

NEW QUESTION 6

A company has an AWS Direct Connect connection between its on-premises data center in the United States (US) and workloads in the us-east-1 Region. The connection uses a transit VIF to connect the data center to a transit gateway in us-east-1. The company is opening a new office in Europe with a new on-premises data center in England. A Direct Connect connection will connect the new data center with some workloads that are running in a single VPC in the eu-west-2 Region. The company needs to connect the US data center and us-east-1 with the Europe data center and eu-west-2. A network engineer must establish full connectivity between the data centers and Regions with the lowest possible latency. How should the network engineer design the network architecture to meet these requirements?

- A. Connect the VPC in eu-west-2 with the Europe data center by using a Direct Connect gateway and a private VIF
- B. Associate the transit gateway in us-east-1 with the same Direct Connect gateway
- C. Enable SiteLink for the transit VIF and the private VIF.
- D. Connect the VPC in eu-west-2 to a new transit gateway
- E. Connect the Europe data center to the new transit gateway by using a Direct Connect gateway and a new transit VIF
- F. Associate the transit gateway in us-east-1 with the same Direct Connect gateway
- G. Enable SiteLink for both transit VIF
- H. Peer the two transit gateways.
- I. Connect the VPC in eu-west-2 to a new transit gateway
- J. Connect the Europe data center to the new transit gateway by using a Direct Connect gateway and a new transit VIF
- K. Create a new Direct Connect gateway
- L. Associate the transit gateway in us-east-1 with the new Direct Connect gateway
- M. Enable SiteLink for both transit VIF
- N. Peer the two transit gateways.
- O. Connect the VPC in eu-west-2 with the Europe data center by using a Direct Connect gateway and a private VIF
- P. Create a new Direct Connect gateway
- Q. Associate the transit gateway in us-east-1 with the new Direct Connect gateway
- R. Enable SiteLink for the transit VIF and the private VIF.

Answer: C

NEW QUESTION 7

A company has deployed a web application on AWS. The web application uses an Application Load Balancer (ALB) across multiple Availability Zones. The targets of the ALB are AWS Lambda functions. The web application also uses Amazon CloudWatch metrics for monitoring. Users report that parts of the web application are not loading properly. A network engineer needs to troubleshoot the problem. The network engineer enables access logging for the ALB. What should the network engineer do next to determine which errors the ALB is receiving?

- A. Send the logs to Amazon CloudWatch Log
- B. Review the ALB logs in CloudWatch Insights to determine which error messages the ALB is receiving.
- C. Configure the Amazon S3 bucket destination
- D. Use Amazon Athena to determine which error messages the ALB is receiving.
- E. Configure the Amazon S3 bucket destination
- F. After Amazon CloudWatch Logs pulls the ALB logs from the S3 bucket automatically, review the logs in CloudWatch Logs to determine which error messages the ALB is receiving.
- G. Send the logs to Amazon CloudWatch Log
- H. Use the Amazon Athena CloudWatch Connector to determine which error messages the ALB is receiving.

Answer: B

Explanation:

Access logs is an optional feature of Elastic Load Balancing that is disabled by default. After you enable access logs for your load balancer, Elastic Load Balancing captures the logs and stores them in the Amazon S3 bucket that you specify as compressed files. You can disable access logs at any time. <https://docs.aws.amazon.com/elasticloadbalancing/latest/application/load-balancer-access-logs.html>

NEW QUESTION 8

An insurance company is planning the migration of workloads from its on-premises data center to the AWS Cloud. The company requires end-to-end domain name resolution. Bi-directional DNS resolution between AWS and the existing on-premises environments must be established. The workloads will be migrated into multiple VPCs. The workloads also have dependencies on each other, and not all the workloads will be migrated at the same time.

Which solution meets these requirements?

- A. Configure a private hosted zone for each application VPC, and create the requisite record
- B. Create a set of Amazon Route 53 Resolver inbound and outbound endpoints in an egress VPC
- C. Define Route 53 Resolver rules to forward requests for the on-premises domains to the on-premises DNS resolver
- D. Associate the application VPC private hosted zones with the egress VPC, and share the Route 53 Resolver rules with the application accounts by using AWS Resource Access Manager
- E. Configure the on-premises DNS servers to forward the cloud domains to the Route 53 inbound endpoints.
- F. Configure a public hosted zone for each application VPC, and create the requisite record
- G. Create a set of Amazon Route 53 Resolver inbound and outbound endpoints in an egress VPC
- H. Define Route 53 Resolver rules to forward requests for the on-premises domains to the on-premises DNS resolver
- I. Associate the application VPC private hosted zones with the egress VPC
- J. and share the Route 53 Resolver rules with the application accounts by using AWS Resource Access Manager
- K. Configure the on-premises DNS servers to forward the cloud domains to the Route 53 inbound endpoints.
- L. Configure a private hosted zone for each application VPC, and create the requisite record
- M. Create a set of Amazon Route 53 Resolver inbound and outbound endpoints in an egress VPC
- N. Associate the application VPC private hosted zones with the egress VPC and share the Route 53 Resolver rules with the application accounts by using AWS Resource Access Manager

Answer: A

Explanation:

Creating a private hosted zone for each application VPC and creating the requisite records would enable end-to-end domain name resolution for the resources. Creating a set of Amazon Route 53 Resolver inbound and outbound endpoints in an egress VPC would enable bi-directional DNS resolution between AWS and the existing on-premises environments. Defining Route 53 Resolver rules to forward requests for the on-premises domains to the on-premises DNS resolver would enable DNS queries from AWS resources to on-premises resources. Associating the application VPC private hosted zones with the egress VPC and sharing the Route 53 Resolver rules with the application accounts by using AWS Resource Access Manager would enable DNS queries among different VPCs and accounts. Configuring the on-premises DNS servers to forward the cloud domains to the Route 53 inbound endpoints would enable DNS queries from on-premises resources to AWS resources.

NEW QUESTION 9

A customer has set up multiple VPCs for Dev, Test, Prod, and Management. You need to set up AWS Direct Connect to enable data flow from on-premises to each VPC. The customer has monitoring software running in the Management VPC that collects metrics from the instances in all the other VPCs. Due to budget requirements, data transfer charges should be kept at minimum.

Which design should be recommended?

- A. Create a total of four private VIFs, one for each VPC owned by the customer, and route traffic between VPCs using the Direct Connect link.
- B. Create a private VIF to the Management VPC, and peer this VPC to all other VPCs.
- C. Create a private VIF to the Management VPC, and peer this VPC to all other VPCs, enable source/destination NAT in the Management VPC.
- D. Create a total of four private VIFs, and enable VPC peering between all VPCs.

Answer: D

Explanation:

- creating VPC peering is free of charge - traffic costs ~0.01€/GB for VPC peering (IN + OUT) and ~0.02€/GB for direct connect (OUT only). As the communication involved in monitoring will never have IN == OUT, then 0.01 * (IN + OUT) will always be lower than 0.02 * OUT, ergo VPC peering will be cheaper

NEW QUESTION 10

A company is planning a migration of its critical workloads from an on-premises data center to Amazon EC2 instances. The plan includes a new 10 Gbps AWS Direct Connect dedicated connection from the on-premises data center to a VPC that is attached to a transit gateway. The migration must occur over encrypted paths between the on-premises data center and the AWS Cloud.

Which solution will meet these requirements while providing the HIGHEST throughput?

- A. Configure a public VIF on the Direct Connect connection
- B. Configure an AWS Site-to-Site VPN connection to the transit gateway as a VPN attachment.
- C. Configure a transit VIF on the Direct Connect connection
- D. Configure an IPsec VPN connection to an EC2 instance that is running third-party VPN software.
- E. Configure MACsec for the Direct Connect connection

- F. Configure a transit VIF to a Direct Connect gateway that is associated with the transit gateway.
- G. Configure a public VIF on the Direct Connect connectio
- H. Configure two AWS Site-to-Site VPN connections to the transit gatewa
- I. Enable equal-cost multi-path (ECMP) routing.

Answer: C

Explanation:

<https://aws.amazon.com/blogs/networking-and-content-delivery/adding-macsec-security-to-aws-direct-connect-c>

NEW QUESTION 10

A company has expanded its network to the AWS Cloud by using a hybrid architecture with multiple AWS accounts. The company has set up a shared AWS account for the connection to its on-premises data centers and the company offices. The workloads consist of private web-based services for internal use. These services run in different AWS accounts. Office-based employees consume these services by using a DNS name in an on-premises DNS zone that is named example.internal.

The process to register a new service that runs on AWS requires a manual and complicated change request to the internal DNS. The process involves many teams.

The company wants to update the DNS registration process by giving the service creators access that will allow them to register their DNS records. A network engineer must design a solution that will achieve this goal. The solution must maximize cost-effectiveness and must require the least possible number of configuration changes.

Which combination of steps should the network engineer take to meet these requirements? (Choose three.)

- A. Create a record for each service in its local private hosted zone (serviceA.account1.aws.example.internal). Provide this DNS record to the employees who need access.
- B. Create an Amazon Route 53 Resolver inbound endpoint in the shared account VP
- C. Create a conditional forwarder for a domain named aws.example.internal on the on-premises DNS server
- D. Set the forwarding IP addresses to the inbound endpoint's IP addresses that were created.
- E. Create an Amazon Route 53 Resolver rule to forward any queries made to onprem.example.internal to the on-premises DNS servers.
- F. Create an Amazon Route 53 private hosted zone named aws.example.internal in the shared AWSaccount to resolve queries for this domain.
- G. Launch two Amazon EC2 instances in the shared AWS accoun
- H. Install BIND on each instanc
- I. Create a DNS conditional forwarder on each BIND server to forward queries for each subdomain under aws.example.internal to the appropriate private hosted zone in each AWS accoun
- J. Create a conditional forwarder for a domain named aws.example.internal on the on-premises DNS server
- K. Set the forwarding IP addresses to the IP addresses of the BIND servers.
- L. Create a private hosted zone in the shared AWS account for each account that runs the service. Configure the private hosted zone to contain aws.example.internal in the domain (account1.aws.example.internal). Associate the private hosted zone with the VPC that runs the service and the shared account VPC.

Answer: ABD

Explanation:

To meet the requirements of updating the DNS registration process while maximizing cost-effectiveness and minimizing configuration changes, the network engineer should take the following steps:

- Create an Amazon Route 53 Resolver inbound endpoint in the shared account VPC. Create a conditional forwarder for a domain named aws.example.internal on the on-premises DNS servers. Set the forwarding IP addresses to the inbound endpoint's IP addresses that were created (Option B).
- Create an Amazon Route 53 private hosted zone named aws.example.internal in the shared AWS account to resolve queries for this domain (Option D).
- Create a record for each service in its local private hosted zone (serviceA.account1.aws.example.internal). Provide this DNS record to the employees who need access (Option A).

These steps will allow service creators to register their DNS records while keeping costs low and minimizing configuration changes.

NEW QUESTION 11

A company plans to deploy a two-tier web application to a new VPC in a single AWS Region. The company has configured the VPC with an internet gateway and four subnets. Two of the subnets are public and have default routes that point to the internet gateway. Two of the subnets are private and share a route table that does not have a default route.

The application will run on a set of Amazon EC2 instances that will be deployed behind an external Application Load Balancer. The EC2 instances must not be directly accessible from the internet. The application will use an Amazon S3 bucket in the same Region to store data. The application will invoke S3 GET API operations and S3 PUT API operations from the EC2 instances. A network engineer must design a VPC architecture that minimizes data transfer cost.

Which solution will meet these requirements?

- A. Deploy the EC2 instances in the public subnet
- B. Create an S3 interface endpoint in the VP
- C. Modify the application configuration to use the S3 endpoint-specific DNS hostname.
- D. Deploy the EC2 instances in the private subnet
- E. Create a NAT gateway in the VP
- F. Create default routes in the private subnets to the NAT gatewa
- G. Connect to Amazon S3 by using the NAT gateway.
- H. Deploy the EC2 instances in the private subnet
- I. Create an S3 gateway endpoint in the VPSpecify die route table of the private subnets during endpoint creation to create routes to Amazon S3.
- J. Deploy the EC2 instances in the private subnet
- K. Create an S3 interface endpoint in the VP
- L. Modify the application configuration to use the S3 endpoint-specific DNS hostname.

Answer: C

Explanation:

Option C is the optimal solution as it involves deploying the EC2 instances in the private subnets, which provides additional security benefits. Additionally, creating an S3 gateway endpoint in the VPC will enable the EC2 instances to communicate with Amazon S3 directly, without incurring data transfer costs. This is because the S3 gateway endpoint uses Amazon's private network to transfer data between the VPC and S3, which is not charged for data transfer. Furthermore, specifying the route table of the private subnets during endpoint creation will create routes to Amazon S3, which is required for the EC2 instances to communicate with S3.

NEW QUESTION 13

A company is using an AWS Site-to-Site VPN connection from the company's on-premises data center to a virtual private gateway in the AWS Cloud. Because of congestion, the company is experiencing availability and performance issues as traffic travels across the internet before the traffic reaches AWS. A network engineer must reduce these issues for the connection as quickly as possible with minimum administration effort.

Which solution will meet these requirements?

- A. Edit the existing Site-to-Site VPN connection by enabling acceleration
- B. Stop and start the VPN service on the customer gateway for the new setting to take effect.
- C. Configure a transit gateway in the same AWS Region as the existing virtual private gateway
- D. Create a new accelerated Site-to-Site VPN connection
- E. Connect the new connection to the transit gateway by using a VPN attachment
- F. Update the customer gateway device to use the new Site-to-Site VPN connection
- G. Delete the existing Site-to-Site VPN connection
- H. Create a new accelerated Site-to-Site VPN connection
- I. Connect the new Site-to-Site VPN connection to the existing virtual private gateway
- J. Update the customer gateway device to use the new Site-to-Site VPN connection
- K. Delete the existing Site-to-Site VPN connection.
- L. Create a new AWS Direct Connect connection with a private VIF between the on-premises data center and the AWS Cloud
- M. Update the customer gateway device to use the new Direct Connect connection
- N. Delete the existing Site-to-Site VPN connection.

Answer: B

NEW QUESTION 17

A company hosts an application on Amazon EC2 instances behind an Application Load Balancer (ALB). The company recently experienced a network security breach. A network engineer must collect and analyze logs that include the client IP address, target IP address, target port, and user agent of each user that accesses the application.

What is the MOST operationally efficient solution that meets these requirements?

- A. Configure the ALB to store logs in an Amazon S3 bucket
- B. Download the files from Amazon S3, and use a spreadsheet application to analyze the logs.
- C. Configure the ALB to push logs to Amazon Kinesis Data Stream
- D. Use Amazon Kinesis Data Analytics to analyze the logs.
- E. Configure Amazon Kinesis Data Streams to stream data from the ALB to Amazon OpenSearch Service (Amazon Elasticsearch Service). Use search operations in Amazon OpenSearch Service (Amazon Elasticsearch Service) to analyze the data.
- F. Configure the ALB to store logs in an Amazon S3 bucket
- G. Use Amazon Athena to analyze the logs in Amazon S3.

Answer: D

Explanation:

The most operationally efficient solution to collect and analyze logs that include the client IP address, target IP address, target port, and user agent of each user that accesses the application would be to configure the ALB to store logs in an Amazon S3 bucket and use Amazon Athena to analyze the logs in Amazon S3 (Option D). This solution allows for quick and easy analysis of log data without requiring manual download or manipulation of log files.

NEW QUESTION 18

A company has deployed an AWS Network Firewall firewall into a VPC. A network engineer needs to implement a solution to deliver Network Firewall flow logs to the company's Amazon OpenSearch Service (Amazon Elasticsearch Service) cluster in the shortest possible time.

Which solution will meet these requirements?

- A. Create an Amazon S3 bucket
- B. Create an AWS Lambda function to load logs into the Amazon OpenSearch Service (Amazon Elasticsearch Service) cluster
- C. Enable Amazon Simple Notification Service (Amazon SNS) notifications on the S3 bucket to invoke the Lambda function
- D. Configure flow logs for the firewall
- E. Set the S3 bucket as the destination.
- F. Create an Amazon Kinesis Data Firehose delivery stream that includes the Amazon OpenSearch Service (Amazon Elasticsearch Service) cluster as the destination
- G. Configure flow logs for the firewall. Set the Kinesis Data Firehose delivery stream as the destination for the Network Firewall flow logs.
- H. Configure flow logs for the firewall
- I. Set the Amazon OpenSearch Service (Amazon Elasticsearch Service) cluster as the destination for the Network Firewall flow logs.
- J. Create an Amazon Kinesis data stream that includes the Amazon OpenSearch Service (Amazon Elasticsearch Service) cluster as the destination
- K. Configure flow logs for the firewall
- L. Set the Kinesis data stream as the destination for the Network Firewall flow logs.

Answer: B

Explanation:

<https://aws.amazon.com/blogs/networking-and-content-delivery/how-to-analyze-aws-network-firewall-logs-using-athena/>

NEW QUESTION 21

A company has a hybrid cloud environment. The company's data center is connected to the AWS Cloud by an AWS Direct Connect connection. The AWS environment includes VPCs that are connected together in a hub-and-spoke model by a transit gateway. The AWS environment has a transit VIF with a Direct Connect gateway for on-premises connectivity.

The company has a hybrid DNS model. The company has configured Amazon Route 53 Resolver endpoints in the hub VPC to allow bidirectional DNS traffic flow. The company is running a backend application in one of the VPCs.

The company uses a message-oriented architecture and employs Amazon Simple Queue Service (Amazon SQS) to receive messages from other applications over a private network. A network engineer wants to use an interface VPC endpoint for Amazon SQS for this architecture. Client services must be able to access the endpoint service from on-premises and from multiple VPCs within the company's AWS infrastructure.

Which combination of steps should the network engineer take to ensure that the client applications can resolve DNS for the interface endpoint? (Choose three.)

- A. Create the interface endpoint for Amazon SQS with the option for private DNS names turned on.
- B. Create the interface endpoint for Amazon SQS with the option for private DNS names turned off.
- C. Manually create a private hosted zone for sqs.us-east-1.amazonaws.co
- D. Add necessary records that point to the interface endpoint
- E. Associate the private hosted zones with other VPCs.
- F. Use the automatically created private hosted zone for sqs.us-east-1.amazonaws.com with previously created necessary records that point to the interface endpoint
- G. Associate the private hosted zones with other VPCs.
- H. Access the SQS endpoint by using the public DNS name sqs.us-east-1.amazonaws.com in VPCs and on premises.
- I. Access the SQS endpoint by using the private DNS name of the interface endpoint.sqs.us-east-1.vpce.amazonaws.com in VPCs and on premises.

Answer: ADF

NEW QUESTION 26

A company has two on-premises data center locations. There is a company-managed router at each data center. Each data center has a dedicated AWS Direct Connect connection to a Direct Connect gateway through a private virtual interface. The router for the first location is advertising 110 routes to the Direct Connect gateway by using BGP, and the router for the second location is advertising 60 routes to the Direct Connect gateway by using BGP. The Direct Connect gateway is attached to a company VPC through a virtual private gateway.

A network engineer receives reports that resources in the VPC are not reachable from various locations in either data center. The network engineer checks the VPC route table and sees that the routes from the first data center location are not being populated into the route table. The network engineer must resolve this issue in the most operationally efficient manner.

What should the network engineer do to meet these requirements?

- A. Remove the Direct Connect gateway, and create a new private virtual interface from each company router to the virtual private gateway of the VPC.
- B. Change the router configurations to summarize the advertised routes.
- C. Open a support ticket to increase the quota on advertised routes to the VPC route table.
- D. Create an AWS Transit Gateway
- E. Attach the transit gateway to the VPC, and connect the Direct Connect gateway to the transit gateway.

Answer: B

Explanation:

"If you advertise more than 100 routes each for IPv4 and IPv6 over the BGP session, the BGP session will go into an idle state with the BGP session DOWN." <https://docs.aws.amazon.com/directconnect/latest/UserGuide/limits.html>

NEW QUESTION 27

A company has deployed its AWS environment in a single AWS Region. The environment consists of a few hundred application VPCs, a shared services VPC, and a VPN connection to the company's on-premises environment. A network engineer needs to implement a transit gateway with the following requirements:

- Application VPCs must be isolated from each other.
- Bidirectional communication must be allowed between the application VPCs and the on-premises network.
- Bidirectional communication must be allowed between the application VPCs and the shared services VPC. The network engineer creates the transit gateway with options disabled for default route table association and default route table propagation. The network engineer also creates the VPN attachment for the on-premises network and creates the VPC attachments for the application VPCs and the shared services VPC.

The network engineer must meet all the requirements for the transit gateway by designing a solution that needs the least number of transit gateway route tables. Which combination of actions should the network engineer perform to accomplish this goal?(Choose two.)

- A. Configure a separate transit gateway route table for on premise
- B. Associate the VPN attachment with this transit gateway route table
- C. Propagate all application VPC attachments to this transit gateway route table.
- D. Configure a separate transit gateway route table for each application VPC
- E. Associate each application VPC attachment with its respective transit gateway route table
- F. Propagate the shared services VPC attachment and the VPN attachment to this transit gateway route table.
- G. Configure a separate transit gateway route table for all application VPC
- H. Associate all application VPCs with this transit gateway route table
- I. Propagate the shared services VPC attachment and the VPN attachment to this transit gateway route table.
- J. Configure a separate transit gateway route table for the shared services VPC
- K. Associate the shared services VPC attachment with this transit gateway route table
- L. Propagate all application VPC attachments to this transit gateway route table.
- M. Configure a separate transit gateway route table for on premises and the shared services VPC
- N. Associate the VPN attachment and the shared services VPC attachment with this transit gateway route table
- O. Propagate all application VPC attachments to this transit gateway route table.

Answer: BD

NEW QUESTION 29

A company is planning to create a service that requires encryption in transit. The traffic must not be decrypted between the client and the backend of the service. The company will implement the service by using the gRPC protocol over TCP port 443. The service will scale up to thousands of simultaneous connections. The backend of the service will be hosted on an Amazon Elastic Kubernetes Service (Amazon EKS) cluster with the Kubernetes Cluster Autoscaler and the Horizontal Pod Autoscaler configured. The company needs to use mutual TLS for two-way authentication between the client and the backend.

Which solution will meet these requirements?

- A. Install the AWS Load Balancer Controller for Kubernetes
- B. Using that controller, configure a Network Load Balancer with a TCP listener on port 443 to forward traffic to the IP addresses of the backend service Pods.
- C. Install the AWS Load Balancer Controller for Kubernetes
- D. Using that controller, configure an Application Load Balancer with an HTTPS listener on port 443 to forward traffic to the IP addresses of the backend service Pods.
- E. Create a target group
- F. Add the EKS managed node group's Auto Scaling group as a target Create an Application Load Balancer with an HTTPS listener on port 443 to forward traffic to the target group.
- G. Create a target group

- H. Add the EKS managed node group's Auto Scaling group as a target
- I. Create a Network Load Balancer with a TLS listener on port 443 to forward traffic to the target group.

Answer: B

Explanation:

<https://docs.aws.amazon.com/elasticloadbalancing/latest/application/load-balancer-target-groups.html#target-groups>

NEW QUESTION 32

A company has deployed a critical application on a fleet of Amazon EC2 instances behind an Application Load Balancer. The application must always be reachable on port 443 from the public internet. The application recently had an outage that resulted from an incorrect change to the EC2 security group. A network engineer needs to automate a way to verify the network connectivity between the public internet and the EC2 instances whenever a change is made to the security group. The solution also must notify the network engineer when the change affects the connection. Which solution will meet these requirements?

- A. Enable VPC Flow Logs on the elastic network interface of each EC2 instance to capture REJECT traffic on port 443. Publish the flow log records to a log group in Amazon CloudWatch Log
- B. Create a CloudWatch Logs metric filter for the log group for rejected traffic
- C. Create an alarm to notify the network engineer.
- D. Enable VPC Flow Logs on the elastic network interface of each EC2 instance to capture all traffic on port 443. Publish the flow log records to a log group in Amazon CloudWatch Log
- E. Create a CloudWatch Logs metric filter for the log group for all traffic
- F. Create an alarm to notify the network engineer
- G. Create a VPC Reachability Analyzer path on port 443. Specify the security group as the source
- H. Specify the EC2 instances as the destination
- I. Create an Amazon Simple Notification Service (Amazon SNS) topic to notify the network engineer when a change to the security group affects the connection
- J. Create an AWS Lambda function to start Reachability Analyzer and to publish a message to the SNS topic in case the analyses fail. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to invoke the Lambda function when a change to the security group occurs.
- K. Create a VPC Reachability Analyzer path on port 443. Specify the internet gateway of the VPC as the source
- L. Specify the EC2 instances as the destination
- M. Create an Amazon Simple Notification Service (Amazon SNS) topic to notify the network engineer when a change to the security group affects the connection
- N. Create an AWS Lambda function to start Reachability Analyzer and to publish a message to the SNS topic in case the analyses fail
- O. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to invoke the Lambda function when a change to the security group occurs.

Answer: C

NEW QUESTION 35

A software company offers a software-as-a-service (SaaS) accounting application that is hosted in the AWS Cloud. The application requires connectivity to the company's on-premises network. The company has two redundant 10 GB AWS Direct Connect connections between AWS and its on-premises network to accommodate the growing demand for the application.

The company already has encryption between its on-premises network and the colocation. The company needs to encrypt traffic between AWS and the edge routers in the colocation within the next few months. The company must maintain its current bandwidth.

What should a network engineer do to meet these requirements with the LEAST operational overhead?

- A. Deploy a new public VIF with encryption on the existing Direct Connect connection
- B. Reroute traffic through the new public VIF.
- C. Create a virtual private gateway. Deploy new AWS Site-to-Site VPN connections from on-premises to the virtual private gateway. Reroute traffic from the Direct Connect private VIF to the new VPNs.
- D. Deploy a new pair of 10 GB Direct Connect connections with MACsec
- E. Configure MACsec on the edge router
- F. Reroute traffic to the new Direct Connect connection
- G. Decommission the original Direct Connect connections
- H. Deploy a new pair of 10 GB Direct Connect connections with MACsec
- I. Deploy a new public VIF on the new Direct Connect connection
- J. Deploy two AWS Site-to-Site VPN connections on top of the new public VIF
- K. Reroute traffic from the existing private VIF to the new Site-to-Site connection
- L. Decommission the original Direct Connect connections.

Answer: C

NEW QUESTION 39

An organization is using a VPC endpoint for Amazon S3. When the security group rules for a set of instances were initially configured, access was restricted to allow traffic only to the IP addresses of the Amazon S3 API endpoints in the region from the published JSON file. The application was working properly, but now is logging a growing number of timeouts when connecting with Amazon S3. No internet gateway is configured for the VPC.

Which solution will fix the connectivity failures with the LEAST amount of effort?

- A. Create a Lambda function to update the security group based on AmazonIPSpaceChanged notifications.
- B. Update the VPC routing to direct Amazon S3 prefix-list traffic to the VPC endpoint using the route table APIs.
- C. Update the application server's outbound security group to use the prefix-list for Amazon S3 in the same region.
- D. Create an additional VPC endpoint for Amazon S3 in the same route table to scale the concurrent connections to Amazon.

Answer: C

Explanation:

<https://aws.amazon.com/blogs/aws/subscribe-to-aws-public-ip-address-changes-via-amazon-sns/>

NEW QUESTION 43

An organization launched an IPv6-only web portal to support IPv6-native mobile clients. Front-end instances launch in an Amazon VPC associated with an appropriate IPv6 CIDR. The VPC IPv4 CIDR is fully utilized. A single subnet exists in each of two Availability Zones with appropriately configured IPv6 CIDR.

associations. Auto Scaling is properly configured, and no Elastic Load Balancing is used.

Customers say the service is unavailable during peak load times. The network engineer attempts to launch an instance manually and receives the following message: "There are not enough free addresses in subnet 'subnet-12345677' to satisfy the requested number of instances."

What action will resolve the availability problem?

- A. Create a new subnet using a VPC secondary IPv6 CIDR, and associate an IPv6 CID
- B. Include the new subnet in the Auto Scaling group.
- C. Create a new subnet using a VPC secondary IPv4 CIDR, and associate an IPv6 CID
- D. Include the new subnet in the Auto Scaling group.
- E. Resize the IPv6 CIDR on each of the existing subnet
- F. Modify the Auto Scaling group maximum number of instances.
- G. Add a secondary IPv4 CIDR to the Amazon VP
- H. Assign secondary IPv4 address space to each of the existing subnets.

Answer: B

NEW QUESTION 44

A company's network engineer is designing an active-passive connection to AWS from two on-premises data centers. The company has set up AWS Direct Connect connections between the on-premises data centers and AWS. From each location, the company is using a transit VIF that connects to a Direct Connect gateway that is associated with a transit gateway.

The network engineer must ensure that traffic from AWS to the data centers is routed first to the primary data center. The traffic should be routed to the failover data center only in the case of an outage.

Which solution will meet these requirements?

- A. Set the BGP community tag for all prefixes from the primary data center to 7224:7100. Set the BGP community tag for all prefixes from the failover data center to 7224:7300
- B. Set the BGP community tag for all prefixes from the primary data center to 7224:7300. Set the BGP community tag for all prefixes from the failover data center to 7224:7100
- C. Set the BGP community tag for all prefixes from the primary data center to 7224:9300. Set the BGP community tag for all prefixes from the failover data center to 7224:9100
- D. Set the BGP community tag for all prefixes from the primary data center to 7224:9100. Set the BGP community tag for all prefixes from the failover data center to 7224:9300

Answer: B

NEW QUESTION 49

A company has deployed an application in a VPC that uses a NAT gateway for outbound traffic to the internet. A network engineer notices a large quantity of suspicious network traffic that is traveling from the VPC over the internet to IP addresses that are included on a deny list. The network engineer must implement a solution to determine which AWS resources are generating the suspicious traffic. The solution must minimize cost and administrative overhead.

Which solution will meet these requirements?

- A. Launch an Amazon EC2 instance in the VP
- B. Use Traffic Mirroring by specifying the NAT gateway as the source and the EC2 instance as the destination
- C. Analyze the captured traffic by using open-source tools to identify the AWS resources that are generating the suspicious traffic.
- D. Use VPC flow log
- E. Launch a security information and event management (SIEM) solution in the VP
- F. Configure the SIEM solution to ingest the VPC flow log
- G. Run queries on the SIEM solution to identify the AWS resources that are generating the suspicious traffic.
- H. Use VPC flow log
- I. Publish the flow logs to a log group in Amazon CloudWatch Log
- J. Use CloudWatch Logs Insights to query the flow logs to identify the AWS resources that are generating the suspicious traffic.
- K. Configure the VPC to stream the network traffic directly to an Amazon Kinesis data stream
- L. Send the data from the Kinesis data stream to an Amazon Kinesis Data Firehose delivery stream to store the data in Amazon S3. Use Amazon Athena to query the data to identify the AWS resources that are generating the suspicious traffic.

Answer: C

NEW QUESTION 53

A bank built a new version of its banking application in AWS using containers that connect to an on-premises database over VPN connection. This application version requires users to also update their client application. The bank plans to deprecate the earlier client version. However, the company wants to keep supporting earlier clients through their on-premises version of the application to serve a small portion of the customers who haven't yet upgraded.

What design will allow the company to serve both newer and earlier clients in the MOST efficient way?

- A. Use an Amazon Route 53 multivalue answer routing policy to route older client traffic to the on-premises application version and the rest of the traffic to the new AWS based version.
- B. Use a Classic Load Balancer for the new application
- C. Route all traffic to the new application by using an Elastic Load Balancing (ELB) load balancer DN
- D. Define a user-agent-based rule on the backend servers to redirect earlier clients to the on-premises application.
- E. Use an Application Load Balancer for the new application
- F. Register both the new and earlier applications as separate target groups and use path-based routing to route traffic based on the application version.
- G. Use an Application Load Balancer for the new application
- H. Register both the new and earlier application backends as separate target group
- I. Use header-based routing to route traffic based on the application version.

Answer: D

NEW QUESTION 57

A company wants to improve visibility into its AWS environment. The AWS environment consists of multiple VPCs that are connected to a transit gateway. The transit gateway connects to an on-premises data center through an AWS Direct Connect gateway and a pair of redundant Direct Connect connections that use

transit VIFs. The company must receive notification each time a new route is advertised to AWS from on premises over Direct Connect. What should a network engineer do to meet these requirements?

- A. Enable Amazon CloudWatch metrics on Direct Connect to track the received route
- B. Configure a CloudWatch alarm to send notifications when routes change.
- C. Onboard Transit Gateway Network Manager to Amazon CloudWatch Logs Insight
- D. Use Amazon EventBridge (Amazon CloudWatch Events) to send notifications when routes change.
- E. Configure an AWS Lambda function to periodically check the routes on the Direct Connect gateway and to send notifications when routes change.
- F. Enable Amazon CloudWatch Logs on the transit VIFs to track the received route
- G. Create a metric filter Set an alarm on the filter to send notifications when routes change.

Answer: B

Explanation:

<https://docs.aws.amazon.com/network-manager/latest/cloudwan/cloudwan-cloudwatch-events.html>

To receive notification each time a new route is advertised to AWS from on premises over Direct Connect, a network engineer should onboard Transit Gateway Network Manager to Amazon CloudWatch Logs Insights and use Amazon EventBridge (Amazon CloudWatch Events) to send notifications when routes change (Option B). This solution allows for real-time monitoring of route changes and automatic notification when new routes are advertised.

NEW QUESTION 62

A company has multiple AWS accounts. Each account contains one or more VPCs. A new security guideline requires the inspection of all traffic between VPCs. The company has deployed a transit gateway that provides connectivity between all VPCs. The company also has deployed a shared services VPC with Amazon EC2 instances that include IDS services for stateful inspection. The EC2 instances are deployed across three Availability Zones. The company has set up VPC associations and routing on the transit gateway. The company has migrated a few test VPCs to the new solution for traffic inspection. Soon after the configuration of routing, the company receives reports of intermittent connections for traffic that crosses Availability Zones. What should a network engineer do to resolve this issue?

- A. Modify the transit gateway VPC attachment on the shared services VPC by enabling cross-Availability Zone load balancing.
- B. Modify the transit gateway VPC attachment on the shared services VPC by enabling appliance mode support.
- C. Modify the transit gateway by selecting VPN equal-cost multi-path (ECMP) routing support.
- D. Modify the transit gateway by selecting multicast support.

Answer: B

Explanation:

To resolve the issue of intermittent connections for traffic that crosses Availability Zones after configuring routing for traffic inspection between VPCs using a transit gateway and EC2 instances with IDS services in a shared services VPC, a network engineer should modify the transit gateway VPC attachment on the shared services VPC by enabling appliance mode support (Option B). This will ensure that traffic is routed to the same EC2 instance for stateful inspection and prevent intermittent connections.

NEW QUESTION 64

A company recently migrated its Amazon EC2 instances to VPC private subnets to satisfy a security compliance requirement. The EC2 instances now use a NAT gateway for internet access. After the migration, some long-running database queries from private EC2 instances to a publicly accessible third-party database no longer receive responses. The database query logs reveal that the queries successfully completed after 7 minutes but that the client EC2 instances never received the response. Which configuration change should a network engineer implement to resolve this issue?

- A. Configure the NAT gateway timeout to allow connections for up to 600 seconds.
- B. Enable enhanced networking on the client EC2 instances.
- C. Enable TCP keepalive on the client EC2 instances with a value of less than 300 seconds.
- D. Close idle TCP connections through the NAT gateway.

Answer: C

Explanation:

When a TCP connection is idle for a long time, it may be terminated by network devices, including the NAT gateway. By enabling TCP keepalive, the client EC2 instances can periodically send packets to the third-party database to indicate that the connection is still active, preventing it from being terminated prematurely.

NEW QUESTION 67

An Australian ecommerce company hosts all of its services in the AWS Cloud and wants to expand its customer base to the United States (US). The company is targeting the western US for the expansion.

The company's existing AWS architecture consists of four AWS accounts with multiple VPCs deployed in the ap-southeast-2 Region. All VPCs are attached to a transit gateway in ap-southeast-2. There are dedicated VPCs for each application service. The company also has VPCs for centralized security features such as proxies, firewalls, and logging.

The company plans to duplicate the infrastructure from ap-southeast-2 to the us-west-1 Region. A network engineer must establish connectivity between the various applications in the two Regions. The solution must maximize bandwidth, minimize latency and minimize operational overhead.

Which solution will meet these requirements?

- A. Create VPN attachments between the two transit gateway
- B. Configure the VPN attachments to use BGP routing between the two transit gateways.
- C. Peer the transit gateways in each Region
- D. Configure routing between the two transit gateways for each Region's IP addresses.
- E. Create a VPN server in a VPC in each Region
- F. Update the routing to point to the VPN servers for the IP addresses in alternate Regions.
- G. Attach the VPCs in us-west-1 to the transit gateway in ap-southeast-2.

Answer: B

Explanation:

Peering the transit gateways in each region would establish a private network connection between the two regions, allowing the company to route traffic between

the VPCs in different regions without going over the public internet. This would help minimize latency and maximize bandwidth while reducing the operational overhead of managing multiple VPN connections.

NEW QUESTION 71

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AWS-Certified-Advanced-Networking-Specialty Practice Exam Features:

- * AWS-Certified-Advanced-Networking-Specialty Questions and Answers Updated Frequently
- * AWS-Certified-Advanced-Networking-Specialty Practice Questions Verified by Expert Senior Certified Staff
- * AWS-Certified-Advanced-Networking-Specialty Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AWS-Certified-Advanced-Networking-Specialty Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AWS-Certified-Advanced-Networking-Specialty Practice Test Here](#)