

SC-400 Dumps

Microsoft Information Protection Administrator

<https://www.certleader.com/SC-400-dumps.html>



NEW QUESTION 1

- (Topic 1)

You need to protect documents that contain credit card numbers from being opened by users outside your company. The solution must ensure that users at your company can open the documents.

What should you use?

- A. a retention policy
- B. a sensitivity label policy
- C. a sensitivity label
- D. a data loss prevention (DLP) policy

Answer: D

NEW QUESTION 2

- (Topic 1)

A user reports that she can no longer access a Microsoft Excel file named Northwind Customer Data.xlsx.

From the Cloud App Security portal, you discover the alert shown in the exhibit.

Alerts > File containing PCI detected in the cloud... 11/21/20 1:10 PM +30 MEDIUM SEVERITY

File containing PCI detected in the cloud (built-in DLP engine) Microsoft SharePoint Online Megan Bowen Northwind Customer Data.xlsx

Resolution options: Northwind Customer Data.xlsx File is in quarantine Megan Bowen Close alert

Description
File policy "File containing PCI detected in the cloud (built-in DLP engine)" was matched by "Northwind Customer Data.xlsx"

Important information
• This alert falls under the following MITRE tactic: Execution

Files
No files found

File policy report
File Quarantined History

1 - 1 of 1 files

File name	Owner	App	Collaborators	Policies	Last modified
Northwind Custo...	Megan Bowen	Microsoft Share...	5 collaborators	1 policy match	Nov 21, 2020

You restore the file from quarantine.

You need to prevent files that match the policy from being quarantined. Files that match the policy must generate an alert.

What should you do?

- A. Modify the policy template.
- B. Assign the Global reader role to the file owners.
- C. Exclude file matching by using a regular expression.
- D. Update the governance action.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/cloud-app-security/data-protection-policies#create-a-new-file-policy>

NEW QUESTION 3

- (Topic 1)

You have a Microsoft 365 E5 subscription.

You need to export the details of a retention label. The export must include the following information;

- Is record
 - Is regulatory
 - Disposition type
- What should you do?

- A. From the Microsoft Purview compliance portal, export Compliance Manager assessment actions.
- B. From the Microsoft Purview compliance portal export a file plan.
- C. From the Microsoft Purview compliance portal export a disposition review.
- D. From PowerShell, run the Export-ActivityExplorerData cmdlet.
- E. From PowerShell, run the Get-RetentionEvent cmdlet.

Answer: B

NEW QUESTION 4

HOTSPOT - (Topic 1)

You have a Microsoft 365 tenant that uses Microsoft Teams.

You create a data loss prevention (DLP) policy to prevent Microsoft Teams users from sharing sensitive information.






You need to identify which locations must be selected to meet the following requirements:

? Documents that contain sensitive information must not be shared inappropriately in Microsoft Teams.

? If a user attempts to share sensitive information during a Microsoft Teams chat session, the message must be deleted immediately.
Which three locations should you select? To answer, select the appropriate locations in the answer area. (Choose three.)
NOTE: Each correct selection is worth one point.

Choose locations to apply the policy

We'll apply the policy to data that's stored in the locations you choose.

Status	Location	Included
<input type="checkbox"/> Off	 Exchange email	
<input type="checkbox"/> Off	 SharePoint sites	
<input type="checkbox"/> Off	 OneDrive accounts	
<input type="checkbox"/> Off	 Teams chat and channel messages	
<input type="checkbox"/> Off	 Microsoft Cloud App Security	






- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Choose locations to apply the policy

We'll apply the policy to data that's stored in the locations you choose.

Status	Location	Included
<input type="checkbox"/> Off	 Exchange email	
<input type="checkbox"/> Off	 SharePoint sites	
<input type="checkbox"/> Off	 OneDrive accounts	
<input type="checkbox"/> Off	 Teams chat and channel messages	
<input type="checkbox"/> Off	 Microsoft Cloud App Security	

NEW QUESTION 5

- (Topic 1)

You create a label that encrypts email data.
Users report that they cannot use the label in Outlook on the web to protect the email messages they send.
You need to ensure that the users can use the new label to protect their email. What should you do?

- A. Wait six hours and ask the users to try again.
- B. Create a label policy.
- C. Create a new sensitive information type.
- D. Modify the priority order of label policies

Answer: D

NEW QUESTION 6

HOTSPOT - (Topic 1)

You have a Microsoft 365 E5 subscription that contains the groups shown in the following table.

Name	Type	Primary email address
Group1	Microsoft 365	Group1@contoso.com
Dist1	Distribution	Dist1@contoso.com

The subscription contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Dist1
User3	None

You create the mail flow rules shown in the following table.

Name	Apply this rule if	Do the following
Rule1	The recipient is a member of group1@contoso.com	Apply Office 365 Message Encryption and rights protection
Rule2	The sender is dist1@contoso.com	Apply Office 365 Message Encryption and rights protection

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
If User2 sends an email message to User3, the message is encrypted automatically.	<input type="radio"/>	<input type="radio"/>
If User2 sends an email message to User1, the message is encrypted automatically.	<input type="radio"/>	<input type="radio"/>
If User3 sends an email message to Group1, the message delivered to User1 is encrypted automatically.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
If User2 sends an email message to User3, the message is encrypted automatically.	<input type="radio"/>	<input checked="" type="radio"/>
If User2 sends an email message to User1, the message is encrypted automatically.	<input checked="" type="radio"/>	<input type="radio"/>
If User3 sends an email message to Group1, the message delivered to User1 is encrypted automatically.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 7

- (Topic 1)

You need to recommend a solution that meets the compliance requirements for protecting the documents in the Data shared folder. What should you recommend?

- A. From the Microsoft 365 compliance center, configure a DLP policy.
- B. From the Microsoft 365 compliance center, configure a Content Search query.
- C. From the Microsoft 365 compliance center, configure an auto-labeling policy.
- D. From Azure Information Protection, configure a content scan job.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/information-protection/deploy-aip-scanner>

NEW QUESTION 8

HOTSPOT - (Topic 1)

You have a Microsoft 365 E5 subscription.

You create an adaptive scope named Scope 1 as shown in the following exhibit.

✓ Name

✓ Scope type

● Finish

Review and finish

Name

Scope1

Edit

Description

Edit

Type

Group

Edit

Query summary

Name starts with Group

Edit

Back

Submit

Cancel

Q

You create a retention policy named Policy1 that includes Scope1.
To which three locations can you apply Policy1? To answer, select the appropriate locations in the answer area.
NOTE: Each correct selection is worth one point.

+ Add scopes

Add scopes to see them here

Choose locations to apply the policy

Based on the scopes you added, this policy can be applied to content in these locations.

Status	Location
<input type="checkbox"/> Off	Exchange email
<input type="checkbox"/> Off	SharePoint sites
<input type="checkbox"/> Off	OneDrive accounts
<input type="checkbox"/> Off	Microsoft 365 Groups
<input type="checkbox"/> Off	Skype for Business
<input type="checkbox"/> Off	Teams channel messages
<input type="checkbox"/> Off	Teams chats
<input type="checkbox"/> Off	Teams private channel messages
<input type="checkbox"/> Off	Yammer community messages (Preview)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

+ Add scopes

Add scopes to see them here

Choose locations to apply the policy

Based on the scopes you added, this policy can be applied to content in these locations.

Status	Location
<input type="checkbox"/> Off	<div style="border: 2px dashed green; padding: 2px;"> Exchange email </div>
<input type="checkbox"/> Off	<div style="border: 2px dashed green; padding: 2px;"> SharePoint sites </div>
<input type="checkbox"/> Off	<div style="border: 2px dashed green; padding: 2px;"> OneDrive accounts </div>
<input type="checkbox"/> Off	Microsoft 365 Groups
<input type="checkbox"/> Off	Skype for Business
<input type="checkbox"/> Off	Teams channel messages
<input type="checkbox"/> Off	Teams chats
<input type="checkbox"/> Off	Teams private channel messages
<input type="checkbox"/> Off	Yammer community messages (Preview)

NEW QUESTION 9

- (Topic 1)

You have a Microsoft 365 E5 tenant that has data loss prevention (DLP) policies. You need to create a report that includes the following:

- Documents that have a matched DLP policy.
- Documents that have had a sensitivity label changed.
- Documents that have had a sensitivity label removed. What should you use?

- A. an eDiscovery case
- B. communication compliance reports
- C. a content search
- D. Activity explorer

Answer: C

NEW QUESTION 10

- (Topic 1)

Your company has a Microsoft 365 tenant.

The company performs annual employee assessments. The assessment results are recorded in a document named Assessment Template.docx that is created by using Microsoft Word template. Copies of the employee assessments are sent to employees and their managers. The assessment copies are stored in mailboxes, Microsoft SharePoint Online sites, and OneDrive for Business folders. A copy of each assessment is also stored in a SharePoint Online folder named Assessments.

You need to create a data loss prevention (DLP) policy that prevents the employee assessments from being emailed to external users. You will use a document fingerprint to identify the assessment documents.

What should you include in the solution?

- A. Create a fingerprint of AssessmentTemplate.docx.
- B. Create a sensitive info type that uses Exact Data Match (EDM).
- C. Create a fingerprint of 100 sample documents in the Assessments folder.
- D. Import 100 sample documents from the Assessments folder to a seed folder.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/document-fingerprinting?view=o365-worldwide>

NEW QUESTION 10

HOTSPOT - (Topic 1)

You need to recommend an information governance solution that meets the HR requirements for handling employment applications and resumes.

What is the minimum number of information governance solution components that you should create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Minimum number of retention labels:

	▼
1	
2	
3	
4	

Minimum number of auto-labeling policies:

	▼
1	
2	
3	
4	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Minimum number of retention labels:

	▼
1	
2	
3	
4	

Minimum number of auto-labeling policies:

	▼
1	
2	
3	
4	

NEW QUESTION 13

HOTSPOT - (Topic 1)

You have a Microsoft 365 ES subscription.

You plan to create a custom trainable classifier by uploading 1,000 machine-generated files as seed content.

The files have sequential names and are uploaded in one-minute intervals as shown in the following table.

Number	Name	Upload time
1	File001.docx	3:01 AM
2	File002.docx	3:02 AM
3	File003.docx	3:03 AM
994 rows not shown		
998	File998.docx	7:38 PM
999	File999.docx	7:39 PM
1000	File000.docx	7:40 PM

Which files were processed first and last when you created the custom trainable classifier? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

First: File001.docx

File001.docx
File301.docx
File501.docx
File801.docx
File951.docx

Last: File000.docx

File050.docx
File200.docx
File300.docx
File500.docx
File000.docx

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

First: File001.docx

File001.docx
File301.docx
File501.docx
File801.docx
File951.docx

Last: File000.docx

File050.docx
File200.docx
File300.docx
File500.docx
File000.docx

NEW QUESTION 18

HOTSPOT - (Topic 1)

At the end of a project you upload project documents to a Microsoft SharePoint Online library that contains many files. Files that have the following naming format must be labeled as Project I

- aei_AA989.docx
- bd_WSOgadocx
- cei_DLF112.docx
- ebc_QQ4S4.docx
- ecc_BB565.docx

You plan to create an auto-apply retention label policy.

What should you use to identify the files, and which regular expression should you use? To answer, select the appropriate options in the answer area.

Answer Area

To identify the files, use:

A sensitive info type
A retention label
A trainable classifier

Regular expression:

[a-z]{3}[][A-Z]{2}[d]{3}.docx
[a-z]{3}[d]{3}[][a-z]{2}[d]{3}.docx
[a-z]{3}[][A-Z]{2}[d]{3}.docx

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1 = a retention label
Box 2 = [a-z]{3}[][A-Z]{2}[d]{3}.docx

NEW QUESTION 23

HOTSPOT - (Topic 1)

You have a Microsoft 365 E5 tenant that contains three groups named Group1, Group2, and Group3. You have the users shown in the following table.

Name	Member of
User1	Group1
User2	Group1, Group3
User3	Group2, Group3

You have the sensitivity labels shown in the following exhibit.

+ Create a label Publish labels Refresh

Name	Order
General	0 – lowest
▼ Confidential	1
Low	2
Medium	3
High	4
▼ Top Secret	5
Low	6
Medium	7
High	8 – highest

You have the label policies shown in the following table.

Name	Labels to publish	Group	Apply this default label to documents
Policy1	Confidential Confidential – Low Confidential – Medium Confidential – High	Group1	Confidential
Policy2	All labels	Group2	Confidential – Medium
Policy3	Confidential Confidential – Low Confidential – Medium Confidential – High Top Secret	Group3	Top Secret

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The Confidential label will be applied to all the documents created by User1.	<input type="radio"/>	<input type="radio"/>
User2 can apply the General label to all the documents created by User2.	<input type="radio"/>	<input type="radio"/>
User3 can change the label applied to a document created by User1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
The Confidential label will be applied to all the documents created by User1.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can apply the General label to all the documents created by User2.	<input type="radio"/>	<input checked="" type="radio"/>
User3 can change the label applied to a document created by User1.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 25

- (Topic 1)

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You implement Microsoft 365 Endpoint data loss prevention (Endpoint DLP).

You have computers that run Windows 10 and have Microsoft 365 Apps installed. The computers are joined to Azure Active Directory (Azure AD).

You need to ensure that Endpoint DLP policies can protect content on the computers. Solution: You onboard the computers to Microsoft Defender for Endpoint.

Does this meet the goal?

A. Yes

B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-getting-started?view=o365-worldwide>

NEW QUESTION 28

- (Topic 1)

You need to be alerted when users share sensitive documents from Microsoft OneDrive to any users outside your company.

What should you do?

A. From the Microsoft 365 compliance center, create a data loss prevention (DLP) policy.

B. From the Azure portal, create an Azure Active Directory (Azure AD) Identity Protection policy.

C. From the Microsoft 365 compliance center, create an insider risk policy.

D. From the Microsoft 365 compliance center, start a data investigation.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/dlp-learn-about-dlp?view=o365-worldwide>

NEW QUESTION 29

- (Topic 1)

You have a Microsoft 365 tenant that uses the following sensitivity labels:

* Confidential

* Internal

* External

The labels are published by using a label policy named Policy1.

Users report that Microsoft Office for the web apps do not display the Sensitivity button. The Sensitivity button appears in Microsoft 365 Apps that are installed locally.

You need to ensure that the users can apply sensitivity labels to content when they use Office for the web apps.

Solution: You modify the publishing settings of Policy1. Does the meet the goal?

A. Yes

B. No

Answer: B

NEW QUESTION 33

- (Topic 1)

You have a Microsoft 365 tenant that uses trainable classifiers. You are creating a custom trainable classifier.

You collect 300 sample file types from various geographical locations to use as seed content. Some of the file samples are encrypted.

You organize the files into categories as shown in the following table.

Category	Type	Language	Encryption status
Category1	.docx	French	Not encrypted
Category2	.xlsx	English	Encrypted
Category3	.pptx	German	Encrypted
Category4	.docx	English	Not encrypted
Category5	.mht	English	Not encrypted
Category6	.htm	English	Not encrypted

Which file categories can be used as seed content?

A. Category4 and Category5 only

- B. Category4 and Category6 only
- C. Category3. and Category5 only
- D. Category1 and Category3 only

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/classifier-get-started-with?view=o365-worldwide>

<https://docs.microsoft.com/en-us/sharepoint/technical-reference/default-crawled-file-name-extensions-andparsed-file-types>

NEW QUESTION 37

- (Topic 1)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to identify resumes that are stored in the subscription by using a built-in trainable classifier.

Solution: You create a data loss prevention (DLP) policy. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 39

HOTSPOT - (Topic 1)

You enable archive mailboxes for all the users at your company. The Default MRM Policy is shown in the MRM exhibit.

Default MRM Policy

This policy contains the following retention tags

1 Month Delete

1 Week Delete

1 Year Delete

5 Year Delete

6 Month Delete

Default 2 year move to archive

Junk Email

Never Delete

Personal 1 year move to archive

Personal 5 year move to archive

Personal never move to archive

Recoverable items 14 days move to archive

A Microsoft 365 retention label policy is shown in the Label Policy exhibit.

Exchange Label Policy

Status

Enabled (Pending)

Policy name

Exchange Label Policy

Description

Label policy for Exchange

Applies to content in these locations

Exchange email

Settings

Publish labels for your users

- 10 Year – Do not Delete
- 2 Year Delete

Preservation lock

No

You need to identify the following:

? How many years until an email is archived?

? What should you modify to change the retention period for archiving?

What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

By default, email is:

	▼
Deleted after two years	
Deleted after one month	
Retained in the mailbox for 10 years	
Moved to the archive mailbox after two years	

To change the retention period for archiving, modify:

	▼
The Default MRM Policy	
The Exchange Label Policy	
The properties of the archive mailbox	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

By default, email is:

	▼
Deleted after two years	
Deleted after one month	
Retained in the mailbox for 10 years	
Moved to the archive mailbox after two years	

To change the retention period for archiving, modify:

	▼
The Default MRM Policy	
The Exchange Label Policy	
The properties of the archive mailbox	

NEW QUESTION 40

- (Topic 1)

You are configuring a data loss prevention (DLP) policy to report when credit card data is found on a Windows 10 device joined to Azure Active Directory (Azure AD).

You plan to use information from the policy to restrict the ability to copy the sensitive data to the clipboard.

What should you configure in the policy rule?

- A. the incident report
- B. an action
- C. user notifications
- D. user overrides

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-using?view=o365-worldwide>

NEW QUESTION 43

- (Topic 1)

You have a Microsoft 365 E5 tenant.

You create a data loss prevention (DLP) policy.

You need to ensure that the policy protects documents in Microsoft Teams chat sessions. Which location should you enable in the policy?

- A. OneDrive accounts
- B. Teams chat and channel messages
- C. Exchange email
- D. SharePoint sites

Answer: A

NEW QUESTION 48

- (Topic 1)

At the end of a project, you upload project documents to a Microsoft SharePoint Online library that contains many files. The following is a sample of the project document file names:

? aei_AA989.docx

? bci_WS098.docx

? cei_DF112.docx

? ebc_QQ454.docx

? ecc_BB565.docx

All documents that use this naming format must be labeled as Project Documents: You need to create an auto-apply retention label policy.

What should you use to identify the files?

- A. A sensitive info type
- B. A retention label
- C. A trainable classifier

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/classifier-get-started-with?view=o365-worldwide>

NEW QUESTION 53

- (Topic 1)

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Role group
Admin1	eDiscovery Manager
Admin2	eDiscovery Administrator
Admin3	<i>none</i>

You need to ensure that Admin3 can create holds in owing table. To what should you add Admin3?

- A. the Global Administrator role
- B. the eDiscovery Manager role group
- C. the Compliance Manager Contributors role group
- D. the eDiscovery Administrator role group

Answer: D

NEW QUESTION 55

HOTSPOT - (Topic 1)

You need to implement a solution to encrypt email. The solution must meet the compliance requirements.

What should you create in the Exchange admin center and the Microsoft 365 compliance center? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Exchange admin center:

▼

A connector

A DLP policy

A mail flow rule

An organization sharing relationship

Microsoft 365 compliance center:

▼

An auto-labeling policy

A DLP policy

A custom sensitive info type

A sensitivity label

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Users must be able to manually select that email messages are sent encrypted. The encryption will use Office 365 Message Encryption (OME) v2. Any email containing an attachment that has the Fabrikam Confidential sensitivity label applied must be encrypted automatically by using OME.

NEW QUESTION 58

- (Topic 1)

You have a Microsoft 365 E5 subscription that contains multiple data loss prevention (DLP) policies.

You need to identify which DLP rules include conditions that can trigger the DLP policies. Which report should you use from the Microsoft Purview compliance portal?

- A. DLP policy matches
- B. False positives and overrides
- C. DLP incidents
- D. Third-party DLP policy matches

Answer: A

NEW QUESTION 63

HOTSPOT - (Topic 1)

You have a Microsoft 365 E5 tenant.

You create sensitivity labels as shown in the Sensitivity Labels exhibit.

+ Create a label Publish labels Refresh

Name		Order	Scope
Public	...	0 – lowest	File, Email
General	...	1	File, Email
– Confidential	...	2	File, Email
Internal	...	3	File, Email
External	...	4 – highest	File, Email

The Confidential/External sensitivity label is configured to encrypt files and emails when applied to content.
The sensitivity labels are published as shown in the Published exhibit.

Sensitivity Policy1

Edit policy

Delete policy

Name

Sensitivity Policy1

Description

Published labels

Public

General

External/External

Internal/Internal

Confidential

Published to

All

Policy settings

Users must provide justification to remove a label or lower its classification

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The Internal sensitivity label inherits all the settings from the Confidential label.	<input type="radio"/>	<input type="radio"/>
Users must provide justification if they change the label of content from Confidential/Internal to Confidential/External.	<input type="radio"/>	<input type="radio"/>
Content that has the Confidential/External label applied will retain the encryption settings if the sensitivity label is removed from the label policy.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
The Internal sensitivity label inherits all the settings from the Confidential label.	<input type="radio"/>	<input checked="" type="radio"/>
Users must provide justification if they change the label of content from Confidential/Internal to Confidential/External.	<input type="radio"/>	<input checked="" type="radio"/>
Content that has the Confidential/External label applied will retain the encryption settings if the sensitivity label is removed from the label policy.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 68

- (Topic 1)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 tenant and 500 computers that run Windows 10. The computers are onboarded to the Microsoft 365 compliance center.

You discover that a third-party application named Tailspin_scanner.exe accessed protected sensitive information on multiple computers. Tailspin_scanner.exe is installed locally on the computers.

You need to block Tailspin_scanner.exe from accessing sensitive documents without preventing the application from accessing other documents.

Solution: From the Microsoft 365 Endpoint data loss prevention (Endpoint DLP) settings, you add a folder path to the file path exclusions.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Folder path to the file path exclusions excludes certain paths and files from DLP monitoring.

Use the unallowed apps list instead.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-using?view=o365-worldwide>

NEW QUESTION 72

HOTSPOT - (Topic 1)

You create a retention label policy named Contoso_policy that contains the following labels.

? 10 years then delete

? 5 years then delete

? Do not retain

Contoso_Policy is applied to content In Microsoft Sharepoint Online sites.

After a couple of days, you discover the following messages on the Properties page of the label policy.

* Statue Off (Error)

* It's taking longer than expected to deploy the policy You need to reinitiate the policy.

How should you complete the command? To answer, select the appropriate options in the; answer area.

NOTE: Each correct selection is worth one point.

▼

Set-RetentionCompliancePolicy
Set-RetentionPolicy
Start-EdgeSynchronization
Start-RetentionAutoTagLearning

-id Contoso_Policy

▼

-ForceFullSync
-FullCrawl
-RetryDistribution
-Train

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

▼

Set-RetentionCompliancePolicy
Set-RetentionPolicy
Start-EdgeSynchronization
Start-RetentionAutoTagLearning

-id Contoso_Policy

▼

-ForceFullSync
-FullCrawl
-RetryDistribution
-Train

NEW QUESTION 74

- (Topic 1)

You have a Microsoft 365 subscription.

You have a user named User1. Several users have full access to the mailbox of User1. Some email messages sent to User1 appear to have been read and deleted before the user viewed them.

When you search the audit log in the Microsoft Purview compliance portal to identify who signed in to the mailbox of User1, the results are blank.

You need to ensure that you can view future sign-ins to the mailbox of User1.

YOU run the Set-MailboxFolderPermission -Identity "User1" -User User1fcontoso.com - AccessRights Owner command.

Does that meet the goal?

A. Yes

B. No

Answer: B

NEW QUESTION 79

HOTSPOT - (Topic 1)

You have a Microsoft 365 E5 subscription.

You are evaluating Data Protection Baseline compliance by using Compliance Manager. You need to identify improvement actions that meet the following requirements:

- Provide data loss prevention (DLP) policy recommendations.
- Provide Data Protection Baseline recommendations.

Which filter should you use for each requirement? To answer, select the appropriate options in the answer area.

Answer Area

DLP policy recommendations: 

Data Protection Baseline recommendations: 

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area

DLP policy recommendations: 

Data Protection Baseline recommendations: 

NEW QUESTION 81

HOTSPOT - (Topic 1)

You are implementing Microsoft Office 365 Message Encryption (OME) for a Microsoft 365 tenant named contoso.com.

You need to meet the following requirements:

- All email to a domain named fabhkam.com must be encrypted automatically.
- Encrypted emails must expire seven days after they are sent-

What should you configure for each requirement? To answer, select the appropriate options

NOTE: Each correct selection is worth one point.

All email to a domain named fabrikam.com must be encrypted automatically:

A data connector in the Microsoft 365 compliance center
A data loss prevention (DLP) policy in the Microsoft 365 compliance center
A mail flow connector in the Exchange admin center
A mail flow rule in the Exchange admin center

Encrypted emails must expire seven days after they are sent:

A custom branding template in Microsoft Exchange Online PowerShell
A label policy in the Microsoft 365 compliance center
A mail flow rule in the Exchange admin center
A sensitive info type in the Microsoft 365 compliance center

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

All email to a domain named fabrikam.com must be encrypted automatically:

A data connector in the Microsoft 365 compliance center
A data loss prevention (DLP) policy in the Microsoft 365 compliance center
A mail flow connector in the Exchange admin center
A mail flow rule in the Exchange admin center

Encrypted emails must expire seven days after they are sent:

A custom branding template in Microsoft Exchange Online PowerShell
A label policy in the Microsoft 365 compliance center
A mail flow rule in the Exchange admin center
A sensitive info type in the Microsoft 365 compliance center

NEW QUESTION 83

- (Topic 1)

You implement Microsoft 365 Endpoint data loss prevention (Endpoint DLP).

You have computers that run Windows 10 and have Microsoft 365 Apps installed. The computers are joined to Azure Active Directory (Azure AD).

You need to ensure that Endpoint DLP policies can protect content on the computers. Solution: You onboard the computers to Microsoft Defender for Endpoint.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 87

- (Topic 1)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You recently discovered that the developers at your company emailed Azure Storage keys in plain text to third parties.

You need to ensure that when Azure Storage keys are emailed, the emails are encrypted. Solution: You configure a mail flow rule that matches a sensitive info type.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 91

- (Topic 1)

You have a Microsoft SharePoint Online site that contains employee contracts in a document library named Contracts.

The contracts must be treated as records in accordance with your company's records management policy.

You need to implement a solution to automatically mark all the contracts as records when they are uploaded to Contracts.

Which two actions should you perform? Each correct answer presents part of the solution. (Choose two.)

NOTE: Each correct selection is worth one point.

- A. Create a sensitivity label.
- B. Create a retention label.

- C. Configure a default label on the Contracts document library.
- D. Create a retention policy.
- E. Create a SharePoint Records Center.
- F. Create a retention lock.

Answer: BC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/create-apply-retention-labels?view=o365-worldwide>

NEW QUESTION 93

HOTSPOT - (Topic 1)

You have a Microsoft SharePoint Online site that contains the following files.

Name	Modified by	Data loss prevention (DLP) status
File1.docx	Manager1	None
File2.docx	Manager1	Matched by DLP
File3.docx	Manager1	Blocked by DLP

Users are assigned roles for the site as shown in the following table.

Name	Role
User1	Site owner
User2	Site member

Which files can User1 and User2 view? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

User1:

File1.docx only

File1.docx and File2.docx only

File1.docx, File2.docx, and File3.docx

User2:

File1.docx only

File1.docx and File2.docx only

File1.docx, File2.docx, and File3.docx

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

User1:

File1.docx only

File1.docx and File2.docx only

File1.docx, File2.docx, and File3.docx

User2:

File1.docx only

File1.docx and File2.docx only

File1.docx, File2.docx, and File3.docx

NEW QUESTION 95

- (Topic 1)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it as a result, these questions will not appear in the review screen.

You are configuring a file policy in Microsoft Defender for Cloud Apps.

You need to configure the policy to apply to all files. Alerts must be sent to every file owner who is affected by the policy. The policy must scan for credit card

numbers, and alerts must be sent to the Microsoft Teams site of the affected department.
Solution: You use the Built-in DIP inspection method and send alerts to Microsoft Power Automate.
Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 96

- (Topic 1)
You have a Microsoft 365 ES tenant that uses Microsoft Teams and contains two users named User1 and User2.
You create a data loss prevention (DLP) policy that is applied to the Teams chat and channel messages location for user1 and user2.
Which Teams entities will have DLP protection? Purview compliance portal?

- A. 1:1/n chats and general channels only
- B. 1:1/chats and private channels only
- C. 1:1/ chats, general channels, and private channels
- D. DLP policy matches

Answer: BD

NEW QUESTION 100

- (Topic 1)
You implement Microsoft 365 Endpoint data loss prevention (Endpoint DLP).
You have computers that run Windows 10 and have Microsoft 365 Apps installed. The computers are joined to Azure Active Directory (Azure AD).
You need to ensure that Endpoint DLP policies can protect content on the computers. Solution: You deploy the unified labeling client to the computers.
Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:
<https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-getting-started?view=o365-worldwide>

NEW QUESTION 101

- (Topic 1)
You have a Microsoft 365 subscription that uses Microsoft Exchange Online.
You need to receive an alert if a user emails sensitive documents to specific external domains.
What should you create?

- A. a data loss prevention (DLP) policy that uses the Privacy category
- B. a Microsoft Cloud App Security activity policy
- C. a Microsoft Cloud App Security file policy
- D. a data loss prevention (DLP) alert filter

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/microsoft-365/compliance/dlp-policy- reference?view=o365-worldwide>

NEW QUESTION 105

HOTSPOT - (Topic 1)
You have a Microsoft 365 tenant.
A retention hold is applied to all the mailboxes in Microsoft Exchange Online.
A user named User1 leaves your company, and the account of User1 is deleted from Azure Active Directory (Azure AD).
You need to create a new user named User2 and provide User2 with access to the mailbox of User1.
How should you complete the PowerShell command? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

```
$InactiveMailbox = Get-Mailbox -InactiveMailboxOnly -Identity <distinguished name>
```

		\$InactiveMailbox.DistinguishedName
New-Mailbox	-InactiveMailbox	
New-MailboxRestoreRequest	-LitigationHoldEnabled	
Restore-RecoverableItems	-RetentionHoldEnabled	
Set-Mailbox	-SourceMailbox	

```
-Name User2 -DisplayName User2 -MicrosoftOnlineServicesID user2@contoso.com  
-Password (ConvertTo-SecureString -String 'RdFGFfhjjhgff$^^7' -AsPlainText -Force)  
-ResetPasswordOnNextLogon $true
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

```
$InactiveMailbox = Get-Mailbox -InactiveMailboxOnly -Identity <distinguished name>
```

	\$InactiveMailbox.DistinguishedName
New-Mailbox	-InactiveMailbox
New-MailboxRestoreRequest	-LitigationHoldEnabled
Restore-RecoverableItems	-RetentionHoldEnabled
Set-Mailbox	-SourceMailbox

```
-Name User2 -DisplayName User2 -MicrosoftOnlineServicesID user2@contoso.com  
-Password (ConvertTo-SecureString -String 'RdFGFfhjjhgff$^^7' -AsPlainText -Force)  
-ResetPasswordOnNextLogon $true
```

NEW QUESTION 108

DRAG DROP - (Topic 2)

You need to meet the technical requirements for the Site1 documents.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

- Create a retention label.
- Create a sensitivity label.
- Create a sensitive info type.
- Create an auto-labeling policy.
- Wait 24 hours and then turn on the policy.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Answer Area

- Create a retention label.
- Create a sensitivity label.
- Create a sensitive info type.
- Create an auto-labeling policy.
- Wait 24 hours and then turn on the policy.



- Create a sensitive info type.
- Create a sensitivity label.
- Create an auto-labeling policy.



NEW QUESTION 110

- (Topic 2)

You need to meet the technical requirements for the creation of the sensitivity labels. Which administrative users are currently missing the Sensitivity label administrator role?

- A. Admin1 only
- B. Admm1, Admin2, Admin4, and Admin5 only
- C. Admin 1. Admin2, and Admin3 only
- D. Admin 1 and Admin5 only
- E. Admin 1 and Admin4 only

Answer: C

NEW QUESTION 111

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your SC-400 Exam with Our Prep Materials Via below:

<https://www.certleader.com/SC-400-dumps.html>