

Google

Exam Questions Associate-Cloud-Engineer

Google Cloud Certified - Associate Cloud Engineer



NEW QUESTION 1

Your organization uses Active Directory (AD) to manage user identities. Each user uses this identity for federated access to various on-premises systems. Your security team has adopted a policy that requires users to log into Google Cloud with their AD identity instead of their own login. You want to follow the Google-recommended practices to implement this policy. What should you do?

- A. Sync Identities with Cloud Directory Sync, and then enable SAML for single sign-on
- B. Sync Identities in the Google Admin console, and then enable Oauth for single sign-on
- C. Sync identities with 3rd party LDAP sync, and then copy passwords to allow simplified login with (he same credentials
- D. Sync identities with Cloud Directory Sync, and then copy passwords to allow simplified login with the same credentials.

Answer: A

NEW QUESTION 2

Your coworker has helped you set up several configurations for gcloud. You've noticed that you're running commands against the wrong project. Being new to the company, you haven't yet memorized any of the projects. With the fewest steps possible, what's the fastest way to switch to the correct configuration?

- A. Run gcloud configurations list followed by gcloud configurations activate .
- B. Run gcloud config list followed by gcloud config activate.
- C. Run gcloud config configurations list followed by gcloud config configurations activate.
- D. Re-authenticate with the gcloud auth login command and select the correct configurations on login.

Answer: C

Explanation:

as gcloud config configurations list can help check for the existing configurations and activate can help switch to the configuration.

gcloud config configurations list lists existing named configurations

gcloud config configurations activate activates an existing named configuration

Obtains access credentials for your user account via a web-based authorization flow. When this command completes successfully, it sets the active account in the current configuration to the account specified. If no configuration exists, it creates a configuration named default.

NEW QUESTION 3

You need to monitor resources that are distributed over different projects in Google Cloud Platform. You want to consolidate reporting under the same Stackdriver Monitoring dashboard. What should you do?

- A. Use Shared VPC to connect all projects, and link Stackdriver to one of the projects.
- B. For each project, create a Stackdriver account
- C. In each project, create a service account for that project and grant it the role of Stackdriver Account Editor in all other projects.
- D. Configure a single Stackdriver account, and link all projects to the same account.
- E. Configure a single Stackdriver account for one of the project
- F. In Stackdriver, create a Group and add the other project names as criteria for that Group.

Answer: C

Explanation:

When you initially click on Monitoring(Stackdriver Monitoring) it creates a workspace(a stackdriver account) linked to the ACTIVE(CURRENT) Project from which it was clicked.

Now if you change the project and again click onto Monitoring it would create an another workspace(a stackdriver account) linked to the changed ACTIVE(CURRENT) Project, we don't want this as this would not consolidate our result into a single dashboard(workspace/stackdriver account).

If you have accidentally created two diff workspaces merge them under Monitoring > Settings > Merge Workspaces > MERGE.

If we have only one workspace and two projects we can simply add other GCP Project under Monitoring > Settings > GCP Projects > Add GCP Projects.

<https://cloud.google.com/monitoring/settings/multiple-projects>

Nothing about groups <https://cloud.google.com/monitoring/settings?hl=en>

NEW QUESTION 4

You will have several applications running on different Compute Engine instances in the same project. You want to specify at a more granular level the service account each instance uses when calling Google Cloud APIs. What should you do?

- A. When creating the instances, specify a Service Account for each instance
- B. When creating the instances, assign the name of each Service Account as instance metadata
- C. After starting the instances, use gcloud compute instances update to specify a Service Account for each instance
- D. After starting the instances, use gcloud compute instances update to assign the name of the relevantService Account as instance metadata

Answer: A

Explanation:

https://cloud.google.com/compute/docs/access/service-accounts#associating_a_service_account_to_an_instance

NEW QUESTION 5

Your learn wants to deploy a specific content management system (CMS) solution lo Google Cloud. You need a quick and easy way to deploy and install the solution. What should you do?

- A. Search for the CMS solution in Google Cloud Marketplac
- B. Use gcloud CLI to deploy the solution.
- C. Search for the CMS solution in Google Cloud Marketplac
- D. Deploy the solution directly from Cloud Marketplace.
- E. Search for the CMS solution in Google Cloud Marketplac
- F. Use Terraform and the Cloud Marketplace ID to deploy the solution with the appropriate parameters.

- G. Use the installation guide of the CMS provide
- H. Perform the installation through your configuration management system.

Answer: B

NEW QUESTION 6

You have an on-premises data analytics set of binaries that processes data files in memory for about 45 minutes every midnight. The sizes of those data files range from 1 gigabyte to 16 gigabytes. You want to migrate this application to Google Cloud with minimal effort and cost. What should you do?

- A. Upload the code to Cloud Function
- B. Use Cloud Scheduler to start the application.
- C. Create a container for the set of binarie
- D. Use Cloud Scheduler to start a Cloud Run job for the container.
- E. Create a container for the set of binaries Deploy the container to Google Kubernetes Engine (GKE) and use the Kubernetes scheduler to start the application.
- F. Lift and shift to a VM on Compute Engin
- G. Use an instance schedule to start and stop the instance.

Answer: B

NEW QUESTION 7

You have one project called proj-sa where you manage all your service accounts. You want to be able to use a service account from this project to take snapshots of VMs running in another project called proj-vm. What should you do?

- A. Download the private key from the service account, and add it to each VMs custom metadata.
- B. Download the private key from the service account, and add the private key to each VM's SSH keys.
- C. Grant the service account the IAM Role of Compute Storage Admin in the project called proj-vm.
- D. When creating the VMs, set the service account's API scope for Compute Engine to read/write.

Answer: C

Explanation:

<https://gtseres.medium.com/using-service-accounts-across-projects-in-gcp-cf9473fef8f0>

You create the service account in proj-sa and take note of the service account email, then you go to proj-vm in IAM > ADD and add the service account's email as new member and give it the Compute Storage Admin role.

<https://cloud.google.com/compute/docs/access/iam#compute.storageAdmin>

NEW QUESTION 8

You need to create a custom VPC with a single subnet. The subnet's range must be as large as possible. Which range should you use?

- A. 1.00.0.0/0
- B. 10.0.0.0/8
- C. 172.16.0.0/12
- D. 192.168.0.0/16

Answer: B

Explanation:

https://cloud.google.com/vpc/docs/vpc#manually_created_subnet_ip_ranges

NEW QUESTION 9

Your company is moving its entire workload to Compute Engine. Some servers should be accessible through the Internet, and other servers should only be accessible over the internal network. All servers need to be able to talk to each other over specific ports and protocols. The current on-premises network relies on a demilitarized zone (DMZ) for the public servers and a Local Area Network (LAN) for the private servers. You need to design the networking infrastructure on Google Cloud to match these requirements. What should you do?

- A. 1. Create a single VPC with a subnet for the DMZ and a subnet for the LA
- B. 2. Set up firewall rules to open up relevant traffic between the DMZ and the LAN subnets, and another firewall rule to allow public ingress traffic for the DMZ.
- C. 1. Create a single VPC with a subnet for the DMZ and a subnet for the LA
- D. 2. Set up firewall rules to open up relevant traffic between the DMZ and the LAN subnets, and another firewall rule to allow public egress traffic for the DMZ.
- E. 1. Create a VPC with a subnet for the DMZ and another VPC with a subnet for the LA
- F. 2. Set up firewall rules to open up relevant traffic between the DMZ and the LAN subnets, and another firewall rule to allow public ingress traffic for the DMZ.
- G. 1. Create a VPC with a subnet for the DMZ and another VPC with a subnet for the LA
- H. 2. Set up firewall rules to open up relevant traffic between the DMZ and the LAN subnets, and another firewall rule to allow public egress traffic for the DMZ.

Answer: C

Explanation:

<https://cloud.google.com/vpc/docs/vpc-peering>

NEW QUESTION 10

Your company has multiple projects linked to a single billing account in Google Cloud. You need to visualize the costs with specific metrics that should be dynamically calculated based on company-specific criteria. You want to automate the process. What should you do?

- A. In the Google Cloud console, visualize the costs related to the projects in the Reports section.
- B. In the Google Cloud console, visualize the costs related to the projects in the Cost breakdown section.
- C. In the Google Cloud console, use the export functionality of the Cost tabl
- D. Create a Looker Studiodashboard on top of the CSV export.
- E. Configure Cloud Billing data export to BigQuery for the billing accoun

F. Create a Looker Studio dashboard on top of the BigQuery export.

Answer: D

NEW QUESTION 10

Your organization is a financial company that needs to store audit log files for 3 years. Your organization has hundreds of Google Cloud projects. You need to implement a cost-effective approach for log file retention. What should you do?

- A. Create an export to the sink that saves logs from Cloud Audit to BigQuery.
- B. Create an export to the sink that saves logs from Cloud Audit to a Coldline Storage bucket.
- C. Write a custom script that uses logging API to copy the logs from Stackdriver logs to BigQuery.
- D. Export these logs to Cloud Pub/Sub and write a Cloud Dataflow pipeline to store logs to Cloud SQL.

Answer: B

Explanation:

Coldline Storage is the perfect service to store audit logs from all the projects and is very cost-efficient as well. Coldline Storage is a very low-cost, highly durable storage service for storing infrequently accessed data.

NEW QUESTION 11

You want to send and consume Cloud Pub/Sub messages from your App Engine application. The Cloud Pub/Sub API is currently disabled. You will use a service account to authenticate your application to the API. You want to make sure your application can use Cloud Pub/Sub. What should you do?

- A. Enable the Cloud Pub/Sub API in the API Library on the GCP Console.
- B. Rely on the automatic enablement of the Cloud Pub/Sub API when the Service Account accesses it.
- C. Use Deployment Manager to deploy your applicatio
- D. Rely on the automatic enablement of all APIs used by the application being deployed.
- E. Grant the App Engine Default service account the role of Cloud Pub/Sub Admi
- F. Have your application enable the API on the first connection to Cloud Pub/Sub.

Answer: A

Explanation:

Quickstart: using the Google Cloud Console

This page shows you how to perform basic tasks in Pub/Sub using the Google Cloud Console. Note: If you are new to Pub/Sub, we recommend that you start with the interactive tutorial. Before you begin

Set up a Cloud Console project. Set up a project

Click to:

Create or select a project.

Enable the Pub/Sub API for that project.

You can view and manage these resources at any time in the Cloud Console. Install and initialize the Cloud SDK.

Note: You can run the gcloud tool in the Cloud Console without installing the Cloud SDK. To run the gcloud tool in the Cloud Console, use Cloud Shell .

<https://cloud.google.com/pubsub/docs/quickstart-console>

NEW QUESTION 13

You have an application on a general-purpose Compute Engine instance that is experiencing excessive disk read throttling on its Zonal SSD Persistent Disk. The application primarily reads large files from disk. The disk size is currently 350 GB. You want to provide the maximum amount of throughput while minimizing costs. What should you do?

- A. Increase the size of the disk to 1 TB.
- B. Increase the allocated CPU to the instance.
- C. Migrate to use a Local SSD on the instance.
- D. Migrate to use a Regional SSD on the instance.

Answer: C

Explanation:

Standard persistent disks are efficient and economical for handling sequential read/write operations, but they aren't optimized to handle high rates of random input/output operations per second (IOPS). If your apps require high rates of random IOPS, use SSD persistent disks. SSD persistent disks are designed for single-digit millisecond latencies. Observed latency is application specific.

NEW QUESTION 15

Your organization has a dedicated person who creates and manages all service accounts for Google Cloud projects. You need to assign this person the minimum role for projects. What should you do?

- A. Add the user to roles/iam.roleAdmin role.
- B. Add the user to roles/iam.securityAdmin role.
- C. Add the user to roles/iam.serviceAccountUser role.
- D. Add the user to roles/iam.serviceAccountAdmin role.

Answer: D

NEW QUESTION 20

You need to set a budget alert for use of Compute Engine services on one of the three Google Cloud Platform projects that you manage. All three projects are linked to a single billing account. What should you do?

- A. Verify that you are the project billing administrator
- B. Select the associated billing account and create a budget and alert for the appropriate project.

- C. Verify that you are the project billing administrator
- D. Select the associated billing account and create a budget and a custom alert.
- E. Verify that you are the project administrator
- F. Select the associated billing account and create a budget for the appropriate project.
- G. Verify that you are project administrator
- H. Select the associated billing account and create a budget and a custom alert.

Answer: A

Explanation:

<https://cloud.google.com/iam/docs/understanding-roles#billing-roles>

NEW QUESTION 22

Your finance team wants to view the billing report for your projects. You want to make sure that the finance team does not get additional permissions to the project. What should you do?

- A. Add the group for the finance team to roles/billing user role.
- B. Add the group for the finance team to roles/billing admin role.
- C. Add the group for the finance team to roles/billing viewer role.
- D. Add the group for the finance team to roles/billing project/Manager role.

Answer: C

Explanation:

"Billing Account Viewer access would usually be granted to finance teams, it provides access to spend information, but does not confer the right to link or unlink projects or otherwise manage the properties of the billing account." <https://cloud.google.com/billing/docs/how-to/billing-access>

NEW QUESTION 23

You have been asked to set up the billing configuration for a new Google Cloud customer. Your customer wants to group resources that share common IAM policies. What should you do?

- A. Use labels to group resources that share common IAM policies
- B. Use folders to group resources that share common IAM policies
- C. Set up a proper billing account structure to group IAM policies
- D. Set up a proper project naming structure to group IAM policies

Answer: B

Explanation:

Folders are nodes in the Cloud Platform Resource Hierarchy. A folder can contain projects, other folders, or a combination of both. Organizations can use folders to group projects under the organization node in a hierarchy. For example, your organization might contain multiple departments, each with its own set of Google Cloud resources. Folders allow you to group these resources on a per-department basis. Folders are used to group resources that share common IAM policies. While a folder can contain multiple folders or resources, a given folder or resource can have exactly one parent.
<https://cloud.google.com/resource-manager/docs/creating-managing-folders>

NEW QUESTION 26

Your company is moving its continuous integration and delivery (CI/CD) pipeline to Compute Engine instances. The pipeline will manage the entire cloud infrastructure through code. How can you ensure that the pipeline has appropriate permissions while your system is following security best practices?

- A. • Add a step for human approval to the CI/CD pipeline before the execution of the infrastructure provisioning. • Use the human approvals IAM account for the provisioning.
- B. • Attach a single service account to the compute instances. • Add minimal rights to the service account. • Allow the service account to impersonate a Cloud Identity user with elevated permissions to create, update, or delete resources.
- C. • Attach a single service account to the compute instances. • Add all required Identity and Access Management (IAM) permissions to this service account to create, update, or delete resources
- D. • Create multiple service accounts, one for each pipeline with the appropriate minimal Identity and Access Management (IAM) permissions. • Use a secret manager service to store the key files of the service accounts. • Allow the CI/CD pipeline to request the appropriate secrets during the execution of the pipeline.

Answer: B

Explanation:

The best option is to attach a single service account to the compute instances and add minimal rights to the service account. Then, allow the service account to impersonate a Cloud Identity user with elevated permissions to create, update, or delete resources. This way, the service account can use short-lived access tokens to authenticate to Google Cloud APIs without needing to manage service account keys. This option follows the principle of least privilege and reduces the risk of credential leakage and misuse. Option A is not recommended because it requires human intervention, which can slow down the CI/CD pipeline and introduce human errors. Option C is not secure because it grants all required IAM permissions to a single service account, which can increase the impact of a compromised key. Option D is not cost-effective because it requires creating and managing multiple service accounts and keys, as well as using a secret manager service.

References:

- 1: <https://cloud.google.com/iam/docs/impersonating-service-accounts>
- 2: <https://cloud.google.com/iam/docs/best-practices-for-managing-service-account-keys>
- 3: <https://cloud.google.com/iam/docs/understanding-service-accounts>

NEW QUESTION 28

You have developed an application that consists of multiple microservices, with each microservice packaged in its own Docker container image. You want to deploy the entire application on Google Kubernetes Engine so that each microservice can be scaled individually. What should you do?

- A. Create and deploy a Custom Resource Definition per microservice.
- B. Create and deploy a Docker Compose File.
- C. Create and deploy a Job per microservice.
- D. Create and deploy a Deployment per microservice.

Answer: A

NEW QUESTION 31

You deployed an App Engine application using gcloud app deploy, but it did not deploy to the intended project. You want to find out why this happened and where the application deployed. What should you do?

- A. Check the app.yaml file for your application and check project settings.
- B. Check the web-application.xml file for your application and check project settings.
- C. Go to Deployment Manager and review settings for deployment of applications.
- D. Go to Cloud Shell and run gcloud config list to review the Google Cloud configuration used for deployment.

Answer: D

Explanation:

```
C:\GCP\lappeng>gcloud config list [core]
account = xxx@gmail.com disable_usage_reporting = False
project = my-first-demo-xxxx https://cloud.google.com/endpoints/docs/openapi/troubleshoot-gce-deployment
```

NEW QUESTION 32

Your company is moving from an on-premises environment to Google Cloud Platform (GCP). You have multiple development teams that use Cassandra environments as backend databases. They all need a development environment that is isolated from other Cassandra instances. You want to move to GCP quickly and with minimal support effort. What should you do?

- A. * 1. Build an instruction guide to install Cassandra on GCP.* 2. Make the instruction guide accessible to your developers.
- B. * 1. Advise your developers to go to Cloud Marketplace.* 2. Ask the developers to launch a Cassandra image for their development work.
- C. * 1. Build a Cassandra Compute Engine instance and take a snapshot of it.* 2. Use the snapshot to create instances for your developers.
- D. * 1. Build a Cassandra Compute Engine instance and take a snapshot of it.* 2. Upload the snapshot to Cloud Storage and make it accessible to your developers.* 3. Build instructions to create a Compute Engine instance from the snapshot so that developers can do it themselves.

Answer: B

Explanation:

<https://medium.com/google-cloud/how-to-deploy-cassandra-and-connect-on-google-cloud-platform-with-a-few-https://cloud.google.com/blog/products/databases/open-source-cassandra-now-managed-on-google-cloud> <https://cloud.google.com/marketplace>
You can deploy Cassandra as a Service, called Astra, on the Google Cloud Marketplace. Not only do you get a unified bill for all GCP services, your Developers can now create Cassandra clusters on Google Cloud in minutes and build applications with Cassandra as a database as a service without the operational overhead of managing Cassandra

NEW QUESTION 37

Your application is running on Google Cloud in a managed instance group (MIG). You see errors in Cloud Logging for one VM that one of the processes is not responsive. You want to replace this VM in the MIG quickly. What should you do?

- A. Select the MIG from the Compute Engine console and, in the menu, select Replace VMs.
- B. Use the gcloud compute instance-groups managed recreate-instances command to recreate the VM.
- C. Use the gcloud compute instances update command with a REFRESH action for the VM.
- D. Update and apply the instance template of the MIG.

Answer: A

NEW QUESTION 42

You are managing a Data Warehouse on BigQuery. An external auditor will review your company's processes, and multiple external consultants will need view access to the data. You need to provide them with view access while following Google-recommended practices. What should you do?

- A. Grant each individual external consultant the role of BigQuery Editor
- B. Grant each individual external consultant the role of BigQuery Viewer
- C. Create a Google Group that contains the consultants and grant the group the role of BigQuery Editor
- D. Create a Google Group that contains the consultants, and grant the group the role of BigQuery Viewer

Answer: D

NEW QUESTION 47

You have an object in a Cloud Storage bucket that you want to share with an external company. The object contains sensitive data. You want access to the content to be removed after four hours. The external company does not have a Google account to which you can grant specific user-based access privileges. You want to use the most secure method that requires the fewest steps. What should you do?

- A. Create a signed URL with a four-hour expiration and share the URL with the company.
- B. Set object access to 'public' and use object lifecycle management to remove the object after four hours.
- C. Configure the storage bucket as a static website and furnish the object's URL to the company
- D. Delete the object from the storage bucket after four hours.
- E. Create a new Cloud Storage bucket specifically for the external company to access
- F. Copy the object to that bucket
- G. Delete the bucket after four hours have passed.

Answer: A

Explanation:

Signed URLs are used to give time-limited resource access to anyone in possession of the URL, regardless of whether they have a Google account.
<https://cloud.google.com/storage/docs/access-control/signed-urls>

NEW QUESTION 51

Your company is using Google Workspace to manage employee accounts. Anticipated growth will increase the number of personnel from 100 employees to 1.000 employees within 2 years. Most employees will need access to your company's Google Cloud account. The systems and processes will need to support 10x growth without performance degradation, unnecessary complexity, or security issues. What should you do?

- A. Migrate the users to Active Director
- B. Connect the Human Resources system to Active Director
- C. Turn on Google Cloud Directory Sync (GCDS) for Cloud Identity
- D. Turn on Identity Federation from Cloud Identity to Active Directory.
- E. Organize the users in Cloud Identity into group
- F. Enforce multi-factor authentication in Cloud Identity.
- G. Turn on identity federation between Cloud Identity and Google Workspac
- H. Enforce multi-factor authentication for domain wide delegation.
- I. Use a third-party identity provider service through federatio
- J. Synchronize the users from Google Workplace to the third-party provider in real time.

Answer: B

NEW QUESTION 54

You have created an application that is packaged into a Docker image. You want to deploy the Docker image as a workload on Google Kubernetes Engine. What should you do?

- A. Upload the image to Cloud Storage and create a Kubernetes Service referencing the image.
- B. Upload the image to Cloud Storage and create a Kubernetes Deployment referencing the image.
- C. Upload the image to Container Registry and create a Kubernetes Service referencing the image.
- D. Upload the image to Container Registry and create a Kubernetes Deployment referencing the image.

Answer: D

Explanation:

A deployment is responsible for keeping a set of pods running. A service is responsible for enabling network access to a set of pods.

NEW QUESTION 59

A team of data scientists infrequently needs to use a Google Kubernetes Engine (GKE) cluster that you manage. They require GPUs for some long-running, non-restartable jobs. You want to minimize cost. What should you do?

- A. Enable node auto-provisioning on the GKE cluster.
- B. Create a VerticalPodAutscaler for those workloads.
- C. Create a node pool with preemptible VMs and GPUs attached to those VMs.
- D. Create a node pool of instances with GPUs, and enable autoscaling on this node pool with a minimum size of 1.

Answer: A

Explanation:

auto-provisioning = Attaches and deletes node pools to cluster based on the requirements. Hence creating a GPU node pool, and auto-scaling would be better
<https://cloud.google.com/kubernetes-engine/docs/how-to/node-auto-provisioning>

NEW QUESTION 62

You built an application on Google Cloud Platform that uses Cloud Spanner. Your support team needs to monitor the environment but should not have access to table data. You need a streamlined solution to grant the correct permissions to your support team, and you want to follow Google-recommended practices. What should you do?

- A. Add the support team group to the roles/monitoring.viewer role
- B. Add the support team group to the roles/spanner.databaseUser role.
- C. Add the support team group to the roles/spanner.databaseReader role.
- D. Add the support team group to the roles/stackdriver.accounts.viewer role.

Answer: A

Explanation:

➤ roles/monitoring.viewer provides read-only access to get and list information about all monitoring data and configurations. This role provides monitoring access and fits our requirements. roles/monitoring.viewer. is the right answer.
Ref: <https://cloud.google.com/iam/docs/understanding-roles#cloud-spanner-roles>

NEW QUESTION 65

Your web application has been running successfully on Cloud Run for Anthos. You want to evaluate an updated version of the application with a specific percentage of your production users (canary deployment). What should you do?

- A. Create a new service with the new version of the applicatio
- B. Split traffic between this version and the version that is currently running.
- C. Create a new revision with the new version of the applicatio

- D. Split traffic between this version and the version that is currently running.
- E. Create a new service with the new version of the applicatio
- F. Add an HTTP Load Balancer in front of both services.
- G. Create a new revision with the new version of the applicatio
- H. Add an HTTP Load Balancer in front of both revisions.

Answer: B

Explanation:

<https://cloud.google.com/kubernetes/docs/rollouts-rollbacks-traffic-migration>

NEW QUESTION 69

You have a workload running on Compute Engine that is critical to your business. You want to ensure that the data on the boot disk of this workload is backed up regularly. You need to be able to restore a backup as quickly as possible in case of disaster. You also want older backups to be cleaned automatically to save on cost. You want to follow Google-recommended practices. What should you do?

- A. Create a Cloud Function to create an instance template.
- B. Create a snapshot schedule for the disk using the desired interval.
- C. Create a cron job to create a new disk from the disk using gcloud.
- D. Create a Cloud Task to create an image and export it to Cloud Storage.

Answer: B

Explanation:

Best practices for persistent disk snapshots

You can create persistent disk snapshots at any time, but you can create snapshots more quickly and with greater reliability if you use the following best practices.

Creating frequent snapshots efficiently

Use snapshots to manage your data efficiently.

Create a snapshot of your data on a regular schedule to minimize data loss due to unexpected failure. Improve performance by eliminating excessive snapshot downloads and by creating an image and reusing it. Set your snapshot schedule to off-peak hours to reduce snapshot time.

Snapshot frequency limits

Creating snapshots from persistent disks

You can snapshot your disks at most once every 10 minutes. If you want to issue a burst of requests to snapshot your disks, you can issue at most 6 requests in 60 minutes.

If the limit is exceeded, the operation fails and returns the following error: <https://cloud.google.com/compute/docs/disks/snapshot-best-practices>

NEW QUESTION 72


A company wants to build an application that stores images in a Cloud Storage bucket and wants to generate thumbnails as well as resize the images. They want to use a google managed service that can scale up and scale down to zero automatically with minimal effort. You have been asked to recommend a service. Which GCP service would you suggest?

- A. Google Compute Engine
- B. Google App Engine
- C. Cloud Functions
- D. Google Kubernetes Engine

Answer: C

Explanation:

Text Description automatically generated with low confidence



Cloud Functions is Google Cloud's event-driven serverless compute platform. It automatically scales based on the load and requires no additional configuration. You pay only for the resources used.

Ref: <https://cloud.google.com/functions>

While all other options i.e. Google Compute Engine, Google Kubernetes Engine, Google App Engine support autoscaling, it needs to be configured explicitly based on the load and is not as trivial as the scale up or scale down offered by Google's cloud functions.

NEW QUESTION 74

A colleague handed over a Google Cloud Platform project for you to maintain. As part of a security checkup, you want to review who has been granted the Project Owner role. What should you do?

- A. In the console, validate which SSH keys have been stored as project-wide keys.
- B. Navigate to Identity-Aware Proxy and check the permissions for these resources.
- C. Enable Audit Logs on the IAM & admin page for all resources, and validate the results.
- D. Use the command `gcloud projects get-iam-policy` to view the current role assignments.

Answer: D

Explanation:

A simple approach would be to use the command flags available when listing all the IAM policy for a given project. For instance, the following command: ``gcloud projects get-iam-policy $PROJECT_ID`

--flatten="bindings[].members" --format="table(bindings.members)" --filter="bindings.role:roles/owner"

outputs all the users and service accounts associated with the role 'roles/owner' in the project in question. <https://groups.google.com/g/google-cloud-dev/c/Z6sZs7TvygQ?pli=1>

NEW QUESTION 77

You are the project owner of a GCP project and want to delegate control to colleagues to manage buckets and files in Cloud Storage. You want to follow Google-recommended practices. Which IAM roles should you grant your colleagues?

- A. Project Editor
- B. Storage Admin
- C. Storage Object Admin
- D. Storage Object Creator

Answer: B

Explanation:

Storage Admin (roles/storage.admin) Grants full control of buckets and objects.

When applied to an individual bucket, control applies only to the specified bucket and objects within the bucket.

firebase.projects.get resource manager.projects.get

resource manager.projects.list storage.buckets.* storage.objects.*

<https://cloud.google.com/storage/docs/access-control/iam-roles>

This role grants full control of buckets and objects. When applied to an individual bucket, control applies only to the specified bucket and objects within the bucket.

Ref: <https://cloud.google.com/iam/docs/understanding-roles#storage-roles>

NEW QUESTION 80

You are deploying an application to App Engine. You want the number of instances to scale based on request rate. You need at least 3 unoccupied instances at all times. Which scaling type should you use?

- A. Manual Scaling with 3 instances.
- B. Basic Scaling with min_instances set to 3.
- C. Basic Scaling with max_instances set to 3.
- D. Automatic Scaling with min_idle_instances set to 3.

Answer: D

NEW QUESTION 85

You are using Data Studio to visualize a table from your data warehouse that is built on top of BigQuery. Data is appended to the data warehouse during the day. At night, the daily summary is recalculated by overwriting the table. You just noticed that the charts in Data Studio are broken, and you want to analyze the problem. What should you do?

- A. Use the BigQuery interface to review the nightly Job and look for any errors
- B. Review the Error Reporting page in the Cloud Console to find any errors.
- C. In Cloud Logging create a filter for your Data Studio report
- D. Use the open source CLI tool
- E. Snapshot Debugger, to find out why the data was not refreshed correctly.

Answer: D

Explanation:

Cloud Debugger helps inspect the state of an application, at any code location, without stopping or slowing down the running app //

<https://cloud.google.com/debugger/docs>

NEW QUESTION 89

Your company has workloads running on Compute Engine and on-premises. The Google Cloud Virtual Private Cloud (VPC) is connected to your WAN over a Virtual Private Network (VPN). You need to deploy a new Compute Engine instance and ensure that no public Internet traffic can be routed to it. What should you do?

- A. Create the instance without a public IP address.
- B. Create the instance with Private Google Access enabled.
- C. Create a deny-all egress firewall rule on the VPC network.
- D. Create a route on the VPC to route all traffic to the instance over the VPN tunnel.

Answer: A

Explanation:

VMs cannot communicate over the internet without a public IP address. Private Google Access permits access to Google APIs and services in Google's production infrastructure.

<https://cloud.google.com/vpc/docs/private-google-access>

NEW QUESTION 90

You need to run an important query in BigQuery but expect it to return a lot of records. You want to find out how much it will cost to run the query. You are using on-demand pricing. What should you do?

- A. Arrange to switch to Flat-Rate pricing for this query, then move back to on-demand.
- B. Use the command line to run a dry run query to estimate the number of bytes read
- C. Then convert that bytes estimate to dollars using the Pricing Calculator.
- D. Use the command line to run a dry run query to estimate the number of bytes returned
- E. Then convert that bytes estimate to dollars using the Pricing Calculator.

- F. Run a select count (*) to get an idea of how many records your query will look through
- G. Then convert that number of rows to dollars using the Pricing Calculator.

Answer: B

NEW QUESTION 92

Your team is running an on-premises ecommerce application. The application contains a complex set of microservices written in Python, and each microservice is running on Docker containers. Configurations are injected by using environment variables. You need to deploy your current application to a serverless Google Cloud cloud solution. What should you do?

- A. Use your existing CI/CD pipeline Use the generated Docker images and deploy them to Cloud Run. Update the configurations and the required endpoints.
- B. Use your existing continuous integration and delivery (CI/CD) pipeline
- C. Use the generated Docker images and deploy them to Cloud Functions
- D. Use the same configuration as on-premises.
- E. Use the existing codebase and deploy each service as a separate Cloud Function Update the configurations and the required endpoints.
- F. Use your existing codebase and deploy each service as a separate Cloud Run Use the same configurations as on-premises.

Answer: A

NEW QUESTION 94

You are building an application that will run in your data center. The application will use Google Cloud Platform (GCP) services like AutoML. You created a service account that has appropriate access to AutoML. You need to enable authentication to the APIs from your on-premises environment. What should you do?

- A. Use service account credentials in your on-premises application.
- B. Use gcloud to create a key file for the service account that has appropriate permissions.
- C. Set up direct interconnect between your data center and Google Cloud Platform to enable authentication for your on-premises applications.
- D. Go to the IAM & admin console, grant a user account permissions similar to the service account permissions, and use this user account for authentication from your data center.

Answer: B

NEW QUESTION 96

Your company uses Cloud Storage to store application backup files for disaster recovery purposes. You want to follow Google's recommended practices. Which storage option should you use?

- A. Multi-Regional Storage
- B. Regional Storage
- C. Nearline Storage
- D. Coldline Storage

Answer: D

NEW QUESTION 97

You have a single binary application that you want to run on Google Cloud Platform. You decided to automatically scale the application based on underlying infrastructure CPU usage. Your organizational policies require you to use virtual machines directly. You need to ensure that the application scaling is operationally efficient and completed as quickly as possible. What should you do?

- A. Create a Google Kubernetes Engine cluster, and use horizontal pod autoscaling to scale the application.
- B. Create an instance template, and use the template in a managed instance group with autoscaling configured.
- C. Create an instance template, and use the template in a managed instance group that scales up and down based on the time of day.
- D. Use a set of third-party tools to build automation around scaling the application up and down, based on Stackdriver CPU usage monitoring.

Answer: B

Explanation:

Managed instance groups offer autoscaling capabilities that let you automatically add or delete instances from a managed instance group based on increases or decreases in load (CPU Utilization in this case). Autoscaling helps your apps gracefully handle increases in traffic and reduce costs when the need for resources is lower. You define the autoscaling policy and the autoscaler performs automatic scaling based on the measured load (CPU Utilization in this case). Autoscaling works by adding more instances to your instance group when there is more load (upscaling), and deleting instances when the need for instances is lowered (downscaling). Ref: <https://cloud.google.com/compute/docs/autoscaler>

NEW QUESTION 102

Your application development team has created Docker images for an application that will be deployed on Google Cloud. Your team does not want to manage the infrastructure associated with this application. You need to ensure that the application can scale automatically as it gains popularity. What should you do?

- A. Create an Instance template with the container image, and deploy a Managed Instance Group with Autoscaling.
- B. Upload Docker images to Artifact Registry, and deploy the application on Google Kubernetes Engine using Standard mode.
- C. Upload Docker images to the Cloud Storage, and deploy the application on Google Kubernetes Engine using Standard mode.
- D. Upload Docker images to Artifact Registry, and deploy the application on Cloud Run.

Answer: D

NEW QUESTION 105

You need to configure IAM access audit logging in BigQuery for external auditors. You want to follow Google-recommended practices. What should you do?

- A. Add the auditors group to the 'logging.viewer' and 'bigQuery.dataViewer' predefined IAM roles.
- B. Add the auditors group to two new custom IAM roles.

- C. Add the auditor user accounts to the 'logging.viewer' and 'bigQuery.dataViewer' predefined IAM roles.
D. Add the auditor user accounts to two new custom IAM roles.

Answer: A

Explanation:

https://cloud.google.com/iam/docs/job-functions/auditing#scenario_external_auditors

Because if you directly add users to the IAM roles, then if any users left the organization then you have to remove the users from multiple places and need to revoke his/her access from multiple places. But, if you put a user into a group then its very easy to manage these type of situations. Now, if any user left then you just need to remove the user from the group and all the access got revoked

The organization creates a Google group for these external auditors and adds the current auditor to the group. This group is monitored and is typically granted access to the dashboard application. During normal access, the auditors' Google group is only granted access to view the historic logs stored in BigQuery. If any anomalies are discovered, the group is granted permission to view the actual Cloud Logging Admin Activity logs via the dashboard's elevated access mode. At the end of each audit period, the group's access is then revoked. Data is redacted using Cloud DLP before being made accessible for viewing via the dashboard application. The table below explains IAM logging roles that an Organization Administrator can grant to the service account used by the dashboard, as well as the resource level at which the role is granted.

NEW QUESTION 107

You have deployed an application on a Compute Engine instance. An external consultant needs to access the Linux-based instance. The consultant is connected to your corporate network through a VPN connection, but the consultant has no Google account. What should you do?

- A. Instruct the external consultant to use the gcloud compute ssh command line tool by using Identity-Aware Proxy to access the instance.
B. Instruct the external consultant to use the gcloud compute ssh command line tool by using the public IP address of the instance to access it.
C. Instruct the external consultant to generate an SSH key pair, and request the public key from the consultant. Add the public key to the instance yourself, and have the consultant access the instance through SSH with their private key.
D. Instruct the external consultant to generate an SSH key pair, and request the private key from the consultant. Add the private key to the instance yourself, and have the consultant access the instance through SSH with their public key.

Answer: C

Explanation:

The best option is to instruct the external consultant to generate an SSH key pair, and request the public key from the consultant. Then, add the public key to the instance yourself, and have the consultant access the instance through SSH with their private key. This way, you can grant the consultant access to the instance without requiring a Google account or exposing the instance's public IP address. This option also follows the best practice of using user-managed SSH keys instead of service account keys for SSH access¹.

Option A is not feasible because the external consultant does not have a Google account, and therefore cannot use Identity-Aware Proxy (IAP) to access the instance. IAP requires the user to authenticate with a Google account and have the appropriate IAM permissions to access the instance². Option B is not secure because it exposes the instance's public IP address, which can increase the risk of unauthorized access or attacks. Option D is not correct because it reverses the roles of the public and private keys. The public key should be added to the instance, and the private key should be kept by the consultant. Sharing the private key with anyone else can compromise the security of the SSH connection³.

References:

- > 1: <https://cloud.google.com/compute/docs/instances/adding-removing-ssh-keys>
- > 2: <https://cloud.google.com/iap/docs/using-tcp-forwarding>
- > 3: <https://cloud.google.com/compute/docs/instances/connecting-advanced#sshbetweeninstances>

NEW QUESTION 108

You need to create a custom IAM role for use with a GCP service. All permissions in the role must be suitable for production use. You also want to clearly share with your organization the status of the custom role. This will be the first version of the custom role. What should you do?

- A. Use permissions in your role that use the 'supported' support level for role permission
B. Set the role stage to ALPHA while testing the role permissions.
C. Use permissions in your role that use the 'supported' support level for role permission
D. Set the role stage to BETA while testing the role permissions.
E. Use permissions in your role that use the 'testing' support level for role permission
F. Set the role stage to ALPHA while testing the role permissions.
G. Use permissions in your role that use the 'testing' support level for role permission
H. Set the role stage to BETA while testing the role permissions.

Answer: A

Explanation:

When setting support levels for permissions in custom roles, you can set to one of SUPPORTED, TESTING or NOT_SUPPORTED.

Ref: <https://cloud.google.com/iam/docs/custom-roles-permissions-support>

NEW QUESTION 109

You are hosting an application on bare-metal servers in your own data center. The application needs access to Cloud Storage. However, security policies prevent the servers hosting the application from having public IP addresses or access to the internet. You want to follow Google-recommended practices to provide the application with access to Cloud Storage. What should you do?

- A. 1. Use nslookup to get the IP address for storage.googleapis.com.2. Negotiate with the security team to be able to give a public IP address to the servers.3. Only allow egress traffic from those servers to the IP addresses for storage.googleapis.com.
B. 1. Using Cloud VPN, create a VPN tunnel to a Virtual Private Cloud (VPC) in Google Cloud Platform (GCP).2. In this VPC, create a Compute Engine instance and install the Squid proxy server on this instance.3. Configure your servers to use that instance as a proxy to access Cloud Storage.
C. 1. Use Migrate for Compute Engine (formerly known as Velostrata) to migrate those servers to Compute Engine.2. Create an internal load balancer (ILB) that uses storage.googleapis.com as backend.3. Configure your new instances to use this ILB as proxy.
D. 1. Using Cloud VPN or Interconnect, create a tunnel to a VPC in GCP.2. Use Cloud Router to create a custom route advertisement for 199.36.153.4/30. Announce that network to your on-premises network through the VPN tunnel.3. In your on-premises network, configure your DNS server to resolve *.googleapis.com as a CNAME to restricted.googleapis.com.

Answer: D

Explanation:

Our requirement is to follow Google recommended practices to achieve the end result. Configuring Private Google Access for On-Premises Hosts is best achieved by VPN/Interconnect + Advertise Routes + Use restricted Google IP Range.

- Using Cloud VPN or Interconnect, create a tunnel to a VPC in GCP
- Using Cloud Router to create a custom route advertisement for 199.36.153.4/30. Announce that network to your on-premises network through the VPN tunnel.
- In your on-premises network, configure your DNS server to resolve *.googleapis.com as a CNAME to restricted.googleapis.com is the right answer right, and it is what Google recommends.

Ref: <https://cloud.google.com/vpc/docs/configure-private-google-access-hybrid>

- You must configure routes so that Google API traffic is forwarded through your Cloud VPN or Cloud Interconnect connection, firewall rules on your on-premises firewall to allow the outgoing traffic, and DNS so that traffic to Google APIs resolves to the IP range youve added to your routes.

- You can use Cloud Router Custom Route Advertisement to announce the Restricted Google APIs IP addresses through Cloud Router to your on-premises network. The Restricted Google APIs IP range is 199.36.153.4/30. While this is technically a public IP range, Google does not announce it publicly. This IP range is only accessible to hosts that can reach your Google Cloud projects through internal IP ranges, such as through a Cloud VPN or Cloud Interconnect connection. Without having a public IP address or access to the internet, the only way you could connect to cloud storage is if you have an internal route to it.

- So Negotiate with the security team to be able to give public IP addresses to the servers is not right.

Following Google recommended practices is synonymous with using Googles services (Not quite, but it is at least for the exam !!).

- So In this VPC, create a Compute Engine instance and install the Squid proxy server on this instance is not right.
- Migrating the VM to Compute Engine is a bit drastic when Google says it is perfectly fine to have Hybrid Connectivity architectures

<https://cloud.google.com/hybrid-connectivity>.

So,

- Use Migrate for Compute Engine (formerly known as Velostrata) to migrate these servers to Compute Engine is not right.

NEW QUESTION 112

You are assigned to maintain a Google Kubernetes Engine (GKE) cluster named dev that was deployed on Google Cloud. You want to manage the GKE configuration using the command line interface (CLI). You have just downloaded and installed the Cloud SDK. You want to ensure that future CLI commands by default address this specific cluster. What should you do?

- A. Use the command `gcloud config set container/cluster dev`.
- B. Use the command `gcloud container clusters update dev`.
- C. Create a file called `gke.default` in the `~/.gcloud` folder that contains the cluster name.
- D. Create a file called `defaults.json` in the `~/.gcloud` folder that contains the cluster name.

Answer: A

Explanation:

To set a default cluster for gcloud commands, run the following command: `gcloud config set container/cluster CLUSTER_NAME`

<https://cloud.google.com/kubernetes-engine/docs/how-to/managing-clusters?hl=en>

NEW QUESTION 117

Your customer has implemented a solution that uses Cloud Spanner and notices some read latency-related performance issues on one table. This table is accessed only by their users using a primary key. The table schema is shown below.

```
CREATE TABLE Persons (  
    person_id INT64 NOT NULL,    // sequential number based on number of registration  
    account_creation_date DATE,  // system date  
    birthdate DATE,             // customer birthdate  
    firstname STRING (255),      // first name  
    lastname STRING (255),       // last name  
    profile_picture BYTES (255)  // profile picture  
) PRIMARY KEY (person_id)
```

You want to resolve the issue. What should you do?

- A. Remove the profile_picture field from the table.
- B. Add a secondary index on the person_id column.
- C. Change the primary key to not have monotonically increasing values.
- D. Create a secondary index using the following Data Definition Language (DDL):

```
CREATE INDEX person_id_ix  
ON Persons (  
    person_id,  
    firstname,  
    lastname  
) STORING (  
    profile_picture  
)
```

- A. Option A

- B. Option B
- C. Option C
- D. Option D

Answer: C

Explanation:

As mentioned in Schema and data model, you should be careful when choosing a primary key to not accidentally create hotspots in your database. One cause of hotspots is having a column whose value monotonically increases as the first key part, because this results in all inserts occurring at the end of your key space. This pattern is undesirable because Cloud Spanner divides data among servers by key ranges, which means all your inserts will be directed at a single server that will end up doing all the work. <https://cloud.google.com/spanner/docs/schema-design#primary-key-prevent-hotspots>

NEW QUESTION 122

Your company completed the acquisition of a startup and is now merging the IT systems of both companies. The startup had a production Google Cloud project in their organization. You need to move this project into your organization and ensure that the project is billed to your organization. You want to accomplish this task with minimal effort. What should you do?

- A. Use the project
- B. move method to move the project to your organization
- C. Update the billing account of the project to that of your organization.
- D. Ensure that you have an Organization Administrator Identity and Access Management (IAM) role assigned to you in both organization
- E. Navigate to the Resource Manager in the startup's Google Cloud organization, and drag the project to your company's organization.
- F. Create a Private Catalog for the Google Cloud Marketplace, and upload the resources of the startup's production project to the Catalog
- G. Share the Catalog with your organization, and deploy the resources in your company's project.
- H. Create an infrastructure-as-code template for all resources in the project by using Terraform
- I. and deploy that template to a new project in your organization
- J. Delete the project from the startup's Google Cloud organization.

Answer: A

NEW QUESTION 123

You have a Compute Engine instance hosting an application used between 9 AM and 6 PM on weekdays. You want to back up this instance daily for disaster recovery purposes. You want to keep the backups for 30 days. You want the Google-recommended solution with the least management overhead and the least number of services. What should you do?

- A. * 1. Update your instances' metadata to add the following value: snapshot-schedule: 0 1 * * * * 2. Update your instances' metadata to add the following value: snapshot-retention: 30
- B. * 1. In the Cloud Console, go to the Compute Engine Disks page and select your instance's disk.* 2. In the Snapshot Schedule section, select Create Schedule and configure the following parameters:–Schedule frequency: Daily–Start time: 1:00 AM – 2:00 AM–Autodelete snapshots after 30 days
- C. * 1. Create a Cloud Function that creates a snapshot of your instance's disk.* 2.Create a Cloud Function that deletes snapshots that are older than 30 days
- D. 3.Use Cloud Scheduler to trigger both Cloud Functions daily at 1:00 AM.
- E. * 1. Create a bash script in the instance that copies the content of the disk to Cloud Storage.* 2. Create a bash script in the instance that deletes data older than 30 days in the backup Cloud Storage bucket.* 3. Configure the instance's crontab to execute these scripts daily at 1:00 AM.

Answer: B

Explanation:

Creating scheduled snapshots for persistent disk This document describes how to create a snapshot schedule to regularly and automatically back up your zonal and regional persistent disks. Use snapshot schedules as a best practice to back up your Compute Engine workloads. After creating a snapshot schedule, you can apply it to one or more persistent disks. <https://cloud.google.com/compute/docs/disks/scheduled-snapshots>

NEW QUESTION 128

You used the gcloud container clusters command to create two Google Cloud Kubernetes (GKE) clusters prod-cluster and dev-cluster.

- prod-cluster is a standard cluster.
- dev-cluster is an auto-pilot cluster.

When you run the kubectl get nodes command, you only see the nodes from prod-cluster Which commands should you run to check the node status for dev-cluster?

- A.

```
gcloud container clusters get-credentials dev-cluster
kubectl get nodes
```
- B.

```
gcloud container clusters update --generate-credentials dev-cluster
kubectl get nodes
```
- C.

```
kubectl config set-context dev-cluster
kubectl cluster-info
```
- D.

```
kubectl config set-credentials dev-cluster
kubectl cluster-info
```

Answer: C

NEW QUESTION 131

You manage three Google Cloud projects with the Cloud Monitoring API enabled. You want to follow Google-recommended practices to visualize CPU and network metrics for all three projects together. What should you do?

- A. * 1. Create a Cloud Monitoring Dashboard* 2. Collect metrics and publish them into the Pub/Sub topics 3. Add CPU and network Charts (or each of the three projects)
- B. * 1. Create a Cloud Monitoring Dashboard.* 2. Select the CPU and Network metrics from the three projects.* 3. Add CPU and network Charts for each of the three projects.
- C. * 1 Create a Service Account and apply roles/viewer on the three projects* 2. Collect metrics and publish them to the Cloud Monitoring API* 3. Add CPU and network Charts for each of the three projects.
- D. * 1. Create a fourth Google Cloud project* 2 Create a Cloud Workspace from the fourth project and add the other three projects

Answer: B

NEW QUESTION 133

You have an application running in Google Kubernetes Engine (GKE) with cluster autoscaling enabled. The application exposes a TCP endpoint. There are several replicas of this application. You have a Compute Engine instance in the same region, but in another Virtual Private Cloud (VPC), called gce-network, that has no overlapping IP ranges with the first VPC. This instance needs to connect to the application on GKE. You want to minimize effort. What should you do?

- A. 1. In GKE, create a Service of type LoadBalancer that uses the application's Pods as backend.2. Set the service's externalTrafficPolicy to Cluster.3. Configure the Compute Engine instance to use the address of the load balancer that has been created.
- B. 1. In GKE, create a Service of type NodePort that uses the application's Pods as backend.2. Create a Compute Engine instance called proxy with 2 network interfaces, one in each VPC.3. Use iptables on this instance to forward traffic from gce-network to the GKE nodes.4. Configure the Compute Engine instance to use the address of proxy in gce-network as endpoint.
- C. 1. In GKE, create a Service of type LoadBalancer that uses the application's Pods as backend.2. Add an annotation to this service: cloud.google.com/load-balancer-type: Internal3. Peer the two VPCs together.4. Configure the Compute Engine instance to use the address of the load balancer that has been created.
- D. 1. In GKE, create a Service of type LoadBalancer that uses the application's Pods as backend.2. Add a Cloud Armor Security Policy to the load balancer that whitelists the internal IPs of the MIG's instances.3. Configure the Compute Engine instance to use the address of the load balancer that has been created.

Answer: A

Explanation:

performs a peering between the two VPC's (the statement makes sure that this option is feasible since it clearly specifies that there is no overlapping between the IP ranges of both VPC's), deploy the LoadBalancer as internal with the annotation, and configure the endpoint so that the compute engine instance can access the application internally, that is, without the need to have a public IP at any time and therefore, without the need to go outside the Google network. The traffic, therefore, never crosses the public internet.

<https://medium.com/pablo-perez/k8s-externaltrafficpolicy-local-or-cluster-40b259a19404> <https://cloud.google.com/kubernetes-engine/docs/how-to/internal-load-balancing>

clients in a VPC network connected to the LoadBalancer network using VPC Network Peering can also access the Service

<https://cloud.google.com/kubernetes-engine/docs/how-to/service-parameters>

NEW QUESTION 138

You are building a new version of an application hosted in an App Engine environment. You want to test the new version with 1% of users before you completely switch your application over to the new version. What should you do?

- A. Deploy a new version of your application in Google Kubernetes Engine instead of App Engine and then use GCP Console to split traffic.
- B. Deploy a new version of your application in a Compute Engine instance instead of App Engine and then use GCP Console to split traffic.
- C. Deploy a new version as a separate app in App Engine
- D. Then configure App Engine using GCP Console to split traffic between the two apps.
- E. Deploy a new version of your application in App Engine
- F. Then go to App Engine settings in GCP Console and split traffic between the current version and newly deployed versions accordingly.

Answer: D

Explanation:

GCP App Engine natively offers traffic splitting functionality between versions. You can use traffic splitting to specify a percentage distribution of traffic across two or more of the versions within a service. Splitting traffic allows you to conduct A/B testing between your versions and provides control over the pace when rolling out features.

Ref: <https://cloud.google.com/appengine/docs/standard/python/splitting-traffic>

NEW QUESTION 139

You have been asked to set up Object Lifecycle Management for objects stored in storage buckets. The objects are written once and accessed frequently for 30 days. After 30 days, the objects are not read again unless there is a special need. The object should be kept for three years, and you need to minimize cost. What should you do?

- A. Set up a policy that uses Nearline storage for 30 days and then moves to Archive storage for three years.
- B. Set up a policy that uses Standard storage for 30 days and then moves to Archive storage for three years.
- C. Set up a policy that uses Nearline storage for 30 days, then moves to Coldline for one year, and then moves to Archive storage for two years.
- D. Set up a policy that uses Standard storage for 30 days, then moves to Coldline for one year, and then moves to Archive storage for two years.

Answer: B

Explanation:

The key to understand the requirement is: "The objects are written once and accessed frequently for 30 days" Standard Storage

Standard Storage is best for data that is frequently accessed ("hot" data) and/or stored for only brief periods of time.

Archive Storage

Archive Storage is the lowest-cost, highly durable storage service for data archiving, online backup, and disaster recovery. Unlike the "coldest" storage services offered by other Cloud providers, your data is available within milliseconds, not hours or days. Archive Storage is the best choice for data that you plan to access less than once a year.

<https://cloud.google.com/storage/docs/storage-classes#standard>

NEW QUESTION 143

You created a Kubernetes deployment by running `kubectl run nginx image=nginx labels=app=prod`. Your Kubernetes cluster is also used by a number of other deployments. How can you find the identifier of the pods for this nginx deployment?

- A. `kubectl get deployments --output=pods`
- B. `gcloud get pods --selector="app=prod"`
- C. `kubectl get pods -l "app=prod"`
- D. `gcloud list gke-deployments -filter={pod }`

Answer: C

Explanation:

This command correctly lists pods that have the label `app=prod`. When creating the deployment, we used the label `app=prod` so listing pods that have this label retrieve the pods belonging to nginx deployments. You can list pods by using Kubernetes CLI `kubectl get pods`.

Ref: <https://kubernetes.io/docs/tasks/access-application-cluster/list-all-running-container-images/>

Ref: <https://kubernetes.io/docs/tasks/access-application-cluster/list-all-running-container-images/#list-containe>

NEW QUESTION 144

Your company uses a large number of Google Cloud services centralized in a single project. All teams have specific projects for testing and development. The DevOps team needs access to all of the production services in order to perform their job. You want to prevent Google Cloud product changes from broadening their permissions in the future. You want to follow Google-recommended practices. What should you do?

- A. Grant all members of the DevOps team the role of Project Editor on the organization level.
- B. Grant all members of the DevOps team the role of Project Editor on the production project.
- C. Create a custom role that combines the required permission
- D. Grant the DevOps team the custom role on the production project.
- E. Create a custom role that combines the required permission
- F. Grant the DevOps team the custom role on the organization level.

Answer: C

Explanation:

Understanding IAM custom roles

Key Point: Custom roles enable you to enforce the principle of least privilege, ensuring that the user and service accounts in your organization have only the permissions essential to performing their intended functions.

Basic concepts

Custom roles are user-defined, and allow you to bundle one or more supported permissions to meet your specific needs. Custom roles are not maintained by Google; when new permissions, features, or services are added to Google Cloud, your custom roles will not be updated automatically.

When you create a custom role, you must choose an organization or project to create it in. You can then grant the custom role on the organization or project, as well as any resources within that organization or project.

https://cloud.google.com/iam/docs/understanding-custom-roles#basic_concepts

NEW QUESTION 145

You need to deploy an application, which is packaged in a container image, in a new project. The application exposes an HTTP endpoint and receives very few requests per day. You want to minimize costs. What should you do?

- A. Deploy the container on Cloud Run.
- B. Deploy the container on Cloud Run on GKE.
- C. Deploy the container on App Engine Flexible.
- D. Deploy the container on Google Kubernetes Engine, with cluster autoscaling and horizontal pod autoscaling enabled.

Answer: A

Explanation:

Cloud Run takes any container images and pairs great with the container ecosystem: Cloud Build, Artifact Registry, Docker. ... No infrastructure to manage: once deployed, Cloud Run manages your services so you can sleep well. Fast autoscaling. Cloud Run automatically scales up or down from zero to N depending on traffic.

<https://cloud.google.com/run>

NEW QUESTION 148

For analysis purposes, you need to send all the logs from all of your Compute Engine instances to a BigQuery dataset called `platform-logs`. You have already installed the Stackdriver Logging agent on all the instances. You want to minimize cost. What should you do?

- A. 1. Give the BigQuery Data Editor role on the `platform-logs` dataset to the service accounts used by your instances.2. Update your instances' metadata to add the following value: `logs-destination:bq://platform-logs`.
- B. 1. In Stackdriver Logging, create a logs export with a Cloud Pub/Sub topic called `logs` as a sink.2.Create a Cloud Function that is triggered by messages in the `logs` topic.3. Configure that Cloud Function to drop logs that are not from Compute Engine and to insert Compute Engine logs in the `platform-logs` dataset.
- C. 1. In Stackdriver Logging, create a filter to view only Compute Engine logs.2. Click Create Export.3.Choose BigQuery as Sink Service, and the `platform-logs` dataset as Sink Destination.
- D. 1. Create a Cloud Function that has the BigQuery User role on the `platform-logs` dataset.2. Configure this Cloud Function to create a BigQuery Job that executes this query:`INSERT INTO dataset.platform-logs (timestamp, log)SELECT timestamp, log FROM compute.logsWHERE timestamp> DATE_SUB(CURRENT_DATE(), INTERVAL 1 DAY)`3. Use Cloud Scheduler to trigger this Cloud Function once a day.

Answer: C

Explanation:

* 1. In Stackdriver Logging, create a filter to view only Compute Engine logs. 2. Click Create Export. 3. Choose BigQuery as Sink Service, and the `platform-logs`

dataset as Sink Destination.

NEW QUESTION 153

You have two subnets (subnet-a and subnet-b) in the default VPC. Your database servers are running in subnet-a. Your application servers and web servers are running in subnet-b. You want to configure a firewall rule that only allows database traffic from the application servers to the database servers. What should you do?

- A. * Create service accounts sa-app and sa-db. • Associate service account: sa-app with the application servers and the service account sa-db with the database servers. • Create an ingress firewall rule to allow network traffic from source service account sa-app to target service account sa-db.
- B. • Create network tags app-server and db-server. • Add the app-server tag to the application servers and the db-server tag to the database servers. • Create an egress firewall rule to allow network traffic from source network tag app-server to target network tag db-server.
- C. * Create a service account sa-app and a network tag db-server. * Associate the service account sa-app with the application servers and the network tag db-server with the database servers. • Create an ingress firewall rule to allow network traffic from source VPC IP addresses and target the subnet-a IP addresses.
- D. • Create a network tag app-server and service account sa-db. • Add the tag to the application servers and associate the service account with the database servers. • Create an egress firewall rule to allow network traffic from source network tag app-server to target service account sa-db.

Answer: C

NEW QUESTION 157

You have designed a solution on Google Cloud Platform (GCP) that uses multiple GCP products. Your company has asked you to estimate the costs of the solution. You need to provide estimates for the monthly total cost. What should you do?

- A. For each GCP product in the solution, review the pricing details on the products pricing pag
- B. Use the pricing calculator to total the monthly costs for each GCP product.
- C. For each GCP product in the solution, review the pricing details on the products pricing pag
- D. Create a Google Sheet that summarizes the expected monthly costs for each product.
- E. Provision the solution on GC
- F. Leave the solution provisioned for 1 wee
- G. Navigate to the Billing Report page in the Google Cloud Platform Consol
- H. Multiply the 1 week cost to determine the monthly costs.
- I. Provision the solution on GC
- J. Leave the solution provisioned for 1 wee
- K. Use Stackdriver to determine the provisioned and used resource amount
- L. Multiply the 1 week cost to determine the monthly costs.

Answer: A

Explanation:

You can use the Google Cloud Pricing Calculator to total the estimated monthly costs for each GCP product. You dont incur any charges for doing so.

Ref: <https://cloud.google.com/products/calculator>

NEW QUESTION 161

You are analyzing Google Cloud Platform service costs from three separate projects. You want to use this information to create service cost estimates by service type, daily and monthly, for the next six months using standard query syntax. What should you do?

- A. Export your bill to a Cloud Storage bucket, and then import into Cloud Bigtable for analysis.
- B. Export your bill to a Cloud Storage bucket, and then import into Google Sheets for analysis.
- C. Export your transactions to a local file, and perform analysis with a desktop tool.
- D. Export your bill to a BigQuery dataset, and then write time window-based SQL queries for analysis.

Answer: D

Explanation:

"...we recommend that you enable Cloud Billing data export to BigQuery at the same time that you create a Cloud Billing account. "

<https://cloud.google.com/billing/docs/how-to/export-data-bigquery>

<https://medium.com/google-cloud/analyzing-google-cloud-billing-data-with-big-query-30bae1c2aae4>

NEW QUESTION 164

You need to reduce GCP service costs for a division of your company using the fewest possible steps. You need to turn off all configured services in an existing GCP project. What should you do?

- A. * 1. Verify that you are assigned the Project Owners IAM role for this project.* 2. Locate the project in the GCP console, click Shut down and then enter the project ID.
- B. * 1. Verify that you are assigned the Project Owners IAM role for this project.* 2. Switch to the project in the GCP console, locate the resources and delete them.
- C. * 1. Verify that you are assigned the Organizational Administrator IAM role for this project.* 2. Locate the project in the GCP console, enter the project ID and then click Shut down.
- D. * 1. Verify that you are assigned the Organizational Administrators IAM role for this project.* 2. Switch to the project in the GCP console, locate the resources and delete them.

Answer: A

Explanation:

<https://cloud.google.com/run/docs/tutorials/gcloud> <https://cloud.google.com/resource-manager/docs/creating-managing-projects>

https://cloud.google.com/iam/docs/understanding-roles#primitive_roles

You can shut down projects using the Cloud Console. When you shut down a project, this immediately happens: All billing and traffic serving stops, You lose access to the project, The owners of the project will be notified and can stop the deletion within 30 days, The project will be scheduled to be deleted after 30 days. However, some resources may be deleted much earlier.

NEW QUESTION 168

You are developing a financial trading application that will be used globally. Data is stored and queried using a relational structure, and clients from all over the world should get the exact identical state of the data. The application will be deployed in multiple regions to provide the lowest latency to end users. You need to select a storage option for the application data while minimizing latency. What should you do?

- A. Use Cloud Bigtable for data storage.
- B. Use Cloud SQL for data storage.
- C. Use Cloud Spanner for data storage.
- D. Use Firestore for data storage.

Answer: C

Explanation:

Keywords, Financial data (large data) used globally, data stored and queried using relational structure (SQL), clients should get exact identical copies(Strong Consistency), Multiple region, low latency to end user, select storage option to minimize latency.

NEW QUESTION 172

Your existing application running in Google Kubernetes Engine (GKE) consists of multiple pods running on four GKE n1-standard-2 nodes. You need to deploy additional pods requiring n2-highmem-16 nodes without any downtime. What should you do?

- A. Use gcloud container clusters upgrad
- B. Deploy the new services.
- C. Create a new Node Pool and specify machine type n2-highmem-16. Deploy the new pods.
- D. Create a new cluster with n2-highmem-16 node
- E. Redeploy the pods and delete the old cluster.
- F. Create a new cluster with both n1-standard-2 and n2-highmem-16 node
- G. Redeploy the pods and delete the old cluster.

Answer: B

Explanation:

<https://cloud.google.com/kubernetes-engine/docs/concepts/deployment>

NEW QUESTION 176

You significantly changed a complex Deployment Manager template and want to confirm that the dependencies of all defined resources are properly met before committing it to the project. You want the most rapid feedback on your changes. What should you do?

- A. Use granular logging statements within a Deployment Manager template authored in Python.
- B. Monitor activity of the Deployment Manager execution on the Stackdriver Logging page of the GCP Console.
- C. Execute the Deployment Manager template against a separate project with the same configuration, and monitor for failures.
- D. Execute the Deployment Manager template using the `--preview` option in the same project, and observe the state of interdependent resources.

Answer: D

NEW QUESTION 180

Your company's infrastructure is on-premises, but all machines are running at maximum capacity. You want to burst to Google Cloud. The workloads on Google Cloud must be able to directly communicate to the workloads on-premises using a private IP range. What should you do?

- A. In Google Cloud, configure the VPC as a host for Shared VPC.
- B. In Google Cloud, configure the VPC for VPC Network Peering.
- C. Create bastion hosts both in your on-premises environment and on Google Clou
- D. Configure both as proxy servers using their public IP addresses.
- E. Set up Cloud VPN between the infrastructure on-premises and Google Cloud.

Answer: D

Explanation:

"Google Cloud VPC Network Peering allows internal IP address connectivity across two Virtual Private Cloud (VPC) networks regardless of whether they belong to the same project or the same organization."

<https://cloud.google.com/vpc/docs/vpc-peering> while

"Cloud Interconnect provides low latency, high availability connections that enable you to reliably transfer data between your on-premises and Google Cloud Virtual Private Cloud (VPC) networks."

<https://cloud.google.com/network-connectivity/docs/interconnect/concepts/overview> and

"HA VPN is a high-availability (HA) Cloud VPN solution that lets you securely connect your on-premises network to your VPC network through an IPsec VPN connection in a single region."

<https://cloud.google.com/network-connectivity/docs/vpn/concepts/overview>

NEW QUESTION 185

You deployed an application on a managed instance group in Compute Engine. The application accepts Transmission Control Protocol (TCP) traffic on port 389 and requires you to preserve the IP address of the client who is making a request. You want to expose the application to the internet by using a load balancer. What should you do?

- A. Expose the application by using an external TCP Network Load Balancer.
- B. Expose the application by using a TCP Proxy Load Balancer.
- C. Expose the application by using an SSL Proxy Load Balancer.
- D. Expose the application by using an internal TCP Network Load Balancer.

Answer: B

NEW QUESTION 187

You are performing a monthly security check of your Google Cloud environment and want to know who has access to view data stored in your Google Cloud Project. What should you do?

- A. Enable Audit Logs for all APIs that are related to data storage.
- B. Review the IAM permissions for any role that allows for data access.
- C. Review the Identity-Aware Proxy settings for each resource.
- D. Create a Data Loss Prevention job.

Answer: B

Explanation:

<https://cloud.google.com/logging/docs/audit>

NEW QUESTION 189

You want to configure 10 Compute Engine instances for availability when maintenance occurs. Your requirements state that these instances should attempt to automatically restart if they crash. Also, the instances should be highly available including during system maintenance. What should you do?

- A. Create an instance template for the instance
- B. Set the 'Automatic Restart' to on
- C. Set the 'On-host maintenance' to Migrate VM instance
- D. Add the instance template to an instance group.
- E. Create an instance template for the instance
- F. Set 'Automatic Restart' to off
- G. Set 'On-host maintenance' to Terminate VM instance
- H. Add the instance template to an instance group.
- I. Create an instance group for the instance
- J. Set the 'Autohealing' health check to healthy (HTTP).
- K. Create an instance group for the instance
- L. Verify that the 'Advanced creation options' setting for 'do not retry machine creation' is set to off.

Answer: A

Explanation:

Create an instance template for the instances so VMs have same specs. Set the 'Automatic Restart' to on so VM automatically restarts upon crash. Set the 'On-host maintenance' to Migrate VM instance. This will take care of VM during maintenance window. It will migrate VM instance making it highly available. Add the instance template to an instance group so instances can be managed.

- onHostMaintenance: Determines the behavior when a maintenance event occurs that might cause your instance to reboot.
- [Default] MIGRATE, which causes Compute Engine to live migrate an instance when there is a maintenance event.
- TERMINATE, which stops an instance instead of migrating it.
- automaticRestart: Determines the behavior when an instance crashes or is stopped by the system.
- [Default] true, so Compute Engine restarts an instance if the instance crashes or is stopped.
- false, so Compute Engine does not restart an instance if the instance crashes or is stopped.

Enabling automatic restart ensures that compute engine instances are automatically restarted when they crash. And Enabling Migrate VM Instance enables live migration. i.e. compute instances are migrated during system maintenance and remain running during the migration.

Automatic Restart If your instance is set to terminate when there is a maintenance event, or if your instance crashes because of an underlying hardware issue, you can set up Compute Engine to automatically restart the instance by setting the automaticRestart field to true. This setting does not apply if the instance is taken offline through a user action, such as calling sudo shutdown, or during a zone outage. Ref: <https://cloud.google.com/compute/docs/instances/setting-instance-scheduling-options#autorestart>

Enabling the Migrate VM Instance option migrates your instance away from an infrastructure maintenance event, and your instance remains running during the migration. Your instance might experience a short period of decreased performance, although generally, most instances should not notice any difference. This is ideal for instances that require constant uptime and can tolerate a short period of decreased performance. Ref: https://cloud.google.com/compute/docs/instances/setting-instance-scheduling-options#live_migration

NEW QUESTION 194

You have sensitive data stored in three Cloud Storage buckets and have enabled data access logging. You want to verify activities for a particular user for these buckets, using the fewest possible steps. You need to verify the addition of metadata labels and which files have been viewed from those buckets. What should you do?

- A. Using the GCP Console, filter the Activity log to view the information.
- B. Using the GCP Console, filter the Stackdriver log to view the information.
- C. View the bucket in the Storage section of the GCP Console.
- D. Create a trace in Stackdriver to view the information.

Answer: A

Explanation:

<https://cloud.google.com/storage/docs/audit-logs> https://cloud.google.com/compute/docs/logging/audit-logging#audited_operations

NEW QUESTION 195

The DevOps group in your organization needs full control of Compute Engine resources in your development project. However, they should not have permission to create or update any other resources in the project. You want to follow Google's recommendations for setting permissions for the DevOps group. What should you do?

- A. Grant the basic role roles/viewer and the predefined role roles/compute.admin to the DevOps group.
- B. Create an IAM policy and grant all compute permissions to the policy. Attach the policy to the DevOps group.
- C. Create a custom role at the folder level and grant all compute permissions to the role. Grant the custom role to the DevOps group.
- D. Create a custom role at the folder level and grant all compute permissions to the role. Grant the custom role to the DevOps group.
- E. Create a custom role at the folder level and grant all compute permissions to the role. Grant the custom role to the DevOps group.
- F. * permissions to the role. Grant the custom role to the DevOps group.

G. Grant the basic role roles/editor to the DevOps group.

Answer: A

NEW QUESTION 196

You are deploying a production application on Compute Engine. You want to prevent anyone from accidentally destroying the instance by clicking the wrong button. What should you do?

- A. Disable the flag "Delete boot disk when instance is deleted."
- B. Enable delete protection on the instance.
- C. Disable Automatic restart on the instance.
- D. Enable Preemptibility on the instance.

Answer: D

Explanation:

Preventing Accidental VM Deletion This document describes how to protect specific VM instances from deletion by setting the deletionProtection property on an Instance resource. To learn more about VM instances, read the Instances documentation. As part of your workload, there might be certain VM instances that are critical to running your application or services, such as an instance running a SQL server, a server used as a license manager, and so on. These VM instances might need to stay running indefinitely so you need a way to protect these VMs from being deleted. By setting the deletionProtection flag, a VM instance can be protected from accidental deletion. If a user attempts to delete a VM instance for which you have set the deletionProtection flag, the request fails. Only a user that has been granted a role with compute.instances.create permission can reset the flag to allow the resource to be deleted.

<https://cloud.google.com/compute/docs/instances/preventing-accidental-vm-deletion>

NEW QUESTION 200

You created an instance of SQL Server 2017 on Compute Engine to test features in the new version. You want to connect to this instance using the fewest number of steps. What should you do?

- A. Install a RDP client on your deskto
- B. Verify that a firewall rule for port 3389 exists.
- C. Install a RDP client in your deskto
- D. Set a Windows username and password in the GCP Consol
- E. Use the credentials to log in to the instance.
- F. Set a Windows password in the GCP Consol
- G. Verify that a firewall rule for port 22 exist
- H. Click the RDP button in the GCP Console and supply the credentials to log in.
- I. Set a Windows username and password in the GCP Consol
- J. Verify that a firewall rule for port 3389 exist
- K. Click the RDP button in the GCP Console, and supply the credentials to log in.

Answer: D

Explanation:

<https://cloud.google.com/compute/docs/instances/connecting-to-windows#remote-desktop-connection-app>

<https://cloud.google.com/compute/docs/instances/windows/generating-credentials> <https://cloud.google.com/compute/docs/instances/connecting-to-windows#before-you-begin>

NEW QUESTION 204

You have a Bigtable instance that consists of three nodes that store personally identifiable information (PII) data. You need to log all read or write operations, including any metadata or configuration reads of this database table, in your company's Security Information and Event Management (SIEM) system. What should you do?

- A. • Navigate to Cloud Monitoring in the Google Cloud console, and create a custom monitoring job for the Bigtable instance to track all changes. • Create an alert by using webhook endpoint
- B. with the SIEM endpoint as a receiver
- C. Navigate to the Audit Logs page in the Google Cloud console, and enable Data Read and Admin Read logs for the Bigtable instance
- D. Data Write and Admin Read logs for the Bigtable instance • Create a Pub/Sub topic as a Cloud Logging sink destination, and add your SIEM as a subscriber to the topic.
- E. • Install the Ops Agent on the Bigtable instance during configuration
- F. K • Create a service account with read permissions for the Bigtable instance. • Create a custom Dataflow job with this service account to export logs to the company's SIEM system.
- G. • Navigate to the Audit Logs page in the Google Cloud console, and enable Admin Write logs for the Bigtable instance. • Create a Cloud Functions instance to export logs from Cloud Logging to your SIEM.

Answer: B

NEW QUESTION 209

You need to verify that a Google Cloud Platform service account was created at a particular time. What should you do?

- A. Filter the Activity log to view the Configuration category
- B. Filter the Resource type to Service Account.
- C. Filter the Activity log to view the Configuration category
- D. Filter the Resource type to Google Project.
- E. Filter the Activity log to view the Data Access category
- F. Filter the Resource type to Service Account.
- G. Filter the Activity log to view the Data Access category
- H. Filter the Resource type to Google Project.

Answer: A

Explanation:

<https://developers.google.com/cloud-search/docs/guides/audit-logging-manual>

NEW QUESTION 214

Your team maintains the infrastructure for your organization. The current infrastructure requires changes. You need to share your proposed changes with the rest of the team. You want to follow Google's recommended best practices. What should you do?

- A. Use Deployment Manager templates to describe the proposed changes and store them in a Cloud Storage bucket.
- B. Use Deployment Manager templates to describe the proposed changes and store them in Cloud Source Repositories.
- C. Apply the change in a development environment, run `gcloud compute instances list`, and then save the output in a shared Storage bucket.
- D. Apply the change in a development environment, run `gcloud compute instances list`, and then save the output in Cloud Source Repositories.

Answer: B

Explanation:

Showing Deployment Manager templates to your team will allow you to define the changes you want to implement in your cloud infrastructure. You can use Cloud Source Repositories to store Deployment Manager templates and collaborate with your team. Cloud Source Repositories are fully-featured, scalable, and private Git repositories you can use to store, manage and track changes to your code.

<https://cloud.google.com/source-repositories/docs/features>

NEW QUESTION 219

You are migrating a production-critical on-premises application that requires 96 vCPUs to perform its task. You want to make sure the application runs in a similar environment on GCP. What should you do?

- A. When creating the VM, use machine type `n1-standard-96`.
- B. When creating the VM, use Intel Skylake as the CPU platform.
- C. Create the VM using Compute Engine default setting
- D. Use `gcloud` to modify the running instance to have 96 vCPUs.
- E. Start the VM using Compute Engine default settings, and adjust as you go based on Rightsizing Recommendations.

Answer: A

Explanation:

Ref: https://cloud.google.com/compute/docs/machine-types#n1_machine_type

NEW QUESTION 224

You have a large 5-TB AVRO file stored in a Cloud Storage bucket. Your analysts are proficient only in SQL and need access to the data stored in this file. You want to find a cost-effective way to complete their request as soon as possible. What should you do?

- A. Load data in Cloud Datastore and run a SQL query against it.
- B. Create a BigQuery table and load data in BigQuery
- C. Run a SQL query on this table and drop this table after you complete your request.
- D. Create external tables in BigQuery that point to Cloud Storage buckets and run a SQL query on these external tables to complete your request.
- E. Create a Hadoop cluster and copy the AVRO file to NDfs by compressing it
- F. Load the file in a hive table and provide access to your analysts so that they can run SQL queries.

Answer: C

Explanation:

<https://cloud.google.com/bigquery/external-data-sources>

An external data source is a data source that you can query directly from BigQuery, even though the data is not stored in BigQuery storage.

BigQuery supports the following external data sources: Amazon S3

Azure Storage Cloud Bigtable Cloud Spanner Cloud SQL Cloud Storage

Drive

NEW QUESTION 226

You have an instance group that you want to load balance. You want the load balancer to terminate the client SSL session. The instance group is used to serve a public web application over HTTPS. You want to follow Google-recommended practices. What should you do?

- A. Configure an HTTP(S) load balancer.
- B. Configure an internal TCP load balancer.
- C. Configure an external SSL proxy load balancer.
- D. Configure an external TCP proxy load balancer.

Answer: A

NEW QUESTION 228

You are operating a Google Kubernetes Engine (GKE) cluster for your company where different teams can run non-production workloads. Your Machine Learning (ML) team needs access to Nvidia Tesla P100 GPUs to train their models. You want to minimize effort and cost. What should you do?

- A. Ask your ML team to add the "accelerator: gpu" annotation to their pod specification.
- B. Recreate all the nodes of the GKE cluster to enable GPUs on all of them.
- C. Create your own Kubernetes cluster on top of Compute Engine with nodes that have GPU
- D. Dedicate this cluster to your ML team.
- E. Add a new, GPU-enabled, node pool to the GKE cluster
- F. Ask your ML team to add the `cloud.google.com/gke-accelerator: nvidia-tesla-p100` nodeSelector to their pod specification.

Answer:

D

Explanation:

This is the most optimal solution. Rather than recreating all nodes, you create a new node pool with GPU enabled. You then modify the pod specification to target particular GPU types by adding node selector to your workloads Pod specification. YYou still have a single cluster so you pay Kubernetes cluster management fee for just one cluster thus minimizing the

cost.Ref: <https://cloud.google.com/kubernetes-engine/docs/how-to/gpus>Ref: <https://cloud.google.com/kubern>

Example:

```
> apiVersion: v1
> kind: Pod
> metadata:
> name: my-gpu-pod
> spec:
> containers:
> name: my-gpu-container
> image: nvidia/cuda:10.0-runtime-ubuntu18.04
> command: [/bin/bash]
> resources:
> limits:
> nvidia.com/gpu: 2
> nodeSelector:
> cloud.google.com/gke-accelerator: nvidia-tesla-k80 # or nvidia-tesla-p100 or nvidia-tesla-p4 or nvidia-tesla-v100 or nvidia-tesla-t4
```

NEW QUESTION 232

You are about to deploy a new Enterprise Resource Planning (ERP) system on Google Cloud. The application holds the full database in-memory for fast data access, and you need to configure the most appropriate resources on Google Cloud for this application. What should you do?

- A. Provision preemptible Compute Engine instances.
- B. Provision Compute Engine instances with GPUs attached.
- C. Provision Compute Engine instances with local SSDs attached.
- D. Provision Compute Engine instances with M1 machine type.

Answer: D

Explanation:

M1 machine series Medium in-memory databases such as SAP HANA Tasks that require intensive use of memory with higher memory-to-vCPU ratios than the general-purpose high-memory machine types.

In-memory databases and in-memory analytics, business warehousing (BW) workloads, genomics analysis, SQL analysis services. Microsoft SQL Server and similar databases.

<https://cloud.google.com/compute/docs/machine-types>

[https://cloud.google.com/compute/docs/machine-types#:~:text=databases%20such%20as-,SAP%20HANA,-In%](https://cloud.google.com/compute/docs/machine-types#:~:text=databases%20such%20as-,SAP%20HANA,-In%20memory,-database%3F)

<https://www.sap.com/india/products/hana.html#:~:text=is%20SAP%20HANA-,in%20memory,-database%3F>

NEW QUESTION 234

You deployed a new application inside your Google Kubernetes Engine cluster using the YAML file specified below.

```
apiVersion: apps/v1
kind: Deployment
metadata:
  name: myapp-deployment
spec:
  selector:
    matchLabels:
      app: myapp
  replicas: 2
  template:
    metadata:
      labels:
        app: myapp
    spec:
      containers:
      - name: myapp
        image: myapp:1.1
        ports:
        - containerPort: 80

apiVersion: v1
kind: Service
metadata:
  name: myapp-service
spec:
  ports:
  - port: 8000
    targetPort: 80
    protocol: TCP
  selector:
    app: myapp
```

You check the status of the deployed pods and notice that one of them is still in PENDING status:

```
kubectl get pods -l app=myapp
```

NAME	READY	STATUS	RESTART	AGE
myapp-deployment-58ddb995-lp86m	0/1	Pending	0	9m
myapp-deployment-58ddb995-qjpkg	1/1	Running	0	9m

You want to find out why the pod is stuck in pending status. What should you do?

- A. Review details of the myapp-service Service object and check for error messages.
- B. Review details of the myapp-deployment Deployment object and check for error messages.
- C. Review details of myapp-deployment-58ddb995-lp86m Pod and check for warning messages.
- D. View logs of the container in myapp-deployment-58ddb995-lp86m pod and check for warning messages.

Answer: C

Explanation:

<https://kubernetes.io/docs/tasks/debug-application-cluster/debug-application/#debugging-pods>

NEW QUESTION 239

You create a Deployment with 2 replicas in a Google Kubernetes Engine cluster that has a single preemptible node pool. After a few minutes, you use kubectl to examine the status of your Pod and observe that one of them is still in Pending status:

```
$ kubectl get pods -l app=myapp
```

NAME	READY	STATUS	RESTART	AGE
myapp-deployment-58ddb995-lp86m	0/1	Pending	0	9m
myapp-deployment-58ddb995-qjpkg	1/1	Running	0	9m

What is the most likely cause?

- A. The pending Pod's resource requests are too large to fit on a single node of the cluster.
- B. Too many Pods are already running in the cluster, and there are not enough resources left to schedule the pending Pod.
- C. The node pool is configured with a service account that does not have permission to pull the container image used by the pending Pod.
- D. The pending Pod was originally scheduled on a node that has been preempted between the creation of the Deployment and your verification of the Pods' status.
- E. It is currently being rescheduled on a new node.

Answer: B

Explanation:

- The pending Pods resource requests are too large to fit on a single node of the cluster. Too many Pods are already running in the cluster, and there are not enough resources left to schedule the pending Pod. is the right answer.
- When you have a deployment with some pods in running and other pods in the pending state, more often than not it is a problem with resources on the nodes. Heres a sample output of this use case. We see that the problem is with insufficient CPU on the Kubernetes nodes so we have to either enable auto-scaling or manually scale up the nodes.

NEW QUESTION 240

You need to create an autoscaling managed instance group for an HTTPS web application. You want to make sure that unhealthy VMs are recreated. What should you do?

- A. Create a health check on port 443 and use that when creating the Managed Instance Group.
- B. Select Multi-Zone instead of Single-Zone when creating the Managed Instance Group.
- C. In the Instance Template, add the label 'health-check'.
- D. In the Instance Template, add a startup script that sends a heartbeat to the metadata server.

Answer: A

Explanation:

https://cloud.google.com/compute/docs/instance-groups/autohealing-instances-in-migs#setting_up_an_autoheali

NEW QUESTION 244

You want to select and configure a cost-effective solution for relational data on Google Cloud Platform. You are working with a small set of operational data in one geographic location. You need to support point-in-time recovery. What should you do?

- A. Select Cloud SQL (MySQL). Verify that the enable binary logging option is selected.
- B. Select Cloud SQL (MySQL). Select the create failover replicas option.
- C. Select Cloud Spanne
- D. Set up your instance with 2 nodes.
- E. Select Cloud Spanne
- F. Set up your instance as multi-regional.

Answer: A

NEW QUESTION 249

You have a batch workload that runs every night and uses a large number of virtual machines (VMs). It is fault- tolerant and can tolerate some of the VMs being

terminated. The current cost of VMs is too high. What should you do?

- A. Run a test using simulated maintenance event
- B. If the test is successful, use preemptible N1 Standard VMs when running future jobs.
- C. Run a test using simulated maintenance event
- D. If the test is successful, use N1 Standard VMs when running future jobs.
- E. Run a test using a managed instance group
- F. If the test is successful, use N1 Standard VMs in the managed instance group when running future jobs.
- G. Run a test using N1 standard VMs instead of N2. If the test is successful, use N1 Standard VMs when running future jobs.

Answer: A

Explanation:

Creating and starting a preemptible VM instance This page explains how to create and use a preemptible virtual machine (VM) instance. A preemptible instance is an instance you can create and run at a much lower price than normal instances. However, Compute Engine might terminate (preempt) these instances if it requires access to those resources for other tasks. Preemptible instances will always terminate after 24 hours. To learn more about preemptible instances, read the preemptible instances documentation. Preemptible instances are recommended only for fault-tolerant applications that can withstand instance preemptions. Make sure your application can handle preemptions before you decide to create a preemptible instance. To understand the risks and value of preemptible instances, read the preemptible instances documentation. <https://cloud.google.com/compute/docs/instances/create-start-preemptible-instance>

NEW QUESTION 253

You want to permanently delete a Pub/Sub topic managed by Config Connector in your Google Cloud project. What should you do?

- A. Use kubectl to delete the topic resource.
- B. Use gcloud CLI to delete the topic.
- C. Use kubectl to create the label deleted-by-cnrm and to change its value to true for the topic resource.
- D. Use gcloud CLI to update the topic label managed-by-cnrm to false.

Answer: A

NEW QUESTION 256

You are building a product on top of Google Kubernetes Engine (GKE). You have a single GKE cluster. For each of your customers, a Pod is running in that cluster, and your customers can run arbitrary code inside their Pod. You want to maximize the isolation between your customers' Pods. What should you do?

- A. Use Binary Authorization and whitelist only the container images used by your customers' Pods.
- B. Use the Container Analysis API to detect vulnerabilities in the containers used by your customers' Pods.
- C. Create a GKE node pool with a sandbox type configured to gvisor
- D. Add the parameter runtimeClassName: gvisor to the specification of your customers' Pods.
- E. Use the cos_containerd image for your GKE node
- F. Add a nodeSelector with the value cloud.google.com/gke-os-distribution: cos_containerd to the specification of your customers' Pods.

Answer: C

NEW QUESTION 259

You are asked to set up application performance monitoring on Google Cloud projects A, B, and C as a single pane of glass. You want to monitor CPU, memory, and disk. What should you do?

- A. Enable API and then share charts from project A, B, and C.
- B. Enable API and then give the metrics.reader role to projects A, B, and C.
- C. Enable API and then use default dashboards to view all projects in sequence.
- D. Enable API, create a workspace under project A, and then add project B and C.

Answer: D

Explanation:

<https://cloud.google.com/monitoring/settings/multiple-projects> <https://cloud.google.com/monitoring/workspaces>

NEW QUESTION 262

Your organization uses G Suite for communication and collaboration. All users in your organization have a G Suite account. You want to grant some G Suite users access to your Cloud Platform project. What should you do?

- A. Enable Cloud Identity in the GCP Console for your domain.
- B. Grant them the required IAM roles using their G Suite email address.
- C. Create a CSV sheet with all users' email addresses
- D. Use the gcloud command line tool to convert them into Google Cloud Platform accounts.
- E. In the G Suite console, add the users to a special group called cloud-console-users@yourdomain.com. Rely on the default behavior of the Cloud Platform to grant users access if they are members of this group.

Answer: B

NEW QUESTION 266

You have experimented with Google Cloud using your own credit card and expensed the costs to your company. Your company wants to streamline the billing process and charge the costs of your projects to their monthly invoice. What should you do?

- A. Grant the financial team the IAM role of Billing Account User on the billing account linked to your credit card.
- B. Set up BigQuery billing export and grant your financial department IAM access to query the data.
- C. Create a ticket with Google Billing Support to ask them to send the invoice to your company.
- D. Change the billing account of your projects to the billing account of your company.

Answer: D

NEW QUESTION 270

You have a website hosted on App Engine standard environment. You want 1% of your users to see a new test version of the website. You want to minimize complexity. What should you do?

- A. Deploy the new version in the same application and use the --migrate option.
- B. Deploy the new version in the same application and use the --splits option to give a weight of 99 to the current version and a weight of 1 to the new version.
- C. Create a new App Engine application in the same projec
- D. Deploy the new version in that application. Use the App Engine library to proxy 1% of the requests to the new version.
- E. Create a new App Engine application in the same projec
- F. Deploy the new version in that application. Configure your network load balancer to send 1% of the traffic to that new application.

Answer: B

Explanation:

<https://cloud.google.com/appengine/docs/standard/python/splitting-traffic#gcloud>

NEW QUESTION 275

Your company requires all developers to have the same permissions, regardless of the Google Cloud project they are working on. Your company's security policy also restricts developer permissions to Compute Engine.

Cloud Functions, and Cloud SQL. You want to implement the security policy with minimal effort. What should you do?

- A. • Create a custom role with Compute Engine, Cloud Functions, and Cloud SQL permissions in one project within the Google Cloud organization. • Copy the role across all projects created within the organization with the gcloud iam roles copy command. • Assign the role to developers in those projects.
- B. • Add all developers to a Google group in Google Groups for Workspace. • Assign the predefined role of Compute Admin to the Google group at the Google Cloud organization level.
- C. • Add all developers to a Google group in Cloud Identity. • Assign predefined roles for Compute Engine, Cloud Functions, and Cloud SQL permissions to the Google group for each project in the Google Cloud organization.
- D. • Add all developers to a Google group in Cloud Identity. • Create a custom role with Compute Engine, Cloud Functions, and Cloud SQL permissions at the Google Cloud organization level. • Assign the custom role to the Google group.

Answer: D

Explanation:

<https://www.cloudskillsboost.google/focuses/1035?parent=catalog#:~:text=custom%20role%20at%20the%20or>

NEW QUESTION 278

You have deployed an application on a single Compute Engine instance. The application writes logs to disk. Users start reporting errors with the application. You want to diagnose the problem. What should you do?

- A. Navigate to Cloud Logging and view the application logs.
- B. Connect to the instance's serial console and read the application logs.
- C. Configure a Health Check on the instance and set a Low Healthy Threshold value.
- D. Install and configure the Cloud Logging Agent and view the logs from Cloud Logging.

Answer: D

NEW QUESTION 282

You want to select and configure a solution for storing and archiving data on Google Cloud Platform. You need to support compliance objectives for data from one geographic location. This data is archived after 30 days and needs to be accessed annually. What should you do?

- A. Select Multi-Regional Storag
- B. Add a bucket lifecycle rule that archives data after 30 days to Coldline Storage.
- C. Select Multi-Regional Storag
- D. Add a bucket lifecycle rule that archives data after 30 days to Nearline Storage.
- E. Select Regional Storag
- F. Add a bucket lifecycle rule that archives data after 30 days to Nearline Storage.
- G. Select Regional Storag
- H. Add a bucket lifecycle rule that archives data after 30 days to Coldline Storage.

Answer: D

Explanation:

Google Cloud Coldline is a new cold-tier storage for archival data with access frequency of less than once per year. Unlike other cold storage options, Nearline has no delays prior to data access, so now it is the leading solution among competitors.

The Real description is about Coldline storage Class: Coldline Storage

Coldline Storage is a very-low-cost, highly durable storage service for storing infrequently accessed data. Coldline Storage is a better choice than Standard Storage or Nearline Storage in scenarios where slightly lower availability, a 90-day minimum storage duration, and higher costs for data access are acceptable trade-offs for lowered at-rest storage costs.

Coldline Storage is ideal for data you plan to read or modify at most once a quarter. Note, however, that for data being kept entirely for backup or archiving purposes, Archive Storage is more cost-effective, as it offers the lowest storage costs.

<https://cloud.google.com/storage/docs/storage-classes#coldline>

NEW QUESTION 284

You have production and test workloads that you want to deploy on Compute Engine. Production VMs need to be in a different subnet than the test VMs. All the VMs must be able to reach each other over internal IP without creating additional routes. You need to set up VPC and the 2 subnets. Which configuration meets these requirements?

- A. Create a single custom VPC with 2 subnet
- B. Create each subnet in a different region and with a different CIDR range.
- C. Create a single custom VPC with 2 subnet
- D. Create each subnet in the same region and with the same CIDR range.
- E. Create 2 custom VPCs, each with a single subne
- F. Create each subnet is a different region and with a different CIDR range.
- G. Create 2 custom VPCs, each with a single subne
- H. Create each subnet in the same region and with the same CIDR range.

Answer: A

Explanation:

When we create subnets in the same VPC with different CIDR ranges, they can communicate automatically within VPC. Resources within a VPC network can communicate with one another by using internal (private) IPv4 addresses, subject to applicable network firewall rules

Ref: <https://cloud.google.com/vpc/docs/vpc>

NEW QUESTION 285

You want to verify the IAM users and roles assigned within a GCP project named my-project. What should you do?

- A. Run `gcloud iam roles list`
- B. Review the output section.
- C. Run `gcloud iam service-accounts list`
- D. Review the output section.
- E. Navigate to the project and then to the IAM section in the GCP Console
- F. Review the members and roles.
- G. Navigate to the project and then to the Roles section in the GCP Console
- H. Review the roles and status.

Answer: C

Explanation:

Logged onto console and followed the steps and was able to see all the assigned users and roles.

NEW QUESTION 289

You have a project for your App Engine application that serves a development environment. The required testing has succeeded and you want to create a new project to serve as your production environment. What should you do?

- A. Use `gcloud` to create the new project, and then deploy your application to the new project.
- B. Use `gcloud` to create the new project and to copy the deployed application to the new project.
- C. Create a Deployment Manager configuration file that copies the current App Engine deployment into a new project.
- D. Deploy your application again using `gcloud` and specify the project parameter with the new project name to create the new project.

Answer: A

Explanation:

You can deploy to a different project by using `--project` flag.

By default, the service is deployed the current project configured via:

```
$ gcloud config set core/project PROJECT
```

To override this value for a single deployment, use the `--project` flag:

```
$ gcloud app deploy ~/my_app/app.yaml --project=PROJECT
```

 Ref: <https://cloud.google.com/sdk/gcloud/reference/app/deploy>

NEW QUESTION 293

After a recent security incident, your startup company wants better insight into what is happening in the Google Cloud environment. You need to monitor unexpected firewall changes and instance creation. Your company prefers simple solutions. What should you do?

- A. Use Cloud Logging filters to create log-based metrics for firewall and instance action
- B. Monitor the changes and set up reasonable alerts.
- C. Install Kibana on a compute Instance
- D. Create a log sink to forward Cloud Audit Logs filtered for firewalls and compute instances to Pub/Sub
- E. Target the Pub/Sub topic to push messages to the Kibana instance
- F. Analyze the logs on Kibana in real time.
- G. Turn on Google Cloud firewall rules logging, and set up alerts for any insert, update, or delete events.
- H. Create a log sink to forward Cloud Audit Logs filtered for firewalls and compute instances to Cloud Storage. Use BigQuery to periodically analyze log events in the storage bucket.

Answer: A

Explanation:

This answer is the simplest and most effective way to monitor unexpected firewall changes and instance creation in Google Cloud. Cloud Logging filters allow you to specify the criteria for the log entries that you want to view or export. You can use the Logging query language to write filters based on the LogEntry fields, such as `resource.type`, `severity`, or `protoPayload.methodName`. For example, you can filter for firewall-related events by using the following query:

```
resource.type="gce_subnetwork" logName="projects/PROJECT_ID/logs/compute.googleapis.com%2Ffirewall"
```

You can filter for instance-related events by using the following query: `resource.type="gce_instance"`

```
logName="projects/PROJECT_ID/logs/compute.googleapis.com%2Factivity_log"
```

You can create log-based metrics from these filters to measure the rate or count of log entries that match the filter. Log-based metrics can be used to create charts and dashboards in Cloud Monitoring, or to set up alerts based on the metric values. For example, you can create an alert policy that triggers when the log-based metric for firewall changes exceeds a certain threshold in a given time interval. This way, you can get notified of any unexpected or malicious changes to your firewall rules.

Option B is incorrect because it is unnecessarily complex and costly. Installing Kibana on a compute instance requires additional configuration and maintenance. Creating a log sink to forward Cloud Audit Logs to Pub/Sub also incurs additional charges for the Pub/Sub service. Analyzing the logs on Kibana in real time may

not be feasible or efficient, as it requires constant monitoring and manual intervention.

Option C is incorrect because Google Cloud firewall rules logging is a different feature from Cloud Audit Logs. Firewall rules logging allows you to audit, verify, and analyze the effects of your firewall rules by creating connection records for each rule that applies to traffic. However, firewall rules logging does not log the insert, update, or delete events for the firewall rules themselves. Those events are logged by Cloud Audit Logs, which record the administrative activities in your Google Cloud project.

Option D is incorrect because it is not a real-time solution. Creating a log sink to forward Cloud Audit Logs to Cloud Storage requires additional storage space and charges. Using BigQuery to periodically analyze log events in the storage bucket also incurs additional costs for the BigQuery service. Moreover, this option does not provide any alerting mechanism to notify you of any unexpected or malicious changes to your firewall rules or instances.

NEW QUESTION 295

You are creating an application that will run on Google Kubernetes Engine. You have identified MongoDB as the most suitable database system for your application and want to deploy a managed MongoDB environment that provides a support SLA. What should you do?

- A. Create a Cloud Bigtable cluster and use the HBase API
- B. Deploy MongoDB Alias from the Google Cloud Marketplace
- C. Download a MongoDB installation package and run it on Compute Engine instances
- D. Download a MongoDB installation package, and run it on a Managed Instance Group

Answer: B

Explanation:

<https://console.cloud.google.com/marketplace/details/gc-launcher-for-mongodb-atlas/mongodb-atlas>

NEW QUESTION 299

An external member of your team needs list access to compute images and disks in one of your projects. You want to follow Google-recommended practices when you grant the required permissions to this user. What should you do?

- A. Create a custom role, and add all the required compute.disks.list and compute, images.list permissions as includedPermission
- B. Grant the custom role to the user at the project level.
- C. Create a custom role based on the Compute Image User role Add the compute.disks, list to theincludedPermissions field Grant the custom role to the user at the project level
- D. Grant the Compute Storage Admin role at the project level.
- E. Create a custom role based on the Compute Storage Admin rol
- F. Exclude unnecessary permissions from the custom rol
- G. Grant the custom role to the user at the project level.

Answer: B

NEW QUESTION 304

You are working for a startup that was officially registered as a business 6 months ago. As your customer base grows, your use of Google Cloud increases. You want to allow all engineers to create new projects without asking them for their credit card information. What should you do?

- A. Create a Billing account, associate a payment method with it, and provide all project creators with permission to associate that billing account with their projects.
- B. Grant all engineer's permission to create their own billing accounts for each new project.
- C. Apply for monthly invoiced billing, and have a single invoice for the project paid by the finance team.
- D. Create a billing account, associate it with a monthly purchase order (PO), and send the PO to Google Cloud.

Answer: A

NEW QUESTION 307

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

Associate-Cloud-Engineer Practice Exam Features:

- * Associate-Cloud-Engineer Questions and Answers Updated Frequently
- * Associate-Cloud-Engineer Practice Questions Verified by Expert Senior Certified Staff
- * Associate-Cloud-Engineer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * Associate-Cloud-Engineer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The Associate-Cloud-Engineer Practice Test Here](#)