

## AZ-801 Dumps

### Configuring Windows Server Hybrid Advanced Services

<https://www.certleader.com/AZ-801-dumps.html>



NEW QUESTION 1

- (Exam Topic 3)

You have 50 on-premises servers that run Windows Server. You have an Azure subscription that contains 50 virtual machines that run Windows Server. You need to create an Azure Monitor alert that will be triggered if one of the servers or virtual machines has less than 10 percent available disk space. What should you do first?

- A. Create an Alert Rule
- B. Install the Azure Monitor agent on each server.
- C. Enable System Insights on each server.
- D. Create a Log Analytics workspace and configure the Agent management settings.

Answer: A

Explanation:

<https://learn.microsoft.com/en-us/answers/questions/165893/help-to-set-up-azure-alert-for-disk-space-alert-wh.h>

NEW QUESTION 2

- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) domain that has the Active Directory Recycle Bin enabled. The domain contains two domain controllers named DC1 and DC2. The system state of the domain controllers is backed up daily at 23:00 by using Windows Server Backup.

You have an organizational unit (OU) named ParisUsers that contains 1,000 users.

At 08:00, DC1 shuts down for hardware maintenance. The maintenance completes, but DC1 remains shut down.

At 09:00, an administrative error causes the manager attribute of each user in ParisUsers to be deleted. You need to recover the user account details as quickly as possible. The solution must minimize data loss.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Start DC1 normally.

Perform an authoritative restore on DC1.

Recover all the user objects in the Active Directory Recycle Bin.

Start DC1 by using the Last Known Good Configuration.

Start DC1 in Directory Services Restore Mode.

Perform a system state restore on DC1.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text, table Description automatically generated with medium confidence

NEW QUESTION 3

- (Exam Topic 3)

You have two file servers named Server1 and Server2 that run Windows Server. Server1 contains a shared folder named Data. Data contains 10 TB of data. You plan to decommission Server1.

You need to migrate the files from Data to a new shared folder on Server2. The solution must meet the following requirements:

- Ensure that share, file, and folder permissions are copied.
- After the initial copy occurs, ensure that changes in \\Server1\Data can be synced to the destination without initiating a full copy.
- Minimize administrative effort.

What should you use?

- A. xcopy
- B. Storage Replica
- C. Storage Migration Service
- D. azcopy

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows-server/storage/storage-migration-service/overview#why-use-storage>

**NEW QUESTION 4**

- (Exam Topic 3)

You have a three-node failover cluster.

You need to run pre-scripts and post-scripts when Cluster-Aware Updating (CAU) runs. The solution must minimize administrative effort.

What should you use?

- A. Scheduled tasks
- B. Run profiles
- C. Azure Functions
- D. Windows Server Update Serveries (WSUS)

**Answer: B**

**NEW QUESTION 5**

- (Exam Topic 3)

You have an Azure virtual machine named VM1 that runs Windows Server.

When you attempt to install the Azure Performance Diagnostics extension on VM I, the installation fails. You need to identify the cause of the installation failure.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Sign in to VM1 and verify the WaAppAgentlog file.
- B. From the Azure portal, view the alerts for VM1.
- C. From the Azure portal, view the activity log for VM1.
- D. Sign into VM1 and verify the MonitoringAgentlog file.

**Answer: AB**

**NEW QUESTION 6**

- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com. The domain contains the organizational units (OUs) shown in the following table.

Name	Contents
Domain Controllers	All the domain controllers in the domain
Domain Servers	All the servers that run Windows Server in the domain
Domain Client Computers	All the client computers that run Windows 10 in the domain
Domain Users	All the users in the domain

In the domain, you create the Group Policy Objects (GPOs) shown in the following table.

Name	IPsec setting
GPO1	Require authentication by using Kerberos V5 for inbound connections
GPO2	Request authentication by using Kerberos V5 for inbound connections
GPO3	Require authentication by using X.509 certificates for inbound connections
GPO4	Request authentication by using X.509 certificates for inbound connections

You need to implement IPsec authentication to ensure that only authenticated computer accounts can connect to the members in the domain. The solution must minimize administrative effort.

Which GPOs should you apply to the Domain Controllers OU and the Domain Servers OU? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Domain Controllers:	<div><div></div><div>GPO1</div><div>GPO2</div><div>GPO3</div><div>GPO4</div></div>
Domain Servers:	<div><div></div><div>GPO1</div><div>GPO2</div><div>GPO3</div><div>GPO4</div></div>

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Table Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/windows/security/threat-protection/windows-firewall/configure-authentication->

**NEW QUESTION 7**

- (Exam Topic 3)  
Your network contains an Active Directory Domain Services (AD DS) domain. The domain contains 20 Active Directory sites. All user management is performed from a central site.  
You add users to a group.  
You discover that group changes do NOT appear on a domain controller in a remote site. You need to identify whether the group changes appear on other domain controllers. What should you use?

- A. Microsoft Support and Recovery Assistant
- B. File Replication Service (FRS) Status Viewer
- C. Active Directory Replication Status Tool
- D. Active Directory Sites and Services

**Answer:** D

**NEW QUESTION 8**

- (Exam Topic 3)  
Your network contains an Active Directory Domain Services (AD DS) domain. The domain contains three servers named Server1, Server2, and Server3 that run Windows Server. All the servers are on the same network and have network connectivity.  
On Server1, Windows Defender Firewall has a connection security rule that has the following settings:

- Rule Type: Server-to-server
- Endpoint 1: Any IP address
- Endpoint 2: Any IP address
- Requirements: Require authentication for inbound connections and request authentication for outbound connections
- Authentication Method: Computer (Kerberos V5)
- Profile: Domain, Private, Public
- Name: Rule1

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
When Server1 establishes a network connection with Server2, the connection is encrypted.	<input type="radio"/>	<input type="radio"/>
Server2 can establish a network connection with Server3.	<input type="radio"/>	<input type="radio"/>
When Server3 establishes a network connection with Server1, the connection is encrypted.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Statements	Yes	No
When Server1 establishes a network connection with Server2, the connection is encrypted.	<input type="radio"/>	<input checked="" type="radio"/>
Server2 can establish a network connection with Server3.	<input checked="" type="radio"/>	<input type="radio"/>
When Server3 establishes a network connection with Server1, the connection is encrypted.	<input type="radio"/>	<input checked="" type="radio"/>

**NEW QUESTION 9**

- (Exam Topic 3)  
Your network contains an Active Directory Domain Services (AD DS) domain. The domain contains two servers named Server1 and Server2 that run Windows Server.  
You need to ensure that you can use the Computer Management console to manage Server2. The solution must use the principle of least privilege.  
Which two Windows Defender Firewall with Advanced Security rules should you enable on Server2? Each correct answer presents part of the solution.  
NOTE: Each correct selection is worth one point.

- A. the COM+ Network Access (DCOM-In) rule
- B. all the rules in the Remote Event Log Management group
- C. the Windows Management Instrumentation (WMI-In) rule



- D. the COM+ Remote Administration (DCOM-In) rule
- E. the Windows Management Instrumentation (DCOM-In) rule

**Answer:** AB

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/windows-server/administration/server-manager/configure-remote-management>

**NEW QUESTION 10**

- (Exam Topic 3)  
You have five Azure virtual machines. You have a dedicated Azure Storage account to collect performance data. You need to send the collected data directly to the Azure Storage account. What should you install on the virtual machines?

- A. the Telegraf agent
- B. the Azure Monitor agent
- C. the Dependency agent
- D. the Azure Diagnostics extension
- E. the Azure Connected Machine agent

**Answer:** D

**NEW QUESTION 10**

- (Exam Topic 3)  
You have a server that runs Windows Server.  
You plan to back up the server to an Azure Recovery Services vault once per week starting on the next Saturday.  
You need to schedule the weekly backup and perform the initial backup as soon as possible.  
In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Run the Register Server Wizard.	
From Microsoft Azure Backup, run the Schedule Backup Wizard.	
From Microsoft Azure Backup, run the Back Up Now Wizard.	
Download the Microsoft Azure Recovery Services (MARS) agent and the Vault Credentials file.	
Run the Microsoft Azure Recovery Services Agent Setup Wizard.	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Text Description automatically generated with medium confidence  
Reference:  
<https://docs.microsoft.com/en-us/azure/backup/install-mars-agent#download-the-mars-agent> <https://docs.microsoft.com/en-us/azure/backup/backup-windows-with-mars-agent>

**NEW QUESTION 11**

- (Exam Topic 3)  
You have an on-premises server named Served that runs Windows Server. You have an Azure subscription. You plan to back up the files and folders on Server1 to Azure by using Azure Backup. You need to define how long the backups will be retained. What should you use to configure the retention?

- A. Backup center
- B. Windows Server Backup
- C. the Microsoft Azure Recovery Services (MARS) agent
- D. a Recovery Services vault

**Answer:** B

**NEW QUESTION 16**

- (Exam Topic 3)  
You have a server named Server1 that runs Windows Server and has the Web Server (IIS) server role installed. Server1 hosts an ASP.NET Core web app named WebApp1 and the app's source files.  
You install Docker on Server1.  
You need to ensure that you can deploy WebApp1 to an Azure App Service web app from the Azure Container Registry.  
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

## Actions

## Answer Area

Run the docker push command.

Run the docker run command.

Run the docker build command.

Create a Dockerfile.

Create an Azure Resource Manager (ARM) template.

Run the docker pull command.

- A. Mastered  
B. Not Mastered

**Answer:** A

### Explanation:

Step 1: Create a Dockerfile. This file contains instructions for the build process. Step 2: Run the docker build command to create a container image. Step 3: Run the docker push command to upload the image to Azure Container Registry.

## NEW QUESTION 20

- (Exam Topic 3)

You have an on-premises server named Server1 that runs Windows Server and has the Hyper-V server role installed.

You have an Azure subscription.

You plan to back up Server1 to Azure by using Azure Backup.

Which two Azure Backup options require you to deploy Microsoft Azure Backup Server (MABS)? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Bare Metal Recovery  
B. Files and folders  
C. System State  
D. Hyper-V Virtual Machines

**Answer:** AC

### Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/backup/backup-mabs-system-state-and-bmr>

## NEW QUESTION 22

- (Exam Topic 3)

You deploy Azure Migrate to an on-premises network.

You have an on-premises physical server named Server1 that runs Windows Server and has the following configuration.

Operating system disk 600 GB

Data disc 3 TB

NIC Teaming: Enabled Mobility service: installed Windows Firewall: Enabled

Microsoft Defender Antivirus: Enabled

You need to ensure that you can use Azure Migrate to migrate Server1. Solution: You disable Microsoft Defender Antivirus on Server1.

Does this meet the goal?

- A. Yes  
B. No

**Answer:** B

## NEW QUESTION 23

- (Exam Topic 3)

You have a failover cluster named Cluster1 that contains three nodes.

You plan to add two file server cluster roles named File1 and File2 to Cluster1. File1 will use the File Server for general use role. File2 will use the Scale-Out File Server for application data role.

What is the maximum number of nodes for File1 and File2 that can concurrently serve client connections? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

File1:

File2:

- A. Mastered  
B. Not Mastered

**Answer: A**

**Explanation:**

Graphical user interface, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/windows-server/failover-clustering/sofs-overview>

**NEW QUESTION 27**

- (Exam Topic 3)

Your network contains an Active Directory Domain Service (AD DS) domain named contoso.com. The domain contains three domain controllers named DC1, DC2, and DC3.

You connect a Microsoft Defender or identity instances to the domain.

You need to onboard all the domain controllers to Defender for identity. What should you run the domain controllers?

- A. AzureConnectedMachineAgent, wsl  
B. MARAgentInstaller, exe  
C. Azure ATP Sensor setup, exe  
D. MASetup-AMD64, exe

**Answer: C**

**NEW QUESTION 32**

- (Exam Topic 3)

You have a failover cluster named Cluster1 that contains three Windows Server nodes named Node 1, Node2. and Node3.

You need to deploy a Storage Spaces Direct virtual disk to Cluster1. You add the following disks to each node:

- Three 512-GB NVMe disks
- Three 3-TB diskS
- Three 1-TB SSD disks

On Cluster1. you enable Storage Spaces Direct and add the new disks.

What is the total amount of disk space available for the Storage Spaces Direct virtual disk, and which operations are cached for the SSD and HDD disks? To answer, select the appropriate options in the answer area.

Disk space available for the Storage Spaces Direct virtual disk:


Cache behavior of the SSD disks:

Cache behavior of the HDD disks:

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**



#### NEW QUESTION 35

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server.

You need to ensure that only specific applications can modify the data in protected folders on Server1. Solution: From Virus & threat protection, you configure Tamper Protection.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/customize-controlled-folders?view=>

#### NEW QUESTION 37

- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) domain. All domain members have Microsoft Defender Credential Guard with UEFI lockdown configured in the domain. You deploy a server named Server1 that runs Windows Server. You disable Credential Guard on Server1. You need to ensure that Server1 is MOST subject to Credential Guard restrictions. What should you do next?

- A. Run the Device Guard and Credential Guard hardware readiness tool
- B. Disable the Turn on Virtualization Based Security group policy setting
- C. Run dism and specify the /Disable-Feature and /FeatureName:IsolatedUserMode parameters

**Answer:** B

#### NEW QUESTION 42

- (Exam Topic 3)

Your company uses Storage Spaces Direct.

You need to view the available storage in a Storage Spaces Direct storage pool. What should you use?

- A. File Server Resource Manager (FSRM)
- B. the Get-StorageSubsystem cmdlet
- C. Disk Management
- D. Windows Admin Center

**Answer:** D

#### NEW QUESTION 45

- (Exam Topic 3)

You have an Azure subscription. The subscription contains a virtual machine named VM1 that runs Windows Server. The subscription contains the storage accounts shown in the following table.



Name	Performance	Premium account type	Redundancy
storage1	Standard	<i>Not applicable</i>	Geo-redundant storage (GRS)
storage2	Standard	<i>Not applicable</i>	Zone-redundant storage (ZRS)
storage3	Premium	Block blobs	Locally-redundant storage (LRS)
storage4	Premium	File shares	Locally-redundant storage (LRS)

You plan to enable boot diagnostics for VM1.

You need to configure storage for the boot diagnostics logs and snapshots. Which storage account should you use?

- A. storage1
- B. storage2
- C. storage3

**Answer: C**

#### NEW QUESTION 46

- (Exam Topic 3)

You have a Site-to-Site VPN between an on-premises network and an Azure VPN gateway. BGP is disabled for the Site-to-Site VPN.

You have an Azure virtual network named Vnet1 that contains a subnet named Subnet1. Subnet1 contains a virtual machine named Server1.

You can connect to Server1 from the on-premises network.

You extend the address space of Vnet1. You add a subnet named Subnet2 to Vnet1. Subnet2 uses the extended address space. You deploy an Azure virtual machine named Server2 to Subnet2.

You cannot connect to Server2 from the on-premises network. Server1 can connect to Server2. You need to ensure that you can connect to Subnet2 from the on-premises network.

What should you do?

- A. Add an additional Site-to-Site VPN between the on-premises network and Vnet1.
- B. Add a private endpoint to Subnet2.
- C. To Subnet2, add a route table that contains a user-defined route.
- D. Update the routing information on the on-premises routers.

**Answer: D**

#### NEW QUESTION 47

- (Exam Topic 3)

You have a Hyper-V failover cluster named Cluster1 at a main datacenter. Cluster1 contains two nodes that have the Hyper-V server role installed. Cluster1 hosts 10 highly available virtual machines.

You have a cluster named Cluster2 in a disaster recovery site. Cluster2 contains two nodes that have the Hyper-V server role installed.

You plan to use Hyper-V Replica to replicate the virtual machines from Cluster1 to Cluster2. What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

#### Answer Area

Cluster role to create on Cluster2:

Distributed Transaction Coordinator (DTC)  
Generic Script  
Hyper-V Replica Broker  
Virtual machine

Replication target name to specify:

Cluster2  
The name of a node on Cluster2  
The name of each virtual machine  
The name of the Hyper-V Replica Broker

- A. Mastered
- B. Not Mastered

**Answer: A**

#### Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/virtualization/community/team-blog/2012/20120327-why-is-the-hyper-v-replic>

#### NEW QUESTION 51

- (Exam Topic 3)

You have three servers named Server1, Server2, Server3 that run Windows Server and have the Hyper-V server role installed.

You plan to create a hyper-converged cluster to host Hyper-V virtual machines. You need to ensure that you can store virtual machines in Storage Spaces Direct. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

## Actions

## Answer Area

- Create a failover cluster.
- Create a Distributed File System (DFS) namespace.
- Enable Storage Spaces Direct.
- Create a volume.
- Add a Scale-Out File Server for application role.
- Create a file share.

- A. Mastered
- B. Not Mastered

**Answer:** A

### Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/system-center/vmm/s2d-hyper-converged?view=sc-vmm-2019>

### NEW QUESTION 54

- (Exam Topic 3)

You have a Hyper-V failover cluster named Cluster1 that uses a cloud witness. Cluster1 hosts a virtual machine named VM1 that runs Windows Server.

You need to fail over VM1 automatically to a different node when a service named Service1 on VM1 fails. What should you do on Cluster1 and VM1? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

## Cluster1:

- Modify the settings of the VM1 cluster role.
- Configure monitoring of the VM1 cluster role.
- Change the startup priority of the VM1 cluster role.

## VM1:

- Configure the Startup Type of Service1.
- Configure the Recovery settings of Service1.
- Configure the Startup and Recovery settings.
- Install and configure the Azure Monitor agent.

- A. Mastered
- B. Not Mastered

**Answer:** A

### Explanation:

Text, table Description automatically generated

### NEW QUESTION 55

- (Exam Topic 3)

You have an on-premises network and an Azure virtual network.

You establish a Site-to-Site VPN connection from the on-premises network to the Azure virtual network, but the connection frequently disconnects.

You need to debug the IPsec tunnel from Azure.

Which Azure VPN Gateway diagnostic log should you review?

- A. GatewayDiagnosticLog
- B. RouteDiagnosticLog
- C. IKEDiagnosticLog
- D. TunnelDiagnosticLog

**Answer:** D

### Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/troubleshoot-vpn-with-azure-diagnostics>

**NEW QUESTION 56**

- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) domain. The domain contains the servers shown in the following table.

Name	Operating system	Server role
Server1	Windows Server 2019	DHCP Server
Server2	Windows Server 2022	DHCP Server
Server3	Windows Server 2019	File Server

Server3 contains a share named Share1.

On Server1, DHCP has the following configurations:

Conflict detection attempts: 3

An IPv4 scope named Scope1 that has the following settings:

\* 1.Address Pool: 172.16.10.100 - 172.16.10.130

\* 2. Address Leases:

- 172.16.10.100 computer1.contoso.com

- 172.16.10.101 computer2.contoso.com

Reservations: 172.16.10.101 computer2.contoso.com Policies: Policy1

You perform the following actions:

> On Server1, you run

Export-DhcpServer -File \\Server3\Share1\File1.xml.

> On Server2, you run

Import-DhcpServer -File \\Server3\Share1\File1.xml

-BackupPath \\Server3\Share1.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
On Server2, Conflict detection attempts is set to 3.	<input type="radio"/>	<input type="radio"/>
On Server2, there is a reservation for computer2.contoso.com.	<input type="radio"/>	<input type="radio"/>
On Server2, Policy1 is applied to Scope1.	<input type="radio"/>	<input type="radio"/>

A. Mastered

B. Not Mastered

**Answer:** A

**Explanation:**

Text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/powershell/module/dhcpserver/export-dhcpserver?view=windowsserver2022-p> <https://docs.microsoft.com/en-us/powershell/module/dhcpserver/import-dhcpserver?view=windowsserver2022-p>

**NEW QUESTION 57**

- (Exam Topic 3)

You deploy Azure Migrate to an on-premises network.

You have an on-premises physical server named Server1 that runs Windows Server and has the following configuration.

Operating system disk 600 GB Data disc 3 TB

NIC Teaming: Enabled Mobility service: installed Windows Firewall: Enabled

Microsoft Defender Antivirus: Enabled

You need to ensure that you can use Azure Migrate to migrate Server1. Solution: You disable Windows Firewall on Server1.

Does this meet the goal?

A. Yes

B. No

**Answer:** B

**NEW QUESTION 58**

- (Exam Topic 3)

You have an Azure virtual machine named VM1 that has the Web Server (IIS) server role installed. VM1 hosts a critical line-of-business (LOB) application.

After the security team at your company deploys a new security baseline to VM1, users begin reporting that the application is unresponsive.

You suspect that the security baseline has caused networking issues. You need to perform a network trace on VM1.

What should you do?

A. From VM1, run netsh.

B. From Performance Monitor on VM1, create a Data Collector Set.

C. From the Azure portal, configure the Diagnostics settings for VM1.

D. From the Azure portal, configure the Performance diagnostics settings for VM1.

**Answer:** D



**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/troubleshoot/azure/virtual-machines/performance-diagnostics>

**NEW QUESTION 63**

- (Exam Topic 3)

You have an on-premises server that runs Windows Server and contains a folder named Folder1. Folder1 contains 50 GB of files.

You have an Azure subscription that contains an Azure Files share named share1. You need to migrate the data in Folder1 to share1.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Deploy to Azure:  ▼

- An Azure Storage account
- ArcBox
- An Azure Migrate project
- An on-premises data gateway
- An Azure Storage account**
- A Storage Sync Service instance

Install on Server1:  ▼

- The Azure File Sync agent
- The Azure Connected Machine agent
- The Azure File Sync agent**
- Storage Migration Service
- Storage Replica

A. Mastered

B. Not Mastered

**Answer: A**

**Explanation:**

**Answer Area**

Deploy to Azure:  ▼

- An Azure Storage account
- ArcBox
- An Azure Migrate project
- An on-premises data gateway
- An Azure Storage account**
- A Storage Sync Service instance

Install on Server1:  ▼

- The Azure File Sync agent
- The Azure Connected Machine agent
- The Azure File Sync agent**
- Storage Migration Service
- Storage Replica

**NEW QUESTION 64**

- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) domain. The domain contains a server named Server1 that runs Windows Server.

You run `Get-BitLockerVolume -MountPoint C:\ | ? { $1 }`, which generates the following output.

```
ComputerName      : SERVER1
MountPoint        : C:
EncryptionMethod  : None
AutoUnlockEnabled : 
AutoUnlockKeyStored : 
MetadataVersion  : 0
VolumeStatus      : FullyDecrypted
ProtectionStatus  : Off
LockStatus        : Unlocked
```

**Answer Area**

▼

- Add-BitLockerKeyProtector
- Clear-BitLockerAutoUnlock
- Enable-BitLockerAutoUnlock

▼

- Service
- TPMAndPinAndStartupKeyProtector
- TPMAndPinProtector

A. Mastered

B. Not Mastered



**Answer:** A

**Explanation:**

Answer Area



#### NEW QUESTION 69

- (Exam Topic 3)

Your on-premises network contains two subnets. The subnets contain servers that run Windows Server as shown in the following table.

Name	IP address
Server1	192.168.1.10
Server2	192.168.0.250
Server3	192.168.0.240
Server4	192.168.0.10

Server4 has the following IP configurations: Ethernet adapter Ethernet:

Connection-specific DNS Suffix . . . :

IPv4 Address . . . . . : 192.168.0.10

Subnet Mask . . . . . : 255.255.255.0

Default Gateway . . . . . : 192.168.0.1

From Server4, you can ping Server1 and Server2 successfully. When you ping Server3, you get a Request timed out response.

From Server2, you can ping Server1 and Server3 successfully.

The misconfiguration of which component on Server3 can cause the Request timed out response?

- A. default gateway
- B. IP address
- C. subnet mask
- D. DNS server

**Answer:** C

#### NEW QUESTION 74

- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) domain. The domain contains a print server named Server1. All printers are deployed to users by using a Group Policy Object (GPO) named GPO1.

You deploy a new server named Server2.

You need to decommission Server1. The solution must meet the following requirements:

- > Migrate the shared printers to Server2 by using the Printer Migration Wizard.
- > Ensure that the users use the printers on Server2.
- > Minimize downtime for the users.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

- Decommission Server1.
- Import the printers on Server2.
- Deploy Windows Server Hybrid Cloud Print.
- Export the printers on Server1.
- Update the service principal name (SPN) of each printer.
- Modify GPO1.

**Answer Area**

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/archive/blogs/canitpro/step-by-step-migrating-print-servers-from-windows-ser>

#### NEW QUESTION 76

- (Exam Topic 3)

You deploy Azure Migrate to an on-premises network.

You have an on-premises physical server named Server1 that runs Windows Server and has the following configuration.

- \* Operating system disk 600 GB
- \* Data disc 3 TB
- \* NIC Teaming: Enabled
- \* Mobility service: installed
- \* Windows Firewall: Enabled
- \* Microsoft Defender Antivirus: Enabled

You need to ensure that you can use Azure Migrate to migrate Server1. Solution: You shrink the data disk on Server1.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

#### NEW QUESTION 77

- (Exam Topic 3)

Your on-premises network has a 200-Mbps connection to Azure and contains a server named Server1 that stores 70 TB of data files.

You have an Azure Storage account named storage1.

You plan to migrate the data files from Server1 to a blob storage container in storage1. Testing shows that copying the data files by using azcopy will take approximately 35 days.

You need to minimize how long it will take to migrate the data to Azure. What should you use?

- A. Storage Migration Service
- B. Azure Storage Explorer
- C. Azure Data Box
- D. Azure File Sync

**Answer: C**

#### NEW QUESTION 82

- (Exam Topic 3)

You have a failover cluster named Cluster1 that hosts an application named App1.

The General tab in App1 Properties is shown in the General exhibit (Click the General Tab) The failover tab in App1 Properties is shown in the failover exhibit (Click the Failover tab.)

Server 1 shuts down unexpectedly.

You need to ensure that when you start Server 1, App1 continues to run on Server2.

Solution: From the General settings, you increase the priority of Server2 in the Preferred Owners list. Does this meet the goal?

- A. Yes
- B. NO

**Answer: B**

#### NEW QUESTION 87

- (Exam Topic 3)

You have a server named Server1 that runs Windows Server and has the Hyper-V server role installed. You have a Hyper-V failover cluster named Cluster1. All servers are members of the same domain.

You need to ensure that you use Hyper-V Replica with Kerberos authentication on the default port to replicate virtual machines from Cluster1 to Server1.

What should you do on Server1?

- A. Add primary servers to the Hyper-V Replica Broker configuration.
- B. From Hyper-V Settings, select Enable incoming and outgoing live migrations
- C. From Windows Defender Firewall with Advanced Security, enable the Hyper-V Replica HTTPS Listener (TCP-In) rule.
- D. From Windows Defender Firewall with Advanced Security, enable the Hyper-V Replica HTTP Listener (TCP-In) rule.

**Answer: D**

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows-server/virtualization/hyper-v/manage/set-up-hyper-v-replica>

#### NEW QUESTION 91

- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) domain. You need to implement a solution that meets the following requirements:

- Ensures that the members of the Domain Admins group are allowed to sign in only to domain controllers
- Ensures that the lifetime of Kerberos Ticket Granting Ticket (TGT) for the members of the Domain Admins group is limited to one hour

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create a Dynamic Access Control central access policy.	
Configure the Kerberos Policy settings for the Default Domain Policy Group Policy Object (GPO).	
Create a Dynamic Access Control claim type.	
Create an authentication policy.	
Assign the authentication policy silo to user and computer accounts.	
Create an authentication policy silo.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/windows-server/identity/ad-ds/manage/how-to-configure-protected-accounts>

NEW QUESTION 94

- (Exam Topic 3)

You have an on-premises Active Directory Domain Services (AD DS) domain that syncs with an Azure Active Directory (Azure AD) tenant by using password hash synchronization.

You have a Microsoft 365 subscription. All devices are hybrid Azure AD-joined.

Users report that they must enter their password manually when accessing Microsoft 365 applications.

You need to reduce the number of times the users are prompted for their password when they access Microsoft 365 and Azure services.

What should you do?

- A. In Azure A
- B. configure a Conditional Access policy for the Microsoft Office 365 applications.
- C. In the DNS zone of the AD DS domain, create an autodiscover record.
- D. From Azure AD Connect, enable single sign-on (SSO).
- E. From Azure AD Connect, configure pass-through authentication.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sso-quick-start>

NEW QUESTION 98

- (Exam Topic 3)

You plan to deploy the Azure Monitor agent to 100 on-premises servers that run Windows Server. Which parameters should you provide when you install the agent?

- A. the client ID and the secret of an Azure service principal
- B. the name and the access key of an Azure Storage account
- C. a connection string for an Azure SQL database
- D. the ID and the key of an Azure Log Analytics workspace

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows-server/storage/storage-spaces/configure-azure-monitor>

NEW QUESTION 103

- (Exam Topic 3)

You have an Azure subscription that contains an Azure key vault named Vault1. You plan to deploy a virtual machine named VM1 that will run Windows Server.

You need to enable encryption at host for VM1. The solution must use customer-managed keys.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Create VM1 and associate the disks of the virtual machine with the disk encryption set.

Assign the Virtual Machine Contributor role to the system-assigned managed identity of VM1.

Enable a system-assigned managed identity on VM1.

Create a disk encryption set and generate RSA keys.

Grant Vault1 the managed identity permission for the disk encryption set.

>

<

Answer Area

⬆

⬇

- A. Mastered  
B. Not Mastered

**Answer: A**

**Explanation:**

Actions

Create VM1 and associate the disks of the virtual machine with the disk encryption set.

Assign the Virtual Machine Contributor role to the system-assigned managed identity of VM1.

Enable a system-assigned managed identity on VM1.

Create a disk encryption set and generate RSA keys.

Grant Vault1 the managed identity permission for the disk encryption set.

>

<

Answer Area

Enable a system-assigned managed identity on VM1.

Create a disk encryption set and generate RSA keys.

Grant Vault1 the managed identity permission for the disk encryption set.

⬆

⬇

**NEW QUESTION 106**

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a failover cluster named Cluster1 that hosts an application named App1.

The General tab in App1 Properties is shown in the General exhibit. (Click the General tab.)



App1 Properties

General Failover

App1

Name: App1

Preferred Owners  
Select the preferred owners for this clustered role. Use the buttons to list them in order from most preferred at the top to least preferred at the bottom.

☐ Server1  
☐ Server2

Priority: Medium

Status: Running  
Node: Server2

OK Cancel Apply

The Failover tab in App1 Properties is shown in the Failover exhibit. (Click the Failover tab.)

App1 Properties

General Failover

Failover

Specify the number of times the Cluster service will attempt to restart or fail over the clustered role in the specified period.

If the clustered role fails more than the maximum in the specified period, it will be left in the failed state.

Maximum failures in the specified period: 3

Period (hours): 6

Failback

Specify whether the clustered role will automatically fail back to the most preferred owner (which is set on the General tab).

☐ Prevent failback  
☒ Allow failback

☒ Immediately  
☐ Failback between 0 and 0 hours

OK Cancel Apply

Server1 shuts down unexpectedly.

You need to ensure that when you start Server1, App1 continues to run on Server2. Solution: You increase Maximum failures in the specified period for the App1 cluster role. Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

The Maximum failures setting is used to determine when the cluster determines that a node is offline. It does not affect whether a cluster will fail back when a node comes online.

#### NEW QUESTION 107

- (Exam Topic 3)

You have three servers named Server 1. Servers and Server3 that run Windows Server. The servers have the Hyper-V server role installed and are configured in a Storage Spaces Deed cluster named Cluster1.

Cluster1 hosts a virtual machine named VM1 that has Windows Admin Center Installed. You manage all servers and clusters by using Windows Admin Center.

You purchase an Azure subscription.

You need to configure email alerts in Azure Monitor for the following:

- Disk Capacity Utilization Over 80% for 10 Minutes
- Any critical alert in the cluster system event log
- Memory Utilization over 95% for 10 minutes
- Heartbeat fewer than 5 beats for 5 Minutes.
- CPU Utilization over 85 % for 10 Minutes.
- Any hearth service faults for the cluster

The solution must use the minimum amount of administrative effort. What should you do?

- A. From Windows Admin Center, configure Azure Monitor and onboard clustered.
- B. From Azure portal, configure Azure Monitor and onboard Cluster1 by using Azure Arc.
- C. Configure Azure Monitor and manually install the Microsoft Monitoring Agent on Server1, Server2 and Server3

**Answer:** A

#### NEW QUESTION 110

- (Exam Topic 3)

You have an Azure subscription that has Microsoft Defender for Cloud enabled. You have 50 Azure virtual machines that run Windows Server.

You need to ensure that any security exploits detected on the virtual machines are forwarded to Defender for Cloud.

Which extension should you enable on the virtual machines?

- A. Vulnerability assessment for machines
- B. Microsoft Dependency agent
- C. Log Analytics agent for Azure VMs
- D. Guest Configuration agent

**Answer:** A

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/defender-for-cloud/deploy-vulnerability-assessment-vm>

#### NEW QUESTION 113

- (Exam Topic 3)

You have the servers shown in the following table.

Name	Operating system	Configuration	Install option
Server1	Windows Server 2012 R2	File server	Server Core
Server2	Windows Server 2022	File server	Server Core
Server3	Windows Server 2016	Domain controller	Server with Desktop Experience

You plan to migrate file shares from Server1 to Server2.

Storage Migration Service:

Server1  
Server2  
Server3

Storage Migration Service extension:

Server1  
Server2  
Server3

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Server 2

Server 1

#### NEW QUESTION 114

- (Exam Topic 3)

You have an on-premises IIS web server that hosts a web app named Appl. You plan to migrate App1 to a container and run the container in Azure. You need to perform the following tasks:

- Export App1 to a ZIP file.
- Create a container image based on Appl.

The solution must minimize administrative effort.

	Answer Area
Azure Migrate	
The Azure portal	
Web Deploy	
Windows Admin Center	
Windows Server Migration Tools	

Export App1 to a ZIP file:	Tool
Create a container image with App1:	Tool

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Azure Migrate Web deploy

#### NEW QUESTION 119

- (Exam Topic 3)

You have 200 Azure virtual machines.

You create a recovery plan in Azure Site Recovery to fail over all the virtual machines to an Azure region. The plan has three manual actions.

You need to replace one of the manual actions with an automated process. What should you use?

- A. an Azure Desired State Configuration (DSC) virtual machine extension
- B. an Azure Automation runbook
- C. an Azure PowerShell function
- D. a Custom Script Extension on the virtual machines

**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/site-recovery/recovery-plan-overview>

#### NEW QUESTION 122

- (Exam Topic 3)

You have two Azure Virtual machines that run Windows Server.

You plan to create a failover cluster that will host the virtual machines.

You need to configure an Azure Storage account that will be used by the cluster as a cloud witness. The solution must maximize resiliency.

Which type of redundancy should you configure for the storage account?

- A. Geo-zone-redundant storage (GZRS)
- B. Geo-redundant storage (GRS)
- C. Zone-redundant storage (ZRS)
- D. Locally-redundant storage (LRS)

**Answer:** C

#### NEW QUESTION 126

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server.

You need to ensure that only specific applications can modify the data in protected folders on Server1. Solution: From App & browser control, you configure the Exploit protection settings.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/customize-controlled-folders?view=>

#### NEW QUESTION 128

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a failover cluster named Cluster1 that hosts an application named App1.  
The General tab in App1 Properties is shown in the General exhibit. (Click the General tab.)

**App1 Properties**

General Failover

App1

Name:  
App1

Preferred Owners  
Select the preferred owners for this clustered role. Use the buttons to list them in order from most preferred at the top to least preferred at the bottom.

☐ Server1  
☐ Server2

Priority: Medium

Status: Running

Node: Server2

OK Cancel Apply

The Failover tab in App1 Properties is shown in the Failover exhibit. (Click the Failover tab.)

**App1 Properties**

General Failover

Failover

Specify the number of times the Cluster service will attempt to restart or fail over the clustered role in the specified period.

If the clustered role fails more than the maximum in the specified period, it will be left in the failed state.

Maximum failures in the specified period: 3

Period (hours): 6

Failback

Specify whether the clustered role will automatically fail back to the most preferred owner (which is set on the General tab).

☐ Prevent failback

☒ Allow failback

☒ Immediately

☐ Failback between 0 and 0 hours

OK Cancel Apply

Server1 shuts down unexpectedly.  
You need to ensure that when you start Server1, App1 continues to run on Server2. Solution: From the General settings, you move Server2 up.  
Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

Server1 and Server2 are both unticked so the order they are listed in has no effect on whether the cluster will fail back.



**NEW QUESTION 129**

- (Exam Topic 3)

You have a server named Server1 that runs Windows Server.

You need to ensure that only specific applications can modify the data in protected folders on Server1. Solution: From App & browser control, you configure the Reputation-based protection.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**NEW QUESTION 134**

- (Exam Topic 3)

You have an Azure virtual machine named VM1.

You install an application on VM1, and then restart the virtual machine.

After the restart, you get the following error message: "Boot failure. Reboot and Select proper Boot Device or Insert Boot Media in selected Boot Device."

You need to mount the operating system disk offline from VM1 to a temporary virtual machine to troubleshoot the issue.

Which command should you run in Azure CLI?

- A. az vm repair create
- B. az vm boot-diagnostics enable
- C. az vm capture
- D. az vm disk attach

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/cli/azure/vm/repair?view=azure-cli-latest>

**NEW QUESTION 136**

- (Exam Topic 3)

You have two Azure virtual networks named Vnet1 and Vnet2.

You have a Windows 10 device named Client1 that connects to Vnet1 by using a Point-to-Site (P2S) IKEv2 VPN.

You implement virtual network peering between Vnet1 and Vnet2. Vnet1 allows gateway transit Vnet2 can use the remote gateway.

You discover that Client1 cannot communicate with Vnet2. You need to ensure that Client1 can communicate with Vnet2. Solution: You resize the gateway of Vnet1 to a larger SKU. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**NEW QUESTION 139**

- (Exam Topic 3)

You manage 200 physical servers that run Windows Server. You plan to migrate the servers to Azure.

You need to prepare for discovery of the servers by using Azure Migrate.

Which three actions should you perform in sequence on a physical server? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Download and extract the Azure Migrate installer script ZIP file.

Download and extract the Azure Migrate Appliance VHD file.

Run AzureMirgrateInstaller.ps1.

Import a virtual machine.

Configure the appliance and register the appliance with Azure Migrate.

Answer Area

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/migrate/tutorial-discover-physical>

#### NEW QUESTION 143

- (Exam Topic 3)

You have an Azure virtual machine named VM1 that runs Windows Server.

You need to encrypt the contents of the disks on VM1 by using Azure Disk Encryption. What is a prerequisite for implementing Azure Disk Encryption?

- A. Customer Lockbox for Microsoft Azure
- B. an Azure key vault
- C. a BitLocker recovery key
- D. data-link layer encryption in Azure

**Answer: B**

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/disk-encryption-overview>

#### NEW QUESTION 146

- (Exam Topic 3)

The Default Domain Policy Group Policy Object (GPO) is shown in the GPO exhibit. (Click the GPO tab.)

**Group Policy Management**

File Action View Window Help

Group Policy Management

- Forest: Fabrikam.com
  - Domains
    - Fabrikam.com
      - Default Domain Policy**
        - Domain Controllers
        - ServiceAccounts
        - Group Policy Objects
        - WMI Filters
        - Starter GPOs
  - Sites
    - Group Policy Modeling
    - Group Policy Results

**Default Domain Policy**

Scope Details Settings Delegation

Default Domain Policy  
Data collected on: 10/18/2021 9:06:02 PM [show all](#)

**General** [hide](#)

**Details** [show](#)

**Links** [show](#)

**Security Filtering** [show](#)

**Delegation** [show](#)

**Computer Configuration (Enabled)** [hide](#)

**Policies** [hide](#)

**Windows Settings** [hide](#)

**Security Settings** [hide](#)

**Account Policies/Password Policy** [hide](#)

Policy	Setting
Enforce password history	24 passwords remembered
Maximum password age	42 days
Minimum password age	1 days
Minimum password length	7 characters
Password must meet complexity requirements	Enabled
Store passwords using reversible encryption	Disabled

**Account Policies/Account Lockout Policy** [show](#)

**Account Policies/Kerberos Policy** [show](#)


**Local Policies/Security Options** [show](#)

**Public Key Policies/Encrypting File System** [show](#)

**User Configuration (Enabled)** [hide](#)

No settings defined.

The members of a group named Service Accounts are shown in the Group exhibit. (Click the Group tab.)



An organizational unit (OU) named ServiceAccounts is shown in the OU exhibit. (Click the OU tab.)



You create a Password Settings Object (PSO) as shown in the PSO exhibit. (Click the PSO tab.)

Service Accounts Policy

TASKS

SECTIONS

Password Settings

Directly Applies To

Extensions

Password Settings

Name: \* Service Accounts Policy

Precedence: \* 10

☒ Enforce minimum password length

Minimum password length (characte... \* 16

☒ Enforce password history

Number of passwords remembered: \* 12

☒ Password must meet complexity requirements

☐ Store password using reversible encryption

☒ Protect from accidental deletion

Description:

Password age options:

☒ Enforce minimum password age

User cannot change the password... \* 1

☒ Enforce maximum password age

User must change the password af... \* 30

☒ Enforce account lockout policy:

Number of failed logon attempts allo... \* 5

Reset failed logon attempts count aft... \* 30

Account will be locked out

☒ For a duration of (mins): \* 60

☐ Until an administrator manually unlocks the a...

Directly Applies To

Name

Mail

ServiceAccounts

Add...

Remove

Extensions

More Information

OK

Cancel

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
The password of ServiceAccount1 must be at least 16 characters long.	<input type="radio"/>	<input type="radio"/>
The password of ServiceAccount2 must be at least 16 characters long.	<input type="radio"/>	<input type="radio"/>
Accounts that have the Service Accounts Policy applied can change their password to P@\$w0rd1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

A screenshot of a computer Description automatically generated with medium confidence

Reference:

<https://docs.microsoft.com/en-us/windows-server/identity/ad-ds/get-started/adac/introduction-to-active-directory>

NEW QUESTION 150

- (Exam Topic 2)

You need to back up Server 4 to meet the technical requirements. What should you do first?

- A. Deploy Microsoft Azure Backup Server (MABS).
- B. Configure Windows Server Backup.
- C. Install the Microsoft Azure Recovery Services (MARS) agent.
- D. Configure Storage Replica.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/backup/install-mars-agent>

NEW QUESTION 153

- (Exam Topic 2)

You need to configure BitLocker on Server4.



On which volumes can you turn on BitLocker, and on which volumes can you turn on auto-unlock? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.

Answer Area

BitLocker:	<div><div></div><div>D only</div><div>C and D only</div><div>D, E, and F only</div><div>C, D, E, and F</div></div>
Auto-unlock:	<div><div></div><div>D only</div><div>C and D only</div><div>D, E, and F only</div><div>C, D, E, and F</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:  
<https://docs.microsoft.com/en-us/windows-server/storage/refs/refs-overview>  
<https://docs.microsoft.com/en-us/powershell/module/bitlocker/enable-bitlockerautounlock?view=windowsserver>

NEW QUESTION 157

- (Exam Topic 2)  
You need to implement alerts for the domain controllers. The solution must meet the technical requirements. What should you do on the domain controllers, and what should you create on Azure? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.

Answer Area

On the domain controllers:	<div><div></div><div>Create a Data Collector Set in Performance Monitor.</div><div>Modify the Performance Monitor Users group.</div><div>Install the Azure Monitor agent.</div></div>
In Azure:	<div><div></div><div>Create an Azure SQL database.</div><div>Create a Storage Sync Service.</div><div>Create an Azure Log Analytics workspace.</div><div>Create an Azure Storage account.</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated  
Reference:  
<https://docs.microsoft.com/en-us/azure/azure-monitor/agents/azure-monitor-agent-overview?tabs=PowerShellIW>

NEW QUESTION 161

- (Exam Topic 2)  
You need to meet the technical requirements for Cluster3. What should you include in the solution?

- A. Enable integration services on all the virtual machines.
- B. Add a Windows Server server role.
- C. Configure a fault domain doe the cluster.
- D. Add a failover cluster role.

Answer: D

Explanation:

The Hyper-V replica broker role is required on the cluster. Reference:  
<https://docs.microsoft.com/en-us/virtualization/community/team-blog/2012/20120327-why-is-the-hyper-v-replic>

**NEW QUESTION 164**

- (Exam Topic 1)

You need to implement a security policy solution to authorize the applications. The solution must meet the security requirements. Which service should you use to enforce the security policy, and what should you use to manage the policy settings? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

**Answer Area**

Enforce the security policy:

Microsoft Defender Application Control

Microsoft Defender Application Guard

Microsoft Defender Credential Guard

Microsoft Defender for Endpoint

Manage the policy settings:

Configuration profiles in Microsoft Intune

Compliance policies in Microsoft Intune

Group Policy Objects (GPOs)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application, chat or text message Description automatically generated  
Reference:  
<https://docs.microsoft.com/en-us/windows/security/threat-protection/windows-defender-application-control/wda>

**NEW QUESTION 169**

- (Exam Topic 1)

You are planning the www.fabrikam.com website migration to support the Azure migration plan. How should you configure WebApp1? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

**Answer Area**

To enable WebApp1 to handle requests for the website:

Add a custom domain name.

Create a deployment slot.

Create a private endpoint.

To point client connections to WebApp1:

Add HTTP redirect rules on WEB1 and WEB2.

Implement Azure Front Door.

Implement Azure Traffic Manager.

Modify a DNS record.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Add a custom domain name  
To migrate www.fabrikam.com website to an Azure App Service web app, you need to add Fabrikam.com as a custom domain in Azure. This will make the domain name available to use in the web app.  
Box 2: Modify a DNS record  
You need to change the DNS record for www.fabrikam.com to point to the Azure web app. HTTP redirect rules won't work because WEB1 and WEB2 will be decommissioned. Reference:  
<https://docs.microsoft.com/en-us/azure/app-service/app-service-web-tutorial-custom-domain?tabs=a%2Cazurecl>

**NEW QUESTION 170**

- (Exam Topic 1)

You are planning the DHCP1 migration to support the DHCP migration plan. Which two PowerShell cmdlets should you run on DHCP1, and which two PowerShell cmdlets should you run on DHCP2? To answer, drag the appropriate cmdlets to the correct servers. Each cmdlet may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.  
NOTE: Each correct selection is worth one point.

Cmdlets

Add-DhcpServerInDC

Add-DhcpServerv4Scope

Export-DhcpServer

Import-DhcpServer

Remove-DhcpServerInDC

Remove-DhcpServerv4Scope

Answer Area

DHCP1:

Cmdlet

Cmdlet

DHCP2:

Cmdlet

Cmdlet

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**  
Graphical user interface, text, application, chat or text message Description automatically generated  
Reference:  
<https://theitbros.com/how-to-migrate-dhcp-to-windows-server-2016/>

NEW QUESTION 174

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your AZ-801 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/AZ-801-dumps.html>