

## Exam Questions SAP-C02

AWS Certified Solutions Architect - Professional

<https://www.2passeasy.com/dumps/SAP-C02/>



### NEW QUESTION 1

- (Exam Topic 1)

A company is developing a new serverless API by using Amazon API Gateway and AWS Lambda. The company integrated the Lambda functions with API Gateway to use several shared libraries and custom classes.

A solutions architect needs to simplify the deployment of the solution and optimize for code reuse. Which solution will meet these requirements?

- A. Deploy the shared libraries and custom classes into a Docker image
- B. Store the image in an S3 bucket. Create a Lambda layer that uses the Docker image as the source
- C. Deploy the API's Lambda functions as Zip package
- D. Configure the packages to use the Lambda layer.
- E. Deploy the shared libraries and custom classes to a Docker image
- F. Upload the image to Amazon Elastic Container Registry (Amazon ECR). Create a Lambda layer that uses the Docker image as the source
- G. Deploy the API's Lambda functions as Zip package
- H. Configure the packages to use the Lambda layer.
- I. Deploy the shared libraries and custom classes to a Docker container in Amazon Elastic Container Service (Amazon ECS) by using the AWS Fargate launch type
- J. Deploy the API's Lambda functions as Zip package
- K. Configure the packages to use the deployed container as a Lambda layer.
- L. Deploy the shared libraries, custom classes, and code for the API's Lambda functions to a Docker image
- M. Upload the image to Amazon Elastic Container Registry (Amazon ECR). Configure the API's Lambda functions to use the Docker image as the deployment package.

**Answer:** B

#### Explanation:

Deploying the shared libraries and custom classes to a Docker image and uploading the image to Amazon Elastic Container Registry (Amazon ECR) and creating a Lambda layer that uses the Docker image as the source. Then, deploying the API's Lambda functions as Zip packages and configuring the packages to use the Lambda layer would meet the requirements for simplifying the deployment and optimizing for code reuse.

A Lambda layer is a distribution mechanism for libraries, custom runtimes, and other function dependencies. It allows you to manage your in-development function code separately from your dependencies, this way you can easily update your dependencies without having to update your entire function code.

By deploying the shared libraries and custom classes to a Docker image and uploading the image to Amazon Elastic Container Registry (ECR), it makes it easy to manage and version the dependencies. This way, the company can use the same version of the dependencies across different Lambda functions.

By creating a Lambda layer that uses the Docker image as the source, the company can configure the API's Lambda functions to use the layer, reducing the need to include the dependencies in each function package, and making it easy to update the dependencies across all functions at once.

Reference:

AWS Lambda Layers documentation: <https://docs.aws.amazon.com/lambda/latest/dg/configuration-layers.html>

AWS Elastic Container Registry (ECR) documentation: <https://aws.amazon.com/ecr/> Building Lambda Layers with Docker documentation:

<https://aws.amazon.com/blogs/compute/building-lambda-layers-with-docker/>

### NEW QUESTION 2

- (Exam Topic 1)

A solutions architect needs to advise a company on how to migrate its on-premises data processing application to the AWS Cloud. Currently, users upload input files through a web portal. The web server then stores the uploaded files on NAS and messages the processing server over a message queue. Each media file can take up to 1 hour to process. The company has determined that the number of media files awaiting processing is significantly higher during business hours, with the number of files rapidly declining after business hours.

What is the MOST cost-effective migration recommendation?

- A. Create a queue using Amazon SQS
- B. Configure the existing web server to publish to the new queue. When there are messages in the queue, invoke an AWS Lambda function to pull requests from the queue and process the file
- C. Store the processed files in an Amazon S3 bucket.
- D. Create a queue using Amazon SNS
- E. Configure the existing web server to publish to the new queue
- F. When there are messages in the queue, create a new Amazon EC2 instance to pull requests from the queue and process the file
- G. Store the processed files in Amazon EFS
- H. Shut down the EC2 instance after the task is complete.
- I. Create a queue using Amazon MQ
- J. Configure the existing web server to publish to the new queue. When there are messages in the queue, invoke an AWS Lambda function to pull requests from the queue and process the file
- K. Store the processed files in Amazon EFS.
- L. Create a queue using Amazon SNS
- M. Configure the existing web server to publish to the new queue
- N. Use Amazon EC2 instances in an EC2 Auto Scaling group to pull requests from the queue and process the file
- O. Scale the EC2 instances based on the SQS queue length
- P. Store the processed files in an Amazon S3 bucket.

**Answer:** D

#### Explanation:

<https://aws.amazon.com/blogs/compute/operating-lambda-performance-optimization-part-1/>

### NEW QUESTION 3

- (Exam Topic 1)

A company runs an IoT platform on AWS IoT sensors in various locations send data to the company's Node.js API servers on Amazon EC2 instances running behind an Application Load Balancer. The data is stored in an Amazon RDS MySQL DB instance that uses a 4 TB General Purpose SSD volume.

The number of sensors the company has deployed in the field has increased over time and is expected to grow significantly. The API servers are consistently overloaded and RDS metrics show high write latency.

Which of the following steps together will resolve the issues permanently and enable growth as new sensors are provisioned, while keeping this platform cost-efficient? (Select TWO.)

- A. Resize the MySQL General Purpose SSD storage to 6 TB to improve the volume's IOPS
- B. Re-architect the database tier to use Amazon Aurora instead of an RDS MySQL DB instance and add read replicas
- C. Leverage Amazon Kinesis Data Streams and AWS Lambda to ingest and process the raw data
- D. Use AWS X-Ray to analyze and debug application issues and add more API servers to match the load
- E. Re-architect the database tier to use Amazon DynamoDB instead of an RDS MySQL DB instance

**Answer:** CE

**Explanation:**

➤ Option C is correct because leveraging Amazon Kinesis Data Streams and AWS Lambda to ingest and process the raw data resolves the issues permanently and enable growth as new sensors are provisioned. Amazon Kinesis Data Streams is a serverless streaming data service that simplifies the capture, processing, and storage of data streams at any scale. Kinesis Data Streams can handle any amount of streaming data and process data from hundreds of thousands of sources with very low latency. AWS Lambda is a serverless compute service that lets you run code without provisioning or managing servers. Lambda can be triggered by Kinesis Data Streams events and process the data records in real time. Lambda can also scale automatically based on the incoming data volume. By using Kinesis Data Streams and Lambda, the company can reduce the load on the API servers and improve the performance and scalability of the data ingestion and processing layer3

➤ Option E is correct because re-architecting the database tier to use Amazon DynamoDB instead of an RDS MySQL DB instance resolves the issues permanently and enable growth as new sensors are provisioned. Amazon DynamoDB is a fully managed key-value and document database that delivers single-digit millisecond performance at any scale. DynamoDB supports auto scaling, which automatically adjusts read and write capacity based on actual traffic patterns. DynamoDB also supports on-demand capacity mode, which instantly accommodates up to double the previous peak traffic on a table. By using DynamoDB instead of RDS MySQL DB instance, the company can eliminate high write latency and improve scalability and performance of the database tier.

References: 1: <https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/ebs-volume-types.html> 2:

[https://docs.aws.amazon.com/AmazonRDS/latest/AuroraUserGuide/CHAP\\_AuroraOverview.html](https://docs.aws.amazon.com/AmazonRDS/latest/AuroraUserGuide/CHAP_AuroraOverview.html) 3:

<https://docs.aws.amazon.com/streams/latest/dev/introduction.html> : <https://docs.aws.amazon.com/lambda/latest/dg/welcome.html> :

<https://docs.aws.amazon.com/xray/latest/devguide/aws-xray.html> : <https://docs.aws.amazon.com/amazondynamodb/latest/developerguide/Introduction.html> :

**NEW QUESTION 4**

- (Exam Topic 1)

A company has migrated its forms-processing application to AWS. When users interact with the application, they upload scanned forms as files through a web application. A database stores user metadata and references to files that are stored in Amazon S3. The web application runs on Amazon EC2 instances and an Amazon RDS for PostgreSQL database.

When forms are uploaded, the application sends notifications to a team through Amazon Simple Notification Service (Amazon SNS). A team member then logs in and processes each form. The team member performs data validation on the form and extracts relevant data before entering the information into another system that uses an API.

A solutions architect needs to automate the manual processing of the forms. The solution must provide accurate form extraction, minimize time to market, and minimize long-term operational overhead.

Which solution will meet these requirements?

- A. Develop custom libraries to perform optical character recognition (OCR) on the form
- B. Deploy the libraries to an Amazon Elastic Kubernetes Service (Amazon EKS) cluster as an application tie
- C. Use this tier to process the forms when forms are upload
- D. Store the output in Amazon S3. Parse this output by extracting the data into an Amazon DynamoDB tabl
- E. Submit the data to the target system's AP
- F. Host the new application tier on EC2 instances.
- G. Extend the system with an application tier that uses AWS Step Functions and AWS Lambd
- H. Configure this tier to use artificial intelligence and machine learning (AI/ML) models that are trained and hosted on an EC2 instance to perform optical character recognition (OCR) on the forms when forms are upload
- I. Store the output in Amazon S3. Parse this output by extracting the data that is required within the application tie
- J. Submit the data to the target system's API.
- K. Host a new application tier on EC2 instance
- L. Use this tier to call endpoints that host artificial intelligence and machine learning (AI/ML) models that are trained and hosted in Amazon SageMaker to perform optical character recognition (OCR) on the form
- M. Store the output in Amazon ElastiCach
- N. Parse this output by extracting the data that is required within the application tie
- O. Submit the data to the target system's API.
- P. Extend the system with an application tier that uses AWS Step Functions and AWS Lambd
- Q. Configure this tier to use Amazon Textract and Amazon Comprehend to perform optical character recognition (OCR) on the forms when forms are upload
- R. Store the output in Amazon S3. Parse this output by extracting the data that is required within the application tie
- S. Submit the data to the target system's API.

**Answer:** D

**Explanation:**

Extend the system with an application tier that uses AWS Step Functions and AWS Lambda. Configure this tier to use Amazon Textract and Amazon Comprehend to perform optical character recognition (OCR) on the forms when forms are uploaded. Store the output in Amazon S3. Parse this output by extracting the data that is required within the application tier. Submit the data to the target system's API. This solution meets the requirements of accurate form extraction, minimal time to market, and minimal long-term operational overhead. Amazon Textract and Amazon Comprehend are fully managed and serverless services that can perform OCR and extract relevant data from the forms, which eliminates the need to develop custom libraries or train and host models. Using AWS Step Functions and Lambda allows for easy automation of the process and the ability to scale as needed.

**NEW QUESTION 5**

- (Exam Topic 1)

A software as a service (SaaS) based company provides a case management solution to customers A3 part of the solution. The company uses a standalone Simple Mail Transfer Protocol (SMTP) server to send email messages from an application. The application also stores an email template for acknowledgement email messages that populate customer data before the application sends the email message to the customer.

The company plans to migrate this messaging functionality to the AWS Cloud and needs to minimize operational overhead.

Which solution will meet these requirements MOST cost-effectively?

- A. Set up an SMTP server on Amazon EC2 instances by using an AMI from the AWS Marketplac
- B. Store the email template in an Amazon S3 bucke



- C. Create an AWS Lambda function to retrieve the template from the S3 bucket and to merge the customer data from the application with the template.
- D. Use an SDK in the Lambda function to send the email message.
- E. Set up Amazon Simple Email Service (Amazon SES) to send email message
- F. Store the email template in an Amazon S3 bucket
- G. Create an AWS Lambda function to retrieve the template from the S3 bucket and to merge the customer data from the application with the template.
- H. Use an SDK in the Lambda function to send the email message.
- I. Set up an SMTP server on Amazon EC2 instances by using an AMI from the AWS Marketplace
- J. Store the email template in Amazon Simple Email Service (Amazon SES) with parameters for the customer data
- K. Create an AWS Lambda function to call the SES template and to pass customer data to replace the parameter
- L. Use the AWS Marketplace SMTP server to send the email message.
- M. Set up Amazon Simple Email Service (Amazon SES) to send email message
- N. Store the email template on Amazon SES with parameters for the customer data
- O. Create an AWS Lambda function to call the SendTemplatedEmail API operation and to pass customer data to replace the parameters and the email destination.

**Answer:** D

**Explanation:**

In this solution, the company can use Amazon SES to send email messages, which will minimize operational overhead as SES is a fully managed service that handles sending and receiving email messages. The company can store the email template on Amazon SES with parameters for the customer data and use an AWS Lambda function to call the SendTemplatedEmail API operation, passing in the customer data to replace the parameters and the email destination. This solution eliminates the need to set up and manage an SMTP server on EC2 instances, which can be costly and time-consuming.

**NEW QUESTION 6**

- (Exam Topic 1)

A company uses AWS Organizations for a multi-account setup in the AWS Cloud. The company uses AWS Control Tower for governance and uses AWS Transit Gateway for VPC connectivity across accounts.

In an AWS application account, the company's application team has deployed a web application that uses AWS Lambda and Amazon RDS. The company's database administrators have a separate DBA account and use the account to centrally manage all the databases across the organization. The database administrators use an Amazon EC2 instance that is deployed in the DBA account to access an RDS database that is deployed in the application account. The application team has stored the database credentials as secrets in AWS Secrets Manager in the application account. The application team is manually sharing the secrets with the database administrators. The secrets are encrypted by the default AWS managed key for Secrets Manager in the application account. A solutions architect needs to implement a solution that gives the database administrators access to the database and eliminates the need to manually share the secrets.

Which solution will meet these requirements?

- A. Use AWS Resource Access Manager (AWS RAM) to share the secrets from the application account with the DBA account
- B. In the DBA account, create an IAM role that is named DBA-Admin
- C. Grant the role the required permissions to access the shared secret
- D. Attach the DBA-Admin role to the EC2 instance for access to the cross-account secrets.
- E. In the application account, create an IAM role that is named DBA-Secret
- F. Grant the role the required permissions to access the secret
- G. In the DBA account, create an IAM role that is named DBA-Admin
- H. Grant the DBA-Admin role the required permissions to assume the DBA-Secret role in the application account
- I. Attach the DBA-Admin role to the EC2 instance for access to the cross-account secrets.
- J. In the DBA account, create an IAM role that is named DBA-Admin
- K. Grant the role the required permissions to access the secrets and the default AWS managed key in the application account
- L. In the application account, attach resource-based policies to the key to allow access from the DBA account
- M. Attach the DBA-Admin role to the EC2 instance for access to the cross-account secrets.
- N. In the DBA account, create an IAM role that is named DBA-Admin
- O. Grant the role the required permissions to access the secrets in the application account
- P. Attach an SCP to the application account to allow access to the secrets from the DBA account
- Q. Attach the DBA-Admin role to the EC2 instance for access to the cross-account secrets.

**Answer:** B

**Explanation:**

➤ Option B is correct because creating an IAM role in the application account that has permissions to access the secrets and creating an IAM role in the DBA account that has permissions to assume the role in the application account eliminates the need to manually share the secrets. This approach uses cross-account IAM roles to grant access to the secrets in the application account. The database administrators can assume the role in the application account from their EC2 instance in the DBA

account and retrieve the secrets without having to store them locally or share them manually.

References: 1: <https://docs.aws.amazon.com/ram/latest/userguide/what-is.html> 2:

[https://docs.aws.amazon.com/IAM/latest/UserGuide/tutorial\\_cross-account-with-roles.html](https://docs.aws.amazon.com/IAM/latest/UserGuide/tutorial_cross-account-with-roles.html) 3:

<https://docs.aws.amazon.com/kms/latest/developerguide/concepts.html> : [https://docs.aws.amazon.com/secretsmanager/latest/userguide/tutorials\\_basic.html](https://docs.aws.amazon.com/secretsmanager/latest/userguide/tutorials_basic.html) :

<https://docs.aws.amazon.com/IAM/latest/UserGuide/introduction.html>

**NEW QUESTION 7**

- (Exam Topic 1)

An international delivery company hosts a delivery management system on AWS. Drivers use the system to upload confirmation of delivery. Confirmation includes the recipient's signature or a photo of the package with the recipient. The driver's handheld device uploads signatures and photos through FTP to a single Amazon EC2 instance. Each handheld device saves a file in a directory based on the signed-in user, and the file name matches the delivery number. The EC2 instance then adds metadata to the file after querying a central database to pull delivery information. The file is then placed in Amazon S3 for archiving.

As the company expands, drivers report that the system is rejecting connections. The FTP server is having problems because of dropped connections and memory issues. In response to these problems, a system engineer schedules a cron task to reboot the EC2 instance every 30 minutes. The billing team reports that files are not always in the archive and that the central system is not always updated.

A solutions architect needs to design a solution that maximizes scalability to ensure that the archive always receives the files and that systems are always updated. The handheld devices cannot be modified, so the company cannot deploy a new application.

Which solution will meet these requirements?

- A. Create an AMI of the existing EC2 instance
- B. Create an Auto Scaling group of EC2 instances behind an Application Load Balance
- C. Configure the Auto Scaling group to have a minimum of three instances.
- D. Use AWS Transfer Family to create an FTP server that places the files in Amazon Elastic File System (Amazon EFS). Mount the EFS volume to the existing EC2 instance
- E. Point the EC2 instance to the new path for file processing.
- F. Use AWS Transfer Family to create an FTP server that places the files in Amazon S3. Use an S3 event notification through Amazon Simple Notification Service (Amazon SNS) to invoke an AWS Lambda function
- G. Configure the Lambda function to add the metadata and update the delivery system.
- H. Update the handheld devices to place the files directly in Amazon S3. Use an S3 event notification through Amazon Simple Queue Service (Amazon SQS) to invoke an AWS Lambda function
- I. Configure the Lambda function to add the metadata and update the delivery system.

**Answer:** C

**Explanation:**

Using AWS Transfer Family to create an FTP server that places the files in Amazon S3 and using S3 event notifications through Amazon Simple Notification Service (Amazon SNS) to invoke an AWS Lambda function will ensure that the archive always receives the files and that the central system is always updated. This solution maximizes scalability and eliminates the need for manual intervention, such as rebooting the EC2 instance.

**NEW QUESTION 8**

- (Exam Topic 1)

A company has migrated an application from on premises to AWS. The application frontend is a static website that runs on two Amazon EC2 instances behind an Application Load Balancer (ALB). The application backend is a Python application that runs on three EC2 instances behind another ALB. The EC2 instances are large, general purpose On-Demand Instances that were sized to meet the on-premises specifications for peak usage of the application.

The application averages hundreds of thousands of requests each month. However, the application is used mainly during lunchtime and receives minimal traffic during the rest of the day.

A solutions architect needs to optimize the infrastructure cost of the application without negatively affecting the application availability.

Which combination of steps will meet these requirements? (Choose two.)

- A. Change all the EC2 instances to compute optimized instances that have the same number of cores as the existing EC2 instances.
- B. Move the application frontend to a static website that is hosted on Amazon S3.
- C. Deploy the application frontend by using AWS Elastic Beanstalk
- D. Use the same instance type for the nodes.
- E. Change all the backend EC2 instances to Spot Instances.
- F. Deploy the backend Python application to general purpose burstable EC2 instances that have the same number of cores as the existing EC2 instances.

**Answer:** BD

**Explanation:**

Moving the application frontend to a static website that is hosted on Amazon S3 will save cost as S3 is cheaper than running EC2 instances.

Using Spot instances for the backend EC2 instances will also save cost, as they are significantly cheaper than On-Demand instances. This will be suitable for the application, as it has minimal traffic during the rest of the day, and the availability of spot instances will not negatively affect the application's availability.

Reference:

Amazon S3 pricing: <https://aws.amazon.com/s3/pricing/>

Amazon EC2 Spot Instances documentation: <https://aws.amazon.com/ec2/spot/> AWS Elastic Beanstalk documentation: <https://aws.amazon.com/elasticbeanstalk/>

Amazon Elastic Compute Cloud (EC2) pricing: <https://aws.amazon.com/ec2/pricing/>

**NEW QUESTION 9**

- (Exam Topic 1)

A company is hosting a three-tier web application in an on-premises environment. Due to a recent surge in traffic that resulted in downtime and a significant financial impact, company management has ordered that the application be moved to AWS. The application is written in .NET and has a dependency on a MySQL database. A solutions architect must design a scalable and highly available solution to meet the demand of 200,000 daily users.

Which steps should the solutions architect take to design an appropriate solution?

- A. Use AWS Elastic Beanstalk to create a new application with a web server environment and an Amazon RDS MySQL Multi-AZ DB instance. The environment should launch a Network Load Balancer (NLB) in front of an Amazon EC2 Auto Scaling group in multiple Availability Zones. Use an Amazon Route 53 alias record to route traffic from the company's domain to the NLB.
- B. Use AWS CloudFormation to launch a stack containing an Application Load Balancer (ALB) in front of an Amazon EC2 Auto Scaling group spanning three Availability Zones
- C. The stack should launch a Multi-AZ deployment of an Amazon Aurora MySQL DB cluster with a Retain deletion policy
- D. Use an Amazon Route 53 alias record to route traffic from the company's domain to the ALB
- E. Use AWS Elastic Beanstalk to create an automatically scaling web server environment that spans two separate Regions with an Application Load Balancer (ALB) in each Region
- F. Create a Multi-AZ deployment of an Amazon Aurora MySQL DB cluster with a cross-Region read replica. Use Amazon Route 53 with a geoproximity routing policy to route traffic between the two Regions.
- G. Use AWS CloudFormation to launch a stack containing an Application Load Balancer (ALB) in front of an Amazon ECS cluster of Spot Instances spanning three Availability Zones. The stack should launch an Amazon RDS MySQL DB instance with a Snapshot deletion policy. Use an Amazon Route 53 alias record to route traffic from the company's domain to the ALB.

**Answer:** C

**Explanation:**

Using AWS CloudFormation to launch a stack with an Application Load Balancer (ALB) in front of an Amazon EC2 Auto Scaling group spanning three Availability Zones, a Multi-AZ deployment of an Amazon Aurora MySQL DB cluster with a Retain deletion policy, and an Amazon Route 53 alias record to route traffic from the company's domain to the ALB will ensure that

**NEW QUESTION 10**

- (Exam Topic 1)

A company is migrating some of its applications to AWS. The company wants to migrate and modernize the applications quickly after it finalizes networking and

security strategies. The company has set up an AWS Direct Connection connection in a central network account. The company expects to have hundreds of AWS accounts and VPCs in the near future. The corporate network must be able to access the resources on AWS seamlessly and also must be able to communicate with all the VPCs. The company also wants to route its cloud resources to the internet through its on-premises data center.

Which combination of steps will meet these requirements? (Choose three.)

- A. Create a Direct Connect gateway in the central account
- B. In each of the accounts, create an association proposal by using the Direct Connect gateway and the account ID for every virtual private gateway.
- C. Create a Direct Connect gateway and a transit gateway in the central network account
- D. Attach the transit gateway to the Direct Connect gateway by using a transit VIF.
- E. Provision an internet gateway
- F. Attach the internet gateway to subnet
- G. Allow internet traffic through the gateway.
- H. Share the transit gateway with other account
- I. Attach VPCs to the transit gateway.
- J. Provision VPC peering as necessary.
- K. Provision only private subnet
- L. Open the necessary route on the transit gateway and customer gateway to allow outbound internet traffic from AWS to flow through NAT services that run in the data center.

**Answer:** BDF

**Explanation:**

➤ Option A is incorrect because creating a Direct Connect gateway in the central account and creating an association proposal by using the Direct Connect gateway and the account ID for every virtual private gateway does not enable active-passive failover between the regions. A Direct Connect gateway is a globally available resource that enables you to connect your AWS Direct Connect connection over a private virtual interface (VIF) to one or more VPCs in any AWS Region. A virtual private gateway is the VPN concentrator on the Amazon side of a VPN connection. You can associate a Direct Connect gateway with either a transit gateway or a virtual private gateway. However, a Direct Connect gateway does not provide any load balancing or failover capabilities by itself1

➤ Option B is correct because creating a Direct Connect gateway and a transit gateway in the central network account and attaching the transit gateway to the Direct Connect gateway by using a transit VIF meets the requirement of enabling the corporate network to access the resources on AWS seamlessly and also to communicate with all the VPCs. A transit VIF is a type of private VIF that you can use to connect your AWS Direct Connect connection to a transit gateway or a Direct Connect gateway. A transit gateway is a network transit hub that you can use to interconnect your VPCs and on-premises networks. By using a transit VIF, you can route traffic between your on-premises network and multiple VPCs across different AWS accounts and Regions through a single connection23

➤ Option C is incorrect because provisioning an internet gateway, attaching the internet gateway to subnets, and allowing internet traffic through the gateway does not meet the requirement of routing cloud resources to the internet through its on-premises data center. An internet gateway is a horizontally scaled, redundant, and highly available VPC component that allows communication between your VPC and the internet. An internet gateway serves two purposes: to provide a target in your VPC route tables for internet-routable traffic, and to perform network address translation (NAT) for instances that have been assigned public IPv4 addresses. By using an internet gateway, you are routing cloud resources directly to the internet, not through your on-premises data center.

➤ Option D is correct because sharing the transit gateway with other accounts and attaching VPCs to the transit gateway meets the requirement of enabling the corporate network to access the resources on AWS seamlessly and also to communicate with all the VPCs. You can share your transit gateway with other AWS accounts within the same organization by using AWS Resource Access Manager (AWS RAM). This allows you to centrally manage connectivity from multiple accounts without having to create individual peering connections between VPCs or duplicate network appliances in each account. You can attach VPCs from different accounts and Regions to your shared transit gateway and enable routing between them.

➤ Option E is incorrect because provisioning VPC peering as necessary does not meet the requirement of enabling the corporate network to access the resources on AWS seamlessly and also to communicate with all the VPCs. VPC peering is a networking connection between two VPCs that enables you to route traffic between them using private IPv4 addresses or IPv6 addresses. You can create a VPC peering connection between your own VPCs, or with a VPC in another AWS account within a single Region. However, VPC peering does not allow you to route traffic from your on-premises network to your VPCs or between multiple Regions. You would need to create multiple VPN connections or Direct Connect connections for each VPC peering connection, which increases operational complexity and costs.

➤ Option F is correct because provisioning only private subnets, opening the necessary route on the transit gateway and customer gateway to allow outbound internet traffic from AWS to flow through NAT services that run in the data center meets the requirement of routing cloud resources to the internet through its on-premises data center. A private subnet is a subnet that's associated with a route table that has no route to an internet gateway. Instances in a private subnet can communicate with other instances in the same VPC but cannot access resources on the internet directly. To enable outbound internet access from instances in private subnets, you can use NAT devices such as NAT gateways or NAT instances that are deployed in public subnets. A public subnet is a subnet that's associated with a route table that has a route to an internet gateway. Alternatively, you can use your on-premises data center as a NAT device by configuring routes on your transit gateway and customer gateway that direct outbound internet traffic from your private subnets through your VPN connection or Direct Connect connection. This way, you can route cloud resources to the internet through your on-premises data center instead of using an internet gateway.

References: 1:

<https://docs.aws.amazon.com/directconnect/latest/UserGuide/direct-connect-gateways-intro.html> 2:

<https://docs.aws.amazon.com/directconnect/latest/UserGuide/direct-connect-transit-virtual-interfaces.html> 3: <https://docs.aws.amazon.com/vpc/latest/tgw/what-is-transit-gateway.html> : [https://docs.aws.amazon.com/vpc/latest/userguide/VPC\\_Internet\\_Gateway.html](https://docs.aws.amazon.com/vpc/latest/userguide/VPC_Internet_Gateway.html) : <https://docs.aws.amazon.com/vpc/latest/tgw/tgw-sharing.html> : <https://docs.aws.amazon.com/vpc/latest/peering/what-is-vpc-peering.html> : [https://docs.aws.amazon.com/vpc/latest/userguide/VPC\\_Scenario2.html](https://docs.aws.amazon.com/vpc/latest/userguide/VPC_Scenario2.html) : [https://docs.aws.amazon.com/vpc/latest/userguide/VPC\\_Scenario3.html](https://docs.aws.amazon.com/vpc/latest/userguide/VPC_Scenario3.html) : [https://docs.aws.amazon.com/vpc/latest/userguide/VPC\\_NAT\\_Instance.html](https://docs.aws.amazon.com/vpc/latest/userguide/VPC_NAT_Instance.html) : [https://docs.aws.amazon.com/vpc/latest/userguide/VPC\\_NAT\\_Gateway.html](https://docs.aws.amazon.com/vpc/latest/userguide/VPC_NAT_Gateway.html)

**NEW QUESTION 10**

- (Exam Topic 1)

A company is running an application in the AWS Cloud. The application runs on containers in an Amazon Elastic Container Service (Amazon ECS) cluster. The ECS tasks use the Fargate launch type. The application's data is relational and is stored in Amazon Aurora MySQL. To meet regulatory requirements, the application must be able to recover to a separate AWS Region in the event of an application failure. In case of a failure, no data can be lost. Which solution will meet these requirements with the LEAST amount of operational overhead?

- A. Provision an Aurora Replica in a different Region.
- B. Set up AWS DataSync for continuous replication of the data to a different Region.
- C. Set up AWS Database Migration Service (AWS DMS) to perform a continuous replication of the data to a different Region.
- D. Use Amazon Data Lifecycle Manager (Amazon DLM) to schedule a snapshot every 5 minutes.

**Answer:** A



**Explanation:**

Provision an Aurora Replica in a different Region will meet the requirement of the application being able to recover to a separate AWS Region in the event of an application failure, and no data can be lost, with the least amount of operational overhead.

**NEW QUESTION 13**

- (Exam Topic 1)

A publishing company's design team updates the icons and other static assets that an ecommerce web application uses. The company serves the icons and assets from an Amazon S3 bucket that is hosted in the company's production account. The company also uses a development account that members of the design team can access.

After the design team tests the static assets in the development account, the design team needs to load the assets into the S3 bucket in the production account. A solutions architect must provide the design team with access to the production account without exposing other parts of the web application to the risk of unwanted changes.

Which combination of steps will meet these requirements? (Select THREE.)

- A. In the production account, create a new IAM policy that allows read and write access to the S3 bucket.
- B. In the development account, create a new IAM policy that allows read and write access to the S3 bucket.
- C. In the production account, create a role
- D. Attach the new policy to the role
- E. Define the development account as a trusted entity.
- F. In the development account, create a role
- G. Attach the new policy to the role
- H. Define the production account as a trusted entity.
- I. In the development account, create a group that contains all the IAM users of the design team
- J. Attach a different IAM policy to the group to allow the sts:AssumeRole action on the role in the production account.
- K. In the development account, create a group that contains all the IAM users of the design team
- L. Attach a different IAM policy to the group to allow the sts:AssumeRole action on the role in the development account.

**Answer:** ACE

**Explanation:**

- A. In the production account, create a new IAM policy that allows read and write access to the S3 bucket. The policy grants the necessary permissions to access the assets in the production S3 bucket.
  - C. In the production account, create a role. Attach the new policy to the role. Define the development account as a trusted entity. By creating a role and attaching the policy, and then defining the development account as a trusted entity, the development account can assume the role and access the production S3 bucket with the read and write permissions.
  - E. In the development account, create a group that contains all the IAM users of the design team. Attach a different IAM policy to the group to allow the sts:AssumeRole action on the role in the production account. The IAM policy attached to the group allows the design team members to assume the role created in the production account, thereby giving them access to the production S3 bucket.
- Step 1: Create a role in the Production Account; create the role in the Production account and specify the Development account as a trusted entity. You also limit the role permissions to only read and write access to the productionapp bucket. Anyone granted permission to use the role can read and write to the productionapp bucket. Step 2: Grant access to the role Sign in as an administrator in the Development account and allow the AssumeRole action on the UpdateApp role in the Production account. So, recap, production account you create the policy for S3, and you set development account as a trusted entity. Then on the development account you allow the sts:assumeRole action on the role in production account. [https://docs.aws.amazon.com/IAM/latest/UserGuide/tutorial\\_cross-account-with-roles.html](https://docs.aws.amazon.com/IAM/latest/UserGuide/tutorial_cross-account-with-roles.html)

**NEW QUESTION 18**

- (Exam Topic 1)

A company is running an application on several Amazon EC2 instances in an Auto Scaling group behind an Application Load Balancer. The load on the application varies throughout the day, and EC2 instances are scaled in and out on a regular basis. Log files from the EC2 instances are copied to a central Amazon S3 bucket every 15 minutes. The security team discovers that log files are missing from some of the terminated EC2 instances.

Which set of actions will ensure that log files are copied to the central S3 bucket from the terminated EC2 instances?

- A. Create a script to copy log files to Amazon S3, and store the script in a file on the EC2 instance
- B. Create an Auto Scaling lifecycle hook and an Amazon EventBridge (Amazon CloudWatch Events) rule to detect lifecycle events from the Auto Scaling group
- C. Invoke an AWS Lambda function on the autoscaling:EC2\_INSTANCE\_TERMINATING transition to send ABANDON to the Auto Scaling group to prevent termination, run the script to copy the log files, and terminate the instance using the AWS SDK.
- D. Create an AWS Systems Manager document with a script to copy log files to Amazon S3. Create an Auto Scaling lifecycle hook and an Amazon EventBridge (Amazon CloudWatch Events) rule to detect lifecycle events from the Auto Scaling group
- E. Invoke an AWS Lambda function on the autoscaling:EC2\_INSTANCE\_TERMINATING transition to call the AWS Systems Manager API SendCommand operation to run the document to copy the log files and send CONTINUE to the Auto Scaling group to terminate the instance.
- F. Change the log delivery rate to every 5 minute
- G. Create a script to copy log files to Amazon S3, and add the script to EC2 instance user data
- H. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to detect EC2 instance termination
- I. Invoke an AWS Lambda function from the EventBridge (CloudWatch Events) rule that uses the AWS CLI to run the user-data script to copy the log files and terminate the instance.
- J. Create an AWS Systems Manager document with a script to copy log files to Amazon S3. Create an Auto Scaling lifecycle hook that publishes a message to an Amazon Simple Notification Service (Amazon SNS) topic
- K. From the SNS notification, call the AWS Systems Manager API SendCommand operation to run the document to copy the log files and send ABANDON to the Auto Scaling group to terminate the instance.

**Answer:** B

**Explanation:**

<https://docs.aws.amazon.com/autoscaling/ec2/userguide/adding-lifecycle-hooks.html>

- Refer to Default Result section - If the instance is terminating, both abandon and continue allow the instance to terminate. However, abandon stops any remaining actions, such as other lifecycle hooks, and continue allows any other lifecycle hooks to complete.

<https://aws.amazon.com/blogs/infrastructure-and-automation/run-code-before-terminating-an-ec2-auto-scaling-i> <https://github.com/aws-samples/aws-lambda-lifecycle-hooks-function>

<https://github.com/aws-samples/aws-lambda-lifecycle-hooks-function/blob/master/cloudformation/template.yaml>

**NEW QUESTION 21**

- (Exam Topic 1)

A company wants to migrate to AWS. The company wants to use a multi-account structure with centrally managed access to all accounts and applications. The company also wants to keep the traffic on a private network. Multi-factor authentication (MFA) is required at login, and specific roles are assigned to user groups. The company must create separate accounts for development, staging, production, and shared network. The production account and the shared network account must have connectivity to all accounts. The development account and the staging account must have access only to each other.

Which combination of steps should a solutions architect take to meet these requirements? (Choose three.)

- A. Deploy a landing zone environment by using AWS Control Tower
- B. Enroll accounts and invite existing accounts into the resulting organization in AWS Organizations.
- C. Enable AWS Security Hub in all accounts to manage cross-account access
- D. Collect findings through AWS CloudTrail to force MFA login.
- E. Create transit gateways and transit gateway VPC attachments in each account
- F. Configure appropriate route tables.
- G. Set up and enable AWS IAM Identity Center (AWS Single Sign-On). Create appropriate permission sets with required MFA for existing accounts.
- H. Enable AWS Control Tower in all accounts to manage routing between accounts
- I. Collect findings through AWS CloudTrail to force MFA login.
- J. Create IAM users and groups
- K. Configure MFA for all users
- L. Set up Amazon Cognito user pools and identity pools to manage access to accounts and between accounts.

**Answer:** ACD

**Explanation:**

The correct answer would be options A, C and D, because they address the requirements outlined in the question. A. Deploying a landing zone environment using AWS Control Tower and enrolling accounts in an organization in AWS Organizations allows for a centralized management of access to all accounts and applications. C. Creating transit gateways and transit gateway VPC attachments in each account and configuring appropriate route tables allows for private network traffic, and ensures that the production account and shared network account have connectivity to all accounts, while the development and staging accounts have access only to each other. D. Setting up and enabling AWS IAM Identity Center (AWS Single Sign-On) and creating appropriate permission sets with required MFA for existing accounts allows for multi-factor authentication at login and specific roles to be assigned to user groups.

**NEW QUESTION 26**

- (Exam Topic 1)

A company is running a traditional web application on Amazon EC2 instances. The company needs to refactor the application as microservices that run on containers. Separate versions of the application exist in two distinct environments: production and testing. Load for the application is variable, but the minimum load and the maximum load are known. A solutions architect needs to design the updated application with a serverless architecture that minimizes operational complexity.

Which solution will meet these requirements MOST cost-effectively?

- A. Upload the container images to AWS Lambda as functions
- B. Configure a concurrency limit for the associated Lambda functions to handle the expected peak load
- C. Configure two separate Lambda integrations within Amazon API Gateway: one for production and one for testing.
- D. Upload the container images to Amazon Elastic Container Registry (Amazon ECR). Configure two auto-scaled Amazon Elastic Container Service (Amazon ECS) clusters with the Fargate launch type to handle the expected load
- E. Deploy tasks from the ECR image
- F. Configure two separate Application Load Balancers to direct traffic to the ECS clusters.
- G. Upload the container images to Amazon Elastic Container Registry (Amazon ECR). Configure two auto-scaled Amazon Elastic Kubernetes Service (Amazon EKS) clusters with the Fargate launch type to handle the expected load
- H. Deploy tasks from the ECR image
- I. Configure two separate Application Load Balancers to direct traffic to the EKS clusters.
- J. Upload the container images to AWS Elastic Beanstalk
- K. In Elastic Beanstalk, create separate environments and deployments for production and testing
- L. Configure two separate Application Load Balancers to direct traffic to the Elastic Beanstalk deployments.

**Answer:** B

**Explanation:**

minimizes operational + microservices that run on containers = AWS Elastic Beanstalk

**NEW QUESTION 27**

- (Exam Topic 1)

A company has an organization in AWS Organizations that has a large number of AWS accounts. One of the AWS accounts is designated as a transit account and has a transit gateway that is shared with all of the other AWS accounts. AWS Site-to-Site VPN connections are configured between all of the company's global offices and the transit account. The company has AWS Config enabled on all of its accounts.

The company's networking team needs to centrally manage a list of internal IP address ranges that belong to the global offices. Developers will reference this list to gain access to applications securely.

Which solution meets these requirements with the LEAST amount of operational overhead?

- A. Create a JSON file that is hosted in Amazon S3 and that lists all of the internal IP address ranges. Configure an Amazon Simple Notification Service (Amazon SNS) topic in each of the accounts that can be invoked when the JSON file is updated.
- B. Subscribe an AWS Lambda function to the SNS topic to update all relevant security group rules with the updated IP address ranges.
- C. Create a new AWS Config managed rule that contains all of the internal IP address ranges. Use the rule to check the security groups in each of the accounts to ensure compliance with the list of IP address ranges.
- D. Configure the rule to automatically remediate any noncompliant security group that is detected.
- E. In the transit account, create a VPC prefix list with all of the internal IP address ranges.
- F. Use AWS Resource Access Manager to share the prefix list with all of the other accounts.
- G. Use the shared prefix list to configure security group rules in the other accounts.
- H. In the transit account, create a security group with all of the internal IP address ranges.
- I. Configure the security groups in the other accounts to reference the transit account's security group by using a nested security group reference of `*-<transit-account-id>/.sg-1a2b3c4d`.



**Answer:** C

**Explanation:**

Customer-managed prefix lists — Sets of IP address ranges that you define and manage. You can share your prefix list with other AWS accounts, enabling those accounts to reference the prefix list in their own resources. <https://docs.aws.amazon.com/vpc/latest/userguide/managed-prefix-lists.html>  
a VPC prefix list is created in the transit account with all of the internal IP address ranges, and then shared to all of the other accounts using AWS Resource Access Manager. This allows for central management of the IP address ranges, and eliminates the need for manual updates to security group rules in each account. This solution also allows for compliance checks to be run using AWS Config and for any non-compliant security groups to be automatically remediated.

**NEW QUESTION 30**

- (Exam Topic 1)

A security engineer determined that an existing application retrieves credentials to an Amazon RDS for MySQL database from an encrypted file in Amazon S3. For the next version of the application, the security engineer wants to implement the following application design changes to improve security:

- The database must use strong, randomly generated passwords stored in a secure AWS managed service.
- The application resources must be deployed through AWS CloudFormation.
- The application must rotate credentials for the database every 90 days.

A solutions architect will generate a CloudFormation template to deploy the application.

Which resources specified in the CloudFormation template will meet the security engineer's requirements with the LEAST amount of operational overhead?

- A. Generate the database password as a secret resource using AWS Secrets Manager
- B. Create an AWS Lambda function resource to rotate the database password
- C. Specify a Secrets Manager RotationSchedule resource to rotate the database password every 90 days.
- D. Generate the database password as a SecureString parameter type using AWS Systems Manager Parameter Store
- E. Create an AWS Lambda function resource to rotate the database password
- F. Specify a Parameter Store RotationSchedule resource to rotate the database password every 90 days.
- G. Generate the database password as a secret resource using AWS Secrets Manager
- H. Create an AWS Lambda function resource to rotate the database password
- I. Create an Amazon EventBridge scheduled rule resource to trigger the Lambda function password rotation every 90 days.
- J. Generate the database password as a SecureString parameter type using AWS Systems Manager Parameter Store
- K. Specify an AWS AppSync DataSource resource to automatically rotate the database password every 90 days.

**Answer:** B

**Explanation:**

<https://aws.amazon.com/blogs/security/how-to-securely-provide-database-credentials-to-lambda-functions-by-us>

<https://docs.aws.amazon.com/secretsmanager/latest/userguide/rotating-secrets.html>

[https://docs.aws.amazon.com/secretsmanager/latest/userguide/integrating\\_cloudformation.html](https://docs.aws.amazon.com/secretsmanager/latest/userguide/integrating_cloudformation.html)

**NEW QUESTION 35**

- (Exam Topic 1)

A retail company is hosting an ecommerce website on AWS across multiple AWS Regions. The company wants the website to be operational at all times for online purchases. The website stores data in an Amazon RDS for MySQL DB instance.

Which solution will provide the HIGHEST availability for the database?

- A. Configure automated backups on Amazon RDS
- B. In the case of disruption, promote an automated backup to be a standalone DB instance
- C. Direct database traffic to the promoted DB instance
- D. Create a replacement read replica that has the promoted DB instance as its source.
- E. Configure global tables and read replicas on Amazon RDS
- F. Activate the cross-Region scope
- G. In the case of disruption, use AWS Lambda to copy the read replicas from one Region to another Region.
- H. Configure global tables and automated backups on Amazon RDS
- I. In the case of disruption, use AWS Lambda to copy the read replicas from one Region to another Region.
- J. Configure read replicas on Amazon RDS
- K. In the case of disruption, promote a cross-Region read replica to be a standalone DB instance
- L. Direct database traffic to the promoted DB instance
- M. Create a replacement read replica that has the promoted DB instance as its source.

**Answer:** D

**Explanation:**

This solution will provide the highest availability for the database, as the read replicas will allow the database to be available in multiple Regions, thus reducing the chances of disruption. Additionally, the promotion of the cross-Region read replica to become a standalone DB instance will ensure that the database is still available even if one of the Regions experiences disruptions.

**NEW QUESTION 36**

- (Exam Topic 1)

A company is using an on-premises Active Directory service for user authentication. The company wants to use the same authentication service to sign in to the company's AWS accounts, which are using AWS Organizations. AWS Site-to-Site VPN connectivity already exists between the on-premises environment and all the company's AWS accounts.

The company's security policy requires conditional access to the accounts based on user groups and roles. User identities must be managed in a single location. Which solution will meet these requirements?

- A. Configure AWS Single Sign-On (AWS SSO) to connect to Active Directory by using SAML 2.0. Enable automatic provisioning by using the System for Cross-domain Identity Management (SCIM) v2.0 protocol
- B. Grant access to the AWS accounts by using attribute-based access controls (ABACs).
- C. Configure AWS Single Sign-On (AWS SSO) by using AWS SSO as an identity source
- D. Enable automatic provisioning by using the System for Cross-domain Identity Management (SCIM) v2.0 protocol
- E. Grant access to the AWS accounts by using AWS SSO permission sets.

- F. In one of the company's AWS accounts, configure AWS Identity and Access Management (IAM) to use a SAML 2.0 identity provide
- G. Provision IAM users that are mapped to the federated user
- H. Grant access that corresponds to appropriate groups in Active Director
- I. Grant access to the required AWS accounts by using cross-account IAM users.
- J. In one of the company's AWS accounts, configure AWS Identity and Access Management (IAM) to use an OpenID Connect (OIDC) identity provide
- K. Provision IAM roles that grant access to the AWS account for the federated users that correspond to appropriate groups in Active Director
- L. Grant access to the required AWS accounts by using cross-account IAM roles.

**Answer:** D

**Explanation:**

<https://aws.amazon.com/blogs/aws/new-attributes-based-access-control-with-aws-single-sign-on/>

**NEW QUESTION 40**

- (Exam Topic 1)

A company has developed a web application. The company is hosting the application on a group of Amazon EC2 instances behind an Application Load Balancer. The company wants to improve the security posture of the application and plans to use AWS WAF web ACLs. The solution must not adversely affect legitimate traffic to the application.

How should a solutions architect configure the web ACLs to meet these requirements?

- A. Set the action of the web ACL rules to Count
- B. Enable AWS WAF logging Analyze the requests for false positives Modify the rules to avoid any false positive Over time change the action of the web ACL rules from Count to Block.
- C. Use only rate-based rules in the web ACL
- D. and set the throttle limit as high as possible Temporarily block all requests that exceed the limit
- E. Define nested rules to narrow the scope of the rate tracking.
- F. Set the action of the web ACL rules to Block
- G. Use only AWS managed rule groups in the web ACLs Evaluate the rule groups by using Amazon CloudWatch metrics with AWS WAF sampled requests or AWS WAF logs.
- H. Use only custom rule groups in the web ACL
- I. and set the action to Allow Enable AWS WAF logging Analyze the requests for false positives Modify the rules to avoid any false positive Over time, change the action of the web ACL rules from Allow to Block.

**Answer:** A

**Explanation:**

<https://aws.amazon.com/premiumsupport/knowledge-center/waf-analyze-count-action-rules/>

**NEW QUESTION 42**

- (Exam Topic 1)

A company plans to refactor a monolithic application into a modern application designed deployed on AWS. The CI/CD pipeline needs to be upgraded to support the modern design for the application with the following requirements

- It should allow changes to be released several times every hour.
- \* It should be able to roll back the changes as quickly as possible Which design will meet these requirements?

- A. Deploy a CI-CD pipeline that incorporates AMIs to contain the application and their configurations Deploy the application by replacing Amazon EC2 instances
- B. Specify AWS Elastic Beanstalk to stage in a secondary environment as the deployment target for the CI/CD pipeline of the application
- C. To deploy swap the staging and production environment URLs.
- D. Use AWS Systems Manager to re-provision the infrastructure for each deployment Update the Amazon EC2 user data to pull the latest code artifact from Amazon S3 and use Amazon Route 53 weighted routing to point to the new environment
- E. Roll out At application updates as part of an Auto Scaling event using prebuilt AMI
- F. Use new versions of the AMIs to add instances, and phase out all instances that use the previous AMI version with the configured termination policy during a deployment event.

**Answer:** B

**Explanation:**

It is the fastest when it comes to rollback and deploying changes every hour

**NEW QUESTION 47**

- (Exam Topic 1)

A company has a latency-sensitive trading platform that uses Amazon DynamoDB as a storage backend. The company configured the DynamoDB table to use on-demand capacity mode. A solutions architect needs to design a solution to improve the performance of the trading platform. The new solution must ensure high availability for the trading platform.

Which solution will meet these requirements with the LEAST latency?

- A. Create a two-node DynamoDB Accelerator (DAX) cluster Configure an application to read and write data by using DAX.
- B. Create a three-node DynamoDB Accelerator (DAX) cluster
- C. Configure an application to read data by using DAX and to write data directly to the DynamoDB table.
- D. Create a three-node DynamoDB Accelerator (DAX) cluster
- E. Configure an application to read data directly from the DynamoDB table and to write data by using DAX.
- F. Create a single-node DynamoDB Accelerator (DAX) cluster
- G. Configure an application to read data by using DAX and to write data directly to the DynamoDB table.

**Answer:** B

**Explanation:**

A DAX cluster can be deployed with one or two nodes for development or test workloads. One- and two-node clusters are not fault-tolerant, and we don't recommend using fewer than three nodes for production use. If a one- or two-node cluster encounters software or hardware errors, the cluster can become unavailable or lose cached data. A DAX cluster can be deployed with one or two nodes for development or test workloads. One and two-node clusters are not fault-

tolerant, and we don't recommend using fewer than three nodes for production use. If a one- or two-node cluster encounters software or hardware errors, the cluster can become unavailable or lose cached data.

<https://docs.aws.amazon.com/amazondynamodb/latest/developerguide/DAX.concepts.cluster.html>

#### NEW QUESTION 48

- (Exam Topic 1)

A company runs its application in the eu-west-1 Region and has one account for each of its environments development, testing, and production All the environments are running 24 hours a day 7 days a week by using stateful Amazon EC2 instances and Amazon RDS for MySQL databases The databases are between 500 GB and 800 GB in size

The development team and testing team work on business days during business hours, but the production environment operates 24 hours a day. 7 days a week.

The company wants to reduce costs AH resources are tagged with an environment tag with either development, testing, or production as the key. What should a solutions architect do to reduce costs with the LEAST operational effort?

- A. Create an Amazon EventBridge (Amazon CloudWatch Events) rule that runs once every day Configure the rule to invoke one AWS Lambda function that starts or stops instances based on the tag day and time.
- B. Create an Amazon EventBridge (Amazon CloudWatch Events) rule that runs every business day in the evening
- C. Configure the rule to invoke an AWS Lambda function that stops instances based on the tag>Create a second EventBridge (CloudWatch Events) rule that runs every business day in the morning Configure the second rule to invoke another Lambda function that starts instances based on the tag
- D. Create an Amazon EventBridge (Amazon CloudWatch Events) rule that runs every business day in the evening Configure the rule to invoke an AWS Lambda function that terminates instances based on the tag>Create a second EventBridge (CloudWatch Events) rule that runs every business day in the morning Configure the second rule to invoke another Lambda function that restores the instances from their last backup based on the tag.
- E. Create an Amazon EventBridge rule that runs every hour
- F. Configure the rule to invoke one AWS Lambda function that terminates or restores instances from their last backup based on the tag
- G. day, and time.

**Answer: B**

#### Explanation:

Creating an Amazon EventBridge rule that runs every business day in the evening to stop instances and another rule that runs every business day in the morning to start instances based on the tag will reduce costs with the least operational effort. This approach allows for instances to be stopped during non-business hours when they are not in use, reducing the costs associated with running them. It also allows for instances to be started again in the morning when the development and testing teams need to use them.

#### NEW QUESTION 49

- (Exam Topic 1)

A company runs a Java application that has complex dependencies on VMs that are in the company's data center. The application is stable. but the company wants to modernize the technology stack. The company wants to migrate the application to AWS and minimize the administrative overhead to maintain the servers.

Which solution will meet these requirements with the LEAST code changes?

- A. Migrate the application to Amazon Elastic Container Service (Amazon ECS) on AWS Fargate by using AWS App2Container
- B. Store container images in Amazon Elastic Container Registry (Amazon ECR). Grant the ECS task execution role permission to access the ECR image repository
- C. Configure Amazon ECS to use an Application Load Balancer (ALB). Use the ALB to interact with the application.
- D. Migrate the application code to a container that runs in AWS Lambda
- E. Build an Amazon API Gateway REST API with Lambda integration
- F. Use API Gateway to interact with the application.
- G. Migrate the application to Amazon Elastic Kubernetes Service (Amazon EKS) on EKS managed node groups by using AWS App2Container
- H. Store container images in Amazon Elastic Container Registry (Amazon ECR). Give the EKS nodes permission to access the ECR image repository
- I. Use Amazon API Gateway to interact with the application.
- J. Migrate the application code to a container that runs in AWS Lambda
- K. Configure Lambda to use an Application Load Balancer (ALB). Use the ALB to interact with the application.

**Answer: A**

#### Explanation:

According to the AWS documentation<sup>1</sup>, AWS App2Container (A2C) is a command line tool for migrating and modernizing Java and .NET web applications into container format. AWS A2C analyzes and builds an inventory of applications running in bare metal, virtual machines, Amazon Elastic Compute Cloud (EC2) instances, or in the cloud. You can use AWS A2C to generate container images for your applications and deploy them on Amazon ECS or Amazon EKS.

Option A meets the requirements of the scenario because it allows you to migrate your existing Java application to AWS and minimize the administrative overhead to maintain the servers. You can use AWS A2C to analyze your application dependencies, extract application artifacts, and generate a Dockerfile. You can then store your container images in Amazon ECR, which is a fully managed container registry service. You can use AWS Fargate as the launch type for your Amazon ECS cluster, which is a serverless compute engine that eliminates the need to provision and manage servers for your containers. You can grant the ECS task execution role permission to access the ECR image repository, which allows your tasks to pull images from ECR. You can configure Amazon ECS to use an ALB, which is a load balancer that distributes traffic across multiple targets in multiple Availability Zones using HTTP or HTTPS protocols. You can use the ALB to interact with your application.

#### NEW QUESTION 51

- (Exam Topic 1)

A financial services company receives a regular data feed from its credit card servicing partner Approximately 5.1 records are sent every 15 minutes in plaintext, delivered over HTTPS directly into an Amazon S3 bucket with server-side encryption. This feed contains sensitive credit card primary account number (PAN) data The company needs to automatically mask the PAN before sending the data to another S3 bucket for additional internal processing. The company also needs to remove and merge specific fields, and then transform the record into JSON format Additionally, extra feeds are likely to be added in the future, so any design needs to be easily expandable.

Which solutions will meet these requirements?

- A. Trigger an AWS Lambda function on file delivery that extracts each record and writes it to an Amazon SQS queue
- B. Trigger another Lambda function when new messages arrive in the SQS queue to process the records, writing the results to a temporary location in Amazon S3. Trigger a final Lambda function once the SQS queue is empty to transform the records into JSON format and send the results to another S3 bucket for internal processing.
- C. Trigger an AWS Lambda function on file delivery that extracts each record and writes it to an Amazon SQS queue



- D. Configure an AWS Fargate container application to automatically scale to a single instance when the SQS queue contains message
- E. Have the application process each record, and transform the record into JSON format
- F. When the queue is empty, send the results to another S3 bucket for internal processing and scale down the AWS Fargate instance.
- G. Create an AWS Glue crawler and custom classifier based on the data feed formats and build a table definition to match
- H. Trigger an AWS Lambda function on file delivery to start an AWS Glue ETL job to transform the entire record according to the processing and transformation requirement
- I. Define the output format as JSON
- J. Once complete, have the ETL job send the results to another S3 bucket for internal processing.
- K. Create an AWS Glue crawler and custom classifier based upon the data feed formats and build a table definition to match
- L. Perform an Amazon Athena query on file delivery to start an Amazon EMR ETL job to transform the entire record according to the processing and transformation requirement
- M. Define the output format as JSON
- N. Once complete, send the results to another S3 bucket for internal processing and scale down the EMR cluster.

**Answer: C**

**Explanation:**

You can use a Glue crawler to populate the AWS Glue Data Catalog with tables. The Lambda function can be triggered using S3 event notifications when object create events occur. The Lambda function will then trigger the Glue ETL job to transform the records masking the sensitive data and modifying the output format to JSON. This solution meets all requirements.

**NEW QUESTION 56**

- (Exam Topic 1)

A company hosts a Git repository in an on-premises data center. The company uses webhooks to invoke functionality that runs in the AWS Cloud. The company hosts the webhook logic on a set of Amazon EC2 instances in an Auto Scaling group that the company set as a target for an Application Load Balancer (ALB). The Git server calls the ALB for the configured webhooks. The company wants to move the solution to a serverless architecture. Which solution will meet these requirements with the LEAST operational overhead?

- A. For each webhook, create and configure an AWS Lambda function URL
- B. Update the Git servers to call the individual Lambda function URLs.
- C. Create an Amazon API Gateway HTTP API
- D. Implement each webhook logic in a separate AWS Lambda function
- E. Update the Git servers to call the API Gateway endpoint.
- F. Deploy the webhook logic to AWS App Runner
- G. Create an ALB, and set App Runner as the target. Update the Git servers to call the ALB endpoint.
- H. Containerize the webhook logic
- I. Create an Amazon Elastic Container Service (Amazon ECS) cluster, and run the webhook logic in AWS Fargate
- J. Create an Amazon API Gateway REST API, and set Fargate as the target
- K. Update the Git servers to call the API Gateway endpoint.

**Answer: B**

**Explanation:**

<https://aws.amazon.com/solutions/implementations/git-to-s3-using-webhooks/> <https://medium.com/mindorks/building-webhook-is-easy-using-aws-lambda-and-api-gateway-56f5e5c3a596>

**NEW QUESTION 59**

- (Exam Topic 1)

A company uses an on-premises data analytics platform. The system is highly available in a fully redundant configuration across 12 servers in the company's data center.

The system runs scheduled jobs, both hourly and daily, in addition to one-time requests from users. Scheduled jobs can take between 20 minutes and 2 hours to finish running and have tight SLAs. The scheduled jobs account for 65% of the system usage. User jobs typically finish running in less than 5 minutes and have no SLA. The user jobs account for 35% of system usage. During system failures, scheduled jobs must continue to meet SLAs. However, user jobs can be delayed.

A solutions architect needs to move the system to Amazon EC2 instances and adopt a consumption-based model to reduce costs with no long-term commitments.

The solution must maintain high availability and must not affect the SLAs.

Which solution will meet these requirements MOST cost-effectively?

- A. Split the 12 instances across two Availability Zones in the chosen AWS Region
- B. Run two instances in each Availability Zone as On-Demand Instances with Capacity Reservation
- C. Run four instances in each Availability Zone as Spot Instances.
- D. Split the 12 instances across three Availability Zones in the chosen AWS Region
- E. In one of the Availability Zones, run all four instances as On-Demand Instances with Capacity Reservation
- F. Run the remaining instances as Spot Instances.
- G. Split the 12 instances across three Availability Zones in the chosen AWS Region
- H. Run two instances in each Availability Zone as On-Demand Instances with a Savings Plan
- I. Run two instances in each Availability Zone as Spot Instances.
- J. Split the 12 instances across three Availability Zones in the chosen AWS Region
- K. Run three instances in each Availability Zone as On-Demand Instances with Capacity Reservation
- L. Run one instance in each Availability Zone as a Spot Instance.

**Answer: D**

**Explanation:**

By splitting the 12 instances across three Availability Zones, the system can maintain high availability and availability of resources in case of a failure. Option D also uses a combination of On-Demand Instances with Capacity Reservations and Spot Instances, which allows for scheduled jobs to be run on the On-Demand instances with guaranteed capacity, while also taking advantage of the cost savings from Spot Instances for the user jobs which have lower SLA requirements.

**NEW QUESTION 60**

- (Exam Topic 1)

A company is running a data-intensive application on AWS. The application runs on a cluster of hundreds of Amazon EC2 instances. A shared file system also

runs on several EC2 instances that store 200 TB of data. The application reads and modifies the data on the shared file system and generates a report. The job runs once monthly, reads a subset of the files from the shared file system, and takes about 72 hours to complete. The compute instances scale in an Auto Scaling group, but the instances that host the shared file system run continuously. The compute and storage instances are all in the same AWS Region. A solutions architect needs to reduce costs by replacing the shared file system instances. The file system must provide high performance access to the needed data for the duration of the 72-hour run. Which solution will provide the LARGEST overall cost reduction while meeting these requirements?

- A. Migrate the data from the existing shared file system to an Amazon S3 bucket that uses the S3 Intelligent-Tiering storage class
- B. Before the job runs each month, use Amazon FSx for Lustre to create a new file system with the data from Amazon S3 by using lazy loadin
- C. Use the new file system as the shared storage for the duration of the jo
- D. Delete the file system when the job is complete.
- E. Migrate the data from the existing shared file system to a large Amazon Elastic Block Store (Amazon EBS) volume with Multi-Attach enable
- F. Attach the EBS volume to each of the instances by using a user data script in the Auto Scaling group launch templat
- G. Use the EBS volume as the shared storage for the duration of the jo
- H. Detach the EBS volume when the job is complete.
- I. Migrate the data from the existing shared file system to an Amazon S3 bucket that uses the S3 Standard storage clas
- J. Before the job runs each month, use Amazon FSx for Lustre to create a new file system with the data from Amazon S3 by using batch loadin
- K. Use the new file system as the shared storage for the duration of the jo
- L. Delete the file system when the job is complete.
- M. Migrate the data from the existing shared file system to an Amazon S3 bucke
- N. Before the job runs each month, use AWS Storage Gateway to create a file gateway with the data from Amazon S3. Use the file gateway as the shared storage for the jo
- O. Delete the file gateway when the job is complete.

**Answer:** A

**Explanation:**

<https://aws.amazon.com/blogs/storage/new-enhancements-for-moving-data-between-amazon-fsx-for-lustre-and>

**NEW QUESTION 65**

- (Exam Topic 1)

A company that has multiple AWS accounts is using AWS Organizations. The company's AWS accounts host VPCs, Amazon EC2 instances, and containers. The company's compliance team has deployed a security tool in each VPC where the company has deployments. The security tools run on EC2 instances and send information to the AWS account that is dedicated for the compliance team. The company has tagged all the compliance-related resources with a key of "costCenter" and a value of "compliance".

The company wants to identify the cost of the security tools that are running on the EC2 instances so that the company can charge the compliance team's AWS account. The cost calculation must be as accurate as possible.

What should a solutions architect do to meet these requirements?

- A. In the management account of the organization, activate the costCenter user-defined ta
- B. Configure monthly AWS Cost and Usage Reports to save to an Amazon S3 bucket in the management accoun
- C. Use the tag breakdown in the report to obtain the total cost for the costCenter tagged resources.
- D. In the member accounts of the organization, activate the costCenter user-defined ta
- E. Configure monthly AWS Cost and Usage Reports to save to an Amazon S3 bucket in the management accoun
- F. Schedule a monthly AWS Lambda function to retrieve the reports and calculate the total cost for the costCenter tagged resources.
- G. In the member accounts of the organization activate the costCenter user-defined ta
- H. From the management account, schedule a monthly AWS Cost and Usage Repor
- I. Use the tag breakdown in the report to calculate the total cost for the costCenter tagged resources.
- J. Create a custom report in the organization view in AWS Trusted Adviso
- K. Configure the report to generate a monthly billing summary for the costCenter tagged resources in the compliance team's AWS account.

**Answer:** A

**Explanation:**

<https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/custom-tags.html>

<https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/configurecostallocreport.html>

**NEW QUESTION 69**

- (Exam Topic 1)

A company with global offices has a single 1 Gbps AWS Direct Connect connection to a single AWS Region. The company's on-premises network uses the connection to communicate with the company's resources in the AWS Cloud. The connection has a single private virtual interface that connects to a single VPC.

A solutions architect must implement a solution that adds a redundant Direct Connect connection in the same Region. The solution also must provide connectivity to other Regions through the same pair of Direct Connect connections as the company expands into other Regions.

Which solution meets these requirements?

- A. Provision a Direct Connect gatewa
- B. Delete the existing private virtual interface from the existing connectio
- C. Create the second Direct Connect connectio
- D. Create a new private virtual interlace on each connection, and connect both private virtual interfaces to the Direct Connect gatewa
- E. Connect the Direct Connect gateway to the single VPC.
- F. Keep the existing private virtual interfac
- G. Create the second Direct Connect connectio
- H. Create a new private virtual interface on the new connection, and connect the new private virtual interface to the single VPC.
- I. Keep the existing private virtual interfac
- J. Create the second Direct Connect connectio
- K. Create a new public virtual interface on the new connection, and connect the new public virtual interface to the single VPC.
- L. Provision a transit gatewa
- M. Delete the existing private virtual interface from the existing connection.Create the second Direct Connect connectio
- N. Create a new private virtual interface on each connection, and connect both private virtual interfaces to the transit gatewa
- O. Associate the transit gateway with the single VPC.

**Answer:** A

**Explanation:**

A Direct Connect gateway is a globally available resource. You can create the Direct Connect gateway in any Region and access it from all other Regions. The following describe scenarios where you can use a Direct Connect gateway.

<https://docs.aws.amazon.com/directconnect/latest/UserGuide/direct-connect-gateways-intro.html>

**NEW QUESTION 72**

- (Exam Topic 1)

A company has its cloud infrastructure on AWS. A solutions architect needs to define the infrastructure as code. The infrastructure is currently deployed in one AWS Region. The company's business expansion plan includes deployments in multiple Regions across multiple AWS accounts.

What should the solutions architect do to meet these requirements?

- A. Use AWS CloudFormation templates. Add IAM policies to control the various accounts. Deploy the templates across the multiple Regions.
- B. Use AWS Organizations. Deploy AWS CloudFormation templates from the management account. Use AWS Control Tower to manage deployments across accounts.
- C. Use AWS Organizations and AWS CloudFormation StackSets. Deploy a CloudFormation template from an account that has the necessary IAM permissions.
- D. Use nested stacks with AWS CloudFormation templates. Change the Region by using nested stacks.

**Answer:** C

**Explanation:**

<https://aws.amazon.com/blogs/aws/new-use-aws-cloudformation-stacksets-for-multiple-accounts-in-an-aws-org/> AWS Organizations allows the management of multiple AWS accounts as a single entity, and AWS

CloudFormation StackSets allows creating, updating, and deleting stacks across multiple accounts and regions in an organization. This solution allows creating a single CloudFormation template that can be deployed across multiple accounts and regions, and also allows for the management of access and permissions for the different accounts through the use of IAM roles and policies in the management account.

**NEW QUESTION 77**

- (Exam Topic 1)

A company has a multi-tier web application that runs on a fleet of Amazon EC2 instances behind an Application Load Balancer (ALB). The instances are in an Auto Scaling group. The ALB and the Auto Scaling group are replicated in a backup AWS Region. The minimum value and the maximum value for the Auto Scaling group are set to zero. An Amazon RDS Multi-AZ DB instance stores the application's data. The DB instance has a read replica in the backup Region. The application presents an endpoint to end users by using an Amazon Route 53 record.

The company needs to reduce its RTO to less than 15 minutes by giving the application the ability to automatically fail over to the backup Region. The company does not have a large enough budget for an active-active strategy.

What should a solutions architect recommend to meet these requirements?

- A. Reconfigure the application's Route 53 record with a latency-based routing policy that load balances traffic between the two ALBs.
- B. Create an AWS Lambda function in the backup Region to promote the read replica and modify the Auto Scaling group value.
- C. Create an Amazon CloudWatch alarm that is based on the HTTPCode\_Target\_5XX\_Count metric for the ALB in the primary Region.
- D. Configure the CloudWatch alarm to invoke the Lambda function.
- E. Create an AWS Lambda function in the backup Region to promote the read replica and modify the Auto Scaling group value.
- F. Configure Route 53 with a health check that monitors the web application and sends an Amazon Simple Notification Service (Amazon SNS) notification to the Lambda function when the health check status is unhealthy.
- G. Update the application's Route 53 record with a failover policy that routes traffic to the ALB in the backup Region when a health check failure occurs.
- H. Configure the Auto Scaling group in the backup Region to have the same values as the Auto Scaling group in the primary Region.
- I. Reconfigure the application's Route 53 record with a latency-based routing policy that load balances traffic between the two ALBs.
- J. Remove the read replica.
- K. Replace the read replica with a standalone RDS DB instance.
- L. Configure Cross-Region Replication between the RDS DB instances by using snapshots and Amazon S3.
- M. Configure an endpoint in AWS Global Accelerator with the two ALBs as equal weighted targets.
- N. Create an AWS Lambda function in the backup Region to promote the read replica and modify the Auto Scaling group value.
- O. Create an Amazon CloudWatch alarm that is based on the HTTPCode\_Target\_5XX\_Count metric for the ALB in the primary Region.
- P. Configure the CloudWatch alarm to invoke the Lambda function.

**Answer:** B

**Explanation:**

Create an AWS Lambda function in the backup region to promote the read replica and modify the Auto Scaling group values, and then configure Route 53 with a health check that monitors the web application and sends an Amazon SNS notification to the Lambda function when the health check status is unhealthy. Finally, the application's Route 53 record should be updated with a failover policy that routes traffic to the ALB in the backup region when a health check failure occurs. This approach provides automatic failover to the backup region when a health check failure occurs, reducing the RTO to less than 15 minutes. Additionally, this approach is cost-effective as it does not require an active-active strategy.

**NEW QUESTION 82**

- (Exam Topic 1)

A solutions architect needs to copy data from an Amazon S3 bucket in an AWS account to a new S3 bucket in a new AWS account. The solutions architect must implement a solution that uses the AWS CLI.

Which combination of steps will successfully copy the data? (Choose three.)

- A. Create a bucket policy to allow the source bucket to list its contents and to put objects and set object ACLs in the destination bucket.
- B. Attach the bucket policy to the destination bucket.
- C. Create a bucket policy to allow a user in the destination account to list the source bucket's contents and read the source bucket's object.
- D. Attach the bucket policy to the source bucket.
- E. Create an IAM policy in the source account.
- F. Configure the policy to allow a user in the source account to list contents and get objects in the source bucket, and to list contents, put objects, and set object ACLs in the destination bucket.
- G. Attach the policy to the user.
- H. Create an IAM policy in the destination account.



- I. Configure the policy to allow a user In the destination account to list contents and get objects In the source bucket, and to list contents, put objects, and set objectACLs in the destination bucket
- J. Attach the policy to the user.
- K. Run the aws s3 sync command as a user in the source account
- L. Specify the source and destination buckets to copy the data.
- M. Run the aws s3 sync command as a user in the destination account
- N. Specify the source and destination buckets to copy the data.

**Answer:** BDF

**Explanation:**

Step B is necessary so that the user in the destination account has the necessary permissions to access the source bucket and list its contents, read its objects. Step D is needed so that the user in the destination account has the necessary permissions to access the destination bucket and list contents, put objects, and set object ACLs Step F is necessary because the aws s3 sync command needs to be run using the IAM user credentials from the destination account, so that the objects will have the appropriate permissions for the user in the destination account once they are copied.

**NEW QUESTION 85**

- (Exam Topic 1)

A retail company is operating its ecommerce application on AWS. The application runs on Amazon EC2 instances behind an Application Load Balancer (ALB). The company uses an Amazon RDS DB instance as the database backend. Amazon CloudFront is configured with one origin that points to the ALB. Static content is cached. Amazon Route 53 is used to host all public zones.

After an update of the application, the ALB occasionally returns a 502 status code (Bad Gateway) error. The root cause is malformed HTTP headers that are returned to the ALB. The webpage returns successfully when a solutions architect reloads the webpage immediately after the error occurs.

While the company is working on the problem, the solutions architect needs to provide a custom error page instead of the standard ALB error page to visitors.

Which combination of steps will meet this requirement with the LEAST amount of operational overhead? (Choose two.)

- A. Create an Amazon S3 bucket
- B. Configure the S3 bucket to host a static webpage
- C. Upload the custom error pages to Amazon S3.
- D. Create an Amazon CloudWatch alarm to invoke an AWS Lambda function if the ALB health check response Target.FailedHealthChecks is greater than 0. Configure the Lambda function to modify the forwarding rule at the ALB to point to a publicly accessible web server.
- E. Modify the existing Amazon Route 53 records by adding health check
- F. Configure a fallback target if the health check fails
- G. Modify DNS records to point to a publicly accessible webpage.
- H. Create an Amazon CloudWatch alarm to invoke an AWS Lambda function if the ALB health check response Elb.InternalError is greater than 0. Configure the Lambda function to modify the forwarding rule at the ALB to point to a public accessible web server.
- I. Add a custom error response by configuring a CloudFront custom error page
- J. Modify DNS records to point to a publicly accessible web page.

**Answer:** CE

**Explanation:**

"Save your custom error pages in a location that is accessible to CloudFront. We recommend that you store them in an Amazon S3 bucket, and that you don't store them in the same place as the rest of your website or application's content. If you store the custom error pages on the same origin as your website or application, and the origin starts to return 5xx errors, CloudFront can't get the custom error pages because the origin server is unavailable."

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/GeneratingCustomErrorResponses.htm>

**NEW QUESTION 89**

- (Exam Topic 1)

A solutions architect needs to implement a client-side encryption mechanism for objects that will be stored in a new Amazon S3 bucket. The solutions architect created a CMK that is stored in AWS Key Management Service (AWS KMS) for this purpose.

The solutions architect created the following IAM policy and attached it to an IAM role:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "DownloadUpload",
      "Action": [
        "s3:GetObject",
        "s3:GetObjectVersion",
        "s3:PutObject",
        "s3:PutObjectAcl"
      ],
      "Effect": "Allow",
      "Resource": "arn:aws:s3:::BucketName/*"
    },
    {
      "Sid": "KMSAccess",
      "Action": [
        "kms:Decrypt",
        "kms:Encrypt"
      ],
      "Effect": "Allow",
      "Resource": "arn:aws:kms:Region:Account:key/Key ID"
    }
  ]
}
```

During tests, the solutions architect was able to successfully get existing test objects in the S3 bucket. However, attempts to upload a new object resulted in an error message. The error message stated that the action was forbidden.

Which action must the solutions architect add to the IAM policy to meet all the requirements?

- A. kms:GenerateDataKey
- B. kms:GetKeyPolicy

C. kmsGetPubKKey  
D. kms:SKjn

**Answer:** A

**Explanation:**

<https://aws.amazon.com/premiumsupport/knowledge-center/s3-access-denied-error-kms/>

"An error occurred (AccessDenied) when calling the PutObject operation: Access Denied" This error message indicates that your IAM user or role needs permission for the kms:GenerateDataKey action.

**NEW QUESTION 90**

- (Exam Topic 1)

A company with several AWS accounts is using AWS Organizations and service control policies (SCPs). An Administrator created the following SCP and has attached it to an organizational unit (OU) that contains AWS account 1111-1111-1111:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "AllowsAllActions",
      "Effect": "Allow",
      "Action": "*",
      "Resource": "*"
    },
    {
      "Sid": "DenyCloudTrail",
      "Effect": "Deny",
      "Action": "cloudtrail:*",
      "Resource": "*"
    }
  ]
}
```

Developers working in account 1111-1111-1111 complain that they cannot create Amazon S3 buckets. How should the Administrator address this problem?

- A. Add s3:CreateBucket with Allow effect to the SCP.
- B. Remove the account from the OU, and attach the SCP directly to account 1111-1111-1111.
- C. Instruct the Developers to add Amazon S3 permissions to their IAM entities.
- D. Remove the SCP from account 1111-1111-1111.

**Answer:** C

**Explanation:**

However A's explanation is incorrect - [https://docs.aws.amazon.com/organizations/latest/userguide/orgs\\_manage\\_policies\\_scps.html](https://docs.aws.amazon.com/organizations/latest/userguide/orgs_manage_policies_scps.html)

"SCPs are similar to AWS Identity and Access Management (IAM) permission policies and use almost the same syntax. However, an SCP never grants permissions."

SCPs alone are not sufficient to granting permissions to the accounts in your organization. No permissions are granted by an SCP. An SCP defines a guardrail, or sets limits, on the actions that the account's administrator can delegate to the IAM users and roles in the affected accounts. The administrator must still attach identity-based or resource-based policies to IAM users or roles, or to the resources in your accounts to actually grant permissions. The effective permissions are the logical intersection between what is allowed by the SCP and what is allowed by the IAM and resource-based policies.

**NEW QUESTION 94**

- (Exam Topic 1)

A company is planning to migrate 1,000 on-premises servers to AWS. The servers run on several VMware clusters in the company's data center. As part of the migration plan, the company wants to gather server metrics such as CPU details, RAM usage, operating system information, and running processes. The company then wants to query and analyze the data.

Which solution will meet these requirements?

- A. Deploy and configure the AWS Agentless Discovery Connector virtual appliance on the on-premises host
- B. Configure Data Exploration in AWS Migration Hub
- C. Use AWS Glue to perform an ETL job against the data
- D. Query the data by using Amazon S3 Select.
- E. Export only the VM performance information from the on-premises host
- F. Directly import the required data into AWS Migration Hub
- G. Update any missing information in Migration Hub
- H. Query the data by using Amazon QuickSight.
- I. Create a script to automatically gather the server information from the on-premises host
- J. Use the AWS CLI to run the put-resource-attributes command to store the detailed server data in AWS Migration Hub
- K. Query the data directly in the Migration Hub console.
- L. Deploy the AWS Application Discovery Agent to each on-premises server
- M. Configure Data Exploration in AWS Migration Hub
- N. Use Amazon Athena to run predefined queries against the data in Amazon S3.

**Answer:** D

**Explanation:**

➤ it covers all the requirements mentioned in the question, it will allow collecting the detailed metrics, including process information and it provides a way to query

and analyze the data using Amazon Athena.

#### NEW QUESTION 95

- (Exam Topic 1)

A company's solutions architect is reviewing a web application that runs on AWS. The application references static assets in an Amazon S3 bucket in the us-east-1 Region. The company needs resiliency across multiple AWS Regions. The company already has created an S3 bucket in a second Region. Which solution will meet these requirements with the LEAST operational overhead?

- A. Configure the application to write each object to both S3 bucket
- B. Set up an Amazon Route 53 public hosted zone with a record set by using a weighted routing policy for each S3 bucket
- C. Configure the application to reference the objects by using the Route 53 DNS name.
- D. Create an AWS Lambda function to copy objects from the S3 bucket in us-east-1 to the S3 bucket in the second Region
- E. Invoke the Lambda function each time an object is written to the S3 bucket in us-east-1. Set up an Amazon CloudFront distribution with an origin group that contains the two S3 buckets as origins.
- F. Configure replication on the S3 bucket in us-east-1 to replicate objects to the S3 bucket in the second Region Set up an Amazon CloudFront distribution with an origin group that contains the two S3 buckets as origins.
- G. Configure replication on the S3 bucket in us-east-1 to replicate objects to the S3 bucket in the second Region
- H. If failover is required, update the application code to load S3 objects from the S3 bucket in the second Region.

**Answer:** C

#### Explanation:

[https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/high\\_availability\\_origin\\_failover.html](https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/high_availability_origin_failover.html)

#### NEW QUESTION 99

- (Exam Topic 1)

A company has introduced a new policy that allows employees to work remotely from their homes if they connect by using a VPN The company is hosting Internal applications with VPCs in multiple AWS accounts Currently the applications are accessible from the company's on-premises office network through an AWS Site-to-Site VPN connection The VPC in the company's main AWS account has peering connections established with VPCs in other AWS accounts.

A solutions architect must design a scalable AWS Client VPN solution for employees to use while they work from home

What is the MOST cost-effective solution that meets these requirements?

- A. Create a Client VPN endpoint in each AWS account Configure required routing that allows access to internal applications
- B. Create a Client VPN endpoint in the main AWS account Configure required routing that allows access to internal applications
- C. Create a Client VPN endpoint in the main AWS account Provision a transit gateway that is connected to each AWS account Configure required routing that allows access to internal applications
- D. Create a Client VPN endpoint in the main AWS account Establish connectivity between the Client VPN endpoint and the AWS Site-to-Site VPN

**Answer:** C

#### Explanation:

<https://docs.aws.amazon.com/vpn/latest/clientvpn-admin/scenario-peered.html>

#### NEW QUESTION 100

- (Exam Topic 1)

A solutions architect is designing the data storage and retrieval architecture for a new application that a company will be launching soon. The application is designed to ingest millions of small records per minute from devices all around the world. Each record is less than 4 KB in size and needs to be stored in a durable location where it can be retrieved with low latency. The data is ephemeral and the company is required to store the data for 120 days only, after which the data can be deleted.

The solutions architect calculates that, during the course of a year, the storage requirements would be about 10-15 TB.

Which storage strategy is the MOST cost-effective and meets the design requirements?

- A. Design the application to store each incoming record as a single .csv file in an Amazon S3 bucket to allow for indexed retrieval
- B. Configure a lifecycle policy to delete data older than 120 days.
- C. Design the application to store each incoming record in an Amazon DynamoDB table properly configured for the scale
- D. Configure the DynamoDB Time to Live (TTL) feature to delete records older than 120 days.
- E. Design the application to store each incoming record in a single table in an Amazon RDS MySQL database
- F. Run a nightly cron job that executes a query to delete any records older than 120 days.
- G. Design the application to batch incoming records before writing them to an Amazon S3 bucket
- H. Update the metadata for the object to contain the list of records in the batch and use the Amazon S3 metadata search feature to retrieve the data
- I. Configure a lifecycle policy to delete the data after 120 days.

**Answer:** B

#### Explanation:

DynamoDB with TTL, cheaper for sustained throughput of small items + suited for fast retrievals. S3 cheaper for storage only, much higher costs with writes. RDS not designed for this use case.

#### NEW QUESTION 105

- (Exam Topic 1)

A digital marketing company has multiple AWS accounts that belong to various teams. The creative team uses an Amazon S3 bucket in its AWS account to securely store images and media files that are used as content for the company's marketing campaigns. The creative team wants to share the S3 bucket with the strategy team so that the strategy team can view the objects.

A solutions architect has created an IAM role that is named strategy\_reviewer in the Strategy account. The solutions architect also has set up a custom AWS Key Management Service (AWS KMS) key in the Creative account and has associated the key with the S3 bucket. However, when users from the Strategy account assume the IAM role and try to access objects in the S3 bucket, they receive an AccessDeniedException.

The solutions architect must ensure that users in the Strategy account can access the S3 bucket. The solution must provide these users with only the minimum permissions that they need.

Which combination of steps should the solutions architect take to meet these requirements? (Select THREE.)



- A. Create a bucket policy that includes read permissions for the S3 bucket
- B. Set the principal of the bucket policy to the account ID of the Strategy account
- C. Update the strategy\_reviewer IAM role to grant full permissions for the S3 bucket and to grant decrypt permissions for the custom KMS key.
- D. Update the custom KMS key policy in the Creative account to grant decrypt permissions to the strategy\_reviewer IAM role.
- E. Create a bucket policy that includes read permissions for the S3 bucket
- F. Set the principal of the bucket policy to an anonymous user.
- G. Update the custom KMS key policy in the Creative account to grant encrypt permissions to the strategy\_reviewer IAM role.
- H. Update the strategy\_reviewer IAM role to grant read permissions for the S3 bucket and to grant decrypt permissions for the custom KMS key

**Answer:** ACF

**Explanation:**

<https://aws.amazon.com/premiumsupport/knowledge-center/cross-account-access-denied-error-s3/>

#### NEW QUESTION 107

- (Exam Topic 1)

A company needs to implement a patching process for its servers. The on-premises servers and Amazon EC2 instances use a variety of tools to perform patching. Management requires a single report showing the patch status of all the servers and instances. Which set of actions should a solutions architect take to meet these requirements?

- A. Use AWS Systems Manager to manage patches on the on-premises servers and EC2 instance
- B. Use Systems Manager to generate patch compliance reports.
- C. Use AWS OpsWorks to manage patches on the on-premises servers and EC2 instance
- D. Use Amazon QuickSight integration with OpsWorks to generate patch compliance reports.
- E. Use an Amazon EventBridge (Amazon CloudWatch Events) rule to apply patches by scheduling an AWS Systems Manager patch remediation job
- F. Use Amazon Inspector to generate patch compliance reports.
- G. Use AWS OpsWorks to manage patches on the on-premises servers and EC2 instance
- H. Use AWS X-Ray to post the patch status to AWS Systems Manager OpsCenter to generate patch compliance reports.

**Answer:** A

**Explanation:**

<https://docs.aws.amazon.com/systems-manager/latest/userguide/systems-manager-patch.html>

#### NEW QUESTION 112

- (Exam Topic 1)

A company has registered 10 new domain names. The company uses the domains for online marketing. The company needs a solution that will redirect online visitors to a specific URL for each domain. All domains and target URLs are defined in a JSON document. All DNS records are managed by Amazon Route 53. A solutions architect must implement a redirect service that accepts HTTP and HTTPS requests. Which combination of steps should the solutions architect take to meet these requirements with the LEAST amount of operational effort? (Choose three.)

- A. Create a dynamic webpage that runs on an Amazon EC2 instance
- B. Configure the webpage to use the JSON document in combination with the event message to look up and respond with a redirect URL.
- C. Create an Application Load Balancer that includes HTTP and HTTPS listeners.
- D. Create an AWS Lambda function that uses the JSON document in combination with the event message to look up and respond with a redirect URL.
- E. Use an Amazon API Gateway API with a custom domain to publish an AWS Lambda function.
- F. Create an Amazon CloudFront distribution
- G. Deploy a Lambda@Edge function.
- H. Create an SSL certificate by using AWS Certificate Manager (ACM). Include the domains as Subject Alternative Names.

**Answer:** CEF

**Explanation:**

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/lambda-edge-how-it-works-tutorial.html>

#### NEW QUESTION 115

- (Exam Topic 1)

A company is building a serverless application that runs on an AWS Lambda function that is attached to a VPC. The company needs to integrate the application with a new service from an external provider. The external provider supports only requests that come from public IPv4 addresses that are in an allow list. The company must provide a single public IP address to the external provider before the application can start using the new service. Which solution will give the application the ability to access the new service?

- A. Deploy a NAT gateway
- B. Associate an Elastic IP address with the NAT gateway
- C. Configure the VPC to use the NAT gateway.
- D. Deploy an egress-only internet gateway
- E. Associate an Elastic IP address with the egress-only internet gateway
- F. Configure the elastic network interface on the Lambda function to use the egress-only internet gateway.
- G. Deploy an internet gateway
- H. Associate an Elastic IP address with the internet gateway
- I. Configure the Lambda function to use the internet gateway.
- J. Deploy an internet gateway
- K. Associate an Elastic IP address with the internet gateway
- L. Configure the default route in the public VPC route table to use the internet gateway.

**Answer:** A

**Explanation:**

This solution will give the Lambda function access to the internet by routing its outbound traffic through the NAT gateway, which has a public Elastic IP address. This will allow the external provider to whitelist the single public IP address associated with the NAT gateway, and enable the application to access the new service

Deploying a NAT gateway and associating an Elastic IP address with it, and then configuring the VPC to use the NAT gateway, will give the application the ability to access the new service. This is because the NAT gateway will be the single public IP address that the external provider needs for the allow list. The NAT gateway will allow the application to access the service, while keeping the underlying Lambda functions private.

When configuring NAT gateways, you should ensure that the route table associated with the NAT gateway has a route to the internet gateway with a target of the internet gateway. Additionally, you should ensure that the security group associated with the NAT gateway allows outbound traffic from the Lambda functions.

References:

➤ AWS Certified Solutions Architect Professional Official Amazon Text Book [1], page 456  
[https://docs.aws.amazon.com/vpc/latest/userguide/VPC\\_NAT\\_Gateway.html](https://docs.aws.amazon.com/vpc/latest/userguide/VPC_NAT_Gateway.html)

#### NEW QUESTION 117

- (Exam Topic 1)

A weather service provides high-resolution weather maps from a web application hosted on AWS in the eu-west-1 Region. The weather maps are updated frequently and stored in Amazon S3 along with static HTML content. The web application is fronted by Amazon CloudFront.

The company recently expanded to serve users in the us-east-1 Region, and these new users report that viewing their respective weather maps is slow from time to time.

Which combination of steps will resolve the us-east-1 performance issues? (Choose two.)

- A. Configure the AWS Global Accelerator endpoint for the S3 bucket in eu-west-1. Configure endpoint groups for TCP ports 80 and 443 in us-east-1.
- B. Create a new S3 bucket in us-east-1. Configure S3 cross-Region replication to synchronize from the S3 bucket in eu-west-1.
- C. Use Lambda@Edge to modify requests from North America to use the S3 Transfer Acceleration endpoint in us-east-1.
- D. Use Lambda@Edge to modify requests from North America to use the S3 bucket in us-east-1.
- E. Configure the AWS Global Accelerator endpoint for us-east-1 as an origin on the CloudFront distributio
- F. Use Lambda@Edge to modify requests from North America to use the new origin.

**Answer:** BD

**Explanation:**

<https://aws.amazon.com/about-aws/whats-new/2016/04/transfer-files-into-amazon-s3-up-to-300-percent-faster/>

#### NEW QUESTION 120

- (Exam Topic 1)

A company has hundreds of AWS accounts. The company recently implemented a centralized internal process for purchasing new Reserved Instances and modifying existing Reserved Instances. This process requires all business units that want to purchase or modify Reserved Instances to submit requests to a dedicated team for procurement. Previously, business units directly purchased or modified Reserved Instances in their own respective AWS accounts autonomously.

A solutions architect needs to enforce the new process in the most secure way possible.

Which combination of steps should the solutions architect take to meet these requirements? (Choose two.)

- A. Ensure that all AWS accounts are part of an organization in AWS Organizations with all features enabled.
- B. Use AWS Config to report on the attachment of an IAM policy that denies access to the ec2:PurchaseReservedInstancesOffering action and the ec2:ModifyReservedInstances action.
- C. In each AWS account, create an IAM policy that denies the ec2:PurchaseReservedInstancesOffering action and the ec2:ModifyReservedInstances action.
- D. Create an SCP that denies the ec2:PurchaseReservedInstancesOffering action and the ec2:ModifyReservedInstances actio
- E. Attach the SCP to each OU of the organization.
- F. Ensure that all AWS accounts are part of an organization in AWS Organizations that uses the consolidated billing feature.

**Answer:** AD

**Explanation:**

All features – The default feature set that is available to AWS Organizations. It includes all the functionality of consolidated billing, plus advanced features that give you more control over accounts in your organization. For example, when all features are enabled the management account of the organization has full control over what member accounts can do. The management account can apply SCPs to restrict the services and actions that users (including the root user) and roles in an account can access. [https://docs.aws.amazon.com/organizations/latest/userguide/orgs\\_getting-started\\_concepts.html#feature-set](https://docs.aws.amazon.com/organizations/latest/userguide/orgs_getting-started_concepts.html#feature-set)

#### NEW QUESTION 122

- (Exam Topic 1)

A company has a legacy monolithic application that is critical to the company's business. The company hosts the application on an Amazon EC2 instance that runs Amazon Linux 2. The company's application team receives a directive from the legal department to back up the data from the instance's encrypted Amazon Elastic Block Store (Amazon EBS) volume to an Amazon S3 bucket. The application team does not have the administrative SSH key pair for the instance. The application must continue to serve the users.

Which solution will meet these requirements?

- A. Attach a role to the instance with permission to write to Amazon S3. Use the AWS Systems Manager Session Manager option to gain access to the instance and run commands to copy data into Amazon S3.
- B. Create an image of the instance with the reboot option turned o
- C. Launch a new EC2 instance from the imag
- D. Attach a role to the new instance with permission to write to Amazon S3. Run a command to copy data into Amazon S3.
- E. Take a snapshot of the EBS volume by using Amazon Data Lifecycle Manager (Amazon DLM). Copy the data to Amazon S3.
- F. Create an image of the instanc
- G. Launch a new EC2 instance from the imag
- H. Attach a role to the new instance with permission to write to Amazon S3. Run a command to copy data into Amazon S3.

**Answer:** C

**Explanation:**

Taking a snapshot of the EBS volume using Amazon Data Lifecycle Manager (DLM) will meet the requirements because it allows you to create a backup of the volume without the need to access the instance or its SSH key pair. Additionally, DLM allows you to schedule the backups to occur at specific intervals and also enables you to copy the snapshots to an S3 bucket. This approach will not impact the running application as the backup is performed on the EBS volume level.

### NEW QUESTION 123

- (Exam Topic 1)

A company is storing data on premises on a Windows file server. The company produces 5 GB of new data daily.

The company migrated part of its Windows-based workload to AWS and needs the data to be available on a file system in the cloud. The company already has established an AWS Direct Connect connection between the on-premises network and AWS.

Which data migration strategy should the company use?

- A. Use the file gateway option in AWS Storage Gateway to replace the existing Windows file server, and point the existing file share to the new file gateway.
- B. Use AWS DataSync to schedule a daily task to replicate data between the on-premises Windows file server and Amazon FSx.
- C. Use AWS Data Pipeline to schedule a daily task to replicate data between the on-premises Windows file server and Amazon Elastic File System (Amazon EFS).
- D. Use AWS DataSync to schedule a daily task to replicate data between the on-premises Windows file server and Amazon Elastic File System (Amazon EFS),

**Answer: B**

#### Explanation:

<https://aws.amazon.com/storagegateway/file/>

<https://docs.aws.amazon.com/fsx/latest/WindowsGuide/migrate-files-to-fsx-datasync.html> <https://docs.aws.amazon.com/systems-manager/latest/userguide/prereqs-operating-systems.html#prereqs-os-win>

### NEW QUESTION 127

- (Exam Topic 1)

A company has many AWS accounts and uses AWS Organizations to manage all of them. A solutions architect must implement a solution that the company can use to share a common network across multiple accounts.

The company's infrastructure team has a dedicated infrastructure account that has a VPC. The infrastructure team must use this account to manage the network. Individual accounts cannot have the ability to manage their own networks. However, individual accounts must be able to create AWS resources within subnets.

Which combination of actions should the solutions architect perform to meet these requirements? (Select TWO.)

- A. Create a transit gateway in the infrastructure account.
- B. Enable resource sharing from the AWS Organizations management account.
- C. Create VPCs in each AWS account within the organization in AWS Organization
- D. Configure the VPCs to share the same CIDR range and subnets as the VPC in the infrastructure account
- E. Peer the VPCs in each individual account with the VPC in the infrastructure account,
- F. Create a resource share in AWS Resource Access Manager in the infrastructure account
- G. Select the specific AWS Organizations OU that will use the shared network
- H. Select each subnet to associate with the resource share.
- I. Create a resource share in AWS Resource Access Manager in the infrastructure account
- J. Select the specific AWS Organizations OU that will use the shared network
- K. Select each prefix list to associate with the resource share.

**Answer: AE**

#### Explanation:

<https://docs.aws.amazon.com/vpc/latest/userguide/sharing-managed-prefix-lists.html>

### NEW QUESTION 132

- (Exam Topic 1)

A solutions architect must analyze a company's Amazon EC2 Instances and Amazon Elastic Block Store (Amazon EBS) volumes to determine whether the company is using resources efficiently. The company is running several large, high-memory EC2 instances to host database clusters that are deployed in active/passive configurations. The utilization of these EC2 instances varies by the applications that use the databases, and the company has not identified a pattern. The solutions architect must analyze the environment and take action based on the findings. Which solution meets these requirements MOST cost-effectively?

- A. Create a dashboard by using AWS Systems Manager OpsCenter. Configure visualizations for Amazon CloudWatch metrics that are associated with the EC2 instances and their EBS volumes. Review the dashboard periodically and identify usage patterns. Right size the EC2 instances based on the peaks in the metrics.
- B. Turn on Amazon CloudWatch detailed monitoring for the EC2 instances and their EBS volumes. Create and review a dashboard that is based on the metrics. Identify usage patterns. Right size the EC2 instances based on the peaks in the metrics.
- C. Install the Amazon CloudWatch agent on each of the EC2 instances. Turn on AWS Compute Optimizer, and let it run for at least 12 hours. Review the recommendations from Compute Optimizer, and right size the EC2 instances as directed.
- D. Sign up for the AWS Enterprise Support plan. Turn on AWS Trusted Advisor. Wait 12 hours. Review the recommendations from Trusted Advisor, and rightsize the EC2 instances as directed.

**Answer: C**

#### Explanation:

(<https://aws.amazon.com/compute-optimizer/pricing/> , <https://aws.amazon.com/systems-manager/pricing/> ). <https://aws.amazon.com/compute-optimizer/>

### NEW QUESTION 133

- (Exam Topic 1)

A company has an on-premises website application that provides real estate information for potential renters and buyers. The website uses a Java backend and a NOSQL MongoDB database to store subscriber data.

The company needs to migrate the entire application to AWS with a similar structure. The application must be deployed for high availability, and the company cannot make changes to the application.

Which solution will meet these requirements?

- A. use an Amazon Aurora DB cluster as the database for the subscriber data
- B. Deploy Amazon EC2 instances in an Auto Scaling group across multiple Availability Zones for the Java backend application.
- C. Use MongoDB on Amazon EC2 instances as the database for the subscriber data
- D. Deploy EC2 instances in an Auto Scaling group in a single Availability Zone for the Java backend application.
- E. Configure Amazon DocumentDB (with MongoDB compatibility) with appropriately sized instances in multiple Availability Zones as the database for the



subscriber dat

F. Deploy Amazon EC2 instances in an Auto Scaling group across multiple Availability Zones for the Java backend application.

G. Configure Amazon DocumentDB (with MongoDB compatibility) in on-demand capacity mode in multiple Availability Zones as the database for the subscriber dat

H. Deploy Amazon EC2 instances in an Auto Scaling group across multiple Availability Zones for the Java backend application.

**Answer: C**

**Explanation:**

On-demand capacity mode is the function of Dynamodb.

<https://aws.amazon.com/blogs/news/running-spiky-workloads-and-optimizing-costs-by-more-than-90-using-ama>

Amazon DocumentDB Elastic Clusters <https://aws.amazon.com/blogs/news/announcing-amazon-documentdb-elastic-clusters/>

Deploy Amazon EC2 instances in an Auto Scaling group across multiple Availability Zones for the Java backend application. This will provide high availability and scalability, while allowing the company to retain the same database structure as the original application.

**NEW QUESTION 137**

- (Exam Topic 1)

A company wants to deploy an AWS WAF solution to manage AWS WAF rules across multiple AWS accounts. The accounts are managed under different OUs in AWS Organizations.

Administrators must be able to add or remove accounts or OUs from managed AWS WAF rule sets as needed Administrators also must have the ability to automatically update and remediate noncompliant AWS WAF rules in all accounts

Which solution meets these requirements with the LEAST amount of operational overhead?

A. Use AWS Firewall Manager to manage AWS WAF rules across accounts in the organizatio

B. Use an AWS Systems Manager Parameter Store parameter to store account numbers and OUs to manage Update the parameter as needed to add or remove accounts or OUs Use an Amazon EventBridge (Amazon CloudWatch Events) rule to identify any changes to the parameter and to invoke an AWS Lambda function to update the security policy in the Firewall Manager administrative account

C. Deploy an organization-wide AWS Config rule that requires all resources in the selected OUs to associate the AWS WAF rule

D. Deploy automated remediation actions by using AWS Lambda to fix noncompliant resources Deploy AWS WAF rules by using an AWS CloudFormation stack set to target the same OUs where the AWS Config rule is applied.

E. Create AWS WAF rules in the management account of the organization Use AWS Lambda environment variables to store account numbers and OUs to manage Update environment variables as needed to add or remove accounts or OUs Create cross-account IAM roles in member accounts Assume the roles by using AWS Security Token Service (AWS STS) in the Lambda function to create and update AWS WAF rules in the member accounts.

F. Use AWS Control Tower to manage AWS WAF rules across accounts in the organization Use AWS Key Management Service (AWS KMS) to store account numbers and OUs to manage Update AWS KMS as needed to add or remove accounts or OUs Create IAM users in member accounts Allow AWS Control Tower in the management account to use the access key and secret access key to create and update AWS WAF rules in the member accounts

**Answer: A**

**Explanation:**

<https://aws.amazon.com/solutions/implementations/automations-for-aws-firewall-manager/>

In this solution, AWS Firewall Manager is used to manage AWS WAF rules across accounts in the organization. An AWS Systems Manager Parameter Store parameter is used to store account numbers and OUs to manage. This parameter can be updated as needed to add or remove accounts or OUs. An Amazon EventBridge rule is used to identify any changes to the parameter and to invoke an AWS Lambda function to update the security policy in the Firewall Manager administrative account. This solution allows for easy management of AWS WAF rules across multiple accounts with minimal operational overhead

**NEW QUESTION 142**

- (Exam Topic 1)

A company runs a proprietary stateless ETL application on an Amazon EC2 Linux instance. The application is a Linux binary, and the source code cannot be modified. The application is single-threaded, uses 2 GB of RAM. and is highly CPU intensive The application is scheduled to run every 4 hours and runs for up to 20 minutes A solutions architect wants to revise the architecture for the solution.

Which strategy should the solutions architect use?

A. Use AWS Lambda to run the applicatio

B. Use Amazon CloudWatch Logs to invoke the Lambda function every 4 hours.

C. Use AWS Batch to run the applicatio

D. Use an AWS Step Functions state machine to invoke the AWS Batch job every 4 hours.

E. Use AWS Fargate to run the applicatio

F. Use Amazon EventBridge (Amazon CloudWatch Events) to invoke the Fargate task every 4 hours.

G. Use Amazon EC2 Spot Instances to run the applicatio

H. Use AWS CodeDeploy to deploy and run the application every 4 hours.

**Answer: C**

**Explanation:**

step function could run a scheduled task when triggered by eventbrige, but why would you add that layer of complexity just to run aws batch when you could directly invoke it through eventbridge. The link provided - <https://aws.amazon.com/pt/blogs/compute/orchestrating-high-performance-computing-with-aws-step-functions-> makes sense only for HPC, this is a single instance that needs to be run

**NEW QUESTION 146**

- (Exam Topic 1)

A company wants to use AWS to create a business continuity solution in case the company's main on-premises application fails. The application runs on physical servers that also run other applications. The on-premises application that the company is planning to migrate uses a MySQL database as a data store. All the company's on-premises applications use operating systems that are compatible with Amazon EC2.

Which solution will achieve the company's goal with the LEAST operational overhead?

A. Install the AWS Replication Agent on the source servers, including the MySQL server

B. Set up replication for all server

C. Launch test instances for regular drill

D. Cut over to the test instances to fail over the workload in the case of a failure event.

- E. Install the AWS Replication Agent on the source servers, including the MySQL server
- F. Initialize AWS Elastic Disaster Recovery in the target AWS Region
- G. Define the launch setting
- H. Frequently perform failover and fallback from the most recent point in time.
- I. Create AWS Database Migration Service (AWS DMS) replication servers and a target Amazon Aurora MySQL DB cluster to host the databases
- J. Create a DMS replication task to copy the existing data to the target DB cluster
- K. Create a local AWS Schema Conversion Tool (AWS SCT) change data capture (CDC) task to keep the data synchronized
- L. Install the rest of the software on EC2 instances by starting with a compatible base AMI.
- M. Deploy an AWS Storage Gateway Volume Gateway on-premise
- N. Mount volumes on all on-premise servers
- O. Install the application and the MySQL database on the new volume
- P. Take regular snapshots
- Q. Install all the software on EC2 instances by starting with a compatible base AMI
- R. Launch a Volume Gateway on an EC2 instance
- S. Restore the volumes from the latest snapshot
- T. Mount the new volumes on the EC2 instances in the case of a failure event.

**Answer:** B

**Explanation:**

<https://docs.aws.amazon.com/drs/latest/userguide/what-is-drs.html> <https://docs.aws.amazon.com/drs/latest/userguide/recovery-workflow-gs.html>

**NEW QUESTION 150**

- (Exam Topic 1)

A company is developing a new service that will be accessed using TCP on a static port. A solutions architect must ensure that the service is highly available, has redundancy across Availability Zones, and is accessible using the DNS name `myservice.com`, which is publicly accessible. The service must use fixed address assignments so other companies can add the addresses to their allow lists.

Assuming that resources are deployed in multiple Availability Zones in a single Region, which solution will meet these requirements?

- A. Create Amazon EC2 instances with an Elastic IP address for each instance. Create a Network Load Balancer (NLB) and expose the static TCP port. Register EC2 instances with the NLB. Create a new name server record set named `my-service.com`, and assign the Elastic IP addresses of the EC2 instances to the record set. Provide the Elastic IP addresses of the EC2 instances to the other companies to add to their allow lists.
- B. Create an Amazon ECS cluster and a service definition for the application. Create and assign public IP addresses for the ECS cluster. Create a Network Load Balancer (NLB) and expose the TCP port. Create a target group and assign the ECS cluster name to the NLB. Create a new A record set named `my-service.com` and assign the public IP addresses of the ECS cluster to the record set. Provide the public IP addresses of the ECS cluster to the other companies to add to their allow lists.
- C. Create Amazon EC2 instances for the service. Create one Elastic IP address for each Availability Zone. Create a Network Load Balancer (NLB) and expose the assigned TCP port. Assign the Elastic IP addresses to the NLB for each Availability Zone. Create a target group and register the EC2 instances with the NLB. Create a new A (alias) record set named `my-service.com`, and assign the NLB DNS name to the record set.
- D. Create an Amazon ECS cluster and a service definition for the application. Create and assign public IP address for each host in the cluster. Create an Application Load Balancer (ALB) and expose the static TCP port. Create a target group and assign the ECS service definition name to the ALB. Create a new CNAME record set and associate the public IP addresses to the record set. Provide the Elastic IP addresses of the Amazon EC2 instances to the other companies to add to their allow lists.

**Answer:** C

**Explanation:**

<https://docs.aws.amazon.com/Route53/latest/DeveloperGuide/routing-to-elb-load-balancer.html>

Create a Network Load Balancer (NLB) and expose the assigned TCP port. Assign the Elastic IP addresses to the NLB for each Availability Zone. Create a target group and register the EC2 instances with the NLB. Create a new A (alias) record set named `my.service.com`, and assign the NLB DNS name to the record set. As it uses the NLB as the resource in the A-record, traffic will be routed through the NLB, and it will automatically route the traffic to the healthy instances based on the health checks and also it provides the fixed address assignments so other companies can add the NLB's Elastic IP addresses to their allow lists.

**NEW QUESTION 153**

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual SAP-C02 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the SAP-C02 Product From:

<https://www.2passeasy.com/dumps/SAP-C02/>

## Money Back Guarantee

### **SAP-C02 Practice Exam Features:**

- \* SAP-C02 Questions and Answers Updated Frequently
- \* SAP-C02 Practice Questions Verified by Expert Senior Certified Staff
- \* SAP-C02 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* SAP-C02 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year