

Microsoft

Exam Questions PL-300

Microsoft Power BI Data Analyst



NEW QUESTION 1

- (Topic 1)

You merge data from Sales.Region, Region_Manager, Sales_Manager, and Manager into a single table named Region. What should you do next to meet the reporting requirements of the executives?

- A. Apply row-level security (RLS) to the Region table based on the sales manager username.
- B. Configure a bi-directional relationship between Region and Sales.Region.
- C. Create a DAX calculated column that retrieves the region manager from the Weekly>Returns table based on the sales.regionjd column.
- D. In the Region table, create a hierarchy that has the manager name, and then the sales manager name.

Answer: C

NEW QUESTION 2

- (Topic 1)

What should you create to meet the reporting requirements of the sales department?

- A. a measure that uses a formula of SUM (Sales [sales_id])
- B. a calculated column that use a formula of COUNTA(sales [sales_id])
- C. a measure that uses a formula of COUNTROWS (Sales)
- D. a calculated column that uses a formula of SUM (Sales [sales_id])

Answer: C

Explanation:

The sale department requires reports that contain the number of sales transactions.

The COUNTROWS function counts the number of rows in the specified table, or in a table defined by an expression.

Reference:

<https://docs.microsoft.com/en-us/dax/countrows-function-dax>


NEW QUESTION 3

DRAG DROP - (Topic 2)

You need to create a DAX measure in the data model that only allows users to see projections at the appropriate levels of granularity.

How should you complete the measure? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Scenario: Revenue projections are set at the monthly level and summed to show projections for the quarter.

Box 1: IF

Box 2: ISFILTERED

ISFILTERED returns TRUE when columnName is being filtered directly. If there is no filter on the column or if the filtering happens because a different column in the same table or in

a related table is being filtered then the function returns FALSE. Box 3: SUM

NEW QUESTION 4

- (Topic 2)

Which two types of visualizations can be used in the balance sheet reports to meet the reporting goals? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a line chart that shows balances by quarter filtered to account categories that are long- term liabilities.
- B. a clustered column chart that shows balances by date (x-axis) and account category (legend) without filters.
- C. a clustered column chart that shows balances by quarter filtered to account categories that are long-term liabilities.
- D. a pie chart that shows balances by account category without filters.
- E. a ribbon chart that shows balances by quarter and accounts in the legend.

Answer: AE

Explanation:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-types-for-reports-and-q-and-a>

NEW QUESTION 5

- (Topic 3)

You need to create the On-Time Shipping report. The report must include a visualization that shows the percentage of late orders. Which type of visualization should you create?

- A. bar chart
- B. scatterplot
- C. pie chart

Answer: A

Explanation:

Scenario: The On-Time Shipping report will show the following metrics for a selected shipping month or quarter:

The percentage of orders that were shipped late by country and shipping region

Customers that had multiple late shipments during the last quarter

Note: Bar and column charts are some of the most widely used visualization charts in Power BI. They can be used for one or multiple categories. Both these chart types represent data with rectangular bars, where the size of the bar is proportional to the magnitude of data values.

The difference between the two is that if the rectangles are stacked horizontally, it is called a bar chart. If the rectangles are vertically aligned, it is called a column chart.

Reference:

<https://www.pluralsight.com/guides/bar-and-column-charts-in-power-bi>


NEW QUESTION 6

HOTSPOT - (Topic 3)

You need to create a solution to meet the notification requirements of the warehouse shipping department.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct select is worth one point:

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 7

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a parameter named DataSourceExcel that holds the file name and location of a Microsoft Excel data source.

You need to update the query to reference the parameter instead of multiple hard-coded copies of the location within each query definition.

Solution: You create a new query that references DataSourceExcel. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead modify the source step of the queries to use DataSourceExcel as the file path.

Note: Parameterising a Data Source could be used in many different use cases. From connecting to different data sources defined in Query Parameters to load different combinations of columns.

Reference:

<https://www.biinsight.com/power-bi-desktop-query-parameters-part-1/>

NEW QUESTION 8

- (Topic 4)

You have a Power BI report

You have a table named Dalai that contains 10 million rows. Data is used in the following visuals:

- A card that shows the number of records
- A bar chart that snows total transaction amount by territory

- A scatter plot that shows transaction amount and profit amount on the axes and points colored by territory
 You need to modify the scatter plot to make it easier for users to identify meaningful patterns. The solution must not affect the accuracy of the other visuals-What should you do?
- A. Apply a row filter to the Dalai query in Power Query Editor.
 B. Add a trend line to the scatter plot
 C. Enable high-density sampling on the scatter plot
 D. Add a count field of the transaction amount to the size bucket of the scatter plot

Answer: B

NEW QUESTION 9

HOTSPOT - (Topic 4)

You need to create a visual as shown in the following exhibit.

MonthName	Total Sales	Sales Last Year	% Growth to Last Year
January	£559,263.79	£144,365.51	74.19%
February	£583,915.29	£215,923.28	63.02%
March	£684,091.92	£211,347.46	69.11%
April	£957,686.49	£350,270.97	63.43%
May	£841,473.26	£310,708.65	63.08%
June	£876,911.71	£298,356.83	65.98%
July	£922,410.09	£348,435.28	62.23%
August	£1,002,219.24	£388,213.68	61.26%
September	£1,152,976.22	£407,595.76	64.65%
October	£1,262,647.67	£465,583.06	63.13%
November	£555,548.44	£555,548.44	0.00%
December	£553,615.45	£553,615.45	0.00%
Total	£9,952,759.56	£4,249,964.36	57.30%

The indicator color for Total Sales will be based on % Growth to Last Year. The solution must use the existing calculations only.
 How should you configure the visual? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Conditional formatting:

Background color

Data bars

Font color

Icons

Web URL

Format by:

Color scale

Field value

Rules

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Box 1: Background color

To format the Color column based on its field values, select Conditional formatting for the Color field, and then select Background color or Font color.
 In the Background color or Font color dialog box, select Field value from the Format by drop-down field.

Box 2: Field value

With conditional formatting for tables in Power BI Desktop, you can specify customized cell colors, including color gradients, based on field values.

NEW QUESTION 10

HOTSPOT - (Topic 4)

You are creating a Microsoft Power BI data model that has the tables shown in the following table.

Table name	Column name
Sales	SalesID
	ProductID
	DateKey
	SalesAmount
Products	ProductID
	ProductName
	ProductCategoryID
ProductCategory	ProductCategoryID
	CategoryName

The Products table is related to the ProductCategory table through the ProductCategoryID column. You need to ensure that you can analyze sales by product category. How should you configure the relationships from Products to ProductCategory? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Cardinality:

▼

One-to-manyOne-to-oneMany-to-many

Cross-filter direction:

▼

SingleBoth

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: One-to-many
Box 2: Both
For One-to-many relationships, the cross filter direction is always from the "one" side, and optionally from the "many" side (bi-directional).
Note:

Cardinality type	Cross filter options
One-to-many (or Many-to-one)	Single Both
One-to-one	Both
Many-to-many	Single (Table1 to Table2) Single (Table2 to Table1) Both

NEW QUESTION 10

- (Topic 4)
You have the Power BI model shown in the following exhibit.



There are four departments in the Departments table. You need to ensure that users can see the data of their respective department only. What should you do?

- A. Create a row-level security (RLS) role for each department, and then define the membership of the role.
- B. Create a DepartmentID parameter to filter the Departments table.
- C. To the ConfidentialData table, add a calculated measure that uses the currentgroup DAX function.
- D. Create a slicer that filters Departments based on DepartmentID.

Answer: A

NEW QUESTION 13

- (Topic 4)

You have a Power BI model that contains two tables named Population and Date.
 The Population table contains two columns named Population Amount and Date Key.
 DateKey contains date values that represent the first day of a year and are used to create a many-to
 The Power BI model contains two measures that have the following definitions. Total Population = Sum ('Population'[Population Amount])
 2023 Population = CALCULATE ([Total Population]"Date'[Year] = 2023) You create a table visual that displays Date[Year] and [2023 Population]. What will the table visual show?

- A. one row per year that contains blank values for every year except 2023
- B. one row per date that contains the population value for the corresponding year repeated in each row
- C. a single row for the year 2023 that contains the related population value
- D. one row per year that contains the same value repeated for each year

Answer: C

NEW QUESTION 14

- (Topic 4)

Your company has employees in 10 states.
 The company recently decided to associate each state to one of the following three regions: East, West, and North.
 You have a data model that contains employee information by state. The model does NOT include region information.
 You have a report that shows the employees by state.
 You need to view the employees by region as quickly as possible. What should you do?

- A. Create a new aggregation that summarizes by employee.
- B. Create a new group on the state column and set the Group type to List.
- C. Create a new group on the state column and set the Group type to Bin.
- D. Create a new aggregation that summarizes by state.

Answer: B


Explanation:

<https://www.mssqltips.com/sqlservertip/4720/binning-and-grouping-data-with- power-bi/>

NEW QUESTION 16

HOTSPOT - (Topic 4)

You open powerbi.com as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Answer Area

A tenant administrator created a data classification that has a shorthand of [answer choice.]

Customers
Insurance
Insurance Data
Sale

The dashboard uses a dataset named [answer choice].

Customers
Insurance
Insurance Data
Sale

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-data-classification>

NEW QUESTION 17

DRAG DROP - (Topic 4)

You receive revenue data that must be included in Microsoft Power BI reports.

You perform an initial load of the data from a Microsoft Excel source as shown in the following exhibit.

	Column1	Column2	Column3	Column4	Column5	Column6
	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%
1	Department	Product	2016	2017	2018	2019
2	Bikes	Carbon mountainbike	1007815	1006617	1007814	1007239
3	Bikes	Aluminium road bike	1007024	1001454	1005842	1007105
4	Bikes	Touring bike	1003676	1005171	1001669	1003244
5	Accessories	Bell	76713	10247	60590	25927
6	Accessories	Bottle holder	26690	29613	67955	71466
7	Accessories	Satnav	83189	40113	71684	24697
8	Accessories	Mobilephone holder	68641	80336	58099	45706

You plan to create several visuals from the data, including a visual that shows revenue split by year and product.

You need to transform the data to ensure that you can build the visuals. The solution must ensure that the columns are named appropriately for the data that they contain.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Correct Order:

Actions	Answer Area
Select Use Headers as First Row.	
Select Department and Product and Unpivot Other Columns.	
Select Use First Rows as Headers.	
Rename the third column as Year and the fourth column as Revenue.	
Select Department and Product and Unpivot Columns.	
Rename the third column as Revenue and the fourth column as Year.	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Step 1: Select Use Header as First Row.

Step 2: Select Department and Product and Unpivot Other Columns

Unpivot Other Columns: This command unpivots unselected columns. Use this command in a query when not all columns are known. New columns added during a refresh operation are also unpivoted.

Step 3: Rename the Attribute column to Year and the Value column to Revenue.

You might want to unpivot data, sometimes called flattening the data, to put it in a matrix format so that all similar values are in one column. This is necessary, for example, to create a chart or a report.




Chart Description automatically generated with medium confidence

When you unpivot, you unpack the attribute-value pairs that represent an intersection point of the new columns and re-orient them into flattened columns: Values (in blue on the left) are unpivoted into a new column (in blue on the right). Attributes (in green on the left) are unpivoted into a new column (in green on the right) and duplicates are correspondingly mapped to the new Values column.

NEW QUESTION 20

FILL IN THE BLANK - (Topic 4)

You have a Power BI model that contains a table named Date. The table has the following columns.

Name	Sample value
Date	2022-06-01
Year	2022
Month Number	6
Month Name	June
Year Month	2022 Jun

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer is below.

Month Year Sort = [Year] / 100 + [Month Number]

NEW QUESTION 23

DRAG DROP - (Topic 4)

Exhibit:

9	Sep	9	552	357
10	Oct	10	7838	24214
11	Nov	11	83544	257
12	Dec	12	32455	389

- You need to create a report that meets the requirements:
- Visualizes the Sales value over a period of years and months
 - Adds a Slicer for the month
 - Adds a Slicer for the year

Which three actions Should you perform in sequence?

Rename the Attribute column as Year and the Value column as Sales.

Select the 2019, 2020, and 2021 columns.

Select **Transpose**.

Select the Month and MonthNumber columns.

Select **Unpivot other columns**.

1

2

3


(

(

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 26

- (Topic 4)

You need to create a visual that compares profit across 10 product categories for a selected quarter.

What is the best visual to use to achieve the goal? More than one answer choice may achieve the goal Select the BEST answer.

- A. an area chart
- B. a clustered bar chart
- C. a line chart
- D. a funnel chart

Answer: B

NEW QUESTION 28

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a clustered bar chart that contains a measure named Salary as the value and a field named Employee as the axis. Salary is present in the data as numerical amount representing US dollars.

You need to create a reference line to show which employees are above the median salary.

Solution: You create an average line by using the Salary measure. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead create a percentile line by using the Salary measure and set the percentile to 50%. Note: The 50th percentile is also known as the median or middle value where 50 percent of observations fall below.

Reference:

https://dash-intel.com/powerbi/statistical_functions_percentile.php


NEW QUESTION 33

DRAG DROP - (Topic 4)

You are building a dataset from a JSON file that contains an array of documents.

You need to import attributes as columns from all the documents in the JSON file. The solution must ensure that date attributes can be used as date hierarchies in Microsoft Power BI reports.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

1- Convert list to table 2- Expand Column

3- Set Date type

Here is an example: <https://youtu.be/B4kzyxnhQfI>

The definition of the function which expand columns: <https://docs.microsoft.com/en-us/powerquery-m/table-expandrecordcolumn>

NEW QUESTION 34

- (Topic 4)

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is the same in each question in this series.

You have a Microsoft SQL Server database that contains the following tables.

Table name	Column name	Data type
Order	Order_ID	Integer
	Order_date	Integer
	Order_amount	Currency
	Customer_ID	Integer
	Order_ship_date	Integer
	Store_ID	Integer
Customer	Customer_ID	Integer
	First_name	Varchar(100)
	Last_name	Varchar(100)
	Customer_photo	Binary
Date	Date_ID	Integer
	Date_name	Datetime
	Month	Integer
	Week	Integer
	Year	Integer
Monthly_returns	Month_ID	Integer
	Total_returns	Float
	Store_ID	Varchar(100)
Store	Store_ID	Integer
	Name	Varchar(100)
	City	Varchar(100)
	Sales_target	Float

The following columns contain date information:

- Date[Month] in the mmyyyy format
 - Date[Date_ID] in the ddmmyyyy format
 - Date[Date_name] in the mm/dd/yyyy format
 - Monthly_returns[Month_ID] in the mmyyyy format
- The Order table contains more than one million rows.

The Store table has a relationship to the Monthly_returns table on the Store_ID column. This is the only relationship between the tables.

You plan to use Power BI Desktop to create an analytics solution for the data.

You need to create a relationship between the Order table and the Store table on the Store_ID column.

What should you do before you create the relationship?

- A. In the Order table query, use the Table.TransformRows function.
- B. In the Store table query, use the Table.TransformRows function.
- C. In the Store table query, use the Table.TransformColumnTypes function.
- D. In the Order table query, use the Table.TransformColumnTypes function.

Answer: C

NEW QUESTION 39

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a parameter named DataSourceExcel that holds the file name and location of a Microsoft Excel data source.

You need to update the query to reference the parameter instead of multiple hard-coded copies of the location within each query definition.

Solution: You modify the source step of the queries to use DataSourceExcel as the file path.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Parameterising a Data Source could be used in many different use cases. From connecting to different data sources defined in Query Parameters to load different combinations of columns.

Reference:

<https://www.biinsight.com/power-bi-desktop-query-parameters-part-1/>

NEW QUESTION 43

- (Topic 4)

You have an app workspace named Retail Analysis in the Power BI service. You need manage the members that have access to the app workspace. What should you do?

- A. From the Power BI Admin portal, click Usage metrics.
- B. From the Office 365 Admin center, click Users.
- C. From the Office 365 Admin center, click Groups.
- D. From the Power BI Admin portal, click Tenant settings.

Answer: C

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-manage-app-workspace-in-power-bi-and-office-365>

NEW QUESTION 46

HOTSPOT - (Topic 4)

You have a folder of monthly transaction extracts.

You plan to create a report to analyze the transaction data.

You receive the following email message: "Hi. I've put 24 files of monthly transaction data onto the shared drive. File Transactions201901.csv through Transactions201912.csv have the latest set of columns, but files Transactions201801.csv to Transactions201812.csv have an older layout without the extra fields needed for analysis. Each file contains 10 to 50 transactions."

You get data from the folder and select Combine & Load. The Combine Files dialog box is shown in the exhibit. (Click the Exhibit tab.)

Combine Files

Specify the settings for each file. [Learn more](#)

Sample File:

First file

File Origin

1252: Western European (Windows)

Delimiter

Comma

Data Type Detection

Based on entire dataset

ID	Date	CustomerID	Amount
1	01/01/2018 08:00:00	5	28.99
2	01/01/2018 18:00:00	10	31.88
3	02/01/2018 08:00:00	15	22.99
4	02/01/2018 18:00:00	25	14.25
5	03/01/2018 08:00:00	35	85
6	03/01/2018 18:00:00	45	47.74
7	04/01/2018 08:00:00	55	76.66
8	04/01/2018 18:00:00	51	99.99
9	05/01/2018 08:00:00	52	10.99
10	05/01/2018 18:00:00	58	85

☒ Skip files with errors

OK

Cancel

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The resulting query will contain all the columns from the 2018 transactions.	<input type="radio"/>	<input type="radio"/>
The resulting query will contain all the columns from the 2019 transactions.	<input type="radio"/>	<input type="radio"/>
Setting Data Type Detection to Based on first 200 rows will improve import times.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application

Description automatically generated

Box 1: Yes

The four columns used in the 2018 transactions are already displayed.

Box 2: Yes

The columns used are based on the entire dataset. The additional columns in the 2019 files will be detected.

Box 3: Yes

Note: Under the hood, Power BI will automatically detect which delimiter to use, and may even promote the first row as headers. You can manually change the delimiter, or define how Power BI should handle data types. You can set it to automatically detect data types based on first 200 rows, or the entire dataset or you can even opt out the detection of data types.

NEW QUESTION 49

HOTSPOT - (Topic 4)

You have a Power BI report that contains the table visual shown in the following exhibit.

OrderDate	Total Sales	Total Cost
01-Oct-22	10.75	8.06
03-Oct-22	98.50	73.88
07-Oct-22	43.00	32.25
11-Oct-22	25.99	19.49
12-Oct-22	156.00	117.00
15-Oct-22	40.80	30.60

Answer Area

Type:

Matrix

Multi-row card

Table

Format:

Set Rows subtotals to Off.

Set Stepped layout to Off.

Set Switch values to rows to On.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Type:

Matrix

Multi-row card

Table

Format:

Set Rows subtotals to Off.

Set Stepped layout to Off.

Set Switch values to rows to On.


NEW QUESTION 53

- (Topic 4)

You are building a data model for a Power BI report. You have data formatted as shown in the following table.

Machine-User	DownloadMB
ABC-123	75
BAC-657	125

You need to create a clustered bar chart as shown in the following exhibit.



What should you do?

- A. From Power Query Editor, split the Machine-User column by using a delimiter.
- B. In a DAX function, create two calculated columns named Machine and User by using the substitute function.
- C. From Power Query Editor, create a column that contains the last three digits of the Machine-User column.
- D. in a DAX function, create two measures named Machine and User by using the substitute function.

Answer: A

NEW QUESTION 54

- (Topic 4)

You have a custom connector that returns ID, From, To, Subject, Body, and Has Attachments for every email sent during the past year. More than 10 million records are returned.

You build a report analyzing the internal networks of employees based on whom they send emails to.

You need to prevent report recipients from reading the analyzed emails. The solution must minimize the model size.

What should you do?

- A. Implement row-level security (RLS) so that the report recipients can only see results based on the emails they sent.
- B. Remove the Subject and Body columns during the import.
- C. From Model view, set the Subject and Body columns to Hidden.

Answer: B

NEW QUESTION 56

- (Topic 4)

You have a Power BI tenant.

You have reports that use financial datasets and are exported as PDF files. You need to ensure that the reports are encrypted.

What should you implement?

- A. dataset certifications
- B. row-level security (RLS)
- C. sensitivity labels
- D. Microsoft Intune policies

Answer: C

Explanation:

General availability of sensitivity labels in Power BI.

Microsoft Information Protection sensitivity labels provide a simple way for your users to classify critical content in Power BI without compromising productivity or the ability to collaborate. Sensitivity labels can be applied on datasets, reports, dashboards, and dataflows. When data is exported from Power BI to Excel, PowerPoint or PDF files, Power BI automatically applies a sensitivity label on the exported file and protects it according to the label's file encryption settings. This way your sensitive data remains protected no matter where it is.

Reference:

<https://powerbi.microsoft.com/en-us/blog/announcing-power-bi-data-protection-ga-and-introducing-new-capabilities/>

NEW QUESTION 57

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

From Power Query Editor, you profile the data shown in the following exhibit.

	IoT GUID	IoT DateTime	IoT ID
	<div>Valid 100%</div> <div>Error 0%</div> <div>Empty 0%</div>	<div>Valid 100%</div> <div>Error 0%</div> <div>Empty 0%</div>	<div>Valid 100%</div> <div>Error 0%</div> <div>Empty 0%</div>
1	48196321-38D9-EC11-883D-0022489A2...	21/05/2022 18:59:25	100001000
2	49196321-38D9-EC11-883D-0022489A2...	21/05/2022 18:59:26	100001001
3	0300C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001002
4	0400C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001003
5	0500C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001004
6	0600C742-38D9-EC11-883D-0022489A2...	21/05/2022 19:00:21	100001005

The IOT ID columns are unique to each row in query.

You need to analyze 10T events by the hour and day of the year. The solution must improve dataset performance.

Solution: You change the IOT DateTime column to the Date data type. Does this meet the goal?

- A. Yes
 B. No

Answer: A

NEW QUESTION 62

- (Topic 4)

You have a Power BI report for the marketing department. The report reports on web traffic to a blog and contains data from the following tables.

Table name	Source	Description	Column name
Posts	Blog RSS feed	An XML representation of all the blog posts from your company's website	<ul style="list-style-type: none"> Publish Date URL Title Full Text Summary
Traffic	Website logs	Activity data from your company's entire website	<ul style="list-style-type: none"> DateTime URL Visited IP Address Browser Agent Referring URL

There is a one-to-many relationship from Posts to Traffic that uses the URL and URL Visited columns. The report contains the visuals shown in the following table.

Name	Used field	Filter
Top 10 blog posts of all time	Posts[Title] Traffic[DateTime]	None
Top 10 blog posts from the last seven days	Posts[Title] Traffic[DateTime]	Traffic[DateTime] is in the last 7 days
Blog visits over time	Traffic[DateTime] Traffic[URL Visited]	Traffic[URL Visited] contains "blog"
Blog visits over time	Traffic[DateTime] Traffic[URL Visited]	Traffic[URL Visited] contains "blog"
Top 10 external referrals to the blog of all time	Traffic[Referring URL]	Traffic[URL Visited] contains "blog" AND Traffic[Referring URL] does not start with "/"

The dataset takes a long time to refresh.

You need to modify Posts and Traffic queries to reduce load times.

Which two actions will reduce the load times? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Remove the rows in Traffic in which Traffic [Referring URL] does not start with "/"
 B. Remove the rows in Posts in which Post [Publish Date] is in the last seven days.
 C. Remove Traffic [IP Address], Traffic (Browser Agent), and Traffic [Referring URL].
 D. Remove Posts [Full Text] and Posts [Summary].
 E. Remove the rows in Traffic in which Traffic [URL visited] does not contain "blog"

Answer: DE

NEW QUESTION 66

HOTSPOT - (Topic 4)

You plan to create a Power BI dataset to analyze attendance at a school. Data will come from two separate views named View1 and View2 in an Azure SQL database. View1 contains the columns shown in the following table.

Name	Data type
Attendance Date	Date
Student ID	Bigint
Period Number	Tinyint
Class ID	Int

View2 contains the columns shown in the following table.

Name	Data type
Class ID	Bigint
Class Name	Varchar(200)
Class Subject	Varchar(100)
Teacher ID	Int
Teacher First Name	Varchar(100)
Teacher Last Name	Varchar(100)
Period Number	Tinyint
School Year	Varchar(50)
Period Start Time	Time
Period End Time	Time

The views can be related based on the Class ID column.

Class ID is the unique identifier for the specified class, period, teacher, and school year. For example, the same class can be taught by the same teacher during two different periods, but the class will have a different class ID.

You need to design a star schema data model by using the data in both views. The solution must facilitate the following analysis:

- ? The count of classes that occur by period
- ? The count of students in attendance by period by day
- ? The average number of students attending a class each month

In which table should you include the Teacher First Name and Period Number fields? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Teacher First Name:

Attendance factClass dimensionTeacher dimensionTeacher fact

Period Number:

Attendance factClass dimensionPeriod dimensionPeriod fact

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Teacher dimension Class dimension

NEW QUESTION 68

DRAG DROP - (Topic 4)

You have a Microsoft Exert spreadsheet named Excel1 that contains survey results. You have a Power BI dashboard named DashboardA that has Q&A enabled. You need to ensure that users who can access DashboardA can ask Questions based on the contents of Excel 1 and pm visuals based on their queries to DashboardA. The solution must minimize development time.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

From Excel, format the data in Excel1 as a table.

From powerbi.com, pin a range from Excel1 to DashboardA.

From Excel, create a named range by using the data in Excel1.

From powerbi.com, upload Excel1.

From powerbi.com, import Excel1 as a dataset.

From powerbi.com, add a tile for the Excel1 dataset to DashboardA.

Answer Area

>

<

^

v

Passing Certification Exams Made Easy

visit - <https://www.surepassexam.com>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

From Excel, format the data in Excel1 as a table.

From powerbi.com, pin a range from Excel1 to DashboardA.

From Excel, create a named range by using the data in Excel1.

From powerbi.com, upload Excel1.

From powerbi.com, import Excel1 as a dataset.

From powerbi.com, add a tile for the Excel1 dataset to DashboardA.

Answer Area

From powerbi.com, upload Excel1.

From powerbi.com, import Excel1 as a dataset.

From powerbi.com, add a tile for the Excel1 dataset to DashboardA.

NEW QUESTION 73

FILL IN THE BLANK - (Topic 4)

You have two Power BI workspaces named WorkspaceA and Workspaces. WorkspaceA contains two datasets named Sales and HR. You need to provide a user named User1 with access to the workspaces. The solution must meet the following requirements:

- Create reports that use the HR dataset.
- Publish the reports to WorkspaceB.
- Prevent the ability to modify the HR dataset.
- Prevent the ability to add users to WorkspaceB.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer is as below.

To access the HR dataset:

Grant User1 share permissions for the HR dataset.

To publish reports to WorkspaceB:

Assign User1 the Contributor role for WorkspaceB.

NEW QUESTION 77

DRAG DROP - (Topic 4)

You are preparing a financial report in Power BI.

You connect to the data stored in a Microsoft Excel spreadsheet by using Power Query Editor as shown in the following exhibit.

	Column1	Column2	Column3	Column4	Column5	Column6
1	Measure	2016	2017	2018	2019	2020
2	Revenue	0.5	0.6	0.55	0.61	0.42
3	Overheads	0.11	0.330410907	0.167055779	0.360178153	0.183179995
4	Cost of Goods	0.204388253	0.165848321	0.25	0.17	0.109073918

You need to prepare the data to support the following:

- ? Visualizations that include all measures in the data over time
- ? Year-over-year calculations for all the measures

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Rename the Attribute column as Year

Rename the Measure column as Year

Use the first row as headers

Use headers as the first row

Unpivot all the columns other than Measure

Transpose the table

Change the data type of the Year column to Date

Answer Area

>

<

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Rename the Attribute column as Year

Rename the Measure column as Year

Use the first row as headers

Use headers as the first row

Unpivot all the columns other than Measure

Transpose the table

Change the data type of the Year column to Date

Answer Area

Use the first row as headers

Unpivot all the columns other than Measure

Rename the Attribute column as Year

Change the data type of the Year column to Date

NEW QUESTION 82

HOTSPOT - (Topic 4)

You are profiling data by using Power Query Editor.
The AddressLine2 column in a table named Address is shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

There are [answer choice] different values in the column including nulls.

There are [answer choice] non-null values that occur only once in the column.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

There are [answer choice] different values in the column including nulls.

There are [answer choice] non-null values that occur only once in the column.

NEW QUESTION 83

- (Topic 4)

You have a Power BI workspace that contains several reports.
 You need to provide a user with the ability to create a dashboard that will use the visuals from the reports.
 What should you do?

- A. Grant the Read permission for the datasets to the user.
- B. Add the user as a Viewer of the workspace.
- C. Share the reports with the user.
- D. Create a row-level security (RLS) role and add the user to the role.
- E. Add the user as a member of the workspace.

Answer: B

NEW QUESTION 88

- (Topic 4)

In Power BI Desktop, you are building a sales report that contains two tables. Both tables have row-level security (RLS) configured.
 You need to create a relationship between the tables. The solution must ensure that bidirectional cross-filtering honors the RLS settings.
 What should you do?

- A. Create an active relationship between the tables and select Assume referential integrity.
- B. Create an inactive relationship between the tables and select Assume referential integrity.
- C. Create an inactive relationship between the tables and select Apply security filter in both directions.
- D. Create an active relationship between the tables and select Apply security filter in both directions.

Answer: D

Explanation:

By default, row-level security filtering uses single-directional filters, whether the relationships are set to single direction or bi-directional. You can manually enable bi- directional cross-filtering with row-level security by selecting the relationship and checking the Apply security filter in both directions checkbox. Select this option when you've also implemented dynamic row-level security at the server level, where row-level security is based on username or login ID.

Reference:
<https://docs.microsoft.com/en-us/power-bi/admin/service-admin-rls>

NEW QUESTION 90

- (Topic 4)

You need to provide a user with the ability to add members to a workspace. The solution must use the

principle of least privilege.
Which role should you assign to the user?

- A. Viewer
- B. Contributor
- C. Member
- D. Admin

Answer: C

Explanation:

A Member can add members or others with lower permissions. Note:

Capability	Admin	Member	Contributor	Viewer
Update and delete the workspace.	✓			
Add/remove people, including other admins.	✓			
Allow Contributors to update the app for the workspace	✓			
Add members or others with lower permissions.	✓	✓		

NEW QUESTION 91

HOTSPOT - (Topic 4)

You are using Power Bi Desktop to connect to an Azure SQL database The connection is configured as shown in the following exhibit.

SQL Server database

Server ⓘ

mydb.database.windows.net

Database (optional)

db1

Data Connectivity mode ⓘ

Import

DirectQuery

⌵ Advanced options

Command timeout in minutes (optional)

SQL statement (optional, requires database)

☒ Include relationship columns

☐ Navigate using full hierarchy

☐ Enable SQL Server Failover support

OK

Cancel

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic NOTE: Each correct solution is worth one point

The default timeout for the connection from Power BI Desktop to the database will be [answer choice].

unlimited

one minute

10 minutes

The Navigator will display [answer choice].

all the tables

only tables that contain data

only tables that contain hierarchies

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/power-query/connectors/azuresqldatabase>

The following table lists all of the advanced options you can set in Power Query Desktop and Power Query Online.

Advanced option Description

Command timeout in minutes

If your connection lasts longer than 10 minutes (the default timeout), you can enter another value in minutes to keep the connection open longer. This option is only available in Power Query Desktop.

SQL statement

For information, go to Import data from a database using native database query. Include relationship columns

If checked, includes columns that might have relationships to other tables. If this box is cleared, you won't see those columns.

Navigate using full hierarchy

If checked, the navigator displays the complete hierarchy of tables in the database you're connecting to. If cleared, the navigator displays only the tables whose columns and rows contain data.

Enable SQL Server Failover support

If checked, when a node in the Azure SQL failover group isn't available, Power Query moves from that node to another when failover occurs. If cleared, no failover occurs.

NEW QUESTION 92

- (Topic 4)

You have a table that contains sales data and approximately 1,000 rows.

You need to identify outliers in the table. Which type of visualization should you use?

- A. area chart
- B. donut chart
- C. scatter plot
- D. pie chart

Answer: C

Explanation:

Outliers are those data points that lie outside the overall pattern of distribution & the easiest way to detect outliers is through graphs. Box plots, Scatter plots can help detect them easily.

Reference:

<https://towardsdatascience.com/this-article-is-about-identifying-outliers-through-funnel-plots-using-the-microsoft-power-bi-d7ad16ac9ccc>

NEW QUESTION 93

- (Topic 4)

You need to create a Power BI theme that will be used in multiple reports. The theme will include corporate branding for font size, color, and bar chart formatting. What should you do?

- A. Create a theme as a PBIVIZ file and import the theme into Power BI Desktop.
- B. Create a theme as a JSON file and import the theme into Power BI Desktop.
- C. From Power BI Desktop, use a built-in report theme.
- D. From Power BI Desktop, customize the current theme.

Answer: D

NEW QUESTION 96

- (Topic 4)

You have a Power BI dataset named Finance that is hosted in a Power BI workspace.

The finance team at your company is NOT currently a member of any Power BI workspace roles.

You need to enable the finance team to use Microsoft Excel to analyze the Finance dataset.

What should you do?

- A. Create a row-level security (RLS) role and add the finance team to the role as members.
- B. Provide an Excel workbook that is connected to the Finance dataset.
- C. Grant the finance team write permissions to the Finance dataset.
- D. Grant the finance team build permissions to the Finance dataset.

Answer: D

NEW QUESTION 100

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Excel workbook that is saved to Microsoft SharePoint Online. The workbook contains several Power View sheets.

You need to recreate the Power View sheets as reports in the Power BI service. Solution: From the Power BI service, get the data from SharePoint Online, and then click

Connect

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

We need to click "Import", not "Connect".

References:

<https://docs.microsoft.com/en-us/power-bi/service-excel-workbook-files>

NEW QUESTION 101

- (Topic 4)

You have a PBIX file that imports several tables from an Azure SQL database. The data will be migrated to another Azure SQL database.

You need to change the connections in the PBIX file. The solution must minimize administrative effort.

What should you do?

- A. From Power Query Editor, modify the source of each query.
- B. Create a PBIT file, open the file, and change the data sources when prompted
- C. From Power Query Editor, create new queries.
- D. Modify the Data source settings.

Answer: D

NEW QUESTION 104

- (Topic 4)

You are using the key influencers visual to identify which factors affect the quantity of items sold in an order.

You add the following fields to the Explain By field:

- * Customer Country
- * Product Category
- * Supplier Country
- * Sales Employee
- * Supplier Name
- * Product Name
- * Customer City

The key influencers visual returns the results shown in the following exhibit.



What can you identify from the visual?

- A. Customers in Austria order 18.8 more units than the average order quantity.
- B. Customers in Boise order 20.37 percent more than the average order quantity.
- C. Product Category positively influences the quantity per order.
- D. Customers in Cork order lower quantities than average.

Answer: A

NEW QUESTION 107

HOTSPOT - (Topic 4)

You have a Power BI report. You have the following tables.

Name	Description
Balances	The table contains daily records of closing balances for every active bank account. The closing balances appear for every day the account is live, including the last day.
Date	The table contains a record per day for the calendar years of 2000 to 2025. There is a hierarchy for financial year, quarter, month, and day.

You have the following DAX measure.

Accounts :=
CALCULATE (

Answer Area

Statements	Yes	No
A table visual that displays the date hierarchy at the year level and the [Accounts] measure will show the total number of accounts that were live throughout the year.	<input type="radio"/>	<input type="radio"/>
A table visual that displays the date hierarchy at the month level and the [Accounts] measure will show the total number of accounts that were live throughout the month.	<input type="radio"/>	<input type="radio"/>
A table visual that displays the date hierarchy at the day level and the [Accounts] measure will show the total number of accounts that were live that day.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
A table visual that displays the date hierarchy at the year level and the [Accounts] measure will show the total number of accounts that were live throughout the year.	<input type="radio"/>	<input checked="" type="radio"/>
A table visual that displays the date hierarchy at the month level and the [Accounts] measure will show the total number of accounts that were live throughout the month.	<input type="radio"/>	<input type="radio"/>
A table visual that displays the date hierarchy at the day level and the [Accounts] measure will show the total number of accounts that were live that day.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 110

- (Topic 4)

You have a Power BI report that contains five pages. Pages 1 to 4 are visible and page 5 is hidden. You need to create a solution that will enable users to quickly navigate from the first page to all the other visible pages. The solution must minimize development and maintenance effort as pages are added to the report. What should you do first?

- A. Add a blank button to page 1.
- B. Add a bookmark navigation button to page 1.
- C. Create a bookmark for each page.
- D. Add a page navigation button to page 1.

Answer: A

NEW QUESTION 112

- (Topic 4)

You have a Microsoft Excel file in a Microsoft OneDrive folder. The file must be imported to a Power Bi dataset You need to ensure that the dataset can be refreshed in powefbi.com. Which two connectors can you use to connect to the file? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Text/CSV
- B. Folder
- C. Excel Workbook
- D. SharePoint folder
- E. Web

Answer: BC


Explanation:

- Copy and edit Path of the Excel file then use "Web" Connector: Option E
 - Copy and edit Path of the OneDrive folder then use "Sharepoint Folder" connector: Option D
- Source: <https://www.youtube.com/watch?v=GGHbbg6yi-A>


NEW QUESTION 115

- (Topic 4)

You have the dashboard shown in the following exhibit.



You need to modify the dashboard to display as shown in the following exhibit.



What should you do?

- A. Create and apply a custom dashboard theme.
- B. Change the colors of the visuals in the report.
- C. Apply the Dark dashboard theme.
- D. Upload a snapshot image of the dashboard.

Answer: A

NEW QUESTION 120

- (Topic 4)

You build a report to analyze customer transactions from a database that contains the tables shown in the following table.

Table name	Column name
Customer	CustomerID (primary key)
	Name
	State
	Email
Transaction	TransactionID (primary key)
	CustomerID (foreign key)
	Date
	Amount

You import the tables.

Which relationship should you use to link the tables?

- A. one-to-many from Customer to Transaction
- B. one-to-one between Customer and Transaction
- C. one-to-many from Transaction to Customer
- D. many-to-many between Customer and Transaction

Answer: A

Explanation:

Each customer can have many transactions.

For each transaction there is exactly one customer.

NEW QUESTION 125

- (Topic 4)

You publish a report to a workspace named Customer Services. The report identifies customers that have potential data quality issues that must be investigated by the customer services department of your company.

You need to ensure that customer service managers can create task lists in Microsoft Excel based on the data.

Which report setting should you configure?

- A. Don't allow end user to save filters on this report.
- B. Change default visual interaction from cross highlighting to cross filtering.
- C. Enable the updated filter pane, and show filters in the visual header for this report.

- D. Allow users to add comments to this report.
- E. Choose the type of data you allow your end users to export.

Answer: E

Explanation:

<https://powerbi.microsoft.com/en-us/blog/announcing-persistent-filters-in-the-service/>

NEW QUESTION 129

- (Topic 4)

You have a Power BI report named Report1 and a dashboard named Dashboard1. Report1 contains a line chart named Sales by month.

You pin the Sales by month visual to Dashboard1.

In Report1, you change the Sales by month visual to a bar chart. You need to ensure that the bar chart displays on Dashboard1. What should you do?

- A. Refresh the dataset used by Report1 and Dashboard1.
- B. Select Refresh visuals for Dashboard1.
- C. Edit the details for the dashboard tile Of Dashboard1.
- D. Pin the Sales by month bar chart to Dashboard1.

Answer: A

NEW QUESTION 134

HOTSPOT - (Topic 4)

You have a dataset named Pens that contains the following columns:

? Item


? Unit Price

? Quantity Ordered

You need to create a visualization that shows the relationship between Unit Price and Quantity Ordered. The solution must highlight orders that have a similar unit price and ordered quantity.

Which type of visualization and which feature should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: A scatter plot...

A scatter chart always has two value axes to show: one set of numerical data along a horizontal axis and another set of numerical values along a vertical axis. The chart displays points at the intersection of an x and y numerical value, combining these values into single data points. Power BI may distribute these data points evenly or unevenly across the horizontal axis. It depends on the data the chart represents.

Box 2: Automatically find clusters

Scatter charts are a great choice to show patterns in large sets of data, for example by showing linear or non-linear trends, clusters, and outliers.

NEW QUESTION 138

- (Topic 4)

You open a query in Power Query Editor.

You need to identify the percentage of empty values in each column as quickly as possible. Which Data Preview option should you select?

- A. Show whitespace
- B. Column profile
- C. Column distribution
- D. Column quality

Answer: D

Explanation:

Column quality: In this section, we can easily see valid, Error and Empty percentage of data values associated with the Selected table.

Note: In Power Query Editor, Under View tab in Data Preview Section we can see the following data profiling functionalities:

? Column quality

? Column distribution

? Column profile

Reference:

<https://community.powerbi.com/t5/Community-Blog/Data-Profiling-in-Power-BI-Power-BI-Update-April-2019/ba-p/674555>

NEW QUESTION 140

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI report that imports a date table and a sales table from an Azure SQL database data source. The sales table has the following date foreign keys:

? Due Date

? Order Date

? Delivery Date

You need to support the analysis of sales over time based on all the date foreign keys.

Solution: For each date foreign key, you add inactive relationships between the sales table and the date table.

Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

You can reference an inactive relationship with DAX function USERELATIONSHIP(), but using DAX is not mentioned here.

So follow this refactory methodology:

Create a copy of the role-playing table, providing it with a name that reflects its role. If it's an Import table, we recommend defining a calculated table. If it's a DirectQuery table, you can duplicate the Power Query query.

Source: <https://learn.microsoft.com/en-us/power-bi/guidance/relationships-active-inactive>

NEW QUESTION 141

- (Topic 4)

You need to create the On-Time Shipping report.

The report must include a visualization that shows the percentage of late orders. Which type of visualization should you create?

A. scatterplot

B. bar chart

C. piechart

Answer: B

NEW QUESTION 144

- (Topic 4)

In the Power BI service, you create an app workplace that contains several dashboards.

You need to provide a user named user1@contoso.com with the ability to edit and publish dashboards.

What should you do?

A. Modify the members of the app workspace.

B. Configure security for the dataset used by the app.

C. Share the dashboard, and then modify the Access settings of the dashboard.

D. From the app workspace, click Update app, and then configure the Access settings.

Answer: C

NEW QUESTION 146

- (Topic 4)

You have the dataset shown in the following exhibit.

City	Sales Profit
Abbotsburg	\$173,947
Absecon	\$129,358
Accomac	\$157,768
Aceitunas	\$119,283
Airport Drive	\$162,500
Akhiok	\$259,554
Alcester	\$127,040
Alden Bridge	\$152,138
Alstead	\$106,147
Amado	\$136,718
Amanda Park	\$117,444
Andrix	\$130,710
Annamoriah	\$139,499
Antares	\$147,562
Antonio	\$113,056
Total	\$85,729,181

You need to ensure that the visual shows only the 10 cities that have the highest sales profit. What should you do?

- A. Add a Top N filter to the visual.
- B. Configure the Sales Profit measure to use the RANKX function.
- C. Add a calculated column to the table that uses the TOPN function.
- D. In the visual, replace Sales Profit with the calculated column.
- E. Add a calculated column to the table that returns the city name if the city is in the top 10, otherwise the calculated column will return "Not in Top 10". In the visual, replace Sales Profit with the calculated column.

Answer: A

Explanation:

Power BI Top N Filters are useful to display the top performing records, and Bottom N filters are helpful to display the least performing records. For example, we can display top or bottom 10 products by orders or sales.

Note:

- ? Select the Column you want to display the Top Sales Profit
- ? Then change the Filter Type of that Column to Top N
- ? Fill in Top / Bottom number field
- ? And lastly drag to the By Value field your Sales Profit

Reference:

<https://www.tutorialgateway.org/power-bi-top-10-filters/>

NEW QUESTION 148

- (Topic 4)

You create the following step by using Power Query Editor.

```
=
Table.ReplaceValue(SalesLT_Address,"1318","1319",Replacer.ReplaceText,{"AddressLine 1"})
```

A row has a value of 21318 Lasalle Street in the AddressLine1 column. What will the value be when the step is applied?

- A. 1318
- B. 1319
- C. 21318 Lasalle Street
- D. 21319 Lasalle Street

Answer: D

Explanation:

Example:
Replace the text "ur" with the text "or" in the table.

```
Table.ReplaceValue(
    Table.FromRecords({
        [a = 1, b = "hello"],
        [a = 3, b = "wurld"]
    }),
    "ur",
    "or",
    Replacer.ReplaceText,
    {"b"}
)
```

a	b
1	hello
3	world

Reference:
<https://docs.microsoft.com/en-us/powerquery-m/table-replacevalue>

NEW QUESTION 151

- (Topic 4)
The Sales table contains records of sales by day from the last five years up until today's date.
You plan to create a measure to return the total sales Of March 2021 when March 2022 is selected.
Which DAX expression should you use?

- A. `TOTALYTD (SUM(Sales[Sales]), dimDate[Date])`
- B. `Calculate (SUM(Sales[Sales]), SAMEPERIODLASTYEAR(dimDate[Date]))`
- C. `SUM(Sales[Sales])`
- D. `Calculate (SUM(Sales[Sales]), PREVIOUSYEAR(dimDate[Date]))`

- A. Option A
- B. Option B
- C. option C
- D. Option D

Answer: B

NEW QUESTION 154

- (Topic 4)
You are building a Power BI report that uses data from an Azure SQL database named erp1.
You Import the following tables.

Name	Description
Products	Contains the product catalog
Orders	Contains high-level information about orders
Order Line Items	Contains the product ID, quantity, and price details of an order

You need to perform the following analyses:

- Orders sold over time that include a measure of the total order value
- Orders by attributes of products sold

The solution must minimize update times when interacting with visuals in the report. What should you do first?

- A. From Power Query, merge the Orders query and the Order Line Hems query.
- B. Calculate the count of orders per product by using a DAX function.
- C. Create a calculated column that adds a list of product categories to the Orders table by using a DAX function.
- D. From Power Query, merge the Order Line Items query and the Products query.

Answer: D

Explanation:

<https://www.sqlbi.com/articles/header-detail-vs-star-schema-models-in-tabular-and-power-bi/>

NEW QUESTION 156

- (Topic 4)

You have a collection of reports for the HR department of your company.

You need to create a visualization for the HR department that shows a historic employee counts and predicts trends during the next six months.

Which type of visualization should you use?

- A. scatter chart
- B. ribbon chart
- C. line chart
- D. key influences

Answer: C

Explanation:

The best data for forecasting is time series data or uniformly increasing whole numbers. The line chart has to have only one line.

Try forecasting: Try the new forecasting capabilities of Power View today on your own data or with the sample report available as part of the Power BI report samples. To view your own data, upload a workbook with a Power View time series line chart to Power BI for Office 365.

Reference:

<https://powerbi.microsoft.com/en-us/blog/introducing-new-forecasting-capabilities-in-power-view-for-office-365>


NEW QUESTION 159

DRAG DROP - (Topic 4)


Note: This question is a part of a series of questions that present the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit.)



You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit).



You plan to use Power BI to import data from 2013 to 2015. Product Subcategory [Subcategory] contains NULL values. End of repeated scenario. You implement the Power BI model. You need to edit the Product Category table query to match the desired Power BI model. How should you complete the advanced query? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

Values

Table.Combine

Table.RemovedColumns

Table.RemoveRows

Table.RenameColumns

Table.ReorderColumns

Table.SelectColumns

Answer Area

```

let
    Source= Sql.Databases ("localhost"),
    DB1= Source {[Name= "DB1"]} [Data],
    dbo_DimProductCategory= DB1{[Schema= "dbo, Item= "DimProductCategory"]} [Data],
    #Var1= Value
    (dbo_DimProductCategory, {"ProductCategoryAlternateKey",
    "SpanishProductCategoryName", "FrenchProductCategoryName"}),
    #Var2= Value
    (#Var1, {{"EnglishProductCategoryName", "Category"}, {"DimProductSubcategory", "Subcategory"}})
in
    #Var2
        
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
<https://msdn.microsoft.com/en-us/library/mt260776.aspx> <https://msdn.microsoft.com/en-us/library/mt260808.aspx>

NEW QUESTION 161
 HOTSPOT - (Topic 4)
 You have the Power BI data model shown in the following exhibit.



You need to create a measure to count the number of product categories that had products sold during a selected period. How should you complete the DAX expression? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Product Categories Sold =

CALCULATE (

DISTINCTCOUNT('Product'[ProductCategory]),

DISTINCTCOUNT('Product'[ProductCategory]),

COUNT('Product'[ProductCategory]),

DISTINCTCOUNT('Sales'[ProductID]),

SUM('Sales'[SalesQuantity]),

)

'Date'

'Sales'

'Product'

'Product'[ProductCategory]

'Date'

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Product Categories Sold =

CALCULATE (

DISTINCTCOUNT('Product'[ProductCategory]),

DISTINCTCOUNT('Product'[ProductCategory]),

COUNT('Product'[ProductCategory]),

DISTINCTCOUNT('Sales'[ProductID]),

SUM('Sales'[SalesQuantity]),

)

'Date'

'Sales'

'Product'

'Product'[ProductCategory]

'Date'

NEW QUESTION 166

- (Topic 4)

You use an R visual to produce a map of 500,000 customers. You include the values of CustomerID, Latitude, and Longitude in the fields sent to the visual. Each customer ID is unique.

In powerbi.com, when users load the visual, they only see some of the customers. What is the cause of the issue?

- A. The visual was built by using a different version of R.
- B. The data comes from a Microsoft SQL Server source.
- C. The data is deduplicated.
- D. Too many records were sent to the visual.

Answer: D

Explanation:

R visuals in the Power BI service have a few limitations including:

? Data size limitations – data used by the R visual for plotting is limited to 150,000 rows. If more than 150,000 rows are selected, only the top 150,000 rows are used and a message is displayed on the image. Additionally, the input data has a limit of 250 MB.

Reference:

<https://docs.microsoft.com/en-us/power-bi/visuals/service-r-visuals>

NEW QUESTION 170

- (Topic 4)

You have a Power Bi report for the procurement department. The report contains data from the following tables.

Table name	Source	Description	Column name	Approximate record count
Suppliers	Microsoft Dynamics 365	A list of all the suppliers approved for use by the company.	<ul style="list-style-type: none"> ID Name Country 	100,000
LineItems	Microsoft Dynamics 365	All individual purchases made by employees across the company. An average of five line items per invoice.	<ul style="list-style-type: none"> ID Invoice ID Invoice Date Supplier ID Description Units Price per Unit Discount Price 	1,000,000,000

There is a one-to-many relationship from Suppliers to Lineitems that uses the ID and Supplier ID columns. The report contains the visuals shown in the following table.

Name	Used field	Filter
Supplier usage by count and value of invoices	Suppliers[ID] Suppliers[Name] LineItems[Invoice ID] LineItems[Price]	None
Spend by supplier location	Suppliers[Country] LineItems[Price]	None
Top 10 largest invoices last month	LineItems[Invoice ID] LineItems[Price]	LineItems[Invoice Date] in last calendar month

You need to minimize the size of the dataset without affecting the visuals. What should you do?

- A. Remove the rows from Lineitems where LineItems[invoice Date] is before the beginning of last month
- B. Merge Suppliers and LineItems.
- C. Group LineItems by LineItems[invoice id] and LineItems[invoice Date] with a sum of LineItems(price).
- D. Remove the LineItems[Description] column.

Answer: D

NEW QUESTION 173

- (Topic 4)

You have a Power BI report named ReportA.

You have a Power BI tenant that allows users to export data.

You need to ensure that consumers of ReportA cannot export any data from visuals.

Which two actions should you perform? Each correct answer presents a complete solution. NOTE Each correct selection is worth one point.

- A. From Power BI Desktop, modify the Data Load settings
- B. From the Power BI service modify the Report settings.
- C. From Power BI Desktop modify the Report settings
- D. From the Power BI service, modify the dataset permissions.

Answer: BD

NEW QUESTION 174

- (Topic 4)

Your company plans to completely separate development and production assets such as datasets, reports, and dashboards in Microsoft Power BI.

You need to recommend an application lifecycle strategy. The solution must minimize maintenance to update access and prevent end users from viewing the development assets.

What should you recommend?

- A. Create production reports in a separate workspace that uses a shared dataset from the development workspace
- B. Grant the end users access to the production workspace.
- C. In the same workspace, create separate copies of the assets and append DEV to the names of the copied asset
- D. Grant the end users access to the workspace.
- E. Create separate workspaces for development and production
- F. Grant the end users access to the production workspace.
- G. Create one workspace for development
- H. From the workspace, publish an app for production.

Answer: C

NEW QUESTION 177

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have several reports and dashboards in a workspace.

You need to grant all organizational users read access to a dashboard and several reports. Solution: You assign all the users the Viewer role to the workspace.

Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

"You have five reports and two dashboards in a workspace. You need to grant all organizational users read access to one dashboard and three reports"


NEW QUESTION 179

- (Topic 4)


Note: This question is a part of a series of questions that present the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit.)



You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit).



You plan to use Power BI to import data from 2013 to 2015. Product Subcategory [Subcategory] contains NULL values. End of repeated scenario.

You implement the Power BI model.

You add another table named Territory to the model. A sample of the data is shown in the following table.

Territory Key	Territory Name
1	United States
1	USA
2	Canada
2	Can
3	United Kingdom
3	UK

You need to create a relationship between the Territory table and the Sales table.
 Which function should you use in the query for Territory before you create the relationship?

- A. Table.RemoveMatchingRows
- B. Table.Distinct
- C. Table.InDistinct
- D. Table.ReplaceMatchingRows

Answer: B

Explanation:

References: <https://msdn.microsoft.com/en-us/library/mt260775.aspx>

NEW QUESTION 181

- (Topic 4)

You are building a Power BI report to analyze customer segments.

You need to identify customer segments dynamically based on the Bounce Rate across dimensions such as source, geography, and demographics. The solution must minimize analysis effort.

Which type of visualization should you use?

- A. decomposition tree
- B. funnel chart
- C. Q&A
- D. key influencers

Answer: A

Explanation:

The key influencers visual is a great choice if you want to: See which factors affect the metric being analyzed.

Contrast the relative importance of these factors. For example, do short-term contracts affect churn more than long-term contracts?

Note: The key influencers visual helps you understand the factors that drive a metric you're interested in. It analyzes your data, ranks the factors that matter, and displays them as key influencers. For example, suppose you want to figure out what influences employee turnover, which is also known as churn. One factor might be employment contract length, and another factor might be commute time.

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-influencers>

NEW QUESTION 185

- (Topic 4)

You import a Power BI dataset that contains the following tables:

- Date
- Product
- Product Inventory

The Product inventory table contains 25 million rows. A sample of the data is shown in the following table.

ProductKey	DateKey	MovementDate	UnitCost	UnitsIn	UnitsOut	UnitsBalance
167	20101228	28-Dec-10	0.19	0	0	875
167	20101229	29-Dec-10	0.19	0	0	875
167	20110119	19-Jan-11	0.19	0	0	875
167	20110121	21-Jan-11	0.19	0	0	875
167	20110122	22-Jan-11	0.19	0	0	875

The Product Inventory table relates to the Date table by using the DateKey column. The Product inventory table relates to the Product table by using the ProductKey column. You need to reduce the size of the data model without losing information. What should you do?

- A. Change Summarization for DateKey to Don't Summarize.
- B. Change the data type of UnitCost to Integer.
- C. Remove the relationship between Date and Product Inventory.
- D. Remove MovementDate.

Answer: D

NEW QUESTION 189

DRAG DROP - (Topic 4)

You are creating a Power Bi model and report.

You have a single table in a data mode) named Product Product contains the following fields:

- ID
- Name
- Color

- Category
- Total Sales

You need to create a calculated table that shows only the top eight products based on the highest value in Total Sales. How should you complete the DAX expression? To answer, drag the appropriate values to the coned targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Values

ASC

DESC

RELATEDTABLE

CALCULATETABLE

MAXX

TOPN

Answer Area

Top 8 Products = (8, 'Product', 'Product'[Total Sales],)

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Values

ASC

DESC

RELATEDTABLE

CALCULATETABLE

MAXX

TOPN

Answer Area

Top 8 Products = (TOPN (8, 'Product', 'Product'[Total Sales], DESC)

NEW QUESTION 190

DRAG DROP - (Topic 4)

You have a Microsoft Excel workbook that contains two sheets named Sheet1 and Sheet2. Sheet1 contains the following table named Table1.

Products
abc
def
ghi
jkl
mno

Sheet2 contains the following table named Table2.

Products
abc
xyz
tuv
mno
pqr
stu

You need to use Power Query Editor to combine the products from Table1 and Table2 into the following table that has one column containing no duplicate values.

Products
abc
xyz
tuv
mno
pqr
stu
def
ghi
jkl

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

From Power BI Desktop, import the data from Excel, and select **Table1** and **Table2**.

From Power Query Editor, select **Table1**, and then select **Remove duplicates**.

From Power Query Editor, merge Table1 and Table2.

From Power Query Editor, remove errors from the table.

From Power Query Editor, append Table2 to Table1.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

From Power BI Desktop, import the data from Excel, and select **Table1** and **Table2**.

From Power Query Editor, select **Table1**, and then select **Remove duplicates**.

From Power Query Editor, merge Table1 and Table2.

From Power Query Editor, remove errors from the table.

From Power Query Editor, append Table2 to Table1.

Answer Area

From Power BI Desktop, import the data from Excel, and select **Table1** and **Table2**.

From Power Query Editor, append Table2 to Table1.

From Power Query Editor, select **Table1**, and then select **Remove duplicates**.

NEW QUESTION 191

- (Topic 4)

You need to create a Power BI theme that will be used in multiple reports. The theme will include corporate branding for font size, color, and bar chart formatting. What should you do?

- A. From Power BI Desktop, customize the current theme,
- B. From power BI Desktop, use a built in report theme.
- C. Create a theme as a JSON file and import the theme into Power BI Desktop.
- D. Create a theme as a PBIVIZ file and import the theme into Power BI Desktop.

Answer: C

NEW QUESTION 195

HOTSPOT - (Topic 4)

You are creating a quick measure as shown in the following exhibit.

Quick measures

Calculation

Rolling average

Calculate the average of base value over a certain number of periods before and/or after each date.
[Learn more](#)

Base value

Add data fields here

Date

Add data fields here

Period

Days

Periods before

1

Periods after

0

Fields

Search

Customer

Product

Sales

» Date

Gross Margin

Month

MonthNumberOfYear

Quarter

Sales_SRC

» Time Intelligence

Total Cost

Total Order Qty

Total Sales

Total Sales rolling average

Unit Price

Year

You need to create a monthly rolling average measure for Sales over time-How should you configure the quick measure calculation? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Base value:

Month

Total Cost

Total Order Qty

Total Sales

Year

Date:

Date

Month

Total Sales

Year

Period:

Days

Months

Quarters

Years

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Box 1: Total Sales
We select the field Total Sales
Box 2: Date Select a date field.
Box 3: Month Monthly periods.

NEW QUESTION 196
.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

PL-300 Practice Exam Features:

- * PL-300 Questions and Answers Updated Frequently
- * PL-300 Practice Questions Verified by Expert Senior Certified Staff
- * PL-300 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * PL-300 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The PL-300 Practice Test Here](#)