

SAA-C03 Dumps

AWS Certified Solutions Architect - Associate (SAA-C03)

<https://www.certleader.com/SAA-C03-dumps.html>



NEW QUESTION 1

- (Topic 1)

A company hosts a containerized web application on a fleet of on-premises servers that process incoming requests. The number of requests is growing quickly. The on-premises servers cannot handle the increased number of requests. The company wants to move the application to AWS with minimum code changes and minimum development effort.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Use AWS Fargate on Amazon Elastic Container Service (Amazon ECS) to run the containerized web application with Service Auto Scaling
- B. Use an Application Load Balancer to distribute the incoming requests.
- C. Use two Amazon EC2 instances to host the containerized web application
- D. Use an Application Load Balancer to distribute the incoming requests
- E. Use AWS Lambda with a new code that uses one of the supported languages
- F. Create multiple Lambda functions to support the load
- G. Use Amazon API Gateway as an entry point to the Lambda functions.
- H. Use a high performance computing (HPC) solution such as AWS ParallelCluster to establish an HPC cluster that can process the incoming requests at the appropriate scale.

Answer: A

Explanation:

AWS Fargate is a serverless compute engine that lets users run containers without having to manage servers or clusters of Amazon EC2 instances¹. Users can use AWS Fargate on Amazon Elastic Container Service (Amazon ECS) to run the containerized web application with Service Auto Scaling. Amazon ECS is a fully managed container orchestration service that supports both Docker and Kubernetes². Service Auto Scaling is a feature that allows users to adjust the desired number of tasks in an ECS service based on CloudWatch metrics, such as CPU utilization or request count³. Users can use AWS Fargate on Amazon ECS to migrate the application to AWS with minimum code changes and minimum development effort, as they only need to package their application in containers and specify the CPU and memory requirements.

Users can also use an Application Load Balancer to distribute the incoming requests. An Application Load Balancer is a load balancer that operates at the application layer and routes traffic to targets based on the content of the request. Users can register their ECS tasks as targets for an Application Load Balancer and configure listener rules to route requests to different target groups based on path or host headers. Users can use an Application Load Balancer to improve the availability and performance of their web application.

NEW QUESTION 2

- (Topic 1)

A company performs monthly maintenance on its AWS infrastructure. During these maintenance activities, the company needs to rotate the credentials for its Amazon RDS for MySQL databases across multiple AWS Regions

Which solution will meet these requirements with the LEAST operational overhead?

- A. Store the credentials as secrets in AWS Secrets Manager
- B. Use multi-Region secret replication for the required Regions Configure Secrets Manager to rotate the secrets on a schedule
- C. Store the credentials as secrets in AWS Systems Manager by creating a secure string parameter Use multi-Region secret replication for the required Regions Configure Systems Manager to rotate the secrets on a schedule
- D. Store the credentials in an Amazon S3 bucket that has server-side encryption (SSE) enabled Use Amazon EventBridge (Amazon CloudWatch Events) to invoke an AWS Lambda function to rotate the credentials
- E. Encrypt the credentials as secrets by using AWS Key Management Service (AWS KMS) multi-Region customer managed keys Store the secrets in an Amazon DynamoDB global table Use an AWS Lambda function to retrieve the secrets from DynamoDB Use the RDS API to rotate the secrets.

Answer: A

Explanation:

<https://aws.amazon.com/blogs/security/how-to-replicate-secrets-aws-secrets-manager-multiple-regions/>

NEW QUESTION 3

- (Topic 1)

A company runs an online marketplace web application on AWS. The application serves hundreds of thousands of users during peak hours. The company needs a scalable, near-real-time solution to share the details of millions of financial transactions with several other internal applications. Transactions also need to be processed to remove sensitive data before being stored in a document database for low-latency retrieval.

What should a solutions architect recommend to meet these requirements?

- A. Store the transactions data into Amazon DynamoDB Set up a rule in DynamoDB to remove sensitive data from every transaction upon write Use DynamoDB Streams to share the transactions data with other applications
- B. Stream the transactions data into Amazon Kinesis Data Firehose to store data in Amazon DynamoDB and Amazon S3 Use AWS Lambda integration with Kinesis Data Firehose to remove sensitive data
- C. Other applications can consume the data stored in Amazon S3
- D. Stream the transactions data into Amazon Kinesis Data Streams Use AWS Lambda integration to remove sensitive data from every transaction and then store the transactions data in Amazon DynamoDB Other applications can consume the transactions data off the Kinesis data stream.
- E. Store the batched transactions data in Amazon S3 as files
- F. Use AWS Lambda to process every file and remove sensitive data before updating the files in Amazon S3 The Lambda function then stores the data in Amazon DynamoDB Other applications can consume transaction files stored in Amazon S3.

Answer: C

Explanation:

The destination of your Kinesis Data Firehose delivery stream. Kinesis Data Firehose can send data records to various destinations, including Amazon Simple Storage Service (Amazon S3), Amazon Redshift, Amazon OpenSearch Service, and any HTTP endpoint that is owned by you or any of your third-party service providers. The following are the supported destinations:

- * Amazon OpenSearch Service
- * Amazon S3
- * Datadog

- * Dynatrace
- * Honeycomb
- * HTTP Endpoint
- * Logic Monitor
- * MongoDB Cloud
- * New Relic
- * Splunk
- * Sumo Logic <https://docs.aws.amazon.com/firehose/latest/dev/create-name.html>

<https://aws.amazon.com/kinesis/data-streams/>

Amazon Kinesis Data Streams (KDS) is a massively scalable and durable real-time data streaming service. KDS can continuously capture gigabytes of data per second from hundreds of thousands of sources such as website clickstreams, database event streams, financial transactions, social media feeds, IT logs, and location-tracking events.

NEW QUESTION 4

- (Topic 1)

A company's application integrates with multiple software-as-a-service (SaaS) sources for data collection. The company runs Amazon EC2 instances to receive the data and to upload the data to an Amazon S3 bucket for analysis. The same EC2 instance that receives and uploads the data also sends a notification to the user when an upload is complete. The company has noticed slow application performance and wants to improve the performance as much as possible. Which solution will meet these requirements with the LEAST operational overhead?

- A. Create an Auto Scaling group so that EC2 instances can scale out
- B. Configure an S3 event notification to send events to an Amazon Simple Notification Service (Amazon SNS) topic when the upload to the S3 bucket is complete.
- C. Create an Amazon AppFlow flow to transfer data between each SaaS source and the S3 bucket
- D. Configure an S3 event notification to send events to an Amazon Simple Notification Service (Amazon SNS) topic when the upload to the S3 bucket is complete.
- E. Create an Amazon EventBridge (Amazon CloudWatch Events) rule for each SaaS source to send output data
- F. Configure the S3 bucket as the rule's target
- G. Create a second EventBridge (CloudWatch Events) rule to send events when the upload to the S3 bucket is complete
- H. Configure an Amazon Simple Notification Service (Amazon SNS) topic as the second rule's target.
- I. Create a Docker container to use instead of an EC2 instance
- J. Host the containerized application on Amazon Elastic Container Service (Amazon ECS). Configure Amazon CloudWatch Container Insights to send events to an Amazon Simple Notification Service (Amazon SNS) topic when the upload to the S3 bucket is complete.

Answer: B

Explanation:

Amazon AppFlow is a fully managed integration service that enables you to securely transfer data between Software-as-a-Service (SaaS) applications like Salesforce, SAP, Zendesk, Slack, and ServiceNow, and AWS services like Amazon S3 and Amazon Redshift, in just a few clicks.
<https://aws.amazon.com/appflow/>

NEW QUESTION 5

- (Topic 1)

A company has an application that generates a large number of files, each approximately 5 MB in size. The files are stored in Amazon S3. Company policy requires the files to be stored for 4 years before they can be deleted. Immediate accessibility is always required as the files contain critical business data that is not easy to reproduce. The files are frequently accessed in the first 30 days of the object creation but are rarely accessed after the first 30 days. Which storage solution is MOST cost-effective?

- A. Create an S3 bucket lifecycle policy to move files from S3 Standard to S3 Glacier 30 days from object creation. Delete the files 4 years after object creation.
- B. Create an S3 bucket lifecycle policy to move files from S3 Standard to S3 One Zone- Infrequent Access (S3 One Zone-IA) 30 days from object creation. Delete the files 4 years after object creation.
- C. Delete the files 4 years after object creation.
- D. Create an S3 bucket lifecycle policy to move files from S3 Standard-Infrequent Access (S3 Standard-IA) 30 days from object creation. Delete the files 4 years after object creation.
- E. Delete the files 4 years after object creation.
- F. Create an S3 bucket Lifecycle policy to move files from S3 Standard to S3 Standard- Infrequent Access (S3 Standard-IA) 30 days from object creation. Move the files to S3 Glacier 4 years after object creation.

Answer: B

Explanation:

https://aws.amazon.com/s3/storage-classes/?trk=66264cd8-3b73-416c-9693-ea7cf4fe846a&sc_channel=ps&s_kwid=AL!4422!3!536452716950!p!!g!!aws%20s3%20pricing&ef_id=Cj0KCQjwnbmaBhD-ARIsAGTPcfVHUZN5_BMrzl5zBcaC8KnqpnNZvjbZzqPkH6k7q4JcYO5KFLx0YYgaAm6nEALw_wcB:G:s&s_kwid=AL!4422!3!536452716950!p!!g!!aws%20s3%20pricing

NEW QUESTION 6

- (Topic 1)

A company has an application that ingests incoming messages. These messages are then quickly consumed by dozens of other applications and microservices. The number of messages varies drastically and sometimes spikes as high as 100,000 each second. The company wants to decouple the solution and increase scalability. Which solution meets these requirements?

- A. Persist the messages to Amazon Kinesis Data Analytics
- B. All the applications will read and process the messages.
- C. Deploy the application on Amazon EC2 instances in an Auto Scaling group, which scales the number of EC2 instances based on CPU metrics.
- D. Write the messages to Amazon Kinesis Data Streams with a single shard
- E. All applications will read from the stream and process the messages.
- F. Publish the messages to an Amazon Simple Notification Service (Amazon SNS) topic with one or more Amazon Simple Queue Service (Amazon SQS) subscriptions
- G. All applications then process the messages from the queues.

Answer: D

Explanation:

<https://aws.amazon.com/sqs/features/>

By routing incoming requests to Amazon SQS, the company can decouple the job requests from the processing instances. This allows them to scale the number of instances based on the size of the queue, providing more resources when needed. Additionally, using an Auto Scaling group based on the queue size will automatically scale the number of instances up or down depending on the workload. Updating the software to read from the queue will allow it to process the job requests in a more efficient manner, improving the performance of the system.

NEW QUESTION 7

- (Topic 1)

A company hosts more than 300 global websites and applications. The company requires a platform to analyze more than 30 TB of clickstream data each day. What should a solutions architect do to transmit and process the clickstream data?

- A. Design an AWS Data Pipeline to archive the data to an Amazon S3 bucket and run an Amazon EMR cluster with the data to generate analytics
- B. Create an Auto Scaling group of Amazon EC2 instances to process the data and send it to an Amazon S3 data lake for Amazon Redshift to use for analysis
- C. Cache the data to Amazon CloudFront: Store the data in an Amazon S3 bucket. When an object is added to the S3 bucket, run an AWS Lambda function to process the data for analysis.
- D. Collect the data from Amazon Kinesis Data Stream
- E. Use Amazon Kinesis Data Firehose to transmit the data to an Amazon S3 data lake. Load the data in Amazon Redshift for analysis

Answer: D

Explanation:

<https://aws.amazon.com/es/blogs/big-data/real-time-analytics-with-amazon-redshift-streaming-ingestion/>

NEW QUESTION 8

- (Topic 1)

A company has an on-premises application that generates a large amount of time-sensitive data that is backed up to Amazon S3. The application has grown and there are user complaints about internet bandwidth limitations. A solutions architect needs to design a long-term solution that allows for both timely backups to Amazon S3 and with minimal impact on internet connectivity for internal users. Which solution meets these requirements?

- A. Establish AWS VPN connections and proxy all traffic through a VPC gateway endpoint
- B. Establish a new AWS Direct Connect connection and direct backup traffic through this new connection.
- C. Order daily AWS Snowball devices. Load the data onto the Snowball devices and return the devices to AWS each day.
- D. Submit a support ticket through the AWS Management Console. Request the removal of S3 service limits from the account.

Answer: B

Explanation:

To address the issue of bandwidth limitations on the company's on-premises application, and to minimize the impact on internal user connectivity, a new AWS Direct Connect connection should be established to direct backup traffic through this new connection. This solution will offer a secure, high-speed connection between the company's data center and AWS, which will allow the company to transfer data quickly without consuming internet bandwidth.

Reference:

AWS Direct Connect documentation: <https://aws.amazon.com/directconnect/>

NEW QUESTION 9

- (Topic 1)

A development team runs monthly resource-intensive tests on its general purpose Amazon RDS for MySQL DB instance with Performance Insights enabled. The testing lasts for 48 hours once a month and is the only process that uses the database. The team wants to reduce the cost of running the tests without reducing the compute and memory attributes of the DB instance.

Which solution meets these requirements MOST cost-effectively?

- A. Stop the DB instance when tests are complete
- B. Restart the DB instance when required.
- C. Use an Auto Scaling policy with the DB instance to automatically scale when tests are completed.
- D. Create a snapshot when tests are complete
- E. Terminate the DB instance and restore the snapshot when required.
- F. Modify the DB instance to a low-capacity instance when tests are complete
- G. Modify the DB instance again when required.

Answer: A

Explanation:

To reduce the cost of running the tests without reducing the compute and memory attributes of the Amazon RDS for MySQL DB instance, the development team can stop the instance when tests are completed and restart it when required. Stopping the DB instance when not in use can help save costs because customers are only charged for storage while the DB instance is stopped. During this time, automated backups and automated DB instance maintenance are suspended. When the instance is restarted, it retains the same configurations, security groups, and DB parameter groups as when it was stopped.

Reference:

Amazon RDS Documentation: Stopping and Starting a DB instance (https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/USER_StopInstance.html)

NEW QUESTION 10

- (Topic 1)

A company is migrating a distributed application to AWS. The application serves variable workloads. The legacy platform consists of a primary server that coordinates jobs across multiple compute nodes. The company wants to modernize the application with a solution that maximizes resiliency and scalability. How should a solutions architect design the architecture to meet these requirements?

- A. Configure an Amazon Simple Queue Service (Amazon SQS) queue as a destination for the jobs. Implement the compute nodes with Amazon EC2 instances that are managed in an Auto Scaling group.
- B. Configure EC2 Auto Scaling to use scheduled scaling.

C. Configure an Amazon Simple Queue Service (Amazon SQS) queue as a destination for the jobs Implement the compute nodes with Amazon EC2 Instances that are managed in an Auto Scaling group Configure EC2 Auto Scaling based on the size of the queue
D. Implement the primary server and the compute nodes with Amazon EC2 instances that are managed In an Auto Scaling grou
E. Configure AWS CloudTrail as a destination for the fobs Configure EC2 Auto Scaling based on the load on the primary server
F. implement the primary server and the compute nodes with Amazon EC2 instances that are managed in an Auto Scaling group Configure Amazon EventBridge (Amazon CloudWatch Events) as a destination for the jobs Configure EC2 Auto Scaling based on the load on the compute nodes

Answer: B

Explanation:

To maximize resiliency and scalability, the best solution is to use an Amazon SQS queue as a destination for the jobs. This decouples the primary server from the compute nodes, allowing them to scale independently. This also helps to prevent job loss in the event of a failure. Using an Auto Scaling group of Amazon EC2 instances for the compute nodes allows for automatic scaling based on the workload. In this case, it's recommended to configure the Auto Scaling group based on the size of the Amazon SQS queue, which is a better indicator of the actual workload than the load on the primary server or compute nodes. This approach ensures that the application can handle variable workloads, while also minimizing costs by automatically scaling up or down the compute nodes as needed.

NEW QUESTION 10

- (Topic 1)

A company uses NFS to store large video files in on-premises network attached storage. Each video file ranges in size from 1MB to 500 GB. The total storage is 70 TB and is no longer growing. The company decides to migrate the video files to Amazon S3. The company must migrate the video files as soon as possible while using the least possible network bandwidth.

Which solution will meet these requirements?

- A. Create an S3 bucket Create an IAM role that has permissions to write to the S3 bucke
- B. Use the AWS CLI to copy all files locally to the S3 bucket.
- C. Create an AWS Snowball Edge jo
- D. Receive a Snowball Edge device on premise
- E. Use the Snowball Edge client to transfer data to the devic
- F. Return the device so that AWS can import the data into Amazon S3.
- G. Deploy an S3 File Gateway on premise
- H. Create a public service endpoint to connect to the S3 File Gateway Create an S3 bucket Create a new NFS file share on the S3 File Gateway Point the new file share to the S3 bucke
- I. Transfer the data from the existing NFS file share to the S3 File Gateway.
- J. Set up an AWS Direct Connect connection between the on-premises network and AW
- K. Deploy an S3 File Gateway on premise
- L. Create a public virtual interlace (VIF) to connect to the S3 File Gatewa
- M. Create an S3 bucke
- N. Create a new NFS file share on the S3 File Gatewa
- O. Point the new file share to the S3 bucke
- P. Transfer the data from the existing NFS file share to the S3 File Gateway.

Answer: B

Explanation:

The basic difference between Snowball and Snowball Edge is the capacity they provide. Snowball provides a total of 50 TB or 80 TB, out of which 42 TB or 72 TB is available, while Amazon Snowball Edge provides 100 TB, out of which 83 TB is available.

NEW QUESTION 11

- (Topic 1)

A company has a production workload that runs on 1,000 Amazon EC2 Linux instances. The workload is powered by third-party software. The company needs to patch the third- party software on all EC2 instances as quickly as possible to remediate a critical security vulnerability.

What should a solutions architect do to meet these requirements?

- A. Create an AWS Lambda function to apply the patch to all EC2 instances.
- B. Configure AWS Systems Manager Patch Manager to apply the patch to all EC2 instances.
- C. Schedule an AWS Systems Manager maintenance window to apply the patch to all EC2 instances.
- D. Use AWS Systems Manager Run Command to run a custom command that applies the patch to all EC2 instances.

Answer: B

Explanation:

<https://docs.aws.amazon.com/systems-manager/latest/userguide/about-windows-app-patching.html>

NEW QUESTION 12

- (Topic 1)

A company hosts its multi-tier applications on AWS. For compliance, governance, auditing, and security, the company must track configuration changes on its AWS resources and record a history of API calls made to these resources.

What should a solutions architect do to meet these requirements?

- A. Use AWS CloudTrail to track configuration changes and AWS Config to record API calls
- B. Use AWS Config to track configuration changes and AWS CloudTrail to record API calls
- C. Use AWS Config to track configuration changes and Amazon CloudWatch to record API calls
- D. Use AWS CloudTrail to track configuration changes and Amazon CloudWatch to record API calls

Answer: B

Explanation:

AWS Config is a fully managed service that allows the company to assess, audit, and evaluate the configurations of its AWS resources. It provides a detailed inventory of the resources in use and tracks changes to resource configurations. AWS Config can detect configuration changes and alert the company when changes occur. It also provides a historical view of changes, which is essential for compliance and governance purposes. AWS CloudTrail is a fully managed

service that provides a detailed history of API calls made to the company's AWS resources. It records all API activity in the AWS account, including who made the API call, when the call was made, and what resources were affected by the call. This information is critical for security and auditing purposes, as it allows the company to investigate any suspicious activity that might occur on its AWS resources.

NEW QUESTION 13

- (Topic 1)

A company is developing an application that provides order shipping statistics for retrieval by a REST API. The company wants to extract the shipping statistics, organize the data into an easy-to-read HTML format, and send the report to several email addresses at the same time every morning.

Which combination of steps should a solutions architect take to meet these requirements? (Choose two.)

- A. Configure the application to send the data to Amazon Kinesis Data Firehose.
- B. Use Amazon Simple Email Service (Amazon SES) to format the data and to send the report by email.
- C. Create an Amazon EventBridge (Amazon CloudWatch Events) scheduled event that invokes an AWS Glue job to query the application's API for the data.
- D. Create an Amazon EventBridge (Amazon CloudWatch Events) scheduled event that invokes an AWS Lambda function to query the application's API for the data.
- E. Store the application data in Amazon S3. Create an Amazon Simple Notification Service (Amazon SNS) topic as an S3 event destination to send the report by

Answer: BD

Explanation:

<https://docs.aws.amazon.com/ses/latest/dg/send-email-formatted.html>

* D. Create an Amazon EventBridge (Amazon CloudWatch Events) scheduled event that invokes an AWS Lambda function to query the application's API for the data. This step can be done using AWS Lambda to extract the shipping statistics and organize the data into an HTML format.

* B. Use Amazon Simple Email Service (Amazon SES) to format the data and send the report by email. This step can be done by using Amazon SES to send the report to multiple email addresses at the same time every morning.

Therefore, options D and B are the correct choices for this question. Option A is incorrect because Kinesis Data Firehose is not necessary for this use case. Option C is incorrect because AWS Glue is not required to query the application's API. Option E is incorrect because S3 event notifications cannot be used to send the report by email.

NEW QUESTION 18

- (Topic 1)

A development team needs to host a website that will be accessed by other teams. The website contents consist of HTML, CSS, client-side JavaScript, and images Which method is the MOST cost-effective for hosting the website?

- A. Containerize the website and host it in AWS Fargate.
- B. Create an Amazon S3 bucket and host the website there
- C. Deploy a web server on an Amazon EC2 instance to host the website.
- D. Configure an Application Load Balancer with an AWS Lambda target that uses the Express.js framework.

Answer: B

Explanation:

In Static Websites, Web pages are returned by the server which are prebuilt. They use simple languages such as HTML, CSS, or JavaScript.

There is no processing of content on the server (according to the user) in Static Websites. Web pages are returned by the server with no change therefore, static Websites are fast.

There is no interaction with databases.

Also, they are less costly as the host does not need to support server-side processing with different languages.

=====

In Dynamic Websites, Web pages are returned by the server which are processed during runtime means they are not prebuilt web pages but they are built during runtime according to the user's demand.

These use server-side scripting languages such as PHP, Node.js, ASP.NET and many more supported by the server.

So, they are slower than static websites but updates and interaction with databases are possible.

NEW QUESTION 21

- (Topic 1)

A company provides a Voice over Internet Protocol (VoIP) service that uses UDP connections. The service consists of Amazon EC2 instances that run in an Auto Scaling group. The company has deployments across multiple AWS Regions.

The company needs to route users to the Region with the lowest latency. The company also needs automated failover between Regions.

Which solution will meet these requirements?

- A. Deploy a Network Load Balancer (NLB) and an associated target group
- B. Associate the target group with the Auto Scaling group
- C. Use the NLB as an AWS Global Accelerator endpoint in each Region.
- D. Deploy an Application Load Balancer (ALB) and an associated target group
- E. Associate the target group with the Auto Scaling group
- F. Use the ALB as an AWS Global Accelerator endpoint in each Region.
- G. Deploy a Network Load Balancer (NLB) and an associated target group
- H. Associate the target group with the Auto Scaling group
- I. Create an Amazon Route 53 latency record that points to aliases for each NL
- J. Create an Amazon CloudFront distribution that uses the latency record as an origin.
- K. Deploy an Application Load Balancer (ALB) and an associated target group
- L. Associate the target group with the Auto Scaling group
- M. Create an Amazon Route 53 weighted record that points to aliases for each AL
- N. Deploy an Amazon CloudFront distribution that uses the weighted record as an origin.

Answer: D

Explanation:

<https://aws.amazon.com/global-accelerator/faqs/>

HTTP /HTTPS - ALB ; TCP and UDP - NLB; Lowest latency routing and more throughput. Also supports failover, uses Anycast IP addressing - Global Accelerator

Caching at Edge Locations – Cloudfront

WS Global Accelerator automatically checks the health of your applications and routes user traffic only to healthy application endpoints. If the health status changes or you make configuration updates, AWS Global Accelerator reacts instantaneously to route your users to the next available endpoint..

NEW QUESTION 23

- (Topic 1)

A company is preparing to launch a public-facing web application in the AWS Cloud. The architecture consists of Amazon EC2 instances within a VPC behind an Elastic Load Balancer (ELB). A third-party service is used for the DNS. The company's solutions architect must recommend a solution to detect and protect against large-scale DDoS attacks.

Which solution meets these requirements?

- A. Enable Amazon GuardDuty on the account.
- B. Enable Amazon Inspector on the EC2 instances.
- C. Enable AWS Shield and assign Amazon Route 53 to it.
- D. Enable AWS Shield Advanced and assign the ELB to it.

Answer: D

Explanation:

<https://aws.amazon.com/shield/faqs/>

NEW QUESTION 28

- (Topic 1)

A company needs the ability to analyze the log files of its proprietary application. The logs are stored in JSON format in an Amazon S3 bucket Queries will be simple and will run on- demand A solutions architect needs to perform the analysis with minimal changes to the existing architecture

What should the solutions architect do to meet these requirements with the LEAST amount of operational overhead?

- A. Use Amazon Redshift to load all the content into one place and run the SQL queries as needed
- B. Use Amazon CloudWatch Logs to store the logs Run SQL queries as needed from the Amazon CloudWatch console
- C. Use Amazon Athena directly with Amazon S3 to run the queries as needed
- D. Use AWS Glue to catalog the logs Use a transient Apache Spark cluster on Amazon EMR to run the SQL queries as needed

Answer: C

Explanation:

Amazon Athena can be used to query JSON in S3

NEW QUESTION 30

- (Topic 1)

A company is hosting a static website on Amazon S3 and is using Amazon Route 53 for DNS. The website is experiencing increased demand from around the world. The company must decrease latency for users who access the website.

Which solution meets these requirements MOST cost-effectively?

- A. Replicate the S3 bucket that contains the website to all AWS Region
- B. Add Route 53 geolocation routing entries.
- C. Provision accelerators in AWS Global Accelerato
- D. Associate the supplied IP addresses with the S3 bucke
- E. Edit the Route 53 entries to point to the IP addresses of the accelerators.
- F. Add an Amazon CloudFront distribution in front of the S3 bucke
- G. Edit the Route 53 entries to point to the CloudFront distribution.
- H. Enable S3 Transfer Acceleration on the bucke
- I. Edit the Route 53 entries to point to the new endpoint.

Answer: C

Explanation:

Amazon CloudFront is a content delivery network (CDN) that caches content at edge locations around the world, providing low latency and high transfer speeds to users accessing the content. Adding a CloudFront distribution in front of the S3 bucket will cache the static website's content at edge locations around the world, decreasing latency for users accessing the website. This solution is also cost-effective as it only charges for the data transfer and requests made by users accessing the content from the CloudFront edge locations. Additionally, this solution provides scalability and reliability benefits as CloudFront can automatically scale to handle increased demand and provide high availability for the website.

NEW QUESTION 34

- (Topic 1)

A company hosts an application on AWS Lambda functions mat are invoked by an Amazon API Gateway API The Lambda functions save customer data to an Amazon Aurora MySQL database Whenever the company upgrades the database, the Lambda functions fail to establish database connections until the upgrade is complete The result is that customer data Is not recorded for some of the event

A solutions architect needs to design a solution that stores customer data that is created during database upgrades

Which solution will meet these requirements?

- A. Provision an Amazon RDS proxy to sit between the Lambda functions and the database Configure the Lambda functions to connect to the RDS proxy
- B. Increase the run time of me Lambda functions to the maximum Create a retry mechanism in the code that stores the customer data in the database
- C. Persist the customer data to Lambda local storag
- D. Configure new Lambda functions to scan the local storage to save the customer data to the database.
- E. Store the customer data m an Amazon Simple Queue Service (Amazon SOS) FIFO queue Create a new Lambda function that polls the queue and stores the customer data in the database

Answer: D

Explanation:

<https://www.learnaws.org/2020/12/13/aws-rds-proxy-deep-dive/>

RDS proxy can improve application availability in such a situation by waiting for the new database instance to be functional and maintaining any requests received from the application during this time. The end result is that the application is more resilient to issues with the underlying database.

This will enable solution to hold data till the time DB comes back to normal. RDS proxy is to optimally utilize the connection between Lambda and DB. Lambda can open multiple connection concurrently which can be taxing on DB compute resources, hence RDS proxy was introduced to manage and leverage these connections efficiently.

NEW QUESTION 36

- (Topic 1)

A company runs an ecommerce application on Amazon EC2 instances behind an Application Load Balancer. The instances run in an Amazon EC2 Auto Scaling group across multiple Availability Zones. The Auto Scaling group scales based on CPU utilization metrics. The ecommerce application stores the transaction data in a MySQL 8.0 database that is hosted on a large EC2 instance.

The database's performance degrades quickly as application load increases. The application handles more read requests than write transactions. The company wants a solution that will automatically scale the database to meet the demand of unpredictable read workloads while maintaining high availability.

Which solution will meet these requirements?

- A. Use Amazon Redshift with a single node for leader and compute functionality.
- B. Use Amazon RDS with a Single-AZ deployment Configure Amazon RDS to add reader instances in a different Availability Zone.
- C. Use Amazon Aurora with a Multi-AZ deployment
- D. Configure Aurora Auto Scaling with Aurora Replicas.
- E. Use Amazon ElastiCache for Memcached with EC2 Spot Instances.

Answer: C

Explanation:

AURORA is 5x performance improvement over MySQL on RDS and handles more read requests than write,; maintaining high availability = Multi-AZ deployment

NEW QUESTION 39

- (Topic 1)

A company needs to store data in Amazon S3 and must prevent the data from being changed. The company wants new objects that are uploaded to Amazon S3 to remain unchangeable for a nonspecific amount of time until the company decides to modify the objects. Only specific users in the company's AWS account can have the ability to delete the objects. What should a solutions architect do to meet these requirements?

- A. Create an S3 Glacier vault Apply a write-once, read-many (WORM) vault lock policy to the objects
- B. Create an S3 bucket with S3 Object Lock enabled Enable versioning Set a retention period of 100 years Use governance mode as the S3 bucket's default retention mode for new objects
- C. Create an S3 bucket Use AWS CloudTrail to track any S3 API events that modify the objects Upon notification, restore the modified objects from any backup versions that the company has
- D. Create an S3 bucket with S3 Object Lock enabled Enable versioning Add a legal hold to the objects Add the s3 PutObjectLegalHold permission to the IAM policies of users who need to delete the objects

Answer: D

Explanation:

"The Object Lock legal hold operation enables you to place a legal hold on an object version. Like setting a retention period, a legal hold prevents an object version from being overwritten or deleted. However, a legal hold doesn't have an associated retention period and remains in effect until removed."

<https://docs.aws.amazon.com/AmazonS3/latest/userguide/batch-ops-legal-hold.html>

NEW QUESTION 42

- (Topic 1)

A company is hosting a web application on AWS using a single Amazon EC2 instance that stores user-uploaded documents in an Amazon EBS volume. For better scalability and availability, the company duplicated the architecture and created a second EC2 instance and EBS volume in another Availability Zone placing both behind an Application Load Balancer After completing this change, users reported that, each time they refreshed the website, they could see one subset of their documents or the other, but never all of the documents at the same time.

What should a solutions architect propose to ensure users see all of their documents at once?

- A. Copy the data so both EBS volumes contain all the documents.
- B. Configure the Application Load Balancer to direct a user to the server with the documents
- C. Copy the data from both EBS volumes to Amazon EFS Modify the application to save new documents to Amazon EFS
- D. Configure the Application Load Balancer to send the request to both servers Return each document from the correct server.

Answer: C

Explanation:

<https://docs.aws.amazon.com/efs/latest/ug/how-it-works.html#how-it-works-ec2>

NEW QUESTION 47

- (Topic 1)

A company has a data ingestion workflow that consists the following:

? An Amazon Simple Notification Service (Amazon SNS) topic for notifications about new data deliveries

? An AWS Lambda function to process the data and record metadata

The company observes that the ingestion workflow fails occasionally because of network connectivity issues. When such a failure occurs, the Lambda function does not ingest the corresponding data unless the company manually reruns the job.

Which combination of actions should a solutions architect take to ensure that the Lambda function ingests all data in the future? (Select TWO.)

- A. Configure the Lambda function In multiple Availability Zones.
- B. Create an Amazon Simple Queue Service (Amazon SQS) queue, and subscribe It to me SNS topic.

- C. Increase the CPU and memory that are allocated to the Lambda function.
- D. Increase provisioned throughput for the Lambda function.
- E. Modify the Lambda function to read from an Amazon Simple Queue Service (Amazon SQS) queue

Answer: BE

Explanation:

To ensure that the Lambda function ingests all data in the future despite occasional network connectivity issues, the following actions should be taken:

? Create an Amazon Simple Queue Service (SQS) queue and subscribe it to the SNS topic. This allows for decoupling of the notification and processing, so that even if the processing Lambda function fails, the message remains in the queue for further processing later.

? Modify the Lambda function to read from the SQS queue instead of directly from SNS. This decoupling allows for retries and fault tolerance and ensures that all messages are processed by the Lambda function.

Reference:

AWS SNS documentation: <https://aws.amazon.com/sns/> AWS SQS documentation: <https://aws.amazon.com/sqs/>

AWS Lambda documentation: <https://aws.amazon.com/lambda/>

NEW QUESTION 51

- (Topic 1)

A company hosts a data lake on AWS. The data lake consists of data in Amazon S3 and Amazon RDS for PostgreSQL. The company needs a reporting solution that provides data visualization and includes all the data sources within the data lake. Only the company's management team should have full access to all the visualizations. The rest of the company should have only limited access.

Which solution will meet these requirements?

- A. Create an analysis in Amazon QuickSight
- B. Connect all the data sources and create new dataset
- C. Publish dashboards to visualize the data
- D. Share the dashboards with the appropriate IAM roles.
- E. Create an analysis in Amazon QuickSight
- F. Connect all the data sources and create new dataset
- G. Publish dashboards to visualize the data
- H. Share the dashboards with the appropriate users and groups.
- I. Create an AWS Glue table and crawler for the data in Amazon S3. Create an AWS Glue extract, transform, and load (ETL) job to produce report
- J. Publish the reports to Amazon S3. Use S3 bucket policies to limit access to the reports.
- K. Create an AWS Glue table and crawler for the data in Amazon S3. Use Amazon Athena Federated Query to access data within Amazon RDS for PostgreSQL
- L. Generate reports by using Amazon Athena
- M. Publish the reports to Amazon S3. Use S3 bucket policies to limit access to the reports.

Answer: B

Explanation:

Amazon QuickSight is a data visualization service that allows you to create interactive dashboards and reports from various data sources, including Amazon S3 and Amazon RDS for PostgreSQL. You can connect all the data sources and create new datasets in QuickSight, and then publish dashboards to visualize the data. You can also share the dashboards with the appropriate users and groups, and control their access levels using IAM roles and permissions.

Reference: <https://docs.aws.amazon.com/quicksight/latest/user/working-with-data-sources.html>

NEW QUESTION 52

- (Topic 1)

A company recently launched Linux-based application instances on Amazon EC2 in a private subnet and launched a Linux-based bastion host on an Amazon EC2 instance in a public subnet of a VPC. A solutions architect needs to connect from the on-premises

network, through the company's internet connection to the bastion host and to the application servers. The solutions architect must make sure that the security groups of all the EC2 instances will allow that access.

Which combination of steps should the solutions architect take to meet these requirements? (Select TWO)

- A. Replace the current security group of the bastion host with one that only allows inbound access from the application instances
- B. Replace the current security group of the bastion host with one that only allows inbound access from the internal IP range for the company
- C. Replace the current security group of the bastion host with one that only allows inbound access from the external IP range for the company
- D. Replace the current security group of the application instances with one that allows inbound SSH access from only the private IP address of the bastion host
- E. Replace the current security group of the application instances with one that allows inbound SSH access from only the public IP address of the bastion host

Answer: CD

Explanation:

<https://digitalcloud.training/ssh-into-ec2-in-private-subnet/>

NEW QUESTION 53

- (Topic 1)

A company wants to improve its ability to clone large amounts of production data into a test environment in the same AWS Region. The data is stored in Amazon EC2 instances on Amazon Elastic Block Store (Amazon EBS) volumes. Modifications to the cloned data must not affect the production environment. The software that accesses this data requires consistently high I/O performance.

A solutions architect needs to minimize the time that is required to clone the production data into the test environment.

Which solution will meet these requirements?

- A. Take EBS snapshots of the production EBS volume
- B. Restore the snapshots onto EC2 instance store volumes in the test environment.
- C. Configure the production EBS volumes to use the EBS Multi-Attach feature
- D. Take EBS snapshots of the production EBS volume
- E. Attach the production EBS volumes to the EC2 instances in the test environment.
- F. Take EBS snapshots of the production EBS volume
- G. Create and initialize new EBS volume
- H. Attach the new EBS volumes to EC2 instances in the test environment before restoring the volumes from the production EBS snapshots.

- I. Take EBS snapshots of the production EBS volume
- J. Turn on the EBS fast snapshot restore feature on the EBS snapshot
- K. Restore the snapshots into new EBS volume
- L. Attach the new EBS volumes to EC2 instances in the test environment.

Answer: C

Explanation:

To clone the production data into the test environment with high I/O performance and without affecting the production environment, the best option is to take EBS snapshots of the production EBS volumes and restore them onto new EBS volumes in the test environment. Then, attach the new EBS volumes to EC2 instances in the test environment. This option minimizes the time required to clone the data and ensures that modifications to the cloned data do not affect the production environment. Therefore, option C is the correct answer.

Reference: <https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/ebs-restoring-volume.html>

NEW QUESTION 56

- (Topic 1)

A company has registered its domain name with Amazon Route 53. The company uses Amazon API Gateway in the ca-central-1 Region as a public interface for its backend microservice APIs. Third-party services consume the APIs securely. The company wants to design its API Gateway URL with the company's domain name and corresponding certificate so that the third-party services can use HTTPS.

Which solution will meet these requirements?

- A. Create stage variables in API Gateway with Name="Endpoint-URL" and Value="Company Domain Name" to overwrite the default UR
- B. Import the public certificate associated with the company's domain name into AWS Certificate Manager (ACM).
- C. Create Route 53 DNS records with the company's domain nam
- D. Point the alias record to the Regional API Gateway stage endpoint
- E. Import the public certificate associated with the company's domain name into AWS Certificate Manager (ACM) in the us-east-1 Region.
- F. Create a Regional API Gateway endpoint
- G. Associate the API Gateway endpoint with the company's domain nam
- H. Import the public certificate associated with the company's domain name into AWS Certificate Manager (ACM) in the same Regio
- I. Attach the certificate to the API Gateway endpoint
- J. Configure Route 53 to route traffic to the API Gateway endpoint.
- K. Create a Regional API Gateway endpoint
- L. Associate the API Gateway endpoint with the company's domain nam
- M. Import the public certificate associated with the company's domain name into AWS Certificate Manager (ACM) in the us-east-1 Regio
- N. Attach the certificate to the API Gateway API
- O. Create Route 53 DNS records with the company's domain nam
- P. Point an A record to the company's domain name.

Answer: C

Explanation:

To design the API Gateway URL with the company's domain name and corresponding certificate, the company needs to do the following: 1. Create a Regional API Gateway endpoint: This will allow the company to create an endpoint that is specific to a region. 2. Associate the API Gateway endpoint with the company's domain name: This will allow the company to use its own domain name for the API Gateway URL. 3. Import the public certificate associated with the company's domain name into AWS Certificate Manager (ACM) in the same Region: This will allow the company to use HTTPS for secure communication with its APIs. 4. Attach the certificate to the API Gateway endpoint: This will allow the company to use the certificate for securing the API Gateway URL. 5. Configure Route 53 to route traffic to the API Gateway endpoint: This will allow the company to use Route 53 to route traffic to the API Gateway URL using the company's domain name.

NEW QUESTION 59

- (Topic 1)

A company is storing sensitive user information in an Amazon S3 bucket The company wants to provide secure access to this bucket from the application tier running on Ama2on EC2 instances inside a VPC.

Which combination of steps should a solutions architect take to accomplish this? (Select TWO.)

- A. Configure a VPC gateway endpoint for Amazon S3 within the VPC
- B. Create a bucket policy to make the objects to the S3 bucket public
- C. Create a bucket policy that limits access to only the application tier running in the VPC
- D. Create an IAM user with an S3 access policy and copy the IAM credentials to the EC2 instance
- E. Create a NAT instance and have the EC2 instances use the NAT instance to access the S3 bucket

Answer: AC

Explanation:

<https://aws.amazon.com/premiumsupport/knowledge-center/s3-private-connection-no-authentication/>

NEW QUESTION 61

- (Topic 1)

An Amazon EC2 administrator created the following policy associated with an IAM group containing several users

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "ec2:TerminateInstances",
      "Resource": "*",
      "Condition": {
        "IpAddress": {
          "aws:SourceIp": "10.100.100.0/24"
        }
      }
    },
    {
      "Effect": "Deny",
      "Action": "ec2:*",
      "Resource": "*",
      "Condition": {
        "StringNotEquals": {
          "ec2:Region": "us-east-1"
        }
      }
    }
  ]
}
```

What is the effect of this policy?

- A. Users can terminate an EC2 instance in any AWS Region except us-east-1.
- B. Users can terminate an EC2 instance with the IP address 10 100 100 1 in the us-east-1 Region
- C. Users can terminate an EC2 instance in the us-east-1 Region when the user's source IP is 10.100.100.254.
- D. Users cannot terminate an EC2 instance in the us-east-1 Region when the user's source IP is 10.100 100 254

Answer: C

Explanation:

as the policy prevents anyone from doing any EC2 action on any region except us-east-1 and allows only users with source ip 10.100.100.0/24 to terminate instances. So user with source ip 10.100.100.254 can terminate instances in us-east-1 region.

NEW QUESTION 66

- (Topic 1)

A solutions architect is designing a new hybrid architecture to extend a company's on-premises infrastructure to AWS. The company requires a highly available connection with consistent low latency to an AWS Region. The company needs to minimize costs and is willing to accept slower traffic if the primary connection fails.

What should the solutions architect do to meet these requirements?

- A. Provision an AWS Direct Connect connection to a Region. Provision a VPN connection as a backup if the primary Direct Connect connection fails.
- B. Provision a VPN tunnel connection to a Region for private connectivity.
- C. Provision a second VPN tunnel for private connectivity and as a backup if the primary VPN connection fails.
- D. Provision an AWS Direct Connect connection to a Region. Provision a second Direct Connect connection to the same Region as a backup if the primary Direct Connect connection fails.
- E. Provision an AWS Direct Connect connection to a Region. Use the Direct Connect failover attribute from the AWS CLI to automatically create a backup connection if the primary Direct Connect connection fails.

Answer: A

Explanation:

"In some cases, this connection alone is not enough. It is always better to guarantee a fallback connection as the backup of DX. There are several options, but implementing it with an AWS Site-To-Site VPN is a real cost-effective solution that can be exploited to reduce costs or, in the meantime, wait for the setup of a second DX." <https://www.proud2becloud.com/hybrid-cloud-networking-backup-aws-direct-connect-network-connection-with-aws-site-to-site-vpn/>

NEW QUESTION 70

- (Topic 1)

A company needs to configure a real-time data ingestion architecture for its application. The company needs an API, a process that transforms data as the data is streamed, and a storage solution for the data.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Deploy an Amazon EC2 instance to host an API that sends data to an Amazon Kinesis data stream.
- B. Create an Amazon Kinesis Data Firehose delivery stream that uses the Kinesis data stream as a data source.
- C. Use AWS Lambda functions to transform the data.
- D. Use the Kinesis Data Firehose delivery stream to send the data to Amazon S3.
- E. Deploy an Amazon EC2 instance to host an API that sends data to AWS Glue.

- F. Stop source/destination checking on the EC2 instance
- G. Use AWS Glue to transform the data and to send the data to Amazon S3.
- H. Configure an Amazon API Gateway API to send data to an Amazon Kinesis data stream
- I. Create an Amazon Kinesis Data Firehose delivery stream that uses the Kinesis data stream as a data source
- J. Use AWS Lambda functions to transform the data
- K. Use the Kinesis Data Firehose delivery stream to send the data to Amazon S3.
- L. Configure an Amazon API Gateway API to send data to AWS Glue
- M. Use AWS Lambda functions to transform the data
- N. Use AWS Glue to send the data to Amazon S3.

Answer: C

NEW QUESTION 75

- (Topic 1)

A company has an Amazon S3 bucket that contains critical data. The company must protect the data from accidental deletion.

Which combination of steps should a solutions architect take to meet these requirements?

(Choose two.)

- A. Enable versioning on the S3 bucket.
- B. Enable MFA Delete on the S3 bucket.
- C. Create a bucket policy on the S3 bucket.
- D. Enable default encryption on the S3 bucket.
- E. Create a lifecycle policy for the objects in the S3 bucket.

Answer: AB

Explanation:

To protect data in an S3 bucket from accidental deletion, versioning should be enabled, which enables you to preserve, retrieve, and restore every version of every object in an S3 bucket. Additionally, enabling MFA (multi-factor authentication) Delete on the S3 bucket adds an extra layer of protection by requiring an authentication token in addition to the user's access keys to delete objects in the bucket.

Reference:

AWS S3 Versioning documentation: <https://docs.aws.amazon.com/AmazonS3/latest/dev/Versioning.html>

AWS S3 MFA Delete documentation: <https://docs.aws.amazon.com/AmazonS3/latest/dev/UsingMFADelete.html>

NEW QUESTION 77

- (Topic 1)

A company has more than 5 TB of file data on Windows file servers that run on premises. Users and applications interact with the data each day.

The company is moving its Windows workloads to AWS. As the company continues this process, the company requires access to AWS and on-premises file storage with minimum latency. The company needs a solution that minimizes operational overhead and requires no significant changes to the existing file access patterns. The company uses an AWS Site-to-Site VPN connection for connectivity to AWS.

What should a solutions architect do to meet these requirements?

- A. Deploy and configure Amazon FSx for Windows File Server on AWS.
- B. Move the on-premises file data to FSx for Windows File Server.
- C. Reconfigure the workloads to use FSx for Windows File Server on AWS.
- D. Deploy and configure an Amazon S3 File Gateway on premises. Move the on-premises file data to the S3 File Gateway. Reconfigure the on-premises workloads and the cloud workloads to use the S3 File Gateway.
- E. Deploy and configure an Amazon S3 File Gateway on premises. Move the on-premises file data to Amazon S3. Reconfigure the workloads to use either Amazon S3 directly or the S3 File Gateway, depending on each workload's location.
- F. Deploy and configure Amazon FSx for Windows File Server on AWS. Deploy and configure an Amazon FSx File Gateway on premises. Move the on-premises file data to the FSx File Gateway. Configure the cloud workloads to use FSx for Windows File Server on AWS. Configure the on-premises workloads to use the FSx File Gateway.

Answer: D

Explanation:

<https://docs.aws.amazon.com/filegateway/latest/filefsxw/what-is-file-fsxw.html>

To meet the requirements of the company to have access to both AWS and on-premises file storage with minimum latency, a hybrid cloud architecture can be used. One solution is to deploy and configure Amazon FSx for Windows File Server on AWS, which provides fully managed Windows file servers. The on-premises file data can be moved to the FSx File Gateway, which can act as a bridge between on-premises and AWS file storage. The cloud workloads can be configured to use FSx for Windows File Server on AWS, while the on-premises workloads can be configured to use the FSx File Gateway. This solution minimizes operational overhead and requires no significant changes to the existing file access patterns. The connectivity between on-premises and AWS can be established using an AWS Site-to-Site VPN connection.

Reference:

AWS FSx for Windows File Server: <https://aws.amazon.com/fsx/windows/> AWS FSx File Gateway: <https://aws.amazon.com/fsx/file-gateway/>

AWS Site-to-Site VPN: <https://aws.amazon.com/vpn/site-to-site-vpn/>

NEW QUESTION 81

- (Topic 1)

A company that hosts its web application on AWS wants to ensure all Amazon EC2 instances, Amazon RDS DB instances, and Amazon Redshift clusters are configured with tags. The company wants to minimize the effort of configuring and operating this check.

What should a solutions architect do to accomplish this?

- A. Use AWS Config rules to define and detect resources that are not properly tagged.
- B. Use Cost Explorer to display resources that are not properly tagged.
- C. Tag those resources manually.
- D. Write API calls to check all resources for proper tag allocation.
- E. Periodically run the code on an EC2 instance.
- F. Write API calls to check all resources for proper tag allocation.
- G. Schedule an AWS Lambda function through Amazon CloudWatch to periodically run the code.

Answer: A

Explanation:

To ensure all Amazon EC2 instances, Amazon RDS DB instances, and Amazon Redshift clusters are configured with tags, a solutions architect should use AWS Config rules to define and detect resources that are not properly tagged. AWS Config rules are a set of customizable rules that AWS Config uses to evaluate AWS resource configurations for compliance with best practices and company policies. Using AWS Config rules can minimize the effort of configuring and operating this check because it automates the process of identifying non-compliant resources and notifying the responsible teams. Reference: AWS Config Developer Guide: AWS Config Rules (https://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_use-managed-rules.html)

NEW QUESTION 84

- (Topic 1)

A company has several web servers that need to frequently access a common Amazon RDS MySQL Multi-AZ DB instance. The company wants a secure method for the web servers to connect to the database while meeting a security requirement to rotate user credentials frequently. Which solution meets these requirements?

- A. Store the database user credentials in AWS Secrets Manager. Grant the necessary IAM permissions to allow the web servers to access AWS Secrets Manager.
- B. Store the database user credentials in AWS Systems Manager OpsCenter. Grant the necessary IAM permissions to allow the web servers to access OpsCenter.
- C. Store the database user credentials in a secure Amazon S3 bucket. Grant the necessary IAM permissions to allow the web servers to retrieve credentials and access the database.
- D. Store the database user credentials in files encrypted with AWS Key Management Service (AWS KMS) on the web server file system.
- E. The web server should be able to decrypt the files and access the database.

Answer: A

Explanation:

AWS Secrets Manager helps you protect secrets needed to access your applications, services, and IT resources. The service enables you to easily rotate, manage, and retrieve database credentials, API keys, and other secrets throughout their lifecycle.

<https://docs.aws.amazon.com/secretsmanager/latest/userguide/intro.html>

Secrets Manager enables you to replace hardcoded credentials in your code, including passwords, with an API call to Secrets Manager to retrieve the secret programmatically. This helps ensure the secret can't be compromised by someone examining your code, because the secret no longer exists in the code. Also, you can configure Secrets Manager to automatically rotate the secret for you according to a specified schedule. This enables you to replace long-term secrets with short-term ones, significantly reducing the risk of compromise.

NEW QUESTION 89

- (Topic 1)

A company is preparing to deploy a new serverless workload. A solutions architect must use the principle of least privilege to configure permissions that will be used to run an AWS Lambda function. An Amazon EventBridge (Amazon CloudWatch Events) rule will invoke the function. Which solution meets these requirements?

- A. Add an execution role to the function with `lambda: InvokeFunction` as the action and `*` as the principal.
- B. Add an execution role to the function with `lambda: InvokeFunction` as the action and `Service:amazonaws.com` as the principal.
- C. Add a resource-based policy to the function with `lambda:*` as the action and `Service:events.amazonaws.com` as the principal.
- D. Add a resource-based policy to the function with `lambda: InvokeFunction` as the action and `Service:events.amazonaws.com` as the principal.

Answer: D

Explanation:

<https://docs.aws.amazon.com/eventbridge/latest/userguide/resource-based-policies-eventbridge.html#lambda-permissions>

NEW QUESTION 91

- (Topic 1)

A company runs a shopping application that uses Amazon DynamoDB to store customer information. In case of data corruption, a solutions architect needs to design a solution that meets a recovery point objective (RPO) of 15 minutes and a recovery time objective (RTO) of 1 hour. What should the solutions architect recommend to meet these requirements?

- A. Configure DynamoDB global table.
- B. For RPO recovery, point the application to a different AWS Region.
- C. Configure DynamoDB point-in-time recovery.
- D. For RPO recovery, restore to the desired point in time.
- E. Export the DynamoDB data to Amazon S3 Glacier on a daily basis.
- F. For RPO recovery, import the data from S3 Glacier to DynamoDB.
- G. Schedule Amazon Elastic Block Store (Amazon EBS) snapshots for the DynamoDB table every 15 minutes.
- H. For RPO recovery, restore the DynamoDB table by using the EBS snapshot.

Answer: B

Explanation:

<https://docs.aws.amazon.com/amazondynamodb/latest/developerguide/PointInTimeRecovery.html>

NEW QUESTION 93

- (Topic 1)

A company is designing an application where users upload small files into Amazon S3. After a user uploads a file, the file requires one-time simple processing to transform the data and save the data in JSON format for later analysis. Each file must be processed as quickly as possible after it is uploaded. Demand will vary. On some days, users will upload a high number of files. On other days, users will upload a few files or no files. Which solution meets these requirements with the LEAST operational overhead?

- A. Configure Amazon EMR to read text files from Amazon S3. Run processing scripts to transform the data.
- B. Store the resulting JSON file in an Amazon Aurora DB cluster.

- C. Configure Amazon S3 to send an event notification to an Amazon Simple Queue Service (Amazon SQS) queue
- D. Use Amazon EC2 instances to read from the queue and process the data
- E. Store the resulting JSON file in Amazon DynamoDB.
- F. Configure Amazon S3 to send an event notification to an Amazon Simple Queue Service (Amazon SQS) queue
- G. Use an AWS Lambda function to read from the queue and process the data
- H. Store the resulting JSON file in Amazon DynamoDB
- I. Most Voted
- J. Configure Amazon EventBridge (Amazon CloudWatch Events) to send an event to Amazon Kinesis Data Streams when a new file is uploaded
- K. Use an AWS Lambda function to consume the event from the stream and process the data
- L. Store the resulting JSON file in Amazon Aurora DB cluster.

Answer: C

Explanation:

Amazon S3 sends event notifications about S3 buckets (for example, object created, object removed, or object restored) to an SNS topic in the same Region. The SNS topic publishes the event to an SQS queue in the central Region. The SQS queue is configured as the event source for your Lambda function and buffers the event messages for the Lambda function. The Lambda function polls the SQS queue for messages and processes the Amazon S3 event notifications according to your application's requirements. <https://docs.aws.amazon.com/prescriptive-guidance/latest/patterns/subscribe-a-lambda-function-to-event-notifications-from-s3-buckets-in-different-aws-regions.html>

NEW QUESTION 94

- (Topic 1)

A company uses Amazon S3 to store its confidential audit documents. The S3 bucket uses bucket policies to restrict access to audit team IAM user credentials according to the principle of least privilege. Company managers are worried about accidental deletion of documents in the S3 bucket and want a more secure solution.

What should a solutions architect do to secure the audit documents?

- A. Enable the versioning and MFA Delete features on the S3 bucket.
- B. Enable multi-factor authentication (MFA) on the IAM user credentials for each audit team IAM user account.
- C. Add an S3 Lifecycle policy to the audit team's IAM user accounts to deny the s3:DeleteObject action during audit dates.
- D. Use AWS Key Management Service (AWS KMS) to encrypt the S3 bucket and restrict audit team IAM user accounts from accessing the KMS key.

Answer: A

NEW QUESTION 98

- (Topic 1)

A company is preparing to store confidential data in Amazon S3. For compliance reasons the data must be encrypted at rest. Encryption key usage must be logged for auditing purposes. Keys must be rotated every year.

Which solution meets these requirements and is the MOST operationally efficient?

- A. Server-side encryption with customer-provided keys (SSE-C)
- B. Server-side encryption with Amazon S3 managed keys (SSE-S3)
- C. Server-side encryption with AWS KMS (SSE-KMS) customer master keys (CMKs) with manual rotation
- D. Server-side encryption with AWS KMS (SSE-KMS) customer master keys (CMKs) with automatic rotation

Answer: D

Explanation:

<https://docs.aws.amazon.com/kms/latest/developerguide/rotate-keys.html> When you enable automatic key rotation for a customer managed key, AWS KMS generates new cryptographic material for the KMS key every year. AWS KMS also saves the KMS key's older cryptographic material in perpetuity so it can be used to decrypt data that the KMS key encrypted.

Key rotation in AWS KMS is a cryptographic best practice that is designed to be transparent and easy to use. AWS KMS supports optional automatic key rotation only for customer managed CMKs. Enable and disable key rotation. Automatic key rotation is disabled by default on customer managed CMKs. When you enable (or re-enable) key rotation, AWS KMS automatically rotates the CMK 365 days after the enable date and every 365 days thereafter.

NEW QUESTION 100

- (Topic 1)

A company has thousands of edge devices that collectively generate 1 TB of status alerts each day. Each alert is approximately 2 KB in size. A solutions architect needs to implement a solution to ingest and store the alerts for future analysis.

The company wants a highly available solution. However, the company needs to minimize costs and does not want to manage additional infrastructure. Additionally, the company wants to keep 14 days of data available for immediate analysis and archive any data older than 14 days.

What is the MOST operationally efficient solution that meets these requirements?

- A. Create an Amazon Kinesis Data Firehose delivery stream to ingest the alerts. Configure the Kinesis Data Firehose stream to deliver the alerts to an Amazon S3 bucket. Set up an S3 Lifecycle configuration to transition data to Amazon S3 Glacier after 14 days.
- B. Launch Amazon EC2 instances across two Availability Zones and place them behind an Elastic Load Balancer to ingest the alerts. Create a script on the EC2 instances that will store the alerts in an Amazon S3 bucket. Set up an S3 Lifecycle configuration to transition data to Amazon S3 Glacier after 14 days.
- C. Create an Amazon Kinesis Data Firehose delivery stream to ingest the alerts. Configure the Kinesis Data Firehose stream to deliver the alerts to an Amazon Elasticsearch Service (Amazon ES) cluster. Set up the Amazon ES cluster to take manual snapshots every day and delete data from the cluster that is older than 14 days.
- D. Create an Amazon Simple Queue Service (Amazon SQS) standard queue to ingest the alerts and set the message retention period to 14 days. Configure consumers to poll the SQS queue, check the age of the message, and analyze the message data as needed. If the message is 14 days old, the consumer should copy the message to an Amazon S3 bucket and delete the message from the SQS queue.

Answer: A

Explanation:

<https://aws.amazon.com/kinesis/data-firehose/features/?nc=sn&loc=2#:~:text=into%20Amazon%20S3%2C%20Amazon%20Redshift%2C%20Amazon%20OpenSearch%20Service%2C%20Kinesis,Delivery%20streams>

NEW QUESTION 102

- (Topic 1)

A company is running a business-critical web application on Amazon EC2 instances behind an Application Load Balancer. The EC2 instances are in an Auto Scaling group. The application uses an Amazon Aurora PostgreSQL database that is deployed in a single Availability Zone. The company wants the application to be highly available with minimum downtime and minimum loss of data.

Which solution will meet these requirements with the LEAST operational effort?

- A. Place the EC2 instances in different AWS Region
- B. Use Amazon Route 53 health checks to redirect traffic
- C. Use Aurora PostgreSQL Cross-Region Replication.
- D. Configure the Auto Scaling group to use multiple Availability Zone
- E. Configure the database as Multi-AZ
- F. Configure an Amazon RDS Proxy instance for the database.
- G. Configure the Auto Scaling group to use one Availability Zone
- H. Generate hourly snapshots of the database
- I. Recover the database from the snapshots in the event of a failure.
- J. Configure the Auto Scaling group to use multiple AWS Region
- K. Write the data from the application to Amazon S3. Use S3 Event Notifications to launch an AWS Lambda function to write the data to the database.

Answer: B

Explanation:

To achieve high availability with minimum downtime and minimum loss of data, the Auto Scaling group should be configured to use multiple Availability Zones to ensure that there is no single point of failure. The database should be configured as Multi-AZ to enable automatic failover in case of an outage in the primary Availability Zone. Additionally, an Amazon RDS Proxy instance can be used to improve the scalability and availability of the database by reducing connection failures and improving failover times.

NEW QUESTION 105

- (Topic 1)

A company recently launched a variety of new workloads on Amazon EC2 instances in its AWS account. The company needs to create a strategy to access and administer the instances remotely and securely. The company needs to implement a repeatable process that works with native AWS services and follows the AWS Well-Architected Framework.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Use the EC2 serial console to directly access the terminal interface of each instance for administration.
- B. Attach the appropriate IAM role to each existing instance and new instance
- C. Use AWS Systems Manager Session Manager to establish a remote SSH session.
- D. Create an administrative SSH key pair
- E. Load the public key into each EC2 instance
- F. Deploy a bastion host in a public subnet to provide a tunnel for administration of each instance.
- G. Establish an AWS Site-to-Site VPN connection
- H. Instruct administrators to use their local on-premises machines to connect directly to the instances by using SSH keys across the VPN tunnel.

Answer: B

Explanation:

<https://docs.aws.amazon.com/systems-manager/latest/userguide/setup-launch-managed-instance.html>

NEW QUESTION 108

- (Topic 1)

A hospital recently deployed a RESTful API with Amazon API Gateway and AWS Lambda. The hospital uses API Gateway and Lambda to upload reports that are in PDF format and JPEG format. The hospital needs to modify the Lambda code to identify protected health information (PHI) in the reports.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Use existing Python libraries to extract the text from the reports and to identify the PHI from the extracted text.
- B. Use Amazon Textract to extract the text from the reports. Use Amazon SageMaker to identify the PHI from the extracted text.
- C. Use Amazon Textract to extract the text from the reports. Use Amazon Comprehend Medical to identify the PHI from the extracted text.
- D. Use Amazon Rekognition to extract the text from the reports. Use Amazon Comprehend Medical to identify the PHI from the extracted text.

Answer: C

Explanation:

To meet the requirements of the company to have access to both AWS and on-premises file storage with minimum latency, a hybrid cloud architecture can be used. One solution is to deploy and configure Amazon FSx for Windows File Server on AWS, which provides fully managed Windows file servers. The on-premises file data can be moved to the FSx File Gateway, which can act as a bridge between on-premises and AWS file storage. The cloud workloads can be configured to use FSx for Windows File Server on AWS, while the on-premises workloads can be configured to use the FSx File Gateway. This solution minimizes operational overhead and requires no significant changes to the existing file access patterns. The connectivity between on-premises and AWS can be established using an AWS Site-to-Site VPN connection.

Reference:

AWS FSx for Windows File Server: <https://aws.amazon.com/fsx/windows/> AWS FSx File Gateway: <https://aws.amazon.com/fsx/file-gateway/>

AWS Site-to-Site VPN: <https://aws.amazon.com/vpn/site-to-site-vpn/>

NEW QUESTION 110

- (Topic 2)

A company hosts a two-tier application on Amazon EC2 instances and Amazon RDS. The application's demand varies based on the time of day. The load is minimal after work hours and on weekends. The EC2 instances run in an EC2 Auto Scaling group that is configured with a minimum of two instances and a maximum of five instances. The application must be available at all times, but the company is concerned about overall cost.

Which solution meets the availability requirement MOST cost-effectively?

- A. Use all EC2 Spot Instance
- B. Stop the RDS database when it is not in use.
- C. Purchase EC2 Instance Savings Plans to cover five EC2 instance
- D. Purchase an RDS Reserved DB Instance
- E. Purchase two EC2 Reserved Instances Use up to three additional EC2 Spot Instances as needed
- F. Stop the RDS database when it is not in use.
- G. Purchase EC2 Instance Savings Plans to cover two EC2 instance
- H. Use up to three additional EC2 On-Demand Instances as needed
- I. Purchase an RDS Reserved DB Instance.

Answer: C

Explanation:

This solution meets the requirements of a two-tier application that has a variable demand based on the time of day and must be available at all times, while minimizing the overall cost. EC2 Reserved Instances can provide significant savings compared to On-Demand Instances for the baseline level of usage, and they can guarantee capacity reservation when needed. EC2 Spot Instances can provide up to 90% savings compared to On-Demand Instances for any additional capacity that the application needs during peak hours. Spot Instances are suitable for stateless applications that can tolerate interruptions and can be replaced by other instances. Stopping the RDS database when it is not in use can reduce the cost of running the database tier.

Option A is incorrect because using all EC2 Spot Instances can affect the availability of the application if there are not enough spare capacity or if the Spot price exceeds the maximum price. Stopping the RDS database when it is not in use can reduce the cost of running the database tier, but it can also affect the availability of the application. Option B is incorrect because purchasing EC2 Instance Savings Plans to cover five EC2 instances can lock in a fixed amount of compute usage per hour, which may not match the actual usage pattern of the application. Purchasing an RDS Reserved DB Instance can provide savings for the database tier, but it does not allow stopping the database when it is not in use. Option D is incorrect because purchasing EC2 Instance Savings Plans to cover two EC2 instances can lock in a fixed amount of compute usage per hour, which may not match the actual usage pattern of the application. Using up to three additional EC2 On-Demand Instances as needed can incur higher costs than using Spot Instances.

References:

? <https://aws.amazon.com/ec2/pricing/reserved-instances/>

? <https://aws.amazon.com/ec2/spot/>

? https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/USER_StopInstance.html

NEW QUESTION 115

- (Topic 2)

A company sells ringtones created from clips of popular songs. The files containing the ringtones are stored in Amazon S3 Standard and are at least 128 KB in size. The company has millions of files, but downloads are infrequent for ringtones older than 90 days. The company needs to save money on storage while keeping the most accessed files readily available for its users.

Which action should the company take to meet these requirements MOST cost-effectively?

- A. Configure S3 Standard-Infrequent Access (S3 Standard-IA) storage for the initial storage tier of the objects.
- B. Move the files to S3 Intelligent-Tiering and configure it to move objects to a less expensive storage tier after 90 days.
- C. Configure S3 inventory to manage objects and move them to S3 Standard-Infrequent Access (S3 Standard-1A) after 90 days.
- D. Implement an S3 Lifecycle policy that moves the objects from S3 Standard to S3 Standard-Infrequent Access (S3 Standard-1A) after 90 days.

Answer: D

Explanation:

This solution meets the requirements of saving money on storage while keeping the most accessed files readily available for the users. S3 Lifecycle policy can automatically move objects from one storage class to another based on predefined rules. S3 Standard-IA is a lower-cost storage class for data that is accessed less frequently, but requires rapid access when needed. It is suitable for ringtones older than 90 days that are downloaded infrequently.

Option A is incorrect because configuring S3 Standard-IA for the initial storage tier of the objects can incur higher costs for frequent access and retrieval fees.

Option B is incorrect

because moving the files to S3 Intelligent-Tiering can incur additional monitoring and automation fees that may not be necessary for ringtones older than 90 days.

Option C is incorrect because using S3 inventory to manage objects and move them to S3 Standard-IA can be complex and time-consuming, and it does not provide automatic cost savings. References:

? <https://aws.amazon.com/s3/storage-classes/>

? <https://aws.amazon.com/s3/cloud-storage-cost-optimization-ebook/>

NEW QUESTION 120

- (Topic 2)

A company has a Windows-based application that must be migrated to AWS. The application requires the use of a shared Windows file system attached to multiple Amazon EC2 Windows instances that are deployed across multiple Availability Zones.

What should a solutions architect do to meet this requirement?

- A. Configure AWS Storage Gateway in volume gateway mode
- B. Mount the volume to each Windows instance.
- C. Configure Amazon FSx for Windows File Server
- D. Mount the Amazon FSx file system to each Windows instance.
- E. Configure a file system by using Amazon Elastic File System (Amazon EFS). Mount the EFS file system to each Windows instance.
- F. Configure an Amazon Elastic Block Store (Amazon EBS) volume with the required size
- G. Attach each EC2 instance to the volume
- H. Mount the file system within the volume to each Windows instance.

Answer: B

Explanation:

This solution meets the requirement of migrating a Windows-based application that requires the use of a shared Windows file system attached to multiple Amazon EC2 Windows instances that are deployed across multiple Availability Zones. Amazon FSx for Windows File Server provides fully managed shared storage built on Windows Server, and delivers a wide range of data access, data management, and administrative capabilities. It supports the Server Message Block (SMB) protocol and can be mounted to EC2 Windows instances across multiple Availability Zones.

Option A is incorrect because AWS Storage Gateway in volume gateway mode provides cloud-backed storage volumes that can be mounted as iSCSI devices from on-premises application servers, but it does not support SMB protocol or EC2 Windows instances. Option C is incorrect because Amazon Elastic File System (Amazon EFS) provides a scalable and elastic NFS file system for Linux-based workloads, but it does not support SMB protocol or EC2 Windows instances.

Option D is incorrect because Amazon Elastic Block Store (Amazon EBS) provides persistent block storage volumes for use with EC2 instances, but it does not support SMB protocol or attaching multiple instances to the same volume.

References:

? <https://aws.amazon.com/fsx/windows/>

? <https://docs.aws.amazon.com/fsx/latest/WindowsGuide/using-file-shares.html>

NEW QUESTION 122

- (Topic 2)

A company wants to direct its users to a backup static error page if the company's primary website is unavailable. The primary website's DNS records are hosted in Amazon Route 53. The domain is pointing to an Application Load Balancer (ALB). The company needs a solution that minimizes changes and infrastructure overhead.

Which solution will meet these requirements?

- A. Update the Route 53 records to use a latency routing policy
- B. Add a static error page that is hosted in an Amazon S3 bucket to the records so that the traffic is sent to the most responsive endpoints.
- C. Set up a Route 53 active-passive failover configuration
- D. Direct traffic to a static error page that is hosted in an Amazon S3 bucket when Route 53 health checks determine that the ALB endpoint is unhealthy.
- E. Set up a Route 53 active-active configuration with the ALB and an Amazon EC2 instance that hosts a static error page as endpoint
- F. Configure Route 53 to send requests to the instance only if the health checks fail for the ALB.
- G. Update the Route 53 records to use a multivalue answer routing policy
- H. Create a health check
- I. Direct traffic to the website if the health check passes
- J. Direct traffic to a static error page that is hosted in Amazon S3 if the health check does not pass.

Answer: B

Explanation:

This solution meets the requirements of directing users to a backup static error page if the primary website is unavailable, minimizing changes and infrastructure overhead. Route 53 active-passive failover configuration can route traffic to a primary resource when it is healthy or to a secondary resource when the primary resource is unhealthy. Route 53 health checks can monitor the health of the ALB endpoint and trigger the failover when needed. The static error page can be hosted in an S3 bucket that is configured as a website, which is a simple and cost-effective way to serve static content.

Option A is incorrect because using a latency routing policy can route traffic based on the lowest network latency for users, but it does not provide failover functionality. Option C is incorrect because using an active-active configuration with the ALB and an EC2 instance can increase the infrastructure overhead and complexity, and it does not guarantee that the EC2 instance will always be healthy. Option D is incorrect because using a multivalue answer routing policy can return multiple values for a query, but it does not provide failover functionality.

References:

? <https://docs.aws.amazon.com/Route53/latest/DeveloperGuide/routing-policy-failover.html>

? <https://docs.aws.amazon.com/Route53/latest/DeveloperGuide/dns-failover.html>

? <https://docs.aws.amazon.com/AmazonS3/latest/userguide/WebsiteHosting.html>

NEW QUESTION 125

- (Topic 2)

A company produces batch data that comes from different databases. The company also produces live stream data from network sensors and application APIs. The company needs to consolidate all the data into one place for business analytics. The company needs to process the incoming data and then stage the data in different Amazon S3 buckets. Teams will later run one-time queries and import the data into a business intelligence tool to show key performance indicators (KPIs).

Which combination of steps will meet these requirements with the LEAST operational overhead? (Choose two.)

- A. Use Amazon Athena for one-time queries Use Amazon QuickSight to create dashboards for KPIs
- B. Use Amazon Kinesis Data Analytics for one-time queries Use Amazon QuickSight to create dashboards for KPIs
- C. Create custom AWS Lambda functions to move the individual records from the databases to an Amazon Redshift cluster
- D. Use an AWS Glue extract transform, and load (ETL) job to convert the data into JSON format Load the data into multiple Amazon OpenSearch Service (Amazon Elasticsearch Service) clusters
- E. Use blueprints in AWS Lake Formation to identify the data that can be ingested into a data lake Use AWS Glue to crawl the source extract the data and load the data into Amazon S3 in Apache Parquet format

Answer: AE

Explanation:

Amazon Athena is the best choice for running one-time queries on streaming data. Although Amazon Kinesis Data Analytics provides an easy and familiar standard SQL language to analyze streaming data in real-time, it is designed for continuous queries rather than one-time queries[1]. On the other hand, Amazon Athena is a serverless interactive query service that allows querying data in Amazon S3 using SQL. It is optimized for ad-hoc querying and is ideal for running one-time queries on streaming data[2]. AWS Lake Formation uses as a central place to have all your data for analytics purposes (E). Athena integrates perfectly with S3 and can make queries (A).

NEW QUESTION 126

- (Topic 2)

A company is migrating its on-premises PostgreSQL database to Amazon Aurora PostgreSQL. The on-premises database must remain online and accessible during the migration. The Aurora database must remain synchronized with the on-premises database.

Which combination of actions must a solutions architect take to meet these requirements? (Choose two.)

- A. Create an ongoing replication task.
- B. Create a database backup of the on-premises database
- C. Create an AWS Database Migration Service (AWS DMS) replication server
- D. Convert the database schema by using the AWS Schema Conversion Tool (AWS SCT).
- E. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to monitor the database synchronization

Answer: AC

Explanation:

AWS Database Migration Service supports homogeneous migrations such as Oracle to Oracle, as well as heterogeneous migrations between different database platforms, such as Oracle or Microsoft SQL Server to Amazon Aurora. With AWS Database Migration Service, you can also continuously replicate data with low latency from any supported source to any supported target. For example, you can replicate from multiple sources to Amazon Simple Storage Service (Amazon S3) to build a highly available and scalable data lake solution. You can also consolidate databases into a petabyte-scale data warehouse by streaming data to Amazon Redshift. Learn more about the supported source and target databases. <https://aws.amazon.com/dms/>

NEW QUESTION 131

- (Topic 2)

A security team wants to limit access to specific services or actions in all of the team's AWS accounts. All accounts belong to a large organization in AWS Organizations. The solution must be scalable and there must be a single point where permissions can be maintained. What should a solutions architect do to accomplish this?

- A. Create an ACL to provide access to the services or actions.
- B. Create a security group to allow accounts and attach it to user groups.
- C. Create cross-account roles in each account to deny access to the services or actions.
- D. Create a service control policy in the root organizational unit to deny access to the services or actions.

Answer: D

Explanation:

Service control policies (SCPs) are one type of policy that you can use to manage your organization. SCPs offer central control over the maximum available permissions for all accounts in your organization, allowing you to ensure your accounts stay within your organization's access control guidelines. See https://docs.aws.amazon.com/organizations/latest/userguide/orgs_manage_policies_scp.html.

NEW QUESTION 133

- (Topic 2)

A company is building a web-based application running on Amazon EC2 instances in multiple Availability Zones. The web application will provide access to a repository of text documents totaling about 900 TB in size. The company anticipates that the web application will experience periods of high demand. A solutions architect must ensure that the storage component for the text documents can scale to meet the demand of the application at all times. The company is concerned about the overall cost of the solution.

Which storage solution meets these requirements MOST cost-effectively?

- A. Amazon Elastic Block Store (Amazon EBS)
- B. Amazon Elastic File System (Amazon EFS)
- C. Amazon Elasticsearch Service (Amazon ES)
- D. Amazon S3

Answer: D

Explanation:

Amazon S3 is cheapest and can be accessed from anywhere.

NEW QUESTION 137

- (Topic 2)

A company runs an application using Amazon ECS. The application creates esi/ed versions of an original image and then makes Amazon S3 API calls to store the resized images in Amazon S3.

How can a solutions architect ensure that the application has permission to access Amazon S3?

- A. Update the S3 role in AWS IAM to allow read/write access from Amazon ECS, and then relaunch the container.
- B. Create an IAM role with S3 permissions, and then specify that role as the taskRoleArn in the task definition.
- C. Create a security group that allows access from Amazon ECS to Amazon S3, and update the launch configuration used by the ECS cluster.
- D. Create an IAM user with S3 permissions, and then relaunch the Amazon EC2 instances for the ECS cluster while logged in as this account.

Answer: B

Explanation:

<https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/aws-resource-ecs-taskdefinition.html>

NEW QUESTION 141

- (Topic 2)

A company is concerned about the security of its public web application due to recent web attacks. The application uses an Application Load Balancer (ALB). A solutions architect must reduce the risk of DDoS attacks against the application.

What should the solutions architect do to meet this requirement?

- A. Add an Amazon Inspector agent to the ALB.
- B. Configure Amazon Macie to prevent attacks.
- C. Enable AWS Shield Advanced to prevent attacks.
- D. Configure Amazon GuardDuty to monitor the ALB.

Answer: C

Explanation:

AWS Shield Advanced provides expanded DDoS attack protection for your Amazon EC2 instances, Elastic Load Balancing load balancers, CloudFront distributions, Route 53 hosted zones, and AWS Global Accelerator standard accelerators. <https://docs.aws.amazon.com/waf/latest/developerguide/what-is-aws-waf.html>

NEW QUESTION 142

- (Topic 2)

A company is planning to move its data to an Amazon S3 bucket. The data must be encrypted when it is stored in the S3 bucket. Additionally, the encryption key must be automatically rotated every year.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Move the data to the S3 bucket
- B. Use server-side encryption with Amazon S3 managed encryption keys (SSE-S3). Use the built-in key rotation behavior of SSE-S3 encryption keys.
- C. Create an AWS Key Management Service (AWS KMS) customer managed key
- D. Enable automatic key rotation
- E. Set the S3 bucket's default encryption behavior to use the customer managed KMS key
- F. Move the data to the S3 bucket.
- G. Create an AWS Key Management Service (AWS KMS) customer managed key
- H. Set the S3 bucket's default encryption behavior to use the customer managed KMS key
- I. Move the data to the S3 bucket
- J. Manually rotate the KMS key every year.
- K. Encrypt the data with customer key material before moving the data to the S3 bucket
- L. Create an AWS Key Management Service (AWS KMS) key without key material
- M. Import the customer key material into the KMS key
- N. Enable automatic key rotation.

Answer: B

Explanation:

SSE-S3 - is free and uses AWS owned CMKs (CMK = Customer Master Key). The encryption key is owned and managed by AWS, and is shared among many accounts. Its rotation is automatic with time that varies as shown in the table here. The time is not explicitly defined.

SSE-KMS - has two flavors:

AWS managed CMK. This is free CMK generated only for your account. You can only view its policies and audit usage, but not manage it. Rotation is automatic - once per 1095 days (3 years),

Customer managed CMK. This uses your own key that you create and can manage. Rotation is not enabled by default. But if you enable it, it will be automatically rotated every 1 year. This variant can also use an imported key material by you. If you create such key with an imported material, there is no automated rotation. Only manual rotation.

SSE-C - customer provided key. The encryption key is fully managed by you outside of AWS. AWS will not rotate it.

This solution meets the requirements of moving data to an Amazon S3 bucket, encrypting the data when it is stored in the S3 bucket, and automatically rotating the encryption key every year with the least operational overhead. AWS Key Management Service (AWS KMS) is a service that enables you to create and manage encryption keys for your data. A customer managed key is a symmetric encryption key that you create and manage in AWS KMS. You can enable automatic key rotation for a customer managed key, which means that AWS KMS generates new cryptographic material for the key every year. You can set the S3 bucket's default encryption behavior to use the customer managed KMS key, which means that any object that is uploaded to the bucket without specifying an encryption method will be encrypted with that key.

Option A is incorrect because using server-side encryption with Amazon S3 managed encryption keys (SSE-S3) does not allow you to control or manage the encryption keys. SSE-S3 uses a unique key for each object, and encrypts that key with a master key that is regularly rotated by S3. However, you cannot enable or disable key rotation for SSE-S3 keys, or specify the rotation interval. Option C is incorrect because manually rotating the KMS key every year can increase the operational overhead and complexity, and it may not meet the requirement of rotating the key every year if you forget or delay the rotation process. Option D is incorrect because encrypting the data with customer key material before moving the data to the S3 bucket can increase the operational overhead and complexity, and it may not provide consistent encryption for all objects in the bucket. Creating a KMS key without key material and importing the customer key material into the KMS key can enable you to use your own source of random bits to generate your KMS keys, but it does not support automatic key rotation.

References:

? <https://docs.aws.amazon.com/kms/latest/developerguide/concepts.html>

? <https://docs.aws.amazon.com/kms/latest/developerguide/rotate-keys.html>

? <https://docs.aws.amazon.com/AmazonS3/latest/userguide/bucket-encryption.html>

NEW QUESTION 144

- (Topic 2)

A company is planning to build a high performance computing (HPC) workload as a service solution that is hosted on AWS. A group of 16 Amazon EC2 Linux instances requires the lowest possible latency for node-to-node communication. The instances also need a shared block device volume for high-performing storage.

Which solution will meet these requirements?

- A. Use a cluster placement group
- B. Attach a single Provisioned IOPS SSD Amazon Elastic Block Store (Amazon EBS) volume to all the instances by using Amazon EBS Multi-Attach
- C. Use a cluster placement group
- D. Create shared file systems across the instances by using Amazon Elastic File System (Amazon EFS)
- E. Use a partition placement group
- F. Create shared file systems across the instances by using Amazon Elastic File System (Amazon EFS).
- G. Use a spread placement group
- H. Attach a single Provisioned IOPS SSD Amazon Elastic Block Store (Amazon EBS) volume to all the instances by using Amazon EBS Multi-Attach

Answer: A

Explanation:

1. lowest possible latency + node to node ==> cluster placement (must be within one AZ), so C, D out

* 2. For EBS Multi-Attach, up to 16 instances can be attached to a single volume ==> we have 16 Linux instances ==> more close to A

* 3. "need a shared block device volume" ==> EBS Multi-attach is Block Storage whereas EFS is File Storage ==> B out

* 4. EFS automatically replicates data within and across 3 AZ ==> we use cluster placement

so all EC2 are within one AZ.

* 5. EBS Multi-attach volumes can be used for clients within a single AZ. <https://repost.aws/questions/QUK2RANw1QTKCwpDUwCCI72A/efs-vs-ebs-mult-attach>

NEW QUESTION 147

- (Topic 2)

A company runs its two-tier ecommerce website on AWS. The web tier consists of a load balancer that sends traffic to Amazon EC2 instances. The database tier

uses an Amazon RDS DB instance. The EC2 instances and the RDS DB instance should not be exposed to the public internet. The EC2 instances require internet access to complete payment processing of orders through a third-party web service. The application must be highly available. Which combination of configuration options will meet these requirements? (Choose two.)

- A. Use an Auto Scaling group to launch the EC2 instances in private subnet
- B. Deploy an RDS Multi-AZ DB instance in private subnets.
- C. Configure a VPC with two private subnets and two NAT gateways across two Availability Zone
- D. Deploy an Application Load Balancer in the private subnets.
- E. Use an Auto Scaling group to launch the EC2 instances in public subnets across two Availability Zone
- F. Deploy an RDS Multi-AZ DB instance in private subnets.
- G. Configure a VPC with one public subnet, one private subnet, and two NAT gateways across two Availability Zone
- H. Deploy an Application Load Balancer in the public subnet.
- I. Configure a VPC with two public subnets, two private subnets, and two NAT gateways across two Availability Zone
- J. Deploy an Application Load Balancer in the public subnets.

Answer: AE

Explanation:

Before you begin: Decide which two Availability Zones you will use for your EC2 instances. Configure your virtual private cloud (VPC) with at least one public subnet in each of these Availability Zones. These public subnets are used to configure the load balancer. You can launch your EC2 instances in other subnets of these Availability Zones instead.

NEW QUESTION 152

- (Topic 2)

A company has an event-driven application that invokes AWS Lambda functions up to 800 times each minute with varying runtimes. The Lambda functions access data that is stored in an Amazon Aurora MySQL OB cluster. The company is noticing connection timeouts as user activity increases. The database shows no signs of being overloaded. CPU, memory, and disk access metrics are all low.

Which solution will resolve this issue with the LEAST operational overhead?

- A. Adjust the size of the Aurora MySQL nodes to handle more connection
- B. Configure retry logic in the Lambda functions for attempts to connect to the database
- C. Set up Amazon ElastiCache for Redis to cache commonly read items from the database
- D. Configure the Lambda functions to connect to ElastiCache for reads.
- E. Add an Aurora Replica as a reader node
- F. Configure the Lambda functions to connect to the reader endpoint of the OB cluster rather than to the writer endpoint.
- G. Use Amazon ROS Proxy to create a proxy
- H. Set the DB cluster as the target database. Configure the Lambda functions to connect to the proxy rather than to the DB cluster.

Answer: D

Explanation:

1. database shows no signs of being overloaded. CPU, memory, and disk access metrics are all low ==> A and C out. We cannot only add nodes instance or add read replica, because database workload is totally fine, very low. 2. "least operational overhead" ==> B out, because we need to configure lambda. 3. ROS proxy: Shares infrequently used connections; High availability with failover; Drives increased efficiency ==> proxy can leverage failover to redirect traffic from timeout rds instance to healthy rds instance. So D is right.

NEW QUESTION 154

- (Topic 2)

A company runs a web-based portal that provides users with global breaking news, local alerts, and weather updates. The portal delivers each user a personalized view by using a mixture of static and dynamic content. Content is served over HTTPS through an API server running on an Amazon EC2 instance behind an Application Load Balancer (ALB). The company wants the portal to provide this content to its users across the world as quickly as possible.

How should a solutions architect design the application to ensure the LEAST amount of latency for all users?

- A. Deploy the application stack in a single AWS Region
- B. Use Amazon CloudFront to serve all static and dynamic content by specifying the ALB as an origin.
- C. Deploy the application stack in two AWS Regions
- D. Use an Amazon Route 53 latency routing policy to serve all content from the ALB in the closest Region.
- E. Deploy the application stack in a single AWS Region
- F. Use Amazon CloudFront to serve the static content
- G. Serve the dynamic content directly from the ALB.
- H. Deploy the application stack in two AWS Regions
- I. Use an Amazon Route 53 geolocation routing policy to serve all content from the ALB in the closest Region.

Answer: A

Explanation:

<https://aws.amazon.com/blogs/networking-and-content-delivery/deliver-your-apps-dynamic-content-using-amazon-cloudfront-getting-started-template/>

NEW QUESTION 158

- (Topic 2)

A hospital wants to create digital copies for its large collection of historical written records. The hospital will continue to add hundreds of new documents each day. The hospital's data team will scan the documents and will upload the documents to the AWS Cloud.

A solutions architect must implement a solution to analyze the documents, extract the medical information, and store the documents so that an application can run SQL queries on the data. The solution must maximize scalability and operational efficiency.

Which combination of steps should the solutions architect take to meet these requirements? (Select TWO.)

- A. Write the document information to an Amazon EC2 instance that runs a MySQL database.
- B. Write the document information to an Amazon S3 bucket
- C. Use Amazon Athena to query the data.

- D. Create an Auto Scaling group of Amazon EC2 instances to run a custom application that processes the scanned files and extracts the medical information.
- E. Create an AWS Lambda function that runs when new documents are uploaded
- F. Use Amazon Rekognition to convert the documents to raw text
- G. Use Amazon Transcribe Medical to detect and extract relevant medical information from the text.
- H. Create an AWS Lambda function that runs when new documents are uploaded
- I. Use Amazon Textract to convert the documents to raw text
- J. Use Amazon Comprehend Medical to detect and extract relevant medical information from the text.

Answer: BE

Explanation:

This solution meets the requirements of creating digital copies for a large collection of historical written records, analyzing the documents, extracting the medical information, and storing the documents so that an application can run SQL queries on the data. Writing the document information to an Amazon S3 bucket can provide scalable and durable storage for the scanned files. Using Amazon Athena to query the data can provide serverless and interactive SQL analysis on data stored in S3. Creating an AWS Lambda function that runs when new documents are uploaded can provide event-driven and serverless processing of the scanned files. Using Amazon Textract to convert the documents to raw text can provide

accurate optical character recognition (OCR) and extraction of structured data such as tables and forms from documents using artificial intelligence (AI). Using Amazon Comprehend Medical to detect and extract relevant medical information from the text can provide natural language processing (NLP) service that uses machine learning that has been pre-trained to understand and extract health data from medical text.

Option A is incorrect because writing the document information to an Amazon EC2 instance that runs a MySQL database can increase the infrastructure overhead and complexity, and it may not be able to handle large volumes of data. Option C is incorrect because creating an Auto Scaling group of Amazon EC2 instances to run a custom application that processes the scanned files and extracts the medical information can increase the infrastructure overhead and complexity, and it may not be able to leverage existing AI and NLP services such as Textract and Comprehend Medical. Option D is incorrect because using Amazon Rekognition to convert the documents to raw text can provide image and video analysis, but it does not support OCR or extraction of structured data from documents. Using Amazon Transcribe Medical to detect and extract relevant medical information from the text can provide speech-to-text transcription service for medical conversations, but it does not support text analysis or extraction of health data from medical text.

References:

? <https://aws.amazon.com/s3/>

? <https://aws.amazon.com/athena/>

? <https://aws.amazon.com/lambda/>

? <https://aws.amazon.com/textract/>

? <https://aws.amazon.com/comprehend/medical/>

NEW QUESTION 163

- (Topic 2)

A company stores its application logs in an Amazon CloudWatch Logs log group. A new policy requires the company to store all application logs in Amazon OpenSearch Service (Amazon Elasticsearch Service) in near-real time.

Which solution will meet this requirement with the LEAST operational overhead?

- A. Configure a CloudWatch Logs subscription to stream the logs to Amazon OpenSearch Service (Amazon Elasticsearch Service).
- B. Create an AWS Lambda function
- C. Use the log group to invoke the function to write the logs to Amazon OpenSearch Service (Amazon Elasticsearch Service).
- D. Create an Amazon Kinesis Data Firehose delivery stream
- E. Configure the log group as the delivery stream's source
- F. Configure Amazon OpenSearch Service (Amazon Elasticsearch Service) as the delivery stream's destination.
- G. Install and configure Amazon Kinesis Agent on each application server to deliver the logs to Amazon Kinesis Data Stream
- H. Configure Kinesis Data Streams to deliver the logs to Amazon OpenSearch Service (Amazon Elasticsearch Service)

Answer: B

Explanation:

<https://computingforgeeks.com/stream-logs-in-aws-from-cloudwatch-to-elasticsearch/>

NEW QUESTION 166

- (Topic 2)

A company runs an Oracle database on premises. As part of the company's migration to AWS, the company wants to upgrade the database to the most recent available version. The company also wants to set up disaster recovery (DR) for the database. The company needs to minimize the operational overhead for normal operations and DR setup. The company also needs to maintain access to the database's underlying operating system.

Which solution will meet these requirements?

- A. Migrate the Oracle database to an Amazon EC2 instance
- B. Set up database replication to a different AWS Region.
- C. Migrate the Oracle database to Amazon RDS for Oracle
- D. Activate Cross-Region automated backups to replicate the snapshots to another AWS Region.
- E. Migrate the Oracle database to Amazon RDS Custom for Oracle
- F. Create a read replica for the database in another AWS Region.
- G. Migrate the Oracle database to Amazon RDS for Oracle
- H. Create a standby database in another Availability Zone.

Answer: C

Explanation:

<https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/rds-custom.html> and <https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/working-with-custom-oracle.html>

NEW QUESTION 167

- (Topic 2)

A solutions architect must design a solution that uses Amazon CloudFront with an Amazon S3 origin to store a static website. The company's security policy requires that all website traffic be inspected by AWS WAF

How should the solutions architect comply with these requirements?

- A. Configure an S3 bucket policy to accept requests coming from the AWS WAF Amazon Resource Name (ARN) only.
- B. Configure Amazon CloudFront to forward all incoming requests to AWS WAF before requesting content from the S3 origin.
- C. Configure a security group that allows Amazon CloudFront IP addresses to access Amazon S3 onl
- D. Associate AWS WAF to CloudFront.
- E. Configure Amazon CloudFront and Amazon S3 to use an origin access identity (OAI) to restrict access to the S3 bucke
- F. Enable AWS WAF on the distribution.

Answer: D

Explanation:

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/private-content-restricting-access-to-s3.html>
<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/distribution-web-aws-waf.html>

NEW QUESTION 168

- (Topic 2)

A company has two applications: a sender application that sends messages with payloads to be processed and a processing application intended to receive the messages with payloads. The company wants to implement an AWS service to handle messages between the two applications. The sender application can send about 1,000 messages each hour. The messages may take up to 2 days to be processed. If the messages fail to process, they must be retained so that they do not impact the processing of any remaining messages.

Which solution meets these requirements and is the MOST operationally efficient?

- A. Set up an Amazon EC2 instance running a Redis database.
- B. Configure both applications to use the instance.
- C. Store, process, and delete the messages, respectively.
- D. Use an Amazon Kinesis data stream to receive the messages from the sender application.
- E. Integrate the processing application with the Kinesis Client Library (KCL).
- F. Integrate the sender and processor applications with an Amazon Simple Queue Service (Amazon SQS) queue.
- G. Configure a dead-letter queue to collect the messages that failed to process.
- H. Subscribe the processing application to an Amazon Simple Notification Service (Amazon SNS) topic to receive notifications to process.
- I. Integrate the sender application to write to the SNS topic.

Answer: C

Explanation:

<https://aws.amazon.com/blogs/compute/building-loosely-coupled-scalable-c-applications-with-amazon-sqs-and-amazon-sns/>
<https://docs.aws.amazon.com/AWSSimpleQueueService/latest/SQSDeveloperGuide/sqs-dead-letter-queues.html>

NEW QUESTION 171

- (Topic 2)

A gaming company has a web application that displays scores. The application runs on Amazon EC2 instances behind an Application Load Balancer. The application stores data in an Amazon RDS for MySQL database. Users are starting to experience long delays and interruptions that are caused by database read performance. The company wants to improve the user experience while minimizing changes to the application's architecture.

What should a solutions architect do to meet these requirements?

- A. Use Amazon ElastiCache in front of the database.
- B. Use RDS Proxy between the application and the database.
- C. Migrate the application from EC2 instances to AWS Lambda.
- D. Migrate the database from Amazon RDS for MySQL to Amazon DynamoDB.

Answer: A

Explanation:

ElastiCache can help speed up the read performance of the database by caching frequently accessed data, reducing latency and allowing the application to access the data more quickly. This solution requires minimal modifications to the current architecture, as ElastiCache can be used in conjunction with the existing Amazon RDS for MySQL database.

NEW QUESTION 172

- (Topic 2)

A company is developing a file-sharing application that will use an Amazon S3 bucket for storage. The company wants to serve all the files through an Amazon CloudFront distribution. The company does not want the files to be accessible through direct navigation to the S3 URL.

What should a solutions architect do to meet these requirements?

- A. Write individual policies for each S3 bucket to grant read permission for only CloudFront access.
- B. Create an IAM user.
- C. Grant the user read permission to objects in the S3 bucket.
- D. Assign the user to CloudFront.
- E. Write an S3 bucket policy that assigns the CloudFront distribution ID as the Principal and assigns the target S3 bucket as the Amazon Resource Name (ARN).
- F. Create an origin access identity (OAI). Assign the OAI to the CloudFront distribution.
- G. Configure the S3 bucket permissions so that only the OAI has read permission.

Answer: D

Explanation:

<https://aws.amazon.com/premiumsupport/knowledge-center/cloudfront-access-to-amazon-s3/>
<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/private-content-restricting-access-to-s3.html#private-content-restricting-access-to-s3-overview>

NEW QUESTION 174

- (Topic 2)

A business's backup data totals 700 terabytes (TB) and is kept in network attached storage (NAS) at its data center. This backup data must be available in the event of occasional regulatory inquiries and preserved for a period of seven years. The organization has chosen to relocate its backup data from its on-premises data center to Amazon Web Services (AWS). Within one month, the migration must be completed. The company's public internet connection provides 500 Mbps of dedicated capacity for data transport.

What should a solutions architect do to ensure that data is migrated and stored at the LOWEST possible cost?

- A. Order AWS Snowball devices to transfer the data
- B. Use a lifecycle policy to transition the files to Amazon S3 Glacier Deep Archive.
- C. Deploy a VPN connection between the data center and Amazon VPC
- D. Use the AWS CLI to copy the data from on premises to Amazon S3 Glacier.
- E. Provision a 500 Mbps AWS Direct Connect connection and transfer the data to Amazon S3. Use a lifecycle policy to transition the files to Amazon S3 Glacier Deep Archive.
- F. Use AWS DataSync to transfer the data and deploy a DataSync agent on premise
- G. Use the DataSync task to copy files from the on-premises NAS storage to Amazon S3 Glacier.

Answer: A

Explanation:

<https://www.omnicalculator.com/other/data-transfer>

NEW QUESTION 179

- (Topic 2)

A company's application is having performance issues. The application is stateful and needs to complete in-memory tasks on Amazon EC2 instances. The company used AWS CloudFormation to deploy infrastructure and used the M5 EC2 Instance family. As traffic increased, the application performance degraded. Users are reporting delays when they attempt to access the application.

Which solution will resolve these issues in the MOST operationally efficient way?

- A. Replace the EC2 instances with T3 EC2 instances that run in an Auto Scaling group
- B. Make the changes by using the AWS Management Console.
- C. Modify the CloudFormation templates to run the EC2 instances in an Auto Scaling group
- D. Increase the desired capacity and the maximum capacity of the Auto Scaling group manually when an increase is necessary
- E. Modify the CloudFormation template
- F. Replace the EC2 instances with R5 EC2 instances
- G. Use Amazon CloudWatch built-in EC2 memory metrics to track the application performance for future capacity planning.
- H. Modify the CloudFormation template
- I. Replace the EC2 instances with R5 EC2 instances
- J. Deploy the Amazon CloudWatch agent on the EC2 instances to generate custom application latency metrics for future capacity planning.

Answer: D

Explanation:

<https://aws.amazon.com/premiumsupport/knowledge-center/cloudwatch-memory-metrics-ec2/>

NEW QUESTION 181

- (Topic 2)

A solutions architect needs to implement a solution to reduce a company's storage costs. All the company's data is in the Amazon S3 Standard storage class. The company must keep all data for at least 25 years. Data from the most recent 2 years must be highly available and immediately retrievable.

Which solution will meet these requirements?

- A. Set up an S3 Lifecycle policy to transition objects to S3 Glacier Deep Archive immediately.
- B. Set up an S3 Lifecycle policy to transition objects to S3 Glacier Deep Archive after 2 years.
- C. Use S3 Intelligent-Tiering
- D. Activate the archiving option to ensure that data is archived in S3 Glacier Deep Archive.
- E. Set up an S3 Lifecycle policy to transition objects to S3 One Zone-Infrequent Access (S3 One Zone-IA) immediately and to S3 Glacier Deep Archive after 2 years.

Answer: B

Explanation:

https://aws.amazon.com/about-aws/whats-new/2018/04/announcing-s3-one-zone-infrequent-access-a-new-amazon-s3-storage-class/?nc1=h_ls

NEW QUESTION 186

- (Topic 2)

A company has a legacy data processing application that runs on Amazon EC2 instances. Data is processed sequentially, but the order of results does not matter. The application uses a monolithic architecture. The only way that the company can scale the application to meet increased demand is to increase the size of the instances.

The company's developers have decided to rewrite the application to use a microservices architecture on Amazon Elastic Container Service (Amazon ECS).

What should a solutions architect recommend for communication between the microservices?

- A. Create an Amazon Simple Queue Service (Amazon SQS) queue
- B. Add code to the data producers, and send data to the queue
- C. Add code to the data consumers to process data from the queue.
- D. Create an Amazon Simple Notification Service (Amazon SNS) topic
- E. Add code to the data producers, and publish notifications to the topic
- F. Add code to the data consumers to subscribe to the topic.
- G. Create an AWS Lambda function to pass messages
- H. Add code to the data producers to call the Lambda function with a data object
- I. Add code to the data consumers to receive a data object that is passed from the Lambda function.
- J. Create an Amazon DynamoDB table
- K. Enable DynamoDB Stream

- L. Add code to the data producers to insert data into the table.
- M. Add code to the data consumers to use the DynamoDB Streams API to detect new table entries and retrieve the data.

Answer: A

Explanation:

Queue has Limited throughput (300 msg/s without batching, 3000 msg/s with batching whereby up-to 10 msg per batch operation; Msg duplicates not allowed in the queue (exactly-once delivery); Msg order is preserved (FIFO); Queue name must end with .fifo

NEW QUESTION 189

- (Topic 2)

A solutions architect is designing a customer-facing application for a company. The application's database will have a clearly defined access pattern throughout the year and will have a variable number of reads and writes that depend on the time of year. The company must retain audit records for the database for 7 days. The recovery point objective (RPO) must be less than 5 hours.

Which solution meets these requirements?

- A. Use Amazon DynamoDB with auto scaling Use on-demand backups and Amazon DynamoDB Streams
- B. Use Amazon Redshift
- C. Configure concurrency scalin
- D. Activate audit login
- E. Perform database snapshots every 4 hours.
- F. Use Amazon RDS with Provisioned IOPS Activate the database auditing parameter Perform database snapshots every 5 hours
- G. Use Amazon Aurora MySQL with auto scalin
- H. Activate the database auditing parameter

Answer: A

Explanation:

This solution meets the requirements of a customer-facing application that has a clearly defined access pattern throughout the year and a variable number of reads and writes that depend on the time of year. Amazon DynamoDB is a fully managed NoSQL database service that can handle any level of request traffic and data size. DynamoDB auto scaling can automatically adjust the provisioned read and write capacity based on the actual workload. DynamoDB on-demand backups can create full backups of the tables for data protection and archival purposes. DynamoDB Streams can capture a time-ordered sequence of item-level modifications in the tables for audit purposes.

Option B is incorrect because Amazon Redshift is a data warehouse service that is designed for analytical workloads, not for customer-facing applications. Option C is incorrect because Amazon RDS with Provisioned IOPS can provide consistent performance for relational databases, but it may not be able to handle unpredictable spikes in traffic and data size. Option D is incorrect because Amazon Aurora MySQL with auto scaling can provide high performance and availability for relational databases, but it does not support audit logging as a parameter.

References:

- ? <https://aws.amazon.com/dynamodb/>
- ? <https://docs.aws.amazon.com/amazondynamodb/latest/developerguide/AutoScaling.html>
- ? <https://docs.aws.amazon.com/amazondynamodb/latest/developerguide/BackupRestore.html>
- ? <https://docs.aws.amazon.com/amazondynamodb/latest/developerguide/Streams.html>

NEW QUESTION 194

- (Topic 2)

A solutions architect needs to securely store a database user name and password that an application uses to access an Amazon RDS DB instance. The application that accesses the database runs on an Amazon EC2 instance. The solutions architect wants to create a secure parameter in AWS Systems Manager Parameter Store.

What should the solutions architect do to meet this requirement?

- A. Create an IAM role that has read access to the Parameter Store parameter
- B. Allow Decrypt access to an AWS Key Management Service (AWS KMS) key that is used to encrypt the parameter
- C. Assign this IAM role to the EC2 instance.
- D. Create an IAM policy that allows read access to the Parameter Store parameter
- E. Allow Decrypt access to an AWS Key Management Service (AWS KMS) key that is used to encrypt the parameter
- F. Assign this IAM policy to the EC2 instance.
- G. Create an IAM trust relationship between the Parameter Store parameter and the EC2 instance
- H. Specify Amazon RDS as a principal in the trust policy.
- I. Create an IAM trust relationship between the DB instance and the EC2 instance
- J. Specify Systems Manager as a principal in the trust policy.

Answer: B

Explanation:

https://docs.aws.amazon.com/IAM/latest/UserGuide/reference_aws-services-that-work-with-iam.html

NEW QUESTION 197

- (Topic 2)

A company has implemented a self-managed DNS solution on three Amazon EC2 instances behind a Network Load Balancer (NLB) in the us-west-2 Region. Most of the company's users are located in the United States and Europe. The company wants to improve the performance and availability of the solution. The company launches and configures three EC2 instances in the eu-west-1 Region and adds the EC2 instances as targets for a new NLB.

Which solution can the company use to route traffic to all the EC2 instances?

- A. Create an Amazon Route 53 geolocation routing policy to route requests to one of the two NLBs
- B. Create an Amazon CloudFront distribution
- C. Use the Route 53 record as the distribution's origin.
- D. Create a standard accelerator in AWS Global Accelerator
- E. Create endpoint groups in us-west-2 and eu-west-1. Add the two NLBs as endpoints for the endpoint groups.
- F. Attach Elastic IP addresses to the six EC2 instances
- G. Create an Amazon Route 53 geolocation routing policy to route requests to one of the six EC2 instances

- H. Create an Amazon CloudFront distributio
- I. Use the Route 53 record as the distribution's origin.
- J. Replace the two NLBs with two Application Load Balancers (ALBs). Create an Amazon Route 53 latency routing policy to route requests to one of the two ALB
- K. Create an Amazon CloudFront distributio
- L. Use the Route 53 record as the distribution's origin.

Answer: B

Explanation:

For standard accelerators, Global Accelerator uses the AWS global network to route traffic to the optimal regional endpoint based on health, client location, and policies that you configure, which increases the availability of your applications. Endpoints for standard accelerators can be Network Load Balancers, Application Load Balancers, Amazon EC2 instances, or Elastic IP addresses that are located in one AWS Region or multiple Regions.
<https://docs.aws.amazon.com/global-accelerator/latest/dg/what-is-global-accelerator.html>

NEW QUESTION 202

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your SAA-C03 Exam with Our Prep Materials Via below:

<https://www.certleader.com/SAA-C03-dumps.html>