

# VEEAM

## Exam Questions VMCE2021

Veeam Certified Engineer 2021



**NEW QUESTION 1**

- (Exam Topic 1)

An infrastructure with 50 VMs has a power outage. After the VMware cluster has booted up again, 10 medium-sized VMs have corrupted VM disk files. Which action can be used to restore the VMs back to the production state?

- A. Use the "Restore guest files" option and restore all VM Files.
- B. Perform Restore VM Files and only restore the VM configuration files.
- C. Perform Restore VM Files and restore the VM configuration and disk files.
- D. Perform Instant VM Recovery with quick rollback.

**Answer:** C

**NEW QUESTION 2**

- (Exam Topic 1)

A company needs to recover a VM from VMware very quickly. The company decides to use Instant VM Recovery from their last backup. What platforms can this backup be instantly restored to? (Choose three.)

- A. Azure
- B. Hyper-V
- C. AWS
- D. GCP
- E. AHV
- F. VMware

**Answer:** BEF

**NEW QUESTION 3**

- (Exam Topic 1)

Which of the following backup types are valid for both Veeam Agent for Microsoft Windows and Veeam Agent for Linux? (Choose two.)

- A. Snapshot-level backup
- B. File-level backup
- C. Personal files backup
- D. Volume-level backup
- E. OS-level backup

**Answer:** BD

**Explanation:**

[https://helpcenter.veeam.com/docs/agentforwindows/userguide/backup\\_job\\_mode.html?ver=60](https://helpcenter.veeam.com/docs/agentforwindows/userguide/backup_job_mode.html?ver=60)

**NEW QUESTION 4**

- (Exam Topic 1)

A physical Linux file server needs to be migrated to VMware ESXi. The server has several volumes: /dev/sda (60GB), /dev/sdb (1TB) and /dev/sdc (4TB). What is the quickest option to migrate the server?

- A. Export all disks, create an empty VM and attach the disks.
- B. Create an empty VM and perform bare metal recovery inside the VM.
- C. Perform Instant VM Recovery.
- D. Perform Instant Disk Recovery for each volume.

**Answer:** C

**NEW QUESTION 5**

- (Exam Topic 1)

A backup administrator decided to move the Veeam Backup & Replication server and configuration database to new servers. Which configuration restore mode should be used?

- A. Migrate
- B. Planned failover
- C. Restore
- D. Failover plan

**Answer:** A

**Explanation:**

[https://helpcenter.veeam.com/docs/backup/vsphere/vbr\\_config\\_migrate.html?ver=120#step5](https://helpcenter.veeam.com/docs/backup/vsphere/vbr_config_migrate.html?ver=120#step5)

**NEW QUESTION 6**

- (Exam Topic 1)

A director in a business needs a folder of traffic photos restored from a Linux server. This machine sits on a VM backed up by Veeam Backup & Replication. The director wants the files restored to their original location and does not want to lose the original files. What functionality will be used to restore the folder using the Veeam Guest OS restoration wizard?

- A. Restore the files using the "Versioning" function
- B. Files will be prefixed with numbers (1-, 2-, 3-, etc.).

- C. Restore the files using the "Overwrite" function
- D. Original files will be renamed.
- E. Restore the files using the "Hold" function
- F. The director can then determine the status of the original and restored files.
- G. Restore the files using the "Keep" function
- H. Original files will be untouched

**Answer: D**

**Explanation:**

According to the Veeam Backup & Replication user guide<sup>1</sup>, you can use the Guest File Restore wizard to restore files and folders from VM guest OSes that run Linux or other non-Windows OSes<sup>2</sup>. The wizard allows you to choose how to handle situations when restored files already exist on the target location<sup>3</sup>. Therefore, if you want to restore the folder of traffic photos to their original location and do not want to lose the original files, you should use the Keep function. This function will preserve original files on disk and will not overwrite them with restored files

**NEW QUESTION 7**

- (Exam Topic 1)

An administrator needs to configure a backup job that dynamically adds new VMware hosted SQL servers. How can this be accomplished?

- A. Create a dynamic backup job in Enterprise Manager.
- B. Create a job based on vSphere tags.
- C. Create a CSV file that is scanned before the backup job starts.
- D. Enable application aware processing.


**Answer: B**

**NEW QUESTION 8**

- (Exam Topic 1)

A Scale-out Backup Repository with one local extent has been configured as follows.

Edit Scale-out Backup Repository



**Capacity Tier**  
Specify object storage to copy backups to for redundancy and DR purposes. Older backups can be moved to object storage completely to reduce long-term retention costs while preserving the ability to restore directly from offloaded backups.

Name  
Performance Tier  
Placement Policy  
**Capacity Tier**  
Archive Tier  
Summary

☒ Extend scale-out backup repository capacity with object storage:  

Amazon S3

Add...

Define time windows when uploading to capacity tier is allowed  


Window...

☐ Copy backups to object storage as soon as they are created  
Create additional copy of your backups for added redundancy by having all backups copied to the capacity tier as soon as they are created on the performance tier.

☒ Move backups to object storage as they age out of the operational restore window  
Reduce your long-term retention costs by moving older backups to object storage completely while preserving the ability to restore directly from offloaded backups.  
Move backup files older than 21 days (your operational restore window)

Override...

Edit Scale-out Backup Repository



**Archive Tier**  
Specify object storage to archive your backup files to. This reduces your long-term retention costs, while increases restore time.

Name  
Performance Tier  
Placement Policy  
Capacity Tier  
**Archive Tier**  
Summary

☐ Archive GFS full backups to object storage:  

Amazon Glacier

Add...

Archive GFS backups older than 60 days

Storage...

A daily VMware backup job retention is 31 days, keeping weekly GFS full backups for 14 weeks. It is Jan. 20. A file from a backup that occurred on Jan. 1 must be recovered. Where is the data?

- A. The archive tier
- B. The performance tier and the capacity tier
- C. The performance tier
- D. The capacity tier

**Answer: C**

#### NEW QUESTION 9

- (Exam Topic 1)

What is the default suffix added to a replica's VM name?

- A. \_secondary
- B. \_replica
- C. \_map
- D. \_seed

**Answer:** B

#### NEW QUESTION 10

- (Exam Topic 1)

Which of the following are valid export options for Microsoft SQL Server items when using the Veeam Explorer for Microsoft SQL? (Choose two.)

- A. .mdb file
- B. .bak file
- C. .mdf file
- D. .sql file
- E. .xls file

**Answer:** BC

#### Explanation:

[https://helpcenter.veeam.com/docs/backup/explorers/vesql\\_data\\_export.html?ver=120](https://helpcenter.veeam.com/docs/backup/explorers/vesql_data_export.html?ver=120)

#### NEW QUESTION 10

- (Exam Topic 1)

For general data protection regulation (GDPR) compliance, Veeam can add a location tag to which component?

- A. Guest interaction proxies
- B. vCenter servers
- C. Cloud gateways
- D. WAN accelerators

**Answer:** B

#### Explanation:

[https://helpcenter.veeam.com/archive/backup/110/vsphere/locations\\_create.html](https://helpcenter.veeam.com/archive/backup/110/vsphere/locations_create.html)

#### NEW QUESTION 14

- (Exam Topic 1)

An administrator is asked to change a backup copy job from periodic mode to immediate mode. How can this be accomplished?

- A. Edit the original job and select immediate copy mode from the job settings.
- B. Enable immediate mode on the repository.
- C. Create a new copy job and delete the original job.
- D. Modify the job settings on the proxy performing the copy job.

**Answer:** A

#### Explanation:


According to the Veeam Backup & Replication User Guide<sup>1</sup>, you can change the backup copy mode by editing backup copy job settings. However, this is only possible if the backup copy job has true per-machine backup storage format.

#### NEW QUESTION 15

- (Exam Topic 1)

A Scale-out Backup Repository with one local extent has been configured as follows.

Edit Scale-out Backup Repository
X



**Capacity Tier**  
Specify object storage to copy backups to for redundancy and DR purposes. Older backups can be moved to object storage completely to reduce long-term retention costs while preserving the ability to restore directly from offloaded backups.

Name  
Performance Tier  
Placement Policy  
**Capacity Tier**  
Archive Tier  
Summary

☒ **Extend scale-out backup repository capacity with object storage:**  

Amazon S3
Add...

Define time windows when uploading to capacity tier is allowed
Window...

☐ **Copy backups to object storage as soon as they are created**  
Create additional copy of your backups for added redundancy by having all backups copied to the capacity tier as soon as they are created on the performance tier.

☒ **Move backups to object storage as they age out of the operational restore window**  
Reduce your long-term retention costs by moving older backups to object storage completely while preserving the ability to restore directly from offloaded backups.

Move backup files older than  days (your operational restore window)
Override...

12 VMware VMs are being backed up daily by a forward incremental backup job, which has a 31-day retention, creating synthetic fulls on Saturdays. After running for more than 31 days, which of the following would be accurate?

- A. Both the performance tier and capacity tier will contain all restore points.
- B. The performance tier will contain all restore point
- C. The capacity tier will contain zero restore points.
- D. The performance tier will contain the most recent 15 to 22 days of restore point
- E. The capacity tier will contain the oldest 14 days of restore points.
- F. The performance tier will contain the most recent 14 to 20 days of restore point
- G. The capacity tier will contain all restore points.

**Answer: C**

#### NEW QUESTION 20

- (Exam Topic 1)

A file on a Windows VM hosted on vSphere is corrupted and must be restored. VMware tools are installed and up to date on the VM. For some reason, the Veeam mount server cannot connect to the VM through the network. Which of the following restore methods provides the fastest restore (RTO)?

- A. Run Veeam file restore wizard and let it restore through VIX.
- B. Start an Instant VM Recovery session and log on into the restored image to copy/paste the file to restore.
- C. It is impossible to restore the file on the VM if the mount server cannot reach it through the network.
- D. Run Veeam file restore wizard and use the "copy to" to download the file locally in a shared folder.

**Answer: A**

#### Explanation:

According to the Veeam Backup & Replication user guide<sup>1</sup>, you can use the File Level Restore wizard to restore files and folders from VM guest OSes that run Windows<sup>2</sup>. The wizard allows you to choose how to access the VM guest OS: through network or through VIX<sup>3</sup>. VIX is a VMware API that enables programmatic access to virtual machine operations<sup>3</sup>.

Therefore, if you want to restore a file on a Windows VM hosted on vSphere and the mount server cannot connect to the VM through the network, you can use VIX as an alternative method of access<sup>2</sup>. This will allow you to restore the file directly to its original location without downloading it locally or starting an Instant VM Recovery session.

#### NEW QUESTION 25

- (Exam Topic 1)

Veeam Backup & Replication is currently configured to back up different workloads: Windows VMs on vSphere and Linux VMs on vSphere. A secondary copy of all the backups including transaction logs must be created. Which of the following backup copy job configurations is the simplest?

- A. A single "periodic copy" backup copy job
- B. A single "immediate copy" backup copy job
- C. Two "immediate copy" backup copy jobs
- D. Two "periodic copy" backup copy jobs

**Answer: B**

#### Explanation:


According to the Veeam Backup & Replication best practice guide<sup>1</sup>, a new copy job mode was added called immediate copy. This mode immediately starts the backup copy job as soon as restore points appear in the repository. It also provides the ability to copy SQL and Oracle log backups which is not possible with traditional periodic backup copy<sup>2</sup>.

Therefore, if you want to create a secondary copy of all the backups including transaction logs, you should use an immediate copy backup copy job. The simplest configuration would be a single immediate copy backup copy job for all workloads (option B)

#### NEW QUESTION 28

- (Exam Topic 1)

Backup jobs are configured to local repositories. Backups must be sent from Site B to the repository on Site A. The connection allows direct backups to complete within the backup window. Impact on the source VMs at Site B should be minimized. Which type of job and Veeam components should be used to provide the necessary protection?



- A. A backup copy job and components 6 ? 5 ? 4 ? 3 ? 2  
 B. A backup job and components 5 ? 2  
 C. A backup copy job and components 6 ? 2  
 D. A backup copy job and components 6 ? 4 ? 2

**Answer:** A


**Explanation:**

[https://helpcenter.veeam.com/docs/backup/vsphere/backup\\_copy\\_path.html?ver=120](https://helpcenter.veeam.com/docs/backup/vsphere/backup_copy_path.html?ver=120)

### NEW QUESTION 32

- (Exam Topic 1)

Due to an unexpected power outage, Site A is completely down. The disaster recovery strategy was implemented (see diagram). What is the correct way to start replicated VMs on Site B, while ensuring you can failback after Site A comes back online?



- A. Execute "Permanent failover" from vCenter.  
 B. Execute "Planned failover".  
 C. Power on VMs manually through vCenter.  
 D. Perform "Failover".

**Answer:** D

### NEW QUESTION 35

- (Exam Topic 2)

Veeam Backup & Replication supports which of the following NetApp Data ONTAP modes?

- A. Only NetApp EDGE in 7-Mode  
 B. Clustered Data ONTAP only  
 C. Both 7-mode and Clustered Data ONTAP  
 D. 7-mode only

**Answer:** C

### NEW QUESTION 38

- (Exam Topic 2)

A backup job has been configured to keep three incremental restore points and a synthetic full backup each Sunday. More restore points are present on disk than what was configured in the job. Why?

- A. The old restore points will be deleted after the new restore chain meets the retention policy
- B. Per VM backup files are enabled in the repository
- C. The other restore points are weekly full backups, this is expected
- D. You should configure the synthetic full backup to be performed on Mondays instead

**Answer:** A

**Explanation:**

[https://helpcenter.veeam.com/docs/backup/vsphere/synthetic\\_full\\_hiw.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/synthetic_full_hiw.html?ver=100) Reference: <https://www.veeam.com/kb1990>

#### NEW QUESTION 43

- (Exam Topic 2)

You fail back a VM replica to the original location. Which of the following requirements needs to be met to be able perform quick rollback during a failback of a replica?

- A. Perform failback to VM within the same subnet
- B. The VM replica must be created with the “Use Changed Block Tracking data” option enabled
- C. Indexing must be enabled for the original VM
- D. The VM replica must have access to the repository where the full backup of the VM resides

**Answer:** B

**Explanation:**

Reference: [https://helpcenter.veeam.com/docs/backup/vsphere/failback\\_quick\\_rollback.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/failback_quick_rollback.html?ver=100)

#### NEW QUESTION 44

- (Exam Topic 2)

Which transport mode uses the VMware vSphere Hot-Add feature to attach the virtual disks of a source VM to the backup proxy VM?

- A. Network
- B. vPower
- C. Virtual Appliance
- D. Direct SAN access
- E. Direct NFS access

**Answer:** C

#### NEW QUESTION 49

- (Exam Topic 2)

A company has replicated their critical application VMs to a second data center in another region. Their key application includes two database VMs and three application VMs. For proper operation, the database VMs need to start before the application VMs. What needs to be configured in Veeam to prepare for a disaster recovery situation?

- A. Use a failover plan
- B. Use a planned failover
- C. Use Instant VM Recovery
- D. Use on-click failover

**Answer:** A

**Explanation:**

Reference: <https://www.veeam.com/virtual-machine-backup-solution-free.html>

the course guide veeam say "a presente scenario for one click failover for a group of independent vms, you can set ORDER for the vm's in the plan, and the delay intervals to make sure that some vms are already running at the moment to the dependent vms start"

#### NEW QUESTION 51

- (Exam Topic 2)

If you need to run a script to stop a service in order to get an application-consistent backup on a Windows server, where can the script be run?

- A. In the guest processing setting of the job, enable application-aware processing and add a pre-freeze script to the VM
- B. Configure the script to run on the Veeam Backup & Replication server using the Windows Task Scheduler
- C. Copy the script to the VM and schedule the script to run prior to the start of the backup job using the Windows Task Scheduler in the VM
- D. In the virtual machines setting of the job, add a script in the scripts tab under “Run the following script before the job.”

**Answer:** A

#### NEW QUESTION 53

- (Exam Topic 2)

Which recovery verification tests can be executed when verifying both backups and replicas? Choose three options.

- A. Heartbeat test
- B. Ping test
- C. Application test
- D. Memory test
- E. Operating System test

F. CRC check

**Answer:** ABC

**NEW QUESTION 56**

- (Exam Topic 2)

What are the three Veeam Backup & Replication technologies required to verify recoverability of the backup?  
(Choose three.)

- A. Virtual lab
- B. Application group
- C. Backup proxy
- D. SureBackup job
- E. Gateway Server
- F. Replication job

**Answer:** ABD

**Explanation:**

Reference: [https://helpcenter.veeam.com/docs/backup/vsphere/recovery\\_verification\\_overview.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/recovery_verification_overview.html?ver=100)

**NEW QUESTION 58**

- (Exam Topic 2)

Which of the following need to be performed in order to switch from the original VM to a VM Replica and then to use this replica as the original VM?

- A. Change the replication Job to reverse the replication
- B. Failback + commit failback
- C. Undo failover
- D. Permanent failover

**Answer:** D

**NEW QUESTION 60**

- (Exam Topic 2)

Which of the following is required to enable tape parallel processing?

- A. The source repository for the tape job is a scale out backup repository.
- B. The tape library has multiple drives.
- C. Two tape jobs are processed at the same time.
- D. The tape drive has multiple tapes.

**Answer:** B

**NEW QUESTION 65**

- (Exam Topic 2)

Which is a prerequisite in order for the CRC check to be executed during a SureBackup Job?

- A. The .vbm file is corrupt.
- B. The Backup file integrity check option was enabled in the SureBackup job setting.
- C. One or more of the SureBackup recovery verification tests failed.
- D. The repository where the backup is stored is a shared folder (CIFS/SMB).

**Answer:** B

**NEW QUESTION 66**

- (Exam Topic 2)

Which of the following is a backup mode that can be configured within a Veeam Agent for Windows backup job?

- A. Reverse incremental with periodic active full backups
- B. Forward incremental and reverse incremental, both with optional periodic synthetic and/or active full backups
- C. Forward incremental with optional periodic synthetic and/or active full backups
- D. Reverse incremental with optional periodic synthetic full backups

**Answer:** C

**Explanation:**

[https://helpcenter.veeam.com/docs/agentforwindows/userguide/backup\\_chain.html?ver=40](https://helpcenter.veeam.com/docs/agentforwindows/userguide/backup_chain.html?ver=40)

**NEW QUESTION 69**

- (Exam Topic 2)

A virtual machine in your environment has been hit by a virus. You need to restore the virtual machine as fast as possible. At the same time, you need to make sure that any dormant virus on the backed up virtual machine is detected. What restore method should you use when recovering to a new location?

- A. Instant VM Recovery with “staged restore”
- B. Instant VM Recovery with “secure restore”

- C. SureBackup
- D. Virtual disk restore

**Answer:** B

**Explanation:**

Reference: [https://helpcenter.veeam.com/docs/backup/em/em\\_disk\\_restore.html?ver=100](https://helpcenter.veeam.com/docs/backup/em/em_disk_restore.html?ver=100)

#### NEW QUESTION 71

- (Exam Topic 2)

It the Backup Administrator has to perform a backup over a high-latency, low bandwidth network link, how can the disruptions to the backup process be avoided?

- A. By making a direct backup using WAN accelerator.
- B. By adding additional WAN accelerators to the target site.
- C. By making a backup locally and utilizing WAN accelerators for a backup copy Job.
- D. By adjusting the compression and deduplication settings for this Job.

**Answer:** C

#### NEW QUESTION 74

- (Exam Topic 2)

Veeam is used for replicating VMware VMs. The production environment is comprised of two networks: 192.168.1.0/24 and 172.16.0.0/16. A web application requires a database server (whose IP address is 172.21.1.12) to receive queries from a web client (whose IP address is 192.168.1.32). The replicas are spread over multiple hosts. A backup administrator needs to configure a virtual lab to test a web client to database server query. Which of the following virtual lab types must be configured?

- A. Advanced multi-host
- B. Advanced single-host
- C. All virtual lab configurations would support that
- D. Basic single-host

**Answer:** B

#### NEW QUESTION 78

- (Exam Topic 2)

Which of the following should be considered when estimating the amount of disk space necessary to store backups? Choose two options.

- A. Retention period for backups
- B. Type of disk (thick or thin)
- C. Hypervisor and host version
- D. RAID configuration of the Backup Repository
- E. Veeam Backup & Replication edition
- F. Total size of used data for the VMs being backed up

**Answer:** AF

#### NEW QUESTION 80

- (Exam Topic 2)

When deploying an advanced single-host virtual lab in a VMware environment, what will Veeam create?

- A. A distributed virtual switch with uplink(s)
- B. A standard virtual switch with uplink(s)
- C. A distributed virtual switch without uplink(s)
- D. A standard virtual switch without uplink(s)

**Answer:** B

**Explanation:**

Reference: [https://helpcenter.veeam.com/docs/backup/vsphere/surebackup\\_advanced\\_vlab.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/surebackup_advanced_vlab.html?ver=100)

#### NEW QUESTION 84

- (Exam Topic 2)

An Availability engineer has configured Veeam Backup & Replication to replicate a mission critical VM to a DR site on an hourly basis and with 24 restore points. The production site has suffered a storage failure and needs to bring up the mission critical machine as soon as possible. Which step should the Availability engineer do next?

- A. Create a failover plan
- B. Failover to the replica VM
- C. Failback of the replica VM
- D. Planned failover to me replica VM

**Answer:** B

#### NEW QUESTION 89

- (Exam Topic 2)

A backup administrator is creating a SureBackup environment up using Hyper-V as the hypervisor. Which virtual labs are available for Hyper-V? (Choose two.)

- A. Advanced multi-host (automatic configuration)
- B. Advanced single-host (automatic configuration)
- C. Basic single-host (automatic configuration)
- D. Advanced multi-host (manual configuration)
- E. Advanced single-host (manual configuration)

**Answer:** CE

**Explanation:**

Reference: [https://helpcenter.veeam.com/docs/backup/hyperv/surebackup\\_basic\\_vlab.html?ver=100](https://helpcenter.veeam.com/docs/backup/hyperv/surebackup_basic_vlab.html?ver=100)

#### NEW QUESTION 94

- (Exam Topic 2)

Which of the following can help reduce the amount of traffic that is sent over the network during the second run of a replication job?

- A. Replica seeding
- B. Re-IP rules
- C. Replica mapping
- D. WAN acceleration for replicas

**Answer:** A

**Explanation:**

[https://helpcenter.veeam.com/docs/backup/vsphere/replica\\_seeding.html#:~:text=Replica%20seeding%20and%](https://helpcenter.veeam.com/docs/backup/vsphere/replica_seeding.html#:~:text=Replica%20seeding%20and%20)

#### NEW QUESTION 98

- (Exam Topic 2)

When configuring a SureBackup job, what are some of the criteria for adding servers to an application group? (Choose two.)

- A. VMs cannot be encrypted
- B. VM backups must reside on the same repository
- C. VMs cannot be added to an application group twice
- D. VMs must be running the same OS version
- E. VMs must have at least one valid restore point

**Answer:** CE

**Explanation:**

Reference: [https://helpcenter.veeam.com/docs/backup/vsphere/appgroup\\_vms\\_vm.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/appgroup_vms_vm.html?ver=100)

#### NEW QUESTION 103

- (Exam Topic 2)

Which Veeam Backup & Replication feature component is able to utilize Microsoft SQL Server transaction log backups for point-in-time restore?

- A. U-AIR Microsoft SQL Recovery wizard
- B. Instant Recovery
- C. Full VM Restore
- D. Veeam Explorer for Microsoft SQL

**Answer:** D

#### NEW QUESTION 104

- (Exam Topic 2)

If your mount server is running Windows Server 2019 and you are performing a secure restore, which statement below is true?


- A. NTFS is the only format supported.
- B. RefS will be skipped.
- C. RefS will be processed and scanned.
- D. Storage Spaces disks will be processed and scanned.

**Answer:** A

#### NEW QUESTION 105

- (Exam Topic 2)

Figure A shows the backup files on a Scale-out Backup Repository (SOBR) created by a single Veeam backup job. The SOBR is configured to offload to capacity tier in move mode. If the offload was completed successfully, what will remain on the performance extents for the files uploaded to the capacity tier?



- A. VIB files (metadata and data)
- B. VBM files (metadata only)
- C. VIB and VBK files (metadata only)
- D. VBK files (metadata and data)
- E. VIB and VBK files (data blocks only)

**Answer: C**

#### NEW QUESTION 110

- (Exam Topic 2)

Which of the following statements regarding the Backup from Storage Snapshots feature when backing up virtual machines from a VMware vSphere environment are true? (Choose two.)

- A. Lower impact on WAN link during off-site backups
- B. Higher transfer speed from production NFS datastores
- C. A virtual machine with one virtual drive on shared storage and another drive on local storage will be processed with Backup from Storage Snapshots transport mode
- D. A virtual machine with one virtual drive on shared storage and another drive on local storage will failover to a different transport mode
- E. Reduce the impact of consolidating VM snapshots

**Answer: BE**

#### NEW QUESTION 111

- (Exam Topic 2)

Which of the following predefined tests can be performed during a SureBackup verification test on a backup file? (Choose three.)

- A. Application test
- B. Heartbeat test
- C. Ping test
- D. SAN check
- E. Boot time
- F. OS test

**Answer: ABC**

#### Explanation:

Reference: [https://helpcenter.veeam.com/docs/backup/hyperv/surebackup\\_tests.html?ver=100](https://helpcenter.veeam.com/docs/backup/hyperv/surebackup_tests.html?ver=100)

#### NEW QUESTION 116

- (Exam Topic 2)

Which storage optimization option uses a block size of 512 KB?

- A. LAN target
- B. WAN target
- C. Local target (large blocks)
- D. Local target

**Answer: A**

#### Explanation:

Reference: [https://helpcenter.veeam.com/docs/backup/hyperv/compression\\_deduplication.html?ver=100](https://helpcenter.veeam.com/docs/backup/hyperv/compression_deduplication.html?ver=100)

#### NEW QUESTION 120

- (Exam Topic 2)

Which of the following statements are true when deploying VMware backup proxy server? Choose three options.

- A. A managed Microsoft Windows server can be used as a backup proxy.
- B. The maximum number of concurrent tasks can be configured.
- C. The vPower NFS root folder location can be configured.
- D. A managed Linux server can be used as a backup proxy.
- E. Connected datastores can be configured.

**Answer:** ABC

#### NEW QUESTION 125

- (Exam Topic 2)

Veeam Explorer for Microsoft SQL Server offers which of the following capabilities? Choose Three options.

- A. Restore SQL user accounts
- B. Export an SQL database to an .sql file
- C. Send SQL tables as attachments via email
- D. Publish an SQL database without having to restore them
- E. Restore an SQL table to the original server or different server
- F. Export an SQL database to a local folder or network drive

**Answer:** DEF

#### NEW QUESTION 126

- (Exam Topic 2)

Which Veeam Backup & Replication job type offers the shortest recovery time objective (RTO)?

- A. Backup copy
- B. Backup to tape
- C. Replication
- D. File to tape

**Answer:** C

#### Explanation:

Reference: <https://helpcenter.veeam.com/docs/backup/vsphere/replication.html?ver=100>

#### NEW QUESTION 130

- (Exam Topic 2)

Which of the following is an additional database restore option in the Veeam Explorer for Microsoft SQL?

- A. RECOVERY
- B. NORECOVERY
- C. SIMPLE
- D. ACTIVE

**Answer:** A

#### NEW QUESTION 132

- (Exam Topic 2)

Which of the following options describe the Veeam Data Mover Service function most accurately? Choose two options.

- A. Analyzes the system and installs and upgrades necessary components and services, depending on the role selected for the server
- B. Copies VM files
- C. Reduces load on the network and helps speed up restores
- D. Performs data compression, deduplication and data transfer

**Answer:** BD

#### NEW QUESTION 136

- (Exam Topic 2)

A scale-out backup repository is configured with data locality policy. How is an extent selected during an active full backup? (Choose two.)

- A. Always the same extent as the previous full backup
- B. An extent determined based on load control settings and free space
- C. A different extent from the previous chain to avoid single point of failure, if possible on free space
- D. It tries the same location as the previous full if using a deduplication appliance

**Answer:** BD

#### NEW QUESTION 138

- (Exam Topic 2)

Which of the following statements are true regarding backup copy jobs in Veeam Backup & Replication? (Choose two.)

- A. The backup copy job creates a forever forward incremental backup chain
- B. The backup copy job creates a single file with multiple restore points included within for archival purposes
- C. During the backup copy job process, a VM snapshot is created for consistency

- D. Retention settings maintain the desired number of restore points as well as offer optional GFS for archival purposes
- E. Backup copy jobs copy entire VBK, VIB, or VRB files from the source backup repository to the target backup repository

**Answer:** AD

**Explanation:**

Reference: [https://helpcenter.veeam.com/docs/backup/vsphere/about\\_backup\\_copy.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/about_backup_copy.html?ver=100)

**NEW QUESTION 142**

- (Exam Topic 2)

Which of the following best describes the Snapshot Hunter feature?

- A. A Veeam technology used to detect and remove orphaned VMware vSphere snapshots that may remain after backup or replication job sessions
- B. A Veeam CBT filter driver used for Instant VM Recovery in the Microsoft Hyper-V environments
- C. A part of Veeam Explorer for Storage Snapshots used to locate the required snapshot for restore
- D. A Veeam ONE, dashboard used to detect orphaned VMware vSphere snapshots that may remain after backup or replication job sessions

**Answer:** A

**NEW QUESTION 146**

- (Exam Topic 2)

Which of the following services are installed on every Veeam backup proxy server? Choose two options.

- A. Veeam Installer Service
- B. Veeam Backup Service
- C. Veeam Data Mover Service
- D. Veeam Distribution Service
- E. Veeam Backup Catalog Service

**Answer:** AC

**Explanation:**

Refer to [https://helpcenter.veeam.com/docs/backup/vsphere/backup\\_proxy.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/backup_proxy.html?ver=100)

**NEW QUESTION 147**

- (Exam Topic 2)

Which of these repository types CANNOT be an extent of a scale-out backup repository? Choose two options.

- A. A deduplicating storage appliance
- B. A Windows server
- C. A Cloud Connect cloud repository
- D. A shared folder (CIFS/SMB share)
- E. Another scale out repository
- F. A Linux Server

**Answer:** CE

**NEW QUESTION 149**

- (Exam Topic 2)

What transport mode does the Linux backup proxy support?

- A. Automatic
- B. Network
- C. Direct storage access
- D. Virtual appliance

**Answer:** D

**Explanation:**

Reference: [https://helpcenter.veeam.com/docs/backup/vsphere/backup\\_proxy.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/backup_proxy.html?ver=100)

**NEW QUESTION 151**

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### VMCE2021 Practice Exam Features:

- \* VMCE2021 Questions and Answers Updated Frequently
- \* VMCE2021 Practice Questions Verified by Expert Senior Certified Staff
- \* VMCE2021 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* VMCE2021 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The VMCE2021 Practice Test Here](#)**