



**Google**

## **Exam Questions Professional-Data-Engineer**

Google Professional Data Engineer Exam

### NEW QUESTION 1

- (Exam Topic 1)

Your weather app queries a database every 15 minutes to get the current temperature. The frontend is powered by Google App Engine and server millions of users. How should you design the frontend to respond to a database failure?

- A. Issue a command to restart the database servers.
- B. Retry the query with exponential backoff, up to a cap of 15 minutes.
- C. Retry the query every second until it comes back online to minimize staleness of data.
- D. Reduce the query frequency to once every hour until the database comes back online.

**Answer:** B

#### Explanation:

<https://cloud.google.com/sql/docs/mysql/manage-connections#backoff>

### NEW QUESTION 2

- (Exam Topic 1)

You are building a model to make clothing recommendations. You know a user's fashion preference is likely to change over time, so you build a data pipeline to stream new data back to the model as it becomes available. How should you use this data to train the model?

- A. Continuously retrain the model on just the new data.
- B. Continuously retrain the model on a combination of existing data and the new data.
- C. Train on the existing data while using the new data as your test set.
- D. Train on the new data while using the existing data as your test set.

**Answer:** C

#### Explanation:

<https://cloud.google.com/automl-tables/docs/prepare>

### NEW QUESTION 3

- (Exam Topic 1)

Your company is using WHILECARD tables to query data across multiple tables with similar names. The SQL statement is currently failing with the following error:

```
# Syntax error : Expected end of statement but got "-" at [4:11] SELECT age
```

```
FROM
```

```
bigquery-public-data.noaa_gsod.gsod WHERE
```

```
age != 99
```

```
AND_TABLE_SUFFIX = '1929' ORDER BY
```

```
age DESC
```

Which table name will make the SQL statement work correctly?

- A. 'bigquery-public-data.noaa\_gsod.gsod'
- B. bigquery-public-data.noaa\_gsod.gsod\*
- C. 'bigquery-public-data.noaa\_gsod.gsod'\*
- D. 'bigquery-public-data.noaa\_gsod.gsod\*\*'

**Answer:** D

### NEW QUESTION 4

- (Exam Topic 1)

Your company handles data processing for a number of different clients. Each client prefers to use their own suite of analytics tools, with some allowing direct query access via Google BigQuery. You need to secure the data so that clients cannot see each other's data. You want to ensure appropriate access to the data. Which three steps should you take? (Choose three.)

- A. Load data into different partitions.
- B. Load data into a different dataset for each client.
- C. Put each client's BigQuery dataset into a different table.
- D. Restrict a client's dataset to approved users.
- E. Only allow a service account to access the datasets.
- F. Use the appropriate identity and access management (IAM) roles for each client's users.

**Answer:** BDF

### NEW QUESTION 5

- (Exam Topic 1)

Your company is in a highly regulated industry. One of your requirements is to ensure individual users have access only to the minimum amount of information required to do their jobs. You want to enforce this requirement with Google BigQuery. Which three approaches can you take? (Choose three.)

- A. Disable writes to certain tables.
- B. Restrict access to tables by role.
- C. Ensure that the data is encrypted at all times.
- D. Restrict BigQuery API access to approved users.
- E. Segregate data across multiple tables or databases.
- F. Use Google Stackdriver Audit Logging to determine policy violations.

**Answer:** BDF

#### NEW QUESTION 6

- (Exam Topic 1)

You are building new real-time data warehouse for your company and will use Google BigQuery streaming inserts. There is no guarantee that data will only be sent in once but you do have a unique ID for each row of data and an event timestamp. You want to ensure that duplicates are not included while interactively querying data. Which query type should you use?

- A. Include ORDER BY DESK on timestamp column and LIMIT to 1.
- B. Use GROUP BY on the unique ID column and timestamp column and SUM on the values.
- C. Use the LAG window function with PARTITION by unique ID along with WHERE LAG IS NOT NULL.
- D. Use the ROW\_NUMBER window function with PARTITION by unique ID along with WHERE row equals 1.

**Answer:** D

#### Explanation:

<https://cloud.google.com/bigquery/docs/reference/standard-sql/analytic-function-concepts>

#### NEW QUESTION 7

- (Exam Topic 1)

Your company has hired a new data scientist who wants to perform complicated analyses across very large datasets stored in Google Cloud Storage and in a Cassandra cluster on Google Compute Engine. The scientist primarily wants to create labelled data sets for machine learning projects, along with some visualization tasks. She reports that her laptop is not powerful enough to perform her tasks and it is slowing her down. You want to help her perform her tasks. What should you do?

- A. Run a local version of Jupiter on the laptop.
- B. Grant the user access to Google Cloud Shell.
- C. Host a visualization tool on a VM on Google Compute Engine.
- D. Deploy Google Cloud Datalab to a virtual machine (VM) on Google Compute Engine.

**Answer:** B

#### NEW QUESTION 8

- (Exam Topic 1)

You are building a model to predict whether or not it will rain on a given day. You have thousands of input features and want to see if you can improve training speed by removing some features while having a minimum effect on model accuracy. What can you do?

- A. Eliminate features that are highly correlated to the output labels.
- B. Combine highly co-dependent features into one representative feature.
- C. Instead of feeding in each feature individually, average their values in batches of 3.
- D. Remove the features that have null values for more than 50% of the training records.

**Answer:** B

#### NEW QUESTION 9

- (Exam Topic 1)

Your company's on-premises Apache Hadoop servers are approaching end-of-life, and IT has decided to migrate the cluster to Google Cloud Dataproc. A like-for-like migration of the cluster would require 50 TB of Google Persistent Disk per node. The CIO is concerned about the cost of using that much block storage. You want to minimize the storage cost of the migration. What should you do?

- A. Put the data into Google Cloud Storage.
- B. Use preemptible virtual machines (VMs) for the Cloud Dataproc cluster.
- C. Tune the Cloud Dataproc cluster so that there is just enough disk for all data.
- D. Migrate some of the cold data into Google Cloud Storage, and keep only the hot data in Persistent Disk.

**Answer:** B

#### NEW QUESTION 10

- (Exam Topic 1)

You have spent a few days loading data from comma-separated values (CSV) files into the Google BigQuery table CLICK\_STREAM. The column DT stores the epoch time of click events. For convenience, you chose a simple schema where every field is treated as the STRING type. Now, you want to compute web session durations of users who visit your site, and you want to change its data type to the TIMESTAMP. You want to minimize the migration effort without making future queries computationally expensive. What should you do?

- A. Delete the table CLICK\_STREAM, and then re-create it such that the column DT is of the TIMESTAMP type
- B. Reload the data.
- C. Add a column TS of the TIMESTAMP type to the table CLICK\_STREAM, and populate the numeric values from the column TS for each row
- D. Reference the column TS instead of the column DT from now on.
- E. Create a view CLICK\_STREAM\_V, where strings from the column DT are cast into TIMESTAMP value
- F. Reference the view CLICK\_STREAM\_V instead of the table CLICK\_STREAM from now on.
- G. Add two columns to the table CLICK\_STREAM: TS of the TIMESTAMP type and IS\_NEW of the BOOLEAN type
- H. Reload all data in append mode
- I. For each appended row, set the value of IS\_NEW to true
- J. For future queries, reference the column TS instead of the column DT, with the WHERE clause ensuring that the value of IS\_NEW must be true.
- K. Construct a query to return every row of the table CLICK\_STREAM, while using the built-in function to cast strings from the column DT into TIMESTAMP value
- L. Run the query into a destination table NEW\_CLICK\_STREAM, in which the column TS is the TIMESTAMP type
- M. Reference the table NEW\_CLICK\_STREAM instead of the table CLICK\_STREAM from now on
- N. In the future, new data is loaded into the table NEW\_CLICK\_STREAM.

**Answer:** D

#### NEW QUESTION 10

- (Exam Topic 1)

Your company is migrating their 30-node Apache Hadoop cluster to the cloud. They want to re-use Hadoop jobs they have already created and minimize the management of the cluster as much as possible. They also want to be able to persist data beyond the life of the cluster. What should you do?

- A. Create a Google Cloud Dataflow job to process the data.
- B. Create a Google Cloud Dataproc cluster that uses persistent disks for HDFS.
- C. Create a Hadoop cluster on Google Compute Engine that uses persistent disks.
- D. Create a Cloud Dataproc cluster that uses the Google Cloud Storage connector.
- E. Create a Hadoop cluster on Google Compute Engine that uses Local SSD disks.

**Answer: D**

#### NEW QUESTION 13

- (Exam Topic 1)

Your company is running their first dynamic campaign, serving different offers by analyzing real-time data during the holiday season. The data scientists are collecting terabytes of data that rapidly grows every hour during their 30-day campaign. They are using Google Cloud Dataflow to preprocess the data and collect the feature (signals) data that is needed for the machine learning model in Google Cloud Bigtable. The team is observing suboptimal performance with reads and writes of their initial load of 10 TB of data. They want to improve this performance while minimizing cost. What should they do?

- A. Redefine the schema by evenly distributing reads and writes across the row space of the table.
- B. The performance issue should be resolved over time as the size of the Bigtable cluster is increased.
- C. Redesign the schema to use a single row key to identify values that need to be updated frequently in the cluster.
- D. Redesign the schema to use row keys based on numeric IDs that increase sequentially per user viewing the offers.

**Answer: A**

#### NEW QUESTION 17

- (Exam Topic 1)

Your company is performing data preprocessing for a learning algorithm in Google Cloud Dataflow. Numerous data logs are being generated during this step, and the team wants to analyze them. Due to the dynamic nature of the campaign, the data is growing exponentially every hour.

The data scientists have written the following code to read the data for a new key features in the logs. BigQueryIO.Read

```
.named("ReadLogData")
```

```
.from("clouddataflow-readonly:samples.log_data")
```

You want to improve the performance of this data read. What should you do?

- A. Specify the TableReference object in the code.
- B. Use .fromQuery operation to read specific fields from the table.
- C. Use of both the Google BigQuery TableSchema and TableFieldSchema classes.
- D. Call a transform that returns TableRow objects, where each element in the PCollection represents a single row in the table.

**Answer: D**

#### NEW QUESTION 21

- (Exam Topic 1)

Business owners at your company have given you a database of bank transactions. Each row contains the user ID, transaction type, transaction location, and transaction amount. They ask you to investigate what type of machine learning can be applied to the data. Which three machine learning applications can you use? (Choose three.)

- A. Supervised learning to determine which transactions are most likely to be fraudulent.
- B. Unsupervised learning to determine which transactions are most likely to be fraudulent.
- C. Clustering to divide the transactions into N categories based on feature similarity.
- D. Supervised learning to predict the location of a transaction.
- E. Reinforcement learning to predict the location of a transaction.
- F. Unsupervised learning to predict the location of a transaction.

**Answer: BCD**

#### NEW QUESTION 24

- (Exam Topic 1)

You designed a database for patient records as a pilot project to cover a few hundred patients in three clinics. Your design used a single database table to represent all patients and their visits, and you used self-joins to generate reports. The server resource utilization was at 50%. Since then, the scope of the project has expanded. The database must now store 100 times more patient records. You can no longer run the reports, because they either take too long or they encounter errors with insufficient compute resources. How should you adjust the database design?

- A. Add capacity (memory and disk space) to the database server by the order of 200.
- B. Shard the tables into smaller ones based on date ranges, and only generate reports with prespecified date ranges.
- C. Normalize the master patient-record table into the patient table and the visits table, and create other necessary tables to avoid self-join.
- D. Partition the table into smaller tables, with one for each clinic.
- E. Run queries against the smaller table pairs, and use unions for consolidated reports.

**Answer: C**

#### NEW QUESTION 29

- (Exam Topic 1)

You create an important report for your large team in Google Data Studio 360. The report uses Google BigQuery as its data source. You notice that visualizations are not showing data that is less than 1 hour old. What should you do?

- A. Disable caching by editing the report settings.
- B. Disable caching in BigQuery by editing table details.
- C. Refresh your browser tab showing the visualizations.
- D. Clear your browser history for the past hour then reload the tab showing the virtualizations.

**Answer:** A

**Explanation:**

Reference <https://support.google.com/datastudio/answer/7020039?hl=en>

**NEW QUESTION 34**

- (Exam Topic 1)

Your company built a TensorFlow neural-network model with a large number of neurons and layers. The model fits well for the training data. However, when tested against new data, it performs poorly. What method can you employ to address this?

- A. Threading
- B. Serialization
- C. Dropout Methods
- D. Dimensionality Reduction

**Answer:** C

**Explanation:**

Reference

<https://medium.com/mlreview/a-simple-deep-learning-model-for-stock-price-prediction-using-tensorflow-30505>

**NEW QUESTION 35**

- (Exam Topic 1)

You are deploying 10,000 new Internet of Things devices to collect temperature data in your warehouses globally. You need to process, store and analyze these very large datasets in real time. What should you do?

- A. Send the data to Google Cloud Datastore and then export to BigQuery.
- B. Send the data to Google Cloud Pub/Sub, stream Cloud Pub/Sub to Google Cloud Dataflow, and store the data in Google BigQuery.
- C. Send the data to Cloud Storage and then spin up an Apache Hadoop cluster as needed in Google Cloud Dataproc whenever analysis is required.
- D. Export logs in batch to Google Cloud Storage and then spin up a Google Cloud SQL instance, import the data from Cloud Storage, and run an analysis as needed.

**Answer:** B

**NEW QUESTION 38**

- (Exam Topic 2)

Flowlogistic is rolling out their real-time inventory tracking system. The tracking devices will all send package-tracking messages, which will now go to a single Google Cloud Pub/Sub topic instead of the Apache Kafka cluster. A subscriber application will then process the messages for real-time reporting and store them in Google BigQuery for historical analysis. You want to ensure the package data can be analyzed over time. Which approach should you take?

- A. Attach the timestamp on each message in the Cloud Pub/Sub subscriber application as they are received.
- B. Attach the timestamp and Package ID on the outbound message from each publisher device as they are sent to Cloud Pub/Sub.
- C. Use the NOW () function in BigQuery to record the event's time.
- D. Use the automatically generated timestamp from Cloud Pub/Sub to order the data.

**Answer:** B

**NEW QUESTION 39**

- (Exam Topic 2)

Flowlogistic wants to use Google BigQuery as their primary analysis system, but they still have Apache Hadoop and Spark workloads that they cannot move to BigQuery. Flowlogistic does not know how to store the data that is common to both workloads. What should they do?

- A. Store the common data in BigQuery as partitioned tables.
- B. Store the common data in BigQuery and expose authorized views.
- C. Store the common data encoded as Avro in Google Cloud Storage.
- D. Store the common data in the HDFS storage for a Google Cloud Dataproc cluster.

**Answer:** B

**NEW QUESTION 42**

- (Exam Topic 3)

MJTelco needs you to create a schema in Google Bigtable that will allow for the historical analysis of the last 2 years of records. Each record that comes in is sent every 15 minutes, and contains a unique identifier of the device and a data record. The most common query is for all the data for a given device for a given day. Which schema should you use?

- A. Rowkey: date#device\_idColumn data: data\_point
- B. Rowkey: dateColumn data: device\_id, data\_point
- C. Rowkey: device\_idColumn data: date, data\_point
- D. Rowkey: data\_pointColumn data: device\_id, date
- E. Rowkey: date#data\_pointColumn data: device\_id

**Answer:** D

#### NEW QUESTION 47

- (Exam Topic 3)

You need to compose visualizations for operations teams with the following requirements: Which approach meets the requirements?

- A. Load the data into Google Sheets, use formulas to calculate a metric, and use filters/sorting to show only suboptimal links in a table.
- B. Load the data into Google BigQuery tables, write Google Apps Script that queries the data, calculates the metric, and shows only suboptimal rows in a table in Google Sheets.
- C. Load the data into Google Cloud Datastore tables, write a Google App Engine Application that queries all rows, applies a function to derive the metric, and then renders results in a table using the Google charts and visualization API.
- D. Load the data into Google BigQuery tables, write a Google Data Studio 360 report that connects to your data, calculates a metric, and then uses a filter expression to show only suboptimal rows in a table.

**Answer: C**

#### NEW QUESTION 48

- (Exam Topic 3)

Given the record streams MJTelco is interested in ingesting per day, they are concerned about the cost of Google BigQuery increasing. MJTelco asks you to provide a design solution. They require a single large data table called tracking\_table. Additionally, they want to minimize the cost of daily queries while performing fine-grained analysis of each day's events. They also want to use streaming ingestion. What should you do?

- A. Create a table called tracking\_table and include a DATE column.
- B. Create a partitioned table called tracking\_table and include a TIMESTAMP column.
- C. Create sharded tables for each day following the pattern tracking\_table\_YYYYMMDD.
- D. Create a table called tracking\_table with a TIMESTAMP column to represent the day.

**Answer: B**

#### NEW QUESTION 51

- (Exam Topic 4)

You are choosing a NoSQL database to handle telemetry data submitted from millions of Internet-of-Things (IoT) devices. The volume of data is growing at 100 TB per year, and each data entry has about 100 attributes. The data processing pipeline does not require atomicity, consistency, isolation, and durability (ACID). However, high availability and low latency are required.

You need to analyze the data by querying against individual fields. Which three databases meet your requirements? (Choose three.)

- A. Redis
- B. HBase
- C. MySQL
- D. MongoDB
- E. Cassandra
- F. HDFS with Hive

**Answer: BDF**

#### NEW QUESTION 55

- (Exam Topic 4)

You work for a large fast food restaurant chain with over 400,000 employees. You store employee information in Google BigQuery in a Users table consisting of a FirstName field and a LastName field. A member of IT is building an application and asks you to modify the schema and data in BigQuery so the application can query a FullName field consisting of the value of the FirstName field concatenated with a space, followed by the value of the LastName field for each employee. How can you make that data available while minimizing cost?

- A. Create a view in BigQuery that concatenates the FirstName and LastName field values to produce the FullName.
- B. Add a new column called FullName to the Users table.
- C. Run an UPDATE statement that updates the FullName column for each user with the concatenation of the FirstName and LastName values.
- D. Create a Google Cloud Dataflow job that queries BigQuery for the entire Users table, concatenates the FirstName value and LastName value for each user, and loads the proper values for FirstName, LastName, and FullName into a new table in BigQuery.
- E. Use BigQuery to export the data for the table to a CSV file.
- F. Create a Google Cloud Dataproc job to process the CSV file and output a new CSV file containing the proper values for FirstName, LastName and FullName.
- G. Run a BigQuery load job to load the new CSV file into BigQuery.

**Answer: C**

#### NEW QUESTION 57

- (Exam Topic 4)

You work for an economic consulting firm that helps companies identify economic trends as they happen. As part of your analysis, you use Google BigQuery to correlate customer data with the average prices of the 100 most common goods sold, including bread, gasoline, milk, and others. The average prices of these goods are updated every 30 minutes. You want to make sure this data stays up to date so you can combine it with other data in BigQuery as cheaply as possible. What should you do?

- A. Load the data every 30 minutes into a new partitioned table in BigQuery.
- B. Store and update the data in a regional Google Cloud Storage bucket and create a federated data source in BigQuery.
- C. Store the data in Google Cloud Datastore.
- D. Use Google Cloud Dataflow to query BigQuery and combine the data programmatically with the data stored in Cloud Datastore.
- E. Store the data in a file in a regional Google Cloud Storage bucket.
- F. Use Cloud Dataflow to query BigQuery and combine the data programmatically with the data stored in Google Cloud Storage.

**Answer: A**

#### NEW QUESTION 61

- (Exam Topic 5)

Which of these is NOT a way to customize the software on Dataproc cluster instances?

- A. Set initialization actions
- B. Modify configuration files using cluster properties
- C. Configure the cluster using Cloud Deployment Manager
- D. Log into the master node and make changes from there

**Answer: C**

#### Explanation:

You can access the master node of the cluster by clicking the SSH button next to it in the Cloud Console.

You can easily use the --properties option of the dataproc command in the Google Cloud SDK to modify many common configuration files when creating a cluster.

When creating a Cloud Dataproc cluster, you can specify initialization actions in executables and/or scripts that Cloud Dataproc will run on all nodes in your Cloud Dataproc cluster immediately after the cluster is set up. [<https://cloud.google.com/dataproc/docs/concepts/configuring-clusters/init-actions>]

Reference: <https://cloud.google.com/dataproc/docs/concepts/configuring-clusters/cluster-properties>

#### NEW QUESTION 66

- (Exam Topic 5)

Which SQL keyword can be used to reduce the number of columns processed by BigQuery?

- A. BETWEEN
- B. WHERE
- C. SELECT
- D. LIMIT

**Answer: C**

#### Explanation:

SELECT allows you to query specific columns rather than the whole table.

LIMIT, BETWEEN, and WHERE clauses will not reduce the number of columns processed by BigQuery.

Reference:

[https://cloud.google.com/bigquery/launch-checklist#architecture\\_design\\_and\\_development\\_checklist](https://cloud.google.com/bigquery/launch-checklist#architecture_design_and_development_checklist)

#### NEW QUESTION 70

- (Exam Topic 5)

You are developing a software application using Google's Dataflow SDK, and want to use conditional, for loops and other complex programming structures to create a branching pipeline. Which component will be used for the data processing operation?

- A. PCollection
- B. Transform
- C. Pipeline
- D. Sink API

**Answer: B**

#### Explanation:

In Google Cloud, the Dataflow SDK provides a transform component. It is responsible for the data processing operation. You can use conditional, for loops, and other complex programming structure to create a branching pipeline.

Reference: <https://cloud.google.com/dataflow/model/programming-model>

#### NEW QUESTION 72

- (Exam Topic 5)

The for Cloud Bigtable makes it possible to use Cloud Bigtable in a Cloud Dataflow pipeline.

- A. Cloud Dataflow connector
- B. DataFlow SDK
- C. BigQuery API
- D. BigQuery Data Transfer Service

**Answer: A**

#### Explanation:

The Cloud Dataflow connector for Cloud Bigtable makes it possible to use Cloud Bigtable in a Cloud Dataflow pipeline. You can use the connector for both batch and streaming operations.

Reference: <https://cloud.google.com/bigtable/docs/dataflow-hbase>

#### NEW QUESTION 76

- (Exam Topic 5)

You are planning to use Google's Dataflow SDK to analyze customer data such as displayed below. Your project requirement is to extract only the customer name from the data source and then write to an output PCollection.

Tom,555 X street Tim,553 Y street Sam, 111 Z street

Which operation is best suited for the above data processing requirement?

- A. ParDo
- B. Sink API
- C. Source API

D. Data extraction

**Answer:** A

**Explanation:**

In Google Cloud dataflow SDK, you can use the ParDo to extract only a customer name of each element in your PCollection.

Reference: <https://cloud.google.com/dataflow/model/par-do>

**NEW QUESTION 77**

- (Exam Topic 5)

In order to securely transfer web traffic data from your computer's web browser to the Cloud Dataproc cluster you should use a(n) .

- A. VPN connection
- B. Special browser
- C. SSH tunnel
- D. FTP connection

**Answer:** C

**Explanation:**

To connect to the web interfaces, it is recommended to use an SSH tunnel to create a secure connection to the master node.

Reference:

[https://cloud.google.com/dataproc/docs/concepts/cluster-web-interfaces#connecting\\_to\\_the\\_web\\_interfaces](https://cloud.google.com/dataproc/docs/concepts/cluster-web-interfaces#connecting_to_the_web_interfaces)

**NEW QUESTION 78**

- (Exam Topic 5)

To give a user read permission for only the first three columns of a table, which access control method would you use?

- A. Primitive role
- B. Predefined role
- C. Authorized view
- D. It's not possible to give access to only the first three columns of a table.

**Answer:** C

**Explanation:**

An authorized view allows you to share query results with particular users and groups without giving them read access to the underlying tables. Authorized views can only be created in a dataset that does not contain the tables queried by the view.

When you create an authorized view, you use the view's SQL query to restrict access to only the rows and columns you want the users to see.

Reference: <https://cloud.google.com/bigquery/docs/views#authorized-views>

**NEW QUESTION 82**

- (Exam Topic 5)

What is the HBase Shell for Cloud Bigtable?

- A. The HBase shell is a GUI based interface that performs administrative tasks, such as creating and deleting tables.
- B. The HBase shell is a command-line tool that performs administrative tasks, such as creating and deleting tables.
- C. The HBase shell is a hypervisor based shell that performs administrative tasks, such as creating and deleting new virtualized instances.
- D. The HBase shell is a command-line tool that performs only user account management functions to grant access to Cloud Bigtable instances.

**Answer:** B

**Explanation:**

The HBase shell is a command-line tool that performs administrative tasks, such as creating and deleting tables. The Cloud Bigtable HBase client for Java makes it possible to use the HBase shell to connect to Cloud Bigtable.

Reference: <https://cloud.google.com/bigtable/docs/installing-hbase-shell>

**NEW QUESTION 84**

- (Exam Topic 5)

Which of these rules apply when you add preemptible workers to a Dataproc cluster (select 2 answers)?

- A. Preemptible workers cannot use persistent disk.
- B. Preemptible workers cannot store data.
- C. If a preemptible worker is reclaimed, then a replacement worker must be added manually.
- D. A Dataproc cluster cannot have only preemptible workers.

**Answer:** BD

**Explanation:**

The following rules will apply when you use preemptible workers with a Cloud Dataproc cluster: Processing only—Since preemptibles can be reclaimed at any time, preemptible workers do not store data.

Preemptibles added to a Cloud Dataproc cluster only function as processing nodes.

No preemptible-only clusters—To ensure clusters do not lose all workers, Cloud Dataproc cannot create preemptible-only clusters.

Persistent disk size—As a default, all preemptible workers are created with the smaller of 100GB or the primary worker boot disk size. This disk space is used for local caching of data and is not available through HDFS.

The managed group automatically re-adds workers lost due to reclamation as capacity permits. Reference:

<https://cloud.google.com/dataproc/docs/concepts/preemptible-vm>

### NEW QUESTION 87

- (Exam Topic 5)

When creating a new Cloud Dataproc cluster with the `projects.regions.clusters.create` operation, these four values are required: project, region, name, and .

- A. zone
- B. node
- C. label
- D. type

**Answer:** A

#### Explanation:

At a minimum, you must specify four values when creating a new cluster with the `projects.regions.clusters.create` operation:

The project in which the cluster will be created

The region to use

The name of the cluster

The zone in which the cluster will be created

You can specify many more details beyond these minimum requirements. For example, you can

also specify the number of workers, whether preemptible compute should be used, and the network settings. Reference:

[https://cloud.google.com/dataproc/docs/tutorials/python-library-example#create\\_a\\_new\\_cloud\\_dataproc\\_cluste](https://cloud.google.com/dataproc/docs/tutorials/python-library-example#create_a_new_cloud_dataproc_cluste)

### NEW QUESTION 91

- (Exam Topic 5)

Which of these is not a supported method of putting data into a partitioned table?

- A. If you have existing data in a separate file for each day, then create a partitioned table and upload each file into the appropriate partition.
- B. Run a query to get the records for a specific day from an existing table and for the destination table, specify a partitioned table ending with the day in the format "\$YYYYMMDD".
- C. Create a partitioned table and stream new records to it every day.
- D. Use ORDER BY to put a table's rows into chronological order and then change the table's type to "Partitioned".

**Answer:** D

#### Explanation:

You cannot change an existing table into a partitioned table. You must create a partitioned table from scratch. Then you can either stream data into it every day

and the data will automatically be put in the right partition, or you can load data into a specific partition by using "\$YYYYMMDD" at the end of the table name.

Reference: <https://cloud.google.com/bigquery/docs/partitioned-tables>

### NEW QUESTION 92

- (Exam Topic 5)

What are two of the benefits of using denormalized data structures in BigQuery?

- A. Reduces the amount of data processed, reduces the amount of storage required
- B. Increases query speed, makes queries simpler
- C. Reduces the amount of storage required, increases query speed
- D. Reduces the amount of data processed, increases query speed

**Answer:** B

#### Explanation:

Denormalization increases query speed for tables with billions of rows because BigQuery's performance degrades when doing JOINS on large tables, but with a denormalized data

structure, you don't have to use JOINS, since all of the data has been combined into one table. Denormalization also makes queries simpler because you do not have to use JOIN clauses.

Denormalization increases the amount of data processed and the amount of storage required because it creates redundant data.

Reference:

[https://cloud.google.com/solutions/bigquery-data-warehouse#denormalizing\\_data](https://cloud.google.com/solutions/bigquery-data-warehouse#denormalizing_data)

### NEW QUESTION 96

- (Exam Topic 5)

Which of the following are examples of hyperparameters? (Select 2 answers.)

- A. Number of hidden layers
- B. Number of nodes in each hidden layer
- C. Biases
- D. Weights

**Answer:** AB

#### Explanation:

If model parameters are variables that get adjusted by training with existing data, your hyperparameters are the variables about the training process itself. For example, part of setting up a deep neural network is deciding how many "hidden" layers of nodes to use between the input layer and the output layer, as well as how many nodes each layer should use. These variables are not directly related to the training data at all. They are configuration variables. Another difference is that parameters change during a training job, while the hyperparameters are usually constant during a job.

Weights and biases are variables that get adjusted during the training process, so they are not hyperparameters. Reference: <https://cloud.google.com/ml-engine/docs/hyperparameter-tuning-overview>

### NEW QUESTION 97

- (Exam Topic 5)

To run a TensorFlow training job on your own computer using Cloud Machine Learning Engine, what would your command start with?

- A. gcloud ml-engine local train
- B. gcloud ml-engine jobs submit training
- C. gcloud ml-engine jobs submit training local
- D. You can't run a TensorFlow program on your own computer using Cloud ML Engine .

**Answer:** A

**Explanation:**

gcloud ml-engine local train - run a Cloud ML Engine training job locally

This command runs the specified module in an environment similar to that of a live Cloud ML Engine Training Job.

This is especially useful in the case of testing distributed models, as it allows you to validate that you are properly interacting with the Cloud ML Engine cluster configuration.

Reference: <https://cloud.google.com/sdk/gcloud/reference/ml-engine/local/train>

**NEW QUESTION 101**

- (Exam Topic 5)

If you want to create a machine learning model that predicts the price of a particular stock based on its recent price history, what type of estimator should you use?

- A. Unsupervised learning
- B. Regressor
- C. Classifier
- D. Clustering estimator

**Answer:** B

**Explanation:**

Regression is the supervised learning task for modeling and predicting continuous, numeric variables. Examples include predicting real-estate prices, stock price movements, or student test scores.

Classification is the supervised learning task for modeling and predicting categorical variables. Examples include predicting employee churn, email spam, financial fraud, or student letter grades.

Clustering is an unsupervised learning task for finding natural groupings of observations (i.e. clusters) based on the inherent structure within your dataset.

Examples include customer segmentation, grouping similar items in e-commerce, and social network analysis.

Reference: <https://elitedatascience.com/machine-learning-algorithms>

**NEW QUESTION 105**

- (Exam Topic 5)

Which of these are examples of a value in a sparse vector? (Select 2 answers.)

- A. [0, 5, 0, 0, 0, 0]
- B. [0, 0, 0, 1, 0, 0, 1]
- C. [0, 1]
- D. [1, 0, 0, 0, 0, 0, 0]

**Answer:** CD

**Explanation:**

Categorical features in linear models are typically translated into a sparse vector in which each possible value has a corresponding index or id. For example, if there are only three possible eye colors you can represent 'eye\_color' as a length 3 vector: 'brown' would become [1, 0, 0], 'blue' would become [0, 1, 0] and 'green' would become [0, 0, 1]. These vectors are called "sparse" because they may be very long, with many zeros, when the set of possible values is very large (such as all English words).

[0, 0, 0, 1, 0, 0, 1] is not a sparse vector because it has two 1s in it. A sparse vector contains only a single 1. [0, 5, 0, 0, 0, 0] is not a sparse vector because it has a 5 in it. Sparse vectors only contain 0s and 1s. Reference: [https://www.tensorflow.org/tutorials/linear#feature\\_columns\\_and\\_transformations](https://www.tensorflow.org/tutorials/linear#feature_columns_and_transformations)

**NEW QUESTION 109**

- (Exam Topic 5)

Dataprocs contain many configuration files. To update these files, you will need to use the --properties option. The format for the option is: file\_prefix:property= .

- A. details
- B. value
- C. null
- D. id

**Answer:** B

**Explanation:**

To make updating files and properties easy, the --properties command uses a special format to specify the configuration file and the property and value within the file that should be updated. The formatting is as follows: file\_prefix:property=value.

Reference: <https://cloud.google.com/dataproc/docs/concepts/cluster-properties#formatting>

**NEW QUESTION 112**

- (Exam Topic 5)

Which role must be assigned to a service account used by the virtual machines in a Dataproc cluster so they can execute jobs?

- A. Dataproc Worker
- B. Dataproc Viewer
- C. Dataproc Runner
- D. Dataproc Editor

**Answer:** A

**Explanation:**

Service accounts used with Cloud Dataproc must have Dataproc/Dataproc Worker role (or have all the permissions granted by Dataproc Worker role).  
Reference: [https://cloud.google.com/dataproc/docs/concepts/service-accounts#important\\_notes](https://cloud.google.com/dataproc/docs/concepts/service-accounts#important_notes)

**NEW QUESTION 114**

- (Exam Topic 5)

All Google Cloud Bigtable client requests go through a front-end server they are sent to a Cloud Bigtable node.

- A. before
- B. after
- C. only if
- D. once

**Answer:** A

**Explanation:**

In a Cloud Bigtable architecture all client requests go through a front-end server before they are sent to a Cloud Bigtable node. The nodes are organized into a Cloud Bigtable cluster, which belongs to a Cloud Bigtable instance, which is a container for the cluster. Each node in the cluster handles a subset of the requests to the cluster. When additional nodes are added to a cluster, you can increase the number of simultaneous requests that the cluster can handle, as well as the maximum throughput for the entire cluster.  
Reference: <https://cloud.google.com/bigtable/docs/overview>

**NEW QUESTION 115**

- (Exam Topic 5)

For the best possible performance, what is the recommended zone for your Compute Engine instance and Cloud Bigtable instance?

- A. Have the Compute Engine instance in the furthest zone from the Cloud Bigtable instance.
- B. Have both the Compute Engine instance and the Cloud Bigtable instance to be in different zones.
- C. Have both the Compute Engine instance and the Cloud Bigtable instance to be in the same zone.
- D. Have the Cloud Bigtable instance to be in the same zone as all of the consumers of your data.

**Answer:** C

**Explanation:**

It is recommended to create your Compute Engine instance in the same zone as your Cloud Bigtable instance for the best possible performance, If it's not possible to create a instance in the same zone, you should create your instance in another zone within the same region. For example, if your Cloud Bigtable instance is located in us-central1-b, you could create your instance in us-central1-f. This change may result in several milliseconds of additional latency for each Cloud Bigtable request. It is recommended to avoid creating your Compute Engine instance in a different region from your Cloud Bigtable instance, which can add hundreds of milliseconds of latency to each Cloud Bigtable request.  
Reference: <https://cloud.google.com/bigtable/docs/creating-compute-instance>

**NEW QUESTION 116**

- (Exam Topic 5)

By default, which of the following windowing behavior does Dataflow apply to unbounded data sets?

- A. Windows at every 100 MB of data
- B. Single, Global Window
- C. Windows at every 1 minute
- D. Windows at every 10 minutes

**Answer:** B

**Explanation:**

Dataflow's default windowing behavior is to assign all elements of a PCollection to a single, global window, even for unbounded PCollections  
Reference: <https://cloud.google.com/dataflow/model/pcollection>

**NEW QUESTION 119**

- (Exam Topic 5)

Which of these operations can you perform from the BigQuery Web UI?

- A. Upload a file in SQL format.
- B. Load data with nested and repeated fields.
- C. Upload a 20 MB file.
- D. Upload multiple files using a wildcard.

**Answer:** B

**Explanation:**

You can load data with nested and repeated fields using the Web UI. You cannot use the Web UI to:  
- Upload a file greater than 10 MB in size  
- Upload multiple files at the same time  
- Upload a file in SQL format  
All three of the above operations can be performed using the "bq" command. Reference: <https://cloud.google.com/bigquery/loading-data>

#### NEW QUESTION 123

- (Exam Topic 5)

Cloud Dataproc is a managed Apache Hadoop and Apache service.

- A. Blaze
- B. Spark
- C. Fire
- D. Ignite

**Answer: B**

#### Explanation:

Cloud Dataproc is a managed Apache Spark and Apache Hadoop service that lets you use open source data tools for batch processing, querying, streaming, and machine learning.

Reference: <https://cloud.google.com/dataproc/docs/>

#### NEW QUESTION 127

- (Exam Topic 5)

What is the recommended action to do in order to switch between SSD and HDD storage for your Google Cloud Bigtable instance?

- A. create a third instance and sync the data from the two storage types via batch jobs
- B. export the data from the existing instance and import the data into a new instance
- C. run parallel instances where one is HDD and the other is SDD
- D. the selection is final and you must resume using the same storage type

**Answer: B**

#### Explanation:

When you create a Cloud Bigtable instance and cluster, your choice of SSD or HDD storage for the cluster is permanent. You cannot use the Google Cloud Platform Console to change the type of storage that is used for the cluster.

If you need to convert an existing HDD cluster to SSD, or vice-versa, you can export the data from the existing instance and import the data into a new instance.

Alternatively, you can write

a Cloud Dataflow or Hadoop MapReduce job that copies the data from one instance to another. Reference: <https://cloud.google.com/bigtable/docs/choosing-ssd-hdd->

#### NEW QUESTION 131

- (Exam Topic 5)

Cloud Bigtable is a recommended option for storing very large amounts of \_\_\_\_\_?

- A. multi-keyed data with very high latency
- B. multi-keyed data with very low latency
- C. single-keyed data with very low latency
- D. single-keyed data with very high latency

**Answer: C**

#### Explanation:

Cloud Bigtable is a sparsely populated table that can scale to billions of rows and thousands of columns, allowing you to store terabytes or even petabytes of data. A single value in each row is indexed; this value is known as the row key. Cloud Bigtable is ideal for storing very large amounts of single-keyed data with very low latency. It supports high read and write throughput at low latency, and it is an ideal data source for MapReduce operations.

Reference: <https://cloud.google.com/bigtable/docs/overview>

#### NEW QUESTION 136

- (Exam Topic 5)

Which of these statements about exporting data from BigQuery is false?

- A. To export more than 1 GB of data, you need to put a wildcard in the destination filename.
- B. The only supported export destination is Google Cloud Storage.
- C. Data can only be exported in JSON or Avro format.
- D. The only compression option available is GZIP.

**Answer: C**

#### Explanation:

Data can be exported in CSV, JSON, or Avro format. If you are exporting nested or repeated data, then CSV format is not supported.

Reference: <https://cloud.google.com/bigquery/docs/exporting-data>

#### NEW QUESTION 138

- (Exam Topic 5)

Which methods can be used to reduce the number of rows processed by BigQuery?

- A. Splitting tables into multiple tables; putting data in partitions
- B. Splitting tables into multiple tables; putting data in partitions; using the LIMIT clause
- C. Putting data in partitions; using the LIMIT clause
- D. Splitting tables into multiple tables; using the LIMIT clause

**Answer: A**

**Explanation:**

If you split a table into multiple tables (such as one table for each day), then you can limit your query to the data in specific tables (such as for particular days). A better method is to use a partitioned table, as long as your data can be separated by the day.

If you use the LIMIT clause, BigQuery will still process the entire table. Reference: <https://cloud.google.com/bigquery/docs/partitioned-tables>

**NEW QUESTION 141**

- (Exam Topic 6)

You decided to use Cloud Datastore to ingest vehicle telemetry data in real time. You want to build a storage system that will account for the long-term data growth, while keeping the costs low. You also want to create snapshots of the data periodically, so that you can make a point-in-time (PIT) recovery, or clone a copy of the data for Cloud Datastore in a different environment. You want to archive these snapshots for a long time. Which two methods can accomplish this? Choose 2 answers.

- A. Use managed export, and store the data in a Cloud Storage bucket using Nearline or Coldline class.
- B. Use managed exportm, and then import to Cloud Datastore in a separate project under a unique namespace reserved for that export.
- C. Use managed export, and then import the data into a BigQuery table created just for that export, and delete temporary export files.
- D. Write an application that uses Cloud Datastore client libraries to read all the entitie
- E. Treat each entity as a BigQuery table row via BigQuery streaming inser
- F. Assign an export timestamp for each export, and attach it as an extra column for each ro
- G. Make sure that the BigQuery table is partitioned using the export timestamp column.
- H. Write an application that uses Cloud Datastore client libraries to read all the entitie
- I. Format the exported data into a JSON fil
- J. Apply compression before storing the data in Cloud Source Repositories.

**Answer:** CE

**NEW QUESTION 144**

- (Exam Topic 6)

You're using Bigtable for a real-time application, and you have a heavy load that is a mix of read and writes. You've recently identified an additional use case and need to perform hourly an analytical job to calculate certain statistics across the whole database. You need to ensure both the reliability of your production application as well as the analytical workload.

What should you do?

- A. Export Bigtable dump to GCS and run your analytical job on top of the exported files.
- B. Add a second cluster to an existing instance with a multi-cluster routing, use live-traffic app profile for your regular workload and batch-analytics profile for the analytics workload.
- C. Add a second cluster to an existing instance with a single-cluster routing, use live-traffic app profile for your regular workload and batch-analytics profile for the analytics workload.
- D. Increase the size of your existing cluster twice and execute your analytics workload on your new resized cluster.

**Answer:** B

**NEW QUESTION 147**

- (Exam Topic 6)

An online retailer has built their current application on Google App Engine. A new initiative at the company mandates that they extend their application to allow their customers to transact directly via the application.

They need to manage their shopping transactions and analyze combined data from multiple datasets using a business intelligence (BI) tool. They want to use only a single database for this purpose. Which Google Cloud database should they choose?

- A. BigQuery
- B. Cloud SQL
- C. Cloud BigTable
- D. Cloud Datastore

**Answer:** C

**Explanation:**

Reference: <https://cloud.google.com/solutions/business-intelligence/>

**NEW QUESTION 151**

- (Exam Topic 6)

You have Cloud Functions written in Node.js that pull messages from Cloud Pub/Sub and send the data to BigQuery. You observe that the message processing rate on the Pub/Sub topic is orders of magnitude higher than anticipated, but there is no error logged in Stackdriver Log Viewer. What are the two most likely causes of this problem? Choose 2 answers.

- A. Publisher throughput quota is too small.
- B. Total outstanding messages exceed the 10-MB maximum.
- C. Error handling in the subscriber code is not handling run-time errors properly.
- D. The subscriber code cannot keep up with the messages.
- E. The subscriber code does not acknowledge the messages that it pulls.

**Answer:** CD

**NEW QUESTION 156**

- (Exam Topic 6)

Your company maintains a hybrid deployment with GCP, where analytics are performed on your anonymized customer data. The data are imported to Cloud Storage from your data center through parallel uploads to a data transfer server running on GCP. Management informs you that the daily transfers take too long and have asked you to fix the problem. You want to maximize transfer speeds. Which action should you take?

- A. Increase the CPU size on your server.
- B. Increase the size of the Google Persistent Disk on your server.
- C. Increase your network bandwidth from your datacenter to GCP.
- D. Increase your network bandwidth from Compute Engine to Cloud Storage.

**Answer:** C

#### NEW QUESTION 161

- (Exam Topic 6)

Your company is selecting a system to centralize data ingestion and delivery. You are considering messaging and data integration systems to address the requirements. The key requirements are:

- The ability to seek to a particular offset in a topic, possibly back to the start of all data ever captured
- Support for publish/subscribe semantics on hundreds of topics
- Retain per-key ordering

Which system should you choose?

- A. Apache Kafka
- B. Cloud Storage
- C. Cloud Pub/Sub
- D. Firebase Cloud Messaging

**Answer:** A

#### NEW QUESTION 165

- (Exam Topic 6)

You are building a new application that you need to collect data from in a scalable way. Data arrives continuously from the application throughout the day, and you expect to generate approximately 150 GB of JSON data per day by the end of the year. Your requirements are:

- Decoupling producer from consumer
- Space and cost-efficient storage of the raw ingested data, which is to be stored indefinitely
- Near real-time SQL query
- Maintain at least 2 years of historical data, which will be queried with SQ Which pipeline should you use to meet these requirements?

- A. Create an application that provides an AP
- B. Write a tool to poll the API and write data to Cloud Storage as gzipped JSON files.
- C. Create an application that writes to a Cloud SQL database to store the dat
- D. Set up periodic exports of the database to write to Cloud Storage and load into BigQuery.
- E. Create an application that publishes events to Cloud Pub/Sub, and create Spark jobs on Cloud Dataproc to convert the JSON data to Avro format, stored on HDFS on Persistent Disk.
- F. Create an application that publishes events to Cloud Pub/Sub, and create a Cloud Dataflow pipeline that transforms the JSON event payloads to Avro, writing the data to Cloud Storage and BigQuery.

**Answer:** A

#### NEW QUESTION 168

- (Exam Topic 6)

You are managing a Cloud Dataproc cluster. You need to make a job run faster while minimizing costs, without losing work in progress on your clusters. What should you do?

- A. Increase the cluster size with more non-preemptible workers.
- B. Increase the cluster size with preemptible worker nodes, and configure them to forcefully decommission.
- C. Increase the cluster size with preemptible worker nodes, and use Cloud Stackdriver to trigger a script to preserve work.
- D. Increase the cluster size with preemptible worker nodes, and configure them to use graceful decommissioning.

**Answer:** D

#### Explanation:

Reference <https://cloud.google.com/dataproc/docs/concepts/configuring-clusters/flex>

#### NEW QUESTION 171

- (Exam Topic 6)

You are responsible for writing your company's ETL pipelines to run on an Apache Hadoop cluster. The pipeline will require some checkpointing and splitting pipelines. Which method should you use to write the pipelines?

- A. PigLatin using Pig
- B. HiveQL using Hive
- C. Java using MapReduce
- D. Python using MapReduce

**Answer:** D

#### NEW QUESTION 174

- (Exam Topic 6)

You need to copy millions of sensitive patient records from a relational database to BigQuery. The total size of the database is 10 TB. You need to design a solution that is secure and time-efficient. What should you do?

- A. Export the records from the database as an Avro file
- B. Upload the file to GCS using gsutil, and then load the Avro file into BigQuery using the BigQuery web UI in the GCP Console.
- C. Export the records from the database as an Avro file
- D. Copy the file onto a Transfer Appliance and send it to Google, and then load the Avro file into BigQuery using the BigQuery web UI in the GCP Console.
- E. Export the records from the database into a CSV file
- F. Create a public URL for the CSV file, and then use Storage Transfer Service to move the file to Cloud Storage
- G. Load the CSV file into BigQuery using the BigQuery web UI in the GCP Console.
- H. Export the records from the database as an Avro file
- I. Create a public URL for the Avro file, and then use Storage Transfer Service to move the file to Cloud Storage
- J. Load the Avro file into BigQuery using the BigQuery web UI in the GCP Console.

**Answer:** A

#### NEW QUESTION 177

- (Exam Topic 6)

You are migrating a table to BigQuery and are deciding on the data model. Your table stores information related to purchases made across several store locations and includes information like the time of the transaction, items purchased, the store ID and the city and state in which the store is located. You frequently query this table to see how many of each item were sold over the past 30 days and to look at purchasing trends by state, city, and individual store. You want to model this table to minimize query time and cost. What should you do?

- A. Partition by transaction time; cluster by state first, then city then store ID
- B. Partition by transaction time; cluster by store ID first, then city, then state
- C. Top-level cluster by state first, then city then store
- D. Top-level cluster by store ID first, then city then state.

**Answer:** C

#### NEW QUESTION 179

- (Exam Topic 6)

You need ads data to serve AI models and historical data for analytics. Longtail and outlier data points need to be identified. You want to cleanse the data in near-real time before running it through AI models. What should you do?

- A. Use BigQuery to ingest, prepare, and then analyze the data, and then run queries to create views
- B. Use Cloud Storage as a data warehouse, shell scripts for processing, and BigQuery to create views for desired datasets
- C. Use Dataflow to identify longtail and outlier data points programmatically with BigQuery as a sink
- D. Use Cloud Composer to identify longtail and outlier data points, and then output a usable dataset to BigQuery

**Answer:** A

#### NEW QUESTION 180

- (Exam Topic 6)

The marketing team at your organization provides regular updates of a segment of your customer dataset. The marketing team has given you a CSV with 1 million records that must be updated in BigQuery. When you use the UPDATE statement in BigQuery, you receive a quotaExceeded error. What should you do?

- A. Reduce the number of records updated each day to stay within the BigQuery UPDATE DML statement limit.
- B. Increase the BigQuery UPDATE DML statement limit in the Quota management section of the Google Cloud Platform Console.
- C. Split the source CSV file into smaller CSV files in Cloud Storage to reduce the number of BigQuery UPDATE DML statements per BigQuery job.
- D. Import the new records from the CSV file into a new BigQuery table.
- E. Create a BigQuery job that merges the new records with the existing records and writes the results to a new BigQuery table.

**Answer:** D

#### NEW QUESTION 181

- (Exam Topic 6)

You are training a spam classifier. You notice that you are overfitting the training data. Which three actions can you take to resolve this problem? (Choose three.)

- A. Get more training examples
- B. Reduce the number of training examples
- C. Use a smaller set of features
- D. Use a larger set of features
- E. Increase the regularization parameters
- F. Decrease the regularization parameters

**Answer:** ADF

#### NEW QUESTION 183

- (Exam Topic 6)

You work on a regression problem in a natural language processing domain, and you have 100M labeled examples in your dataset. You have randomly shuffled your data and split your dataset into train and test samples (in a 90/10 ratio). After you trained the neural network and evaluated your model on a test set, you discover that the root-mean-squared error (RMSE) of your model is twice as high on the train set as on the test set. How should you improve the performance of your model?

- A. Increase the share of the test sample in the train-test split.
- B. Try to collect more data and increase the size of your dataset.
- C. Try out regularization techniques (e.g., dropout, batch normalization) to avoid overfitting.
- D. Increase the complexity of your model by, e.g., introducing an additional layer or increasing the size of vocabularies or n-grams used.

**Answer:** D

#### NEW QUESTION 186

- (Exam Topic 6)

Your team is working on a binary classification problem. You have trained a support vector machine (SVM) classifier with default parameters, and received an area under the Curve (AUC) of 0.87 on the validation set. You want to increase the AUC of the model. What should you do?

- A. Perform hyperparameter tuning
- B. Train a classifier with deep neural networks, because neural networks would always beat SVMs
- C. Deploy the model and measure the real-world AUC; it's always higher because of generalization
- D. Scale predictions you get out of the model (tune a scaling factor as a hyperparameter) in order to get the highest AUC

**Answer:** A

#### Explanation:

<https://towardsdatascience.com/understanding-hyperparameters-and-its-optimisation-techniques-f0debba07568>

#### NEW QUESTION 188

- (Exam Topic 6)

You work for an advertising company, and you've developed a Spark ML model to predict click-through rates at advertisement blocks. You've been developing everything at your on-premises data center, and now your company is migrating to Google Cloud. Your data center will be migrated to BigQuery. You periodically retrain your Spark ML models, so you need to migrate existing training pipelines to Google Cloud. What should you do?

- A. Use Cloud ML Engine for training existing Spark ML models
- B. Rewrite your models on TensorFlow, and start using Cloud ML Engine
- C. Use Cloud Dataproc for training existing Spark ML models, but start reading data directly from BigQuery
- D. Spin up a Spark cluster on Compute Engine, and train Spark ML models on the data exported from BigQuery

**Answer:** C

#### Explanation:

<https://cloud.google.com/dataproc/docs/tutorials/bigquery-sparkml>

#### NEW QUESTION 190

- (Exam Topic 6)

You work for a shipping company that uses handheld scanners to read shipping labels. Your company has strict data privacy standards that require scanners to only transmit recipients' personally identifiable information (PII) to analytics systems, which violates user privacy rules. You want to quickly build a scalable solution using cloud-native managed services to prevent exposure of PII to the analytics systems. What should you do?

- A. Create an authorized view in BigQuery to restrict access to tables with sensitive data.
- B. Install a third-party data validation tool on Compute Engine virtual machines to check the incoming data for sensitive information.
- C. Use Stackdriver logging to analyze the data passed through the total pipeline to identify transactions that may contain sensitive information.
- D. Build a Cloud Function that reads the topics and makes a call to the Cloud Data Loss Prevention API
- E. Use the tagging and confidence levels to either pass or quarantine the data in a bucket for review.

**Answer:** D

#### NEW QUESTION 192

- (Exam Topic 6)

You are running a pipeline in Cloud Dataflow that receives messages from a Cloud Pub/Sub topic and writes the results to a BigQuery dataset in the EU. Currently, your pipeline is located in europe-west4 and has a maximum of 3 workers, instance type n1-standard-1. You notice that during peak periods, your pipeline is struggling to process records in a timely fashion, when all 3 workers are at maximum CPU utilization. Which two actions can you take to increase performance of your pipeline? (Choose two.)


- A. Increase the number of max workers
- B. Use a larger instance type for your Cloud Dataflow workers
- C. Change the zone of your Cloud Dataflow pipeline to run in us-central1
- D. Create a temporary table in Cloud Bigtable that will act as a buffer for new data
- E. Create a new step in your pipeline to write to this table first, and then create a new pipeline to write from Cloud Bigtable to BigQuery
- F. Create a temporary table in Cloud Spanner that will act as a buffer for new data
- G. Create a new step in your pipeline to write to this table first, and then create a new pipeline to write from Cloud Spanner to BigQuery

**Answer:** AB

#### NEW QUESTION 193

- (Exam Topic 6)

You have some data, which is shown in the graphic below. The two dimensions are X and Y, and the shade of each dot represents what class it is. You want to classify this data accurately using a linear algorithm.



To do this you need to add a synthetic feature. What should the value of that feature be?

- A.  $X^2+Y^2$
- B.  $X^2$
- C.  $Y^2$
- D.  $\cos(X)$

**Answer: D**

**NEW QUESTION 194**

- (Exam Topic 6)

You need to create a new transaction table in Cloud Spanner that stores product sales data. You are deciding what to use as a primary key. From a performance perspective, which strategy should you choose?

- A. The current epoch time
- B. A concatenation of the product name and the current epoch time
- C. A random universally unique identifier number (version 4 UUID)
- D. The original order identification number from the sales system, which is a monotonically increasing integer

**Answer: C**

**NEW QUESTION 195**

- (Exam Topic 6)

You operate an IoT pipeline built around Apache Kafka that normally receives around 5000 messages per second. You want to use Google Cloud Platform to create an alert as soon as the moving average over 1 hour drops below 4000 messages per second. What should you do?

- A. Consume the stream of data in Cloud Dataflow using Kafka I
- B. Set a sliding time window of 1 hour every 5 minute
- C. Compute the average when the window closes, and send an alert if the average is less than 4000 messages.
- D. Consume the stream of data in Cloud Dataflow using Kafka I
- E. Set a fixed time window of 1 hour. Compute the average when the window closes, and send an alert if the average is less than 4000 messages.
- F. Use Kafka Connect to link your Kafka message queue to Cloud Pub/Su
- G. Use a Cloud Dataflow template to write your messages from Cloud Pub/Sub to Cloud Bigtabl
- H. Use Cloud Scheduler to run a script every hour that counts the number of rows created in Cloud Bigtable in the last hou
- I. If that number falls below 4000, send an alert.
- J. Use Kafka Connect to link your Kafka message queue to Cloud Pub/Su
- K. Use a Cloud Dataflow template to write your messages from Cloud Pub/Sub to BigQuer
- L. Use Cloud Scheduler to run a script every five minutes that counts the number of rows created in BigQuery in the last hou
- M. If that number falls below 4000, send an alert.

**Answer: C**

**NEW QUESTION 200**

- (Exam Topic 6)

You are selecting services to write and transform JSON messages from Cloud Pub/Sub to BigQuery for a data pipeline on Google Cloud. You want to minimize service costs. You also want to monitor and accommodate input data volume that will vary in size with minimal manual intervention. What should you do?

- A. Use Cloud Dataproc to run your transformation
- B. Monitor CPU utilization for the cluste
- C. Resize the number of worker nodes in your cluster via the command line.
- D. Use Cloud Dataproc to run your transformation
- E. Use the diagnose command to generate an operational output archiv
- F. Locate the bottleneck and adjust cluster resources.
- G. Use Cloud Dataflow to run your transformation
- H. Monitor the job system lag with Stackdrive
- I. Use the default autoscaling setting for worker instances.
- J. Use Cloud Dataflow to run your transformation
- K. Monitor the total execution time for a sampling of job
- L. Configure the job to use non-default Compute Engine machine types when needed.

Answer: B

**NEW QUESTION 203**

- (Exam Topic 6)

You need to deploy additional dependencies to all of a Cloud Dataproc cluster at startup using an existing initialization action. Company security policies require that Cloud Dataproc nodes do not have access to the Internet so public initialization actions cannot fetch resources. What should you do?

- A. Deploy the Cloud SQL Proxy on the Cloud Dataproc master
- B. Use an SSH tunnel to give the Cloud Dataproc cluster access to the Internet
- C. Copy all dependencies to a Cloud Storage bucket within your VPC security perimeter
- D. Use Resource Manager to add the service account used by the Cloud Dataproc cluster to the Network User role

Answer: D

**NEW QUESTION 208**

- (Exam Topic 6)

You are migrating your data warehouse to BigQuery. You have migrated all of your data into tables in a dataset. Multiple users from your organization will be using the data. They should only see certain tables based on their team membership. How should you set user permissions?

- A. Assign the users/groups data viewer access at the table level for each table
- B. Create SQL views for each team in the same dataset in which the data resides, and assign the users/groups data viewer access to the SQL views
- C. Create authorized views for each team in the same dataset in which the data resides, and assign the users/groups data viewer access to the authorized views
- D. Create authorized views for each team in datasets created for each team
- E. Assign the authorized views data viewer access to the dataset in which the data reside
- F. Assign the users/groups data viewer access to the datasets in which the authorized views reside

Answer: A

**NEW QUESTION 213**

- (Exam Topic 6)

You work for a shipping company that has distribution centers where packages move on delivery lines to route them properly. The company wants to add cameras to the delivery lines to detect and track any visual damage to the packages in transit. You need to create a way to automate the detection of damaged packages and flag them for human review in real time while the packages are in transit. Which solution should you choose?


- A. Use BigQuery machine learning to be able to train the model at scale, so you can analyze the packages in batches.
- B. Train an AutoML model on your corpus of images, and build an API around that model to integrate with the package tracking applications.
- C. Use the Cloud Vision API to detect for damage, and raise an alert through Cloud Function
- D. Integrate the package tracking applications with this function.
- E. Use TensorFlow to create a model that is trained on your corpus of image
- F. Create a Python notebook in Cloud Datalab that uses this model so you can analyze for damaged packages.

Answer: A

**NEW QUESTION 217**

- (Exam Topic 6)

The Development and External teams have the project viewer Identity and Access Management (IAM) role in a folder named Visualization. You want the Development Team to be able to read data from both Cloud Storage and BigQuery, but the External Team should only be able to read data from BigQuery. What should you do?



- A. Remove Cloud Storage IAM permissions to the External Team on the acme-raw-data project
- B. Create Virtual Private Cloud (VPC) firewall rules on the acme-raw-data project that deny all Ingress traffic from the External Team CIDR range

- C. Create a VPC Service Controls perimeter containing both protects and BigQuery as a restricted API Add the External Team users to the perimeter's Access Level
- D. Create a VPC Service Controls perimeter containing both protects and Cloud Storage as a restricted AP
- E. Add the Development Team users to the perimeter's Access Level

**Answer: C**

#### NEW QUESTION 219

- (Exam Topic 6)

You are developing an application on Google Cloud that will automatically generate subject labels for users' blog posts. You are under competitive pressure to add this feature quickly, and you have no additional developer resources. No one on your team has experience with machine learning. What should you do?

- A. Call the Cloud Natural Language API from your applicatio
- B. Process the generated Entity Analysis as labels.
- C. Call the Cloud Natural Language API from your applicatio
- D. Process the generated Sentiment Analysis as labels.
- E. Build and train a text classification model using TensorFlow
- F. Deploy the model using Cloud MachineLearning Engin
- G. Call the model from your application and process the results as labels.
- H. Build and train a text classification model using TensorFlow
- I. Deploy the model using a Kubernetes Engine cluste
- J. Call the model from your application and process the results as labels.

**Answer: B**

#### NEW QUESTION 221

- (Exam Topic 6)

You are designing an Apache Beam pipeline to enrich data from Cloud Pub/Sub with static reference data from BigQuery. The reference data is small enough to fit in memory on a single worker. The pipeline should write enriched results to BigQuery for analysis. Which job type and transforms should this pipeline use?

- A. Batch job, PubSubIO, side-inputs
- B. Streaming job, PubSubIO, JdbcIO, side-outputs
- C. Streaming job, PubSubIO, BigQueryIO, side-inputs
- D. Streaming job, PubSubIO, BigQueryIO, side-outputs

**Answer: C**

#### NEW QUESTION 225

- (Exam Topic 6)

You have a query that filters a BigQuery table using a WHERE clause on timestamp and ID columns. By using bq query --dry\_run you learn that the query triggers a full scan of the table, even though the filter on timestamp and ID select a tiny fraction of the overall data. You want to reduce the amount of data scanned by BigQuery with minimal changes to existing SQL queries. What should you do?

- A. Create a separate table for each ID.
- B. Use the LIMIT keyword to reduce the number of rows returned.
- C. Recreate the table with a partitioning column and clustering column.
- D. Use the bq query -maximum\_bytes\_billed flag to restrict the number of bytes billed.

**Answer: C**

#### NEW QUESTION 230

- (Exam Topic 6)

As your organization expands its usage of GCP, many teams have started to create their own projects. Projects are further multiplied to accommodate different stages of deployments and target audiences. Each project requires unique access control configurations. The central IT team needs to have access to all projects. Furthermore, data from Cloud Storage buckets and BigQuery datasets must be shared for use in other projects in an ad hoc way. You want to simplify access control management by minimizing the number of policies. Which two steps should you take? Choose 2 answers.

- A. Use Cloud Deployment Manager to automate access provision.
- B. Introduce resource hierarchy to leverage access control policy inheritance.
- C. Create distinct groups for various teams, and specify groups in Cloud IAM policies.
- D. Only use service accounts when sharing data for Cloud Storage buckets and BigQuery datasets.
- E. For each Cloud Storage bucket or BigQuery dataset, decide which projects need acces
- F. Find all the active members who have access to these projects, and create a Cloud IAM policy to grant access to all these users.

**Answer: AC**

#### NEW QUESTION 231

- (Exam Topic 6)

You launched a new gaming app almost three years ago. You have been uploading log files from the previous day to a separate Google BigQuery table with the table name format LOGS\_yyyymmdd. You have been using table wildcard functions to generate daily and monthly reports for all time ranges. Recently, you discovered that some queries that cover long date ranges are exceeding the limit of 1,000 tables and failing. How can you resolve this issue?

- A. Convert all daily log tables into date-partitioned tables
- B. Convert the sharded tables into a single partitioned table
- C. Enable query caching so you can cache data from previous months
- D. Create separate views to cover each month, and query from these views

**Answer: A**

#### NEW QUESTION 233

- (Exam Topic 6)

You are implementing several batch jobs that must be executed on a schedule. These jobs have many interdependent steps that must be executed in a specific order. Portions of the jobs involve executing shell scripts, running Hadoop jobs, and running queries in BigQuery. The jobs are expected to run for many minutes up to several hours. If the steps fail, they must be retried a fixed number of times. Which service should you use to manage the execution of these jobs?

- A. Cloud Scheduler
- B. Cloud Dataflow
- C. Cloud Functions
- D. Cloud Composer

**Answer: A**

#### NEW QUESTION 236

- (Exam Topic 6)

Your company receives both batch- and stream-based event data. You want to process the data using Google Cloud Dataflow over a predictable time period. However, you realize that in some instances data can arrive late or out of order. How should you design your Cloud Dataflow pipeline to handle data that is late or out of order?

- A. Set a single global window to capture all the data.
- B. Set sliding windows to capture all the lagged data.
- C. Use watermarks and timestamps to capture the lagged data.
- D. Ensure every datasource type (stream or batch) has a timestamp, and use the timestamps to define the logic for lagged data.

**Answer: B**

#### NEW QUESTION 237

- (Exam Topic 6)

You have a petabyte of analytics data and need to design a storage and processing platform for it. You must be able to perform data warehouse-style analytics on the data in Google Cloud and expose the dataset as files for batch analysis tools in other cloud providers. What should you do?

- A. Store and process the entire dataset in BigQuery.
- B. Store and process the entire dataset in Cloud Bigtable.
- C. Store the full dataset in BigQuery, and store a compressed copy of the data in a Cloud Storage bucket.
- D. Store the warm data as files in Cloud Storage, and store the active data in BigQuery.
- E. Keep this ratio as 80% warm and 20% active.

**Answer: C**

#### NEW QUESTION 242

- (Exam Topic 6)

You are a retailer that wants to integrate your online sales capabilities with different in-home assistants, such as Google Home. You need to interpret customer voice commands and issue an order to the backend systems. Which solutions should you choose?

- A. Cloud Speech-to-Text API
- B. Cloud Natural Language API
- C. Dialogflow Enterprise Edition
- D. Cloud AutoML Natural Language

**Answer: C**

#### NEW QUESTION 247

- (Exam Topic 6)

Data Analysts in your company have the Cloud IAM Owner role assigned to them in their projects to allow them to work with multiple GCP products in their projects. Your organization requires that all BigQuery data access logs be retained for 6 months. You need to ensure that only audit personnel in your company can access the data access logs for all projects. What should you do?

- A. Enable data access logs in each Data Analyst's project
- B. Restrict access to Stackdriver Logging via Cloud IAM roles.
- C. Export the data access logs via a project-level export sink to a Cloud Storage bucket in the Data Analysts' project
- D. Restrict access to the Cloud Storage bucket.
- E. Export the data access logs via a project-level export sink to a Cloud Storage bucket in a newly created project for audit log
- F. Restrict access to the project with the exported logs.
- G. Export the data access logs via an aggregated export sink to a Cloud Storage bucket in a newly created project for audit log
- H. Restrict access to the project that contains the exported logs.

**Answer: D**

#### NEW QUESTION 252

- (Exam Topic 6)

You are using Cloud Bigtable to persist and serve stock market data for each of the major indices. To serve the trading application, you need to access only the most recent stock prices that are streaming in. How should you design your row key and tables to ensure that you can access the data with the most simple query?

- A. Create one unique table for all of the indices, and then use the index and timestamp as the row key design
- B. Create one unique table for all of the indices, and then use a reverse timestamp as the row key design.
- C. For each index, have a separate table and use a timestamp as the row key design
- D. For each index, have a separate table and use a reverse timestamp as the row key design

**Answer:** A

**NEW QUESTION 257**

- (Exam Topic 6)

You operate a database that stores stock trades and an application that retrieves average stock price for a given company over an adjustable window of time. The data is stored in Cloud Bigtable where the datetime of the stock trade is the beginning of the row key. Your application has thousands of concurrent users, and you notice that performance is starting to degrade as more stocks are added. What should you do to improve the performance of your application?

- A. Change the row key syntax in your Cloud Bigtable table to begin with the stock symbol.
- B. Change the row key syntax in your Cloud Bigtable table to begin with a random number per second.
- C. Change the data pipeline to use BigQuery for storing stock trades, and update your application.
- D. Use Cloud Dataflow to write summary of each day's stock trades to an Avro file on Cloud Storage. Update your application to read from Cloud Storage and Cloud Bigtable to compute the responses.

**Answer:** A

**NEW QUESTION 258**

- (Exam Topic 6)

You plan to deploy Cloud SQL using MySQL. You need to ensure high availability in the event of a zone failure. What should you do?

- A. Create a Cloud SQL instance in one zone, and create a failover replica in another zone within the same region.
- B. Create a Cloud SQL instance in one zone, and create a read replica in another zone within the same region.
- C. Create a Cloud SQL instance in one zone, and configure an external read replica in a zone in a different region.
- D. Create a Cloud SQL instance in a region, and configure automatic backup to a Cloud Storage bucket in the same region.

**Answer:** C

**NEW QUESTION 259**

- (Exam Topic 6)

Your neural network model is taking days to train. You want to increase the training speed. What can you do?

- A. Subsample your test dataset.
- B. Subsample your training dataset.
- C. Increase the number of input features to your model.
- D. Increase the number of layers in your neural network.

**Answer:** D

**Explanation:**

Reference: <https://towardsdatascience.com/how-to-increase-the-accuracy-of-a-neural-network-9f5d1c6f407d>

**NEW QUESTION 262**

- (Exam Topic 6)

You need to create a data pipeline that copies time-series transaction data so that it can be queried from within BigQuery by your data science team for analysis. Every hour, thousands of transactions are updated with a new status. The size of the initial dataset is 1.5 PB, and it will grow by 3 TB per day. The data is heavily structured, and your data science team will build machine learning models based on this data. You want to maximize performance and usability for your data science team. Which two strategies should you adopt? Choose 2 answers.

- A. Denormalize the data as much as possible.
- B. Preserve the structure of the data as much as possible.
- C. Use BigQuery UPDATE to further reduce the size of the dataset.
- D. Develop a data pipeline where status updates are appended to BigQuery instead of updated.
- E. Copy a daily snapshot of transaction data to Cloud Storage and store it as an Avro file.
- F. Use BigQuery's support for external data sources to query.

**Answer:** AE

**NEW QUESTION 263**

- (Exam Topic 6)

You are building an application to share financial market data with consumers, who will receive data feeds. Data is collected from the markets in real time. Consumers will receive the data in the following ways:

- > Real-time event stream
- > ANSI SQL access to real-time stream and historical data
- > Batch historical exports

Which solution should you use?

- A. Cloud Dataflow, Cloud SQL, Cloud Spanner
- B. Cloud Pub/Sub, Cloud Storage, BigQuery
- C. Cloud Dataproc, Cloud Dataflow, BigQuery
- D. Cloud Pub/Sub, Cloud Dataproc, Cloud SQL

**Answer:** A

**NEW QUESTION 265**

- (Exam Topic 6)

An aerospace company uses a proprietary data format to store its night data. You need to connect this new data source to BigQuery and stream the data into

BigQuery. You want to efficiency import the data into BigQuery where consuming as few resources as possible. What should you do?

- A. Use a standard Dataflow pipeline to store the raw data m BigQuery and then transform the format later when the data is used
- B. Write a she script that triggers a Cloud Function that performs periodic ETL batch jobs on the new data source
- C. Use Apache Hive to write a Dataproc job that streams the data into BigQuery in CSV format
- D. Use an Apache Beam custom connector to write a Dataflow pipeline that streams the data into BigQuery in Avro format

**Answer: D**

#### NEW QUESTION 269

- (Exam Topic 6)

You want to rebuild your batch pipeline for structured data on Google Cloud You are using PySpark to conduct data transformations at scale, but your pipelines are taking over twelve hours to run To expedite development and pipeline run time, you want to use a serverless tool and SQL syntax You have already moved your raw data into Cloud Storage How should you build the pipeline on Google Cloud while meeting speed and processing requirements?

- A. Convert your PySpark commands into SparkSQL queries to transform the data; and then run your pipeline on Dataproc to write the data into BigQuery
- B. Ingest your data into Cloud SQL, convert your PySpark commands into SparkSQL queries to transform the data, and then use federated queries from BigQuery for machine learning.
- C. Ingest your data into BigQuery from Cloud Storage, convert your PySpark commands into BigQuery SQL queries to transform the data, and then write the transformations to a new table
- D. Use Apache Beam Python SDK to build the transformation pipelines, and write the data into BigQuery

**Answer: A**

#### NEW QUESTION 273

- (Exam Topic 6)

You want to migrate an on-premises Hadoop system to Cloud Dataproc. Hive is the primary tool in use, and the data format is Optimized Row Columnar (ORC). All ORC files have been successfully copied to a Cloud Storage bucket. You need to replicate some data to the cluster's local Hadoop Distributed File System (HDFS) to maximize performance. What are two ways to start using Hive in Cloud Dataproc? (Choose two.)

- A. Run the gsutil utility to transfer all ORC files from the Cloud Storage bucket to HDF
- B. Mount the Hive tables locally.
- C. Run the gsutil utility to transfer all ORC files from the Cloud Storage bucket to any node of the Dataproc cluste
- D. Mount the Hive tables locally.
- E. Run the gsutil utility to transfer all ORC files from the Cloud Storage bucket to the master node of the Dataproc cluste
- F. Then run the Hadoop utility to copy them do HDF
- G. Mount the Hive tables from HDFS.
- H. Leverage Cloud Storage connector for Hadoop to mount the ORC files as external Hive table
- I. Replicate external Hive tables to the native ones.
- J. Load the ORC files into BigQuer
- K. Leverage BigQuery connector for Hadoop to mount the BigQuery tables as external Hive table
- L. Replicate external Hive tables to the native ones.

**Answer: BC**

#### NEW QUESTION 274

- (Exam Topic 6)

You work for a global shipping company. You want to train a model on 40 TB of data to predict which ships in each geographic region are likely to cause delivery delays on any given day. The model will be based on multiple attributes collected from multiple sources. Telemetry data, including location in GeoJSON format, will be pulled from each ship and loaded every hour. You want to have a dashboard that shows how many and which ships are likely to cause delays within a region. You want to use a storage solution that has native functionality for prediction and geospatial processing. Which storage solution should you use?

- A. BigQuery
- B. Cloud Bigtable
- C. Cloud Datastore
- D. Cloud SQL for PostgreSQL

**Answer: A**

#### NEW QUESTION 277

- (Exam Topic 6)

You are designing a cloud-native historical data processing system to meet the following conditions:

- The data being analyzed is in CSV, Avro, and PDF formats and will be accessed by multiple analysis tools including Cloud Dataproc, BigQuery, and Compute Engine.
- A streaming data pipeline stores new data daily.
- Peformance is not a factor in the solution.
- The solution design should maximize availability.

How should you design data storage for this solution?

- A. Create a Cloud Dataproc cluster with high availabilit
- B. Store the data in HDFS, and peform analysis as needed.
- C. Store the data in BigQuer
- D. Access the data using the BigQuery Connector or Cloud Dataproc and Compute Engine.
- E. Store the data in a regional Cloud Storage bucke
- F. Aecess the bucket directly using Cloud Dataproc, BigQuery, and Compute Engine.
- G. Store the data in a multi-regional Cloud Storage bucke
- H. Access the data directly using Cloud Dataproc, BigQuery, and Compute Engine.

Answer: D

#### NEW QUESTION 279

- (Exam Topic 6)

A data scientist has created a BigQuery ML model and asks you to create an ML pipeline to serve predictions. You have a REST API application with the requirement to serve predictions for an individual user ID with latency under 100 milliseconds. You use the following query to generate predictions: `SELECT predicted_label, user_id FROM ML.PREDICT (MODEL 'dataset.model', table user_features)`. How should you create the ML pipeline?

- A. Add a WHERE clause to the query, and grant the BigQuery Data Viewer role to the application service account.
- B. Create an Authorized View with the provided query
- C. Share the dataset that contains the view with the application service account.
- D. Create a Cloud Dataflow pipeline using BigQueryIO to read results from the query
- E. Grant the Dataflow Worker role to the application service account.
- F. Create a Cloud Dataflow pipeline using BigQueryIO to read predictions for all users from the query. Write the results to Cloud Bigtable using BigtableIO
- G. Grant the Bigtable Reader role to the application service account so that the application can read predictions for individual users from Cloud Bigtable.

Answer: D

#### NEW QUESTION 284

- (Exam Topic 6)

You are developing an application that uses a recommendation engine on Google Cloud. Your solution should display new videos to customers based on past views. Your solution needs to generate labels for the entities in videos that the customer has viewed. Your design must be able to provide very fast filtering suggestions based on data from other customer preferences on several TB of data. What should you do?

- A. Build and train a complex classification model with Spark MLlib to generate labels and filter the results. Deploy the models using Cloud Dataproc
- B. Call the model from your application.
- C. Build and train a classification model with Spark MLlib to generate labels
- D. Build and train a second classification model with Spark MLlib to filter results to match customer preference
- E. Deploy the models using Cloud Dataproc
- F. Call the models from your application.
- G. Build an application that calls the Cloud Video Intelligence API to generate labels
- H. Store data in Cloud Bigtable, and filter the predicted labels to match the user's viewing history to generate preferences.
- I. Build an application that calls the Cloud Video Intelligence API to generate labels
- J. Store data in Cloud SQL, and join and filter the predicted labels to match the user's viewing history to generate preferences.

Answer: C

#### NEW QUESTION 286

- (Exam Topic 6)

You used Cloud Dataprep to create a recipe on a sample of data in a BigQuery table. You want to reuse this recipe on a daily upload of data with the same schema, after the load job with variable execution time completes. What should you do?

- A. Create a cron schedule in Cloud Dataprep.
- B. Create an App Engine cron job to schedule the execution of the Cloud Dataprep job.
- C. Export the recipe as a Cloud Dataprep template, and create a job in Cloud Scheduler.
- D. Export the Cloud Dataprep job as a Cloud Dataflow template, and incorporate it into a Cloud Composer job.

Answer: D

#### NEW QUESTION 288

- (Exam Topic 6)

You need to move 2 PB of historical data from an on-premises storage appliance to Cloud Storage within six months, and your outbound network capacity is constrained to 20 Mb/sec. How should you migrate this data to Cloud Storage?

- A. Use Transfer Appliance to copy the data to Cloud Storage
- B. Use `gsutil cp -J` to compress the content being uploaded to Cloud Storage
- C. Create a private URL for the historical data, and then use Storage Transfer Service to copy the data to Cloud Storage
- D. Use trickle or ionice along with `gsutil cp` to limit the amount of bandwidth `gsutil` utilizes to less than 20 Mb/sec so it does not interfere with the production traffic

Answer: A

#### NEW QUESTION 292

- (Exam Topic 6)

You have uploaded 5 years of log data to Cloud Storage. A user reported that some data points in the log data are outside of their expected ranges, which indicates errors. You need to address this issue and be able to run the process again in the future while keeping the original data for compliance reasons. What should you do?

- A. Import the data from Cloud Storage into BigQuery. Create a new BigQuery table, and skip the rows with errors.
- B. Create a Compute Engine instance and create a new copy of the data in Cloud Storage. Skip the rows with errors.
- C. Create a Cloud Dataflow workflow that reads the data from Cloud Storage, checks for values outside the expected range, sets the value to an appropriate default, and writes the updated records to a new dataset in Cloud Storage.
- D. Create a Cloud Dataflow workflow that reads the data from Cloud Storage, checks for values outside the expected range, sets the value to an appropriate default, and writes the updated records to the same dataset in Cloud Storage.

Answer: D

#### NEW QUESTION 297

- (Exam Topic 6)

Your company is implementing a data warehouse using BigQuery, and you have been tasked with designing the data model. You move your on-premises sales data warehouse with a star data schema to BigQuery but notice performance issues when querying the data of the past 30 days. Based on Google's recommended practices, what should you do to speed up the query without increasing storage costs?

- A. Denormalize the data
- B. Shard the data by customer ID
- C. Materialize the dimensional data in views
- D. Partition the data by transaction date

**Answer: C**

#### NEW QUESTION 298

- (Exam Topic 6)

You work for a manufacturing company that sources up to 750 different components, each from a different supplier. You've collected a labeled dataset that has on average 1000 examples for each unique component. Your team wants to implement an app to help warehouse workers recognize incoming components based on a photo of the component. You want to implement the first working version of this app (as Proof-Of-Concept) within a few working days. What should you do?

- A. Use Cloud Vision AutoML with the existing dataset.
- B. Use Cloud Vision AutoML, but reduce your dataset twice.
- C. Use Cloud Vision API by providing custom labels as recognition hints.
- D. Train your own image recognition model leveraging transfer learning techniques.

**Answer: A**

#### NEW QUESTION 299

- (Exam Topic 6)

Your United States-based company has created an application for assessing and responding to user actions. The primary table's data volume grows by 250,000 records per second. Many third parties use your application's APIs to build the functionality into their own frontend applications. Your application's APIs should comply with the following requirements:

- > Single global endpoint
- > ANSI SQL support
- > Consistent access to the most up-to-date data

What should you do?

- A. Implement BigQuery with no region selected for storage or processing.
- B. Implement Cloud Spanner with the leader in North America and read-only replicas in Asia and Europe.
- C. Implement Cloud SQL for PostgreSQL with the master in North America and read replicas in Asia and Europe.
- D. Implement Cloud Bigtable with the primary cluster in North America and secondary clusters in Asia and Europe.

**Answer: B**

#### NEW QUESTION 302

- (Exam Topic 6)

Your company is currently setting up data pipelines for their campaign. For all the Google Cloud Pub/Sub streaming data, one of the important business requirements is to be able to periodically identify the inputs and their timings during their campaign. Engineers have decided to use windowing and transformation in Google Cloud Dataflow for this purpose. However, when testing this feature, they find that the Cloud Dataflow job fails for all streaming inserts. What is the most likely cause of this problem?

- A. They have not assigned the timestamp, which causes the job to fail
- B. They have not set the triggers to accommodate the data coming in late, which causes the job to fail
- C. They have not applied a global windowing function, which causes the job to fail when the pipeline is created
- D. They have not applied a non-global windowing function, which causes the job to fail when the pipeline is created

**Answer: C**

#### NEW QUESTION 307

- (Exam Topic 6)

You have developed three data processing jobs. One executes a Cloud Dataflow pipeline that transforms data uploaded to Cloud Storage and writes results to BigQuery. The second ingests data from on-premises servers and uploads it to Cloud Storage. The third is a Cloud Dataflow pipeline that gets information from third-party data providers and uploads the information to Cloud Storage. You need to be able to schedule and monitor the execution of these three workflows and manually execute them when needed. What should you do?

- A. Create a Direct Acyclic Graph in Cloud Composer to schedule and monitor the jobs.
- B. Use Stackdriver Monitoring and set up an alert with a Webhook notification to trigger the jobs.
- C. Develop an App Engine application to schedule and request the status of the jobs using GCP API calls.
- D. Set up cron jobs in a Compute Engine instance to schedule and monitor the pipelines using GCP API calls.

**Answer: D**

#### NEW QUESTION 312

- (Exam Topic 6)

You want to analyze hundreds of thousands of social media posts daily at the lowest cost and with the fewest steps. You have the following requirements:

- > You will batch-load the posts once per day and run them through the Cloud Natural Language API.
- > You will extract topics and sentiment from the posts.

- > You must store the raw posts for archiving and reprocessing.
- > You will create dashboards to be shared with people both inside and outside your organization.

You need to store both the data extracted from the API to perform analysis as well as the raw social media posts for historical archiving. What should you do?

- A. Store the social media posts and the data extracted from the API in BigQuery.
- B. Store the social media posts and the data extracted from the API in Cloud SQL.
- C. Store the raw social media posts in Cloud Storage, and write the data extracted from the API into BigQuery.
- D. Feed to social media posts into the API directly from the source, and write the extracted data from the API into BigQuery.

**Answer:** D

#### NEW QUESTION 316

- (Exam Topic 6)

You are designing storage for two relational tables that are part of a 10-TB database on Google Cloud. You want to support transactions that scale horizontally. You also want to optimize data for range queries on nonkey columns. What should you do?

- A. Use Cloud SQL for storag
- B. Add secondary indexes to support query patterns.
- C. Use Cloud SQL for storag
- D. Use Cloud Dataflow to transform data to support query patterns.
- E. Use Cloud Spanner for storag
- F. Add secondary indexes to support query patterns.
- G. Use Cloud Spanner for storag
- H. Use Cloud Dataflow to transform data to support query patterns.

**Answer:** D

#### Explanation:

Reference: <https://cloud.google.com/solutions/data-lifecycle-cloud-platform>

#### NEW QUESTION 318

- (Exam Topic 6)

You've migrated a Hadoop job from an on-premises cluster to Dataproc and Good Storage. Your Spark job is a complex analytical workload fiat consists of many shuffling operations, and initial data are parquet toes (on average 200-400 MB size each) You see some degradation in performance after the migration to Dataproc so you'd like to optimize for it. Your organization is very cost-sensitive so you'd Idee to continue using Dataproc on preemptibles (with 2 non-preemptibles workers only) for this workload. What should you do?

- A. Switch from HODs to SSDs override the preemptible VMs configuration to increase the boot disk size
- B. Increase the see of your parquet files to ensure them to be 1 GB minimum
- C. Switch to TFRecords format (appr 200 MB per We) instead of parquet files
- D. Switch from HDDs to SSD
- E. copy initial data from Cloud Storage to Hadoop Distributed File System (HDFS) run the Spark job and copy results back to Cloud Storage

**Answer:** A

#### NEW QUESTION 323

- (Exam Topic 6)

You currently have a single on-premises Kafka cluster in a data center in the us-east region that is responsible for ingesting messages from IoT devices globally. Because large parts of globe have poor internet connectivity, messages sometimes batch at the edge, come in all at once, and cause a spike in load on your Kafka cluster. This is becoming difficult to manage and prohibitively expensive. What is the Google-recommended cloud native architecture for this scenario?

- A. Edge TPUs as sensor devices for storing and transmitting the messages.
- B. Cloud Dataflow connected to the Kafka cluster to scale the processing of incoming messages.
- C. An IoT gateway connected to Cloud Pub/Sub, with Cloud Dataflow to read and process the messages from Cloud Pub/Sub.
- D. A Kafka cluster virtualized on Compute Engine in us-east with Cloud Load Balancing to connect to the devices around the world.

**Answer:** C

#### NEW QUESTION 327

- (Exam Topic 6)

You want to archive data in Cloud Storage. Because some data is very sensitive, you want to use the "Trust No One" (TNO) approach to encrypt your data to prevent the cloud provider staff from decrypting your data. What should you do?

- A. Use gcloud kms keys create to create a symmetric ke
- B. Then use gcloud kms encrypt to encrypt each archival file with the key and unique additional authenticated data (AAD). Use gsutil cp to upload each encrypted file to the Cloud Storage bucket, and keep the AAD outside of Google Cloud.
- C. Use gcloud kms keys create to create a symmetric ke
- D. Then use gcloud kms encrypt to encrypt each archival file with the ke
- E. Use gsutil cp to upload each encrypted file to the Cloud Storage bucke
- F. Manually destroy the key previously used for encryption, and rotate the key once and rotate the key once.
- G. Specify customer-supplied encryption key (CSEK) in the .boto configuration fil
- H. Use gsutil cp to upload each archival file to the Cloud Storage bucke
- I. Save the CSEK in Cloud Memorystore as permanent storage of the secret.
- J. Specify customer-supplied encryption key (CSEK) in the .boto configuration fil
- K. Use gsutil cp to upload each archival file to the Cloud Storage bucke
- L. Save the CSEK in a different project that only the security team can access.

Answer: B

NEW QUESTION 328

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### Professional-Data-Engineer Practice Exam Features:

- \* Professional-Data-Engineer Questions and Answers Updated Frequently
- \* Professional-Data-Engineer Practice Questions Verified by Expert Senior Certified Staff
- \* Professional-Data-Engineer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* Professional-Data-Engineer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The Professional-Data-Engineer Practice Test Here](#)**