

Microsoft

Exam Questions MS-203

Microsoft 365 Messaging



NEW QUESTION 1

- (Topic 5)

You have an Exchange Online tenant.

You need to ensure that the users in your company's finance department can select email messages that will be deleted automatically one year later. The solution must apply only to the finance department users.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Publish a label to the finance department.
- B. Create a data loss prevention (DLP) policy that uses the sensitive information type.
- C. For each mailbox in the finance department, configure the retention policy settings.
- D. Create a label that has a retention setting of one year.
- E. For each mailbox in the finance department, configure Message Delivery Restrictions.

Answer: AD

Explanation:

Create a retention label and publish it to the finance department users.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide>

NEW QUESTION 2

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online subscription that uses a namespace of litwareinc.com.

You create a connector in Exchange Online that is configured as shown in the following exhibit.

Name	: Contoso
Enabled	: True
UseMXRecord	: True
ConnectorType	: Partner
RecipientDomains	: {Contoso.com}
SmartHosts	: {}
TlsDomain	: Contoso.com
TlsSettings	: DomainValidation
IsTransportRuleScoped	: False
RouteAllMessagesViaOnPremises	: False
CloudServiceMailEnabled	: False
AllAcceptedDomains	: False

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

If an email message is sent to info@contoso.com, the message [answer choice].

▼

will always be delivered by using TLS

will never be delivered by using TLS

will sometimes be delivered by using TLS

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

▼

the message will be delivered unencrypted

the messages will not be delivered

the message will be delivered by using TLS

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

If an email message is sent to info@contoso.com, the message [answer choice].

▼
will always be delivered by using TLS
will never be delivered by using TLS
will sometimes be delivered by using TLS

If a user attempts to send an email message to info@contoso.com, and the receiving server does not have a certificate that contains the name contoso.com, [answer choice].

▼
the message will be delivered unencrypted
the messages will not be delivered
the message will be delivered by using TLS

NEW QUESTION 3

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named @contoso.com. You recently configured Microsoft 365 to use a new email domain named @fabrikam.com instead of @contoso.com. Users report that when they send email messages to external recipients, the messages are often erroneously identified as SPAM. You verify that all the users can receive email successfully from other companies. You need to reduce the likelihood that the email will be identified as SPAM by the external recipients. What should you modify?

- A. a text (TXT) record
- B. a mail flow rule
- C. a remote domain
- D. a safe attachments policy
- E. a mail exchanger (MX) record

Answer: B

NEW QUESTION 4

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2. The company has the departments shown in the following table.

Name	Mailbox location	Number of recipients
Sales	MBX1	300
Production	MBX2	500
Administration	MBX1	200
IT	Exchange Online	50
Managers	Exchange Online	100
Marketing	Exchange Online	350

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups. You are informed that some sales department users send email messages that are identified as spam. You need to automatically block the sales department users from repeatedly sending spam. Solution: You modify the outbound spam filter policy in Exchange Online. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups. Therefore, the Exchange Online outbound spam filter will not scan the emails sent from the on-premises mailboxes.

NEW QUESTION 5

SIMULATION - (Topic 5)

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you

as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your tenant can only share calendar availability information with users in the tenant and users in a domain named contoso.com.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? From the Microsoft 365 admin center dashboard, go to Admin > Exchange.

? Go to Organization > Sharing.

? Under Organization Sharing, click New +.

? In new organization relationship, in the Relationship name box, type a friendly name for the organization relationship.

? In the Domains to share with box, type the domain for the external Microsoft 365, Office 365, or Exchange on-premises organization you want to let see your calendars. If you need to add more than one domain, you can do it after you create the organization relationship by editing it.

? Select the Enable calendar free/busy information sharing check box to turn on calendar sharing with the domains you listed. Set the sharing level for calendar free/busy information and set which users can share calendar free/busy information.

? To set the free/busy access level, select one of the following values:

- Calendar free/busy information with time only
- Calendar free/busy with time, subject, and location

To set which users will share calendar free/busy information, select one of the following values:

- Everyone in your organization
- A specified security group

? Click Browse to pick the security group from a list, then click OK.

? Click Save to create the organization relationship.

NEW QUESTION 6

DRAG DROP - (Topic 5)

Your company has three departments name Dept1, Dept2. and Dept3 and a Microsoft Exchange Online tenant.

You need to increase security for the email messages sent from the departments. The solution must meet the following requirements:

« Users in Dept1 must be able to digitally sign and encrypt email messages as required.

+ Email messages sent from Dept2 to an external email domain must be encrypted automatically during transit only.

« Email messages sent from Dept3 to an external email domain must be encrypted until the recipient opens the message.

« Implementation costs must be minimized.

'Which type of encryption should you use for each department? To answer, drag the appropriate encryption types to the correct departments. Each encryption type may be used

Encryption types

-
-
-
-

Answer Area

Dept1:

Dept2:

Dept3:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? Users in Dept1 should use S/MIME encryption1. S/MIME is a standard for public key encryption and signing of email messages1. It allows users to digitally sign and encrypt email messages as required using certificates1. S/MIME provides end-to-end encryption and ensures message integrity and sender authentication1.

? Email messages sent from Dept2 to an external email domain should use TLS encryption1. TLS is a protocol that encrypts the connection or session between two servers1. It protects email messages during transit only and does not require any action from the sender or recipient1. TLS provides opportunistic encryption and ensures message confidentiality and server authentication1.

? Email messages sent from Dept3 to an external email domain should use Microsoft Purview Message Encryption2. Microsoft Purview Message Encryption is an online service that encrypts email messages and attachments using rights management policies2. It allows users to send encrypted email messages to anyone inside or outside the organization using various email services2. Microsoft Purview Message Encryption provides persistent encryption and ensures message confidentiality and authorization policies2.

NEW QUESTION 7

- (Topic 5)

Your company has a partnership with another company named contoso.com. You need to ensure that all email messages containing the word sensitive and sent to the users at contoso.com are encrypted automatically. You enable Azure Information Protection. What should you do next?

- A. Create a data loss prevention (DLP) policy.
- B. Create a mail flow rule.
- C. Configure a remote domain.
- D. Configure an Outbound connector.

Answer: B

Explanation:

Reference:
<https://thevaliantway.com/2019/01/encrypting-email-office-365-azure-information-protection/>

NEW QUESTION 8

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365. You need to create a new Safe Attachments policy named Policy1 that meets the following requirements:

- ? Immediately delivers email messages that contain attachments and replaces the attachments with placeholders
- ? Reattaches the attachments after scanning is complete
- ? Quarantines malicious attachments

Which action should you select for Policy1?


- A. Monitor
- B. Block
- C. Dynamic Delivery
- D. Replace

Answer: C

NEW QUESTION 9

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 organization and a Microsoft 365 E5 subscription. From the Microsoft 365 admin center, you open Data migration as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

The Microsoft Office 365 Hybrid Configuration wizard [answer choice].

must be downloaded
was completed
was not run

The move mailboxes, the [answer choice] virtual directory must be available to Exchange Online.

Autodiscover
ecp
EWS
mapi
PowerShell

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://www.stellarinfo.com/blog/hybrid-migration-migrate-exchange-mailboxes-office-365/>

<https://www.kerneldatarecovery.com/blog/migrate-from-exchange-on-premises-to-exchange-online-in-hybrid-environment/>

NEW QUESTION 10

SIMULATION - (Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the email messages in mailboxes and the documents in Microsoft OneDrive folders of all the users in your organization are retained for

only five years.
To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? From the Microsoft 365 compliance center, select Policies > Retention.
? Select New retention policy to start the Create retention policy configuration, and name your new retention policy.
? For the Choose the type of retention policy to create page, select Static. Adaptive policies don't support the locations for Exchange public folders or Skype for Business.
? Depending on your selected scope:
- On the Choose locations page, toggle on or off any of the locations except the locations for Teams and Yammer. For each location, you can leave it at the default to apply the policy to the entire location.
? Information specific to locations:
- Exchange email and Exchange public folders
- SharePoint sites and OneDrive accounts
- Microsoft 365 Groups
- Skype for Business
? For Decide if you want to retain content, delete it, or both page, specify the configuration options for retaining and deleting content.
You can create a retention policy that just retains content without deleting, retains and then deletes after a specified period of time, or just deletes content after a specified period of time.
? Complete the configuration and save your settings.

NEW QUESTION 10

DRAG DROP - (Topic 5)

Your company has a Microsoft 365 subscription for a domain named contoso.com.

The company acquires a company named Litware, Inc. that uses an IMAP-based messaging system. The SMTP domain of Litware is named litwareinc.com.

You need to migrate the mailboxes of Litware to Microsoft Office 365. The solution must ensure that users from Litware can receive email by using their current email address.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

Add an accepted domain to Office 365.

Create a migration endpoint and a migration batch.

Create an Office 365 connector.

Start the migration batch.

Provision a mailbox in Office 365 for each Litware user.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Add an accepted domain to Office 365.	Add an accepted domain to Office 365.
Create a migration endpoint and a migration batch.	Provision a mailbox in Office 365 for each Litware user.
Create an Office 365 connector.	Create a migration endpoint and a migration batch.
Start the migration batch.	Start the migration batch.
Provision a mailbox in Office 365 for each Litware user.	

NEW QUESTION 15

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization. Users report that emails sent from Exchange Online mailboxes to the on-premises Exchange Server mailboxes are undelivered. You need to review the non-delivery report (NDR) for each undelivered email. What should you use?

- A. message trace in the Exchange admin center
- B. auditing in the Exchange admin center
- C. the SMTP protocol logs in Exchange Server
- D. the transport logs in Exchange Server

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/message- trace-faq>

NEW QUESTION 18

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You need to provide a user named User1 with the ability to create and manage transport rules. To which management role group should you add User1?

- A. Compliance Management
- B. Server Management
- C. Records Management
- D. Hygiene Management

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/records-management-exchange-2013-help>

NEW QUESTION 22

DRAG DROP - (Topic 5)


You have a Microsoft Exchange Online tenant. You need to create a new public folder. The solution must ensure that users can create new posts by sending emails to the folder. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order

Actions	Answer Area
Create a mail flow rule.	
Edit the properties of the public folder mailbox.	
Create a Microsoft 365 group.	
Create a public folder mailbox.	
Create a public folder.	
Edit the properties of the public folder.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 26

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement.

Solution: From the Exchange organization, you create a data loss prevention (DLP) policy. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-policies?view=o365-worldwide>

NEW QUESTION 29

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant that contains the users shown in the following table.

Name	Type	Assigned license
User1	Member	Microsoft 365 E3
User2	Member	Microsoft 365 E5
User3	Guest	None

You need to create audit retention policies to retain the mailbox activity of all the users. What is the maximum duration that you can set for each user? To answer, drag the appropriate duration values to the correct users. Each duration value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 31

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are migrated to Exchange Online. You need to migrate the public folders from the on-premises organizations to Exchange Online.

Which three actions should you perform in sequence before you create the migration batch? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From Exchange Online, create the target public folder mailboxes.	
From Exchange Online, run the Set-organizationConfig -RemotePublicFolderMailboxes \$Null -PublicFoldersEnabled Local command	
From Exchange on-premises, run the SetmailPublicFolderExternalAddress.ps1 script	
From Exchange on-premises, run the Export-ModernPublicFolderStatistics.ps1 script	
From Exchange on-premises, run the Set-OrganizationConfig -RemotePublicFolderMailboxes \$Null -PublicFoldersEnabled Local command	
From Exchange on-premises, run the ModernPublicFolderToMailboxMapgenerator.ps1 script.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019>
<https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019#step-3-generate-the-csv-files> <https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019#step-4-create-the-public-folder-mailboxes-in-exchange-online>

NEW QUESTION 33

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 server. The company has five departments. The server contains one mailbox database for each department. Each mailbox database contains all the users in its respective department. The databases contain 1,000 users.

You create an address book policy for each department. You need to assign the address book policies to the users. Which cmdlet should you run?

- A. Set-Mailbox
- B. Set-AddressList
- C. Set-MailboxDatabase
- D. Sec-AddressBookPolicy

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/assign-an-address-book-policy-to-mail-users>

NEW QUESTION 37

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains three users named User1, User2, and User3.

Mobile device mailbox policies are configured as shown in the following exhibit.

mobile device access mobile device mailbox policies

NAME	MODIFIED
Default (default)	9/28/2020 8:06 AM
Executive policy	9/28/2020 8:07 AM
Managers policy	9/28/2020 8:07 AM

The users are configured as shown in the following table.

Name	Assigned policy
User1	Executive policy
User2	Managers policy
User3	Default

You create a new mobile device mailbox policy as shown in the following exhibit.

new mobile device mailbox policy

*Required fields

*Name:

Mobile Tablet Policy

- This is the default policy
- Allow mobile devices that don't fully support these policies to synchronize

Policies for Exchange ActiveSync and OWA for Devices

Select the policies that you want to enable for Exchange ActiveSync and OWA for Devices. [Learn more](#)

- Require a password
 - Allow simple passwords
 - Require an alphanumeric password
 - Password must include this many character sets:
 - 2
 - Require encryption on device
 - Minimum password length:
 - 6
 - Number of sign-in failures before device is wiped:
 - 5
 - Require sign-in after the device has been inactive for (minutes):
 - minutes
 - Enforce password lifetime (days):
 - 30 days
- Password recycle count:
 - 10

Save Cancel

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
Mobile Tablet Policy will be assigned to User3 automatically.	<input type="radio"/>	<input type="radio"/>
A new user can use a password of 135753.	<input type="radio"/>	<input type="radio"/>
Mobile Tablet Policy will be assigned to new users.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
Mobile Tablet Policy will be assigned to User3 automatically.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
A new user can use a password of 135753.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Mobile Tablet Policy will be assigned to new users.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

NEW QUESTION 40

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a group named Tier1ServiceDesk.

You have an Azure AD administrative unit named US that contains only users in the United States.

You need to ensure that Tier1ServiceDesk can manage recipient email addresses for only the users in US. The solution must use the principle of least privilege.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 43

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 must perform the following tasks:

- Manage audit logs.
- Track email messages in the Exchange organization.
- Manage transport rules for the Exchange organization.

You need to recommend to which role group to add User1. The solution must follow the principle of least privilege. What should you recommend?

- A. Security Administrator
- B. Organization Management
- C. Compliance Management
- D. Security Operator

Answer: C

NEW QUESTION 48

- (Topic 5)

You have a Microsoft Exchange Online tenant.

You plan to place a hold on all email messages stored in the mailbox of a user named User1.

What should you create first?

- A. an eDiscovery case
- B. sensitive info type
- C. a data loss prevention (DLP) policy
- D. an information barrier segment

Answer: A

Explanation:

You can use an eDiscovery case to create and manage eDiscovery holds that can be applied to user mailboxes and other content locations in Microsoft Purview1. You can also use an eDiscovery case to search for and export content from mailboxes and other locations1.

An eDiscovery case is different from a Litigation Hold, which is a hold that is applied to user mailboxes in Exchange Online1. A Litigation Hold isn't identified by a GUID1.

A sensitive info type is a predefined or custom entity that can be used to identify and protect sensitive data in Microsoft Purview2. It is not related to placing a hold on email messages.

A data loss prevention (DLP) policy is a policy that helps prevent the accidental or intentional sharing of sensitive information outside your organization2. It is not

related to placing a hold on email messages.

An information barrier segment is a group of users who are allowed or blocked from communicating with each other in Microsoft Teams or SharePoint Online2. It is not related to placing a hold on email messages.

NEW QUESTION 50

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

The recovery options for a user named User1 are configured as shown in the following exhibit.

```
[PS] C:\Windows\system32>Get-Mailbox User1 | fl RetainDeletedItemsFor,
RetainDeletedItemsUntilBackup, SingleItemRecoveryEnabled, Database

RetainDeletedItemsFor      : 14.00:00:00
RetainDeletedItemsUntilBackup : False
SingleItemRecoveryEnabled  : False
Database                   : MD001

[PS] C:\Windows\system32>Get-MailboxDatabase MD001 | fl
DeletedItemRetention, RetainDeletedItemsUntilBackup

DeletedItemRetention       : 30.00:00:00
RetainDeletedItemsUntilBackup : False
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Email messages that are soft deleted by User1 will be available for the user to recover [answer choice].

for 14 days
for 30 days
until a backup occurs 14 days after the deletion
until a backup occurs 30 days after the deletion

When email messages are hard deleted by User1, [answer choice] restoring from a backup.

only an administrator can recover the messages without
an administrator or User1 can recover the messages without
the messages can be recovered only by

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Email messages that are soft deleted by User1 will be available for the user to recover [answer choice].

for 14 days
for 30 days
until a backup occurs 14 days after the deletion
until a backup occurs 30 days after the deletion

When email messages are hard deleted by User1, [answer choice] restoring from a backup.

only an administrator can recover the messages without
an administrator or User1 can recover the messages without
the messages can be recovered only by

NEW QUESTION 55

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization that uses an Edge Server.

You plan to implement a hybrid deployment between Exchange Online and Exchange Server.

You need to ensure that all the email between Exchange Online and Exchange Server 2019 is sent by using the Edge Server.

Which two hybrid configuration topologies could you deploy to meet the requirements? Each correct answer presents a complete solution.

- A. Modern Minimal
- B. Classic Minimal
- C. Classic Full
- D. Classic Express
- E. Modern Full

Answer: CE

Explanation:

Reference:

<https://www.enowsoftware.com/solutions-engine/what-are-your-exchange-hybrid-options>

NEW QUESTION 60

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating public folder data to Exchange Online by using a migration batch of the PublicFolder type.

You need to identify the sync status of each move request in the batch. Which cmdlet should you run?

- A. Gec-PublicFolderMailboxMigrationRequest
- B. Get-PublicFolderMigrationRequest
- C. Gec-PublicFolderMoveRequest
- D. Gee-MoveRequest

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-publicfoldermailboxmigrationrequest?view=exchange-ps>

NEW QUESTION 61

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a mail-enabled public folder named CustomerSupport

You need to create a group for the customer support team at your company. The solution must ensure that email sent to the group is also posted to the CustomerSupport public folder

How should you configure the group? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Group type:

<input type="text"/>
Distribution list
Microsoft 365
Security

Configuration:

<input type="text"/>
Add CustomerSupport as a member of the group.
Assign the group the Contributor role for CustomerSupport.
Configure the Send As settings.
Configure the Send on Behalf settings.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Group type:

<input type="text"/>
Distribution list
Microsoft 365
Security

Configuration:

<input type="text"/>
Add CustomerSupport as a member of the group.
Assign the group the Contributor role for CustomerSupport.
Configure the Send As settings.
Configure the Send on Behalf settings.

NEW QUESTION 62

- (Topic 5)

You use an IMAP-based email system. You purchase a Microsoft 365 subscription.

In Exchange Online, you create mailboxes for all users.

You need to migrate all the email accounts of all the users to Exchange Online.

Which three components should you create? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a migration batch
- B. a CSV migration file
- C. an inbound connector
- D. an accepted domain
- E. a remote domain
- F. a migration endpoint

Answer: BDF

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mailbox-migration/migrating-imap-mailboxes/migrate-other-typesof-imap-mailboxes>

NEW QUESTION 66

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 organization that uses an email domain named contoso.com.

You plan to move several mailboxes to Microsoft 365.

You need to configure hybrid mail flow to meet the following requirements:

? All email messages received from the internet must be filtered for spam by Microsoft 365.

? Your company's on-premises firewall must allow email messages between the on-premises Exchange servers and Microsoft 365.

What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Mail exchanger (MX) record to configure:

▼
Mail.contoso.com
Contoso-com.mail.protection.outlook.com
Outlook.office365.com

Firewall port to allow:

▼
TCP 25
TCP 2525
TCP 587
TCP 993

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Mail exchanger (MX) record to configure:

▼
Mail.contoso.com
Contoso-com.mail.protection.outlook.com
Outlook.office365.com

Firewall port to allow:

▼
TCP 25
TCP 2525
TCP 587
TCP 993

NEW QUESTION 70


HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to be notified when more than 1,000 email messages are queued in Exchange for more than one hour.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.


Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
 Answer Area



NEW QUESTION 74

HOTSPOT - (Topic 5)

You are evaluating the email hygiene configuration of a Microsoft Exchange Server 2019 organization. You run the command shown in the following exhibit.

```
[PS] C:\>Get-ContentFilterConfig | fl *SCL*

SCLRejectThreshold      : 7
SCLRejectEnabled        : True
SCLDeleteThreshold      : 9
SCLDeleteEnabled        : False
SCLQuarantineThreshold  : 9
SCLQuarantineEnabled    : False
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

Email messages that have a spam confidence level (SCL) of 8 will be [answer choice].

▼
deleted silently
rejected with a response
sent to the spam quarantine mailbox

Email messages that have a spam confidence level (SCL) of 7 will be [answer choice].

▼
deleted silently
rejected with a response
sent to the spam quarantine mailbox

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Email messages that have a spam confidence level (SCL) of 8 will be [answer choice].

	▼
deleted silently	
rejected with a response	
sent to the spam quarantine mailbox	

Email messages that have a spam confidence level (SCL) of 7 will be [answer choice].

	▼
deleted silently	
rejected with a response	
sent to the spam quarantine mailbox	

NEW QUESTION 75

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.

You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a remote domain. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 77

- (Topic 5)

You have a Microsoft Exchange Online tenant.

Users use Microsoft Outlook as their primary email client.

The users report that email messages received from a partner company are often delayed before being delivered.

You need to analyze the message header of one of the delayed messages to identify the cause of the delay.

What are two actions that you can perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From Message trace in the Exchange admin center, create a custom query.
- B. From the Exchange admin center, review the Queued messages report.
- C. Run the Microsoft Remote Connectivity Analyzer.
- D. From Outlook, review the properties of the message.
- E. From the Exchange admin center, review the mail flow rules.

Answer: AD

NEW QUESTION 79

- (Topic 5)

You manage a Microsoft Exchange Server 2019 organization that contains several thousand users.

All the users connect to their mailbox by using a mobile device and Exchange ActiveSync. You need to prevent the users from syncing email messages that are older than 14 days to the mobile devices.

What should you use?

- A. an Outlook Web App mailbox policy
- B. a mobile device mailbox policy
- C. an ActiveSync device access rule
- D. a conditional access policy

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/mobile-device-mailbox-policies?view=exchserver-2019>

NEW QUESTION 82

HOTSPOT - (Topic 5)

Your company has a Microsoft 365 subscription. All users are assigned Microsoft 365 E5 licenses.

The users receive email messages that appear to come from managers at the company. However, the messages are not from the managers and often include links to malicious websites.

You need to provide a solution to protect the mailboxes of the managers and to inform the users when phishing occurs.

Which two settings should you modify in the anti-phishing policy? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Priority	1	
Status	On	
Last modified	December 10, 2018	
Policy setting	Policy name Description Applied to	Test If the recipient domain is: M365x051451.onmicrosoft.com
Impersonation	Users to protect Protect all domains I own Protect specific domains Action > User impersonation Action > Domain impersonation Safety tips > User impersonation Safety tips > Domain impersonation Safety tips > Unusual characters Mailbox intelligence	<input type="text" value="Off"/> <input type="text" value="Off"/> <input type="text" value="Off"/> <input type="text" value="Don't apply any action"/> <input type="text" value="Don't apply any action"/> <input type="text" value="Off"/> <input type="text" value="Off"/> <input type="text" value="Off"/> <input type="text" value="On"/>
Spoof	Enable antispoofting protection Action	<input type="text" value="On"/> <input type="text" value="Move message to the recipients' Junk Email folders"/>
Advanced settings	Advanced phishing thresholds	1 - Standard

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Priority	1	
Status	On	
Last modified	December 10, 2018	
Policy setting	Policy name Description Applied to	Test If the recipient domain is: M365x051451.onmicrosoft.com
Impersonation	Users to protect Protect all domains I own Protect specific domains Action > User impersonation Action > Domain impersonation Safety tips > User impersonation Safety tips > Domain impersonation Safety tips > Unusual characters Mailbox intelligence	<input type="text" value="Off"/> <input type="text" value="Off"/> <input type="text" value="Off"/> <input type="text" value="Don't apply any action"/> <input type="text" value="Don't apply any action"/> <input type="text" value="Off"/> <input type="text" value="Off"/> <input type="text" value="Off"/> <input type="text" value="On"/>
Spoof	Enable antispoofting protection Action	<input type="text" value="On"/> <input type="text" value="Move message to the recipients' Junk Email folders"/>
Advanced settings	Advanced phishing thresholds	1 - Standard

NEW QUESTION 85

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You have the Address Book Policies (ABP) and address lists in the following table.

Name	Global address list	Offline address book	Address list
ABP1	GAL_1	OAB_1	List 1
ABP2	GAL_2	Default Offline Address Book	List 2

You have the users in the following table.

Name	Global address list	Address List
User1	GAL_1	List 1
User2	GAL_2	List 2
User3	GAL_2	none

You assign ABP1 to User1 and User2.

User3 is NOT assigned to an Address Book Policy.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can view the membership of List 2	<input type="radio"/>	<input type="radio"/>
User2 can only view the membership of GAL_2	<input type="radio"/>	<input type="radio"/>
User3 can view the membership of List 1	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/address-book-policies/address-book-policies?view=exchserver-2019>

NEW QUESTION 87

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a public folder named CustomerSupport. You need to access CustomerSupport by using Outlook on the web. Which section in Outlook on the web should you add CustomerSupport?

- A. Favorites
- B. Folders
- C. Groups

Answer: C

NEW QUESTION 90

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1.

You need to ensure that User1 receives an email notification and can take corrective action when the Fix possible mail loop insight is generated

What should you use, and to which role group should you add User1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point

Answer Area

Use: Mail flow rules ▼
Alert policies
Mail flow reports
Mail flow rules
Message trace


Role group: Records Management ▼
Compliance Management
Organization Management
Records Management
Security Operator

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 95

HOTSPOT - (Topic 5)


You need to configure a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization that contains a server named Server1. The solution must meet the following requirements:

- Support remote move migrations of mailboxes from Server1 to Exchange Online.
- Enable free/busy lookups between Server1 and Exchange Online.

What should you do for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 96

- (Topic 5)

You recently migrated all the on-premises mailboxes from Microsoft Exchange Server 2019 to Exchange Online.

You decommission the on-premises Exchange Server 2019 servers.

The finance department at your company reports that email delivery from several printers fails after Exchange Server 2019 is decommissioned.

You need to ensure that the printers can deliver email successfully to the users in the finance department.

What should you do?

- A. Create a resource mailbox for each printer.
- B. Create an Inbound connector that has certificate validation disabled.
- C. Create an Inbound connector that is configured to allow SMTP relay.
- D. Create an Office 365 group for each printer.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/use-connectors-to-configure-mail-flow>

NEW QUESTION 97

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization. The deployment contains the resources shown in the following table.

Type	Quantity	Location
User mailbox	500	On-premises
Department mailbox	50	On-premises
Public folder	10	On-premises
Resource mailbox	15	On-premises

You need to migrate the mailboxes from the on-premises Exchange Server 2019 organization to Exchange Online. The department mailboxes will be migrated to shared mailboxes.

What is the minimum number of Exchange Online licenses required?

- A. 500
- B. 515
- C. 550
- D. 575

Answer: A

NEW QUESTION 98

- (Topic 4)

Lynne Robbins and the users in the sales department plan to collaborate on a project with a partner company named Contoso, Ltd. that has an email domain named contoso.com.

You need to ensure that only the sales department users can share all their calendar free/busy information with the users in contoso.com.

How should you configure the organization relationship?

- A. Select Calendar free/busy information with time only and enter Group1B Select Calendar free/busy information with time, subject, and location and enter Groups
- C Select Calendar free/busy information with time, subject, and location and enter Group3
- B. Select Calendar free/busy information with time only and enter Group3
- C. Select Calendar free/busy information with time only and enter Group2

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/create-an-organization-relationship>

NEW QUESTION 99

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You plan to migrate all mailboxes to Exchange Online.

You need to provide a user with the ability to perform the mailbox migrations. The solution must use the principle of least privilege.

Which role should you assign to the user?

- A. Recipient Management
- B. Server Management
- C. Help Desk
- D. Organization Management

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions/feature-permissions/recipient-permissions?view=exchserver-2019>

NEW QUESTION 100

- (Topic 4)

You need to ensure that Alex Wilbur can recover deleted items when using Outlook on the web.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Assign Sales Policy to Alex Wilbur.
- B. Modify Marketing Policy.
- C. Remove Alex Wilbur from all groups.
- D. Assign Policy2 to Alex Wilbur.
- E. Modify Policy1

Answer: BD

NEW QUESTION 105

- (Topic 3)

You need to identify which users clicked the links in the phishing emails.

What should you do?

- A. Run a message trace and review the results.
- B. Query the mailbox audit log.
- C. Use the URL trace reporting feature.
- D. Review the quarantine mailbox.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-maildetailatpreport?view=exchange-ps>

NEW QUESTION 107

- (Topic 3)

You need to identify the contents of the FabrikamProject public folder to meet the technical requirements. Which PowerShell cmdlet should you run?

- A. Get-PublicFolderScaciscics
- B. Get-PublicFolderItemStatistics
- C. Get-PublicFolderMailboxDiagnoscics
- D. Get-PublicFolder

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-publicfolderitemstatistics?view=exchange-ps>

NEW QUESTION 110

- (Topic 2)

You need to resolve the issue for the transport department users.

What is the best way to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Move the public folder mailbox that contains TransportPF to a server in the main office.
- B. Move TransportPF to a public folder mailbox hosted in the main office.
- C. Modify the default public folder mailbox for all the transport department users.
- D. Instruct the transport department users to add TransportPF to their Favorites list in Outlook.

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/recipients/mailbox-moves?view=exchserver-2019>

NEW QUESTION 114

HOTSPOT - (Topic 3)

How many default policy tags (DPTs), retention policy tags (RPTs), and personal tags should you create to meet the retention requirements? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

DPTs:

▼
0
1
2
3
4

RPTs:

▼
0
1
2
3
4
5
6
7

Personal tags:

▼
0
1
2
3
4
5
6
7

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 1

Default Policy Tags apply to any item that doesn't have another tag applied to it. We need one to meet the following requirement:
 ? Ensure that any items without a retention tag are moved to the Archive mailbox two years after they were created and permanently deleted seven years after they were created.

Box 2: 2

Retention Policy Tags apply to default mailbox folders (Inbox, Sent Items etc). We need two to meet the following requirements:
 ? Automatically delete items in the Junk Email folder after 30 days.
 ? Automatically delete items in the Sent Items folder after 300 days.

Box 3: 3

Personal tags can be applied by users to custom folders or individual emails. We need three to meet the following requirements:
 ? Enable users to tag items for deletion after one year.
 ? Enable users to tag items for deletion after two years.
 ? Enable users to tag items to be archived after one year.

NEW QUESTION 119

- (Topic 2)

You need to implement a solution to support the planned changes for the branch office administrators. What should you do?

- A. Assign the Mail Recipients role to the branch office administrators and use a default management scope.
- B. Assign the Mail Recipients role to the branch office administrators and create a custom management scope.
- C. Assign the Recipient Policies role to the branch office administrators and use a default management scope.
- D. Assign the Recipient Policies role to the branch office administrators and create a custom management scope.

Answer: B

Explanation:

Ensure that the branch office administrators can configure the properties of the mailboxes in their respective offices only.

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-recipients-role-exchange-2013-help>

NEW QUESTION 123

- (Topic 2)

You need to recommend a solution to retain the items in the public folders. The solution must support the planned changes. What should you recommend?

- A. Create an Outlook rule that forwards all the items in each public folder to a compliance mailbox.

- B. Place an In-Place Hold on all the mailboxes of the public folders.
- C. Increase the frequency of the backups.
- D. Modify the public folder permissions.

Answer: B

Explanation:

References:
<https://docs.microsoft.com/en-us/exchange/security-and-compliance/in-place-and-litigation-holds#placingpublic-folders-on-hold>

NEW QUESTION 124

HOTSPOT - (Topic 5)


You have a Microsoft Exchange Online tenant.

You need to create a new policy to retain mailbox items for five years before the items are deleted. The policy must be assigned to any user that has a job title attribute of Manager.

Which type of policy should you create, and what should you create first? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 129


HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You recently hired two new administrators named Admin5 and Admin6. You need to grant the following permissions to the new administrators:

- Admin5 must be able to assign licenses to users.
- Admin6 must be able to modify the email SPAM settings of all users.
- Admin5 must be able to configure the email forwarding settings of all users.
- Admin5 and Admin6 must be able to manage the mailbox permissions of all users. The solution must use the principle of least privilege.


Which role should you assign to each user? To answer, select the appropriate options NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 133

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1 and a shared mailbox named Mailbox. You plan to use PowerShell to grant User1 the Send As permission for Mailbox1. Which cmdlet should you run?

- A. Add-RecipientPermission
- B. Add-MailboxPermission
- C. Set-MailboxFolderPermission
- D. Add-MailboxFolderPermission
- E. Set-Mailbox

Answer: E

NEW QUESTION 137

- (Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

You create a partnership with two other companies named fabnkam.com and wingtiptoys.com. All the mailboxes of fabnkam.com are hosted in Microsoft 365. All the mailboxes of wingtiptoys.com are hosted in an on-premises Exchange Server 2019 organization.

You need to ensure that all the email messages sent from contoso.com to fabrikam.com and wingtiptoys.com is encrypted by using TLS.

What should you do?

- A. Configure one connector.
- B. Create an organizational relationship.
- C. Create two remote domains.
- D. Run the Office 365 Exchange Hybrid Configuration wizard.
- E. Configure two mail flow rules.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

NEW QUESTION 138

- (Topic 5)

You plan to use the Microsoft Office 365 Import service to import PST files.

You need to create a new user account to perform the import. The solution must use the principle of least privilege.

Which two roles should you assign to the user account? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. the Recipient Management role in Office 365
- B. the Organization Management role in Office 365
- C. the Mailbox Import Export role in Office 365
- D. the Global reader role in Azure Active Directory (Azure AD)
- E. the Global administrator role in Office 365

Answer: AC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/use-network-upload-to-import-pst-files?view=o365-worldwide>

NEW QUESTION 139

HOTSPOT - (Topic 5)

HOTSPOT

Your company has the offices shown in the following table.

Location	Public NAT IP address
New York	131.107.122.22
Portland	131.107.123.120
Seattle	131.107.123.10

The company has a Microsoft Exchange Online tenant that contains the users shown in the following table.

Name	Department	Office
User1	IT	Seattle
User2	IT	New York
User3	Helpdesk	Portland

You have the following Exchange Online client access rules.

```
PS C:\> Get-ClientAccessRule|fl Name, Priority, AnyOfProtocols,UserRecipientFilter,Action
```

```
Name           : Rule1
Priority        : 1
AnyOfProtocols : {RemotePowerShell}
UserRecipientFilter :
Action         : AllowAccess

Name           : Rule2
Priority        : 2
AnyOfProtocols : {ExchangeAdminCenter}
UserRecipientFilter : Department -ne 'IT'
Action         : DenyAccess
```

You create a new client access rule by using the following command.

```
New-ClientAccessRule -Name "Rule3" -Action DenyAccess
-AnyOfProtocols ExchangeAdminCenter
-ExceptAnyOfClientIPAddressOrRanges 131.107.123.0/24 -Priority 2
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
Rule2 will be evaluated before Rule3	<input type="radio"/>	<input type="radio"/>
User2 can access the Exchange admin center	<input type="radio"/>	<input type="radio"/>
User3 can access the Exchange admin center	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
Rule2 will be evaluated before Rule3	<input type="radio"/>	<input checked="" type="radio"/>
User2 can access the Exchange admin center	<input type="radio"/>	<input checked="" type="radio"/>
User3 can access the Exchange admin center	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 143

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a group named Group1. The members of Group1 need to create user mailboxes. The solution must use the principle of least privilege.

To which role group should you add Group1?

- A. Recipient Management
- B. Security Operator
- C. Help Desk
- D. Organization Management

Answer: A

NEW QUESTION 144

- (Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019.

Users in your company's sales department have on-premises mailboxes and PST files. You need to migrate the PST files to archive mailboxes. The archive mailboxes must reside in Exchange Online. What should you do first?

- A. From Exchange Management Shell, run the Enable-Mailbox cmdlet and specify the-Archive parameter.
- B. From Exchange Management Shell, run the New-MoveRequest cmdlet.
- C. From Exchange Online PowerShell, run the Set-Mailbox cmdlet and specify the-ArchiveStatus parameter.
- D. From Exchange Online PowerShell, run the New-Mailbox cmdlet and specify the-Archive parameter.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/enable-mailbox?view=exchange-ps>

NEW QUESTION 149

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains the users shown in the following table.

Name	Mobile device	Mail client
User1	iOS	Native mail client
User2	Android	Microsoft Outlook for Android

From the Exchange admin center, you issue a Wipe Data command for User1 and User2. What occurs on the device of each user? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

User1: All the data in the email client is wiped.
 Only email messages and calendar items are wiped.
 The mobile device is wiped.

User2: All the data in the email client is wiped.
 Only email messages and calendar items are wiped.
 The mobile device is wiped.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

User1: All the data in the email client is wiped.
 Only email messages and calendar items are wiped.
 The mobile device is wiped.

User2: All the data in the email client is wiped.
 Only email messages and calendar items are wiped.
 The mobile device is wiped.

NEW QUESTION 150

DRAG DROP - (Topic 5)

Your company named Contoso, Ltd. has a Microsoft Exchange Server 2019 hybrid deployment.

A partner company named Fabrikam, Inc. uses an Exchange Online subscription for email. You need to ensure that all the users at Fabrikam can view the free/busy information of the users at Contoso.

What should you configure? To answer, drag the appropriate components to the correct companies. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Components	Answer Area
A connector	For Fabrikam: Component
A sharing policy	For Contoso: Component
A remote domain	
A federation trust	
An organization relationship	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Components	Answer Area
A connector	For Fabrikam: An organization relationship
A sharing policy	For Contoso: An organization relationship
A remote domain	
A federation trust	
An organization relationship	

NEW QUESTION 155

HOTSPOT - (Topic 5)

You run several PowerShell commands as shown in the following exhibit.

```
PS C:\> Get-AddressListPolicy | Format-Table

Name                GlobalAddressList      AddressLists              OfflineAddressBook      RoomList
-----                -
Fabrikam-ABP        \Fabrikam               \Fabrikam                 \Fabrikam-OAB          \All Rooms
Contoso-ABP         \Contoso                \Contoso-IT, \Contoso-Marketing \Contoso-OAB           \All Rooms

PS C:\> Get-GlobalAddressList | Format-Table

Name                RecipientFilter
-----                -
Contoso              ((Company -eq 'Contoso'))
Fabrikam             ((Company -eq 'Fabrikam'))

PS C:\> Get-AddressList | Format-Table

Name                DisplayName              RecipientFilter
-----                -
Contoso-Marketing   Contoso-Marketing        ((Company -eq 'Contoso') -and (Department -eq 'Marketing'))
Fabrikam            Fabrikam                 ((Company -eq 'Fabrikam'))

PS C:\>
PS C:\> Get-ADUser | Where Name -eq "James Smith" | Select Name, UserPrincipalName, Company, Department

Name                UserPrincipalName      Company      Department
-----                -
James Smith         jsmith@contoso.com     Contoso      Marketing

PS C:\> Get-Mailbox | Where Name -eq "Executive Conference Room" | Select Name, Alias, Office, Database

Name                Alias                    Office      Database
-----                -
Executive Conference Room executiveconferenceroom  Contoso     DB1
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

James Smith will appear on the [answer choice] address list.

▼

Contoso-IT
Contoso-Marketing
Fabrikam

The Executive Conference Room will appear in [answer choice].

▼

Contoso-ABP only
Fabrikam-ABP only
Contoso-ABP and Fabrikam-ABP
none of the policies

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

James Smith will appear on the [answer choice] address list.

▼

Contoso-IT
Contoso-Marketing
Fabrikam

The Executive Conference Room will appear in [answer choice].

▼

Contoso-ABP only
Fabrikam-ABP only
Contoso-ABP and Fabrikam-ABP
none of the policies

NEW QUESTION 157

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating mailboxes from the on-premises organization to Exchange Online. From the Exchange admin center, you create a new migration batch that includes 25

mailboxes, and then you select Manual Complete the batch.

Later, you must complete the migration of a mailbox named user1@litware.com in the batch as soon as possible. You discover that the status of the migration batch is Syncing, but the status of the move request for user1@litware.com is Synced.

You need to complete the migration of the user1@litware.com mailbox to Exchange Online as soon as possible.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

<div style="border: 1px solid black; padding: 2px;"> ▼ Set-MoveRequest Set-MigrationBatch Set-MigrationConfig </div>	-Identity "user1@litware.com"	<div style="border: 1px solid black; padding: 2px;"> ▼ -CompleteAfter(Get-Date) -SuspendWhenReadyToComplete \$false -PreventCompletion \$false </div>
---	-------------------------------	--

Resume-MoveRequest -Identity "user1@litware.com"

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<div style="border: 1px solid black; padding: 2px;"> ▼ Set-MoveRequest Set-MigrationBatch Set-MigrationConfig </div>	-Identity "user1@litware.com"	<div style="border: 1px solid black; padding: 2px;"> ▼ -CompleteAfter(Get-Date) -SuspendWhenReadyToComplete \$false -PreventCompletion \$false </div>
---	-------------------------------	--

Resume-MoveRequest -Identity "user1@litware.com"

NEW QUESTION 158

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 needs to be able to search mailboxes and purge email. To which role group should you add Use1?

- A. eDiscovery Manager
- B. Security Administrator
- C. Compliance Data Administrator
- D. Organization Management

Answer: A

NEW QUESTION 163

- (Topic 5)

Your on-premises network contains a proxy server and a firewall. The proxy server is configured to inspect the contents of HTTP and HTTPS sessions to identify disallowed content. Only the proxy server can connect to the internet through the firewall.

You implement Microsoft Exchange Online.

Users report that they receive an error message when they attempt to connect to their mailbox by using Microsoft Outlook.

From the internal network, you connect to <https://outlookoffice.com/mail> and discover a certificate error.

You discover that the certificate error contains information about a certificate issued by your company's internal certification authority (CA).

You need to ensure that all the users can connect successfully to their mailbox. What should you do?

- A. Install a new root CA certificate on the client computer of each user.
- B. Configure client computers to bypass the proxy server when they access https://*.microsoft.com.
- C. Disable HTTPS content inspection on the proxy server.
- D. Install a new root CA certificate on the proxy server.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/outlook/troubleshoot/connectivity/error-when-outlook-uses-rpc-https-connectserver>

NEW QUESTION 164

SIMULATION - (Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a notification email is sent to compliance@constoso.com when a user marks an email message as Not Junk in Microsoft Outlook.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Go to the Microsoft 365 Defender portal and under Email & collaboration select Policies & rules > Alert policy.

? An alert policy consists of the following settings and conditions.

- Activity the alert is tracking. You create a policy to track an activity or in some cases a few related activities, such as sharing a file with an external user by sharing it, assigning access permissions, or creating an anonymous link. When a user performs the activity defined by the policy, an alert is triggered based on the alert threshold settings.

- Activity conditions. For most activities, you can define additional conditions that must be met to trigger an alert. Common conditions include IP addresses (so that an alert is triggered when the user performs the activity on a computer with a specific IP address or within an IP address range), whether an alert is triggered if a specific user or users perform that activity, and whether the activity is performed on a specific file name or URL. You can also configure a condition that triggers an alert when the activity is performed by any user in your organization. The available conditions are dependent on the selected activity.

? You can also define user tags as a condition of an alert policy. This results in the alerts triggered by the policy to include the context of the impacted user. You can use system user tags or custom user tags.

- When the alert is triggered. You can configure a setting that defines how often an activity can occur before an alert is triggered. This allows you to set up a policy to generate an alert every time an activity matches the policy conditions, when a certain threshold is exceeded, or when the occurrence of the activity the alert is tracking becomes unusual for your organization.

? If you select the setting based on unusual activity, Microsoft establishes a baseline value that defines the normal frequency for the selected activity. It takes up to seven days to establish this baseline, during which alerts won't be generated. After the baseline is established, an alert is triggered when the frequency of the activity tracked by the alert policy greatly exceeds the baseline value. For auditing-related activities (such as file and folder activities), you can establish a baseline based on a single user or based on all users in your organization; for malware-related activities, you can establish a baseline based on a single malware family, a single recipient, or all messages in your organization.

- Alert category. To help with tracking and managing the alerts generated by a policy, you can assign one of the following categories to a policy.

- Data loss prevention
- Information governance
- Mail flow
- Permissions
- Threat management
- Others

? When an activity occurs that matches the conditions of the alert policy, the alert that's generated is tagged with the category defined in this setting. This allows you to track and manage alerts that have the same category setting on the Alerts page in the compliance center because you can sort and filter alerts based on category.

- Alert severity. Similar to the alert category, you assign a severity attribute (Low, Medium, High, or Informational) to alert policies. Like the alert category, when an activity occurs that matches the conditions of the alert policy, the alert that's generated is tagged with the same severity level that's set for the alert policy. Again, this allows you to track and manage alerts that have the same severity setting on the Alerts page. For example, you can filter the list of alerts so that only alerts with a High severity are displayed.

- Email notifications. You can set up the policy so that email notifications are sent (or not sent) to a list of users when an alert is triggered. You can also set a daily notification limit so that once the maximum number of notifications has been reached, no more notifications are sent for the alert during that day. In addition to

email notifications, you or other administrators can view the alerts that are triggered by a policy on the Alerts page. Consider enabling email notifications for alert policies of a specific category or that have a higher severity setting.

NEW QUESTION 165

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. All Mailbox servers and domain controllers are in the same site. You deploy an Edge Transport server.

You need to ensure that all SMTP traffic between the on-premises organization and Exchange Online is routed through the Edge Transport server.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

On a Mailbox server, modify the accepted domains.	
Copy the Edge Subscription file to a Mailbox server.	
On the Edge Transport server, run New-EdgeSubscription.	
On a Mailbox server, run New-EdgeSubscription.	
Run the Microsoft Office 365 Hybrid Configuration wizard.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

New-EdgeSubscription -FileName "c:\EdgeServerSubscription.xml" This example creates the Edge Subscription file. It should be run on your Edge Transport server. New-EdgeSubscription -FileData ([byte[]]\$(Get-Content -Path "C:\EdgeServerSubscription.xml" - Encoding Byte -ReadCount 0)) -Site "Default-First-Site-Name" This example also imports the Edge Subscription file generated in Example 1 to the Active Directory site Default-First-Site-Name; however, the end result is accomplished using one command. You must run this command on the Mailbox server. ref. <https://docs.microsoft.com/en-us/powershell/module/exchange/mailflow/new-edgesubscription?view=exchange-ps>

NEW QUESTION 167

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You run the Get-HybridConfiguration cmdlet and receive the output shown in the following exhibit.

```
ClientAccessServers      : {}
EdgeTransportServers    : {}
ReceivingtransportServers : {EX01, EX02}
SendingTransportServers  : {EX01, EX02}
OnPremisesSmartHost     : mail.litware.com
Domains                  : {litware.com}
Features                 : {FreeBusy, MoveMailbox, Moiltips, MessageTracking, SecureMail, Photos}
ExternalIPAddresses     : {}
TlsCertificateName      : <I>CN=CA, O=SSLCert Inc, C=US<S>CN=mail.litware.com, OU=IT, O=User1,
                        L=Redmond, S=Washington, C=US
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

To enable users who have on-premises mailboxes to access their archive mailbox in Exchange online, you must modify the [answer choice] property.

▼

- ClientAccessServers
- Domains
- Features
- ExternalIPAddresses

Depending on where the user mailbox is located, to enable automatic Microsoft Outlook on the web redirection to either the on-premises organization or Exchange Online, you must modify the [answer choice] property.

▼

- ClientAccessServers
- Domains
- Features
- ExternalIPAddresses

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/federation-and-hybrid/set-hybridconfiguration?view=exchange-ps>

NEW QUESTION 170

DRAG DROP - (Topic 5)

Your network contains an Active Directory domain and an Azure Active Directory (Azure AD) tenant in a hybrid deployment.

You implement a Microsoft Exchange Online tenant.

You plan to deploy a new on-premises app named App1 to a Windows server. The solution must meet the following requirements:

? Use an Active Directory user account named App1service as a service account.

? Be able to receive email requests by using an email address of app1@contoso.com.

? Use App1service to sign in to the mailbox of App1 to view the requests.

In the domain, you create App1service.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions		Answer Area
Create a shared mailbox for App1service		
In Azure AD, register an enterprise application for App1		
Sync the App1service account to Azure AD	➤	⬆
Create a user mailbox for App1service	⬅	⬇
Assign a license to App1service		
Assign app1@contoso.com as an email address to App1service		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions		Answer Area
Create a shared mailbox for App1service		
In Azure AD, register an enterprise application for App1		
Sync the App1service account to Azure AD	➤	Sync the App1service account to Azure AD
Create a user mailbox for App1service	⬅	Assign a license to App1service
Assign a license to App1service		Assign app1@contoso.com as an email address to App1service
Assign app1@contoso.com as an email address to App1service		

NEW QUESTION 175

HOTSPOT - (Topic 5)

You have an Exchange Online tenant that has the anti-spam settings configured as shown in the following exhibit.

Standard settings On

Standard

Spam action	Move message to Junk Email folder
Mark bulk email as spam	On
Bulk threshold	7
Mark NDR backscatter as spam	Off
Safety Tips	On
Bulk email	Move message to Junk Email folder
Phishing email	Quarantine message

To change these settings or add new ones, switch to custom settings

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Users will see safety tips when they access their mailbox from [answer choice].

▼

Outlook on the web only

Microsoft Outlook 2019 only

Microsoft Outlook 2019 and Outlook on the web

To reduce the amount of bulk email delivered to the Inbox folders of users, you must [answer choice].

▼

modify Spam action

increase the value of Bulk threshold

decrease the value of Bulk threshold

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Users will see safety tips when they access their mailbox from [answer choice].

▼

Outlook on the web only

Microsoft Outlook 2019 only

Microsoft Outlook 2019 and Outlook on the web

To reduce the amount of bulk email delivered to the Inbox folders of users, you must [answer choice].

▼

modify Spam action

increase the value of Bulk threshold

decrease the value of Bulk threshold

NEW QUESTION 180

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to add a custom domain named contoso.com that meets the following requirements:

- « All email messages from the internet must first be filtered by a third-party cloud service before being delivered to Exchange Online.
- « Recipient email systems must validate the messaging server for contoso.com)

Which type of DNS record should you use for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

All email messages from the internet must first be filtered by a third-party cloud service before being delivered to Exchange Online:



Recipient email systems must validate the messaging server for contoso.com:



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? For the requirement that all email messages from the internet must first be filtered by a third-party cloud service before being delivered to Exchange Online, you should use an MX record¹. An MX record specifies the mail server that is responsible for accepting email messages on behalf of your domain¹. You need to configure your MX record to point to the third-party cloud service's mail server, and then configure the third-party cloud service to forward email messages to Exchange Online¹.

? For the requirement that recipient email systems must validate the messaging server for contoso.com, you should use an SPF TXT record². An SPF TXT record is a type of DNS record that identifies which mail servers are authorized to send email on behalf of your domain². It helps prevent spoofing and phishing by verifying the sender's IP address against the list of authorized IP addresses in your SPF TXT record². You need to configure your SPF TXT record to include both the third-party cloud service and Exchange Online as authorized senders for your domain².

NEW QUESTION 183

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

- ? Adatum.com
- ? Contoso.com
- ? Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: You modify the properties of the fabrikam.com accepted domain.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow/accepted-domains/accepted-domains?view=exchserver-2019>

NEW QUESTION 184

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a user named Miriam Graham has the required rights to create new

recipients by using the Exchange Online admin center. Miriam must be prevented from managing recipients. The solution must use the principle of least privilege.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? From the Microsoft 365 admin center dashboard, go to Admin > Exchange.

? In the Exchange admin center, go to Roles > Admin roles, select the Recipient Management role group.

? In Assigned section, add Miriam Graham to the role group.

? When you're finished, click Save.

NEW QUESTION 186

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment. The company has a finance department.

You need to move all the on-premises mailboxes of the finance department to Exchange Online. The bulk of the move operation must occur during a weekend when the company's Internet traffic is lowest. The move must then be finalized the following Monday. The solution must minimize disruption to end users.

What should you do first?

- A. Schedule a task that runs the New-MoveRequest cmdlet and specifies the Remote parameter.
- B. Run the New-MigrationBatch cmdlet and specify the MoveOptions parameter.
- C. Run the New-MigrationBatch cmdlet and specify the CompleteAfter parameter.
- D. Create a script that moves most of the mailboxes on Friday at 22:00 and the remaining mailboxes on Monday at 09:00.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-migrationbatch?view=exchange-ps>

NEW QUESTION 187

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant that uses Exchange Online Protection (EOP) with the default settings. You plan to configure quarantine settings to meet the following requirements:

- Specify the language of notifications.
- Specify the notification interval.
- Enable notifications.

What should you configure for each requirement? To answer, drag the appropriate configurations to the correct requirements. Each configuration may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Configurations	Answer Area
Custom quarantine policy	Specify the language of notifications: <input type="text"/>
Default anti-spam policy	Specify the notification interval: <input type="text"/>
Global quarantine policy settings	Enable notifications: <input type="text"/>
Mail flow rule	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Configurations	Answer Area
Custom quarantine policy	Specify the language of notifications: Global quarantine policy settings
Default anti-spam policy	Specify the notification interval: Default anti-spam policy
Global quarantine policy settings	Enable notifications: Custom quarantine policy
Mail flow rule	

NEW QUESTION 192

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You recently hired two new administrators named Admin5 and Admin6. You need to grant the following permissions to the new administrators:

- ? Admin5 must be able to assign licenses to users.
- ? Admin6 must be able to modify the email SPAM settings of all users.
- ? Admin5 must be able to configure the email forwarding settings of all users.
- ? Admin5 and Admin6 must be able to manage the mailbox permissions of all users. The solution must use the principle of least privilege.

Which role should you assign to each user? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.


Admin5:

Admin6:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 196

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to ensure that a user named User1 can prevent mailbox content from being deleted if the content contains the words Fabrikam and Confidential. What should you do?

- A. Add User1 to the Organization Management management role group.
- B. Add User1 to the Records Management management role group.
- C. Assign the mailbox Search and Mailbox Import Export
- D. Assign the Mailbox Search and Legal Hold management roles to User1.

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/holds/holds?view=exchserver-2019>

NEW QUESTION 199

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 mailboxes.

All the users in the sales department at your company are in a group named Sales.

The company is implementing a new policy to restrict the use of email attachments for the users in the Sales group.

You need to prevent all email messages that contain attachments from being delivered to the users in the Sales group.

Solution: You modify the Exchange Online Protection (EOP) settings. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You can block common attachments (attachments commonly used as malware) in EOP but not all attachments as required in this question. Instead, you should create a mail flow rule. Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/common-attachmentblocking-scenarios>

NEW QUESTION 203

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains 1,000 user mailboxes and 10 main enabled users. The mail-enabled users have email addresses in two SMTP domains named fabrikam.com and contoso.com.

You need to convert the mail-enabled users into user mailboxes. What should you do first?

- A. Add the users to an Office 365 group.
- B. Assign a license to each user.
- C. Remove the remote domains of fabrikam.com and contoso.com
- D. Modify the email forwarding settings of each user.

Answer: C

Explanation:

You need to remove the remote domains first then assign a license to the user account.

NEW QUESTION 204

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
 After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
 Your company has an Exchange Online tenant that contains 2,000 mailboxes.
 A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.
 You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.
 You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.
 Solution: You create a spam filter policy. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Add Fabrikam.com to the 'Domain allow list' in a spam filter policy.

NEW QUESTION 205

HOTSPOT - (Topic 5)

Your network contains an Active Directory forest named contoso.com.
 You plan to implement Microsoft 365 and use Microsoft Exchange Online services.
 You need to ensure that all client computers can use Autodiscover to connect to Microsoft 365.
 Which record should you create? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Record Type: ▼

Host(A)
Alias(CNAME)
Text(TXT)

Target: ▼

autodiscover.contoso.com
autodiscover.outlook.com
autodiscover.office365.com

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Record Type: ▼

Host(A)
Alias(CNAME)
Text(TXT)

Target: ▼

autodiscover.contoso.com
autodiscover.outlook.com
autodiscover.office365.com

NEW QUESTION 209

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains 1,000 users.
 A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."
 You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You instruct User1 to reduce the size of the email message.
 Does this meet the goal?

- A. No
- B. Yes

Answer: B

NEW QUESTION 214

HOTSPOT - (Topic 5)

You run the following PowerShell command in a Microsoft 365 environment.

```
PS C:\WINDOWS\system32> Get-OrganizationConfig | f1 *group*

DistributionGroupDefaultOU           :
DistributionGroupNameBlockedWordsList : {}
DistributionGroupNamingPolicy        :
MailTipsGroupMetricsEnabled         : True
DirectReportsGroupAutoCreationEnabled : False
GroupsCreationEnabled                : False
HiddenMembershipGroupsCreationEnabled : False
GroupsUsageGuidelinesLink           :
DefaultGroupAccessType               : Private
IsMIPLabelForGroupsEnabled          : False
OcmGroupId                           :
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the command.

NOTE: Each correct selection is worth one point.

[Answer choice] can view the list of members in a group

	▼
Only administrators	
Only administrators and group owners	
All users	

[Answer choice] can view the contents of a group mailbox

	▼
Only administrators	
Only administrators and group owners	
All users	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

[Answer choice] can view the list of members in a group

	▼
Only administrators	
Only administrators and group owners	
All users	

[Answer choice] can view the contents of a group mailbox

	▼
Only administrators	
Only administrators and group owners	
All users	

NEW QUESTION 215

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user recently sent an email message that was never received by a recipient on the internet. From the Exchange admin center, you successfully run a message trace but cannot see the message in the trace.

What is the most likely reason why the message fails to appear in the message trace?

- A. The user addressed the message to multiple internal and external receipts
- B. The user encrypted the email message.
- C. Your administrative user account requires additional rights.
- D. The message is in the user's Outbox folder.

Answer: D

NEW QUESTION 218

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

Users report that they cannot view attachments from Outlook on the web from their home computer.

The Outlook Web App policy has the following settings.

```
ClassicAttachmentsEnabled : True
ReferenceAttachmentsEnabled : True
SaveAttachmentsToCloudEnabled : True
MessagePreviewDisabled : False
ForceWebReadyDocumentViewingFirstOnPublicComputers : False
ForceWebReadyDocumentViewingFirstOnPrivateComputers : False
ActionForUnknownFileAndMIMETypes : Block
OWALightEnabled : False
ForceSaveAttachmentFilteringEnabled : False
ConditionalAccessPolicy : ReadOnlyPlusAttachmentsBlocked
```

You need to ensure that the users can view attachments when they access Outlook on the web from their home computer. How should you complete the command? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Set-OWAMailboxPolicy -identity OwaMailboxPolicy-Default

-ActionForUnknownFileAndMIMETypes	Allow
-ConditionalAccessPolicy	False
-ForceWebReadyDocumentViewingFirstOnPublicComputers	ForceSave
-MessagePreviewsDisabled	ReadOnly
-OWALightEnabled	True

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated with medium confidence

NEW QUESTION 222

HOTSPOT - (Topic 5)

You have a Microsoft 365 ES subscription that contains a Microsoft Exchange Online tenant. You plan to use a mailbox named Mailbox1 to store user-reported malicious email messages. You need to configure Microsoft Defender for Office 365 to meet the following requirements:

- + Configure Mailbox1 as a SecOps mailbox.
- + Create a policy that has zero-hour auto purge (ZAP) for infected email disabled for Mailbox1.

Which two settings should you configure? To answer, select the appropriate settings in the answer area.

Policies

- Anti-phishing
- Anti-spam
- Anti-malware
- Safe Attachments
- Safe Links

Rules

- Tenant Allow/Block Lists
- DKIM
- Advanced delivery
- Enhanced filtering
- Quarantine policies

Others


- User reported message settings
- Evaluation mode

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:


Policies



Rules



Others




NEW QUESTION 223

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com that contains a resource mailbox named Room1. You need to configure Room1 to send the following automatic response message: "Thanks for the meeting invite." How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 224

HOTSPOT - (Topic 5)

You have an on-premises Microsoft Exchange Server 2019 organization that contains a server named Server1 and uses an email address of contoso.com. You purchase a Microsoft 365 subscription.

You plan to use the Hybrid Configuration wizard to configure a hybrid deployment between Exchange Online and the on-premises Exchange organization. You need to configure a certificate request from a public certification authority (CA).


How should you configure the values of the subject name and the subject alternative name (SAN) for the certificate? To answer, select the appropriate options in the

answer area.

NOTE: Each correct selection is worth one point.



Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



Answer Area



NEW QUESTION 228

- (Topic 5)

You have a Microsoft Exchange Online subscription for an email domain named contoso.com.

A partner company has an Exchange Online subscription for an email domain named fabrikam.com.

You need to prevent out-of-office messages sent by users in contoso.com from being sent to users in fabrikam.com.

What is the best way to achieve the goal from the Exchange admin center? More than one answer choice may achieve the goal. (Choose the best answer.)

- A. Create a connector
- B. Create a mail flow rule
- C. Create a remote domain
- D. Create an accepted domain

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

NEW QUESTION 231

- (Topic 5)

You have a Microsoft 365 subscription that contains two users named User1 and User2.

User1 reports to have received a suspicious email message that appears to have come from User2. You identify that the message was sent by an external user impersonating User2. You need to block email that contains the email address of an impersonated sender. What should you configure?

- A. an anti-phishing policy
- B. a Tenant Allow/Block Lists rule
- C. an anti-spam policy
- D. an Enhanced filtering rule

Answer: B

NEW QUESTION 233

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You have the on-premises mailboxes shown in the following table.

Name	Forwarding address
User1	User6
User2	None
User3	None
User4	None
User5	None
User6	None

You add the mailbox permissions shown in the following table.

Mailbox	Permission
User2	Send As for User4
User4	Full Access for User3
User6	Send on Behalf for User5

You plan to migrate the mailboxes to Exchange Online by using remote mailbox move requests. The mailboxes will be migrated according to the schedule shown in the following table.

Week	Mailbox
1	User1, User2, User3, User6
2	User4, User5

Mailboxes migrated the same week will have their mailbox move requests included in the same batch and will be cut over simultaneously.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The mail forwarding settings of the User1 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>
The permissions granted to the User4 mailbox for the User2 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>
The permissions granted to the User3 mailbox for the User4 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/exchange-hybrid>

<https://practical365.com/exchange-online/configuring-exchange-hybrid-cross-forest-permissions/>

NEW QUESTION 237

HOTSPOT - (Topic 5)


You manage a Microsoft Exchange Online subscription. You use Advanced Threat Protection (ATP).

A partner company sends daily invoices to your company. The invoices are always named AdatumInvoice.xlsx.

Some users report that sometimes they cannot find the invoices in their Inbox folder. You need to identify whether the invoices are identified as malicious by Microsoft 365.

Which two blades should you use? To answer, select the appropriate blades in the answer area.


NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 242

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to prevent email messages from a domain named fabrikam.com from being delivered to the mailboxes of your organization.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? In the Microsoft 365 Defender portal at <https://security.microsoft.com>, go to Email & Collaboration > Policies & Rules > Threat policies > Anti-spam in the Policies section. To go directly to the Anti-spam policies page, use <https://security.microsoft.com/antispam>.

? On the Anti-spam policies page, click Create policy and then select Inbound from the drop down list.

? The policy wizard opens. On the Name your policy page, configure these settings:

- Name: Enter a unique, descriptive name for the policy.
- Description: Enter an optional description for the policy. When you're finished, click Next.

? On the Users, groups, and domains page that appears, identify the internal recipients that the policy applies to (recipient conditions):

- Users: The specified mailboxes, mail users, or mail contacts in your organization.
- Groups: The specified distribution groups, mail-enabled security groups, or Microsoft 365 Groups in your organization.
- Domains: All recipients in the specified accepted domains in your organization.

Click in the appropriate box, start typing a value, and select the value that you want from the results. Repeat this process as many times as necessary. To remove an existing value, click remove x next to the value.

For users or groups, you can use most identifiers (name, display name, alias, email address, account name, etc.), but the corresponding display name is shown in the results. For users, enter an asterisk (*) by itself to see all available values.

Multiple values in the same condition use OR logic (for example, <recipient1> or <recipient2>). Different conditions use AND logic (for example, <recipient1> and <member of group 1>).

- Exclude these users, groups, and domains: To add exceptions for the internal recipients that the policy applies to (recipient exceptions), select this option and configure the exceptions. The settings and behavior are exactly like the conditions.

When you're finished, click Next.

? On the Bulk email threshold & spam properties page that appears, configure the following settings:

- Bulk email threshold: Specifies the bulk complaint level (BCL) of a message that triggers the specified action for the Bulk spam filtering verdict that you configure on the next page (greater than the specified value, not greater than or equal to). A higher value indicates the message is less desirable (more likely to resemble spam). The default value is 7. For more information, see Bulk complaint level (BCL) in EOP and What's the difference between junk email and bulk email?.

By default, the PowerShell only setting MarkAsSpamBulkMail is On in anti-spam policies. This setting dramatically affects the results of a Bulk filtering verdict:

- MarkAsSpamBulkMail is On: A BCL that's greater than the threshold is converted to an SCL 6 that corresponds to a filtering verdict of Spam, and the action for the Bulk filtering verdict is taken on the message.

- MarkAsSpamBulkMail is Off: The message is stamped with the BCL, but no action is taken for a Bulk filtering verdict. In effect, the BCL threshold and Bulk filtering verdict action are irrelevant.

- Increase spam score, Mark as spam* and Test mode: Advanced Spam Filter (ASF) settings that are turned off by default.

The Contains specific languages and from these countries settings are not part of ASF.

- Contains specific languages: Click the box and select On or Off from the drop down list. If you turn it on, a box appears. Start typing the name of a language in the box. A filtered list of supported languages will appear. When you find the language that you're looking for, select it. Repeat this step as many times as necessary. To remove an existing value, click remove x next to the value.

- From these countries*: Click the box and select On or Off from the drop down list. If you turn it on, a box appears. Start typing the name of a country in the box. A filtered list of supported countries will appear. When you find the country that you're looking for, select it. Repeat this step as many times as necessary. To remove an existing value, click remove x

next to the value.

When you're finished, click Next.

? On the Actions page that appears, configure the following settings:

- Message actions: Select or review the action to take on messages based on the following spam filtering verdicts:

- Spam
- High confidence spam Phishing
- High confidence phishing Bulk

- Retain spam in quarantine for this many days: Specifies how long to keep the message in quarantine if you selected Quarantine message as the action for a spam filtering verdict. After the time period expires, the message is deleted, and is not recoverable. A valid value is from 1 to 30 days.

- Add this X-header text: This box is required and available only if you selected Add X- header as the action for a spam filtering verdict. The value you specify is the header field name that's added to the message header. The header fieldvalue is always This message appears to be spam.

- Prepend subject line with this text: This box is required and available only if you selected Prepend subject line with text as the action for a spam filtering verdict. Enter the text to add to the beginning of the message's subject line.

- Redirect to this email address: This box is required and available only if you selected the Redirect message to email address as the action for a spam filtering verdict. Enter the email address where you want to deliver the message. You can enter multiple values separated by semicolons (;).

- Enable safety Tips: By default, Safety Tips are enabled, but you can disable them by clearing the checkbox.

- Enable zero-hour auto purge (ZAP): ZAP detects and takes action on messages that have already been delivered to Exchange Online mailboxes.

ZAP is turned on by default. When ZAP is turned on, the following settings are available:

- Enable ZAP for phishing messages: By default, ZAP is enabled for phishing detections, but you can disable it by clearing the checkbox.
- Enable ZAP for spam messages: By default, ZAP is enabled for spam detections, but you can disable it by clearing the checkbox.

When you're finished, click Next.

? On the Allow & block list flyout that appears, you are able to configure message senders by email address or email domain that are allowed to skip spam filtering.

In the Allowed section, you can configure allowed senders and allowed domains. In the

Blocked section, you can add blocked senders and blocked domains. The steps to add entries to any of the lists are the same:

- Click the link for the list that you want to configure: Allowed >Senders: Click Manage (nn) sender(s). Allowed >Domains: Click Allow domains. Blocked >Senders: Click Manage (nn) sender(s). Blocked >Domains: Click Block domains.

- In the flyout that appears, do the following steps: Click + Add senders oAr dd domains.

- In the Add senders oAr dd domains flyout that appears, enter the sender's email address in the Sender box or the domain in the Domain box. As you're typing, the value appears below the box. When you're finished typing the email address or domain, select the value below the box.

- Repeat the previous step as many times as necessary. To remove an existing value, click remove x next to the value.

When you're finished, click Add senders oAr dd domains.

- Back on the main flyout, the senders or domains that you added are listed on the page. To remove an entry from this page, do the following steps:

- Select one or more entries from the list. You can also use the Search box to find values in the list.
- After you select at least one entry, the delete icon appears Click the delete icon to remove the selected entries

When you're finished, click Done.

Back on the Allow & block list page, clickNext when you're read to continue.

? On the Review page that appears, review your settings. You can select Edit in each section to modify the settings within the section. Or you can click Back or select the specific page in the wizard.

When you're finished, click Create.

? On the confirmation page that appears, click Done.

NEW QUESTION 246

- (Topic 5)

You have a Microsoft Exchange Online tenant.

A user named User1 no longer receives email in Outlook for Windows, but can see new messages in Outlook on the web

You plan to use the Microsoft Remote Connectivity Analyzer to run a connectivity test to verify whether MAPI over HTTP is failing.

Which test should you run?

- A. Outlook Connectivity
- B. Synchronization, Notification, Availability, and Automatic Replies
- C. Exchange ActiveSync
- D. Office 365 Single Sign-on Test
- E. Inbound SMTP Email

Answer: E

NEW QUESTION 248

- (Topic 5)

All the users in your company are licensed for Microsoft 365 and connect to their mailbox from client computers that run Windows 10.

The users connect to Outlook on the web by using the following browsers:

? Google Chrome

? Microsoft Edge

? Firefox

You apply restrictions for Outlook on the web sessions by using app protection policies in Microsoft Endpoint Manager, and then you deploy several Outlook Web App policies.

You need to ensure that the users can continue to connect successfully to their mailbox by using Outlook on the web.

What should you do?

- A. Enroll all the computers in Microsoft Intune
- B. Instruct all the users to connect by using Microsoft Edge only
- C. From Microsoft Cloud App Security, configure a sanctioned application

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/mem/intune/apps/app-protection-policy>

NEW QUESTION 251

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. You need to grant User1 the Send on Behalf permission for 20 mailboxes. Which PowerShell cmdlet should you use?

- A. Add-MailboxPermission
- B. Add-MailboxFolderPermission
- C. Set-Mailbox
- D. Add-RecipientPermission

Answer: C

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/recipients/mailbox-permissions?view=exchserver-2019>

NEW QUESTION 256

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a public folder mailbox and a user named User1. You need to ensure that User1 can perform the following actions:

- Create new top-level public folders.
- Only modify items created by User1.
- Post items to the folders created by User1.
- Read and delete items in the folders created by User1. Which role should you assign to User1?

- A. PublishingEditor
- B. Author
- C. PublishingAuthor
- D. Editor

Answer: D

NEW QUESTION 258

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains two users named Admin1 and Admin2. The users are assigned the roles shown in the following table. Admin1 performs the following actions:

Name	Role
Admin1	Recipient Management
Admin2	Organization Management, Mailbox Import Export

- From the Microsoft 365 admin center, adds a new user named User1 who is assigned a Microsoft 365 Enterprise E5 license
- From Exchange Online PowerShell, runs the New-Mailbox cmdlet Admin2 performs the following actions:
- From Exchange Online PowerShell, runs the Search-Mailbox cmdlet and specifies the - DeleteContent switch
- From Exchange Online PowerShell, runs the Test-ApplicationAccessPolicy cmdlet Which actions are recorded in the administrator audit log? To answer, select the appropriate options in the answer area.

Answer Area

Admin1:
 All actions are recorded.
 No actions are recorded.
 Only the addition of User1 is recorded.
 Only the running of New-Mailbox is recorded.

Admin2:
 All actions are recorded.
 No actions are recorded.
 Only the running of Search-Mailbox is recorded.
 Only the running of Test-ApplicationAccessPolicy is recorded.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Admin1:
 All actions are recorded.
 No actions are recorded.
 Only the addition of User1 is recorded.
 Only the running of New-Mailbox is recorded.

Admin2:
 All actions are recorded.
 No actions are recorded.
 Only the running of Search-Mailbox is recorded.
 Only the running of Test-ApplicationAccessPolicy is recorded.

NEW QUESTION 262

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a retention policy named Policy1 and a user named User1. Policy1 is assigned to all users and contains the retention tags shown in the following table.

Name	Type	Retention period	Retention action
Tag1	Default mailbox	1826 days	Permanently Delete
Tag2	Default folder	365 days	Move to Archive
Tag3	Personal	730 days	Move to Archive

Tag3 is applied to an email message in the inbox of User1. You remove Tag3 from Policy1. What will occur to the message?

- A. The existing retention tag will be retained.
- B. The existing retention tag will be removed.
- C. The default mailbox retention tag will apply.
- D. The default folder retention tag will apply.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/messaging-records-management/retention-tags-and-policies>

NEW QUESTION 266

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You create a new safe links policy and apply the policy to finance department users.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o365-worldwide>

NEW QUESTION 269

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

You need to prevent all users from performing the following tasks:

? Sending out-of-office replies to an email domain named fabrikam.com.

? Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You create two new remote domains. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

NEW QUESTION 272

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to ensure that a user named User1 can prevent mailbox content from being deleted if the content contains the words Fabrikam and Confidential.

What should you do?

- A. Add User1 to the Discovery Management management role group.

- B. Assign the Legal Hold and Mailbox Import Export management roles to User1.
- C. Add User1 to the Records Management management role group.
- D. Add User1 to the Compliance Management management role group.

Answer: A

Explanation:

Alternatively, assign the Mailbox Search and Legal Hold management roles to User1 Reference:
<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/holds/holds?view=exchserver-2019>

NEW QUESTION 276

- (Topic 5)

You have a Microsoft Exchange Online tenant.
 You need to ensure that all new mailboxes can send and receive messages that are up to a maximum of 50 MB.
 What should you do in the Exchange admin center?

- A. From Manage mailboxes, configure the Message size restriction Mailflow setting.
- B. Configure a mail flow rule.
- C. From Manage mailboxes, configure the Message delivery restriction Mailflow setting.
- D. For each new mailbox, configure the recipient limit.

Answer: A

NEW QUESTION 277

DRAG DROP - (Topic 5)

Your company named ADatum Corporation has a Microsoft 365 subscription. ADatum acquires a company named Contoso, Ltd.
 In the subscription, you create a new mailbox for each user at Contoso.
 You need to provide the Contoso users with a global address list (GAL) that contains only their email addresses.
 Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create an address book policy (ABP) named Contoso-AB that uses the GAL.	
Create an address book policy (ABP) named Contoso-AB that uses the new set of address lists.	
Create a new set of address lists for the Contoso users.	> <
Assign Contoso-AB to all the mailboxes of the Contoso users.	^ v
Create a new GAL named Contoso GAL.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Create an address book policy (ABP) named Contoso-AB that uses the GAL.	Create a new GAL named Contoso GAL.
Create an address book policy (ABP) named Contoso-AB that uses the new set of address lists.	Create an address book policy (ABP) named Contoso-AB that uses the GAL.
Create a new set of address lists for the Contoso users.	Assign Contoso-AB to all the mailboxes of the Contoso users.
Assign Contoso-AB to all the mailboxes of the Contoso users.	^ v
Create a new GAL named Contoso GAL.	

NEW QUESTION 280

HOTSPOT - (Topic 5)

Your company purchases new mobile devices for each user in its sales department and marketing department. The new devices only support Exchange ActiveSync.

You need to configure mobile device access to meet the following requirements: Apply a specific password policy to all the sales department users. Prevent all the marketing department users from using an Exchange ActiveSync-based client to access their mailbox.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

For the sales department users:

- ▼
- Create a mobile device access rule
- Create and assign a mobile device policy
- Create a client access rule scoped to the users

For the marketing department users:

- ▼
- Run the Set-Mailbox cmdlet
- Run the Set-CasMailbox cmdlet
- Run the Set-ActiveSyncDeviceAccessRule cmdlet

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

For the sales department users:

- ▼
- Create a mobile device access rule
- Create and assign a mobile device policy
- Create a client access rule scoped to the users

For the marketing department users:

- ▼
- Run the Set-Mailbox cmdlet
- Run the Set-CasMailbox cmdlet
- Run the Set-ActiveSyncDeviceAccessRule cmdlet

NEW QUESTION 285

DRAG DROP - (Topic 5)

You have a Microsoft 365 tenant.

You need to implement a compliance solution that meets the following requirements:

- A sensitivity label named ContainsCreditCardinfo must be applied to all Microsoft Office documents that contain credit card information.
- When a document that has the label applied is attached to an email by a user, the user must receive a policy tip in Microsoft Outlook.

Which three objects should you create in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Objects	Answer Area
a communication compliance policy	<div style="display: flex; justify-content: space-between; align-items: center;"> > < </div> <div style="display: flex; justify-content: space-between; align-items: center;"> &u2191 &u2193 </div>
a label policy	
a mail flow rule	
a sensitivity label	
a data loss prevention (DLP) policy	
an auto-labeling policy	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Objects	Answer Area
a communication compliance policy	<div style="display: flex; justify-content: space-between; align-items: center;"> > < </div> <div style="display: flex; justify-content: space-between; align-items: center;"> &u2191 &u2193 </div>
a label policy	
a mail flow rule	
a sensitivity label	
a data loss prevention (DLP) policy	
an auto-labeling policy	

NEW QUESTION 290

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You modify the properties of User1.

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix-error-code-550-5-7-1-in-exchange-online>

NEW QUESTION 294

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You purchase a Microsoft 365 subscription and configure Active Directory synchronization. You use a smart host for all email communication between the organization and the

Internet. The smart host performs email hygiene and alerts message headers.

You plan to run the Hybrid Configuration wizard to create an Exchange hybrid deployment and change the MX record to point to Exchange Online.

You need to decommission the smart host from the organization.

What should you do first?

- A. Create a Receive connector that allows anonymous authentication.
- B. Modify the InternalSmtpServer value by running the Set-TransportConfig cmdlet.
- C. Modify the Send connector to use DNS delivery.
- D. Modify the TLSReceiveDomainSecureList value by running the Set-TransportConfig cmdlet.

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/set-transportconfig?view=exchangepps>

NEW QUESTION 298

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1.

You need to ensure that User1 can create, manage, and remove Exchange recipient objects.

What should you assign to User1?

- A. a sharing policy
- B. a role assignment policy
- C. a role group
- D. an administrative unit

Answer: C

NEW QUESTION 302

- (Topic 5)

You have a Microsoft Exchange Online tenant that has an email domain named

comoso.com. Contoso.com routes all inbound email messages through a third-party email protection service.

You discover that all the inbound email messages contain the source IP address of the email protection service.

You need to ensure that all the inbound email messages retain the source IP address of the original sender.

What should you do?

- A. Modify the SPF TXT record of contoso.com.
- B. Enable Enhanced Filtering for Connectors.
- C. Configure a mail flow rule.
- D. Add an entry for a spoofed sender to Tenant Allow/Block Lists.

Answer: B

NEW QUESTION 305

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

Archive mailboxes are enabled for all users. You need to ensure that the default size of each user's archive mailbox increases automatically when the mailbox approaches the storage limit. The solution must apply automatically to all current and future mailboxes.

How should you complete the PowerShell command? To, answer select the appropriate options in the answer area.



A. Mastered

B. Not Mastered

Answer: A

Explanation:

Set-Mailbox -Identity * -ArchiveQuota "Unlimited"

To ensure that the default size of each user's archive mailbox increases automatically when the mailbox approaches the storage limit and to apply the solution automatically to all

current and future mailboxes, you can use the Set-Mailbox cmdlet in PowerShell and specify the -ArchiveQuota parameter.

Here is an example of how you could complete the PowerShell command: Copy code

Set-Mailbox -Identity * -ArchiveQuota "Unlimited"

This command will set the archive mailbox size to unlimited for all mailboxes in the tenant. Please note that, when you set the archive mailbox size to unlimited, the user's mailbox will continue to grow until it reaches the available storage space in the tenant.

You could also set a specific size limit, for example: Copy code

Set-Mailbox -Identity * -ArchiveQuota "50 GB"

This command will set the archive mailbox size to 50 GB for all mailboxes in the tenant. You can then use the Get-Mailbox cmdlet to verify the new archive mailbox size for all mailboxes in the tenant:

Copy code

Get-Mailbox -Identity * | Select DisplayName, ArchiveQuota

This command will return the DisplayName and ArchiveQuota properties for all mailboxes in the tenant.

NEW QUESTION 309

DRAG DROP - (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization.

You plan to block legacy authentication for the on-premises Exchange organization.

You need to validate the configuration on 10 test users, and then apply the configuration to all users.

Which three cmdlets should you run in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

Cmdlets		Answer Area
Set-User		
New-AuthenticationPolicy	➤	⬆
Set-HybridConfiguration	⬅	⬇
Set-AuthConfig		
Set-OrganizationConfig		
Set-Mailbox		

A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Cmdlets		Answer Area
Set-User		
New-AuthenticationPolicy	➤	
Set-HybridConfiguration	⬅	
Set-AuthConfig		⬆
Set-OrganizationConfig		⬇
Set-Mailbox		

NEW QUESTION 311

DRAG DROP - (Topic 5)

You have a hybrid deployment between Microsoft Exchange Online and on-premises Exchange Server 2019.

All user mailboxes are in Microsoft 365.

A user named User1 leaves your company.

You delete the user account of User1 from the on-premises Active Directory domain. Two weeks later, User1 returns to the company.

You need to ensure that User1 can connect to his mailbox and access all his old email messages.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- From the on-premises Active Directory Recycle Bin, recover the user account
- Run the New-MailboxRestoreRequest cmdlet
- Assign a Microsoft 365 license to User1
- From the on-premises Active Directory domain, create a new user named User1
- Run the New-Mailbox -InactiveMailbox cmdlet
- Run the Restore-MsolUser cmdlet
- Force a synchronization from Azure AD Connect

Answer Area



- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

Actions

- From the on-premises Active Directory Recycle Bin, recover the user account
- Run the New-MailboxRestoreRequest cmdlet
- Assign a Microsoft 365 license to User1
- From the on-premises Active Directory domain, create a new user named User1
- Run the New-Mailbox -InactiveMailbox cmdlet
- Run the Restore-MsolUser cmdlet
- Force a synchronization from Azure AD Connect

Answer Area



NEW QUESTION 314

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 mailboxes.

All the users in the sales department at your company are in a group named Sales.

The company is implementing a new policy to restrict the use of email attachments for the users in the Sales group.

You need to prevent all email messages that contain attachments from being delivered to the users in the Sales group.

Solution: You configure a mailbox quota.

Does this meet the goal?

- A. Yes

B. No

Answer: B

Explanation:

Create a mail flow rule. Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/common-attachmentblocking-scenarios>

NEW QUESTION 318

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You plan to create a mail flow rule that will forward email messages containing specific words to a user's manager for approval.

You need to test the rule. The solution must meet the following requirements:

- Prevent users from being notified that their message was forwarded to their manager.
- Support the tracking of messages that match the rule by using message tracing.

Which two settings should you modify? To answer, select the settings in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

new rule

Name:
rule1

*Apply this rule if...

The sender is located... ✓

and

The subject or body includes... ✓

add condition

*Do the following...

Forward to the sender's manager for approval

add action

Except if...

add exception

Properties of this rule:

Audit this rule with severity level
Not specified

Choose a mode for this rule:

Enforce

Test with Policy Tips

Test without Policy ✓

Activate this rule on the following date:
Wed 29/09/2021 10:30 PM

Deactivate this rule on the following date:
Wed 29/09/2021 10:30 PM

Stop processing more rules

Defer the message if rule processing doesn't complete

Match sender address in message:
Header

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

new rule

Name:

*Apply this rule if...

The sender is located...

and

The subject or body includes...

*Do the following...

Except if...

Properties of this rule:

Audit this rule with severity level

Choose a mode for this rule:

Enforce

Test with Policy Tips

Test without Policy

Activate this rule on the following date:

Deactivate this rule on the following date:

Stop processing more rules

Defer the message if rule processing doesn't complete

Match sender address in message:

NEW QUESTION 323

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You need to remove the email addresses of your company's executives from the global address list (GAL). What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Run the Set-Mailbox cmdlet to modify the properties of each executive's mailbox.
- B. From the Exchange admin center, modify the properties of the GAL.
- C. From the Exchange admin center, modify the properties of each executive's mailbox.
- D. Run the Set-GlobalAddressList cmdlet to modify the properties of the GAL.

Answer: AC

Explanation:

Reference:
<https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailbox?view=exchange-ps>

NEW QUESTION 327

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You plan to migrate to Exchange Online incrementally during a 12-month period. You need to ensure that during the migration, the following features continue to work for all users:

- ? Free/Busy synchronization
 - ? Microsoft Teams calendar integration
 - ? The Microsoft Outlook mobile app for Android
- Which hybrid configuration should you implement?

- A. Modern Hybrid Configuration
- B. Minimal Hybrid Configuration

C. Classic Hybrid

Answer: C

Explanation:

Reference:
<https://www.enowsoftware.com/solutions-engine/what-are-your-exchange-hybrid-options>

NEW QUESTION 332

HOTSPOT - (Topic 5)

You have a Microsoft 365 E5 tenant that contains two Azure Active Directory (Azure AD) security groups named Finance and Marketing. The tenant contains the users and devices shown in the following table.

Name	Azure AD group membership	Device
User1	Finance	Device1
User2	Marketing	Device2
User3	Finance	Device3

The devices are configured as shown in the following table.

Device	Azure AD-joined	Microsoft Intune-enrolled
Device1	No	No
Device2	Yes	Yes
Device3	Yes	Yes

A conditional access policy is configured as shown in the following exhibit.

The screenshot shows the configuration for a Conditional Access policy named "Outlook on the Web Policy".

- Name:** Outlook on the Web Policy
- Include/Exclude:**
 - None
 - All users
 - Select users and groups
 - All guest and external users
 - Directory roles
 - Users and groups
- Conditions:** 0 conditions selected
- Access controls:** A Finance group is selected.
- Grant:** 0 controls selected
- Session:** Use app enforced restrictions

From Microsoft Exchange Online PowerShell, you run the following cmdlet.

```
Set-OwaMailboxPolicy -Identity OwaMailboxPolicy-Default -ConditionalAccessPolicy ReadOnly
```

All the users connect to Exchange Online by using Outlook on the web.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
When using Outlook on the web, User1 can only view email attachments.	<input type="radio"/>	<input type="radio"/>
When using Outlook on the web, User2 can only view and print email attachments.	<input type="radio"/>	<input type="radio"/>
When using Outlook on the web, User3 can view, download, and print email attachments.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
When using Outlook on the web, User1 can only view email attachments.	<input checked="" type="radio"/>	<input type="radio"/>
When using Outlook on the web, User2 can only view and print email attachments.	<input type="radio"/>	<input checked="" type="radio"/>
When using Outlook on the web, User3 can view, download, and print email attachments.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 333

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

MS-203 Practice Exam Features:

- * MS-203 Questions and Answers Updated Frequently
- * MS-203 Practice Questions Verified by Expert Senior Certified Staff
- * MS-203 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MS-203 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The MS-203 Practice Test Here](#)