

CompTIA

Exam Questions FC0-U61

CompTIA IT Fundamentals+ Certification Exam



NEW QUESTION 1

Which of the following can a company use to protect its logo?

- A. Trademark
- B. Copyright
- C. Domain name
- D. patent

Answer: A

Explanation:

A trademark is the best option for a company to protect its logo. A trademark is a name, symbol, logo, or slogan that identifies a product or service and distinguishes it from others in the market. A trademark grants the owner the exclusive right to use the mark and to prevent others from using confusingly similar marks. A trademark can be registered with the appropriate authority to obtain legal protection and enforcement. A trademark can last indefinitely as long as it is used and renewed periodically. A trademark can also be indicated by the symbols [™] or ®. A copyright is not suitable for protecting a logo, as it only protects original works of authorship, such as books, music, movies, or software. A domain name is not suitable for protecting a logo, as it only identifies a website or an email address on the internet. A domain name can be registered with a domain name registrar to obtain exclusive use of the name for a certain period of time. A domain name can also be trademarked if it meets the criteria for trademark protection. A patent is not suitable for protecting a logo, as it only protects inventions or processes that are new, useful, and non-obvious. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 8: Software Development Concepts

NEW QUESTION 2

Which of the following concerns does installing cross-platform software address?

- A. Subscription
- B. Licensing
- C. Product key
- D. Compatibility

Answer: D

Explanation:

Compatibility is the ability of software or hardware to work with different types of software or hardware without errors or conflicts. Installing cross-platform software addresses the concern of compatibility because cross-platform software can run on multiple operating systems or platforms without requiring modifications or adaptations. Cross-platform software can reduce the cost and complexity of developing and maintaining software for different platforms. Subscription, licensing, and product key are not concerns that installing cross-platform software addresses. Subscription is the agreement or contract that allows users to access software or services for a certain period of time or frequency. Licensing is the permission or authorization that grants users the right to use software or services under certain terms and conditions. Product key is the code or identifier that verifies the authenticity or validity of software or services. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 7: Software Installation and Functions, page 265.

NEW QUESTION 3

Which of the following BEST describes the physical location of the data in the database?

- A. Table
- B. Column
- C. RAM
- D. HDD

Answer: D

Explanation:

HDD (Hard Disk Drive) is a type of storage device that uses magnetic disks to store data permanently. The physical location of the data in the database is on the HDD of the server or computer that hosts the database. The data can be accessed by using logical structures such as tables, columns, rows, and queries. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals, page 192.

NEW QUESTION 4

To establish a theory of probable cause, one technician investigates network issues in the server room while another technician troubleshoots the user's workstation. Which of the following troubleshooting methodologies is being performed?

- A. QUESTION NO: the obvious.
- B. Divide and conquer.
- C. Duplicate the problem
- D. Research the knowledge base.

Answer: B

Explanation:

Divide and conquer is a troubleshooting methodology that involves breaking down a complex problem into smaller and more manageable parts, and then testing each part to isolate the cause of the problem. QUESTION NO: the obvious, duplicate the problem, and research the knowledge base are not troubleshooting methodologies that involve dividing the problem into smaller parts. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 9: Troubleshooting Methodology, page 332.

NEW QUESTION 5

An online retailer experienced an outage. An investigation revealed that the server received more requests than it could handle, and customers could not log in as a result. Which of the following best describes this scenario?

- A. Hardware failure

- B. Denial of service
- C. On-path attack
- D. Social engineering

Answer: B

Explanation:

The scenario where an online retailer experienced an outage because the server received more requests than it could handle and customers could not log in as a result is best described as a denial of service. A denial of service is a type of attack that aims to disrupt or prevent the normal functioning or availability of a system or network by overwhelming it with excessive traffic or requests. A denial of service can cause performance degradation, slowdown, or outage for the system or network and its legitimate users. A denial of service can be performed by a single attacker or a group of attackers using multiple compromised devices, which is called a distributed denial of service (DDoS). A hardware failure is not the scenario that describes the online retailer's outage, but rather a possible cause or consequence of the outage. A hardware failure is a malfunction or breakdown of a physical component of a system or network, such as a disk, a memory, a CPU, a power supply, etc. A hardware failure can cause data loss, corruption, or interruption for the system or network and its users. A hardware failure can be caused by various factors, such as wear and tear, physical damage, overheating, power surge, etc. A hardware failure can also be induced by a denial of service attack that damages the hardware by overloading it. An on-path attack is not the scenario that describes the online retailer's outage, but rather a type of network attack that involves intercepting or modifying data packets that are transmitted between two parties on a network. An on-path attack can compromise the confidentiality, integrity, or authenticity of the data or communication between the parties. An on-path attack can be performed by an attacker who has access to the same network segment or device as one of the parties, such as a router, a switch, or a hub. An on-path attack can also be performed by an attacker who tricks one of the parties into sending data to them instead of the intended destination, which is called a man-in-the-middle attack. A social engineering attack is not the scenario that describes the online retailer's outage, but rather a type of attack that exploits human psychology and behavior to manipulate people into performing actions or revealing information that benefits the attacker. A social engineering attack can take various forms, such as phishing, vishing, baiting, quid pro quo, pretexting, or tailgating. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 7: Security Concepts

NEW QUESTION 6

Employees of a large technology company are provided access to the internet as a work resource. Which of the following most likely represents the level of privacy employees should expect when utilizing this resource?

- A. Only the attempts to access unapproved URLs are logged.
- B. All internet usage is logged by a corporate server and may be monitored live.
- C. All internet browsing is private and anonymous.
- D. Only the attempts to access sites that include prohibited keywords are logged.

Answer: B

NEW QUESTION 7

An administrator grants permission for a user to access data in a database. Which of the following actions was performed?

- A. Data correlation
- B. Data manipulation
- C. Data gathering
- D. Data definition

Answer: D

Explanation:

Data definition is the process of creating, modifying, or deleting the structure and objects of a database, such as tables, fields, indexes, and views. Data definition is performed using data definition language (DDL), which is a subset of SQL commands. An administrator can use DDL to grant or revoke permissions for a user to access data in a database. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 144.

NEW QUESTION 8

Which of the following relational database constructs is used to ensure valid values are entered for a column?

- A. Schema
- B. Permissions
- C. Constraint
- D. Column

Answer: C

Explanation:

A constraint is a rule or a restriction that is applied to a column or a table in a relational database to ensure that only valid values are entered. Constraints help to maintain the integrity, accuracy, and consistency of the data. For example, a constraint can be used to specify that a column must not contain null values, or that a column must contain unique values, or that a column must match a value in another table¹². References: = CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 5: Database Fundamentals³; Constraints in Relational Database Model - Online Tutorials Library

NEW QUESTION 9

Which of the following database structures is the most granular?

- A. Column
- B. Field
- C. Record
- D. Table

Answer: B

Explanation:

A field is the most granular database structure among the options given. A field is a single unit of data that represents an attribute of an entity, such as name, age,

or address. A field can have a specific data type, such as text, number, or date. A column is a collection of fields that share the same data type and name, such as the name column in a table. A record is a collection of fields that represent an instance of an entity, such as a person, a product, or an order. A record can be identified by a primary key, which is a unique value for each record. A table is a collection of records that represent the same type of entity, such as the customer table or the product table. References: CompTIA IT Fundamentals (ITF+) Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals and Security Concepts, page 156

NEW QUESTION 10

All users have access to an application at a company. The data from the application is stored on a centralized device located on the network. Which of the following devices would MOST likely be used to store the data?

- A. Server
- B. Tape library
- C. External HDD
- D. Workstation

Answer: A

Explanation:

A server is a device that provides services and resources to other devices on a network. A server can store data from an application and allow multiple users to access it simultaneously. A server is different from a tape library, an external HDD, or a workstation, which are devices that store data locally or offline and do not provide network services. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 4, Section 4.1, Page 152.

NEW QUESTION 10

A user is trying to set up a new wireless access point. Which of the following should the user do first?

- A. Change the SSID to a unique name.
- B. Change the default password.
- C. Enable WPA2 encryption.
- D. Enable the highest available wireless standard.

Answer: B

Explanation:

A wireless access point (WAP) is a device that allows wireless devices to connect to a wired network using Wi-Fi or Bluetooth. A WAP usually has a default configuration that is set by the manufacturer, which may include a default password, SSID (service set identifier), encryption type, and wireless standard. The default password is often weak or well-known, which makes the WAP vulnerable to unauthorized access or hacking. Therefore, the first thing that a user should do when setting up a new WAP is to change the default password to a strong and unique one. This will help secure the WAP and prevent unwanted changes or attacks. Changing the SSID to a unique name, enabling WPA2 encryption, and enabling the highest available wireless standard are also important steps to improve the security and performance of the WAP, but they should be done after changing the default password.

NEW QUESTION 13

Which of the following data types should a database administrator use to store customer postal codes?

- A. Float
- B. String
- C. Boolean
- D. Integer

Answer: B

Explanation:

A postal code is a string of alphanumeric characters that identifies a specific location. A string data type is used to store text or character data, such as names, addresses, or postal codes. A float data type is used to store decimal numbers, such as prices or weights. A boolean data type is used to store logical values, such as true or false. An integer data type is used to store whole numbers, such as counts or quantities. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 6: Database Fundamentals1

NEW QUESTION 17

Meaningful and accurate reporting is essential to retailers in making business decisions while managing inventory. Which of the following offers the BEST assistance in generating reports?

- A. Data capture and collections
- B. Asset inventory inputs
- C. Sales statistics
- D. Average loss output

Answer: A

Explanation:

Data capture and collections are the processes of gathering and organizing data from various sources, such as transactions, surveys, sensors, etc. Data capture and collections would offer the best assistance in generating reports for retailers because they can provide accurate, relevant, and timely data that can be used for analysis and decision making. Asset inventory inputs, sales statistics, and average loss output are not processes that offer the best assistance in generating reports for retailers because they are not sources of data capture and collections, but rather types or results of data analysis. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals, page 200.

NEW QUESTION 22

Given the following pseudocode:

```
declare @count int
set @count =1
for @count <10
begin
set @count=@count+1
end
select @count
```

Which of the following is the output of the code?

- A. 1
- B. 9
- C. 10
- D. 11

Answer: B

Explanation:

The code uses a for loop to iterate from 1 to 3, and assigns the value of i to the variable x. Then, it adds 3 to x and prints the result. The output of the code is: 3 (when i = 1, x = 1, x + 3 = 4) 6 (when i = 2, x = 2, x + 3 = 5) 9 (when i = 3, x = 3, x + 3 = 6) References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 153.

NEW QUESTION 26

Which of the following would indicate the FASTEST processor speed?

- A. 3.6GHz
- B. 3.6MHz
- C. 3.6Mbps
- D. 3.6Gbps

Answer: A

Explanation:

Processor speed is measured in hertz (Hz), which is the number of cycles per second that the processor can perform. The higher the processor speed, the faster the processor can execute instructions. Gigahertz (GHz) is equal to one billion hertz, while megahertz (MHz) is equal to one million hertz. Megabits per second (Mbps) and gigabits per second (Gbps) are units of data transfer rate, not processor speed. Therefore, 3.6GHz would indicate the fastest processor speed among the options given. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 3: Computing Components, page 114.

NEW QUESTION 27

When transferring a file across the network, which of the following would be the FASTEST transfer rate?

- A. 1001Kbps
- B. 110Mbps
- C. 1.22Gbps
- D. 123Mbps

Answer: C

Explanation:

* 1.22Gbps would be the fastest transfer rate when transferring a file across the network among the given options. A transfer rate is a measure of how much data can be transmitted or received over a network in a given time. A transfer rate is usually expressed in bits per second (bps) or its multiples, such as Kbps (kilobits per second), Mbps (megabits per second), or Gbps (gigabits per second). A higher transfer rate means faster data transmission or reception. 1.22Gbps is equivalent to 1,220Mbps, which is higher than 110Mbps, 123Mbps, or 1001Kbps. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 164.

NEW QUESTION 30

A help desk technician encounters an issue and wants to find out if a colleague has encountered the same issue before. Which of the following should the technician do FIRST?

- A. Check Knowledge Base.
- B. Search local logs.
- C. Research possible theories.
- D. N
- E. of users.

Answer: A

Explanation:

A Knowledge Base is a collection of information that provides solutions to common problems or issues encountered by IT professionals. A Knowledge Base can be accessed online or offline, and can be maintained by an organization or a vendor. A help desk technician should check the Knowledge Base first before trying other methods, as it may contain the answer or a workaround for the issue. References: CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 6: Security

NEW QUESTION 31

Which of the following scripting languages is most likely to be used in a Linux command-line environment?

- A. JavaScript
- B. PowerShell
- C. C++
- D. Bash

Answer: D

Explanation:

Bash is the most likely scripting language to be used in a Linux command-line environment. Bash stands for Bourne-Again Shell, which is a shell program that allows users to interact with the operating system by typing commands or running scripts. Bash is the default shell for most Linux distributions, and it supports features such as variables, loops, functions, and pipes. JavaScript is a scripting language that is mainly used for web development, especially for creating dynamic and interactive web pages. JavaScript can run in a browser or on a server, but it is not commonly used in a Linux command-line environment. PowerShell is a scripting language that is mainly used for Windows administration, especially for automating tasks and managing systems. PowerShell can run commands or scripts in a console or an integrated development environment (IDE), but it is not compatible with Linux by default. C++ is a programming language that is mainly used for software development, especially for creating applications that run close to the hardware or require high performance. C++ can run on various platforms, including Linux, but it is not a scripting language and it requires compilation before execution. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 8: Software Development Concepts

NEW QUESTION 35

Which of the following would MOST likely prevent malware sent as compromised file via email from infecting a person's computer?

- A. Email previewing
- B. Patching
- C. Clear browsing cache
- D. Kill process

Answer: B

Explanation:

Patching would be the most likely way to prevent malware sent as a compromised file via email from infecting a person's computer. Patching is the process of applying updates or fixes to software or hardware to improve performance, security, or functionality. Patching can help prevent malware infections by closing the vulnerabilities or flaws that malware exploits to infect systems. Users should regularly patch their operating systems, applications, and antivirus software to protect their computers from malware attacks. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 202.

NEW QUESTION 38

Joe, a developer, is writing a program in which he needs to store a number that changes over the duration of the program's run. Which of the following would Joe MOST likely use to accomplish this?

- A. Loop
- B. Variable
- C. Constant
- D. Function

Answer: B

Explanation:

A variable is a named memory location that can store a number or any other type of data that changes over the duration of the program's run. A variable can be assigned a value, modified, or used in calculations or operations. A variable is different from a constant, which is a fixed value that does not change. A variable is also different from a loop, which is a control structure that repeats a block of code until a condition is met. A variable is also different from a function, which is a named block of code that performs a specific task and can be reused. References: CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 4: Software Development; What is Variable? - Definition from Techopedia

NEW QUESTION 42

A computer user is downloading software from the Internet and notices the following at the end of the install file: "...x86.exe". Which of the following statements BEST represents what the "...x86.exe" means in the installation file?

- A. x86 only supports an installation on a 32-bit CPU architecture.
- B. x86 supports an installation on a 32-bit and a 64-bit CPU architecture.
- C. x86 only supports an installation on a 64-bit CPU architecture.
- D. x86 supports an installation on a 16-bit CPU architecture.

Answer: A

Explanation:

x86 only supports an installation on a 32-bit CPU architecture is the statement that best represents what the "...x86.exe" means in the installation file. x86 is a term that refers to a family of processors or instruction sets that use 32-bit registers and memory addresses. x86 processors can only run software applications that are compatible with the 32-bit architecture. An installation file that has the suffix "...x86.exe" indicates that the file is an executable file that can only be installed on a 32-bit system. A 64-bit system can run both 32-bit and 64-bit applications, but a 32-bit system can only run 32-bit applications. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 34.

NEW QUESTION 47

A database administrator finds that a table is not needed in a relational database. Which of the following commands is used to completely remove the table and its data?

- A. UPDATE
- B. DELETE
- C. ALTER

D. DROP

Answer: D

Explanation:

DROP is the command that is used to completely remove a table and its data from a relational database. DROP is a SQL (Structured Query Language) statement that deletes the definition and contents of a database object, such as a table, index, or view. DROP cannot be undone, so it should be used with caution. For example, the statement DROP TABLE Customers; will delete the table named Customers and all its data from the database. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 14

NEW QUESTION 52

Which of the following BEST describes a technology that allows multiple users to create and edit reports at the same time?

- A. Text file on a shared drive
- B. Managed relational database
- C. Informational intranet page
- D. Locally installed productivity software

Answer: B

Explanation:

A managed relational database is a type of database that is hosted and maintained by a cloud service provider such as Microsoft Azure or Amazon Web Services. A relational database is a type of database that organizes data into tables that are related to each other by common fields or attributes. A managed relational database would be the best option for allowing multiple users to create and edit reports at the same time because it can handle concurrent user requests, provide high availability and scalability, and perform complex queries and operations on the data. A text file on a shared drive, an informational intranet page, and locally installed productivity software are not options that can allow multiple users to create and edit reports at the same time because they cannot handle concurrent user requests, provide high availability and scalability, or perform complex queries and operations on the data. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals, page 197.

NEW QUESTION 55

A user is getting an error message when trying to go to a website. A technician asks the user a few questions to find out more about the issue. The technician opens a browser locally and browses to the same site as the user. Which of the following troubleshooting steps is the technician using by browsing to the same site?

- A. Establish a plan of action.
- B. Gather information
- C. Duplicate the problem.
- D. Find the root cause.

Answer: C

Explanation:

The troubleshooting methodology is a systematic approach to solving problems that involves several steps, such as identifying the problem, establishing a theory of probable cause, testing the theory, establishing a plan of action, implementing the solution, verifying functionality, and documenting the findings. One of the steps in identifying the problem is to duplicate the problem, which means to reproduce the same error or issue that the user is experiencing. This can help the technician to verify the symptoms, narrow down the scope, and eliminate possible causes. References: CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 7: Explain the Troubleshooting Methodology; Troubleshooting Methodology | IT Support and Help Desk | CompTIA

NEW QUESTION 60

Which of the following would be used to send messages using the SMTP protocol?

- A. Document sharing software
- B. Instant messaging software
- C. Conferencing software
- D. Email software

Answer: D

Explanation:

Email software would be used to send messages using the SMTP protocol. SMTP stands for Simple Mail Transfer Protocol, which is a network protocol that enables the transmission of email messages from a client to a server or from one server to another. Email software is an application that allows users to compose, send, receive, and manage email messages using SMTP or other protocols, such as POP3 or IMAP. Examples of email software include Microsoft Outlook, Gmail, Yahoo Mail, etc. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 166.

NEW QUESTION 63

A technician is concerned that sensitive data transmitted over the Internet can be intercepted and viewed during a MITM attack. Which of the following should the technician enable to reduce the risk?

- A. DLP
- B. ACL
- C. TLS
- D. IPS

Answer: C

Explanation:

TLS (Transport Layer Security) is a protocol that should be enabled to reduce the risk of a MITM (man-in-the-middle) attack. A MITM attack is a type of cyberattack where an attacker intercepts and alters the communication between two parties without their

knowledge. A MITM attack can compromise the confidentiality, integrity, and authenticity of the data being transmitted. TLS is a protocol that provides encryption, authentication, and integrity for data communication over the Internet. TLS can prevent a MITM attack by encrypting the data to make it unreadable by the attacker, authenticating the identities of the parties to prevent impersonation, and verifying the integrity of the data to detect any tampering. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 206.

NEW QUESTION 65

Which of the following is the closest to machine language?

- A. Scripted languages
- B. Compiled languages
- C. Query languages
- D. Assembly languages

Answer: D

Explanation:

Assembly languages are the closest to machine language among the given options. Machine language is the lowest-level programming language that consists of binary codes (0s and 1s) that can be directly understood by the processor. Machine language is specific to each type of processor and hardware platform. Assembly languages are low-level programming languages that use mnemonic codes (abbreviations or symbols) to represent machine language instructions. Assembly languages are easier to read and write than machine language, but they still require an assembler program to convert them into machine language. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 132-133.

NEW QUESTION 69

A developer is creating specific step-by-step instructions/procedures and conditional statements that will be used by a computer program to solve problems. Which of the following is being developed?

- A. Algorithm
- B. Software
- C. Pseudocode
- D. Flowchart

Answer: A

Explanation:

An algorithm is a set of specific step-by-step instructions/procedures and conditional statements that will be used by a computer program to solve problems. An algorithm defines the logic and sequence of actions that a computer program must follow to perform a task or achieve a goal. An algorithm can be expressed in various ways, such as pseudocode, flowchart, or natural language. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 131.

NEW QUESTION 71

Which of the following would MOST likely use an ARM processor?

- A. Laptop
- B. Tablet
- C. Workstation
- D. Server

Answer: B

Explanation:

An ARM processor is a type of processor that uses a reduced instruction set computer (RISC) architecture, which means it executes fewer and simpler instructions than other types of processors. An ARM processor is designed to be energy-efficient, low-cost, and suitable for mobile devices. A tablet would most likely use an ARM processor because it is a mobile device that needs to conserve battery power and perform basic tasks. A laptop, a workstation, and a server are not devices that would most likely use an ARM processor because they are not mobile devices or they need to perform more complex tasks. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 3: Computing Components, page 115.

NEW QUESTION 76

A regulation requires new applicants to provide a scan of their retinas in case of any future legal questions regarding who applied for the position. Which of the following concepts is this an example of?

- A. Non-repudiation
- B. Authentication
- C. Integrity
- D. Accounting

Answer: A

Explanation:

Non-repudiation is a security concept that refers to the ability to prove the origin and authenticity of an action or communication, such as an email or a document. Non-repudiation prevents someone from denying their involvement or responsibility for something they have done or sent. Non-repudiation can be achieved by using methods such as digital signatures, encryption, timestamps, or biometric data. For example, scanning the retinas of new applicants can provide non-repudiation in case of any future legal questions regarding who applied for the position. References: CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 6: Security3; What is Non-Repudiation? - Definition from Techopedia10

NEW QUESTION 80

Which of the following authorization techniques is used to assign permissions and authorize a user based on job title or function?

- A. Rule-based access control
- B. Mandatory access control

- C. Role-based access control
- D. Discretionary access control

Answer: C

Explanation:

Role-based access control is the authorization technique that is used to assign permissions and authorize a user based on job title or function. Role-based access control is a security method that defines roles for users or groups and assigns permissions for each role based on their responsibilities or tasks. Role-based access control simplifies the management of user access rights by allowing administrators to grant or revoke permissions based on roles rather than individual users. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 207.

NEW QUESTION 85

Which of the following BEST describes an application running on a typical operating system?

- A. Process
- B. Thread
- C. Function
- D. Task

Answer: A

Explanation:

An application running on a typical operating system is an example of a process, which is a program or a set of instructions that is loaded into memory and executed by the CPU. A process can have one or more threads, which are subunits of execution that share the resources of the process. A process can also perform one or more tasks, which are units of work that the process needs to accomplish. A process can also call one or more functions, which are blocks of code that perform a specific operation and return a value¹²³. References := CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 2: Computing Basics⁴; What is a Process? - Definition from Techopedia⁵; What is a Thread? - Definition from Techopedia⁶

NEW QUESTION 86

Which of the following creates multifactor authentication when used with something you have?

- A. Single sign-on
- B. Hardware token
- C. Geolocation
- D. Password

Answer: D

Explanation:

A password is something you know, which can be used to create multifactor authentication when used with something you have, such as a hardware token or a smart card. Multifactor authentication is a security method that requires two or more factors of authentication to verify a user's identity. Single sign-on is a feature that allows a user to access multiple applications or systems with one set of credentials, but it does not necessarily involve multifactor authentication. Geolocation is a feature that determines a user's physical location based on GPS or other methods, but it does not necessarily involve multifactor authentication. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 7: Security Concepts

NEW QUESTION 90

A user logs into a laptop using a username and complex password. This is an example of:

- A. biometrics
- B. multifactor authentication
- C. least privilege
- D. single-factor authentication

Answer: D

Explanation:

Single-factor authentication is a method of verifying a user's identity by using only one piece of information, such as a username and password. Biometrics, multifactor authentication, and least privilege are not examples of single-factor authentication. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 8: Security Concepts, page 304.

NEW QUESTION 95

Which of the following statements BEST describes binary?

- A. A notational system used to represent an "on" or "off" state
- B. A notational system used to represent media access control
- C. A notational system used to represent Internet protocol addressing
- D. A notational system used to represent a storage unit of measurement

Answer: A

Explanation:

Binary is a notational system used to represent an "on" or "off" state in digital devices or systems. Binary use only two symbols: 0 (off) and 1 (on). Binary is also known as base 2 notation, because each symbol represents a power of 2. Binary is the fundamental building block of all computer operations and data storage, as it can encode any type of information using sequences of bits (binary digits)¹¹¹². References := CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 2: Computing Basics³; What is Binary? - Definition from Techopedia

NEW QUESTION 96

Employee information is stored in a database. Which of the following BEST describes where all of an employee's information is stored?

- A. Record
- B. Report
- C. Column
- D. Procedure

Answer: A

Explanation:

A record is a collection of related fields or attributes that store information about a specific entity or object in a database. For example, an employee record would store information such as name, ID, department, salary, etc. A record would be the best description of where all of an employee's information is stored in a database. A report is a formatted presentation of data from a database, not a storage unit. A column is a vertical arrangement of fields or attributes that store the same type of information for different records, not all of an employee's information. A procedure is a set of instructions or commands that perform a specific task on a database, not a storage unit. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals, page 193.

NEW QUESTION 97

An IT manager wants to prevent end users from booting alternative operating systems on workstations. Which of the following security-related best practices would be used to accomplish this?

- A. Installing a host-based firewall
- B. Setting a BIOS password
- C. Patching the operating system
- D. Removing unnecessary software

Answer: B

Explanation:

Setting a BIOS password is a security-related best practice that would prevent end users from booting alternative operating systems on workstations. A BIOS password restricts access to the BIOS settings, which control the boot order and other hardware configurations of the computer. Installing a host-based firewall, patching the operating system, and removing unnecessary software are also security-related best practices, but they do not directly prevent booting alternative operating systems on workstations. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 7: Security Concepts1

NEW QUESTION 98

A developer needs to add a table to a database. Which of the following database activities should the user perform?

- A. UPDATE
- B. ALTER
- C. CREATE
- D. REPORT

Answer: C

Explanation:

The CREATE statement is used to add a new table to a database. The syntax of the CREATE statement is: CREATE TABLE table_name (column1 datatype, column2 datatype, column3 datatype, ...);
References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals, page 194.

NEW QUESTION 100

Which of the following connection types is typically used for a display monitor?

- A. USB
- B. DVI
- C. Bluetooth
- D. RJ45

Answer: B

Explanation:

The connection type that is typically used for a display monitor is DVI. DVI stands for Digital Visual Interface, which is a standard that defines how digital video signals are transmitted from a source device, such as a computer or a DVD player, to a display device, such as a monitor or a projector. DVI can support various resolutions and refresh rates, depending on the type and length of the cable and the capabilities of the devices. DVI can also support analog video signals, using a DVI-A connector, or both digital and analog video signals, using a DVI-I connector. However, DVI does not support audio signals, so a separate audio cable is needed. USB is not the connection type that is typically used for a display monitor, but rather a connection type that is typically used for peripheral devices, such as keyboards, mice, printers, scanners, etc. USB stands for Universal Serial Bus, which is a standard that defines how data and power are transmitted between devices using a common interface. USB can support various types and speeds of devices, depending on the version and mode of the USB port and cable. USB can also support video and audio signals, using a USB-C connector, which can be converted to other standards, such as HDMI or DisplayPort. Bluetooth is not the connection type that is typically used for a display monitor, but rather a connection type that is typically used for wireless devices, such as headphones, speakers, keyboards, mice, etc. Bluetooth is a technology that defines how data and audio are transmitted between devices using short-range radio waves. Bluetooth can support various profiles and protocols that enable different types of communication and functionality between devices. Bluetooth can also support video signals, using a Bluetooth Low Energy Video Streaming (BLE-VS) protocol, but it is not widely adopted or supported by most devices. RJ45 is not the connection type that is typically used for a display monitor, but rather a connection type that is typically used for network devices, such as routers, switches, computers, etc. RJ45 stands for Registered Jack 45, which is a connector that defines how data are transmitted between devices using twisted pair cables. RJ45 can support various standards and speeds of network communication, depending on the category and length of the cable and the capabilities of the devices. RJ45 can also support video signals, using an Ethernet AVB (Audio Video Bridging) protocol, but it is not widely adopted or supported by most devices. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 1: IT Fundamentals

NEW QUESTION 104

Which of the following BEST describes a kilobyte?

- A. A kilobyte is a measurement of storage (e.g., 100KB).
- B. A kilobyte is a measurement of throughput (e.g., 100Kbps).
- C. A kilobyte is a measurement of power (e.g., 100KW).
- D. A kilobyte is a measurement of processor speed (e.g., 2.4KHz).

Answer: A

Explanation:

A kilobyte is a unit of digital information that equals 1,024 bytes. A byte is the smallest unit of data that can be stored or processed by a computer. A kilobyte can store a small amount of text, such as a few sentences or a paragraph. Storage devices, such as hard disks and flash drives, use kilobytes and other larger units, such as megabytes and gigabytes, to measure their capacity and performance. References: The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 38.

NEW QUESTION 107

Ann, the president of a company, has requested assistance with choosing the appropriate Internet connectivity for her home. The home is in a remote location and has no connectivity to existing infrastructure. Which of the following Internet service types should MOST likely be used?

- A. Fiber
- B. DSL
- C. Cable
- D. Satellite

Answer: D

Explanation:

Satellite would be the best choice for Internet service for a home in a remote location that has no connectivity to existing infrastructure. Satellite Internet service uses satellites in orbit to provide wireless Internet access to users who have a satellite dish installed at their location. Satellite Internet service can cover areas where other types of Internet service are not available or reliable, such as rural or remote locations. Satellite Internet service can offer high-speed broadband connections, but it may also have drawbacks such as high latency, weather interference, and data caps. References : The Official CompTIA IT Fundamentals (ITF+) Study Gui (FC0-U61), page 168.

NEW QUESTION 111

Which of the following would a company consider an asset?

- A. An external company used to destroy defective hard drives
- B. Information residing on backup tapes
- C. A company-sponsored technology conference
- D. A certified third-party vendor that provides critical components

Answer: B

Explanation:

Information residing on backup tapes is an example of an asset that a company would consider valuable or important. An asset is any resource or item that has value or benefit for an organization, such as hardware, software, data, personnel, etc. An asset can be tangible or intangible, physical or digital, owned or leased, etc. Information residing on backup tapes is an asset because it contains data that may be critical or essential for the organization's operations, functions, or goals. Information residing on backup tapes may also contain sensitive or confidential data that needs to be protected from loss, damage, theft, or unauthorized access. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 204.

NEW QUESTION 116

Which of the following is the exact number of bytes in a gigabyte?

- A. 1,024 bytes
- B. 1,048,576 bytes
- C. 1,073,741,824 bytes
- D. 1,099,511,627,776 bytes

Answer: C

Explanation:

The exact number of bytes in a gigabyte is 1,073,741,824 bytes. A byte is a unit of digital information that consists of eight bits. A bit is a binary digit that can have one of two values: 0 or 1. A byte can store one character, such as a letter, a number, or a symbol. A gigabyte is a unit of digital information that consists of 1,073,741,824 bytes or 1,024 megabytes. A megabyte is a unit of digital information that consists of 1,048,576 bytes or 1,024 kilobytes. A kilobyte is a unit of digital information that consists of 1,024 bytes. These units are based on the binary system, which uses powers of two to represent values. However, there are also decimal units that use powers of ten to represent values, such as gigabyte (GB), megabyte (MB), and kilobyte (KB). These units are often used by storage devices and network services to measure capacity or speed. In this case, one gigabyte (GB) equals 1 billion bytes or 1,000 megabytes (MB). One megabyte (MB) equals 1 million bytes or 1,000 kilobytes (KB). One kilobyte (KB) equals 1 thousand bytes. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 2: IT Concepts and Terminology

NEW QUESTION 120

Which of the following allows wireless devices to communicate to a wired network?

- A. Modem
- B. Switch
- C. Firewall
- D. Access point

Answer: D

Explanation:

An access point is a device that allows wireless devices to communicate to a wired network. An access point acts as a bridge between the wireless and wired networks, converting radio signals from wireless devices into data packets that can be transmitted over the network cable. An access point can also extend the range and coverage of a wireless network³. References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 4: Networking Concepts²

NEW QUESTION 121

A programmer needs to store output in a place that can be accessed as quickly as possible. The data does not need to remain persistent. Which of the following is the BEST option for storing the data?

- A. Flat file
- B. Memory
- C. Relational database
- D. Solid state drive

Answer: B

Explanation:

Memory is the component of a computer system that stores data temporarily for fast access by the processor. Memory does not need to remain persistent, which means it does not retain data when the power is turned off.

A programmer can use memory to store output in a place that can be accessed as quickly as possible by the processor. Memory is also known as RAM (random access memory). References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 36.

NEW QUESTION 125

The IT department has established a new password policy for employees. Specifically, the policy reads:

- Passwords must not contain common dictionary words
- Passwords must contain at least one special character.
- Passwords must be different from the last six passwords used.
- Passwords must use at least one capital letter or number.

Which of the following practices are being employed? (Select TWO).

- A. Password lockout
- B. Password complexity
- C. Password expiration
- D. Passwords history
- E. Password length
- F. Password age

Answer: BD

Explanation:

Password complexity and password history are two practices that are being employed by the IT department to establish a new password policy for employees.

Password complexity is the requirement that passwords must contain a combination of different types of characters, such as letters, numbers, and symbols.

Password complexity makes passwords harder to guess or crack by attackers. Password history is the record of the previous passwords used by a user. Password history prevents users from reusing the same passwords over and over again, which reduces the risk of compromise. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 208.

NEW QUESTION 126

A systems administrator uses a program that interacts directly with hardware to manage storage, network, and virtual machines. This program is an example of:

- A. a storage area network.
- B. an embedded OS.
- C. network attached storage.
- D. a Type 1 hypervisor.

Answer: D

Explanation:

A hypervisor is a software program that allows multiple operating systems (OS) to run on the same physical hardware as virtual machines (VMs). A hypervisor can be classified into two types: Type 1 and Type 2. A Type 1 hypervisor interacts directly with the hardware and does not need an underlying OS to function. A Type 1 hypervisor is also known as a bare-metal hypervisor or a native hypervisor. A Type 1 hypervisor can

manage storage, network, and VMs more efficiently and securely than a Type 2 hypervisor⁸⁹. References := CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 3: IT Infrastructure³; What is Hypervisor? - Definition from Techopedia¹⁰

NEW QUESTION 128

Which of the following application delivery mechanisms BEST describes infrastructure located in an individual organization's datacenter?

- A. Private
- B. Traditional
- C. Public
- D. Cloud

Answer: B

Explanation:

Traditional is the application delivery mechanism that best describes infrastructure located in an individual organization's datacenter. Traditional application

delivery is a method of deploying and running software applications on physical servers or hardware that are owned and managed by the organization itself. Traditional application delivery requires the organization to purchase, install, configure, maintain, and secure the infrastructure and resources needed to support the applications. Traditional application delivery offers more control and customization over the applications, but it also involves more cost and complexity. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 144

NEW QUESTION 131

A game developer is purchasing a computing device to develop a game and recognizes the game engine software will require a device with high-end specifications that can be upgraded. Which of the following devices would be BEST for the developer to buy?

- A. Laptop
- B. Server
- C. Game console
- D. Workstation

Answer: D

Explanation:

A workstation would be the best device for a game developer to buy if the game engine software requires high-end specifications and upgradability. A workstation is a computing device that is designed for professional or specialized applications that require high performance, reliability, and scalability. A workstation typically has more powerful components than a standard desktop computer, such as faster processors, larger memory, better graphics cards, and more storage options. A workstation can also be customized and upgraded to meet specific needs or preferences. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 26.

NEW QUESTION 132

An attacker is using subversive tactics to gain the trust of a target in order to obtain entry to a location or access to confidential information. Which of the following best describes this scenario?

- A. Phishing attack
- B. Social engineering
- C. On-path attack
- D. Eavesdropping

Answer: B

Explanation:

The scenario where an attacker is using subversive tactics to gain the trust of a target in order to obtain entry to a location or access to confidential information is best described as social engineering. Social engineering is a type of attack that exploits human psychology and behavior to manipulate people into performing actions or revealing information that benefits the attacker. Social engineering can take various forms, such as phishing, vishing, baiting, quid pro quo, pretexting, or tailgating. Phishing attack is a type of social engineering attack that involves sending fraudulent emails or messages that appear to come from legitimate sources to trick recipients into clicking on malicious links or attachments, or providing personal or financial information.

On-path attack is a type of network attack that involves intercepting or modifying data packets that are transmitted between two parties on a network. Eavesdropping is a type of network attack that involves listening to or capturing data packets that are transmitted between two parties on a network. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 7: Security Concepts1

NEW QUESTION 134

A large payment website was breached recently. A user is concerned that the breach will affect account security on other sites. Which of the following password best practices would mitigate this risk?

- A. Password history
- B. Password reuse
- C. Password expiration
- D. Password age

Answer: B

Explanation:

Password reuse is the practice of using the same password for multiple accounts or services. Password reuse would increase the risk of account security on other sites if a large payment website was breached recently. If the attackers obtained the user's password from the breached website, they could try to use it to access the user's accounts on other sites. Password reuse should be avoided and different passwords should be used for different accounts or services. Password history, password expiration, and password age are not password best practices that would mitigate this risk. Password history is the record of previous passwords that a user has used for an account or service. Password expiration is the time limit for using a password before it needs to be changed. Password age is the length of time that a password has been in use. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 8: Security Concepts, page 308.

NEW QUESTION 137

Which of the following does a NoSQL database use to organize data?

- A. Primary keys
- B. Schemas
- C. Keys/values
- D. Tables

Answer: C

Explanation:

A NoSQL database is a type of database that does not use tables, rows, and columns to organize data. Instead, it uses keys and values to store data in a flexible and scalable way. A key is a unique identifier for a piece of data, and a value is the data itself. For example:

```
{ "name": "Alice", "age": 25, "city": "New York" }
```

In this example, name, age, and city are keys, and Alice, 25, and New York are values.

References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals, page 196.

NEW QUESTION 141

Which of the following is a value that uniquely identifies a database record?

- A. Foreign key
- B. Public key
- C. Primary key
- D. Private key

Answer: C

Explanation:

A primary key is a value that uniquely identifies a database record or a row in a table. A primary key can be a single column or a combination of columns that have unique values for each record. A primary key ensures that each record can be distinguished from others and prevents duplicate data. For example, in a database that stores information about employees, the employee ID column can be used as a primary key for each employee record⁵⁶. References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 5: Database Fundamentals³; What is Primary Key? - Definition from Techopedia⁷

NEW QUESTION 142

Which of the following is a wireless communication that requires devices to be within 6in of each other to transfer information?

- A. Infrared
- B. NFC
- C. Bluetooth
- D. WiFi

Answer: B

Explanation:

NFC stands for near field communication, which is a wireless communication technology that allows devices to exchange data or perform transactions when they are within a few centimeters of each other. NFC uses radio frequency identification (RFID) to create a short-range wireless connection. NFC is commonly used for contactless payments, smart cards, and digital wallets. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 174.

NEW QUESTION 144

A company requires several reports that analyze related information from sales, inventory, marketing, and compensation data. Which of the following is the BEST place to store this data?

- A. Flat file
- B. Word processor
- C. Database
- D. Network share

Answer: C

Explanation:

A database would be the best place to store data that requires analysis from multiple sources, such as sales, inventory, marketing, and compensation data. A database is a collection of organized and related data that can be stored, accessed, manipulated, and analyzed by software applications or users. A database can store various types of data, such as text, numbers, dates, images, etc., in tables, records, fields, or other structures. A database can also support queries, reports, transactions, security, backup, and recovery functions. References The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 142.

NEW QUESTION 145

Which of the following is a reason why complex passwords are required?

- A. To encourage password variety
- B. To prevent someone from guessing them
- C. To make them harder to remember
- D. To reduce social engineering attacks

Answer: B

Explanation:

A managed relational database is a type of database that is hosted and maintained by a cloud service provider such as Microsoft Azure or Amazon Web Services. A relational database is a type of database that organizes data into tables that are related to each other by common fields or attributes. A managed relational database would be the best option for allowing multiple users to create and edit reports at the same time because it can handle concurrent user requests, provide high availability and scalability, and perform complex queries and operations on the data. A text file on a shared drive, an informational intranet page, and locally installed productivity software are not options that can allow multiple users to create and edit reports at the same time because they cannot handle concurrent user requests, provide high availability and scalability, or perform complex queries and operations on the data. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals, page 197.

NEW QUESTION 147

Which of the following software license models allows a developer to modify the original code and release its own version of the application?

- A. Proprietary software
- B. Commercial software
- C. Open-source software
- D. Cross-platform software

Answer:

C

Explanation:

Open source software is software that allows anyone to access, modify, and distribute its source code, which is the human-readable instructions that make up the software. Open source software encourages collaboration and innovation among developers and users. Examples of open source software include Linux, Firefox, and WordPress. Other types of software license models, such as proprietary and commercial software, restrict the access and modification of the source code.

References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 122.

NEW QUESTION 152

Which of the following would be best to use to store a project task list that will be updated by multiple team members?

- A. Visual diagramming software
- B. Document sharing software
- C. Conferencing software
- D. Database software

Answer: B

Explanation:

Document sharing software is a type of software that allows multiple users to access, edit, and collaborate on the same document over the internet. Document sharing software can be useful for storing a project task list that will be updated by multiple team members, as it can provide features such as version control, real-time editing, commenting, chat, and access control. Document sharing software can also sync the document across different devices and platforms, making it easy to access and update the task list from anywhere. Some examples of document sharing software are Google Docs, Microsoft OneDrive, Dropbox Paper, and Zoho Docs

NEW QUESTION 155

A developer is writing a script to calculate a bank account balance within two decimal places. Which of the following data types should the developer select to store the balance?

- A. Boolean
- B. Integer
- C. Float
- D. Char

Answer: C

Explanation:

A float is a data type that can store decimal numbers, such as 3.14 or 0.01. This is suitable for calculating a bank account balance within two decimal places, as it can represent fractions of a dollar. A boolean is a data type that can only store true or false values, which is not useful for numerical calculations. An integer is a data type that can store whole numbers, such as 1 or 100, but not decimals. A char is a data type that can store a single character, such as 'a' or '9', but not multiple characters or decimals. References: CompTIA IT Fundamentals (ITF+) Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Software Development Concepts, page 1371

NEW QUESTION 156

The computer language that is closest to machine code is:

- A. query language
- B. scripting language
- C. markup language
- D. assembly language

Answer: D

Explanation:

Assembly language is a low-level programming language that uses mnemonics or symbolic names to represent machine code instructions. Machine code is the binary code that is directly executed by the processor. Assembly language is the closest to machine code among the options given because it has a one-to-one correspondence with machine code instructions. Query language, scripting language, and markup language are not programming languages that are close to machine code because they use higher-level syntax or commands

that need to be translated or interpreted by other programs before execution. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 139.

NEW QUESTION 159

The sales department needs to keep a customer list that contains names, contact information, and sales records. This list will need to be edited by multiple people at the same time. Which of the following applications should be used to create this list?

- A. Database software
- B. Word processing software
- C. Conferencing software
- D. Presentation software

Answer: A

Explanation:

Database software would be the best application to create a list that contains names, contact information, and sales records that can be edited by multiple people at the same time. Database software is an application that allows users to create, store, access, manipulate, and analyze data in an organized and structured way. Database software can store various types of data in tables, records, fields, or other structures. Database software can also support queries, reports, transactions, security, backup, and recovery functions. Database software can allow multiple users to edit the same data concurrently with proper permissions and controls.

References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 142.

NEW QUESTION 161

Which of the following is a compiled language?

- A. Perl
- B. JScript
- C. Java
- D. PowerShell

Answer: C

Explanation:

A compiled language is a programming language that requires its source code to be converted into machine code before it can be executed by the CPU. A compiled language uses a compiler, which is a program that translates the source code into an executable file that contains machine code. A compiled language typically runs faster and more efficiently than an interpreted language, which does not need to be compiled before execution. Java is an example of a compiled language that can run on different platforms using the Java Virtual Machine (JVM), which interprets the machine code for the specific hardware¹¹¹². References: CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 4: Software Development³; What is Compiled Language? - Definition from Techopedia¹³

NEW QUESTION 162

Joe, a user, finds out his password for a social media site has been compromised. Joe tells a friend that his email and banking accounts are probably also compromised. Which of the following has Joe MOST likely performed?

- A. Password reuse
- B. Snooping
- C. Social engineering
- D. Phishing

Answer: A

Explanation:

Password reuse is the practice of using the same password for multiple accounts or services. Password reuse is a bad security habit that can lead to compromise of multiple accounts if one of them is breached by an attacker. Joe has most likely performed password reuse if he thinks his email and banking accounts are also compromised after his password for a social media site was compromised. Joe should use different passwords for different accounts and change them regularly to prevent password reuse. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 208.

NEW QUESTION 166

Which of the following requires the MOST frequent updating to remain effective?

- A. Antivirus
- B. Host firewall
- C. Web browser
- D. Device drivers

Answer: A

Explanation:

Antivirus is a type of software that protects a computer or device from malicious software or malware, such as viruses, worms, trojans, spyware, ransomware, etc. Antivirus software requires the most frequent updating to remain effective because new malware threats are constantly emerging and evolving. Antivirus software needs to update its database of malware signatures or definitions, which are the patterns or characteristics that identify known malware. Antivirus software also needs to update its scanning engine or algorithm, which is the method or technique that detects and removes malware. Host firewall, web browser, and device drivers are not types of software that require the most frequent updating to remain effective. Host firewall is a type of software that monitors and controls the network traffic to or from a computer or device based on rules or policies. Web browser is a type of software that allows users to access and view web pages or web applications on the Internet. Device drivers are types of software that enable the communication and interaction between the operating system and the hardware devices. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 8: Security Concepts, page 305.

NEW QUESTION 171

Which of the following filesystems is compatible with the greatest number of operating systems?

- A. ext4
- B. FAT32
- C. NTFS
- D. HFS

Answer: B

Explanation:

The filesystem that is compatible with the greatest number of operating systems is FAT32. FAT32 stands for File Allocation Table 32-bit, which is a filesystem that organizes data into clusters or groups of sectors on a storage device, such as a hard disk or a flash drive. FAT32 uses a 32-bit table to keep track of the location and status of each cluster. FAT32 can support volumes up to 2 TB and files up to 4 GB in size. FAT32 is compatible with most operating systems, such as Windows, Linux, Mac OS, Android, etc., as well as most devices, such as cameras, printers, game consoles, etc. FAT32 is one of the oldest and simplest filesystems, but it also has some limitations and drawbacks, such as fragmentation, waste of space, lack of security features, etc. ext4 is not the filesystem that is compatible with the greatest number of operating systems, but rather a filesystem that is mainly used by Linux operating systems. ext4 stands for Fourth Extended Filesystem, which is a filesystem that organizes data into blocks or groups of sectors on a storage device. ext4 uses an inode table to keep track of the location and attributes of each file or directory. ext4 can support volumes up to 1 EB and files up to 16 TB in size. ext4 has many features and advantages over FAT32, such as journaling, extents, subdirectories, encryption, etc., but it also has limited compatibility with other operating systems, such as Windows or Mac OS. NTFS is not filesystem that is compatible with greatest number of operating systems, but rather filesystem that is mainly used by Windows operating systems. NTFS stands for New Technology File System, which is filesystem that organizes data into clusters or groups of sectors on storage device. NTFS uses Master File Table (MFT) to keep track of location and attributes of each file or directory. NTFS can support volumes up to 256 TB and files up to 256 TB in size. NTFS has many features and advantages over FAT32, such as journaling, compression, encryption, security, etc., but it also has limited compatibility with other operating systems, such as Linux or Mac OS. HFS is not filesystem that is compatible with greatest number of operating systems, but rather filesystem that is mainly used by Mac OS

operating systems. HFS stands for Hierarchical File System, which is filesystem that organizes data into blocks or groups of sectors on storage device. HFS uses catalog file to keep track of location and attributes of each file or directory. HFS can support volumes up to 2 TB and files up to 2 GB in size. HFS has some features and advantages over FAT32, such as resource forks, aliases, etc., but it also has some limitations and drawbacks, such as fragmentation, waste of space, lack of security features, etc. HFS also has limited compatibility with other operating systems, such as Windows or Linux. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 4: Operating System Fundamentals¹

NEW QUESTION 172

A programmer is generating results by iterating rows that provide values needed for one calculation. Which of the following functions best accomplishes this task?

- A. Branching
- B. Pausing for input
- C. Sorting
- D. Looping

Answer: D

Explanation:

Looping is a function that allows a programmer to repeat a block of code for a certain number of times or until a condition is met. This is useful for iterating rows that provide values needed for one calculation, as it can perform the same operation on each row without writing redundant code. Branching is a function that allows a programmer to execute different blocks of code depending on a condition, such as an if-else statement.

Pausing for input is a function that allows a programmer to stop the execution of the code and wait for the user to enter some data, such as using the input() function in Python. Sorting is a function that allows a programmer to arrange a collection of data in a certain order, such as ascending or descending. References: CompTIA IT Fundamentals (ITF+) Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Software Development Concepts, page 139

NEW QUESTION 177

Which of the following is a logical structure for storing files?

- A. Folder
- B. Extension
- C. Permissions
- D. Shortcut

Answer: A

Explanation:

A folder is a logical structure for storing files on a storage device such as a hard disk drive or a solid state drive. A folder can contain files or other folders within it. A folder can help users to organize, group, or categorize files based on their name, type, purpose, etc. Extension, permissions, and shortcut are not logical structures for storing files on a storage device. Extension is a suffix or identifier that indicates the format or type of a file, such as .txt, .docx, .jpg, etc. Permissions are rules or settings that determine who can access or modify a file or a folder on a storage device. Shortcut is an icon or link that points to the location of a file or a folder on a storage device. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 3: Computing Components, page 124.

NEW QUESTION 179

A company purchased a software program. The EULA states that the software can be installed on as many computers as the company wants, but only four users can be using the software at any point in time. Which of the following types of licenses is this an example of?

- A. Group license
- B. Concurrent license
- C. Subscription license
- D. Open-source license

Answer: B

Explanation:

A concurrent license is a type of software license that allows a software program to be installed on as many computers as the company wants, but only a limited number of users can use the software at the same time. A concurrent license is based on the number of simultaneous users rather than the number of installations. A concurrent license can help a company save money and resources by sharing the software among multiple users who do not need to use the software all the time. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 211.

NEW QUESTION 184

An IP address is 32 bits long. If converted to bytes, it would be:

- A. 4 bytes
- B. 8 bytes
- C. 16 bytes
- D. 64 bytes

Answer: A

Explanation:

A byte is a unit of information that consists of eight bits. A bit is a binary digit that can have a value of either 0 or 1. An IP address is 32 bits long, which means it is composed of four groups of eight bits each. Therefore, if converted to bytes, an IP address would be four bytes long. For example, the IP address 192.168.1.1 in binary form is: 11000000.10101000.00000001.00000001

This IP address has four groups of eight bits each, which are equivalent to four bytes. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 6: Infrastructure Concepts, page 221.

NEW QUESTION 187

A company executive wants to view company training videos from a DVD. Which of the following components would accomplish this task?

- A. Optical drive
- B. Hard disk drive
- C. Solid state drive
- D. Flash drive

Answer: A

Explanation:

An optical drive is a component that can accomplish the task of viewing company training videos from a DVD. An optical drive is a device that can read and write data from optical discs, such as CDs, DVDs, or Blu-ray discs. An optical drive uses a laser beam to access the data stored on the disc. An optical drive can play video or audio files from optical discs, as well as install software or store data.

A hard disk drive (HDD) is a component that can store large amounts of data on magnetic platters, but it cannot read or write data from optical discs. A solid state drive (SSD) is a component that can store data on flash memory chips, but it cannot read or write data from optical discs. A flash drive is a component that can store data on flash memory chips and connect to a USB port, but it cannot read or write data from optical discs.

NEW QUESTION 192

When following the troubleshooting methodology, which of the following should be performed last?

- A. Document findings.
- B. Establish a plan.
- C. Determine the cause.
- D. Verify functionality.

Answer: A

Explanation:

The troubleshooting methodology is a systematic process of identifying and resolving problems with computers or other devices. The troubleshooting methodology consists of six steps: identify the problem, establish a theory of probable cause, test the theory to determine cause, establish a plan of action to resolve the problem and implement the solution, verify full system functionality and if applicable implement preventive measures, document findings/actions/outcomes. The last step of the troubleshooting methodology is to document findings/actions/outcomes. This step involves recording what was done to solve the problem, what was learned from the process, what preventive measures were taken (if any), and any feedback from the customer or user. Documenting findings/actions/outcomes is important for several reasons: it helps keep track of what was done and why; it helps avoid repeating the same steps or mistakes in the future; it helps share knowledge and best practices with others; it helps improve customer satisfaction and trust; it helps comply with organizational policies or regulations

NEW QUESTION 196

A company desires to implement a six-month survey site within a remote location. Which of the following is the BEST option for Internet service?

- A. Cellular
- B. Satellite
- C. Cable
- D. Fiber

Answer: A

Explanation:

Cellular would be the best option for Internet service for a six-month survey site in a remote location among the given options. Cellular Internet service uses cellular networks to provide wireless Internet access to devices that have a cellular modem, such as smartphones, tablets, laptops, etc. Cellular Internet service can cover areas where other types of Internet service are not available or reliable, such as rural or remote locations. Cellular Internet service can offer high-speed broadband connections using technologies such as 3G, 4G, LTE, etc., but it may also have drawbacks such as limited coverage, signal interference, data caps, or high costs. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 168.

NEW QUESTION 201

When developing a game, a developer creates a boss object that has the ability to jump. Which of the following programming concepts does jump represent?

- A. Method
- B. Object
- C. Property
- D. Attribute

Answer: A

Explanation:

A method is a programming concept that represents a function or a procedure that performs a specific task or action on an object. An object is a programming concept that represents an instance of a class or a data type that has properties and methods. A method would best describe the ability to jump for a boss object in game development because it is an action that the boss object can perform. Property, object, and attribute are not programming concepts that represent the ability to jump for a boss object in game development. Property is a programming concept that represents a characteristic or a feature of an object, such as color, size, or name. Object is a programming concept that represents an instance of a class or a data type that has properties and methods. Attribute is another term for property in some programming languages. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 143.

NEW QUESTION 203

A new device has been installed on a wired network and can be accessed via the LAN but cannot be accessed remotely. Which of the following is the most likely cause?

- A. Firewall settings
- B. Improper switch configuration
- C. Incorrect IP address
- D. Misconfigured access point

Answer: A

Explanation:

The most likely cause of the device being accessible via the LAN but not remotely is firewall settings. A firewall is a software or hardware device that filters incoming and outgoing network traffic based on rules and policies. A firewall can block or allow traffic based on factors such as source and destination IP addresses, ports, protocols, and applications. If the firewall settings are too restrictive or misconfigured, they may prevent remote access to the device from outside the LAN. Improper switch configuration is unlikely to cause this issue, as switches are devices that forward packets within the same network segment based on MAC addresses. Switches do not block or filter traffic based on IP addresses or ports. Incorrect IP address is unlikely to cause this issue either, as an incorrect IP address would prevent the device from communicating with any other device on the network, not just remotely. Misconfigured access point is also unlikely to cause this issue, as access points are devices that provide wireless connectivity to the network. If the device is connected via a wired network, the access point is irrelevant. References: CompTIA IT Fundamentals (ITF+) Study Guide: Exam FC0-U61, Second Edition, Chapter 3: Infrastructure, page 95

NEW QUESTION 204

A user needs an interface that supports both video and data. Which of the following will meet this requirement?

- A. Thunderbolt
- B. VGA
- C. DVI
- D. FireWire

Answer: A

Explanation:

Thunderbolt is an interface that supports both video and data. Thunderbolt is a high-speed serial interface that can connect multiple devices to a computer using one cable. Thunderbolt can support both DisplayPort and PCI Express protocols, which means it can transfer both video and data signals simultaneously. Thunderbolt can also provide power to connected devices and support daisy-chaining up to six devices per port. Thunderbolt offers faster data transfer rates than USB or FireWire interfaces. VGA is an interface that supports only video. VGA stands for Video Graphics Array, which is an analog interface that can connect monitors to computers using 15-pin connectors. VGA can only carry video signals and does not support audio or data transfer. VGA also has lower resolution and quality than digital interfaces such as HDMI or DVI. DVI is an interface that supports only video as well. DVI stands for Digital Visual Interface, which is a digital interface that can connect monitors to computers using 24-pin connectors. DVI can carry either analog or digital video signals depending on the type of connector used (DVI-A for analog, DVI-D for digital, or DVI-I for both). DVI does not support audio or data transfer either. FireWire is an interface that supports only data.

NEW QUESTION 207

Given the following pseudocode:

```
For each apple in the basket, eat two oranges unless  
it is the last apple, then eat three oranges.
```

If there are seven apples in the basket, which of the following would be the number of oranges a person eats?

- A. 10
- B. 14
- C. 15
- D. 17

Answer: C

Explanation:

The number of oranges a person eats would be 15 given the input (userin) of “analyst” and the following pseudocode: Pseudocode is a simplified version of programming language that uses plain English words and symbols to describe the logic and steps of an algorithm or a program. Pseudocode can be used to plan, design, or test a program before writing it in an actual programming language. To find the number of oranges a person eats given the input (userin) of “analyst”, we need to follow the pseudocode line by line and evaluate the expressions or statements based on the input value.

Line 1: Declare userin as string

This line declares userin as a string variable, which means it can store text or characters. Line 2: Declare oranges as integer

This line declares oranges as an integer variable, which means it can store whole numbers. Line 3: Declare apples as integer

This line declares apples as an integer variable, which means it can store whole numbers. Line 4: Set apples = 7

This line assigns the value of 7 to apples. Line 5: Set oranges = 10

This line assigns the value of 10 to oranges. Line 6: Input userin

This line asks for user input and assigns it to userin. Line 7: If userin = “analyst” then

This line checks if userin is equal to “analyst”. Since we are given that userin is “analyst”, this condition is true and we proceed to execute the next line.

Line 8: Set oranges = oranges + apples

This line adds the value of oranges and apples and assigns it back to oranges. Since oranges is 10 and apples is 7, this line sets oranges to 17.

Line 9: End if

This line marks the end of the if statement. Line 10: If userin = “manager” then

This line checks if userin is equal to “manager”. Since we are given that userin is “analyst”, this condition is false and we skip the next line.

Line 11: Set oranges = oranges - apples

This line subtracts the value of apples from oranges and assigns it back to oranges. Since this line is skipped, oranges remains 17.

Line 12: End if

This line marks the end of the if statement. Line 13: Set oranges = oranges - 2

This line subtracts 2 from oranges and assigns it back to oranges. Since oranges is 17, this line sets oranges to 15.

Line 14: Output oranges

This line displays the value of oranges, which is 15.

Therefore, the number of oranges a person eats would be 15 given the input (userin) of “analyst” and the following pseudocode. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 142.

NEW QUESTION 211

Which of the following is primarily a confidentiality concern?

- A. Eavesdropping
- B. Impersonating
- C. Destructing

D. Altering

Answer: A

Explanation:

Eavesdropping is an electronic attack where digital communications are intercepted by an individual whom they are not intended¹. This is a confidentiality concern because it violates the principle of limiting access to information to authorized people only. Confidentiality is a set of rules that limits access to information¹. Eavesdropping can compromise the secrecy of the information and expose sensitive data to unauthorized parties. References:

➤ Confidentiality, Integrity & Availability Concerns | CompTIA IT Fundamentals FC0-U61 | 6.1

NEW QUESTION 214

Which of the following is an example of a compiled language?

- A. C++
- B. SQL
- C. Python
- D. XML

Answer: A

Explanation:

C++ is an example of a compiled language. A compiled language is a programming language that requires a compiler to translate the source code into executable code before running the program. A compiler is a program that converts the entire source code into machine code or intermediate code that can be executed by the processor or another program. A compiled language usually offers faster performance and lower memory usage than an interpreted language, but it also requires more time and effort to compile and debug the code. SQL is not a programming language, but a query language that is used to interact with databases. SQL statements are usually executed by a database management system (DBMS) that interprets and processes them. Python is an example of an interpreted language. An interpreted language is a programming language that does not require compilation before running the program. An interpreter is a program that reads and executes the source code line by line at runtime. An interpreted language usually offers more flexibility and portability than a compiled language, but it also requires more memory and CPU resources to run the program. XML is not a programming language either, but a markup language that is used to define and structure data in a human-readable and machine-readable format. XML documents are usually parsed by another program that uses them for data exchange or presentation. References: CompTIA IT Fundamentals (ITF+) Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Software Development Concepts, pages 134-135

NEW QUESTION 218

Which of the following commands can be used to remove a database permanently?

- A. DENY
- B. DROP
- C. ALTER
- D. DUMP

Answer: B

Explanation:

DROP is a SQL command that can be used to remove a database permanently from a database management system. DENY is a SQL command that can be used to revoke permissions from a user or role. ALTER is a SQL command that can be used to modify the structure of a database object, such as a table or column. DUMP is not a valid SQL command, but it may refer to a backup operation that creates a copy of a database. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 6: Database Fundamentals¹

NEW QUESTION 220

Which of the following types of encryptions would BEST protect a laptop computer in the event of theft?

- A. Disk
- B. Email
- C. VPN
- D. HTTPS

Answer: A

Explanation:

Disk encryption is a type of encryption that protects the entire contents of a hard drive or a removable storage device by using a secret key to scramble the data. Disk encryption would best protect a laptop computer in the event of theft because it would prevent unauthorized access to the data on the laptop. Email, VPN, and HTTPS are not types of encryption that protect the entire contents of a laptop computer. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 8: Security Concepts, page 308.

NEW QUESTION 225

Which of the following is MOST likely used to represent international text data?

- A. ASCII
- B. Octal
- C. Hexadecimal
- D. Unicode

Answer: D

Explanation:

Unicode is the most likely encoding standard used to represent international text data. Unicode is a universal character set that can encode over a million

characters from different languages, scripts, symbols, and emojis. Unicode supports multiple encoding forms, such as UTF-8, UTF-16, and UTF-32, that use different numbers of bytes to represent each character. Unicode enables consistent and interoperable representation and processing of text data across different platforms and applications. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 138.

NEW QUESTION 229

A user is attempting to print a document to a wireless printer and receives an error stating the operation could not be completed. Which of the following should the user do to correct this issue?

- A. Ensure both devices are connected to the LAN.
- B. Enable task scheduling.
- C. Reset the proxy settings to their default values.
- D. Review the fault tolerance configurations.

Answer: A

Explanation:

A wireless printer is a device that can print documents or images from a computer or mobile device without using a cable connection. To use a wireless printer, both the printer and the device that sends the print job must be connected to the same local area network (LAN), either wirelessly or through an Ethernet cable. If the user receives an error message when trying to print to a wireless printer, one of the possible solutions is to ensure both devices are connected to the LAN. The user can check the network settings on both devices and make sure they have valid IP addresses and network connectivity¹³¹⁴. References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 3: IT Infrastructure⁴; How to Troubleshoot WiFi Printer Problems - Lifewire

NEW QUESTION 232

In which of the following situations should there be some expectation of privacy?

- A. Posting a comment on a friend's social media page
- B. Submitting personal information on a school enrollment site
- C. Posting a comment on a video sharing site
- D. Sending email and pictures to a close relative

Answer: B

Explanation:

Submitting personal information on a school enrollment site is an example of a situation where there should be some expectation of privacy. Privacy is the right or ability of individuals or groups to control or limit the access or disclosure of their personal information by others. Personal information is any information that can identify or relate to a specific person, such as name, address, phone number, email, social security number, etc. A school enrollment site should have a privacy policy that explains how it collects, uses, and protects the personal information of its users. Users should read and understand the privacy policy before submitting their personal information on the site. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 205.

NEW QUESTION 233

Which of the following operating systems do not require extensions on files to execute a program? (Select TWO).

- A. Windows 7
- B. Windows 8
- C. UNIX
- D. Windows Server 2012
- E. Android
- F. Linux

Answer: CF

Explanation:

UNIX and Linux are the examples of operating systems that do not require extensions on files to execute a program. UNIX and Linux are operating systems that are based on the same kernel and share many features and commands. UNIX and Linux do not rely on file extensions to determine the file type or function. Instead, they use file permissions and attributes to indicate whether a file is executable or not. File extensions are optional and mainly used for human readability or compatibility with other systems. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 86.

NEW QUESTION 235

Which of the following is used to protect intellectual property while requiring the owner to provide the public with working details?

- A. Patent
- B. Trademark
- C. License
- D. Copyright

Answer: A

Explanation:

A patent is used to protect intellectual property while requiring the owner to provide the public with working details of an invention or a process. A patent grants the owner the exclusive right to make, use, or sell the invention or process for a limited period of time, usually 20 years. A trademark is used to protect a name, symbol, logo, or slogan that identifies a product or service. A trademark grants the owner the exclusive right to use the mark to distinguish their product or service from others. A license is used to grant permission to use intellectual property under certain terms and conditions. A license does not transfer ownership of the intellectual property, but only grants limited rights to use it. A license can be revoked by the owner if the terms and conditions are violated. A copyright is used to protect original works of authorship, such as books, music, movies, or software. A copyright grants the owner the exclusive right to reproduce, distribute, perform, display, or create derivative works based on their original work. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 8: Software Development Concepts

NEW QUESTION 236

A user needs to enter text and numbers to produce charts that demonstrate sales figures. Which of the following types of software would BEST complete this task?

- A. Text editing software
- B. Visual diagramming software
- C. Spreadsheet software
- D. Web browsing software

Answer: C

Explanation:

Spreadsheet software is a type of software that allows users to enter text and numbers in a grid of cells and perform calculations and analysis on the data. Spreadsheet software can also produce charts that demonstrate sales figures or other trends. Examples of spreadsheet software are Microsoft Excel, Google Sheets, and LibreOffice Calc.

References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 7: Software Installation and Functions, page 266.

NEW QUESTION 240

The process of determining the source of an issue during troubleshooting is called:

- A. researching.
- B. sourcing.
- C. diagnosing.
- D. triaging

Answer: C

Explanation:

The process of determining the source of an issue during troubleshooting is called diagnosing. Diagnosing is the third step in the troubleshooting process, after gathering information and determining if anything has changed. Diagnosing involves analyzing the symptoms and possible causes of the problem, testing hypotheses, and identifying the root cause of the problem. Researching is the process of finding relevant information or resources to help solve a problem during troubleshooting. Researching can be done before or after diagnosing, depending on the availability and reliability of the information or resources. Sourcing is not a term used in troubleshooting, but it may refer to the process of finding or obtaining materials or components for a product or service. Triaging is not a term used in troubleshooting, but it may refer to the process of prioritizing problems or tasks based on their urgency or importance. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 2: IT Concepts and Terminology¹

NEW QUESTION 243

Given the following lines:

```
If child 1 is fed AND child 2 is fed,
    echo "dinner is complete!" and set spouse to satisfied.
else
    echo "please feed the kids!"
```

This is an example of:

- A. a flowchart.
- B. looping.
- C. an assembly.
- D. pseudocode

Answer: D

Explanation:

The example given is an example of pseudocode. Pseudocode is a way of writing the logic of a program or an algorithm in a simplified and informal language that resembles natural language or code, but does not follow the syntax or rules of a specific programming language. Pseudocode is often used to plan, design, or explain a program or an algorithm before writing the actual code. A flowchart is a way of representing the logic of a program or an algorithm using symbols and arrows that show the sequence of steps and decisions. A flowchart is often used to visualize, analyze, or document a program or an algorithm. Looping is a way of repeating a set of statements or actions in a program or an algorithm until a certain condition is met. Looping is often used to perform iterative tasks, such as counting, searching, or sorting. An assembly is a way of writing the instructions of a program or an algorithm in a low-level language that corresponds to the machine code of a specific processor. An assembly is often used to create programs that run fast and efficiently, but it is difficult to read and write. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 8: Software Development Concepts¹

NEW QUESTION 246

Given the following information:

Table A

ID	Name
01	John
02	Ann

Table B

ID	Address	Phone number
01	5555 John Lane	555-555-1234
02	7777 Ann Boulevard	777-777-4321

Which of the following is descriptive of both tables?

- A. The database uses a flat file structure.
- B. The database uses SQL.
- C. The data most likely exists within a relational database.
- D. The data is corrupted and is being shown as two set

Answer: C

Explanation:

The description that best fits both tables is that the data most likely exists within a relational database. A relational database is a type of database that organizes data into tables, which consist of rows and columns. Each table represents an entity, such as customers, orders, products, etc., and each row represents an instance of that entity, such as customer 01, order 02, product 03, etc. Each column represents an attribute of that entity, such as name, address, phone number, etc. Tables can be related to each other by using common columns, such as ID, which can act as primary keys or foreign keys. A primary key is a column that uniquely identifies each row in a table, such as ID in Table A and Table B. A foreign key is a column that references the primary key of another table, such as ID in Table B referencing ID in Table A. A relational database uses SQL (Structured Query Language) to create, manipulate, and query data in tables. The database does not use a flat file structure, which is another type of database that stores data in plain text files with fixed fields and records. A flat file structure does not support relationships between tables or SQL queries. The data is not corrupted and shown as two sets, but rather separated into two tables for normalization purposes. Normalization is the process of organizing data in tables to reduce redundancy and improve efficiency and integrity. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 6: Database Fundamentals1

NEW QUESTION 251

Which of the following actions is most likely associated with database use?

- A. Creating diagrams
- B. Querying
- C. File sharing
- D. Printing

Answer: B

Explanation:

The action that is most likely associated with database use is querying. Querying is the process of retrieving data from a database based on certain criteria or conditions. Querying allows users to access specific information from large amounts of data stored in tables. Querying can be done using SQL (Structured Query Language), which is a standard language for interacting with relational databases. SQL queries can perform various operations, such as selecting, inserting, updating, deleting, or joining data from tables. Creating diagrams is not an action that is associated with database use, but rather with software development or design. Creating diagrams can help visualize the structure, logic, or flow of a program or an algorithm. Examples of diagrams include flowcharts, UML diagrams, ER diagrams, etc. File sharing is not an action that is associated with database use, but rather with network use. File sharing is the process of allowing users to access or transfer files over a network. File sharing can be done using various protocols, such as FTP, SMB, NFS, etc. Printing is not an action that is associated with database use, but rather with output device use. Printing is the process of producing hard copies of documents, images, or other data on paper or other media using a printer. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 6: Database Fundamentals1

NEW QUESTION 256

A help desk technician loads a browser-based ticketing system, but when navigating to the queue, the technician realizes that another employee's queue is being accessed. Which of the following explains the issue?

- A. The previous user's session is cached.
- B. The proxy settings were misconfigured.
- C. The application is not compatible with the browser.
- D. The browser was opened in private mode

Answer: A

Explanation:

The issue that explains why the technician is accessing another employee's queue is that the previous user's session is cached. Caching is the process of storing data temporarily in a memory or disk for faster access or reuse. Caching can improve the performance and efficiency of a browser-based application, but it can also cause security or privacy issues if the data is not cleared or updated properly. The previous user's session may have been cached by the browser or the application, and the technician may have accessed the same URL or credentials without logging out or clearing the cache. The proxy settings were not misconfigured, as this would not affect the access to another employee's queue, but rather the access to the internet or the application server. The proxy settings are the configuration options that determine how a browser connects to a proxy server, which is an intermediary server that acts as a gateway between the browser and the internet or the application server. The proxy server can provide security, anonymity, or caching functions for the browser. The application is not incompatible with the browser, as this would not affect the access to another employee's queue, but rather the functionality or appearance of the application. The application compatibility is the degree to which an application works correctly and efficiently with a specific browser or operating system. The browser was not opened in private mode, as this would not affect the access to another employee's queue, but rather prevent the caching of data. The private mode is a feature that allows a browser to browse the internet without storing any browsing history, cookies, cache, or other data on the device. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 5: Infrastructure Concepts1

NEW QUESTION 259

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

FC0-U61 Practice Exam Features:

- * FC0-U61 Questions and Answers Updated Frequently
- * FC0-U61 Practice Questions Verified by Expert Senior Certified Staff
- * FC0-U61 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * FC0-U61 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The FC0-U61 Practice Test Here](#)