

Exam Questions az-500

Microsoft Azure Security Technologies

<https://www.2passeasy.com/dumps/az-500/>



NEW QUESTION 1

- (Exam Topic 4)

You have an Azure subscription named Subscription1.

You deploy a Linux virtual machine named VM1 to Subscription1. You need to monitor the metrics and the logs of VM1.

D18912E1457D5D1DDCBD40AB3BF70D5D

What should you use?

- A. the AzurePerformanceDiagnostics extension
- B. Azure HDInsight
- C. Linux Diagnostic Extension (LAD) 3.0
- D. Azure Analysis Services

Answer: A

NEW QUESTION 2

- (Exam Topic 4)

Lab Task

Task 5

A user named Debbie has the Azure app installed on her mobile device.

You need to ensure that debbie@contoso.com is alerted when a resource lock is deleted.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Create an Azure Resource Manager service principal. You can use the Azure portal, Azure PowerShell, or the Azure CLI to do this. You need to specify a name and a role for the service principal, such as Contributor.

Grant permission to the service principal to access the secrets in the key vault. You can use the Azure portal, Azure PowerShell, or the Azure CLI to do this. You need to assign the Key Vault Secrets User role to the service principal at the scope of the key vault or individual secrets.

Enable template deployment for the key vault. You can use the Azure portal, Azure PowerShell, or the Azure CLI to do this. You need to set the enabledForTemplateDeployment property of the key vault to true.

Reference the secrets in the template by using their resource ID. You can use the listSecrets function to get the resource ID of a secret in the key vault. You need to specify the name of the key vault and the name of the secret as parameters.

Deploy the template by using Azure PowerShell, Azure CLI, or REST API. You can use the

New-AzResourceGroupDeployment cmdlet, the az deployment group create command, or the Deployments - Create Or Update REST API to do this. You need to provide the template file or URI and any required parameters. You also need to provide the credentials of the service principal.

NEW QUESTION 3

- (Exam Topic 4)

You have an Azure Container Registry named Registry1.

You add role assignment for Registry1 as shown in the following table.

User	Role
User1	AcrPush
User2	AcrPull
User3	AcrImageSigner
User4	Contributor

Which users can upload images to Registry1 and download images from Registry1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Upload images: ▼

- User1 only
- User1 and User4 only
- User1, User3, and User4
- User1, User2, User3, and User4

Download images: ▼

- User2 only
- User1 and User2 only
- User2 ad User4 only
- User1, User2, and User4
- User1, User2, User3, and User4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: User1 and User4 only
 Owner, Contributor and AcrPush can push images. Box 2: User1, User2, and User4
 All, except AcrImageSigner, can download/pull images.

Role/Permission	Access Resource Manager	Create/delete registry	Push image	Pull image	Delete image data	Change policies	Sign images
Owner	X	X	X	X	X	X	
Contributor	X	X	X	X	X	X	
Reader	X			X			
AcrPush			X	X			
AcrPull				X			
AcrDelete					X		
AcrImageSigner							X

References:
<https://docs.microsoft.com/bs-latn-ba/azure/container-registry/container-registry-roles>

NEW QUESTION 4

- (Exam Topic 4)
 You have an Azure subscription that contains a user named User1. You need to ensure that User1 can create managed identities. The solution must use the principle of least privilege.
 What should you do?

- A. Create a resource group and assign User1 to the Managed Identity Contributor role.
- B. Create a management group and assign User1 the Managed Identity Operator role.
- C. Create an organizational unit (OU) and assign User1 the User administrator Azure AD role.
- D. Create management group and assign User1 the Hybrid Identity Administrator Azure AD role.

Answer: A

NEW QUESTION 5

- (Exam Topic 4)
 You are testing an Azure Kubernetes Service (AKS) cluster. The cluster is configured as shown in the exhibit. (Click the Exhibit tab.)

BASICS

Subscription	Microsoft Azure Sponsorship
Resource group	AzureBackupRG_eastus2_1
Region	East US
Kubernetes cluster name	akscluster2
Kubernetes version	1.1 1.5
DNS name prefix	akscluster2
Node count	3
Node size	Standard_DS2_v2
Virtual nodes (preview)	Disabled

AUTHENTICATION

Enable RBAC No

NETWORKING

HTTP application routing Yes
 Network configuration Basic

MONITORING

Enable container monitoring No

TAGS

You plan to deploy the cluster to production. You disable HTTP application routing.
 You need to implement application routing that will provide reverse proxy and TLS termination for AKS services by using a single IP address.
 What should you do?

- A. Create an AKS Ingress controller.
- B. Install the container network interface (CNI) plug-in.
- C. Create an Azure Standard Load Balancer.
- D. Create an Azure Basic Load Balancer.

Answer: A

Explanation:

An ingress controller is a piece of software that provides reverse proxy, configurable traffic routing, and TLS termination for Kubernetes services.

References:

<https://docs.microsoft.com/en-us/azure/aks/ingress-tls>

NEW QUESTION 6

- (Exam Topic 4)

On Monday, you configure an email notification in Microsoft Defender for Cloud to notify user1

@contoso.com about alerts that have a severity level of Low, Medium, or High. On Tuesday, Microsoft Defender for Cloud generates the security alerts shown in the following table.

Time	Description	Severity
01:00	Failed RDP brute force attack	Medium
01:01	Successful RDP brute force attack	High
06:10	Suspicious process executed	High
09:00	Malicious SQL activity	High
11:15	Network communication with a malicious machine detected	Low
13:30	Suspicious process executed	High
14:00	Failed RDP brute force attack	Medium
16:01	Successful RDP brute force attack	High
23:20	Possible outgoing spam activity detected	Low
23:25	Modified system binary discovered in dump file	High
23:30	Malicious SQL activity	High

How many email notifications will user1 @contoso.com receive on Tuesday? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Total number of Microsoft Defender for Cloud email notifications about an RDP brute force attack on Tuesday:

Total number of Microsoft Defender for Cloud email notifications on Tuesday:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Total number of Microsoft Defender for Cloud email notifications about an RDP brute force attack on Tuesday:

Total number of Microsoft Defender for Cloud email notifications on Tuesday:

NEW QUESTION 7

- (Exam Topic 4)

You have an Azure subscription that contains a resource group named RG1. RG1 contains a virtual machine named VM1 that uses Azure Active Directory (Azure AD) authentication.

You have two custom Azure roles named Role1 and Role2 that are scoped to RG1.

The permissions for Role1 are shown in the following JSON code.

```
"permissions": [
  {
    "actions": [
      "Microsoft.Compute/virtualMachines/*"
    ],
    "notActions": [
      "Microsoft.Compute/virtualMachines/delete"
    ],
    "dataActions": [],
    "notDataActions": []
  }
]
```

The permissions for Role2 are shown in the following JSON code.

```
"permissions": [
  {
    "actions": [
      "Microsoft.Compute/virtualMachines/*"
    ],
    "notActions": [],
    "dataActions": [],
    "notDataActions": []
  }
]
```

You assign the roles to the users shown in the following table.

Name	Role
User1	Role1
User2	Role1, Role2
User3	Role1, Role2

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can delete VM1.	<input type="radio"/>	<input type="radio"/>
User2 can delete VM1.	<input type="radio"/>	<input type="radio"/>
User3 can sign in to VM1 by using Azure AD credentials.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
User1 can delete VM1.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can delete VM1.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can sign in to VM1 by using Azure AD credentials.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 8

- (Exam Topic 4)

You have an Azure subscription that contains an Azure key vault named Vault1. On January 1, 2019, Vault1 stores the following secrets.

```

Enabled      : False
Expires      :
NotBefore    : 5/1/19 12:00:00 AM
Created      : 12/20/18 2:55:00 PM
Updated      : 12/20/18 2:55:00 PM
ContentType  :
Tags         :
TagTable     :
VaultName    : vault1
Name         : Password1
Version      :
Id           : https://vault1.vault.azure.net:443/secrets/Password1

Enabled      : True
Expires      : 5/1/19 12:00:00 AM
NotBefore    : 3/1/19 12:00:00 AM
Created      : 12/20/18 3:00:00 PM
Updated      : 12/20/18 3:00:00 PM
ContentType  :
Tags         :
TagTable     :
VaultName    : vault1
Name         : Password2
Version      :
Id           : https://vault1.vault.azure.net:443/secrets/Password2
    
```

Which can each secret be used by an application? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Password1:

Never

Always

Only after May 1, 2019

Password2:

Never

Always

Only between March 1, 2019 and May 1. 2019

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Never Password1 is disabled.

Box 2: Only between March 1, 2019 and May 1, Password2:

```

Expires      : 5/1/19 12:00:00 AM
NotBefore    : 3/1/19 12:00:00 AM
    
```

Reference:

<https://docs.microsoft.com/en-us/powershell/module/azurermskeyvault/set-azurekeyvaultsecretattribute>

NEW QUESTION 9

- (Exam Topic 4)

You have an Azure subscription that contains an Azure Active Directory (Azure AD) tenant and a user named User1. The App registrations settings for the tenant are configured as shown in the following exhibit.

App registrations

Users can register applications ⓘ

Yes No

You plan to deploy an app named App1.

You need to ensure that User1 can register App1 in Azure AD. The solution must use the principle of least privilege.

Which role should you assign to User1?

- A. App Configuration Data Owner for the subscription
- B. Managed Application Contributor for the subscription
- C. Cloud application administrator in Azure AD
- D. Application developer in Azure AD.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/roles/delegate-by-task>

NEW QUESTION 10

- (Exam Topic 4)

You have an Azure subscription named Sub1 that contains the Azure key vaults shown in the following table.

Name	Region	Resource group
Vault1	West Europe	RG1
Vault2	East US	RG1
Vault3	West Europe	RG2
Vault4	East US	RG2

In Sub1, you create a virtual machine that has the following configurations:

- Name: VM1
- Size: DS2v2
- Resource group: RG1
- Region: West Europe
- Operating system: Windows Server 2016

You plan to enable Azure Disk Encryption on VM1.

In which key vaults can you store the encryption key for VM1?

- A. Vault1 or Vault3 only
- B. Vault1, Vault2, Vault3, or Vault4
- C. Vault1 only
- D. Vault1 or Vault2 only

Answer: C

Explanation:

"Your key vault and VMs must be in the same subscription. Also, to ensure that encryption secrets don't cross regional boundaries, Azure Disk Encryption requires the Key Vault and the VMs to be co-located in the same region." <https://docs.microsoft.com/en-us/azure/virtual-machines/windows/disk-encryption-key-vault>

NEW QUESTION 10

- (Exam Topic 4)

You have an Azure subscription name Sub1 that contains an Azure Policy definition named Policy1. Policy1 has the following settings:

- > Definition location: Tenant Root Group
- > Category: Monitoring

You need to ensure that resources that are noncompliant with Policy1 are listed in the Azure Security Center dashboard.

What should you do first?

- A. Change the Category of Policy1 to Security Center.
- B. Add Policy1 to a custom initiative.
- C. Change the Definition location of Policy1 to Sub1.
- D. Assign Policy1 to Sub1.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/governance/policy/overview>

NEW QUESTION 13

- (Exam Topic 4)

You have an Azure subscription that contains an Azure SQL database named SQLDB1. SQLDB1 contains the columns shown in the following table.

Name	Data type	Sample value
Email	Varchar	admin@contoso.com
Birthday	Date	2010-07-07

For the Email and Birthday columns, you implement dynamic data masking by using the default masking function.

Which value will the users see in each column? To answer, drag the appropriate values to the correct columns. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

The screenshot shows a question interface. On the left, under the heading "Values", there is a list of four items: "1900-01-01", "1900-01-01 00:00:00.0000", "2010-XX-XX", and "XXXX". In the center, there is a vertical scrollbar and a dropdown menu. On the right, under the heading "Answer Area", there are two input fields: "Email: Value" and "Birthday: Value".

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The screenshot shows the explanation for the question. It features the same "Values" list as the question. In the "Answer Area", the "Email" field is now populated with "1900-01-01" and the "Birthday" field is populated with "2010-XX-XX".

NEW QUESTION 18

- (Exam Topic 4)

Your network contains an on-premises Active Directory domain named adatum.com that syncs to Azure Active Directory (Azure AD). Azure AD Connect is installed on a domain member server named Server1.

You need to ensure that a domain administrator for the adatum.com domain can modify the synchronization options. The solution must use the principle of least privilege.

Which Azure AD role should you assign to the domain administrator?

- A. Security administrator
- B. Global administrator
- C. User administrator

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/reference-connect-accounts-permissions>

NEW QUESTION 20

- (Exam Topic 4)

You have an Azure subscription that contains an instance of Azure Firewall Standard named AzFW1. You need to identify whether you can use the following features with AzFW1:

- TLS inspection
- Threat intelligence
- The network intrusion detection and prevention systems (IDPS) What can you use?

- A. TLS inspection only
- B. threat intelligence only
- C. TLS inspection and the IDPS only
- D. threat intelligence and the IDPS only
- E. TLS inspection, threat intelligence, and the IDPS

Answer: E

NEW QUESTION 21

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant named contoso.com that contains three security groups named Group1, Group2, and Group3 and the users shown in the following table.

Name	Role	Member of
User1	Application administrator	Group1
User2	Application developer	Group2
User3	Cloud application administrator	Group3

Group3 is a member of Group2.

In contoso.com, you register an enterprise application named App1 that has the following settings:



Owners: User1

> Users and groups: Group2

You configure the properties of App1 as shown in the following exhibit.

Save
 Discard
 Delete
 Got feedback

Enabled for users to sign-in? Yes No

Name *

Homepage URL

Logo 

Application ID

Object ID

User assignment required? Yes No

Visible to users Yes No

Notes

For each of the following statements, select Yes if the statement is true. Otherwise, select no.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 has App1 listed on his My Apps portal.	<input type="radio"/>	<input type="radio"/>
User2 has App1 listed on her My Apps portal.	<input type="radio"/>	<input type="radio"/>
User3 has App1 listed on her My Apps portal.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
 Text Description automatically generated
 Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/assign-user-or-group-access-portal>

NEW QUESTION 24
 - (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have an Azure Subscription. The subscription contains 50 virtual machines that run Windows Server 2012 R2 or Windows Server 2016. You need to deploy Microsoft Antimalware to the virtual machines. Solution: You add an extension to each virtual machine. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:
 You can use Visual Studio to enable and configure the Microsoft Antimalware service. This entails selecting Microsoft Antimalware extension from the dropdown list under Installed Extensions and click Add to configure with default antimalware configuration.
 References:
<https://docs.microsoft.com/en-us/azure/security/fundamentals/antimalware>

NEW QUESTION 29

- (Exam Topic 4)

You plan to implement an Azure function named Function1 that will create new storage accounts for containerized application instances. You need to grant Function1 the minimum required privileges to create the storage accounts. The solution must minimize administrative effort. What should you do? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Assign role to:

- A group account
- A system-assigned managed identity
- A user account
- A user-assigned managed identity

Role assignment to create:

- Built-in role assignment
- Classic administrator role assignment
- Custom role-based access control (RBAC) role assignment

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/overview> <https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/howto-assign-access>

NEW QUESTION 34

- (Exam Topic 4)

Your company has an Active Directory forest with a single domain, named weylandindustries.com. They also have an Azure Active Directory (Azure AD) tenant with the same name. After syncing all on-premises identities to Azure AD, you are informed that users with a givenName attribute starting with LAB should not be allowed to sync to Azure AD. Which of the following actions should you take?

- A. You should make use of the Synchronization Rules Editor to create an attribute-based filtering rule.
- B. You should configure a DNAT rule on the Firewall.
- C. You should configure a network traffic filtering rule on the Firewall.
- D. You should make use of Active Directory Users and Computers to create an attribute-based filtering rule.

Answer: A

Explanation:

Use the Synchronization Rules Editor and write attribute-based filtering rule. Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-change-the-configuration>

NEW QUESTION 38

- (Exam Topic 4)

You have an Azure subscription that contains an app named App1. App1 has the app registration shown in the following table.

API	Permission	Type	Admin consent required	Status
Microsoft.Graph	User.Read	Delegated	No	None
Microsoft.Graph	Calendars.Read	Delegated	No	None

You need to ensure that App1 can read all user calendars and create appointments. The solution must use the principle of least privilege. What should you do?

- A. Add a new Delegated API permission for Microsoft.Graph Calendars.ReadWrite.
- B. Add a new Application API permission for Microsoft.Graph Calendars.ReadWrite.
- C. Select Grant admin consent.
- D. Add a new Delegated API permission for Microsoft.Graph Calendars.ReadWrite.Shared.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/graph/permissions-reference#calendars-permissions>

NEW QUESTION 39

- (Exam Topic 4)

You have an Azure subscription that contains virtual machines. You enable just in time (JIT) VM access to all the virtual machines. You need to connect to a virtual machine by using Remote Desktop. What should you do first?

- A. From Azure Directory (Azure AD) Privileged Identity Management (PIM), activate the Security administrator user role.
- B. From Azure Active Directory (Azure AD) Privileged Identity Management (PIM), activate the Owner role for the virtual machine.
- C. From the Azure portal, select the virtual machine, select Connect, and then select Request access.
- D. From the Azure portal, select the virtual machine and add the Network Watcher Agent virtual machine extension.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/connect-logon>

NEW QUESTION 42

- (Exam Topic 4)

You have a network security group (NSG) bound to an Azure subnet.

You run Get-AzureRmNetworkSecurityRuleConfig and receive the output shown in the following exhibit.

```

Name : DenyStorageAccess
Description :
Protocol : *
SourcePortRange : (*)
DestinationPortRange : (*)
SourceAddressPrefix : (*)
DestinationAddressPrefix : (Storage)
SourceApplicationSecurityGroups : []
DestinationApplicationSecurityGroups : []
Access : Deny
Priority : 105
Direction : Outbound

Name : StorageEA2Allow
ProvisioningState : Succeeded
Description :
Protocol : *
SourcePortRange : (*)
DestinationPortRange : {443}
SourceAddressPrefix : (*)
DestinationAddressPrefix : {Storage/EastUS2}
SourceApplicationSecurityGroups : []
DestinationApplicationSecurityGroups : []
Access : Allow
Priority : 104
Direction : Outbound

Name : Contoso_FTP
Description :
Protocol : TCP
SourcePortRange : (*)
DestinationPortRange : {21}
SourceAddressPrefix : {1.2.3.4/32}
DestinationAddressPrefix : {10.0.0.5/32}
SourceApplicationSecurityGroups : []
DestinationApplicationSecurityGroups : []
Access : Allow
Priority : 504
Direction : Inbound
    
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Traffic destined for an Azure Storage account is [answer choice].

▼

able to connect to East US

able to connect to East US 2

able to connect to West Europe

prevented from connecting to all regions

FTP connections from 1.2.3.4 to 10.0.0.10/32 are [answer choice].

▼

allowed

dropped

forwarded

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: able to connect to East US 2

The StorageEA2Allow has DestinationAddressPrefix {Storage/EastUS2} Box 2: dropped

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/manage-network-security-group>

NEW QUESTION 46

- (Exam Topic 4)

You have an Azure subscription that contains a user named User1 and a storage account named storage1. The storage1 account contains the resources shown in the following table.

Name	Type
container1	Container
folder1	File Share
table1	Table

In storage1, you create a shared access signature (SAS) named SAS1 as shown in the following exhibit.

Allowed services ⓘ

Blob File Queue Table

Allowed resource types ⓘ

Service Container Object

Allowed permissions ⓘ

Read Write Delete List Add Create Update Process Immutable storage

Allowed blob index permissions ⓘ

Read/Write Filter

Start and expiry date/time ⓘ

Start

End

Allowed IP addresses ⓘ

Allowed protocols ⓘ

HTTPS only HTTPS and HTTP

Preferred routing tier ⓘ

Basic (default) Microsoft network routing Internet routing

i Some routing options are disabled because the endpoints are not published.

Signing key ⓘ

Generate SAS and connection string

To which resources can User1 write on July 1, 2022 by using SAS1 and key 1? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
 Answer Area



NEW QUESTION 50

- (Exam Topic 4)

You have an Azure subscription that contains an Azure key vault named ContosoKey1. You create users and assign them roles as shown in the following table.

Name	Subscription role assignment	ContosoKey1 role assignment
User1	Owner	None
User2	Security Admin	None
User3	None	User Access Administrator
User4	None	Key Vault Contributor

You need to identify which users can perform the following actions:

- > Delegate permissions for ContososKey1.
- > Configure network access to ContosoKey1.

Which users should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Delegate permissions for ContosoKey1:

▼
User1 only
User1 and User2 only
User1 and User3 only
User1 and User4 only
User1, User2, and User3 only
User1, User2, User3, and User4

Configure network access to ContosoKey1:

▼
User1 only
User1 and User2 only
User1 and User3 only
User1 and User4 only
User1, User2, and User3 only
User1, User2, User3, and User4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-gb/azure/key-vault/general/rbac-guide>

NEW QUESTION 55

- (Exam Topic 4)

You are troubleshooting a security issue for an Azure Storage account. You enable Azure Storage Analytics logs and archive them to a storage account. What should you use to retrieve the diagnostics logs?

- A. Azure Storage Explorer
- B. SQL query editor in Azure
- C. Azure Monitor
- D. Azure Cosmos DB explorer

Answer: A

NEW QUESTION 60

- (Exam Topic 4)

You have an Azure subscription that contains the virtual machines shown in the following table.

Name	Resource group	Status
VM1	RG1	Stopped (Deallocated)
VM2	RG2	Stopped (Deallocated)

You create the Azure policies shown in the following table.

Policy definition	Resource type	Scope
Not allowed resource types	virtualMachines	RG1
Allowed resource types	virtualMachines	RG2

You create the resource locks shown in the following table.

Name	Type	Created on
Lock1	Read-only	VM1
Lock2	Read-only	RG2

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
You can start VM1.	<input type="radio"/>	<input type="radio"/>
You can start VM2.	<input type="radio"/>	<input type="radio"/>
You can create a virtual machine in RG2.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/governance/blueprints/concepts/resource-locking>

NEW QUESTION 65

- (Exam Topic 4)

You have the Azure resource shown in the following table.

Name	Type	Parent
Management1	Management group	Tenant Root Group
Subscription1	Subscription	Management1
RG1	Resource group	Subscription1
RG2	Resource group	Subscription1
VM1	Virtual machine	RG1
VM2	Virtual machine	RG2

You need to meet the following requirements:

- * Internet-facing virtual machines must be protected by using network security groups (NSGs).
- * All the virtual machines must have disk encryption enabled.

What is the minimum number of security that you should create in Azure Security Center?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: D

NEW QUESTION 68

- (Exam Topic 4)

You have an Azure subscription named Sub1 that contains an Azure Storage account named Contosostorage1 and an Azure key vault named Contosokeyvault1.

You plan to create an Azure Automation runbook that will rotate the keys of Contosostorage1 and store them in Contosokeyvault1.

You need to implement prerequisites to ensure that you can implement the runbook.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

Run Set-AzureRmKeyVaultAccessPolicy

Create an Azure Automation account.

Import PowerShell modules to the Azure Automation account.

Create a user-assigned managed identity.

Create a connection resource in the Azure Automation account.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Create an Azure Automation account

Runbooks live within the Azure Automation account and can execute PowerShell scripts. Step 2: Import PowerShell modules to the Azure Automation account Under 'Assets' from the Azure Automation account Resources section select 'to add in Modules to the runbook. To execute key vault cmdlets in the runbook, we need to add AzureRM.profile and AzureRM.key vault.

Step 3: Create a connection resource in the Azure Automation account

You can use the sample code below, taken from the AzureAutomationTutorialScript example runbook, to authenticate using the Run As account to manage Resource Manager resources with your runbooks. The AzureRunAsConnection is a connection asset automatically created when we created 'run as accounts' above. This can be found under Assets -> Connections. After the authentication code, run the same code above to get all the keys from the vault.

```
$connectionName = "AzureRunAsConnection" try
{
# Get the connection "AzureRunAsConnection "
$servicePrincipalConnection=Get-AutomationConnection -Name $connectionName "Logging in to Azure..."
Add-AzureRmAccount `
-ServicePrincipal `
-TenantId $servicePrincipalConnection.TenantId `
-ApplicationId $servicePrincipalConnection.ApplicationId `
-CertificateThumbprint $servicePrincipalConnection.CertificateThumbprint
}
```

References:

<https://www.rahulpnath.com/blog/accessing-azure-key-vault-from-azure-runbook/>

NEW QUESTION 73

- (Exam Topic 4)

Your network contains an on-premises Active Directory domain named corp.contoso.com.

You have an Azure subscription named Sub1 that is associated to an Azure Active Directory (Azure AD) tenant named contoso.com.

You sync all on-premises identities to Azure AD.

You need to prevent users who have a givenName attribute that starts with TEST from being synced to Azure AD. The solution must minimize administrative effort.

What should you use?

- A. Synchronization Rules Editor
- B. Web Service Configuration Tool
- C. the Azure AD Connect wizard
- D. Active Directory Users and Computers

Answer: A

Explanation:

Use the Synchronization Rules Editor and write attribute-based filtering rule. References:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-change-the-configuration>

NEW QUESTION 75

- (Exam Topic 4)

You have an Azure subscription named Sub1.

You have an Azure Active Directory (Azure AD) group named Group1 that contains all the members of your IT team.

You need to ensure that the members of Group1 can stop, start, and restart the Azure virtual machines in Sub1. The solution must use the principle of least privilege.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create a JSON file.	
Run the Update-AzureRmManagementGroup cmdlet.	
Create an XML file.	
Run the New-AzureRmRoleDefinition cmdlet.	
Run the New-AzureRmRoleAssignment cmdlet.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:
<https://www.petri.com/cloud-security-create-custom-rbac-role-microsoft-azure>

NEW QUESTION 76

- (Exam Topic 4)

You have an Azure subscription that contains 100 virtual machines and has Azure Security Center Standard tier enabled. You plan to perform a vulnerability scan of each virtual machine. You need to deploy the vulnerability scanner extension to the virtual machines by using an Azure Resource Manager template. Which two values should you specify in the code to automate the deployment of the extension to the virtual machines? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. the user-assigned managed identity
- B. the workspace ID
- C. the Azure Active Directory (Azure AD) ID
- D. the Key Vault managed storage account key
- E. the system-assigned managed identity
- F. the primary shared key

Answer: AC

NEW QUESTION 78

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com. The User administrator role is assigned to a user named Admin1. An external partner has a Microsoft account that uses the user1@outlook.com sign in. Admin1 attempts to invite the external partner to sign in to the Azure AD tenant and receives the following error message: "Unable to invite user user1@outlook.com Generic authorization exception." You need to ensure that Admin1 can invite the external partner to sign in to the Azure AD tenant. What should you do?

- A. From the Roles and administrators blade, assign the Security administrator role to Admin1.
- B. From the Organizational relationships blade, add an identity provider.
- C. From the Custom domain names blade, add a custom domain.
- D. From the Users blade, modify the External collaboration settings.

Answer: D

Explanation:

You need to allow guest invitations in the External collaboration settings.

NEW QUESTION 81

- (Exam Topic 4)

You create an Azure subscription with Azure AD Premium P2. You need to ensure that you can use Azure Active Directory (Azure AD) Privileged Identity Management (PIM) to secure Azure roles. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Discover privileged roles.
- Sign up PIM for Azure AD roles.
- Consent to PIM.
- Discover resources.
- Verify your identity by using multi-factor authentication (MFA).

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- * 1. Verify your identity with MFA
- * 2. Consent to PIM
- * 3. Sign up PIM for AAD Roles

NEW QUESTION 85

- (Exam Topic 4)

You have an Azure subscription that contains an Azure SQL server named SQL1. SQL1 contains. You need to use Microsoft Defender for Cloud to complete a vulnerability assessment for DB1. What should you do first?

- A. From Advanced Threat Protection types, select SQL injection vulnerability.
- B. Configure the Send scan report to setting.
- C. Set Periodic recurring scans to ON.
- D. Enable the Microsoft Defender for SQL plan.

Answer: A

NEW QUESTION 89

- (Exam Topic 4)

You have an Azure subscription named Sub 1 that is associated to an Azure Active Directory (Azure AD) tenant named contoso.com. The tenant contains the users shown in the following table.

Name	Role
User1	Global administrator
User2	Security administrator
User3	Security reader
User4	License administrator

Each user is assigned an Azure AD Premium P2 license.

You plan to onboard and configure Azure AD Identity Protection.

Which users can onboard Azure AD Identity Protection, remediate users, and configure policies? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point

Answer Area

Users who can onboard Azure AD Identity Protection:

User1 only
 User1 and User2 only
 User1, User 2, and User3 only
 User1, User 2, User3, and User 4 only

Users who can remediate users and configure policies:

User1 and User2 only
 User1 and User3 only
 User1, User 2, and User3 only
 User1, User 2, User3, and User 4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
 Answer Area

Users who can onboard Azure AD Identity Protection:

- User1 only
- User1 and User2 only
- User1, User 2, and User3 only
- User1, User 2, User3, and User 4 only

Users who can remediate users and configure policies:

- User1 and User2 only
- User1 and User3 only
- User1, User 2, and User3 only
- User1, User 2, User3, and User 4

NEW QUESTION 91

- (Exam Topic 4)

You have an Azure subscription that contains the resources shown in the following table.

Name	Type
LB1	Azure Standard Load Balancer
VM1	Virtual machine
SQL1	Azure SQL Database
VMSS1	Virtual machine scale set

You plan to deploy an Azure Private Link service named APL1. Which resource must you reference during the creation of APL1?

- A. VMSS1
- B. VM1
- C. SQL
- D. LB1

Answer: D

NEW QUESTION 96

- (Exam Topic 4)

Lab Task

Task 7

You need to ensure that connections through an Azure Application Gateway named Homepage-AGW are inspected for malicious requests.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Enable Web Application Firewall (WAF) for the application gateway. You can use the Azure portal, Azure PowerShell, or the Azure CLI to do this. You need to select a WAF policy and a WAF mode for the application gateway. You can choose a predefined policy or create a custom policy with your own rules and exclusions.

Configure WAF policy settings. You can use the Azure portal, Azure PowerShell, or the Azure CLI to do this. You need to select the managed rulesets and rule groups that you want to enable or disable for the WAF policy. You can also configure custom rules to match specific patterns or conditions and take actions such as blocking or logging requests.

Monitor WAF logs. You can use different types of logs in Azure to manage and troubleshoot the application gateway and the WAF policy. You can access some of these logs through the portal, such as metrics and health probes. You can also export the logs to Azure Storage, Event Hubs, or Log Analytics and view them in different tools, such as Azure Monitor, Excel, or Power BI.

NEW QUESTION 97

- (Exam Topic 4)

Lab Task

use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password. place your cursor in the Enter password box and click on the password below. Azure Username: User1-28681041@ExamUsers.com

Azure Password: GpO Ae4@IDg

If the Azure portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only: Lab Instance: 28681041

Task 9

You need to ensure that the rg1lod28681041n1 Azure Storage account is encrypted by using a key stored in the KeyVault28681041 Azure key vault.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

To ensure that the rg1lod28681041n1 Azure Storage account is encrypted by using a key stored in the KeyVault28681041 Azure key vault, you can follow these steps:

- > In the Azure portal, search for and select the storage account named rg1lod28681041n1.
- > In the left pane, select Encryption.
- > In the Encryption pane, select Customer-managed key.
- > In the Customer-managed key pane, select Select from Key Vault.
- > In the Select from Key Vault pane, enter the following information:
- > Key vault: Select the KeyVault28681041 Azure key vault.
- > Key: Select the key you want to use.
- > Select Save.

NEW QUESTION 99

- (Exam Topic 4)

You have two Azure virtual machines in the East US2 region as shown in the following table.

Name	Operating system	Type	Tier
VM1	Windows Server 2008 R2	A3	Basic
VM2	Ubuntu 16.04-DAILY-LTS	L4s	Standard

You deploy and configure an Azure Key vault.

You need to ensure that you can enable Azure Disk Encryption on VM1 and VM2.

What should you modify on each virtual machine? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

VM1: ▼

The operating system version

The tier

The type

VM2: ▼

The operating system version

The tier

The type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

VM1: The Tier

The Tier needs to be upgraded to standard.

Disk Encryption for Windows and Linux IaaS VMs is in General Availability in all Azure public regions and Azure Government regions for Standard VMs and VMs with Azure Premium Storage.

VM2: the operating system

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/generation-2#generation-1-vs-generation-2-ca>

NEW QUESTION 103

- (Exam Topic 4)

You have an Azure subscription that contains the resources shown in the following table.

Name	Type
storage1	Storage account
Vault1	Azure Key vault
Vault2	Azure Key vault

You plan to deploy the virtual machines shown in the following table.

Name	Role
VM1	<ul style="list-style-type: none"> Storage Blob Data Reader for storage1 Key Vault Reader for Vault1
VM2	<ul style="list-style-type: none"> Storage Blob Data Reader for storage1 Key Vault Reader for Vault1
VM3	<ul style="list-style-type: none"> Storage Blob Data Reader for storage1 Key Vault Reader for Vault1 Key Vault Reader for Vault2
VM4	<ul style="list-style-type: none"> Storage Blob Data Reader for storage1 Key Vault Reader for Vault1 Key Vault Reader for Vault2

You need to assign managed identities to the virtual machines. The solution must meet the following requirements:

- > Assign each virtual machine the required roles.
- > Use the principle of least privilege.

What is the minimum number of managed identities required?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: B

Explanation:

We have two different sets of required permissions. VM1 and VM2 have the same permission requirements. VM3 and VM4 have the same permission requirements.

A user-assigned managed identity can be assigned to one or many resources. By using user-assigned managed identities, we can create just two managed identities: one with the permission requirements for VM1 and VM2 and the other with the permission requirements for VM3 and VM4.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/overview>

NEW QUESTION 107

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant named contoso.com

You need to configure diagnostic settings for contoso.com. The solution must meet the following requirements:

- Retain logs for two years.
- Query logs by using the Kusto query language
- Minimize administrative effort. Where should you store the logs?

- A. an Azure Log Analytics workspace
- B. an Azure event hub
- C. an Azure Storage account

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/azure-monitor/log-query/get-started-queries>

NEW QUESTION 110

- (Exam Topic 4)

You are securing access to the resources in an Azure subscription.

A new company policy states that all the Azure virtual machines in the subscription must use managed disks. You need to prevent users from creating virtual machines that use unmanaged disks.

What should you use?

- A. Azure Monitor
- B. Azure Policy
- C. Azure Security Center
- D. Azure Service Health

Answer: B

NEW QUESTION 115

- (Exam Topic 4)

Your company has an Azure subscription named Subscription1. Subscription1 is associated with the Azure Active Directory tenant that includes the users shown in the following table.

Name	Role
User1	Global administrator
User2	Billing administrator
User3	Owner
User4	Account Admin

The company is sold to a new owner.

The company needs to transfer ownership of Subscription1.

Which user can transfer the ownership and which tool should the user use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

User: ▼

User1
User2
User3
User4

Tool: ▼

Azure Account Center
Azure Cloud Shell
Azure PowerShell
Azure Security Center

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/cost-management-billing/manage/billing-subscription-transfer>

NEW QUESTION 120

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	Member of	Multi-factor authentication (MFA) status
User1	Group1, Group2	Disabled
User2	Group2	Disabled

The tenant contains the named locations shown in the following table.

Name	IP address range	Trusted location
Seattle	193.77.10.0/24	Yes
Boston	154.12.18.0/24	No

You create the conditional access policies for a cloud app named App1 as shown in the following table.

Name	Include	Exclude	Condition	Grant
Policy1	Group1	Group2	Locations: Boston	Block access
Policy2	Group1	None	Locations: Any location	Grant access, Require multi-factor authentication
Policy3	Group2	Group1	Locations: Boston	Block access
Policy4	User2	None	Locations: Any location	Grant access, Require multi-factor authentication

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can access App1 from an IP address of 154.12.18.10.	<input type="radio"/>	<input type="radio"/>
User2 can access App1 from an IP address of 193.77.10.15.	<input type="radio"/>	<input type="radio"/>
User2 can access App1 from an IP address of 154.12.18.34.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
User1 can access App1 from an IP address of 154.12.18.10.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can access App1 from an IP address of 193.77.10.15.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can access App1 from an IP address of 154.12.18.34.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 125

- (Exam Topic 4)

You have an Azure subscription that contains a resource group named RG1 and a security group serverless RG1 contains 10 virtual machine, a virtual network VNET1, and a network security group (NSG) named NSG1. ServerAdmins can access the virtual machines by using RDP. You need to ensure that NSG1 only RDP connections to the virtual for a maximum of 60 minutes when a member of ServerAdmins requests access. What should you configure?

- A. an Azure Active Directory (Azure AD) Privileged identity Management (PIM) role assignment.
- B. a just in time (JIT) VM access policy in Azure Security Center
- C. an azure policy assigned to RG1.
- D. an Azure Bastion host on VNET1.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/security-center/just-in-time-explained>

NEW QUESTION 127

- (Exam Topic 4)

You have an Azure subscription named Sub1 that contains the resource groups shown in the following table.

Name	Location
RG1	West US
RG2	East US

You create the Azure Policy definition shown in the following exhibit.

```
{
  "mode": "All",
  "policyRule": {
    "if": {
      "anyOf": [
        {
          "field": "location",
          "notEquals": "[resourceGroup().location]"
        },
        {
          "field": "name",
          "notContains": "obj"
        }
      ]
    },
    "then": {
      "effect": "deny"
    }
  },
  "parameters": {}
}
```

You assign the policy to Sub1.

You plan to create the resources shown in the following table.

Name	Type	Location	Resource group
IPobject1	Public IP address	East US	RG2
obj1	Resource group	West US	Not applicable
OBJ3	Virtual network	West US	RG1

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
You can create IPobject1.	<input type="radio"/>	<input type="radio"/>
You can create obj1.	<input type="radio"/>	<input type="radio"/>
You can create OBJ3.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
You can create IPobject1.	<input type="radio"/>	<input checked="" type="radio"/>
You can create obj1.	<input type="radio"/>	<input checked="" type="radio"/>
You can create OBJ3.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 131

- (Exam Topic 4)

You have an Azure subscription named Subcription1 that contains an Azure Active Directory (Azure AD) tenant named contosos.com and a resource group named RG1.

You create a custom role named Role1 for contoso.com.

You need to identify where you can use Role1 for permission delegation. What should you identify?

- A. contoso.com only
- B. contoso.com and RGT only
- C. contoso.com and Subscription1 only
- D. contoso.com, RG1, and Subcription1

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/custom-roles>

NEW QUESTION 133

- (Exam Topic 4)

You have an Azure subscription that contains a user named User1. User1 is assigned the Reader role for the subscription.

You plan to create a custom role named Role1 and assign Role1 to User1.

You need to ensure that User1 can create and manage application security groups by using the Azure portal. Which two permissions should you add to Role1? To answer, select the appropriate permission in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Add permissions

Microsoft Monitoring Insights Microsoft.SecurityGraph	Microsoft Monitoring Insights Enable your workforce to be productive on all their devices, while keeping your organization's information protected.	Microsoft Monitoring Insights Microsoft.DynamicsTelemetry	Microsoft Network Connect cloud and on-premises infrastructure and services to provide your customers and users the best.
Microsoft Operations Management A simplified management solution for any enterprise	Microsoft Policy Insights Summarize policy states for the subscription level policy definition.	Microsoft Portal Build, manage, and monitor all Azure products in a single, unified console.	Microsoft Power BI Dedicated Manage Power BI Premium dedicated capacities for exclusive use by an organization.
Microsoft Power Platform Microsoft.PowerPlatform	Microsoft Project Babylon Microsoft.ProjectBabylon	Microsoft Purview Microsoft.Purview	Microsoft Resource Graph Powerful tool to query, explore, and analyze your cloud resources at scale.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

* 1. Microsoft Portal 2. Microsoft Network

<https://learn.microsoft.com/en-us/azure/azure-resource-manager/management/azure-services-resource-providers>

NEW QUESTION 136

- (Exam Topic 4)

You have an Azure subscription named Sub1. Sub1 contains a virtual network named VNet1 that contains one subnet named Subnet1.

You create a service endpoint for Subnet1.

Subnet1 contains an Azure virtual machine named VM1 that runs Ubuntu Server 18.04.

You need to deploy Docker containers to VM1. The containers must be able to access Azure Storage resources and Azure SQL databases by using the service endpoint.


- A. Create an application security group and a network security group (NSG).
- B. Edit the docker-compose.yml file.
- C. Install the container network interface (CNI) plug-in.

Answer: C

Explanation:

The Azure Virtual Network container network interface (CNI) plug-in installs in an Azure Virtual Machine. The plug-in supports both Linux and Windows platform. The plug-in assigns IP addresses from a virtual network to containers brought up in the virtual machine, attaching them to the virtual network, and connecting them directly to other containers and virtual network resources. The plug-in doesn't rely on overlay networks, or routes, for connectivity, and provides the same performance as virtual machines.

The following picture shows how the plug-in provides Azure Virtual Network capabilities to Pods:



References:

<https://docs.microsoft.com/en-us/azure/virtual-network/container-networking-overview>

NEW QUESTION 140

- (Exam Topic 4)

You have an Azure subscription that contains the virtual machines shown in the following table.

Name	Location	Virtual network name
VM1	East US	VNET1
VM2	West US	VNET2
VM3	East US	VNET1
VM4	West US	VNET3

All the virtual networks are peered. You deploy Azure Bastion to VNET2.

Which virtual machines can be protected by the bastion host?

- A. VM1, VM2, VM3, and VM4
- B. VM1, VM2, and VM3 only
- C. VM2 and VM4 only
- D. VM2 only

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/bastion/vnet-peering>

NEW QUESTION 141

- (Exam Topic 4)

You have an Azure subscription.

You need to create and deploy an Azure policy that meets the following requirements:

- > When a new virtual machine is deployed, automatically install a custom security extension.
- > Trigger an autogenerated remediation task for non-compliant virtual machines to install the extension.

What should you include in the policy? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Definition effect: ▼

Append
DeployIfNotExists
EnforceOPAConstraint
EnforceRegoPolicy
Modify

Assignment remediation task: ▼

A managed identity that has the Contributor role
A managed identity that has the User Access Administrator role
A service principal that has the Contributor role
A service principal that has the User Access Administrator role

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/governance/policy/how-to/remediate-resources>

NEW QUESTION 144

- (Exam Topic 4)

You have the Azure virtual machines shown in the following table.

Name	Location	Connected to
VM1	West US 2	VNET1/Subnet1
VM2	West US 2	VNET1/Subnet1
VM3	West US 2	VNET1/Subnet2
VM4	East US	VNET2/Subnet3
VM5	West US 2	VNET5/Subnet5

Each virtual machine has a single network interface.

You add the network interface of VM1 to an application security group named ASG1.

You need to identify the network interfaces of which virtual machines you can add to ASG1. What should you identify?

- A. VM2 only
- B. VM2, VM3, VM4, and VM5
- C. VM2, VM3, and VM5 only
- D. VM2 and VM3 only

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/application-security-groups>

NEW QUESTION 146

- (Exam Topic 4)

You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Description
RG1	Resource group	Used to store virtual machines
RG2	Resource group	Used to store virtual networks
ServerAdmins	Security group	Used to manage virtual machines

You need to ensure that ServerAdmins can perform the following tasks: Create virtual machine to the existing virtual network in RG2 only.

The solution must use the principle of least privilege.

Which two role-based access control (RBAC) roles should you assign to ServerAdmins? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. the Contributor role for the subscription

- B. the Network Contributor role for RG2
- C. A custom RBAC role for the subscription
- D. a custom RBAC role for RG2
- E. the Network Contributor role for RG1.
- F. the Virtual Machine Contributor role for RG1.

Answer: DF

NEW QUESTION 148

- (Exam Topic 4)

You have an Azure subscription named Sub1.

In Azure Security Center, you have a workflow automation named WF1. WF1 is configured to send an email message to a user named User1.

You need to modify WF1 to send email messages to a distribution group named Alerts. What should you use to modify WF1?

- A. Azure Application Insights
- B. Azure Monitor
- C. Azure Logic Apps Designer
- D. Azure DevOps

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/security-center/workflow-automation>

<https://docs.microsoft.com/en-us/learn/modules/resolve-threats-with-azure-security-center/6-exerciseconfigure-p>

NEW QUESTION 150

- (Exam Topic 4)

You are configuring and securing a network environment.

You deploy an Azure virtual machine named VM1 that is configured to analyze network traffic. You need to ensure that all network traffic is routed through VM1.

What should you configure?

- A. a system route
- B. a network security group (NSG)
- C. a user-defined route

Answer: C

Explanation:

Although the use of system routes facilitates traffic automatically for your deployment, there are cases in which you want to control the routing of packets through a virtual appliance. You can do so by creating user defined routes that specify the next hop for packets flowing to a specific subnet to go to your virtual appliance instead, and enabling IP forwarding for the VM running as the virtual appliance.

Note: User Defined Routes

For most environments you will only need the system routes already defined by Azure. However, you may need to create a route table and add one or more routes in specific cases, such as:

- > Force tunneling to the Internet via your on-premises network.
- > Use of virtual appliances in your Azure environment.
- > In the scenarios above, you will have to create a route table and add user defined routes to it.

Reference:

<https://github.com/uglide/azure-content/blob/master/articles/virtual-network/virtual-networks-udr-overview.md>

NEW QUESTION 155

- (Exam Topic 4)

You have an Azure Sentinel workspace that contains an Azure Active Directory (Azure AD) connector, an Azure Log Analytics query named Query1 and a playbook named Playbook1.

Query1 returns a subset of security events generated by Azure AD.

You plan to create an Azure Sentinel analytic rule based on Query1 that will trigger Playbook1. You need to ensure that you can add Playbook1 to the new rule.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Create the rule and set the type to:

Fusion

Microsoft Security incident creation

Scheduled

Configure the playbook to include:

A managed connector

A system-assigned managed identity

A trigger

Diagnostic settings

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/sentinel/tutorial-detect-threats-custom> <https://docs.microsoft.com/en-us/azure/sentinel/tutorial-respond-threats-playbook>

NEW QUESTION 159

- (Exam Topic 4)

Your company has an Azure subscription named Sub1 that is associated to an Azure Active Directory (Azure AD) tenant named contoso.com. The company develops an application named App1. App1 is registered in Azure AD.

You need to ensure that App1 can access secrets in Azure Key Vault on behalf of the application users. What should you configure?

- A. an application permission without admin consent
- B. a delegated permission without admin consent
- C. a delegated permission that requires admin consent
- D. an application permission that requires admin consent

Answer: B

Explanation:

Delegated permissions - Your client application needs to access the web API as the signed-in user, but with access limited by the selected permission. This type of permission can be granted by a user unless the permission requires administrator consent.

NEW QUESTION 160

- (Exam Topic 4)

You have an Azure subscription named Subscription1 that contains the resources shown in the following table.

Name	Type	Description
EventHub1	Azure Event Hubs	Not applicable
Adf1	Azure Data Factory	Not applicable
NVA1	Network virtual appliance (NVA)	The NVA sends security event messages in the Common Event Format (CEF).

You have an Azure subscription named Subscription2 that contains the following resources:

- > An Azure Sentinel workspace
- > An Azure Event Grid instance

You need to ingest the CEF messages from the NVAs to Azure Sentinel. NOTE: Each correct selection is worth one point.

Answer Area

Subscription1: An Azure Log Analytics agent on a Linux virtual machine
 A Data Factory pipeline
 An Event Hubs namespace
 An Azure Service Bus queue

Subscription2: A new Azure Log Analytics workspace
 A new Azure Sentinel data connector
 A new Azure Sentinel playbook
 A new Event Grid resource provider

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Subscription1: An Azure Log Analytics agent on a Linux virtual machine
 A Data Factory pipeline
 An Event Hubs namespace
 An Azure Service Bus queue

Subscription2: A new Azure Log Analytics workspace
 A new Azure Sentinel data connector
 A new Azure Sentinel playbook
 A new Event Grid resource provider

NEW QUESTION 162

- (Exam Topic 4)

You have an Azure Storage account named storage1 that has a container named container1. You need to prevent the blobs in container1 from being modified. What should you do?

- A. From container1, change the access level.
- B. From container1 add an access policy.
- C. From container1, modify the Access Control (IAM) settings.
- D. From storage1, enable soft delete for blobs.

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-immutable-storage?tabs=azure-portal>

NEW QUESTION 167

- (Exam Topic 4)

You have 10 virtual machines on a single subnet that has a single network security group (NSG). You need to log the network traffic to an Azure Storage account. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Install the Network Performance Monitor solution.
- B. Enable Azure Network Watcher.
- C. Enable diagnostic logging for the NSG.
- D. Enable NSG flow logs.
- E. Create an Azure Log Analytics workspace.

Answer: D

Explanation:

A network security group (NSG) enables you to filter inbound traffic to, and outbound traffic from, a virtual machine (VM). You can log network traffic that flows through an NSG with Network Watcher's NSG flow log capability. Steps include:

- > Create a VM with a network security group
- > Enable Network Watcher and register the Microsoft.Insights provider
- > Enable a traffic flow log for an NSG, using Network Watcher's NSG flow log capability
- > Download logged data
- > View logged data Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-nsg-flow-logging-portal>

NEW QUESTION 172

- (Exam Topic 4)

You have an Azure AD tenant that contains the users shown in the following table.

Name	User device
User1	Android mobile device with facial recognition
User2	Windows device with Windows Hello for Business-compatible hardware

You enable passwordless authentication for the tenant.

Which authentication method can each user use for passwordless authentication? To answer, drag the appropriate authentication methods to the correct users. Each authentication method may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Authentication methods

- FIDO2 security key only
- Microsoft Authenticator app only
- Windows Hello for Business only
- Microsoft Authenticator app and Windows Hello for Business only
- Windows Hello for Business and FIDO2 security key only
- Microsoft Authenticator app, Windows Hello for Business, and FIDO2 security key

Answer Area

User1: Authentication method

User2: Authentication method

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Authentication methods

- FIDO2 security key only
- Microsoft Authenticator app only
- Windows Hello for Business only
- Microsoft Authenticator app and Windows Hello for Business only
- Windows Hello for Business and FIDO2 security key only
- Microsoft Authenticator app, Windows Hello for Business, and FIDO2 security key

Answer Area

- User1: Microsoft Authenticator app only
- User2: Windows Hello for Business only

NEW QUESTION 175

- (Exam Topic 4)

You have an Azure subscription that contains the custom roles shown in the following table.

Name	Type
Role1	Azure Active Directory (Azure AD)
Role2	Azure subscription

In the Azure portal, you plan to create new custom roles by cloning existing roles. The new roles will be configured as shown in the following table.

Name	Type
Role3	Azure AD
Role4	Azure subscription

Which roles can you clone to create each new role? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Role3:

- Role1 only
- Built-in Azure AD roles only
- Role1 and built-in Azure AD roles only
- Role1, built-in Azure AD roles, and built-in Azure subscription roles

Role4:

- Role2 only
- Built-in Azure AD roles only
- Role2 and built-in Azure subscription roles only
- Role2, built-in Azure subscription roles, and built-in Azure AD roles

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/roles/custom-create> <https://docs.microsoft.com/en-us/azure/role-based-access-control/custom-roles-portal>

NEW QUESTION 179

- (Exam Topic 4)

You have an Azure subscription that contains an Azure web app named 1 and a virtual machine named VM1. VM1 runs Microsoft SQL Server and is connected to a virtual network named VNet1. App1, VM1, and VNet are in the US Central Azure region.

You need to ensure that App1 can connect to VM1. The solution must minimize costs.

- A. NAT gateway integration
- B. Azure Front Door
- C. regional virtual network integration
- D. gateway-required virtual network integration

E. Azure Application Gateway integration

Answer: C

NEW QUESTION 180

- (Exam Topic 4)

You have an Azure virtual machines shown in the following table.

Name	Operating system	Region	Resource group
VM1	Windows Server 2012	East US	RG1
VM2	Windows Server 2012 R2	West Europe	RG1
VM3	Windows Server 2016	West Europe	RG2
VM4	Red Hat Enterprise Linux 7.4	East US	RG2

You create an Azure Log Analytics workspace named Analytics1 in RG1 in the East US region. Which virtual machines can be enrolled in Analytics1?

- A. VM1 only
- B. VM1, VM2, and VM3 only
- C. VM1, VM2, VM3, and VM4
- D. VM1 and VM4 only

Answer: C

Explanation:

Note: Create a workspace

> In the Azure portal, click All services. In the list of resources, type Log Analytics. As you begin typing, the list filters based on your input. Select Log Analytics.

> Click Create, and then select choices for the following items:

Provide a name for the new Log Analytics workspace, such as DefaultLAWorkspace. OMS workspaces are now referred to as Log Analytics workspaces.

Select a Subscription to link to by selecting from the drop-down list if the default selected is not appropriate. For Resource Group, select an existing resource group that contains one or more Azure virtual machines. Select the Location your VMs are deployed to. For additional information, see which regions Log Analytics is available in.

NEW QUESTION 185

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant.

You need to prevent nonprivileged Azure AD users from creating service principals in Azure AD. What should you do in the Azure Active Directory admin center of the tenant?

- A. From the Properties blade, set Enable Security defaults to Yes.
- B. From the Properties blade, set Access management for Azure resources to No
- C. From the User settings blade, set Users can register applications to No
- D. From the User settings blade, set Restrict access to Azure AD administration portal to Yes.

Answer: C

NEW QUESTION 186

- (Exam Topic 4)

You have an Azure subscription that contains several Azure SQL databases and an Azure Sentinel workspace.

You need to create a saved query in the workspace to find events reported by Advanced Threat Protection for Azure SQL Database.

What should you do?

- A. From Azure CLI run the Get-AzOperationalInsightsworkspace cmdlet.
- B. From the Azure SQL Database query editor, create a Transact-SQL query.
- C. From the Azure Sentinel workspace, create a Kusto Query Language query.
- D. From Microsoft SQL Server Management Studio (SSMS), create a Transact-SQL query.

Answer: C

NEW QUESTION 190

- (Exam Topic 4)

You have an Azure AD tenant named contoso.com that has Azure AD Premium P1 licenses. You need to create a group named Group1 that will be assigned the Global reader role.

Which portal should you use to create Group1 and which type of group should you create? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point

Portal:
The Azure Active Directory admin center only
The Microsoft 365 admin center only
The Azure Active Directory admin center or the Microsoft 365 admin center

Group type:
Security only
Microsoft 365 only
Security or mail-enabled security only
Security or Microsoft 365 only
Security, Microsoft 365, or mail-enabled security

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<https://learn.microsoft.com/en-us/azure/active-directory/roles/groups-create-eligible>

NEW QUESTION 191

- (Exam Topic 4)

You have an Azure web app named webapp1.
You need to configure continuous deployment for webapp1 by using an Azure Repo.
What should you create first?

- A. an Azure Application Insights service
- B. an Azure DevOps organization
- C. an Azure Storage account
- D. an Azure DevTest Labs lab

Answer: B

NEW QUESTION 196

- (Exam Topic 4)

You have an Azure subscription that contains an Azure key vault named Vault1. In Vault1, you create a secret named Secret1.
An application developer registers an application in Azure Active Directory (Azure AD). You need to ensure that the application can use Secret1.
What should you do?

- A. In Azure AD, create a role.
- B. In Azure Key Vault, create a key.
- C. In Azure Key Vault, create an access policy.
- D. In Azure AD, enable Azure AD Application Proxy.

Answer: C

Explanation:

"You may need to configure the target resource to allow access from your application. For example, if you request a token to Key Vault, you need to make sure you have added an access policy that includes your application's identity. Otherwise, your calls to Key Vault will be rejected, even if they include the token"
<https://docs.microsoft.com/en-us/azure/app-service/overview-managed-identity?tabs=dotnet>

NEW QUESTION 198

- (Exam Topic 4)

You have an Azure subscription named Sub1 that is associated to an Azure Active Directory (Azure AD) tenant named contoso.com.
You are assigned the Global administrator role for the tenant. You are responsible for managing Azure Security Center settings.
You need to create a custom sensitivity label. What should you do first?

- A. Create a custom sensitive information type.
- B. Elevate access for global administrators in Azure AD.
- C. Upgrade the pricing tier of the Security Center to Standard.
- D. Enable integration with Microsoft Cloud App Security.

Answer: A

Explanation:

First, you need to create a new sensitive information type because you can't directly modify the default rules. References:
<https://docs.microsoft.com/en-us/office365/securitycompliance/customize-a-built-in-sensitive-information-type>

NEW QUESTION 203

- (Exam Topic 4)

You have an Azure subscription.
You create a new virtual network named VNet1.
You plan to deploy an Azure web app named App1 that will use VNet1 and will be reachable by using private IP addresses. The solution must support inbound and

outbound network traffic.
What should you do?

- A. Create an Azure App Service Hybrid Connection.
- B. Configure regional virtual network integration.
- C. Create an App Service Environment
- D. Create an Azure application gateway.

Answer: D

NEW QUESTION 205

- (Exam Topic 4)

Your company plans to create separate subscriptions for each department. Each subscription will be associated to the same Azure Active Directory (Azure AD) tenant.

You need to configure each subscription to have the same role assignments. What should you use?

- A. Azure Security Center
- B. Azure Policy
- C. Azure AD Privileged Identity Management (PIM)
- D. Azure Blueprints

Answer: D

Explanation:

Just as a blueprint allows an engineer or an architect to sketch a project's design parameters, Azure Blueprints enables cloud architects and central information technology groups to define a repeatable set of

Azure resources that implements and adheres to an organization's standards, patterns, and requirements.

Blueprints are a declarative way to orchestrate the deployment of various resource templates and other artifacts such as:

- > Role Assignments
- > Policy Assignments
- > Azure Resource Manager templates
- > Resource Groups

Reference:

<https://docs.microsoft.com/en-us/azure/governance/blueprints/overview>

NEW QUESTION 207

- (Exam Topic 4)

You have an Azure subscription that uses Microsoft Defender for Cloud.

You need to use Defender for Cloud to review regulatory compliance with the Azure CIS 1.4,0 standard. The solution must minimize administrative effort.

What should you do first?

- A. Assign an Azure policy.
- B. Manually add the Azure CIS 1.4.0 standard.
- C. Disable one of the Out of the box standards.
- D. Add a custom initiative.

Answer: A

NEW QUESTION 211

- (Exam Topic 4)

You have an Azure subscription that contains an Azure Blob storage account blob1. You need to configure attribute-based access control (ABAC) for blob1.

Which attributes can you use in access conditions?

- A. blob index tags only
- B. blob index tags and container names only
- C. file extensions and container names only
- D. blob index tags, file extensions, and container names

Answer: A

NEW QUESTION 212

- (Exam Topic 4)

Lab Task

Task 2

You need to ensure that the events in the NetworkSecurityGroupRuleCounter log of the

VNET01-Subnet0-NSG network security group (NSG) are stored in the logs31330471 Azure Storage account for 30 days.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Enable diagnostic resource logging for the NSG. You can use the Azure portal, Azure PowerShell, or the Azure CLI to do this. You need to select the Rule counter category under Logs and choose

the logs31330471 storage account as the destination.

Configure the retention policy for the storage account to keep the logs for 30 days. You can use the Azure portal, Azure PowerShell, or the Azure CLI to do this.

You need to specify the days parameter as 30 for the Set-AzStorageServiceProperty cmdlet or the az storage logging update command. View and analyze the logs in the storage account. You can use any tool that can read JSON files, such as Azure Storage Explorer or Visual Studio Code. You can also export the logs to any visualization tool, SIEM solution, or IDS of your choice

NEW QUESTION 217

- (Exam Topic 4)

You have an Azure subscription that contains an Azure SQL database named SQL1. You plan to deploy a web app named App1. You need to provide App1 with read and write access to SQL1. The solution must meet the following requirements:

- > Provide App1 with access to SQL1 without storing a password.
- > Use the principle of least privilege.
- > Minimize administrative effort.

Which type of account should App1 use to access SQL1, and which database roles should you assign to App1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Account type:

▼
Azure Active Directory User
Managed identity
Service Principal

Roles:

▼
db_datawriter only
db_datareader and db_datawriter
db owner only

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/app-service/tutorial-connect-msi-sql-database?tabs=windowsclient%2Cd>

NEW QUESTION 220

- (Exam Topic 4)

You have an Azure AD tenant that contains 500 users and an administrative unit named AU1.

From the Azure Active Directory admin center, you plan to add the users to AU1 by using Bulk add members. You need to create and upload a file for the bulk add. What should you include in the file?



- A. only the display name of each user
- B. only the user principal name (UPN) of each user
- C. only the object identifier of each user
- D. only the user principal name (UPN) and object identifier of each user
- E. Only the user principal name (UPN) and display name of each user

Answer: E

NEW QUESTION 224

- (Exam Topic 3)

You need to delegate the creation of RG2 and the management of permissions for RG1. Which users can perform each task? To answer select the appropriate options in the answer area. NOTE: Each correct selection is worth one point



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Box 1: Admin3 only

The Contributor role has the necessary write permissions to create the resource group. Box 2: Admin4 only

You need Owner level access to be able to manage permissions. The Contributor role can do most things but cannot modify permissions on existing objects.

NEW QUESTION 225

- (Exam Topic 1)

You need to configure SQLDB1 to meet the data and application requirements.

Which three actions should you recommend be performed in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

- From the Azure portal, create an Azure AD administrator for LitwareSQLServer1.
- In SQLDB1, create contained database users.
- Connect to SQLDB1 by using Microsoft SQL Server Management Studio (SSMS).
- In Azure AD, create a system-assigned managed identity.
- In Azure AD, create a user-assigned managed identity.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

From the Azure portal, create an Azure AD administrator for LitwareSQLServer1 Connect to SQLDB1 by using SSMS

In SQLDB1, create contained database users <https://www.youtube.com/watch?v=pEPyPsGEevw>

NEW QUESTION 226

- (Exam Topic 1)

You need to meet the identity and access requirements for Group1. What should you do?

- A. Add a membership rule to Group1.
- B. Delete Group1. Create a new group named Group1 that has a membership type of Office 365. Add users and devices to the group.
- C. Modify the membership rule of Group1.
- D. Change the membership type of Group1 to Assigne
- E. Create two groups that have dynamic membership
- F. Add the new groups to Group1.

Answer: D

Explanation:

<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/groups-dynamic-membership> Scenario:
 Litware identifies the following identity and access requirements: All San Francisco users and their devices must be members of Group1.
 The tenant currently contain this group:

Name	Type	Description
Group1	Security group	A group that has the Dynamic User membership type, contains all the San Francisco users, and provides access to many Azure AD applications and Azure resources.

References:

<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/groups-dynamic-membership> <https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/active-directory-groups-create-azure-porta>

NEW QUESTION 230

- (Exam Topic 1)

You need to configure WebApp1 to meet the data and application requirements.
 Which two actions should you perform? Each correct answer presents part of the solution.
 NOTE: Each correct selection is worth one point.

- A. Upload a public certificate.
- B. Turn on the HTTPS Only protocol setting.
- C. Set the Minimum TLS Version protocol setting to 1.2.
- D. Change the pricing tier of the App Service plan.
- E. Turn on the Incoming client certificates protocol setting.

Answer: BE

Explanation:

Refer <https://docs.microsoft.com/en-us/azure/app-service/app-service-web-configure-tls-mutual-auth>

NEW QUESTION 235

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual az-500 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the az-500 Product From:

<https://www.2passeasy.com/dumps/az-500/>

Money Back Guarantee

az-500 Practice Exam Features:

- * az-500 Questions and Answers Updated Frequently
- * az-500 Practice Questions Verified by Expert Senior Certified Staff
- * az-500 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * az-500 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year