

Cisco

Exam Questions 300-730

Implementing Secure Solutions with Virtual Private Networks (SVPN)



NEW QUESTION 1

A second set of traffic selectors is negotiated between two peers using IKEv2. Which IKEv2 packet will contain details of the exchange?

- A. IKEv2 IKE_SA_INIT
- B. IKEv2 INFORMATIONAL
- C. IKEv2 CREATE_CHILD_SA
- D. IKEv2 IKE_AUTH

Answer: B

NEW QUESTION 2

On a FlexVPN hub-and-spoke topology where spoke-to-spoke tunnels are not allowed, which command is needed for the hub to be able to terminate FlexVPN tunnels?

- A. interface virtual-access
- B. ip nhrp redirect
- C. interface tunnel
- D. interface virtual-template

Answer: D

NEW QUESTION 3

Which statement about GETVPN is true?

- A. The configuration that defines which traffic to encrypt originates from the key server.
- B. TEK rekeys can be load-balanced between two key servers operating in COOP.
- C. The pseudotime that is used for replay checking is synchronized via NTP.
- D. Group members must acknowledge all KEK and TEK rekeys, regardless of configuration.

Answer: A

NEW QUESTION 4

Refer to the exhibit.

```
ASA-4-751015 Local:0.0.0.0:0 Remote:0.0.0.0:0 Username:Unknown SA request  
rejected by CAC. Reason: IN-NEGOTIATION SA LIMIT REACHED
```

A customer cannot establish an IKEv2 site-to-site VPN tunnel between two Cisco ASA devices. Based on the syslog message, which action brings up the VPN tunnel?

- A. Reduce the maximum SA limit on the local Cisco ASA.
- B. Increase the maximum in-negotiation SA limit on the local Cisco ASA.
- C. Remove the maximum SA limit on the remote Cisco ASA.
- D. Correct the crypto access list on both Cisco ASA devices.

Answer: B

NEW QUESTION 5

Which command identifies a Cisco AnyConnect profile that was uploaded to the flash of an IOS router?

- A. svc import profile SSL_profile flash:simos-profile.xml
- B. anyconnect profile SSL_profile flash:simos-profile.xml
- C. crypto vpn anyconnect profile SSL_profile flash:simos-profile.xml
- D. webvpn import profile SSL_profile flash:simos-profile.xml

Answer: C

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security/anyconnect-secure-mobility-client/200533-AnyConnect-Configure-Basic-SSLVPN-for-I.html>

NEW QUESTION 6

Which two types of web resources or protocols are enabled by default on the Cisco ASA Clientless SSL VPN portal? (Choose two.)

- A. HTTP
- B. ICA (Citrix)
- C. VNC
- D. RDP
- E. CIFS


Answer: DE

Explanation:

Reference: <https://www.cisco.com/c/en/us/td/docs/security/asa/asa94/config-guides/cli/vpn/asa-94-vpn-config/webvpn-configure-gateway.html>

NEW QUESTION 7

Refer to the exhibit.



Based on the exhibit, why are users unable to access CCNP Webserver bookmark?

- A. The URL is being blocked by a WebACL.
- B. The ASA cannot resolve the URL.
- C. The bookmark has been disabled.
- D. The user cannot access the URL.

Answer: C

NEW QUESTION 8

Which two statements about the Cisco ASA Clientless SSL VPN solution are true? (Choose two.)

- A. When a client connects to the Cisco ASA WebVPN portal and tries to access HTTP resources through the URL bar, the client uses the local DNS to perform FQDN resolution.
- B. The `rewriter enable` command under the global `webvpn` configuration enables the rewriter functionality because that feature is disabled by default.
- C. A Cisco ASA can simultaneously allow Clientless SSL VPN sessions and AnyConnect client sessions.
- D. When a client connects to the Cisco ASA WebVPN portal and tries to access HTTP resources through the URL bar, the ASA uses its configured DNS servers to perform FQDN resolution.
- E. Clientless SSLVPN provides Layer 3 connectivity into the secured network.

Answer: CD

NEW QUESTION 9

Which feature allows the ASA to handle nonstandard applications and web resources so that they display correctly over a clientless SSL VPN connection?

- A. single sign-on
- B. Smart Tunnel
- C. WebType ACL
- D. plug-ins

Answer: B

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/asa/asa90/configuration/guide/asa_90_cli_config/vpn_clientless_ssl.html#29951

NEW QUESTION 10

Refer to the exhibit.



The customer must launch Cisco AnyConnect in the RDP machine. Which IOS configuration accomplishes this task?

- A. `crypto vpn anyconnect profile Profile 1 flash:RDP.xml`
`webvpn context Context1`
`svc platform win seq 1`
`policy group PolicyGroup1`
`functions svc-enabled`
- B. `crypto vpn anyconnect profile Profile 1 flash:RDP.xml`
`webvpn context Context1`
`browser-attribute import flash:RDP.xml`

- C. **crypto vpn anyconnect profile Profile 1 flash:RDP.xml**
webvpn context Context1
policy group PolicyGroup1
svc profile Profile1
- D. **crypto vpn anyconnect profile Profile 1 flash:RDP.xml**
webvpn context Context1
policy group PolicyGroup1
svc module RDP

Answer: C

Explanation:

Reference: <https://community.cisco.com/t5/vpn/starting-anyconnect-vpn-through-rdp-session-on-cisco-891/td-p/2128284>

NEW QUESTION 10

Refer to the exhibit.



Which two commands under the tunnel-group webvpn-attributes result in a Cisco AnyConnect user receiving the AnyConnect prompt in the exhibit? (Choose two.)

- A. group-url https://172.16.31.10/General enable
 B. group-policy General internal
 C. authentication aaa
 D. authentication certificate
 E. group-alias General enable

Answer: BE

NEW QUESTION 11

Which command is used to troubleshoot an IPv6 FlexVPN spoke-to-hub connectivity failure?

- A. show crypto ikev2 sa
 B. show crypto isakmp sa
 C. show crypto gkm
 D. show crypto identity

Answer: A

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security/flexvpn/116413-configure-flexvpn-00.pdf>

NEW QUESTION 15

Refer to the exhibit.


```
tunnel-group IKEV2 type remote-access
tunnel-group IKEV2 general-attributes
  address-pool split
  default-group-policy GroupPolicy1
tunnel-group IKEV2 webvpn-attributes
  group-alias ikev2 enable
```

```
-<HostEntry>
<HostName>ikev2</HostName>
<HostAddress>10.106.45.221</HostAddress>
<UserGroup>ikev2</UserGroup>
<PrimaryProtocol>IPsec</PrimaryProtocol>
</HostEntry>
```

The customer can establish a Cisco AnyConnect connection without using an XML profile. When the host "ikev2" is selected in the AnyConnect drop down, the connection fails. What is the cause of this issue?

- A. The HostName is incorrect.
- B. The IP address is incorrect.
- C. Primary protocol should be SSL.
- D. UserGroup must match connection profile.

Answer: D

Explanation:

Reference: <https://community.cisco.com/t5/security-documents/anyconnect-xml-settings/ta-p/3157891>

NEW QUESTION 18

Refer to the exhibit.

```
ISAKMP: (0):beginning Main Mode exchange
ISAKMP-PAK: (0):sending packet to 192.168.0.8 my_port 500 peer_port 500 (I) MM_NO_STATE
ISAKMP-PAK: (0):received packet from 192.168.0.8 dport 500 sport 500 Global (I) MM_NO_STATE
ISAKMP: (0):Old State = IKE_I_MM1 New State = IKE_I_MM2
ISAKMP: (0):found peer pre-shared key matching 192.168.0.8
ISAKMP: (0):local preshared key found
ISAKMP: (0):Checking ISAKMP transform 1 against priority 10 policy
ISAKMP: (0):      encryption AES-CBC
ISAKMP: (0):      keylength of 256
ISAKMP: (0):      hash SHA256
ISAKMP: (0):      default group 14
ISAKMP: (0):      auth pre-share
ISAKMP: (0):      life type in seconds
ISAKMP: (0):      life duration (basic) of 1200
ISAKMP: (0):atts are acceptable. Next payload is 0
ISAKMP-PAK: (0):sending packet to 192.168.0.8 my_port 500 peer_port 500 (I) MM_SA_SETUP
ISAKMP: (0):Old State = IKE_I_MM2 New State = IKE_I_MM3
ISAKMP-PAK: (0):received packet from 192.168.0.8 dport 500 sport 500 Global (I) MM_SA_SETUP
ISAKMP: (0):Old State = IKE_I_MM3 New State = IKE_I_MM4
ISAKMP: (0):found peer pre-shared key matching 192.168.0.8
ISAKMP: (1005):Old State = IKE_I_MM4 New State = IKE_I_MM4
ISAKMP: (1005):pre-shared key authentication using id type ID_IPV4_ADDR
ISAKMP-PAK: (1005):sending packet to 192.168.0.8 my_port 4500 peer_port 4500 (I) MM_KEY_EXCH
ISAKMP: (1005):Old State = IKE_I_MM4 New State = IKE_I_MM5
ISAKMP-PAK: (1005):received packet from 192.168.0.8 dport 500 sport 500 Global (I) MM_KEY_EXCH
ISAKMP: (1005):phase 1 packet is a duplicate of a previous packet.
ISAKMP: (1005):retransmitting due to retransmit phase 1
ISAKMP: (1005):retransmitting phase 1 MM_KEY_EXCH...
ISAKMP: (1005):: incrementing error counter on sa, attempt 1 of 5: retransmit phase 1
ISAKMP-PAK: (1005):sending packet to 192.168.0.8 my_port 4500 peer_port 4500 (I) MM_KEY_EXCH
ISAKMP-PAK: (1005):received packet from 192.168.0.8 dport 500 sport 500 Global (I) MM_KEY_EXCH
ISAKMP: (1005):phase 1 packet is a duplicate of a previous packet.
ISAKMP: (1005):retransmitting due to retransmit phase 1
```

A site-to-site tunnel between two sites is not coming up. Based on the debugs, what is the cause of this issue?

- A. An authentication failure occurs on the remote peer.
- B. A certificate fragmentation issue occurs between both sides.
- C. UDP 4500 traffic from the peer does not reach the router.
- D. An authentication failure occurs on the router.

Answer: C

NEW QUESTION 23

Which technology works with IPsec stateful failover?

- A. GLBR
- B. HSRP
- C. GRE
- D. VRRP

Answer: B

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/ios/12_2/12_2y/12_2yx11/feature/guide/ft_vpnha.html#wp1122512

NEW QUESTION 28

Which two commands help determine why the NHRP registration process is not being completed even after the IPsec tunnel is up? (Choose two.)

- A. show crypto isakmp sa
- B. show ip traffic
- C. show crypto ipsec sa
- D. show ip nhrp traffic
- E. show dmvpn detail

Answer: AD

NEW QUESTION 32

Cisco AnyConnect clients need to transfer large files over the VPN sessions. Which protocol provides the best throughput?

- A. SSL/TLS
- B. L2TP
- C. DTLS
- D. IPsec IKEv1

Answer: C

NEW QUESTION 36

Which VPN does VPN load balancing on the ASA support?

- A. VTI
- B. IPsec site-to-site tunnels
- C. L2TP over IPsec
- D. Cisco AnyConnect

Answer: D

NEW QUESTION 39

Which benefit of FlexVPN is a limitation of DMVPN using IKEv1?

- A. GRE encapsulation allows for forwarding of non-IP traffic.
- B. IKE implementation can install routes in routing table.
- C. NHRP authentication provides enhanced security.
- D. Dynamic routing protocols can be configured.

Answer: B

NEW QUESTION 43

Where is split tunneling defined for IKEv2 remote access clients on a Cisco router?

- A. IKEv2 authorization policy
- B. Group Policy
- C. virtual template
- D. webvpn context

Answer: B

NEW QUESTION 44

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

300-730 Practice Exam Features:

- * 300-730 Questions and Answers Updated Frequently
- * 300-730 Practice Questions Verified by Expert Senior Certified Staff
- * 300-730 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 300-730 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 300-730 Practice Test Here](#)