HP

Exam Questions HPE0-J68

HPE Storage Solutions

NEW QUESTION 1
- (Exam Topic 1)
You deployed and configured an all-flash Nimble array. The customer wants to attach their Windows-based server to the array.
Which HPE tool can you use on the host server to make the integration easier?

A. StorServe Management Console
B. Channel bonding
C. Connection Manager
D. Centralized Management Console

Answer: C

NEW QUESTION 2
- (Exam Topic 1)
A customer has a Nimble HF40 and needs to create a support ticket.
Click the option in the InfoSight portal where the customer can perform this task.


A. Mastered
B. Not Mastered

Answer: A

Explanation:
Graphical user interface, website, timeline Description automatically generated

NEW QUESTION 3
- (Exam Topic 1)
Match each address with the associated address type.

Type	Address Format
FC	20:32:00:60:69:e2:19:82
IPv6	00:1B:44:11:3A:B7
iSCSI	iqn.2000-05.com.3pardata:20210002ac00851c:15.372.28.0
MAC	fe80::85b0:5df6:1dfb:6793

A. Mastered
B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text, application Description automatically generated

NEW QUESTION 4
- (Exam Topic 1)
You have proposed a Primera array to a customer for new primary storage. The customer currently has an older 3PAR array that they will continue to use moving forward. The customer would like high
availability configured.
Which RMC Peer Copy pre-requisites do you need to point out to the customer? (Choose two.)

A. No license is required
B. 2-port 10 Gb Ethernet Adapter (NIC) is required
C. 4-port 1 Gb Ethernet Adapter (NIC) is required in each array
D. RMC 6.2 is required
E. Target drive type must match source drive type

Answer: CD

NEW QUESTION 5
- (Exam Topic 1)
A customer is purchasing an HPE MSA 2050 for a branch office. They will use it for critical data services. The customer is concerned that 64 snapshots will not be adequate as they grow.
What can be added to the array to address the customer's concerns?

A. Advanced Data Services Suite license
B. All-inclusive Multi-system license
C. Virtual Copy license
D. Adaptive Optimization license

Answer: D

NEW QUESTION 6
- (Exam Topic 1)
You want to deploy Recovery Manager Central to a customer environment. How can you accomplish this? (Choose two.)

A. Install RMC on top of the virtual or physical RHEL system using the GUI wizard
B. Deploy an RMC virtual appliance to Microsoft Hyper-V hypervisor
C. Deploy RMC on top of the virtual CentOS system using the CLI
D. Deploy RMC on top of the virtual CentOS system using the GUI wizard
E. Install RMC on the top of the virtual or physical RHEL system using the CLI
F. Deploy an RMC virtual appliance to VMware ESXi hypervisor

Answer: BF

NEW QUESTION 7
- (Exam Topic 1)
You are asked to review an installation plan for a new Primera storage array. The array will go into an existing environment that has been in production for over 4 years. It includes:
➢ C7000s with Gen8 blades
➢ 8Gb Brocade switches
➢ a 3PAR 7400
➢ an MSA that is used as a backup target
What should you use to find appropriate installation and planning guides?

A. SAF Analyze and Collector
B. Information Library
C. NinjaSTARS
D. SPOCK

**Answer:** D

NEW QUESTION 8
- (Exam Topic 1)
You are configuring a new HPE 3PAR solution and need to create a new disk group with a defined RAID level.
Click the appropriate option where the RAID can be selected.

A. Mastered
B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 9
- (Exam Topic 1)
You are designing an HPE MSA iSCSI for a customer.
Which components are typically part of the solution? (Choose two.)

A. Drives
B. SFPs
C. Service Processor
D. All-inclusive Multi-system software
E. Switch zones

Answer: AB

NEW QUESTION 10
- (Exam Topic 1)
A customer is deploying a new StoreOnce VSA solution.
How can the necessary storage capacity be added to the VSA? (Choose two.)

A. Verify sufficient capacity LTUs are available
B. Add a new virtual hard disk to the virtual machine
C. The Cloud bank container needs to be configured once the VSA boots
D. The Cloud bank container needs to be configured from the vCenter client

Answer: BD

NEW QUESTION 10
- (Exam Topic 1)
A customer implemented the HPE StoreEver MSL6480 Tape Library.
Which HPE Software can the system administrator use to check the health of the library and monitor its utilization?

A. OneView
B. StoreServe TapeAssure Advanced
C. StoreEver Data Verification
D. InfoSight

Answer: B

NEW QUESTION 12
- (Exam Topic 1)
You are installing an HPE 3PAR StoreServ solution and need to integrate the array with the 3rd party monitoring application customer is using.

Which technology can be configured at 3PAR to support forwarding events from the array to the customer's monitoring application?

A. IPMI
B. NTP
C. SNMPv3
D. DMI

Answer: C

NEW QUESTION 15
- (Exam Topic 1)
Match each HPE storage solution to its use case.

Solution		Use Case
Primera		Smaller site traditional deployments
MSA		Complete solution for virtualized environments
Nimble		Enterprise class storage for SMB
Nimble dHCI		Enterprise class storage with Tier-0 features
SimpliVity		hyperconverged control with independent compute and storage scalability

A. Mastered
B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text, application Description automatically generated

NEW QUESTION 16
- (Exam Topic 1)
You are designing a new storage environment for a customer. They need good performance, but need to keep costs to a minimum.
They have a very limited staff, and staff is concerned about learning new technologies. You plan to
recommend a Nimble HF20 solution.
Which storage connectivity components should you recommend?

A. FlexFabric switches, Nimble iSCSI car
B. FC adapters for servers
C. FC switches, Nimble FC card, FC adapters for servers
D. Ethernet switches, Nimble iSCSI card, dedicated NICs for servers
E. Ethernet switches, Nimble FC card, dedicated FC for servers

Answer: C

NEW QUESTION 20
- (Exam Topic 1)
You have proposed a Primera array to a customer for primary storage. The customer currently has an older HPE 3PAR array and will continue to use it moving forward. The customer would like high availability configured.
Which RMC Peer Copy pre-requisites do you need to point out to the customer? (Choose two.)

A. 4-port 1 Gb Ethernet Adapter (NIC) is required in each array
B. Target drive type must match source drive type
C. 2-port 10 Gb Ethernet Adapter (NIC) is required in each array
D. Check that the 3PAR OS version is supported
E. Required license must be provided
F. RMC 6.2

Answer: AE

NEW QUESTION 22
- (Exam Topic 1)
Which actions can be done within InfoSight Cross-Stack Analytics for VMware and Hyper-V? (Choose two.)

A. View replication policies
B. Find noisy neighbors
C. Locate inactive VMs
D. Modify administrative privileges
E. Review backup schedules

Answer: BC

NEW QUESTION 24
- (Exam Topic 1)
Which of the following are part of the SimpliVity Data Virtualization Platform architecture? (Choose two.)

A. Presentation Layer
B. User Management Layer
C. Security Layer
D. Data Management Layer

Answer: AD

NEW QUESTION 28
- (Exam Topic 1)
Which feature allows HPE Primera, HPE Nimble, and HPE XP arrays to work with third-party management tools?

A. REST API
B. Data Protection Manager (DPM)
C. StoreServe Management Console (SSMC)
D. Service Processor

Answer: A

NEW QUESTION 33
- (Exam Topic 1)
Refer to the exhibit.

You are configuring a new HPE array and verifying properties of a set of volumes. Which RAID level is used on the VMwareDatastores-GF volume?

A. RAID 0
B. RAID 6
C. Triple Parity+
D. RAID 5

Answer: D

NEW QUESTION 34
- (Exam Topic 1)
You have proposed that a customer replace their legacy SAN switches with new ?-Series switches. They are concerned about the management of all the devices, so you have included SANnav in the proposal.
What are the benefits of SANnav that you should emphasize to this customer? (Choose two.)

A. It runs in a dedicated JVM
B. It offers automated SPOCK validation
C. It runs in a browser
D. It provides a global View
E. It provides fine-grain visibility into Storage Fabrics (FC + Ethernet)

Answer: CD

NEW QUESTION 38
- (Exam Topic 1)
A customer environment includes:
10 DL380 Gen8 servers in a VMware Cluster
2 MSA storage arrays
2 8GB b-series fibre channel switches

The customer needs to replace their environment because it is end of life. They have limited budget. The customer is primarily concerned with management because they have limited IT staff, and they want
to move away from fibre channel.
Which HPE Storage should you recommend?

A. HPE Primera
B. HPE XP8
C. HPE Nimble dHCI
D. HPE StoreOnce

Answer: A

NEW QUESTION 43
- (Exam Topic 1)
A customer has completely virtualized their datacenter with VMware. You propose a SimpliVity solution to replace their aging hardware.
Which SimpliVity features should you emphasize in your presentation? (Choose two.)

A. It uses native hypervisor management tools for management
B. It utilizes the Storage Management Utility for management and monitoring
C. It utilizes a unified ASIC for performance
D. It includes deduplication and backup capabilities
E. It provides S3 file access

Answer: BD

NEW QUESTION 46
- (Exam Topic 1)
A customer wants to make a full copy replica of a database to use for performance testing. Which technology should they use to create the copy?

A. deduplication
B. snapshot
C. clone
D. synthetic full

Answer: B

NEW QUESTION 50
- (Exam Topic 1)
You are proposing a StoreOnce solution to a customer that has always used tape for a backup target. What should you suggest to ensure that the StoreOnce deduplication is correctly sized?

A. StoreOnce timeless storage
B. DDAnalyzer
C. proof of concept with StoreOnce VSA
D. OCA

Answer: B

NEW QUESTION 51
- (Exam Topic 2)
How does HPE StoreVirtual DSM for windows enhanced Microsoft windows native MPIO?

A. It automatically create an I/O path to each storage system in the cluster
B. It automatically adjusts transfer block
C. It automatically combines HPE thin provisioning and volume migration technology
D. It automatically adjusts the availability bandwidth between the switch and the array

Answer: A

NEW QUESTION 53
- (Exam Topic 2)
You are designing a solution that will have a new HPE Synergy frame and an HPE 3PAR StoreServ 8200 storage array with only the built-in ports. This new environment must keep the infrastructure within the data center to a minimum.
Which interconnect module will achieve this goal?

A. Synergy 25-50Gb F8 Switch Module
B. 6125G/XG Ethernet Blade Switch
C. Synergy 20Gb Interconnect Link Module
D. Virtual Connect SE 40Gb F8 Module

Answer: D

NEW QUESTION 57
- (Exam Topic 2)
Match the HPE converged Strategy principle with its function

A. Federated Storage:- Move data between storage systems in peer-to-peer relationship simply, dynamically and nondestructively

B. Deduplication:-Reduce allocated capacity by eliminating data redundancy
C. Thin provisioning:-Reduce TCO ,Opex and CPEx by using virtualization technology to make storage resources more efficient.
D. Storage tiering:-Use combination of I/O accelerator to place data to meet price, performance, and latency requirements .
E. Storage virtualization:- Deliver simplified management ,higher utilization ,efficient, and agility by separating the logical and physical resource.

Answer: E

NEW QUESTION 60
- (Exam Topic 2)
What are two advantages of HPE Recovery Manager Central? (Select two.)

A. Enables automatic transparent failover
B. Less expensive than traditional backup
C. Includes Peer Copy asynchronous replication
D. Manual data provisioning and policy-based copy protection
E. Integration capabilities utilizing HTML

Answer: BC

NEW QUESTION 64
- (Exam Topic 2)
Which statement is correct when discussing the RAID layout of an HPE Nimble HF-series storage system?

A. RAID 6 triple parity is set up -21 data drives are used for RAID stripes.
B. RAID 6 triple parity is set up -18 data drives are used for RAID stripes.
C. RAID 6 or RAID 1 can be set up -24 data drives are used for RAID stripes.
D. RAID 6 or RAID 1 can be set up -18 data drives are used for RAID stripes.

Answer: A

NEW QUESTION 68
- (Exam Topic 2)
A customer needs to add another HPE 3PAR StoreServ system and plans to use the federated storage approach.
Which advantages can the customer expect? (Choose two.)

A. load balancing
B. reduced power, cooling, and environmental impacts
C. allows multiple management tools
D. easier migration
E. federated deduplication

Answer: AD

Explanation:
Federated storage—Move data between storage systems in a peer-to-peer relationship simply, dy namically, and nondisruptively to improve storage utilization, balance workloads, and ease storage migration.

NEW QUESTION 73
- (Exam Topic 2)
A customer is a cloud service provider with infrastructure powered by HPE 3PAR Storeserv 9000.The customer is concern about their ability to ensure the quality of service and protect their tenants from unpredictable bursts of I/O from other tenants. What should you recommended to your customer ?

A. Use priority optimization to enable service level for workloads
B. Use virtual domain to automatically set multi-tenant policies
C. Use dynamic optimization to automatically manage quality of service
D. Use adaptive optimization to optimize service level automatically

Answer: A

NEW QUESTION 78
- (Exam Topic 2)
Which type of networking switch handles both Ethernet and fibre channel traffic?

A. Director
B. Virtual
C. Edge
D. Converged

Answer: D

NEW QUESTION 79
- (Exam Topic 2)
A customer has a 3PAR storeserv with FC and SSD drives who would like to improve the performance for random reads. Which 3PAR Storeserve feature would provide better read performance?

A. Adaptive Flash Cache
B. Deduplication

C. Smart Cache
D. Express Layout

Answer: A

NEW QUESTION 82
- (Exam Topic 2)
Which HPE 3Par feature improves CPU utilization ,reduces latency and improve IOPS ?

A. Zero Detect
B. Persistent Cache
C. Express Indexing
D. Express Writes

Answer: D

NEW QUESTION 83
- (Exam Topic 2)
A customer has a large deployment of HPE Synergy compute modules, HPE 3PAR StoreServ storage, and HPE StoreOnce systems in a single data center. They are concerned about the risk of data loss due to site disaster.
What is the reason to propose HPE CloudBank?

A. To easily move workloads to AWS or Azure in the event of site disaster.
B. To improve RPO/RTO objectives by automating snapshot-based integrating between 3PAR and StoreOnce.
C. To regularly send backups to the cloud for the purposes of DR protection.
D. To leverage 3PAR snapshots and utilize StoreOnce recovery capabilities to minimize data loss and downtime.

Answer: C

NEW QUESTION 85
- (Exam Topic 2)
Exhibit:

The customer has upgraded the first of their two HPE StoreServ 8200to the latest inform OS version to take the advantage of the compression feature .You have been asked to design the storage configuration to support oracle database volume to utilize HPE 3PAR compression . Based on the analysis of the array .what would be your suggestion to implement the requested change?

A. Install the catalyst agent on the oracle server to enable inline compression on the selected VV
B. Configure the source-side the compression to offload compression to the Host
C. Balance the workloads between the arrays to have enough headroom for compression
D. Consider adding another node pair for compression to work efficiently

Answer: A

NEW QUESTION 88
- (Exam Topic 2)
While demonstrating an HPE 3PAR StoreServ 9450 array, the customer asks you to demonstrate the File Persona features.
Which objects do you need to create to demonstrate these features? (Choose two.)

A. File share
B. Storage container
C. Host
D. Remote copy group
E. Virtual file server

Answer: AE

NEW QUESTION 91
- (Exam Topic 2)
Which storage tool in the storage assessment foundry provide data protection analysis?

A. Ninja protected+ (318)
B. NinjaCrawler
C. Ninja Thin
D. Ninja Stars

Answer: A

NEW QUESTION 96
- (Exam Topic 2)
A customer has a SAN infrastructure with the HPE C-class blade Enclosure ,and a mix of proliant G7,gen8 and Ge9 server .They require a new storage platform ...
How can you confirm the storage array will be supported in the existing environment?

A. Check recommended firmware levels in the HP SAN design reference guide to ensure firmware compatibility
B. Document existing server and SAN information ,and consult SPOCK to ensure firmware compatibility
C. Design and array with the latest firmware ,and recommend that the customer engage HPE point Next to upgrade the existing hardware
D. Design an array with older version of the firmware to ensure compatibility

Answer: B

NEW QUESTION 98
- (Exam Topic 2)
A customer has a SAN infrastructure with an HPE C-Class blade enclosure, and a mix of ProLiant G7, Gen8 and Gen9 servers. They require a new storage platform.
How can you confirm the new storage array will be supported in the existing environment?

A. Design an array with an older version of the firmware to ensure compatibility.
B. Document existing server and SAN information, and consult SPOCK to ensure firmware compatibility.
C. Design an array with the latest firmware, and recommend that the customer engage HPE PointNext to upgrade the existing hardware.
D. Check recommended firmware levels in the HP SAN Design Reference Guide to ensure firmware compatibility.

Answer: B

NEW QUESTION 101
- (Exam Topic 2)
What can move data directly from a snapshot to backup storage independent of backup server software?

A. SSMC
B. Virtual Lock
C. CLI
D. Express Protect

Answer: D

Explanation:
The Express Protect feature offers data protection by facilitating Express Protect of snapshots from HPE 3PAR StoreServ to HPE StoreOnce.

NEW QUESTION 106
- (Exam Topic 2)
You are planning a single-site Nimble solution with iSCSI connectivity. Two 10GbE SFP+ dual port NICs are included in the configuration. You designed an Intelligent Resilient Framework (IRF) stack with HPE FlexFabric 5900CP switches.
Which statement is correct when discussing the IRF limits for this configuration?

A. When connecting an iSCSI storage to an IRF stack, a minimum of four 10GbE ports must be used per switch.
B. A maximum of two switches can be used in an IRF stack when connecting storage.
C. In an IRF stack with storage connectivity, the 40GbE ports cannot be used.
D. The used IRF ports for iSCSI traffic have to be configured as 10GbE converged ports.

Answer: A

NEW QUESTION 110
- (Exam Topic 2)
You are advising a customer on a new backup strategy to deploy HPE StoreOnce. What should you recommend to ensure the best storage utilization and performance?

A. consolidate activity windows for housekeeping tasks
B. size solution for a single backup device
C. combine management and backup Ethernet traffic
D. use separate backup targets for different data types

Answer: A

NEW QUESTION 115
- (Exam Topic 2)
Exhibit:

Which fabric design is shown?

A. meshed
B. single fabric
C. cascaded
D. core-edge

Answer: A

NEW QUESTION 119
- (Exam Topic 2)
An existing Nimble customer is interested in adding storage to their environment to store his Backups, but has a constrained budget and limited personal .The solution must scale to allow
for substantial growth over the next five years?

A. Nimble SF series
B. Nimble AF series
C. Nimble cloud volume
D. Nimble CS series

Answer: B

NEW QUESTION 124
- (Exam Topic 2)
You are adding a new host for an HPE 3PAR StoreServ proof-of-concept .In addition to the host name ,What is the minimum information that is required to create a host profile?

A. Host Persona
B. Host MAC
C. Host set
D. Host WWN

Answer: D

NEW QUESTION 129
- (Exam Topic 2)
A customer is looking for a centralized file-sharing solution that can provide print services in addition to 15TB of storage.
Which solution component should you recommend?

A. FC switch
B. NAS
C. FC-based array
D. Disk enclosure with integrated SAS switch

Answer: B

NEW QUESTION 133
- (Exam Topic 2)
A Company using an existing 1GB ISCSI storage array is experiencing storage access
performance issue. They are interested in deploying HPE 3PAR Storeserv with 16GB /S FC end to-end to improve the performance to the minimal changes to the environment. The existing environment consists of these HPE products
* HPE C7000 Blade system platinum blade enclosure with HP virtual connect Flex 10 interconnect modules.
* Configuration of HPE Proliant Gen8 and Gen9 blade servers
* HPE 2920 Switches
Which HPE products must be included to support new HPE 3PAR Storeserv?(Select two)

A. HPE B-Series 16GB SAN switch for HPE Blade system C-class series
B. HPE 16GB/s Fibre channel HBA for Blade servers
C. HP 5900CP switch series with 16GB/S SFP+ Modules
D. HPE Flex fabric 20GB,2-Port 630 FLB adapter
E. HPE Virtual connect Flex fabric 20/40 f8 modules

Answer: AB

NEW QUESTION 137
- (Exam Topic 2)
A customer needs to store a large amount of unstructured data that must be queried quickly. Which type of storage meets the customer's needs?

A. object
B. hash
C. file
D. flash

Answer: A

NEW QUESTION 142
- (Exam Topic 2)
You are planning an upgrade to a customer's existing HPE 3PAR StoreServ 8200 to include 4-port 16Gb FC adapters. The servers are zoned to see the storage via four paths. The customer is concerned about storage availability during the upgrade.
Which statement is correct about performing this upgrade?

A. When NPIV is enabled, the HPE 3PAR Port persistence will show all four paths to the servers.
B. The MPIO service will do a failover, and the servers will continue to have access via two paths.
C. Windows servers require host explorer is installed to ensure MPIO is unaffected.
D. As long as MEM driver is installed on VMware vSphere, no path failures are seen.

Answer: A

NEW QUESTION 144
- (Exam Topic 2)
A customer is concerned about the business risks of non-compliance for long-term data protection, retention, immutability, and encryption on petabytes of data consisting of millions of objects in a global namespace across multiple geographic locations.
Which products should you recommend to the customer to address their concern? (Choose two.)

A. HPE StoreOnce Systems
B. HPE Complete Veeam
C. HPE Complete iTernity iCAS
D. HPE Scality RING on HPE Apollo Servers
E. HPE 3PAR StoreServ 9000

Answer: AC

NEW QUESTION 146
- (Exam Topic 2)
A customer run several HPE 3PAR storeserv system in their environment using data rest encryption .The customer needs to add an HPE 3PAR Storeserv 8000system to the storage pool and an external key manager for all systems.. What is the requirement for this solution?

A. Boot server for the existing 3PAR storeserv array must be replaced with self-encrypting drive
B. All drives of the new HPE 3PAR storeserv array must be self-encrypting
C. HPE ESKM FIPS mode must be disabled by the administrator
D. Data on the existing HPE 3PAR storeserv array must be decrypted and re-encrypted with new keys

Answer: B

NEW QUESTION 148
- (Exam Topic 2)
A customer need a new storage system for visual desktop infrastructure environment to reduce the time required to provision new desktop. Which HPE solution should you recommended to fulfill this customers requirements?

A. Snapclones on HPE MSA 2040
B. SmartClone on HPE store virtual VSA(54)
C. Storage pool on HPE store Easy
D. Virtual Copy on HPE 3Par storeServ

Answer: B

NEW QUESTION 152
- (Exam Topic 2)
Which protocols are currently used in the front end by HPE 3PAR StoreServ systems? (Choose two.)

A. iSCSI
B. Infiniband
C. SAS
D. NVMe
E. FC

Answer: AE

NEW QUESTION 156
- (Exam Topic 2)
A customer has a SAN based on HPE B-series switches with Gen6 fibre channel technology. Their workload is continually growing and they are experiencing

performance issues. They need a solution to enable real-time monitoring and to speed up troubleshooting in his SAN backend.
Which unique feature of the HPE B-series Gen6 switches should you recommend? (Choose two.)

A. Fabric Watch
B. MAPS
C. Advanced Trunking
D. Fabric Vision
E. Extended Fabrics

Answer: AD

NEW QUESTION 160
- (Exam Topic 2)
A customer is planning to connect a new HPE 3PAR StoreServ system to its existing Synergy based composable infrastructure via direct-attach.
Which tool would be used to manage the storage?

A. HPE SAN Network Advisor
B. HPE Synergy Image Streamer
C. HPE Synergy Composer
D. HPE InfoSight for 3PAR

Answer: C

NEW QUESTION 164
- (Exam Topic 2)
Match the type of storage found in today's market to the HPE storage solution optimized for that capacity?

A. HPE 3PAR StoreServ - Block
B. MSA - Block
C. Nimble - Block
D. Scalability - Object
E. StoreEasy - File
F. StoreVirtual - Block

Answer: A

NEW QUESTION 165
- (Exam Topic 2)
A customer has an HPE 3PAR StoreServ 8200 with eight 3.84 TB SSD's configured with RAID5 7+1. They plan to add four more 3.84 TB SSD's.
What needs to be changed on the configuration once the new SSD's are installed?

A. Reconfigure the cpg setsize as RAID6 6+2 and wait for tunesys to complete.
B. Change the availability level from cage to magazine.
C. Adjust the cpg growth value to match amount of SSD's.
D. Change the cpg setsize to RAID5 5+1 and run tunesys.

Answer: D

NEW QUESTION 170
- (Exam Topic 2)
An HPE 3PAR StoreServ 9000 All-Flash Array customer plans to deploy a secondary array 20 km away from their primary array to enable storage replication over a dark fibre. Their existing environment consists of one HPE Synergy Frame 12000, HPE SN6000B Fibre Channel Switches, HPE FlexFabric 5700 Switch Series, and HPE StoreOnce Systems.
Which HPE license is required to meet the customer's technical requirements?

A. Intelligent Resilient Framework licenses
B. HPE StoreOnce Replication
C. Extended Fabric
D. HPE 3PAR Remote Copy

Answer: D

NEW QUESTION 175
- (Exam Topic 2)
Which statement describes HPE StoreVirtual Network RAID functionality?

A. Redundancy is managed on a per-volume basis.
B. With Network RAID 10+2 data is striped and mirrored across two or more storage systems.
C. Network RAID 10 requires an even number of storage nodes.
D. Volumes remain available if an odd number of nodes are available.

Answer: A

Explanation:
Redundancy is managed on a per volume basis to improve storage utilization and to remove any single point of failure.

NEW QUESTION 178

- (Exam Topic 2)
A customer currently has a CS1000H and wants to upgrade to a CS3000. What must be considered before upgrading?

A. This upgrade is disruptive and needs planned downtime.
B. A capacity upgrade to a fully populated array has to be performed first.
C. Timeless storage support is not offered for CS1000H entry-level systems.
D. A controller upgrade to a CS1000F has to be performed first.

Answer: B

NEW QUESTION 181
......

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

HPE0-J68 Practice Exam Features:

* HPE0-J68 Questions and Answers Updated Frequently

* HPE0-J68 Practice Questions Verified by Expert Senior Certified Staff

* HPE0-J68 Most Realistic Questions that Guarantee you a Pass on Your FirstTry

* HPE0-J68 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
Order The HPE0-J68 Practice Test Here