

Exam Questions 300-815

Implementing Cisco Advanced Call Control and Mobility Services (CLACCM)

<https://www.2passeasy.com/dumps/300-815/>



NEW QUESTION 1

Cisco SIP IP telephony is implemented on two floors of your company. Afterward, users report intermittent voice issues in calls established between floors. All calls are established, and sometimes they work well, but sometimes there is oneway audio or no audio. You determine that there is a firewall between the floors, and the administrator reports that it is allowing SIP signaling and UDP ports from 20000 to 22000 bidirectionally. What are two possible solutions? (Choose two.)

- A. Go to the SIP profile assigned to these IP phones in Cisco Unified CM and change the range of media ports to 16384-32767
- B. Ask the firewall administrator to change the ports to TCP.
- C. Ask the firewall administrator to change the range of UDP ports to 16384-32767.
- D. Go to the SIP profile assigned to these IP phones in Cisco Unified CM and change the range of media ports to 20000-22000.
- E. Go to System Parameters in Cisco Unified Communications Manager and change the range of media ports to 20000-22000.

Answer: AC

NEW QUESTION 2

A company has an SRST gateway running an IOS XE image. The company plans to enable the IPv6 addressing companywide. To enable the IPv6 in a unified SRST gateway to support SIP phones, what are two supported supplementary features for an IPv6 fallback scenario? (Choose two.)

- A. three-way conference
- B. secure SIP lines
- C. T.38 fax relay
- D. transcoding
- E. SIP trunk

Answer: AC

NEW QUESTION 3

An engineer must route all SIP calls in the form of <user>@example.com to the SIP trunk gateway corporate local. Which two SIP route patterns can be used to accomplish this task? (Choose two.)

- A. example.com@gateway.corporate.local
- B. *@example.com
- C. gateway.corporate.local
- D. example.com
- E. *.*

Answer: BE

NEW QUESTION 4

Which two statements are correct with respect to the Client Matter Code setting in the route pattern configuration? (Choose two.)

- A. The Client Matter Code feature does not support overlap sending because the Cisco Unified CM cannot determine when to prompt the user for the code.
- B. If you check the Allow Overlap Sending check box, the Require Client Matter Code check box becomes disabled.
- C. If you check the Allow Overlap Sending check box, you can also check the Require Client Matter Code check box.
- D. The Client Matter Code feature does support overlap sending because the Cisco Unified Communications Manager can determine when to prompt the user for the code.
- E. The Client Matter Code has the option to configure Authorization Level such as in the Forced Authorization Code.

Answer: AB

NEW QUESTION 5

After configuring a Cisco CallManager Express with Cisco Unity Express, inbound calls from the PSTN SIP trunk receive a ring tone for 20 seconds and then a busy signal instead of voicemail. Which configuration fixes this problem?

- A. Router(config)# voice service voipRouter(config-voi-serv)#allow-connections h323 to h323
- B. Router(config)#dial-peer voice 2 voipRouter(config-dial-peer)#no vad
- C. Router(config)# voice service voipRouter(config-voi-serv)#allow-connections voice-mail mod
- D. Router(config)# voice service voipRouter(config-voi-serv)#no supplementary-service sip moved-temporarily

Answer: A

NEW QUESTION 6

In Cisco Unified Communications Manager, which tool do you use to check SIP traces?

- A. MTP
- B. CCSIP
- C. RTMT
- D. OS Administration Page

Answer: C

NEW QUESTION 7

The Cisco Unified Communications Manager Dialed Number Analyzer allows analysis of calls from which two devices? (Choose two.)

- A. translation patterns
- B. device pools

- C. CTI ports
- D. CTI route points
- E. IP phones

Answer: CE


NEW QUESTION 8

In Cisco Unified Communications Manager globalized call routing is implemented and must confirm that it is correctly implemented without making a call. Which tool do you use for verification?

- A. Dialed Number Analyzer
- B. Real-Time Monitoring Tool
- C. SDI trace
- D. SDL trace

Answer: A

NEW QUESTION 9



Refer to the exhibit. Within the North American Numbering Plan, gateways located in Ottawa, Canada and marked as “YOW” are assigned to the Calling Party Transformation CSS NANP_CgPTP, which contains partition NANP_calling_xforms. What is the calling-party number and the numbering type if the calling user +1613-555-1234 dials the number?

- A. calling number 613-555-1234 and numbering type “subscriber”
- B. calling number 011-1-613-555-1234 and numbering type “subscriber”
- C. calling number 011613-555-1234 and numbering type “international”
- D. calling number 613-555-1234 and numbering type “national”

Answer: D

NEW QUESTION 10

Where on Cisco Unified Communications Manager do you configure the standard local route group for a group of devices?

- A. System > Location Info
- B. Call Routing > Route/Hunt > Local Route Group Names
- C. System > Device Pool
- D. Call Routing > Emergency Location > Emergency Location (ELIN) Groups

Answer: B

NEW QUESTION 10

When locations-based Call Admission Control denies the call, which two masks can AAR apply when routing the call through the PSTN? (Choose two.)

- A. AAR destination mask
- B. called party transform mask
- C. external phone number mask
- D. +E.164 alternate number mask
- E. enterprise alternate number mask

Answer: AC

NEW QUESTION 15

Which two types of authentication are supported for the configuration of Intercluster Lookup Service? (Choose two.)

- A. TokenID
- B. username and secret key
- C. TLS certificates
- D. passwords
- E. FQDN of the servers defined in DNS

Answer: CD

NEW QUESTION 18

When the services key is pressed Cisco Extension Mobility does not show up. What is the cause of the issue?

- A. The URL configured for Cisco Extension Mobility is not correct.
- B. Cisco Extension Mobility Service is not running.
- C. The phone is not subscribed to Cisco Extension Mobility Service.
- D. Cisco Extension Mobility is not enabled in the Phone Configuration Window (Device > Phone)

Answer: C

NEW QUESTION 20

A user reports when they press the services key they do not receive a user ID and password prompt to assign the phone extension. Which action resolves the issue?

- A. Create the default device profiles for all phone models that are used.
- B. Subscribe the phone to the Cisco Extension Mobility service.
- C. Create the end user and associate it to the device profile.
- D. Assign the extension as a mobile extension.

Answer: B

NEW QUESTION 23

What are the elements for Device Mobility configuration?

- A. physical location, device pool, and Device Mobility group
- B. device pool, Device Mobility group, and region
- C. physical location
- D. Device Mobility group, and region
- E. device pool, Device Mobility group, and Cisco IP phone

Answer: A

NEW QUESTION 26

Which services are needed to successfully implement Cisco Extension Mobility in a standalone Cisco Unified Communications Manager server?

- A. Cisco Extended Functions, Cisco Extension Mobility, and Cisco AXL Web Service
- B. Cisco CallManager, Cisco TFTP, and Cisco CallManager SNMP Service
- C. Cisco CallManager, Cisco TFTP, and Cisco Extension Mobility
- D. Cisco TAPS Service, Cisco TFTP, and Cisco Extension Mobility

Answer: C

NEW QUESTION 29

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 300-815 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 300-815 Product From:

<https://www.2passeasy.com/dumps/300-815/>

Money Back Guarantee

300-815 Practice Exam Features:

- * 300-815 Questions and Answers Updated Frequently
- * 300-815 Practice Questions Verified by Expert Senior Certified Staff
- * 300-815 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 300-815 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year