Cisco

Exam Questions 300-435

Automating and Programming Cisco Enterprise Solutions (ENAUTO)

NEW QUESTION 1
A new project called "device_status" must be stored in a central Git repository called "device_status" with the first file named "device_status.py". The Git repository is created using the account python_programmer. Which set of commands inserts the project into Git?

A.
```
git init
git add device status.py
git commit -m "Initial Revision"
git remote add origin \
     https://git.cisco.com/python_programmer/device_status.git
git push -u origin master
```
B.
```
git init
git remote add origin \
     https://git.cisco.com/python_programmer/device_status.git
git add device_status.py
git pull
```
C.
```
git init
git remote add origin \
     https://git.cisco.com/python_programmer/device_status.git
git add device_status.py
git commit -m "Initial Revision"
git pull -u origin master
```

A.
```
git init
git add device_status.py
git remote add python_programmer/device_status
git push
```

Answer: A

NEW QUESTION 2
```
neighbors = ['s1', 's2', 's3']
switch = {'hostname':'nexus','os':'7.0.3','neighbors':neighbors}
print(switch['neighbors'][1])
```
Refer to the exhibit. What is the result when running the Python scripts?

A. s1
B. s2
C. s1, s2, s3
D. s3

Answer: B

NEW QUESTION 3
Which curl command is used to update the SNMP community of network ID "1234567" to read-only?

A.
```
curl -L -H 'X-Cisco-Meraki-API-Key: <key>' \
   -H 'Content-Type: application/json' \
   -X PUT --data-binary '{ \
     "access":"users", \
         "communityString":"readonly"}' \
         'https://api.meraki.com/api/v0/networks/1234567/snmpSettings'
```

B.
```
curl -L -H 'X-Cisco-Meraki-API-Key: <key>' \
   -H 'Content-Type: application/json' \
   -X PUT --data-binary '{ \
     "access":"community", \
         "communityString":"readonly"}' \
         'https://api.meraki.com/api/v0/networks/1234567/snmpSettings'
```

C.

```
curl -L -H 'X-Cisco-Meraki-API-Key: <key>' \
   -H 'Content-Type: application/json' \
   -X PUT --data-binary '{ \
      "access":"users", \
           "usersname":"snmp", \
           "passphase":"readonly"}' \
             'https://api.meraki.com/api/v0/networks/1234567/snmpSettings'
```

D.

```
curl -L -H 'X-Cisco-Meraki-API-Key: <key>' \
   -H 'Content-Type: application/json' \
   -X POST --data-binary '{ \
      "access":"community", \
           "communityString":"readonly"}' \
             'https://api.meraki.com/api/v0/networks/1234567/snmpSettings'
```

A.

Answer: B

NEW QUESTION 4
DRAG DROP
Drag and drop the commands to the Ansible playbook that applies configuration to an interface on a Cisco IOS XE device. Not all options are used.
Select and Place:

A. Mastered
B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 5
What does the command boot ipxe forever switch 1 perform when executed on a Cisco IOS XE device?

A. It continuously sends DHCP requests for iPXE until the device boots with an image.
B. It continuously sends DNS requests for iPXE until the device restarts.
C. It continuously sends DNS requests for iPXE until the device boots with an image.
D. It continuously sends DHCP requests for iPXE until the device restarts.

Answer: A

NEW QUESTION 6
A network administrator must troubleshoot a network issue using Cisco DNA Center. Which API request helps to determine issue details, impacted hosts, or suggested actions for the resolution?

A. /dna/intent/v1/issues
B. /dna/intent/api/v1/issues
C. /dna/intent/v1/issue-enrichment-details
D. /dna/api/v1/client-health/issues

Answer: B

NEW QUESTION 7
Which two features are characteristics of software-defined networks when compared to traditional infrastructure? (Choose two.)

A. configured box-by-box
B. changed manually
C. use overlay networks
D. designed to change
E. require software development experience to manage

Answer: CD

NEW QUESTION 8
Which action allows for creating a Python script to pull inventory for Cisco SD-WAN Viptela devices using the Viptela library in the code?

A. from urllib.request import Viptela
B. from viptela.devices import Viptela
C. from viptela.viptela import Viptela
D. from viptela.library import Viptela

Answer: B

NEW QUESTION 9
FILL BLANK
Fill in the blank to complete the URL for the Cisco SD-WAN API that retrieves a list of users that are logged into a device.

http://<vmanage-ip-address>/dataservice/device/[_____] deviceid=<deviceid>>

A. Mastered
B. Not Mastered

Answer: A

Explanation:
interface?

NEW QUESTION 10
Which URI with the request body of Request body: {"name":"Test","organizationId":<org_id>,"type":"appliance"} creates a new Meraki network called "Test", when using APIs?

A. PUT https://api.meraki.com/api/v0/organizations/<org_id>/networks
B. POST https://api.meraki.com/api/v0/networks
C. POST https://api.meraki.com/api/v0/organizations/<org_id>/networks/<net_id>
D. POST https://api.meraki.com/api/v0/organizations/<org_id>/networks

Answer: D

NEW QUESTION 10

```
{
  "id": "L_123456",
  "organizationId": 1357924,
  "name": "Long Island Office",
  "timeZone": "America/Los_Angeles",
  "tags": "tag1 tag2",
  "type": "combined",
  "disableMyMerakiCom": false
}
```

Refer to the exhibit. Which two parameters are mandatory when the Cisco Meraki API is used to create a network? (Choose two.)

A. timezone
B. disableMyMerakiCom
C. type
D. tags
E. organizationId

Answer: AE

NEW QUESTION 12
......

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

300-435 Practice Exam Features:

* 300-435 Questions and Answers Updated Frequently

* 300-435 Practice Questions Verified by Expert Senior Certified Staff

* 300-435 Most Realistic Questions that Guarantee you a Pass on Your FirstTry

* 300-435 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
Order The 300-435 Practice Test Here