

Exam Questions SC-300

Microsoft Identity and Access Administrator

<https://www.2passeasy.com/dumps/SC-300/>



NEW QUESTION 1

- (Exam Topic 1)

You need to configure app registration in Azure AD to meet the delegation requirements. What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Azure AD tenant-level setting to modify:

- Allow users to register application
- Users can consent to apps accessing company data on their behalf
- Users can request admin consent to apps they are unable to consent to

Role to assign to User1:

- Application administrator
- Application developer
- Cloud application administrator

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/roles/delegate-app-roles>

NEW QUESTION 2

- (Exam Topic 1)

You need to identify which roles to use for managing role assignments. The solution must meet the delegation requirements. What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

To manage Azure AD built-in role assignments, use:

- Global administrator
- Privileged role administrator
- Security administrator
- User access administrator

To manage Azure built-in role assignments, use:

- Global administrator
- Privileged role administrator
- Security administrator
- User access administrator

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/role-assignments-portal> <https://docs.microsoft.com/en-us/azure/active-directory/roles/permissions-reference>

NEW QUESTION 3

- (Exam Topic 1)

You need to configure the detection of multi-staged attacks to meet the monitoring requirements. What should you do?

- A. Customize the Azure Sentinel rule logic.
- B. Create a workbook.
- C. Add Azure Sentinel data connectors.
- D. Add an Azure Sentinel playbook.

Answer: A

NEW QUESTION 4

- (Exam Topic 1)

You need to configure the detection of multi staged attacks to meet the monitoring requirements. What should you do?

- A. Customize the Azure Sentinel rule logic.
- B. Create a workbook.
- C. Add an Azure Sentinel playbook.
- D. Add Azure Sentinel data connectors.

Answer: D

NEW QUESTION 5

- (Exam Topic 1)

You need to implement on-premises application and SharePoint Online restrictions to meet the authentication requirements and the access requirements. What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

For on-premises applications:

Configure Cloud App Security policies.
Modify the User consent settings for the enterprise applications.
Publish the applications by using Azure AD Application Proxy.

For SharePoint Online:

Configure Cloud App Security policies.
Modify the User consent settings for the enterprise applications.
Publish an application by using Azure AD Application Proxy.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

For on-premises applications:

Configure Cloud App Security policies.
Modify the User consent settings for the enterprise applications.
Publish the applications by using Azure AD Application Proxy.

For SharePoint Online:

Configure Cloud App Security policies.
Modify the User consent settings for the enterprise applications.
Publish an application by using Azure AD Application Proxy.

NEW QUESTION 6

- (Exam Topic 2)

You create a Log Analytics workspace.

You need to implement the technical requirements for auditing. What should you configure in Azure AD?

- A. Company branding
- B. Diagnostics settings
- C. External Identities
- D. App registrations

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/reports-monitoring/overview-monitoring>

NEW QUESTION 7

- (Exam Topic 2)

You need to meet the technical requirements for the probability that user identities were compromised. What should the users do first, and what should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

The users must first:

- Provide consent for any app to access the data of Contoso.
- Register for multi-factor authentication (MFA).
- Register for self-service password reset (SSPR).

You must configure:

- A sign-in risk policy
- A user risk policy
- An Azure AD Password Protection policy

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-policies>

NEW QUESTION 8

- (Exam Topic 2)

You need to meet the planned changes for the User administrator role. What should you do?

- A. Create an access review.
- B. Modify Role settings
- C. Create an administrator unit.
- D. Modify Active Assignments.

Answer: B

Explanation:

Role Setting details is where you need to be: Role setting details - User Administrator Privileged Identity Management | Azure AD roles

Default Setting State

Require justification on activation Yes Require ticket information on activation No On activation, require Azure MFA Yes Require approval to activate No Approvers None

NEW QUESTION 9

- (Exam Topic 2)

You need to sync the ADatum users. The solution must meet the technical requirements. What should you do?

- A. From the Microsoft Azure Active Directory Connect wizard, select Customize synchronization options.
- B. From PowerShell, run Set-ADSyncScheduler.
- C. From PowerShell, run Start-ADSyncSyncCycle.
- D. From the Microsoft Azure Active Directory Connect wizard, select Change user sign-in.

Answer: A

Explanation:

You need to select Customize synchronization options to configure Azure AD Connect to sync the Adatum organizational unit (OU).

NEW QUESTION 10

- (Exam Topic 3)

You need to resolve the issue of the sales department users. What should you configure for the Azure AD tenant?

- A. the User settings
- B. the Device settings
- C. the Access reviews settings
- D. Security defaults

Answer: B

NEW QUESTION 10

- (Exam Topic 3)

You need to resolve the issue of the guest user invitations. What should you do for the Azure AD tenant?

- A. Configure the Continuous access evaluation settings.
- B. Modify the External collaboration settings.
- C. Configure the Access reviews settings.
- D. Configure a Conditional Access policy.

Answer: B

NEW QUESTION 12

- (Exam Topic 3)

You need to implement the planned changes for Package1. Which users can create and manage the access review?

- A. User3 only
- B. User4 only
- C. User5 only
- D. User3 and User4
- E. User3 and User5
- F. User4and User5

Answer: E

NEW QUESTION 15

- (Exam Topic 3)

You need to implement the planned changes for litware.com. What should you configure?

- A. Azure AD Connect cloud sync between the Azure AD tenant and litware.com
- B. Azure AD Connect to include the litware.com domain
- C. staging mode in Azure AD Connect for the litware.com domain

Answer: C

NEW QUESTION 18

- (Exam Topic 3)

You need implement the planned changes for application access to organizational data. What should you configure?

- A. authentication methods
- B. the User consent settings
- C. access packages
- D. an application proxy

Answer: B

NEW QUESTION 23

- (Exam Topic 3)

You need to resolve the recent security incident issues.

What should you configure for each incident? To answer, drag the appropriate policy types to the correct

issues. Each policy type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Policy Types

- An authentication method policy
- A Conditional Access policy
- A sign-in risk policy
- A user risk policy

Answer Area

- Leaked credentials:
- A sign-in from a suspicious browser:
- Resources accessed from an anonymous IP address:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Policy Types

- An authentication method policy
- A Conditional Access policy
- A sign-in risk policy
- A user risk policy

Answer Area

- Leaked credentials: A user risk policy
- A sign-in from a suspicious browser: A sign-in risk policy
- Resources accessed from an anonymous IP address: A sign-in risk policy

NEW QUESTION 26

- (Exam Topic 3)

You need to resolve the issue of I-.Group1. What should you do first?

- A. Recreate the IT-Group 1 group.
- B. Change Membership type of IT-Group1 to Dynamic Device
- C. Add an owner to IT_Group1.
- D. Change Membership type of IT-Group1 to Dynamic User

Answer: A

NEW QUESTION 30

- (Exam Topic 4)

Your network contains an on-premises Active Directory Domain services (AD DS) domain that syncs with an Azure AD tenant. The AD DS domain contains the organizational units (OUs) shown in the following table.

Name	Description
OU1	Syncs with Azure AD
OU2	Does NOT sync with Azure AD

You need to create a break-glass account named BreakGlass.

Where should you create BreakGlass, and which role should you assign to BreakGlass? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Location:

- Azure AD
- OU1
- OU2

Role:

- Billing Administrator
- Global Administrator
- Owner
- Privileged Role Administrator

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Location:

- Azure AD
- OU1
- OU2

Role:

- Billing Administrator
- Global Administrator
- Owner
- Privileged Role Administrator

NEW QUESTION 31

- (Exam Topic 4)

You have a Microsoft 365 tenant.

All users must use the Microsoft Authenticator app for multi-factor authentication (MFA) when accessing Microsoft 365 services.

Some users report that they received an MFA prompt on their Microsoft Authenticator app without initiating a sign-in request.

You need to block the users automatically when they report an MFA request that they did not initiate. Solution: From the Azure portal, you configure the Block/unblock users settings for multi-factor authentication (MFA).

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You need to configure the fraud alert settings. Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings>

NEW QUESTION 36

- (Exam Topic 4)

You have an Azure AD tenant that contains a user named User1. User1 needs to manage license assignments and reset user passwords. Which role should you assign to User1?

- A. License administrator
- B. Helpdesk administrator
- C. Billing administrator
- D. User administrator

Answer: D

NEW QUESTION 38

- (Exam Topic 4)

Your company requires that users request access before they can access corporate applications. You register a new enterprise application named MyApp1 in Azure Active Directory (Azure AD) and configure single sign-on (SSO) for MyApp1. Which settings should you configure next for MyApp1?

- A. Self-service
- B. Provisioning
- C. Roles and administrators
- D. Application proxy

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/manage-self-service-access>

NEW QUESTION 40

- (Exam Topic 4)

Your network contains an on-premises Active Directory domain that syncs to an Azure AD tenant. Users sign in to computers that run Windows 10 and are joined to the domain.

You plan to implement Azure AD Seamless Single Sign-On (Azure AD Seamless SSO). You need to configure the Windows 10 computers to support Azure AD Seamless SSO. What should you do?

- A. Modify the Local intranet zone settings
- B. Configure Sign-in options from the Settings app.
- C. Enable Enterprise State Roaming.
- D. Install the Azure AD Connect Authentication Agent.

Answer: B

NEW QUESTION 42

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant.

You need to review the Azure AD sign-in logs to investigate sign-ins that occurred in the past. For how long does Azure AD store events in the sign-in logs?

- A. 14 days
- B. 30 days
- C. 90 days
- D. 365 days

Answer: B

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/reports-monitoring/reference-reports-dataretention# how-long-does-azure-ad-store-the-data>

NEW QUESTION 43

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription.

You purchase the app governance add-on license. You need to enable app governance integration. Which portal should you use?

- A. the Microsoft Defender for Cloud Apps portal
- B. the Microsoft 365 admin center
- C. Microsoft 365 Defender
- D. the Azure Active Directory admin center
- E. the Microsoft Purview compliance portal

Answer: A

NEW QUESTION 45

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant.

You create an enterprise application collection named HR Apps that has the following settings:

- Applications: Appl. App?, App3
- Owners: Admin 1
- Users and groups: HRUsers

AH three apps have the following Properties settings:

- Enabled for users to sign in: Yes
- User assignment required: Yes
- Visible to users: Yes

Users report that when they go to the My Apps portal, they only see App1 and App2-You need to ensure that the users can also see App3. What should you do from App3?

What should you do from App3?

- A. From Users and groups, add HRUsers.
- B. From Properties, change User assignment required to No.
- C. From Permissions, review the User consent permissions.
- D. From Single sign on, configure a sign-on method.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/assign-user-or-group-access-portal> <https://docs.microsoft.com/en-us/azure/active-directory/user-help/my-applications-portal-workspaces>

NEW QUESTION 47

- (Exam Topic 4)

You have 2,500 users who are assigned Microsoft Office 365 Enterprise E3 licenses. The licenses are assigned to individual users.

From the Groups blade in the Azure Active Directory admin center, you assign Microsoft 365 Enterprise E5 licenses to the users.

You need to remove the Office 365 Enterprise E3 licenses from the users by using the least amount of administrative effort.

What should you use?

- A. the Administrative units blade in the Azure Active Directory admin center
- B. the Set-AzureAdUser cmdlet
- C. the Groups blade in the Azure Active Directory admin center
- D. the Sec-MsolUserLicense cmdlet

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/msonline/set-msoluserlicense?view=azureadps-1.0>

NEW QUESTION 51

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that has Security defaults disabled. You are creating a conditional access policy as shown in the following exhibit.

New

Conditional access policy

Control user access based on conditional access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#)

Name *

Assignments

- Users and groups ⓘ >
Specific users included

- Cloud apps or actions ⓘ >
All cloud apps

- Conditions ⓘ >
0 conditions selected

- Access controls

 - Grant ⓘ >
0 controls selected

 - Session ⓘ >
0 controls selected

Control user access based on users and groups assignment for all users, specific groups of users, directory roles, or external guest users. [Learn more](#)

Include Exclude

- None
- All users
- Select users and groups
 - All guest users (preview) ⓘ
 - Directory roles (preview) ⓘ
 - Users and groups

Select ⓘ >
1 user

US User1
 user1@sk200922outlook.onm...

Enable policy

Report-only On Off

[Create](#)

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

To ensure that User1 is prompted for multi-factor authentication (MFA) when accessing Cloud apps, you must configure the **[answer choice]**.

Conditions settings
 Enable policy setting
 Grant settings
 Sessions settings
 Users and groups setting

To ensure that User1 is prompted for authentication every eight hours, you must configure the **[answer choice]**.

Conditions settings
 Enable policy setting
 Grant settings
 Sessions settings
 Users and groups setting

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/howto-conditional-access-policy-all>

NEW QUESTION 52

- (Exam Topic 4)

You have an Azure subscription that contains the resources shown in the following table. You need to configure access to Vault1. The solution must meet the following requirements:

- Ensure that User1 can manage and create keys in Vault1.
- Ensure that User2 can access a certificate stored in Vault1.
- Use the principle of least privilege.

Which role should you assign to each user? To answer select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

A screenshot of a computer Description automatically generated

NEW QUESTION 55

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that contains the objects shown in the following table.

- A device named Device1
- Users named User1, User2, User3, User4, and User5
- Five groups named Group1, Group2, Group3, Group4, and Group5 The groups are configured as shown in the following table.

Name	Type	Membership type	Members
Group1	Security	Assigned	User1, User3, Group2, Group4
Group2	Security	Dynamic User	User2
Group3	Security	Dynamic Device	Device1
Group4	Microsoft 365	Assigned	Group5
Group5	Microsoft 365	Assigned	User5

How many licenses are used if you assign the Microsoft Office 365 Enterprise E5 license to Group1?

- A. 2
- B. 3
- C. 4

Answer: B

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/licensing-group-advanced>

NEW QUESTION 58

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that uses conditional access policies.

You plan to use third-party security information and event management (SIEM) to analyze conditional access usage.

You need to download the Azure AD log that contains conditional access policy data. What should you export from Azure AD?

- A. sign-ins in JSON format
- B. sign-ins in CSV format
- C. audit logs in JSON format
- D. audit logs in CSV format

Answer: C

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/reports-monitoring/concept-audit-logs>

NEW QUESTION 63

- (Exam Topic 4)

Your company purchases 2 new Microsoft 365 ES subscription and an app named App. You need to create a Microsoft Defender for Cloud Apps access policy for

App1.
 What should you do you first? (Choose Correct Answer based on Microsoft Identity and Access Administrator at microsoft.com)

- A. Configure a Token configuration for App1.
- B. Add an API permission for App.
- C. Configure a Conditional Access policy to use app-enforced restrictions.
- D. Configure a Conditional Access policy to use Conditional Access App Control.

Answer: C

Explanation:

<https://learn.microsoft.com/en-us/defender-cloud-apps/access-policy-aad>

To create a Microsoft Defender for Cloud Apps access policy for App1, you should configure a Conditional Access policy to use app-enforced restrictions. This will allow you to control access to your cloud apps based on conditions such as user, device, location, and app state. You can also use app-enforced restrictions to control access to your cloud apps based on the state of the app, such as whether it's running on a managed or unmanaged device.

NEW QUESTION 65

- (Exam Topic 4)

You have an Azure AD tenant.

You deploy a new enterprise application named App1.

When users attempt to provide App1 with access to the tenant, the attempt fails.

You need to ensure that the users can request admin consent for App1. The solution must follow the principle of least privilege.

What should you do first?

- A. Enable admin consent requests for the tenant.
- B. Designate a reviewer of admin consent requests for the tenant.
- C. From the Permissions settings of App1, grant App1 admin consent for the tenant
- D. Create a Conditional Access policy for Appl.

Answer: A

NEW QUESTION 70

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that contains a user named SecAdmin1. SecAdmin1 is assigned the Security administrator role.

SecAdmin1 reports that she cannot reset passwords from the Azure AD Identity Protection portal.

You need to ensure that SecAdmin1 can manage passwords and invalidate sessions on behalf of nonadministrative users. The solution must use the principle of least privilege. Which role should you assign to SecAdmin1?

- A. Authentication administrator
- B. Helpdesk administrator
- C. Privileged authentication administrator
- D. Security operator

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/roles/permissions-reference>

NEW QUESTION 73

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that contains the following objects:

- > A device named Device1
- > Users named User1, User2, User3, User4, and User5
- > Groups named Group1, Group2, Group3, Group4, and Group5 The groups are configured as shown in the following table.

Name	Type	Membership type	Members
Group1	Security	Assigned	User1, User3, Group2, Group3
Group2	Security	Dynamic User	User2
Group3	Security	Dynamic Device	Device1
Group4	Microsoft 365	Assigned	User4
Group5	Microsoft 365	Dynamic User	User5

To which groups can you assign a Microsoft Office 365 Enterprise E5 license directly?

- A. Group1 and Group4 only
- B. Group1, Group2, Group3, Group4, and Group5
- C. Group1 and Group2 only
- D. Group1 only
- E. Group1, Group2, Group4, and Group5 only

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/licensing-group-advanced>

NEW QUESTION 75

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant.

You need to review the Azure AD sign-ins log to investigate sign ins that occurred in the past. For how long does Azure AD store events in the sign-in log?

- A. 14 days
- B. 30 days
- C. 90 days
- D. 365 days

Answer: B

NEW QUESTION 78

- (Exam Topic 4)

You have a Microsoft 365 tenant.

You need to identify users who have leaked credentials. The solution must meet the following requirements.

- Identity sign-ins by users who are suspected of having leaked credentials.
- Tag the sign-ins as a high risk event.
- Immediately enforce a control to mitigate the risk, while still allowing the user to access applications. What should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

To classify leaked credentials as high-risk, use:

Azure Active Directory (Azure AD) Identity Protection
Azure Active Directory (Azure AD) Privileged Identity Management (PIM)
Identity Governance
Self-service password reset (SSPR)

To trigger remediation, use:

Client apps not using Modern authentication
Device state
Sign-in risk
User location
User risk

To mitigate the risk, select:

Apply app enforced restrictions
Block access
Grant access but require app protection policy
Grant access but require password change

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-risks>

NEW QUESTION 83

- (Exam Topic 4)

Your company has a Microsoft 365 tenant.

The company has a call center that contains 300 users. In the call center, the users share desktop computers and might use a different computer every day. The call center computers are NOT configured for biometric identification.

The users are prohibited from having a mobile phone in the call center.

You need to require multi-factor authentication (MFA) for the call center users when they access Microsoft 365 services.

What should you include in the solution?

- A. a named network location
- B. the Microsoft Authenticator app
- C. Windows Hello for Business authentication
- D. FIDO2 tokens

Answer: D

Explanation:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-passwordless>

NEW QUESTION 88

- (Exam Topic 4)

Your network contains an on-premises Active Directory domain that syncs to an Azure Active Directory (Azure AD) tenant.

The tenant contains the groups shown in the following table.

Name	Source	Member of
Group1	Cloud	Group3
Group2	Active Directory domain	None
Group3	Cloud	None

The tenant contains the users shown in the following table.

Name	Directory-synced	Member of
User1	No	Group1
User2	No	Group3
User3	Yes	Group2

You create an access review as shown in the following table.

Setting	Value
Review type	Teams + Groups
Review scope	All users
Group	Group2, Group3
Reviewers	Users review own access
If reviewers don't respond	Remove access

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 will be removed automatically from Group1 if the user does not respond to the review request.	<input type="radio"/>	<input type="radio"/>
User2 will be removed automatically from Group3 if the user does not respond to the review request.	<input type="radio"/>	<input type="radio"/>
User3 will be removed automatically from Group2 if the user does not respond to the review request.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
User1 will be removed automatically from Group1 if the user does not respond to the review request.	<input type="radio"/>	<input checked="" type="radio"/>
User2 will be removed automatically from Group3 if the user does not respond to the review request.	<input checked="" type="radio"/>	<input type="radio"/>
User3 will be removed automatically from Group2 if the user does not respond to the review request.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 89

- (Exam Topic 4)

You have an Azure AD tenant that contains a user named User1. User1 is assigned the User Administrator role.

You need to configure External collaboration settings for the tenant to meet the following requirements: |

*Guest users must be prevented from querying staff email addresses.

*Guest users must be able to access the tenant only if they are invited by User1.

Which three settings should you configure? To answer, select the appropriate settings in the answer area.

Guest user access restrictions:

- Guest users have the same access as members (most inclusive)
- Guest users have limited access to properties and memberships of directory objects
- Guest user access is restricted to properties and memberships of their own directory objects (most restrictive)**

Guest invite restrictions:

- Anyone in the organization can invite guest users including guests and non-admins (most inclusive)
- Member users and users assigned to specific admin roles can invite guest users including guests with member permissions
- Only users assigned to specific admin roles can invite guest users
- No one in the organization can invite guest users including admins (most restrictive)**

Enable guest self-service sign up via user flows:

No

Yes

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box1 = User access is restricted to properties and memberships of their own directory objects (most restrictive). This setting ensures that guest users are prevented from querying staff email addresses and can access the tenant only if they are invited by User1.
 Box2 = Only users assigned to specific admin roles can invite guest users. This setting ensures that guest users can access the tenant only if they are invited by User1.
 Box3 = This setting enables guest users to sign up for the tenant only if they are invited by User1.

NEW QUESTION 94

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
 After you answer a question in this section, you will NOT be able to return to it as a result these questions will not appear in the review screen.
 You have a Microsoft 365 ES subscription. You create a user named User1.
 You need to ensure that User1 can update the status of identity Secure Score improvement actions. Solution: You assign the Exchange Administrator role to User1.

- A. Yes
- B. No

Answer: B

NEW QUESTION 98

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
 After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
 You use Azure Monitor to analyze Azure Active Directory (Azure AD) activity logs.
 You receive more than 100 email alerts each day for failed Azure AD user sign-in attempts. You need to ensure that a new security administrator receives the alerts instead of you. Solution: From Azure AD, you modify the Diagnostics settings.
 Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 100

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	Type	Directory synced
User1	Member	Yes
User2	Member	No
User3	Guest	No

For which users can you configure the Job title property and the Usage location property in Azure AD? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Job title property: User2 only
 User1 and User2 only
 User2 and User3 only
 User1, User2, and User3

Usage location property: User2 only
 User1 and User2 only
 User2 and User3 only
 User1, User2, and User3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Job title property: User2 only
 User1 and User2 only
 User2 and User3 only
 User1, User2, and User3

Usage location property: User2 only
 User1 and User2 only
 User2 and User3 only
 User1, User2, and User3

NEW QUESTION 102

- (Exam Topic 4)

You have an Azure AD tenant that has multi-factor authentication (MFA) enforced and self-service password reset (SSPR) enabled.

You enable combined registration in interrupt mode. You create a new user named User1.

Which two authentication methods can User1 use to complete the combined registration process? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. a FIDO2 security key
- B. a hardware token
- C. a one-time passcode email
- D. Windows Hello for Business
- E. the Microsoft Authenticator app

Answer: AE

NEW QUESTION 103

- (Exam Topic 4)

You create a conditional access policy that blocks access when a user triggers a high-severity sign-in alert. You need to test the policy under the following conditions;

- A user signs in from another country.
- A user triggers a sign-in risk.

What should you use to complete the test?

- A. the Conditional Access What If tool
- B. sign-ins logs in Azure AD
- C. access reviews in Azure AD
- D. the activity logs in Microsoft Defender for Cloud Apps

Answer: A

NEW QUESTION 104

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription. You need to perform the following tasks:

- Identify the locations and IP addresses used by Azure AD users to sign in
- Review the Azure AD security settings and identify improvement recommendations.
- Identify changes to Azure AD users or service principle.

What should you use for each task? To answer, drag the appropriate resources to the correct requirements. Each resource may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Resources	Answer Area
Audit logs	Identify the locations and IP addresses used by Azure AD users to sign in:
Identity secure score	Identify changes to Azure AD users or service principals:
Provisioning logs	Review the Azure AD security settings and identify improvement recommendations:
Sign-in logs	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Resources	Answer Area
Audit logs	Identify the locations and IP addresses used by Azure AD users to sign in: Sign-in logs
Identity secure score	Identify changes to Azure AD users or service principals: Audit logs
Provisioning logs	Review the Azure AD security settings and identify improvement recommendations: Identity secure score
Sign-in logs	

NEW QUESTION 109

- (Exam Topic 4)

You have 2,500 users who are assigned Microsoft Office 365 Enterprise E3 licenses. The licenses are assigned to individual users.

From the Groups blade in the Azure Active Directory admin center, you assign Microsoft 365 Enterprise E5 licenses to the users.
You need to remove the Office 365 Enterprise E3 licenses from the users by using the least amount of administrative effort.
What should you use?

- A. the Identity Governance blade in the Azure Active Directory admin center
- B. the Set-AzureAdUser cmdlet
- C. the Licenses blade in the Azure Active Directory admin center
- D. the Set-WindowsProductKey cmdlet

Answer: C

NEW QUESTION 111

- (Exam Topic 4)

Your company recently implemented Azure Active Directory (Azure AD) Privileged Identity Management (PIM).
While you review the roles in PIM, you discover that all 15 users in the IT department at the company have permanent security administrator rights.
You need to ensure that the IT department users only have access to the Security administrator role when required.
What should you configure for the Security administrator role assignment?

- A. Expire eligible assignments after from the Role settings details
- B. Expire active assignments after from the Role settings details
- C. Assignment type to Active
- D. Assignment type to Eligible

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure>

NEW QUESTION 112

- (Exam Topic 4)

You have an Azure subscription that contains an Azure SQL database named db1.
You deploy an Azure App Service web app named App1 that provide product information to users that connect to App1 anonymously.
You need to provide App1 with Access to db1. The solution must meet the following requirements:
* Credentials must only be available to App1.
* Administrative effort must be minimized. Which type of credentials should you use?

- A. a user-assigned managed identity
- B. an Azure AD user account
- C. A SQL Server account
- D. a system-assigned managed identity

Answer: D

NEW QUESTION 114

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it as a result, these questions will not appear in the review screen.
You have an Amazon Web Services (AWS) account, a Google Workspace subscription, and a GitHub account.
You deploy an Azure subscription and enable Microsoft 365 Defender
You need to ensure that you can monitor OAuth authentication requests by using Microsoft Defender for Cloud Apps.
Solution: From the Microsoft 365 Defender portal, you add the Microsoft Azure app connector. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 118

- (Exam Topic 4)

You have a Microsoft 365 tenant.
All users have mobile phones and laptops.
The users frequently work from remote locations that do not have Wi-Fi access or mobile phone connectivity. While working from the remote locations, the users connect their laptop to a wired network that has internet access.
You plan to implement multi-factor authentication (MFA).
Which MFA authentication method can the users use from the remote location?

- A. a notification through the Microsoft Authenticator app
- B. security questions
- C. voice
- D. an app password

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-authenticator-app>

NEW QUESTION 122

- (Exam Topic 4)

You have a Microsoft 365 tenant.

The Azure Active Directory (Azure AD) tenant syncs to an on-premises Active Directory domain.

You plan to create an emergency-access administrative account named Emergency1. Emergency1 will be assigned the Global administrator role in Azure AD.

Emergency1 will be used in the event of Azure AD functionality failures and on-premises infrastructure failures.

You need to reduce the likelihood that Emergency1 will be prevented from signing in during an emergency. What should you do?

- A. Configure Azure Monitor to generate an alert if Emergency1 is modified or signs in.
- B. Require Azure AD Privileged Identity Management (PIM) activation of the Global administrator role for Emergency1.
- C. Configure a conditional access policy to restrict sign-in locations for Emergency1 to only the corporate network.
- D. Configure a conditional access policy to require multi-factor authentication (MFA) for Emergency1.

Answer: A

NEW QUESTION 123

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that contains the objects shown in the following table.

Name	Type	Directly assigned license
User1	User	None
User2	User	Microsoft Office 365 Enterprise E5
Group1	Security group	Microsoft Office 365 Enterprise E5
Group2	Microsoft 365 group	None
Group3	Mail-enabled security group	None

Which objects can you add as members to Group3?

- A. User2 and Group2 only
- B. User2, Group1, and Group2 only
- C. User1, User2, Group1 and Group2
- D. User1 and User2 only
- E. User2 only

Answer: E

Explanation:

Reference:

<https://bitsizedbytes.wordpress.com/2018/12/10/distribution-security-and-office-365-groups-nesting/>

NEW QUESTION 126

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Cloud Apps.

You need to identify which users access Facebook from their devices and browsers. The solution must minimize administrative effort.

What should you do first?

- A. From the Microsoft Defender for Cloud Apps portal, unsanctioned Facebook.
- B. Create an app configuration policy in Microsoft Endpoint Manager.
- C. Create a Defender for Cloud Apps access policy.
- D. Create a Conditional Access policy.

Answer: C

NEW QUESTION 128

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant named conto.so.com that has Azure AD Identity Protection enabled. You need to Implement a sign-in risk remediation policy without blocking access.

What should you do first?

- A. Configure access reviews in Azure AD.
- B. Enforce Azure AD Password Protection.
- C. implement multi-factor authentication (MFA) for all users.
- D. Configure self-service password reset (SSPR) for all users.

Answer: C

Explanation:

MFA and SSPR are both required. However, MFA is required first. Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-remediate-> <https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-sspr-deployment>

NEW QUESTION 129

- (Exam Topic 4)

You have an Azure subscription that contains the custom roles shown in the following table.

Name	Type
Role1	Azure Active Directory (Azure AD) role
Role2	Azure subscription role

You need to create a custom Azure subscription role named Role3 by using the Azure portal. Role3 will use the baseline permissions of an existing role. Which roles can you clone to create Role3?

- A. Role2 only
- B. built-in Azure subscription roles only
- C. built-in Azure subscription roles and Role2 only
- D. built-in Azure subscription roles and built-in Azure AD roles only
- E. Role1, Role2 built-in Azure subscription roles, and built-in Azure AD roles

Answer: C

NEW QUESTION 132

- (Exam Topic 4)

You have a hybrid Microsoft 365 subscription that contains the users show in the following table.

Name	Role
Admin1	Global Administrator
Admin2	Application Administrator
Admin3	Cloud Application Administrator
Admin4	Application Developer
User1	None

You plan to deploy an on-premises app1. App1 will be registered in Azure AD and will use Azure AD Application Proxy.

You need to delegate the installation of the Application Proxy connector and ensure that User1 can register App1 in Azure AD. The solution must use the principle of least privilege.

Which user should perform the installation, and which role should you assign to Users1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

User that should perform the installation:

- Admin1
- Admin2
- Admin3**
- Admin4

Assign User1 the role of:

- Application Administrator
- Application Developer**
- Cloud Application Administrator
- Global Administrator

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

User that should perform the installation:

- Admin1
- Admin2
- Admin3**
- Admin4

Assign User1 the role of:

- Application Administrator
- Application Developer**
- Cloud Application Administrator
- Global Administrator

NEW QUESTION 136

- (Exam Topic 4)

You have a Microsoft 365 tenant that uses the domain named fabrikam.com. The Guest invite settings for Azure Active Directory (Azure AD) are configured as

shown in the exhibit. (Click the Exhibit tab.)

Guest user access

Guest user access restrictions (Preview) ⓘ

[Learn more](#)

- Guest users have the same access as members (most inclusive)
- Guest users have limited access to properties and memberships of directory objects
- Guest user access is restricted to properties and memberships of their own directory objects (most restrictive)

Guest invite settings

Admins and users in the guest inviter role can invite ⓘ

Yes No

Members can invite ⓘ

Yes No

Guests can invite ⓘ

Yes No

Email One-Time Passcode for guests ⓘ

[Learn more](#)

Yes No

Enable guest self-service sign up via user flows (Preview) ⓘ

[Learn more](#)

Yes No

Collaboration restrictions

- Allow invitations to be sent to any domain (most inclusive)
- Deny invitations to the specified domains
- Allow invitations only to the specified domains (most restrictive)

A user named bsmith@fabrikam.com shares a Microsoft SharePoint Online document library to the users shown in the following table.

Name	Email	Description
User1	User1@contoso.com	A guest user in fabrikam.com
User2	User2@outlook.com	A user who has never accessed resources in fabrikam.com
User3	User3@fabrikam.com	A user in fabrikam.com

Which users will be emailed a passcode?

- A. User2 only
- B. User1 only
- C. User1 and User2 only
- D. User1, User2, and User3

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/external-identities/one-time-passcode>

NEW QUESTION 140

- (Exam Topic 4)

Your company has a Microsoft 365 tenant.

All users have computers that run Windows 10 and are joined to the Azure Active Directory (Azure AD) tenant.

The company subscribes to a third-party cloud service named Service1. Service1 supports Azure AD authentication and authorization based on OAuth. Service1 is published to the Azure AD gallery.

You need to recommend a solution to ensure that the users can connect to Service1 without being prompted for authentication. The solution must ensure that the users can access Service1 only from Azure AD-joined computers. The solution must minimize administrative effort.

What should you recommend for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Ensure that the users can connect to Service1 without being prompted for authentication:

- An app registration in Azure AD
- Azure AD Application Proxy
- An enterprise application in Azure AD
- A managed identity in Azure AD

Ensure that the users can access Service1 only from the Azure AD-joined computers:

- Azure AD Application Proxy
- A compliance policy
- A conditional access policy
- An OAuth policy

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/develop/active-directory-how-applications-are-added> <https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/require-managed-devices>

NEW QUESTION 144

- (Exam Topic 4)

You have an Azure subscription.

Azure AD logs are sent to a Log Analytics workspace.

You need to query the logs and graphically display the number of sign-ins per user.

How should you complete the query? To answer, select the appropriate options in the answer area.

SignInLogs

| where ResultType == 0

| login_count = count() by Identity

- extend
- print
- project
- render
- summarize

| columnchart

- extend
- print
- project
- render
- summarize

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1 = SignInLogs

| where ResultType == 0

| summarize login_count = count() by identity

| render piechart

This query retrieves the sign-in logs, filters the successful sign-ins, summarizes the count of sign-ins per user, and renders the result as a pie chart.
 Box 2 = Render

NEW QUESTION 147

- (Exam Topic 4)


Your network contains an Active Directory forest named contoso.com that is linked to an Azure Active Directory (Azure AD) tenant named contoso.com by using Azure AD Connect.

Azure AD Connect is installed on a server named Server 1.

You deploy a new server named Server2 that runs Windows Server 2019.

You need to implement a failover server for Azure AD Connect. The solution must minimize how long it takes to fail over if Server1 fails.


Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 152

- (Exam Topic 4)


You have a Microsoft 365 tenant that has 5,000 users. One hundred of the users are executives. The executives have a dedicated support team.

You need to ensure that the support team can reset passwords and manage multi-factor authentication (MFA) settings for only the executives. The solution must use the principle of least privilege.

Which object type and Azure Active Directory (Azure AD) role should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Object type:

- An administrative unit
- A custom administrator role
- A dynamic group
- A Microsoft 365 group

Role:

- Authentication administrator
- Groups administrator
- Helpdesk administrator
- Password administrator

NEW QUESTION 157

- (Exam Topic 4)

You have a Microsoft 365 tenant.

You need to ensure that you can view Azure Active Directory (Azure AD) audit log information by using Azure Monitor.

What should you do first?

- A. Run the Get-AzureADAuditDirectoryLogs cmdlet.
- B. Create an Azure AD workbook.
- C. Run the Set-AzureADTenantDetail cmdlet.
- D. Modify the Diagnostics settings for Azure AD.

Answer: D

NEW QUESTION 160

- (Exam Topic 4)

Your company has an Azure Active Directory (Azure AD) tenant named contoso.com. The company has the business partners shown in the following table.

Name	Description
Fabrikam, Inc.	An Azure AD tenant that has two verified domains: named fabrikam.com and adatum.com
Litware, Inc.	A third-party identity provider that uses the domain names of litwareinc.com and contoso.com

users can request access by using package 1.

Users at Fabrikam and Litware use all their respective domain names for email addresses.

You plan to create an access package named package1 that will be accessible only to the Fabrikam and Litware users.

You need to configure connected organizations for Fabrikam and Litware so that any of their users can request access by using package1.

What is the minimum number of connected organizations that you should create?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: C

NEW QUESTION 163

- (Exam Topic 4)

You have a Microsoft 365 tenant.

All users have mobile phones and laptops.

The users frequently work from remote locations that do not have Wi-Fi access or mobile phone connectivity. While working from the remote locations, the users connect their laptop to a wired network that has internet access.

You plan to implement multi-factor authentication (MFA).

Which MFA authentication method can the users use from the remote location?

- A. a notification through the Microsoft Authenticator app
- B. an app password
- C. Windows Hello for Business
- D. SMS

Answer: C

Explanation:

In Windows 10, Windows Hello for Business replaces passwords with strong two-factor authentication on PCs and mobile devices. This authentication consists of a new type of user credential that is tied to a device and uses a biometric or PIN.

After an initial two-step verification of the user during enrollment, Windows Hello is set up on the user's device and Windows asks the user to set a gesture, which can be a biometric, such as a fingerprint, or a PIN. The user provides the gesture to verify their identity. Windows then uses Windows Hello to authenticate users.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-methods> <https://docs.microsoft.com/en-us/windows/security/identity-protection/hello-for-business/hello-overview>

NEW QUESTION 166

- (Exam Topic 4)

You have an Azure AD tenant named contoso.com that has Email one-time passcode for guests set to Yes. You invite the guest users shown in the following table.

Name	Email domain	Account type
Guest1	adatum.com	Azure AD account
Guest2	outlook.com	Microsoft account
Guest3	gmail.com	Personal Google account

Which users will receive a one-time passcode, and how long will the passcode be valid? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Users:

- Guest1 only
- Guest2 only
- Guest3 only
- Guest1 and Guest2 only
- Guest2 and Guest3 only
- Guest1, Guest2, and Guest3

Valid for:

- 30 minutes
- 60 minutes
- 24 hours
- 48 hours

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Users:

- Guest1 only
- Guest2 only
- Guest3 only
- Guest1 and Guest2 only
- Guest2 and Guest3 only
- Guest1, Guest2, and Guest3

Valid for:

- 30 minutes
- 60 minutes
- 24 hours
- 48 hours


NEW QUESTION 171

- (Exam Topic 4)


Your network contains an on-premises Active Directory Domain Services (AD DS) domain that syncs with Azure AD and contains the users shown in the following table.

Name	Organizational unit (OU)
User1	OU1
User2	OU2

In Azure AD Connect, Domain/OU Filtering is configured as shown in the following exhibit.



Azure AD Connect is configured as shown in the following exhibit.



For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
User1 can use self-service password reset (SSPR) to reset his password.	<input type="radio"/>	<input type="radio"/>
If User1 accesses Microsoft Exchange Online, he will be authenticated by an on-premises domain controller.	<input type="radio"/>	<input type="radio"/>
User2 can be added to a Microsoft SharePoint Online site as a member.	<input type="radio"/>	<input type="radio"/>

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements

User1 can use self-service password reset (SSPR) to reset his password.

Yes

No

If User1 accesses Microsoft Exchange Online, he will be authenticated by an on-premises domain controller.

User2 can be added to a Microsoft SharePoint Online site as a member.

NEW QUESTION 172

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that contains cloud-based enterprise apps. You need to group related apps into categories in the My Apps portal.

What should you create?

- A. tags
- B. collections
- C. naming policies
- D. dynamic groups

Answer: B

Explanation:

Reference:

<https://support.microsoft.com/en-us/account-billing/customize-app-collections-in-the-my-apps-portal-2dae6b8a>

NEW QUESTION 175

- (Exam Topic 4)

You plan to deploy a new Azure AD tenant.

Which multifactor authentication (MFA) method will be enabled by default for the tenant?

- A. Microsoft Authenticator
- B. SMS
- C. voice call
- D. email OTP

Answer: B

NEW QUESTION 177

- (Exam Topic 4)

HOTSPOT

You have an Azure Active Directory (Azure AD) tenant named contoso.com that contains a user named User1.

User1 has the devices shown in the following table.

Name	Platform	Registered in contoso.com
Device1	Windows 10	Yes
Device2	Windows 10	No
Device3	iOS	Yes

On November 5, 2020, you create and enforce terms of use in contoso.com that has the following settings: > Name: Terms1

- > Display name: Contoso terms of use
- > Require users to expand the terms of use: On
- > Require users to consent on every device: On
- > Expire consents: On
- > Expire starting on: December 10, 2020
- > Frequency: Monthly

On November 15, 2020, User1 accepts Terms1 on Device3.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
On November 20, 2020, User1 can accept Terms1 on Device1.	<input type="radio"/>	<input type="radio"/>
On December 11, 2020, User1 can accept Terms1 on Device2.	<input type="radio"/>	<input type="radio"/>
On December 7, 2020, User1 can accept Terms1 on Device3.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
On November 20, 2020, User1 can accept Terms1 on Device1.	<input checked="" type="radio"/>	<input type="radio"/>
On December 11, 2020, User1 can accept Terms1 on Device2.	<input checked="" type="radio"/>	<input type="radio"/>
On December 7, 2020, User1 can accept Terms1 on Device3.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 180

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that has the default App registrations settings. The tenant contains the users shown in the following table.

Name	Role
Admin1	Application administrator
Admin2	Application developer
Admin3	Cloud application administrator
User1	User

You purchase two cloud apps named App1 and App2. The global administrator registers App1 in Azure AD. You need to identify who can assign users to App1, and who can register App2 in Azure AD.

What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Can assign users to App1:

Admin1 only
Admin3 only
Admin1 and Admin3 only
Admin1, Admin2, and Admin3 only
Admin1, Admin2, Admin3, and User1

Can register App2 in Azure AD:

Admin1 only
Admin3 only
Admin1 and Admin3 only
Admin1, Admin2, and Admin3 only
Admin1, Admin2, Admin3, and User1

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/add-application-portal-assign-users> <https://docs.microsoft.com/en-us/azure/active-directory/develop/active-directory-how-applications-are-added>

NEW QUESTION 185

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that contains a user named User1.

You need to ensure that User1 can create new catalogs and add resources to the catalogs they own. What should you do?

- A. From the Roles and administrators blade, modify the Service support administrator role.
- B. From the identity Governance blade, modify the Entitlement management settings.
- C. From the Identity Governance blade, modify the roles and administrators for the General catalog
- D. From the Roles and administrators blade, modify the Groups administrator role.

Answer: B

NEW QUESTION 188

- (Exam Topic 4)

Your company has an Azure AD tenant that contains the users shown in the following table.

Name	Role
User1	Application administrator
User2	None
User3	Exchange administrator
User4	Cloud application administrator

You have the app registrations shown in the following table.

App name	Used by	Microsoft Graph permission
App1	User1	Calendars.Read of type Delegated
App2	User2	Calendars.Read of type Delegated Calendars.ReadWrite of type Application
App3	User3, User4	Calendars.Read of type Application

A company policy prevents changes to user permissions.

Which user can create appointments in the calendar of each user at the company?

- A. User1
- B. User2
- C. User3
- D. User4

Answer: B

NEW QUESTION 193

- (Exam Topic 4)

You have an Azure subscription.

You need to create two custom roles named Role1 and Role2. The solution must meet the following requirements:

- Users that are assigned Role1 can create or delete instances of Azure Container Apps.
- Users that are assigned Role2 can enforce adaptive network hardening rules.

Which resource provider permissions are required for each role? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Role1:

Role2:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 196

- (Exam Topic 4)

You have a Microsoft 365 subscription that contains a user named User1.

You need to ensure that User1 can create access reviews for Azure AD roles. The solution must use the principal of least privilege.

Which role should you assign to User1?

- A. Privileged role administrator
- B. Identify Governance administrator
- C. User administrator
- D. User Access Administrate

Answer: B

NEW QUESTION 197

- (Exam Topic 4)

You have an Azure AD tenant that contains the users shown in the following table.

Name	Role
User1	Security administrator
User2	Privileged authentication administrator
User3	Service support administrator

User2 reports that he can only configure multi-factor authenticating (MFA) to use the Microsoft Authenticator app.

You need to ensure that User2 can configure alternate MFA methods.

Which configuration is required, and which user should perform the configuration? To answer, select the appropriate options in the answer area.

Answer Area

Configuration:

- Enable access reviews.
- Enable Azure AD Privileged Identity Management (PIM).
- Modify security defaults.

User:

- User1 only
- User2 only
- User3 only
- User1 and User2 only
- User1 and User3 only
- User2 and User3 only

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Configuration: ▼

Enable access reviews.
Enable Azure AD Privileged Identity Management (PIM).
Modify security defaults.

User: ▼

User1 only
User2 only
User3 only
User1 and User2 only
User1 and User3 only
User2 and User3 only

NEW QUESTION 200

- (Exam Topic 4)

You have a Microsoft 365 tenant.

You create a named location named HighRiskCountries that contains a list of high-risk countries.

You need to limit the amount of time a user can stay authenticated when connecting from a high-risk country. What should you configure in a conditional access answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Configure HighRiskCountries by using:

	<input type="checkbox"/> A cloud app or action <input type="checkbox"/> A condition <input type="checkbox"/> A grant control <input type="checkbox"/> A session control
--	--

Configure Sign-in frequency by using:

	<input type="checkbox"/> A cloud app or action <input type="checkbox"/> A condition <input type="checkbox"/> A grant control <input type="checkbox"/> A session control
--	--

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition> <https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/concept-conditional-access-session>

NEW QUESTION 204

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	Type	Member of
User1	Member	Group1
User2	Member	Group1
User3	Guest	Group1

User1 is the owner of Group1.

You create an access review that has the following settings:

- > Users to review: Members of a group
- > Scope: Everyone
- > Group: Group1
- > Reviewers: Members (self)

Which users can perform access reviews for User3?

- A. User1, User2, and User3
- B. User3 only
- C. User1 only
- D. User1 and User2 only

Answer: B

NEW QUESTION 209

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant that syncs to an Active Directory forest.

You discover that when a user account is disabled in Active Directory, the disabled user can still authenticate to Azure AD for up to 30 minutes.

You need to ensure that when a user account is disabled in Active Directory, the user account is immediately prevented from authenticating to Azure AD.

Solution: You configure password writeback. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/choose-ad-authn>

NEW QUESTION 212

- (Exam Topic 4)

Your network contains an on-premises Active Directory domain that sync to an Azure Active Directory (Azure AD) tenant. The tenant contains the shown in the following table.

Name	Type	Directory synced
User1	User	No
User2	User	Yes
User3	Guest	No

All the users work remotely.

Azure AD Connect is configured in Azure as shown in the following exhibit.

PROVISION FROM ACTIVE DIRECTORY



Azure AD Connect cloud provisioning

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

Azure AD Connect sync

Sync Status Enabled
 Last Sync Less than 1 hour ago
 Password Hash Sync Enabled

USER SIGN IN



Federation Disabled 0 domains
 Seamless single sign-on Disabled 0 domains
 Pass-through authentication Enabled 2 agents

Connectivity from the on-premises domain to the internet is lost. Which user can sign in to Azure AD?

- A. User1 only
- B. User1 and User 3 only
- C. User1, and User2 only
- D. User1, User2, and User3

Answer: B

NEW QUESTION 214

- (Exam Topic 4)

You have an Azure subscription that contains the key vaults shown in the following table.

Name	In resource group	Number of days to retain deleted key vaults	Purge protection
KeyVault1	RG1	15	Enabled
KeyVault2	RG1	10	Disabled

The subscription contains the users shown in the following table.

Name	Role
Admin1	Key Vault Administrator
Admin2	Key Vault Contributor
Admin3	Key Vault Certificates Officer
Admin4	Owner

On June1, Admin4 performs the following actions:

- Deletes a certificate named Certificate1 from Key Vault1
- Deletes a secret named Secret1 from KeyVault2

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Admin1 can recover Secret1 on June 7.	<input type="radio"/>	<input type="radio"/>
Admin2 can purge Certificate1 on June 12.	<input type="radio"/>	<input type="radio"/>
Admin3 can purge Certificate1 on June 14.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
Admin1 can recover Secret1 on June 7.	<input checked="" type="radio"/>	<input type="radio"/>
Admin2 can purge Certificate1 on June 12.	<input type="radio"/>	<input checked="" type="radio"/>
Admin3 can purge Certificate1 on June 14.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 219

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

You plan to bulk invite Azure AD business-to-business (B2B) collaboration users.

Which two parameters must you include when you create the bulk invite? Each correct answer presents part of the solution

NOTE: Each correct selection is worth one point.

- A. email address
- B. redirection URL
- C. username
- D. shared key

E. password

Answer: AB

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/external-identities/tutorial-bulk-invite>

NEW QUESTION 222

- (Exam Topic 4)

Your network contains an on-premises Active Directory domain that syncs to an Azure Active Directory (Azure AD) tenant. Users sign in to computers that run Windows 10 and are joined to the domain. You plan to implement Azure AD Seamless Single Sign-On (Azure AD Seamless SSO). You need to configure the computers for Azure AD Seamless SSO. What should you do?

- A. Enable Enterprise State Roaming.
- B. Configure Sign-in options.
- C. Install the Azure AD Connect Authentication Agent.
- D. Modify the Intranet Zone settings.

Answer: D

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sso-quick-start>

NEW QUESTION 224

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant named contoso.com. All users who run applications registered in Azure AD are subject to conditional access policies. You need to prevent the users from using legacy authentication. What should you include in the conditional access policies to filter out legacy authentication attempts?

- A. a cloud apps or actions condition
- B. a user risk condition
- C. a client apps condition
- D. a sign-in risk condition

Answer: C

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/block-legacy-authentication>

NEW QUESTION 226

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription that uses Microsoft Defender for Cloud Apps and Conditional Access policies. You need to block access to cloud apps when a user is assessed as high risk. Which type of policy should you create in the Microsoft Defender for Cloud Apps?

- A. OAuth app policy
- B. anomaly detection polio
- C. access policy
- D. activity policy

Answer: C

NEW QUESTION 231

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that contains a user named User1 and the groups shown in the following table.

Name	Type	Membership type
Group1	Security	Assigned
Group2	Security	Dynamic User
Group3	Security	Dynamic Device
Group4	Microsoft 365	Assigned

In the tenant, you create the groups shown in the following table.

Name	Type	Membership type
GroupA	Security	Assigned
GroupB	Microsoft 365	Assigned

Which members can you add to GroupA and GroupB? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

GroupA:

- User1 only
- User1 and Group1 only
- User1, Group1, and Group2 only
- User1, Group1, and Group4 only
- User1, Group1, Group2, and Group3 only
- User1, Group1, Group2, Group3, and Group4

GroupB:

- User1 only
- User1 and Group4 only
- User1, Group1, and Group4 only
- User1, Group1, Group2, and Group4 only
- User1, Group1, Group2, Group3, and Group4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:
<https://bitsizedbytes.wordpress.com/2018/12/10/distribution-security-and-office-365-groups-nesting/>

NEW QUESTION 233

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant named contoso.com. You need to ensure that Azure AD External Identities pricing is based on monthly active users (MAU). What should you configure?

- A. an access review
- B. the terms or use
- C. a linked subscription
- D. a user flow

Answer: C

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/external-identities/external-identities-pricing>

NEW QUESTION 238

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription that contains two users named User1 and User2. You need to ensure that User1 can create access reviews for groups, and that User2 can review the history report for all the completed access reviews. The solution must use the principle of least privilege. Which role should you assign to each user? To answer, drag the appropriate roles to the correct users. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

Roles	Answer Area
Global administrator	User1: <input type="text" value="Role"/>
Global reader	User2: <input type="text" value="Role"/>
Reports reader	
Security operator	
Security reader	
User administrator	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 242

- (Exam Topic 4)

You have a Microsoft 365 tenant.

All users have computers that run Windows 10. Most computers are company-owned and joined to Azure Active Directory (Azure AD). Some computers are user-owned and are only registered in Azure AD.

You need to prevent users who connect to Microsoft SharePoint Online on their user-owned computer from downloading or syncing files. Other users must NOT be restricted.

Which policy type should you create?

- A. a Microsoft Cloud App Security activity policy that has Microsoft Office 365 governance actions configured
- B. an Azure AD conditional access policy that has session controls configured
- C. an Azure AD conditional access policy that has client apps conditions configured
- D. a Microsoft Cloud App Security app discovery policy that has governance actions configured

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/cloud-app-security/proxy-intro-aad>

NEW QUESTION 246

- (Exam Topic 4)

You have a Microsoft 365 tenant.

The Azure Active Directory (Azure AD) tenant contains the groups shown in the following table.

Name	Type
Group1	Security
Group2	Distribution
Group3	Microsoft 365
Group4	Mail-enabled security

In Azure AD, you add a new enterprise application named App1. Which groups can you assign to App1?

- A. Group1 and Group2 only
- B. Group2 only
- C. Group3 only
- D. Group1 only
- E. Group1 and Group4

Answer: C

NEW QUESTION 251

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it as a result these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription. You create a user named User1.

You need to ensure that User1 can update the status of identity Secure Score improvement actions. Solution: You assign the SharePoint Administrator role to User1

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 254

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have an Azure Active Directory (Azure AD) tenant that syncs to an Active Directory forest. You discover that when a user account is disabled in Active Directory, the disabled user can still authenticate to Azure AD for up to 30 minutes. You need to ensure that when a user account is disabled in Active Directory, the user account is immediately prevented from authenticating to Azure AD. Solution: You configure pass-through authentication. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/choose-ad-authn>

NEW QUESTION 259

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that contains an administrative unit named Department1. Department1 has the users shown in the Users exhibit. (Click the Users tab.)

Dashboard > ContosoAzureAD > Department1 Administrative Unit

Department1 Administrative Unit | Users (Preview)

ContosoAzureAD - Azure Active Directory

+ Add member | Remove member | Bulk operations | Refresh | Columns | Preview features | Got feedback?

This page includes previews available for your evaluation. View previews →

Search users | Add filters

2 users found

Name	User principal name	User type	Directory synced
<input type="checkbox"/> US User1	User1@m365x629615.onmicrosoft.com	Member	No
<input type="checkbox"/> US User2	User2@m365x629615.onmicrosoft.com	Member	No

Department1 has the groups shown in the Groups exhibit. (Click the Groups tab.)

Dashboard > ContosoAzureAD > Department1 Administrative Unit

Department1 Administrative Unit | Groups

ContosoAzureAD - Azure Active Directory

+ Add | Remove | Refresh | Columns | Preview features | Got feedback?

Search groups | Add filters

Name	Group Type	Membership Type
<input type="checkbox"/> GR Group1	Security	Assigned
<input type="checkbox"/> GR Group2	Security	Assigned

Department1 has the user administrator assignments shown in the Assignments exhibit. (Click the Assignments tab.)

Dashboard > ContosoAzureAD > Identity Governance > Privileged Identity Management > ContosoAzureAD

User Administrator | Assignments

Privileged Identity Management | Azure AD roles

+ Add assignments | Settings | Refresh | Export | Got feedback?

Eligible assignments | Active assignments | Expired assignments

Search by member name or principal name

Name	Principal name	Type	Scope
User Administration			
Admin1	Admin1@m365x629615.onmicrosoft.com	User	Department1 Administrative Unit (Administrative unit)
Admin2	Admin2@m365x629615.onmicrosoft.com	User	Directory

The members of Group2 are shown in the Group2 exhibit. (Click the Group2 tab.)

Group2 | Members

Group

» + Add members Remove Refresh Bulk operations Columns Preview features Got feedback?

This page includes previews available for your evaluation. View previews →

Direct members

Name	User type
<input type="checkbox"/>  User3	Member
<input type="checkbox"/>  User4	Member

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
Admin1 can reset the passwords of User3 and User4.	<input type="radio"/>	<input type="radio"/>
Admin1 can add User1 to Group 2	<input type="radio"/>	<input type="radio"/>
Admin 2 can reset the password of User1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/roles/administrative-units>

NEW QUESTION 260

- (Exam Topic 4)
 You have an Azure Active Directory Premium P2 tenant. You create a Log Analytics workspace. You need to ensure that you can view Azure Active Directory (Azure AD) audit log information by using Azure Monitor. What should you do first?

- A. Run the Set-AzureADTenantDetail cmdlet.
- B. Create an Azure AD workbook.
- C. Modify the Diagnostics settings for Azure AD.
- D. Run the Get-AzureADAuditDirectoryLogs cmdlet.

Answer: D

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/reports-monitoring/howto-integrate-activity-logs-with-lo>

NEW QUESTION 261

- (Exam Topic 4)
 You have a Microsoft 365 tenant and an Active Directory domain named adatum.com. You deploy Azure AD Connect by using the Express Settings. You need to configure self-service password reset (SSPR) to meet the following requirements:

- > When users reset their password, they must be prompted to respond to a mobile app notification or answer three predefined security questions.
- > Passwords must be synced between the tenant and the domain regardless of where the password was reset.

What should you do? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

From the Password reset blade in the Azure Active Directory admin center, configure:

Authentication methods
Notifications
Properties
Registration

From Azure AD Connect, enable:

Federation with Active Directory Federation Services (AD FS)
Pass-through authentication
Password hash synchronization
Password writeback

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated
 Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-sspr-deployment> <https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-security-questions>

NEW QUESTION 266

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription that contains three users named User1, User2, and User3. You have two Azure AD roles that have the Activation settings shown in the following table.

Name	Required justification on activation	Require approval to activate	Approvers
Role1	No	Yes	User1
Role2	Yes	No	None

The Azure AD roles have the Assignment settings shown in the following table.

Role	Allow permanent eligible assignment	Allow Permanent activate assignment	Require justification on active assignment
Role1	Yes	Yes	Yes
Role2	No	Yes	Yes

The Azure AD roles have the eligible users shown in the following table.

Role	Eligible assignment
Role1	User1, User2
Role2	User3

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
If User1 requests Role1, the request will be approved automatically.	<input type="radio"/>	<input type="radio"/>
User1 can approve the request of User3 for Role2.	<input type="radio"/>	<input type="radio"/>
User1 must provide justification to approve the request of User2 for Role1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
If User1 requests Role1, the request will be approved automatically.	<input type="radio"/>	<input checked="" type="radio"/>
User1 can approve the request of User3 for Role2.	<input type="radio"/>	<input checked="" type="radio"/>
User1 must provide justification to approve the request of User2 for Role1.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 270

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 tenant.

All users must use the Microsoft Authenticator app for multi-factor authentication (MFA) when accessing Microsoft 365 services.

Some users report that they received an MFA prompt on their Microsoft Authenticator app without initiating a sign-in request.

You need to block the users automatically when they report an MFA request that they did not initiate. Solution: From the Azure portal, you configure the Notifications settings for multi-factor authentication (MFA).

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You need to configure the fraud alert settings. Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings>

NEW QUESTION 272

- (Exam Topic 4)

You have an Azure AD tenant that contains the users shown in the following table.

Name	Member of	Multi-factor authentication (MFA)
User1	Group1	Disabled
User2	Group2	Enforced

You have the locations shown in the following table.

Name	Private address space	Public NAT address space
Location1	10.10.0.0/16	20.93.15.0/24
Location2	192.168.0.0/16	193.17.17.0/24

The tenant contains a named location that has the following configurations:

- Name: location1
- Mark as trusted location: Enabled
- IPv4 range: 10.10.0.0/16

MFA has a trusted IP address range of 193.17.17.0/24.

You have a Conditional Access policy that has the following settings:

- Name: CAPolicy1
- Assignments
 - o Users or workload identities: Group 1
 - o Cloud apps or actions: All cloud apps
- * Conditions
 - * Locations All trusted locations
- Access controls
 - o Grant access: Require multi-factor authentication
- © Session: 0 controls selected
- Enable policy: On

For each of the following statements select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
If User1 connects to the tenant from IP address 10.10.0.150, the user will be prompted for MFA.	<input type="radio"/>	<input type="radio"/>
If User2 connects to the tenant from IP address 10.10.1.160, the user will be prompted for MFA.	<input type="radio"/>	<input type="radio"/>
If User2 connects to the tenant from IP address 192.168.1.20, the user will be prompted for MFA.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements

If User1 connects to the tenant from IP address 10.10.0.150, the user will be prompted for MFA.

Yes

No

If User2 connects to the tenant from IP address 10.10.1.160, the user will be prompted for MFA.

If User2 connects to the tenant from IP address 192.168.1.20, the user will be prompted for MFA.

NEW QUESTION 274

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual SC-300 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the SC-300 Product From:

<https://www.2passeasy.com/dumps/SC-300/>

Money Back Guarantee

SC-300 Practice Exam Features:

- * SC-300 Questions and Answers Updated Frequently
- * SC-300 Practice Questions Verified by Expert Senior Certified Staff
- * SC-300 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * SC-300 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year