



**Salesforce**

**Exam Questions Platform-Developer-I**

Platform Developer I

#### NEW QUESTION 1

Which scenario is valid for execution by unit tests?

- A. Load data from a remote site with a callout.
- B. Set the created date of a record using a system method.
- C. Execute anonymous Apex as a different user.
- D. Generate a Visualforce PDF with `getContentAsPDF()`.

**Answer:** B

#### NEW QUESTION 2

A custom Visualforce controller calls the `ApexPages.addMessage()` method, but no messages are rendering on the page. Which component should be added to the Visualforce page to display the message?

- A. `<apex: pageMessages />`
- B. `<apex: pageMessage severity="info"/>`
- C. `<Apex: facet name=" message"/>`
- D. `<Apex: message for=" info"/>`

**Answer:** B

#### NEW QUESTION 3

For which three items can 2 trace flag be configured? Choose 3 answers

- A. Flow
- B. Apex Class
- C. User
- D. Apex Trager
- E. Visualforce

**Answer:** BCD

#### NEW QUESTION 4

The following automations already exist on the Account object;

- A workflow rule that updates a field when a certain criteria is met
- A custom validation on a field
- A Flow that updates related contact records

A developer created a trigger on the Account object.

What should the developer consider while testing the trigger code?

- A. The flow may be launched multiple times.
- B. Workflow rules will fire only after the trigger has committed all DML operations to the database.
- C. A workflow rule field update will cause the custom validation to run again.
- D. The trigger may fire multiple times during a transaction.

**Answer:** D

#### NEW QUESTION 5

Cloud Kicks Fitness, an ISV Salesforce partner, is developing a managed package application. One of the application modules allows the user to calculate body fat using the Apex class, `BodyFat`, and its method, `calculateBodyFat()`. The product owner wants to ensure this method is accessible by the consumer of the application when developing customizations outside the ISV's package namespace.

Which approach should a developer take to ensure `calculateBodyFat()` is accessible outside the package namespace?

- A. Declare the class and method using the public access modifier.
- B. Declare the class as global and use the public access modifier on the method.
- C. Declare the class as public and use the global access modifier on the method.
- D. Declare the class and method using the global access modifier.

**Answer:** D

#### NEW QUESTION 6

Which code statement includes an Apex method named `updateAccounts` in the Class `AccountController` for use in a Lightning web component?

A)

```
import updateAccounts from 'AccountController';
```

B)

```
import updateAccounts from '@salesforce/apex/AccountController';
```

C)

```
import updateAccounts from 'AccountController.updateAccounts';
```

D)

```
import updateAccounts from '@salesforce/apex/AccountController.updateAccounts';
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer:** D

#### NEW QUESTION 7

Universal Containers has a support process that allows users to request support from its engineering team using a custom object, Engineering\_Support\_\_c. Users should be able to associate multiple engineering\_Support\_\_c records to a single Opportunity record. Additionally, aggregate Information about the Engineering\_support\_\_c records should be shown on the Opportunity record. What should a developer Implement to support these requirements?

- A. Master-detail field from Engineering\_Support\_\_c to Opportunity.
- B. Master-detail field from Opportunity to Engineering\_Support\_\_c
- C. Lookup field from Engineering\_support\_\_c to Opportunity
- D. Lookup field from Opportunity to Engineering\_Support\_\_c

**Answer:** A

#### NEW QUESTION 8

Which two statements are true about using the @testSetup annotation in an Apex test class? Choose 2 answers

- A. Records created in the test setup method cannot be updated in individual test methods.
- B. Qo The @testSetup annotation is not supported when the GisTest(SeeAllData=True) annotation is used.
- C. Test data is inserted once for all test methods in a class.
- D. A method defined with the @testSetup annotation executes once for each test method in the test class and counts towards system limits.

**Answer:** BD

#### NEW QUESTION 9

A developer created a custom order management app that uses an Apex class. The order is represented by an Order object and an OrderItem object that has a master-detail relationship to Order. During order processing, an order may be split into multiple orders. What should a developer do to allow their code to move some existing OrderItem records to a new Order record?

- A. Change the master-detail relationship to an external lookup relationship.
- B. Add without sharing to the Apex class declaration.
- C. Create a junction object between OrderItem and Order.
- D. Select the Allow reparenting option on the master-detail relationship.

**Answer:** D

#### NEW QUESTION 10

Cloud kicks has a multi-screen flow its call center agents use when handling inbound service desk calls.

At one of the steps in the flow, the agents should be presented with a list of order number and dates that are retrieved from an external odrer management system in real time and displayed on the screen.


What shuold a developer use to satisfy this requirement?

- A. An invocae method
- B. An apex REST class
- C. An outbound message
- D. An Apex Controller

**Answer:** B

#### NEW QUESTION 10

A developer created these three Rollup Summary fields in the custom object, Project\_\_c:



The developer is asked to create a new field that shows the ratio between rejected and approved timesheets for a given project. Which should the developer use to implement the business requirement in order to minimize maintenance overhead?

- A. Record-triggered flow
- B. Formula field
- C. Apex trigger
- D. Field Update actions

**Answer:** B

#### NEW QUESTION 14

Since Aura application events follow the traditional publish-subscribe model, which method is used to fire an event?

- A. `emit()`
- B. `fireEvent()`
- C. `fire()`
- D. `registerEvent()`

**Answer:** C

#### NEW QUESTION 17

A developer wants to get access to the standard price book in the org while writing a test class that covers an `OpportunityLineItem` trigger. Which method allows access to the price book?

- A. Use `Test.loadData()` and a static resource to load a standard price book
- B. Use `@TestVisible` to allow the test method to see the standard price book.
- C. Use `Test.getStandardPricebookId()` to get the standard price book ID.
- D. Use `@IsTest (SeeAllData=True)` and delete the existing standard price book

**Answer:** C

#### NEW QUESTION 18

What are three characteristics of change set deployments? Choose 3 answers

- A. Change sets can only be used between related organizations.
- B. Change sets can be used to transfer records.
- C. Sending a change set between two orgs requires a deployment connection.
- D. Change sets can deploy custom settings data.
- E. Deployment is done in a one-way, single transaction.

**Answer:** ABE

#### NEW QUESTION 21

Cloud kicks has a multi-screen flow that its call center agents use when handling inbound service desk calls. At one of the steps in the flow, the agents should be presented with a list of order numbers and dates that are retrieved from an external order management system in real time and displayed on the screen. What should a developer use to satisfy this requirement?

- A. An Apex controller
- B. An Apex REST class
- C. An outbound message
- D. An invocable method

**Answer:** B

#### NEW QUESTION 26

A developer is migrating a Visualforce page into a Lightning web component.

The Visualforce page shows information about a single record. The developer decides to use Lightning Data Service to access record data.

Which security consideration should the developer be aware of?

- A. Lightning Data Service handles sharing rules and field-level security.
- B. Lightning Data Service ignores field-level security.
- C. The `with sharing` keyword must be used to enforce sharing rules.
- D. The `isAccessible()` method must be used for field-level access checks

**Answer:** A

#### NEW QUESTION 31

What should a developer use to script the deployment and unit test execution as part of continuous integration?

- A. Developer Console
- B. Execute Anonymous
- C. Salesforce CLI
- D. VS Code

**Answer:** C

#### NEW QUESTION 32

How does the Lightning Component framework help developers implement solutions faster?

- A. By providing an Agile process with default steps
- B. By providing code review standards and processes
- C. By providing device-awareness for mobile and desktops
- D. By providing change history and version control

**Answer:** C

#### NEW QUESTION 35

A developer must create a DrawList class that provides capabilities defined in the Sortable and Drawable interfaces. public interface Sortable { void sort(); } public interface Drawable { void draw(); } Which is the correct implementation?

- A. Public class DrawList implements Sortable, Implements Drawable { public void sort() { /\*implementation\*/}public void draw() { /\*implementation\*/}}
- B. Public class DrawList extends Sortable, Drawable { public void sort() { /\*implementation\*/}public void draw() { /\*implementation\*/}}
- C. Public class DrawList implements Sortable, Drawable { public void sort() { /\*implementation\*/}public void draw() { /\*implementation\*/}}
- D. Public class DrawList extends Sortable, extends Sortable, extends Drawable { public void sort() { /\*implementation\*/ }public void draw() { /\* implementation \*/}}

Answer: C

#### NEW QUESTION 40

Refer to the following Apex code:

```
Integer x = 0;

do {
    x = 1;
    x++;
} while (x < 1);

System.debug(x);
```

What is the value of x when it is written to the debug log?

- A. 1
- B. 2
- C. 3

Answer: C

#### NEW QUESTION 43

A developer must create a lightning component that allows users to input contact record information to create a contact record, including a salary\_\_c custom field. what should the developer use, along with a lightning-record-edit form, so that salary\_\_c field functions as a currency input and is only viewable and editable by users that have the correct field levelpermissions on salary\_\_C?

- A. <lightning-input-field field-name="Salary\_\_c"></lightning-input-field>
- B. <lightning-formatted-number value="Salary\_\_c" format-style="currency"></lightning-formatted-number>
- C. <lightning-input type="number" value="Salary\_\_c" formatter="currency"></lightning-input>
- D. <lightning-input-currency value="Salary\_\_c"></lightning-input-currency>

Answer: A

#### NEW QUESTION 48

A custom object Trainer\_c has a lookup field to another custom object Gym c. Which SOQL query will get the record for the Viridian City gym and it's trainers?

- A. SELECT Id, (SELECT Id FROM Trainers) FROM Gym\_C WHERE Name = 'Viridian City Gym'
- B. SELECT Id, (SELECT Id FROM Trainer\_c) FROM Gym\_c WHERE Name = 'Viridian City Gym'
- C. SELECT ID FROM Trainer\_c WHERE Gym r.Name = 'Viridian City Gym'
- D. SELECT Id, (SELECT Id FROM Trainers) FROM Gym\_C WHERE Name = 'Viridian City Gym'

Answer: A

#### NEW QUESTION 50

Einstein Next Best Action Is configured at Universal Containers to display recommendations to internal users on the Account detail page.

If the recommendation is approved, a new opportunity record and task should be generated. If the recommendation is rejected, an Apex method must be executed to perform a callout to an external system.

Which three factors should a developer keep Hi mind when implementing the Apex method? Choose 3 answers

- A. The method must use the @AuraEnabled annotation.
- B. The method must use the @Future annotation.
- C. The method must use the @invocableMethod annotation.
- D. The method must be defined as static.
- E. The method must be defined as public.

Answer: BDE

#### NEW QUESTION 55

AW Computing tracks order information in custom objects called order\_\_c and order\_Line\_c - Currently, all shipping information is stored in the order\_\_c object.

The company wants to expand Its order application to support split shipments so that any number of order\_Line\_\_c records on a single order\_\_c can be shipped to different locations.

What should a developer add to fulfill this requirement?

- A. Order\_shipment\_Group\_c object and master-detail field on order\_Line\_c
- B. Order\_shipment\_Group\_c object and master-detail field on order\_c



- C. Order\_shipment\_Group\_c object and master-detail field to order\_c and Order Line\_c
- D. Order\_shipment\_Group\_c object and master-detail field on order\_shipment\_Group\_c

**Answer:** C

#### NEW QUESTION 58

As part of a data cleanup strategy, AW Computing wants to proactively delete associated opportunity records when the related Account is deleted. Which automation tool should be used to meet this business requirement?

- A. Workflow Rules
- B. Scheduled job
- C. Record-Triggered Flow
- D. Process Builder

**Answer:** C

#### NEW QUESTION 60

An Opportunity needs to have an amount rolled up from a custom object that is not in a master-detail relationship. How can this be achieved?

- A. Write a trigger on the child object and use a red-black tree sorting to sum the amount for all related child objects under the Opportunity.
- B. Write a Process Builder that links the custom object to the Opportunity.
- C. Write a trigger on the child object and use an aggregate function to sum the amount for all related child objects under the Opportunity
- D. Use the Streaming API to create real-time roll-up summaries.

**Answer:** C

#### NEW QUESTION 65

A developer must modify the following code snippet to prevent the number of SOQL queries issued from exceeding the platform governor limit. public class without sharing OpportunityService{ public static List<OpportunityLineItem> getOpportunityProducts(Set<Id> opportunityIds){ List<OpportunityLineItem> oppLineItems = new List<OpportunityLineItem>(); for(Id thisOppld : opportunityIds){ oppLineItems.addAll([Select Id FROM OpportunityLineItems WHERE OpportunityId = :thisOppld]); } return oppLineItems; } }

The above method might be called during a trigger execution via a Lightning component. Which technique should be implemented to avoid reaching the governor limit?

- A. Use the System.Limits.getQueries() method to ensure the number of queries is less than 100.
- B. Use the System.Limits.getLimitQueries() method to ensure the number of queries is less than 100.
- C. Refactor the code above to perform the SOQL query only if the Set of opportunityIds contains less 100 Ids.
- D. Refactor the code above to perform only one SOQL query, filtering by the Set of opportunityIds.

**Answer:** D

#### NEW QUESTION 69

Which two are phases in the Aura application event propagation framework? Choose 2 answers

- A. Emit
- B. Control
- C. Default
- D. Bubble

**Answer:** CD

#### NEW QUESTION 72

A developer is creating a page that allows users to create multiple Opportunities. The developer is asked to verify the current user's default } | Opportunity record type, and set certain default values based on the record type before inserting the record. How can the developer find the current user's default record type? ns

- A. Query the Profile where the ID equals userInfo.getProfileID() and then use the profile.Opportunity.getDefaultRecordType() | metho
- B. ] |
- C. Use Opportunit
- D. SObjectType.getDescribe().getRecordTypeInfo() to get a list of record types, and iterate through them until [ JisDefaultRecordTypeMapping() is tru
- E. Pencil & Paper |
- F. Use the Schema.userInfo.Opportunity.getDefaultRecordType() metho
- G. <Create the opportunity and check the opportunity.recordType before inserting, which will have the record ID of the current Dal user's default record type.

**Answer:** B

#### NEW QUESTION 75

An Apex method, getAccounts, that returns a list of Accounts given a searchTerm, is available for Lightning Web Components to use.

What is the correct definition of a Lightning Web Component property that uses the getAccounts method? A)

```
@AuraEnabled(getAccounts, '$searchTerm')
accountList;
```

B)

```
@wire(getAccounts, { searchTerm: '$searchTerm' })
accountList;
```

C)

```
@AuraEnabled(getAccounts, { searchTerm: '$searchTerm' })
accountList;
```

D)

```
@wire(getAccounts, '$searchTerm')
accountList;
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer: C****NEW QUESTION 78**

A developer is asked to prevent anyone other than a user with Sales Manager profile from changing the Opportunity Status to Closed Lost if the lost reason is blank.

Which automation allows the developer to satisfy this requirement in the most efficient manner?

- A. A record trigger flow on the Opportunity object
- B. An Apex trigger on the Opportunity object
- C. approval process on the Opportunity object
- D. An error condition formula on a validation rule on Opportunity

**Answer: D****NEW QUESTION 79**

A developer considers the following snippet of code:

```
Boolean isOK;
Integer x;
String theString = 'Hello';

if (isOK == false && theString == 'Hello'){
    x = 1;
} else if (isOK == true && theString == 'Hello') {
    x = 2;
} else if (isOK != null && theString == 'Hello'){
    x = 3;
} else {
    x = 4;
}
```

Based on this code, what is the value of x?

- A. 3
- B. 1
- C. 4
- D. 2

**Answer: C****NEW QUESTION 83**

A developer wrote an Apex method to update a list of Contacts and wants to make it available for use by Lightning web components.

Which annotation should the developer add to the Apex method to achieve this?

A)

```
@AuraEnabled(cacheable=true)
```

B)

```
@AuraEnabled
```

C)

`@RemoteAction`

D)

`@RemoteAction(cacheable=true)`

- A. Option
- B. Option
- C. Option
- D. Option

**Answer:** B

#### NEW QUESTION 87

n org has an existing flow that creates an Opportunity with an Update Records element. A developer must update the flow to also create a 'Contact and store the created Contact's ID on the Opportunity.

Which update must the developer make in the flow?

- A. Add a new Get Records element.
- B. Add a new Create Records element.
- C. Add a new Update Records element.
- D. Add a new Roll back Records element

**Answer:** B

#### NEW QUESTION 91

How should a developer write unit tests for a private method in an Apex class?

- A. Use the SeeAllData annotation.
- B. Add a test method in the Apex class.
- C. Use the TestVisible annotation.
- D. Mark the Apex class as global.

**Answer:** C

#### NEW QUESTION 95

which statement is true regarding execution order when triggers are associated to the same object and event?

- A. Trigger execution order cannot be guaranteed.
- B. executed In the order they are modified.
- C. Triggers are executed alphabetically by trigger name.
- D. Triggers are executed in the order they are created.

**Answer:** A

#### NEW QUESTION 98

An org tracks customer orders on an Order object and the items of an Order on the Line Item object. The Line Item object has a MasterDetail relationship to the order object. A developer has a requirement to calculate the order amount on an Order and the line amount on each Line item based on quantity and price.

What is the correct implementation?

- A. Implement the line amount as a numeric formula field and the order amount as a roll-up summary field.
- B. Write a single before trigger on the Line Item that calculates the item amount and updates the order amount on the Order.
- C. Implement the Line amount as a currency field and the order amount as a SUM formula field.
- D. Write a process on the Line item that calculates the item amount and order amount and updates the field on the Line Item and the order.

**Answer:** C

#### NEW QUESTION 102

A developer is asked to create a Visualforce page that lists the contacts owned by the current user. This component will be embedded in a Lightning page. Without writing unnecessary code, which controller should be used for this purpose?

- A. Standard list controller
- B. Standard controller
- C. Lightning controller
- D. Custom controller

**Answer:** B

#### NEW QUESTION 106

A developer is creating a test coverage for a class and needs to insert records to validate functionality. Which method annotation should be used to create records for every method in the test class?

- A. @BeforeTest
- B. @isTest(SeeAllData=True)



- C. @TestSetup
- D. @PreTest

**Answer:** C

#### NEW QUESTION 110

Universal Containers has implemented an order management application. Each Order can have one or more Order Line items. The Order Line object is related to the Order via a master-detail relationship. For each Order Line item, the total price is calculated by multiplying the Order Line item price with the quantity ordered. What is the best practice to get the sum of all Order Line item totals on the Order record?

- A. Roll-up summary field
- B. Quick action
- C. Apex trigger
- D. Formula field

**Answer:** A

#### NEW QUESTION 115

What should a developer use to obtain the Id and Name of all the Leads, Accounts, and Contacts that have the company name "Universal Containers"?

- A. FIND 'Universal Containers' IN Name Fields RETURNING leadjid, name), accountid, name), contactid, name)
- B. FIND 'Universal Containers' IN CompanyName Fields RETURNING lead{id
- C. name), accountid, name), contactid, name)
- D. SELECT lead(id, name), accountid, name), contactid, name) FROM Lead, Account, Contact WHERE Name = 'universal Containers'
- E. SELECT Lead.id
- F. Lead.Name, Account.Id, AccountName, Contactid, Contact.Name FROM Lead, Account, Contact WHERE CompanyName = 'Universal Containers'

**Answer:** A

#### NEW QUESTION 119

Universal Containers (UC) processes orders in Salesforce in a custom object, Order\_\_c. They also allow sales reps to upload CSV files with orders at a time.

A developer is tasked with integrating orders placed in Salesforce with UC's enterprise resource planning (ERP) system.

'After the status for an Order\_\_c is first set to "Placed", the order information must be sent to a REST endpoint in the ERP system that can process one order at a time.

What should the developer implement to accomplish this?

- A. Callout from an @future method called from a trigger
- B. Callout from a Synchronous class called from a scheduled job
- C. Flow with 2 callouts from an invocable method
- D. Callout from a Queueable class called from a trigger

**Answer:** A

#### NEW QUESTION 122

What are two ways a developer can get the status of an enqueued job for a class that implements the Queueable interface? Choose 2 answers

- A. View the apex status Page
- B. View the apex flex Queue
- C. View the apex Jobs page
- D. Query the AsyncApexJob object

**Answer:** AC

#### NEW QUESTION 125

What are three ways for a developer to execute tests in an org? Choose 3.

- A. Bulk API
- B. Tooling API
- C. Setup Menu
- D. Salesforce DX
- E. Metadata API.

**Answer:** BCD

#### Explanation:

[https://developer.salesforce.com/docs/atlas.en-us.sfdx\\_dev.meta/sfdx\\_dev/sfdx\\_dev\\_testing.htm](https://developer.salesforce.com/docs/atlas.en-us.sfdx_dev.meta/sfdx_dev/sfdx_dev_testing.htm) [https://developer.salesforce.com/docs/atlas.en-us.api\\_tooling.meta/api\\_tooling/tooling\\_api\\_objects\\_apextestsuit](https://developer.salesforce.com/docs/atlas.en-us.api_tooling.meta/api_tooling/tooling_api_objects_apextestsuit)

#### NEW QUESTION 127

A developer is creating a Lightning web component to show a list of sales records.

The Sales Representative user should be able to see the commission field on each record. The Sales Assistant user should be able to see all fields on the record except the commission field.

How should this be enforced so that the component works for both users without showing any errors?

- A. Use WITH SECURITY\_ENFORCED in the SOQL that fetches the data for the component.
- B. Use Security
- C. stripInaccessible to remove fields inaccessible to the current user.

- D. Use Lightning Data Service to get the collection of sales records.
- E. Use Lightning Locker Service to enforce sharing rules and field-level security.

**Answer:** B

#### NEW QUESTION 130

A developer needs to implement a custom SOAP Web Service that is used by an external Web Application. The developer chooses to Include helper methods that are not used by the Web Application In the Implementation of the Web Service Class.  
Which code segment shows the correct declaration of the class and methods?

A)

```
global class WebServiceClass {  
    private Boolean helperMethod() { /* implementation ... */ }  
    global String updateRecords() { /* implementation ... */ }  
}
```

B)

```
webservice class WebServiceClass {  
    private Boolean helperMethod() { /* implementation ... */ }  
    global static String updateRecords() { /* implementation ... */ }  
}
```

C)

```
global class WebServiceClass {  
    private Boolean helperMethod() { /* implementation ... */ }  
    webservice static String updateRecords() { /* implementation ... */ }  
}
```

D)

```
webservice class WebServiceClass {  
    private Boolean helperMethod() { /* implementation ... */ }  
    webservice static String updateRecords() { /* implementation ... */ }  
}
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer:** C

#### NEW QUESTION 135

Which three Salesforce resources can be accessed from a Lightning web component? Choose 3 answers

- A. SVG resources
- B. Third-party web components
- C. Content asset files
- D. Static resources
- E. All external libraries

**Answer:** ADE

#### NEW QUESTION 139

A developer is creating an app that contains multiple Lightning web components.

One of the child components is used for navigation purposes. When a user click a button called.. component, the parent component must be alerted so it can navigate to the next page.

How should this be accomplished?

- A. Fire a notification.
- B. Update a property on the parent.
- C. Call a method in the Apex controller.
- D. Create a custom event.

**Answer:** D

#### NEW QUESTION 140

A developer writes a trigger on the Account object on the before update event that increments a count field. A workflow rule also increments the count field every time that an Account is created or updated. The field update in the workflow rule is configured to not re-evaluate workflow rules.

What is the value of the count field if an Account is inserted with an initial value of zero, assuming no other automation logic is implemented on the Account?

- A. 1
- B. 3
- C. 4
- D. 2

**Answer:** D

#### NEW QUESTION 142

A lead developer creates an Apex interface called "Laptop". Consider the following code snippet:

```
public class SilverLaptop{  
    //code implementation  
}
```

How can a developer use the Laptop Interface within the Silvertaptop class?

- A. @Extends(class=Laptop") public class SilverLaptop
- B. public calss SilverLaptop extends Laptop
- C. @Interface (class="Laptop") public class SilverLaptop
- D. public class Silverlaptop implements Laptop

**Answer:** B

#### NEW QUESTION 145

What should a developer do to check the code coverage of a class after running all tests?

- A. View the Code Coverage column in the list view on the Apex Classes page.
- B. View the Class Test Percentage tab on the Apex Class fist view m Salesforce Setup.
- C. View Use cede coverage percentage for the class using the Overall Code Coverage panel in the Developer Console Tests tab.
- D. Select and run the class on the Apex Test Execution page in the Developer Console.

**Answer:** B

#### NEW QUESTION 146

Universal Container(UC) wants to lower its shipping cost while making the shipping process more efficient. The Distribution Officer advises UC to implement global addresses to allow multiple Accounts to share a default pickup address. The Developer is tasked to create the supporting object and relationship for this business requirement and uses the Setup Menu to create a custom object called "Global Address". Which field should the developer ad to create the most efficient model that supports the business need?

- A. Add a Master-Detail field on the Account object to the Global Address object
- B. Add a Master-Detail field on the Global Address object to the Account object.
- C. Add a Lookup field on the Account object to the Global Address object.
- D. Add a Lookup field on the Global Address object to the Account object

**Answer:** B

#### NEW QUESTION 147

A software company uses the following objects and relationships:

- Case: to handle customer support issues
- Defect\_c: a custom object to represent known issues with the company's software
- case\_Defect c: a junction object between Case and Defector to represent that a defect Is a customer issue

What should be done to share a specific Case-Defect\_c record with a user?

- A. Share the Case\_Defect\_c record.
- B. Share the parent Case record.
- C. Share the parent Defect\_c record.
- D. Share the parent Case and Defect\_c records.

**Answer:** D

#### NEW QUESTION 150

Refer to the following code snippet for an environment has more than 200 Accounts belonging to the Technology' industry:

```
for(Account thisAccount : [Select Id, Industry FROM Account LIMIT 150]){  
    if(thisAccount.Industry == 'Technology'){  
        thisAccount.Is_Tech__c = true;  
    }  
    update thisAccount;  
}
```

When the code execution, which two events occur as a result of the Apex transaction? When the code executes, which two events occur as a result of the Apex transaction? Choose 2 answers

- A. If executed in an asynchronous context, the apex transaction is likely to fall by exceeding the DMLgovernor limit
- B. The Apex transaction succeeds regardless of any uncaught exception and all processed accounts are updated.
- C. The Apex transaction fails with the following messag
- D. "SObject row was retrieved via SOQL without querying the requested field Account.Is.Tech\_\_c".
- E. If executed In a synchronous context, the apex transaction is likely to fall by exceeding the DHL governor limit.

**Answer:** A

**NEW QUESTION 155**

What should a developer do to check the code coverage of a class after running all tests?

- A. View the code coverage percentage of the class using the Overall code Coverage panel in the Developer Console Test tab.
- B. View the Code Coverage column in the list on the Apex Classes page.
- C. Select and run the class on the Apex test Execution page in the Developer Console.
- D. View the Class test Percentage tab on the Apex Class list view in Salesforce Setup.

**Answer:** D

**NEW QUESTION 156**

Universal Containers has a Visualforce page that displays a table of every Container\_c. being ..... Is falling with a view state limit because some of the customers rent over 10,000 containers.

What should a developer change about the Visualforce page to help with the page load errors?

- A. Use Lazy loading and a transient List variable.
- B. Use JavaScript remoting with SOQL Offset.
- C. Implement pagination with an OffsetController.
- D. Implement pagination with a StandardSetController,

**Answer:** D

**NEW QUESTION 161**

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

### Platform-Developer-I Practice Exam Features:

- \* Platform-Developer-I Questions and Answers Updated Frequently
- \* Platform-Developer-I Practice Questions Verified by Expert Senior Certified Staff
- \* Platform-Developer-I Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* Platform-Developer-I Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The Platform-Developer-I Practice Test Here](#)**