



Cisco

Exam Questions 500-490

Designing Cisco Enterprise Networks exam

NEW QUESTION 1

Winch two primary categories are displayed on the overall health page of the assurance component in the Cisco DNA Center? (Choose two.)

- A. Wired
- B. Client
- C. Access-Distribution
- D. Server
- E. Network
- F. Core

Answer: BE

NEW QUESTION 2

Which option will help build your customers platform during the discovery phase?

- A. business case
- B. detailed design
- C. POV report
- D. high-level design
- E. PO

Answer: A

NEW QUESTION 3

What should you do if you are looking at a strategic win with a customer and the customer wants to examine Cisco ISE for longer than a few weeks?

- A. Give them, some of our flash files that can be played on any browser
- B. Set them up with an account on a Cisco UCS server that hosts ISE
- C. Set them up with a d Cloud account
- D. Give them our ISE YouTube videos
- E. Provide them with a downloadable POV kit
- F. Provide them to our d Cloud demo library

Answer: C

NEW QUESTION 4

Which two statements are true regarding SD-WAN demonstrations? (Choose two.)

- A. As a Cisco SD-WAN SF, you should spend your time learning about the technology rather than contributing to demo innovation
- B. Use demonstrations primarily for large opportunities and competitive situations
- C. During a demo, you should demonstrate and discuss what the team considers important details
- D. There is a big difference between demos that use a top down approach and demos that use a bottom up approach
- E. During a demo you should consider the target audience and the desired outcome

Answer: DE

NEW QUESTION 5

Which three key differentiators that DNA Assurance provides that our competitors are unable match? (Choose three)

- A. Support for Overlay Virtual Transport
- B. On-premise and cloud-base analytics
- C. Apply Insights
- D. VXLAN support
- E. Proactive approach to guided remediation
- F. Network time travel

Answer: BEF

NEW QUESTION 6

How would cisco ISE handle authentication for your printer that does not have a supplicant?

- A. ISE would not authenticate the printer as printers are not subject to ISE authentication.
- B. ISE would authenticate the printer using 8.2.1X authentication
- C. ISE would authenticate the printer using MAB.
- D. ISE would authenticate the printer using web authentication.
- E. ISE would authenticate the printer using MAC RADIUS authentication

Answer: C

NEW QUESTION 7

Which component of the SD Access fabric is responsible for communicating with networks that are external to the fabric?

- A. edge nodes
- B. control plane nodes
- C. intermediate nodes

D. border-nodes

Answer: D

Explanation:

<https://www.cisco.com/c/dam/en/us/td/docs/solutions/CVD/Campus/CVD-Software-Defined-Access-Design-Guide-2018AUG.pdf>

<https://www.cisco.com/c/dam/en/us/td/docs/solutions/CVD/Campus/CVD-Software-Defined-Access-Design-Gu>

NEW QUESTION 10

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

500-490 Practice Exam Features:

- * 500-490 Questions and Answers Updated Frequently
- * 500-490 Practice Questions Verified by Expert Senior Certified Staff
- * 500-490 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 500-490 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 500-490 Practice Test Here](#)