

DES-6322 Dumps

Specialist - Implementation Engineer-VxRail Exam

<https://www.certleader.com/DES-6322-dumps.html>



NEW QUESTION 1

What is a valid 2-node VxRail cluster configuration?

- A. Series with 4x 25 GbE in a direct-connect configuration
- B. Series with 4x 10 GbE in a switch configuration
- C. Series with 4x 1 GbE in a direct-connect configuration
- D. Series with 2x 25 GbE in a switch configuration

Answer: B

NEW QUESTION 2

An implementation engineer needs to validate the VxRail network configuration. Where can they obtain the NVT for VxRail?

- A. Dell Technologies Central
- B. Dell Technologies Information Hub
- C. Dell VxRail Expert Channel
- D. Dell VxRail Fast Pass

Answer: A

NEW QUESTION 3

What is the minimum number of VxRail nodes required for a vSAN storage policy with RAID-5 (Erasure Coding)?

- A. 3
- B. 4
- C. 5
- D. 6

Answer: B

NEW QUESTION 4

What is the correct CLI command to collect only the vCenter logs on VxRail Manager

- A. vc-support.sh -v
- B. generateFullBundle.py -v
- C. vc-support-bundle.sh -c
- D. generateLogBundle.py -c

Answer: D

NEW QUESTION 5

An infrastructure system audit will begin in two weeks All data center devices will be checked to ensure they contain the installed patches and configurations. A system engineer will update the VxRail hosts with the latest patches and remediate security vulnerabilities.

What troubleshooting resource can a user receive from Dell and use proactively to help perform the remediation tasks?

- A. KB articles
- B. SolVe Online
- C. Log files
- D. Advisories

Answer: C

NEW QUESTION 6

For which VxRail models must the iDRAC NIC Selection be set to Dedicated?

- A. D, G, P, S, and V Series
- B. E, P, S, and V Series only
- C. D, E, P, S, and V Series
- D. D, E, and G Series

Answer: D

NEW QUESTION 7

Which command can be used from the VxRail Manager VM to restart the loudmouth daemon?

- A. systemctl restart loudmouth
- B. /usr/lib/vmware/loudmouth/bin/loudmouthd restart
- C. /etc/init.d/loudmouth restart
- D. systemctl restart vmware-loudmouth

Answer: D

NEW QUESTION 8

What is the basis used for VMware vSAN licensing?

- A. TB capacity per node
- B. TB capacity per cluster
- C. Per disk group
- D. Per CPU socket

Answer: D

NEW QUESTION 9

A systems engineer is deploying a VxRail cluster. They want to ensure that configuration issues can be avoided when expanding this cluster. Which actions need to be performed?

- A. Verify VxRail nodes are racked and connected to the ToR switches Validate the network environment
- B. Validate that no pending and unfinished jobs are running on the servers Verify that the server and storage components are working properly
- C. Validate that the latest updates and patches are installed in the system Validate that no pending and unfinished jobs are running on the servers
- D. Verify the configuration settings initially captured in PEQ Validate the storage environment

Answer: C

NEW QUESTION 10

An implementation engineer logs in to the vSphere Client of a recently deployed VxRail cluster. They want to review the firmware versions on the VxRail nodes. Which view should they use to gather this information?

- A. Hosts and Clusters > VxRail Host > Configure > VxRail > iDRAC Configuration
- B. Host and Clusters > VxRail Host > Monitor > VxRail > Physical View
- C. Hosts and Clusters > VxRail Cluster > Monitor > VxRail > Appliances
- D. Hosts and Clusters > VxRail Cluster > Configure > VxRail > System

Answer: A

NEW QUESTION 10

A VxRail 7.0.100 environment is managed by the internal vCenter Server. The customer asks the implementation engineer to deploy a new VxRail cluster using the existing vCenter Server. What should the response of the engineer?

- A. Not supported for internal vCenter Server
- B. Not supported on VxRail software 7.0.100
- C. Supported by neither the internal vCenter Server nor external vCenter Server
- D. Only supported on VxRail software 4.7.xxx

Answer: D

NEW QUESTION 12

What is a consideration when performing a VxRail software upgrade from version 4.7.xxx to version 7.0.xxx?

- A. External vCenter server must be upgraded after the VxRail is upgraded
- B. vCenter Server requires a temporary IP address on a different subnet before the upgrade
- C. Secure boot must be enabled on the ESXi hosts for a successful upgrade
- D. VxRail Manager VM must be changed to the default name to avoid an upgrade failure

Answer: A

NEW QUESTION 17

Which service determines the primary node after powering on the VxRail nodes during the deployment of a VxRail cluster?

- A. Loudmouth
- B. Election
- C. Marvin
- D. Mystic

Answer: C

NEW QUESTION 21

Match each iDRAC Maintenance page tab to its description.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 24

When preparing to generate an As-Built Configuration Report, it is determined that the VxRail Configuration JSON file was not saved from the Deployment Wizard. What actions must be taken to retrieve the JSON file?

- A. SSH to the VxRail Manager VM with the mystic user SU to rootGo to the /opt/VxRail/config directorySCP the initial-config json file to a local location
- B. Log in to vCenter with the vSphere Client with the vCenter Server Management user Go to Monitor > VxRail > Last Configuration Data SentUse the Download option
- C. Open an FTP connection to the VxRail Manager VM with the mystic user Go to the /var/lib/vmware-marvin directoryGET the config-initial json file
- D. Log in to vCenter with the vSphere Client with the vCenter Administration user Go to Configure > VxRail > SystemUse the Product Documentation option

Answer: B

NEW QUESTION 28

What is the correct sequence of steps to perform a RASR Factory Reset using an SD card?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 30

An implementation engineer is expanding an existing VxRail E Series cluster with an additional node. The version of the node is not at the current cluster level and is not compatible.

What action must be performed before adding the node?

- A. Order node with correct image
- B. RASR Factory Reset
- C. RASR Factory Image Upgrade
- D. Compute node expansion

Answer: A

NEW QUESTION 33

What is the maximum number of supported nodes for a VxRail cluster running on a 1 GbE network?

- A. 4
- B. 5
- C. 16
- D. 32

Answer: C

NEW QUESTION 34

A VxRail D560 cluster was delivered six months ago and now needs to be prepared for installation with the target code. What is the correct method to complete the task?

- A. Boot into RASR ISO and perform a RASR Reset
- B. Boot into RASR USB and perform a RASR Reset
- C. Boot into SD card and perform a Factory Reset

D. Boot into RASR ISO and perform a Factory Reset

Answer: A

NEW QUESTION 38

A company needs to enable vSphere GPU capabilities on their VxRail cluster. To do so, they need to purchase a specific entitlement. What licensing satisfies this requirement?

- A. vSphere Enterprise Plus
- B. vSAN Enterprise Plus Edition
- C. vSAN Advanced Edition
- D. vSphere Standard

Answer: B

NEW QUESTION 39

According to Dell best practices, which VxRail series can be deployed in either datacenters or remote locations?

- A. D Series
- B. V Series
- C. G Series
- D. E Series

Answer: D

NEW QUESTION 44

Which command is used to restart the Loudmouth process on an ESXi node?

- A. /usr/libAmiware/loudmouth/bin/loudmouthd restart
- B. systemcti restart loudmouth
- C. /etc/int.d/loudmouth restart
- D. systemcti restart vmware-loudmouth

Answer: C

NEW QUESTION 47

Which vSAN rules are configured for the VXRAIL-SYSTEM-STORAGE-PROFILE?

- A. Failures to tolerate - 2 failures RAID-1 (Mirroring) Object space reservation - Thin provisioning
- B. Failures to tolerate - 1 failure RAID-1 (Mirroring) Object space reservation - Thin provisioning
- C. Failures to tolerate - 1 failure RAID-1 (Mirroring) Object space reservation - Thick provisioning
- D. Failures to tolerate - 1 failure RAID-5 (Erasure Coding) Object space reservation - Thick provisioning

Answer: A

NEW QUESTION 51

Which vSAN feature requires an All-Flash cluster?

- A. Deduplication and compression
- B. Data-at-Rest Encryption
- C. Data-in-Transit Encryption
- D. Storage Policy Based Management

Answer: A

NEW QUESTION 55

What must be used when deploying VxRail with a customer-supplied VDS?

- A. Deployment Wizard using the configuration file method
- B. Deployment Wizard using the step-by-step method
- C. VxRail API with configuration file
- D. VxRail PowerShell SysBringUp Module

Answer: B

NEW QUESTION 58

What are the requirements for a customer-supplied VDS in a VxRail deployment?

- A. 4 or 8 uplinksPort groups for Discovery, Management, vMotion, and vSAN only
- B. 2 or 4 uplinksPort groups for Discovery, Management, vMotion, and vSAN only
- C. 2 or 4 uplinksPort groups for Discovery, Management vCenter Server, vMotion, and vSAN
- D. 4 or 8 uplinksPort groups for Discovery, Management, vCenter Server, vMotion, and vSAN

Answer: D

NEW QUESTION 61

An implementation engineer is configuring the network firewall to support a VxRail installation. Where can they find the necessary firewall rules?

- A. Network Validation Tool
- B. VxRail Configuration Portal
- C. As-Built Configuration Report
- D. Rack worksheet of the Network PEQ

Answer: C

NEW QUESTION 64

A 2-node VxRail duster ls being deployed. Due to a preparation mistake, the host section fe missing. Use the VxRail simulator to fully deploy the cluster using the JSON file.

Node Names:

vcluster-esxO 15-vrack

vcluster-esxO 16-vrack

Starting IP

Address: 192.168.10.15

Rack Name: Virtual Rack

Rack Position: 15-16

Passwords: Passwordl23

!

ESXI Management

User: esxmgmt

When you have finished, continue to the next question.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Pending

Send your suggestions for this question.

NEW QUESTION 68

Which VxRail model(s) has a non-mirrored IDSMD?

- A. D560/F
- B. All G Series
- C. S570
- D. All E Series

Answer: B

NEW QUESTION 70

What is the maximum number of supported nodes in a VxRail Stretch Cluster?

- A. 16
- B. 30

- C. 32
- D. 64

Answer: B

NEW QUESTION 71

What code is returned when a VxRail API request is executed successfully?

- A. 200
- B. 207
- C. 400
- D. 500

Answer: A

NEW QUESTION 74

A systems engineer is performing a VxRail upgrade in a VMware Horizon VDI cluster. All hosts are put in Maintenance Mode. What action does the engineer need to perform on each host once the upgrade has been completed?

- A. From the Connection Server, run `lcMaintcmd` to delete the parent VMs and exit Maintenance Mode for each host.
- B. From the Connection Server, run `lcMaintcmd` to take the hosts out of Maintenance Mode and reboot them.
- C. Set the `InstantClone Maintenance` annotation value to the original value.
- D. Set the `InstantClone Maintenance` annotation value to 2.

Answer: A

NEW QUESTION 76

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your DES-6322 Exam with Our Prep Materials Via below:

<https://www.certleader.com/DES-6322-dumps.html>